```
Stats 1. June 05.
F_3 = 1 - 65d^2 = 1 - 6 \times 14
= 1 - 6 \times 14
= 1 - 84
= 3/10 = 0.3
 ii rs = -1 > perfect regative correlation
               B 4 - 32 5
     16
2. P(x particle) = 0.14 T~Geo (0.14).
1 a P(T=5) = (1-0.14)^{4} \times 0.14

= 0.07658.

b. P(T<8) \Rightarrow navent nad fffffff = (1-0.14)^{7}

= 0.34792.

not = 1-0.34792

= 0.652
3 X = no of people who buy
     i \times P(X \ge 8) = i - P(X \le 7) from tables.

i \times P(X \ge 8) = i - P(X \le 7) from tables.

i \times P(X \ge 8) = i - P(X \le 7) from tables.

i \times P(X \ge 8) = i - P(X \le 7) from tables.

i \times P(X \ge 8) = i - P(X \le 7) from tables.

i \times P(X \ge 8) = i - P(X \le 7) from tables.

i \times P(X \ge 8) = i - P(X \le 7) from tables.

i \times P(X \le 9) = i - P(X \le 7) from tables.

i \times P(X \le 9) = i - P(X \le 7) from tables.

i \times P(X \le 9) = i - P(X \le 7) from tables.

i \times P(X \le 9) = i - P(X \le 7) from tables.
```

11
$$X \sim B(16, 0.38)$$
.

 $P(x=6) = 10c_{6} \times 0.38^{6} \times (1-0.38)^{10}$.

 $= 0.202$.

H 1 $X = 3.3$ $2x = 265$ $2x^{2} = 14.76.54$
 $55.8 = 53.3$ $2x = 274.6$ $2x^{2} = 5162.22$
 $52.3 = 566$

Sax = $2x^{2} - (2x)^{2} = 131.54$.

Sy = $2x^{2} - (2x)^{2} = 81.188$.

Sy = $2x^{2} - (2x)^{2} = 81.188$.

Sy = $2x^{2} - (2x)^{2} = 81.188$.

 $2x = 2x^{2} - (2x)^{2} = 81.188$.

 $3x = 2x^{2} - (2x)^{2} = 81.188$.

 $3x = 2x = -0.868$

11 No difference - Foch value would have been moved by some ratio

11 Predict y based on $x = 30$ yon $x = 30$.

 $3x = 2x = 46 = 5 = 54.92$
 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 5 = 53$.

 $3x = 2x = 265 = 53$.

x = 60.4 y = 49.87

```
5.1 LQ -300 \Rightarrow H5 M -600 \Rightarrow G9.
   IQR = 69-45 = 24
   ii 40% of condidates scored more than a
      1200 -480 = 720
                  64 marks.
  iii more man 68 mars 860 canolidates
              1e 1200 - 860 = 340.
Choose 5 prob of more than 68 = \frac{340}{1200} = \frac{17}{60}.
(V) \left(\frac{17}{60}\right)^5 = 0.00183.
        Line should be straight ie La becomes 42
1 GiR = 69-42 = 27 ie higher.
6.i a = 4/5 b = 1/5 c = 1/4 d = 3/4 e = 3/4 f = 1/4
P(R=2) = RRG = \frac{1}{2} \times \frac{4}{5} \times \frac{1}{2} = \frac{1}{5}

RGR = \frac{1}{2} \times \frac{1}{5} \times \frac{1}{4} = \frac{1}{5}

or GRR = \frac{1}{2} \times \frac{3}{5} \times \frac{3}{4} = \frac{9}{40}
iii 1- (1/10 + 9/20 + 1/5) = 1/4 = K.
IV Mean = \mu = Z\alpha i pi \Rightarrow 0 \times 1/0 + 1 \times 1/4
                                           +2 \times 9/20
+3 × 1/5 = 1^{3/4}.
 Variance = 20ci^2pi - \mu^2 \gg 0^2 \times 1/0
                                             +2^2 \times 9/20
+3 \times 1/5 = 317/20 - \mu^2
```

= 63/80.

7. 1 18 C7 = 31824
18
$$\Rightarrow$$
 5 G 6 H 7 W.
11 $5C2 \times 6C2 \times 7C3 = 5250 = 875$
 24 $2H$ $3W$ 31824 5304
111 $7C5 \times 11C2 = 1155 = 385$
 $5W$ $2(GUH)$.
1V $2G$ $2H$ $3W$ = $5C2 \times 6C2 \times 7C3 = 5250$
 $6V$ $2G$ $3H$ $2W$ = $5C2 \times 6C3 \times 7C2 = 47200$
 $6V$ $3G$ $3H$ $2W$ = $5C3 \times 6C2 \times 7C2 = 3150$
 12600 = 175
 13824 13