OCR
RECOGNISING ACHIEVEMENT

GCSE

Mathematics C

GCSE **J516**

Mark Schemes on the Units

March 2007

J516/MS/R/07M

Oxford Cambridge and RSA Examinations

OCR (Oxford, Cambridge and RSA Examinations) is a unitary awarding body, established by the University of Cambridge Local Examinations Syndicate and the RSA Examinations Board in January 1998. OCR provides a full range of GCSE, A level, GNVQ, Key Skills and other qualifications for schools and colleges in the United Kingdom, including those previously provided by MEG and OCEAC. It is also responsible for developing new syllabuses to meet national requirements and the needs of students and teachers.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by Examiners. It does not indicate the details of the discussions which took place at an Examiners' meeting before marking commenced.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the Report on the Examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

Any enquiries about publications should be addressed to:

OCR Publications
PO Box 5050
Annesley
NOTTINGHAM
NG15 0DL

Telephone: 0870 870 6622
Facsimile: 0870 870 6621
E-mail: publications@ocr.org.uk

CONTENTS

General Certificate of Secondary Education
GCSE Mathematics C – J516

MARK SCHEMES FOR THE UNITS

Unit	Content	Page
B242	Module Test M2	1
B243	Module Test M3	5
B244	Module Test M4	9
B245	Module Test M5	15
B246	Module Test M6	19
B247	Module Test M7	23
B248	Module Test M8	27
*	Grade Thresholds	30

Mark Scheme B242
March 2007

SECTION A

1	✓ ✗ ✗ ✓	**2**	**1** for 3 correct Accept "yes" or "no"
2 (a)	1500	**1**	
(b)	128	**2**	**M1** for 4 x 32 seen or implied or **M1** for digits 128 seen
(c)	4437	**1**	
(d)	$(60 \text{ to } 80)^0$ inclusive	**1**	
(e)	(15 to 25) (m) inclusive	**1**	
3 (a)	Orange or 27	**1**	
(b)	Right 2nd Left Right	**2**	**1** for two correct responses
(c)	Phone 4U or 30	**1**	
4 (a)	$\frac{5}{12}$	**1**	
(b)	2 squares (or equivalent part squares) shaded	**1**	
(c)	0·75	**1**	
5	acute c obtuse e reflex a b f right d	**3**	All correct, half for each correct, then round down,
6 (a)	105	**1**	
(b)	35	**1**	
7	£11·72(p) or 1172 p	**2**	**M1** for digits "1172" or "6·45+5·27"seen or clear attempt to add
8	2·6	**3**	**M1** for 49·1 or 47·5 + 1·6 seen **M1** for 51·7 – ("their 49·1") Or **M1** for 51·7 – 47·5 (=4·2) seen or implied **M1** for "their 4·2" – 1·6 seen or implied Or **M1** for 51.7 – 1.6 (=50.1) seen or implied **M1** for 50.1 – 47.5 seen or implied

Section A Total: 25

SECTION B

9 (a)	cuboid cylinder cone sphere	**2**	Award 1 for two or three correct,
(b)	D C	**1** **1**	Or equivalent indication for D Or equivalent indication for C
10 (a)	(£)3·10	**2**	**M1** for sight of 0·25 *or* $\frac{1}{4}$ *or* ÷ 4 *or* digits "31" *or* "62" seen
(b)	75(%)	**1**	
11 (a) (i)	10	**1**	
(ii)	"add 2" "up in 2s"	**1**	"direction" + "quantity" ignore subsequent or extra working. Condone "to/too" for "two/2".
(b) (i)	"+5" or "add five"	**1**	"direction" + "quantity" ignore subsequent or extra working.
(ii)	always ends in 3 or 8 (isw)	**1**	Accept "it should be 43/48"
12 (a) (i)	3		
(ii)	Any number or range in the (inclusive) range 13·9 to 17·1	**1**	Allow range or number within range
(b) (i)	85	**1**	
(ii)	100	**1**	If *zero* scored in (i) and (ii) **SC1** for 170 ÷ 2 seen or implied eg "85"
(c) (i)	9	**1**	
(ii)	10·5	**2**	**M1** for sight ordered list (either way): 8 9 9 9 10 11 12 15 17 25 condone two missing numbers
13 (a)	Comedy or C	**1**	
(b)	(4 to 6)%	**1**	
(c)	Wrong/no (44 – 48)% (is less than half) or 2% - 6% (too low)	**1** **1**	Dependent on some – not necessarily correct – working to support "wrong/no" or equivalent negative response. Need an numerical argument involving or implying percentages.
14	B: (0 ± 2 mm) from zero A: (0.2 to 2) cm from zero C: (8 to 9.8) cm from zero	**1** **1** **1**	Indicated unambiguously. **SC1** if zero for events in correct order ie from left B A C

Section B Total: 25

Mark Scheme B243
March 2007

SECTION A

1	(a)	2800	**1**	Cao
	(b)	3·2	**1**	Cao
	(c)	1·3	**1**	Cao
	(d)	15	**2**	**W1** for 5 seen or 20 ÷ 4 seen or 60 ÷ 4 seen
2	(a)	Second shape indicated	**1**	
	(b)	E C	**1** **1**	
3		210 seen 0·2(oe) × 'their 210' 42 isw **Alternative method** 0·2(oe) × 6 or 0·2(oe) × 35 1·2 or 7 'their 1·2' × 35 or 'their 7' × 6 42	**W2** **M1** **A1** **M1** **A1** **M1** **A1**	or **M1** for attempt at 6 × 35 or **W1** for 10% of 'their 210' correctly calculated cao or **W4** for 42 as answer or **W1** for 0·6 or 3·5 seen cao or **W4** for 42 as answer
4	(a)	600 (p) or £6(·00) (£)12·5(0) or 1250 p (£)0·15 or 15p	**1** **1** **1**	
	(b)	6	**2**	**W1** for 3 seen or 15 ÷ 5 seen or 30 ÷ 5 seen
	(c) (i)	6·1 to 6·3	**1**	
	(ii)	4·7 to 5	**1**	
5	(a)	60	**2**	**W1** for 5 × 3 × 4 or 15 seen
	(b) (i)	2·5 or 2½	**2**	**W1** for 5 or 10 seen or **SC1** for 3 (m) as answer
	(ii)	Yes AND (patio doors) 1·5 m **or** (cupboard) 2·4 cm	**2**	**W1** 1·5 or 2·4 seen or **W1** for yes with unquantified comparison

Section A Total: 25

SECTION B

6 (a)	25	**1**	Cao
(b)	369	**2**	**M1** for 144 or 225 seen
7 (a)	1500	**1**	Cao
(b)	3·25(0) or 3¼	**2**	**M1** for 0·75(0) or 0·5(00) or 2000 seen or figs 325 Or **SC1** for 3·(….)
8 (a) (i)	1 8	**1** **1**	
(ii)	38	**2**	**W1** for answer in range 36 to 40 or 11, 13, 8, 4, 1, 1 seen or **sc1** for 19 as answer
(b)	8·5	**3**	**M1** for attempt to add (implied by 45 to 55 seen) **M1** for division by 6 seen Or **SC2** for 41 as answer
9 (a)	12	**1**	
(b)	11	**1**	
(c)	5	**1**	
10	70 to 100 or 0·7 to 1 cm or m	**1** **1**	Accept correctly matched units only Or **SC2** for 2½ to 3 feet or 30 to 36 inches or 1 yard
11 (a) (i)	(200 or £2(·00)	**1**	
(ii)	40 or £(0)·4(0)	**1**	
(b)	230 or £2·3(0)	**2**	**M1** for 2 × 90 + 50 or 180 seen or £1·8(0) seen or figs 23
12 (a)	B, D, G	**1**	At least two correct shapes, but no errors
(b)	E F, 3 or C, 1·5	**1** **1**	

Section B Total: 25

Mark Scheme B244
March 2007

SECTION A

1	E T I S X	**3**		all letters correctly placed condone correct additional items
			W2	one error/omission
			W1	3 letters correctly placed
2 (a)	11, 8	**2**	**W1**	each number, only; either way round
			or	
			M1	pair with product of 88 seen
(b)	¼, ¾	**2**	**W1**	each fraction, only; either way round
			or	
			M1	2 fractions with sum of 1
3 (a)	straight line … 180	**1**		accept 'half/semi circle … 180'
	angles … straight line			*or* 'half turn … 180'
(b)	73 and opposite (angles) (equal)	**3**	**W1**	accept '73 and X angles (equal)'
	155		**W1**	
	full turn … 360 *or* circle … 360 *or* angles (at a) point … 360		**W1**	not turn … 360'
4 (a)	3, 10	**1**		both, only
(b)	18	**1**		only
(c)	4	**1**		only
5 (a)	1/20	**2**		accept correct equivalent probabilities
			W1	condone 'unlikely' or equivalent and correct probability incorrect form *or* 20 seen
(b)	clear explanation	**1**		implies the need to check all 5 *or* that prize could be any of the 5
6	213	**2**	**M1**	Complete attempt at multiplication (need a carry fig to be convinced in traditional method)
			or	
			W1	figs 213(00) *or* 10 65(0) seen *or* 3 correct rectangles (grid methods)
	65	**3**	**M1**	Complete attempt at division
			&	
			W1	figs 6✷(00) as a final answer *or* 90 *or* 150 seen (www)
			or	
			W1	answer only

7 (a) (i)	48	**1**	
(ii)	× 2	**1**	direction and quantity
(b)	32	**1**	
	Total	**25**	

SECTION B

8	(a)	$P = 6h$	**2**		acc $P = h + h + h + h + h + h$ etc
				W1	$6h$, $h6$ exactly or equivalent seen (not 5h)
	(b)	16·6	**2**	**M1**	$2 \times 5{\cdot}2 + 2 \times 3{\cdot}1$ soi *or* 10·4, 6·2 both seen *or* figs 166
	(c)	10·5 cm²	**3**	**M1** *or* **M2** *&* **B1**	$7 \times 1{\cdot}5$ soi *or* figs 105 10·5 cm² or cm sq , sq cm or equivalent
9		0·048 0·08 0·4 0·408 0·48 *or* 5, 4, 2, 1, 3 *or* 4, 3, 5, 2, 1	**2**	**W1**	one value misplaced or fully reversed
10		A, B, F and C (29·38/29·40) *or* A, B, F and E (29·89/29·90) <u>with</u> correct working Not D (Louder than Loud, The Beards, 13·49) + Only one of C (Hits to Hum, 10·99) E (Whistling Bob Harris, 11·50) & other three	**3**	 **M1** *or* **M2** *or* **W1** *or* **W2**	may be these letters, list of prices, list of titles or artists working includes final total shown, intermediate totals shown, estimates shown correct sum of at least 2 CDs *or* correct subtraction of 1 CD from £30 18·39 (ABF, no incorrect working) *or* 29·38/29·40 *or* 29·89/29·90 seen correct 4 chosen, no working correct 4 but unconvincing/inaccurate working
11	(a)	correct vertical line drawn	**1**		need not be ruled, may be dashed etc mark intention
	(b)	(-9, 3)	**1**		
		(-7, -5) plotted	**1**		centre of their mark ±2mm

	(1, *a*) *or* (3, -1) *or* (3, 7) *or* (-1, -1) *or* (-1, 7)	**2**	where *a* can take any value except 3 **W1** point or triangle shown but coordinate not stated
12 (a) (i)	46	**1**	
(ii)	114	**1**	If 0 scored so far, **SC1** for (i) 43 and (ii) 107
(iii)	4	**1**	
(iv)	2	**1**	
(b) (i)	23 www	**3**	**M1** total 161 soi **&** **M1** a total divided by 7 seen
(ii)	longer swimming *or* swimming has higher mean	**1**	**ft only** from their mean
	Total	**25**	

Mark Scheme B245
March 2007

SECTION A

1	(a)	$\frac{20}{30}$ ringed and no other one ringed	1	accept any indication of the correct answer
	(b)	$\frac{3}{4}$	2 **[3]**	**M1** for $\frac{21}{28}$ oe seen
2	(a)	$^{-}7$	1	
	(b)	3	1 **[2]**	
3	(a)	$14a$	2	**M1** for $5a + 2a + 5a + 2a$ or better **W1** for either term
	(b)	$7b + 3c$	2 **[4]**	
4	(a)	D and H	2	**W1** for 1 correct and 1 wrong or 2 correct and 1 wrong or 1 correct only
	(b)	12	1 **[3]**	
5	(a)	18	1	
	(b)	$\frac{10}{4}$ oe	2 **[3]**	**M1** for $4x = 7 + 3$ or better
6		$\sqrt{100}$ 4^2 5^2 3^3	2 **[2]**	**W1** for three in the correct order, for reversed order or two correct items converted, eg $\sqrt{100}=10$ and $4^2=16$
7	(a) (i)	17·29	1	
	(ii)	20	1	
	(b)	30 (×) 40 (=) 1200 or 30 (×) 35 (=) 1050 or 25 (×) 40 (=) 1000	2 **[4]**	allow either way round **M1** for either 29 or 37 rounded to 1 s.f.
8	(a)	135	1	
	(b) (i)	(0)50 – (0)55	1	
	(ii)	42 – 45	2 **[4]**	**M1** for 8·4 – 8·9 (cm)

SECTION B

9 (a) (b)	(PS) PH PE PC DS DH DE DC $\frac{1}{8}$	2 1 **[3]**	**W1** for 4 correct ones (not PS) accept decimal and percentage equivalents follow through from (a)
10 (a) (b)	square and rhombus only trapezium	1 1 **[2]**	
11	334·8	2 **[2]**	**M1** for 6·2 × 4·5 × 12
12 (a) (b)	Y Y N Y 	2 2 **[4]**	**W1** for three correct and one wrong **W1** for 6 correct squares and a maximum of 2 wrong ones Or 1 correct rotation bottom left hand or bottom right hand segment.
13	Tamsin and square first (then multiply by 5)	2 **[2]**	accept any correct explanation **W1** for either Tamsin or a correct explanation
14 (a) (b)	55 home <u>mean</u> is higher	3 1 **[4]**	**M1** for attempt at $\sum n($ or 440) **and** **M1(dep)** for their 440 ÷ 8 soi accept any correct statement on the mean
15 (a) (b)	5 6 7 four points correctly plotted and joined with a ruled line	1 2 **[3]**	allow the correct points or ft their table **W1** for three points correctly plotted (ft their table)
16	49	5 **[5]**	**M2** for 0·55 × 420 oe or 231 seen **or** **M1** for 420 ÷ 100 **and** **M2** for $\frac{2}{3} \times 420$ Allow 0.66.. for $\frac{2}{3}$ or 280 seen **or** **M1** for 420 ÷ 3

Mark Scheme B246
March 2007

SECTION A

1 (a)	Correct reflection	**W1**	
(b) (i)	(×)3	**W1**	
(ii)	(0,1)	**W1**	
2 (a) (i)	6·18	**W1**	
(ii)	1·15 i.s.w.	**W2**	**W1** for 1·1(…) or 2·3 **W1** for figs 115
(b)	0·875 i.s.w.	**W2**	**M1** for attempt at 7÷8 seen or 0·125
3 (a)	5 correct points plotted and no extras	**W2**	**W1** for 3 correct points plotted
(b)	Negative	**W1**	
(c) (i)	Line of best fit between (1,70)(11, 57·5) and (1,74)(11, 61·5)	**W1**	
(ii)	61 to 65 only	**W1**	
4 (a)	36	**W1**	
(b)	-6	**W2**	**W1** for 4 or -10 seen
5 (a)	5·5 or $5\frac{1}{2}$ or $\frac{11}{2}$ i.s.w	**W2**	**M1** for 2x =4+7 or better
(b)	-3	**W3**	**M2** for $3x=-9$ or $-3x=9$ or **M1** for $kx=-9$ or $3x=k$ or $3x+2=-7$ or $7x=4x-9$ or $7x-4x=-7-2$
6	140	**W2**	**M1** for $360-(70+130+120)$ **or** **W1** for 40 or 320 seen.
	(Angles in a) quadrilateral =360°	**W1**	
	(Angles on a) straight line = 180°	**W1**	

SECTION B

7		0·65	**W2**	**M1** for 1 –(0·05 +0·3) or 0·35 seen
8	(a)	13·75	**W1**	
	(b)	39·6	**W2**	**W1** figs 395 to 396, or 33·24 or 0·84 seen **SC1** for answer 25·0
9	(a)	Final answer 6x+10	**W1**	
	(b)	Final answer 4(2x+3)	**W1**	
10	(a)	Final answer $\frac{11}{20}$ o.e.	**W2**	**M1** for $\frac{15}{20}$ or $\frac{4}{20}$ or equivalent common denominator with at least 1 fraction correct. **SC1** for **final answer** 0·55
	(b)	Final answer $\frac{15}{16}$ o.e.	**W2**	**M1** for $\frac{3}{8} \times \frac{5}{2}$ or alternative method **SC1** for **final answer** 0·9375
11	(a)	12	**W1**	
	(b)	1·3	**W2**	**W1** for 2·7 seen or **SC1** for answer 13
12	(a)	11 : 7	**W2**	**W1** for 11n : 7n **SC1** for 7 : 11 or 1·57.. : 1 or 1·6 : 1
	(b)	29·60	**W2**	**M1** for $\frac{24 \cdot 05}{26}(\times 32)$ or **W1** for figs 925 seen or **W1** for 5·55 or 29·6 **SC1** 29·76 or 29·63
13		136 to 137	**W4**	**W2** for 28 to 29 seen or **M1** for π x 3^2 and **M1** for 15 x 11 – their π x 3^2 s.o.i
14	(a)	2nd view indicated	**W1**	
	(b)	 Accept any orientation	**W2**	**W1** for five squares drawn in a line

Mark Scheme B247
March 2007

SECTION A

1 (a)	4	**1**	
(b)	5^4 final answer	**1**	
2	80° angle sum of a triangle (=180) corresponding (angles) seen	**1** **1**indep **1**indep	or seen on diagram for *x* condone F angles. Accept opposite **and** alternate/ Z angles
3 (a)	triangle correct and ruled ±2 mm	**1**	Point R is 8 cm from P and Q
(b)	arcs and bisector for P correct ±2°	**2 ft**	Ft their angle P **W1** for correct ruled bisector ±2° with no/wrong arcs
(c)		**M1**	Must use compasses
	full arc, centre P, with 4 cm radius ±2 mm	**A1**	dep. on at least **W1** in (b)
	correct shading (inside arc and below bisector) cao		**After M0**, **SC1** for shading below their ruled bisector of angle P with no arc **or** inside their arc with no bisector **or** for shading between PQ, their ruled bisector of angle P and their arc centre P
4 (a)	0.35 o.e. (accept 0.35/1)	**2**	**M1** for 1 – (0.4 + 0.25) implied by answer 0.71
(b)	20	**2**	**M1** for 0.25 × 80 o.e.
5 (a)	$2^3 \times 5$ o.e.	**2**	**M1** for 2 **and** 5 seen (may be in division or tree)
(b) (i)	120 (or 2³ × 3 × 5)	**2**	**M1** for any multiple of 120 selected as answer or a product that gives 120
(ii)	8 (or 2³)	**1**	After 0 in (b)(i) and (ii) **SC2** for both answers reversed **or SC1** for 8 or 2³ in (b)(i) **or** 120 or 2³ × 3 × 5 in (b)(ii)
6 (a) (i)	75	**1**	
(ii)	5	**3**	**M2** for $3x - 2x = 18 - 13$ or better **or M1** for $3x + 13 = 2x + 18$ or better after **M0** allow **SC1** for correct f.t method collecting terms after bracket slip eg $3x - 2x = 9 - 13$ dep on *x* term and number term from bracket expansion
(b)	$\frac{P-2h}{2}$ or $\frac{P}{2}-h$ o.e. final answer	**2**	**M1** for $2b = P - 2h$ or $-2b = 2h - P$ or **W1** for $\frac{\pm P \pm 2h}{\pm 2}$ o.e. or correct answer seen

Section A Total: 25

SECTION B

7	(a)	0.17, 0.51	**2**	**M1** for 1 correct or 0.68 ÷ 4 soi or for figs 17 and 51 seen
	(b)	0.97(2)	**2**	**M1** for 0.54 × 1800 ÷ 1000 o.e. or figs 97(2) seen
8		2, 3, 4, 5	**3**	**W2** for 3 correct with no more than 1 incorrect or all correct with 1 extra ans. **M1** for $2 \leq n < 5.5$ seen – could be separate inequalities or W1 for 2 correct integers given with no more than 2 incorrect
9	(a)	1 **and** 1	**1**	
	(b)	at least 6 points plotted correct or ft smooth curve thro at least 5 correct pts **and** correct shape	**P1** **C1ft**	to nearest square curve within 1 small square of the 5 points must be reasonable U shape
	(c)	1.6 to 1.8 **and** −1.6 to −1.8	**1ft**	ft their intersections with *x*-axis provided at least 2 intersections
10	(a)	y^8	**1**	
	(b)	$x^2 + 3x + (1)x + 3$ final answer or $x^2 + 4x + 3$	**2**	**M1** for 3 correct terms of $x^2, 3x, (1)x, 3$ seen or two terms correct in $x^2, 4x, 3$ seen
11	(a)	360 ÷ 5 o.e.	**1**	or 540 (÷ 5) = 108 and 180 – 108 = 72 with no errors seen
	(b)	132	**3**	**M1** for 540 soi and **M1** indep. for P – (90+120+116+82) or P - 408 where (P > 408) seen or **M2** for 48 seen or **M1** for 360 – (90+60+64+98) or 360 – 312
12		128	**4**	**M3** for 6400/50 or $\sum fx / 50$ with correct mid-values allow 1 slip on mid-values/products or **M2** for 6400 or at least 3 of 1040, 2400, 1760, 1200 seen or their $\sum fx$ where *x* is in the correct range. or **M1** for at least 3 of 80, 120, 160, 200 s.o.i. After **M0**, **SC2** for 108 or 148 final answer
13		7.2(1....)	**3**	**M2** for $\sqrt{6^2 + 4^2}$ **M1** for $6^2 \pm 4^2$ implied by 52 or 20 seen www For 3 marks accept ans 7 after **M2** earned

Section B Total: 25

Mark Scheme B248
March 2007

SECTION A

1	(a)	triangle with vertices at (6, 3) (9, 3) and (6, 9)	**3**	**2** if two vertices correct or **2** for enlargement sf 1·5 using wrong centre **1** for enlargement centre (0,0) but wrong sf
	(b)	angle or orientation	**1**	
2	(a) (i)	8/15 o.e.	**2**	**M1** for $\frac{2}{5}\times\frac{4}{3}$ or $\frac{8}{20}\div\frac{15}{20}$ o.e. with other common denominator
	(ii)	$8\frac{1}{4}$ or $8\frac{3}{12}$	**3**	**W2** for 99/12 or 33/4 o.e. seen or **M1** for $\frac{11}{3}\times\frac{9}{4}$ [at least one term correct] and **M1** for multiplying numerators and denominators ft their attempt at conversion
	(b)	$2{\cdot}4 \times 10^{-3}$	**2**	**1** for other forms of 0·0024 seen or for other forms of $2{\cdot}4 \times 10^{n}$ as final answer
3		$x^2 + 2x - 15$ as final answer	**3**	**W2** for 2 terms correct in a 3 term expression **M2** for $x^2 + 5x - 3x - 15$ [may be in grid] or **M1** for 2 terms correct of $x^2 + 5x - 3x - 15$ [may be in grid]
4		$y = -2x + 5$ o.e	**3**	**M2** for gradient = −2 or **M1** for attempt at gradient = *y* difference ÷ *x* difference and **M1** for $y = mx + 5$ or **W2** for $-2x + 5$
5	(a)	$[r =]\sqrt{\frac{3F}{\pi h}}$	**3**	These marks can be gained in any order **M1** for multiplying by 3 **M1** for dividing by πh (But $3f \div \pi \div h$ would not score the mark) **M1** for square root of their complete expression for r^2
	(b)	Volume **and** $L \times L^2 = L^3$ o.e.	**1**	
6	(a)	390 (accept 380 to 400)	**2**	**1** for 640 to 660 or 250 to 270 seen
	(b)	valid comparisons	**2**	**1** for each valid comparison, with at least one of them in context

Section A Total: 25

SECTION B

7 (a)	−7	**2**	**M1** for 5 − *x* = 12 or -*x* = 7 or $\frac{-x}{4}$ = 1·75
(b)	*x* > 4	**2**	**M1** for [*x* =] 4 or 4 with wrong inequality sign as answers or for 3*x* > 12 seen
(c)	15*x* − 3*y* = 48 or 5*x* + 15*y* = 40 subtraction or addition as appropriate to eliminate variable *x* = 3·5 and *y* = 1·5	**M1** **M1** **A1**	condone one error condone one error; must be correct operation for their equations or **M2** for complete method of rearranging and substituting (condone one error in each stage)
8 (a)	58·8 or 59	**3**	**M2** for 120 × 0·7^2 o.e.; or **M1** for 120 × 0·7 o.e. or 84
(b)	5·50	**3**	**W2** for 5·5 or **M2** for £6·16 ÷ 112 (× 100) or **M1** for 112% = 6·16 or for 1·12 seen
9	184(·2...) www	**4**	**W3** for 97(·2...) www seen or **M2** for 230 × sin 25 or 230 x cos 65 or **M1** for sin 25 = $\frac{opp}{230}$ or cos 65 = $\frac{adj}{230}$
10 (a)	0·2, 0·8, 0·2 on branches	**1**	
(b)	0·14	**2**	**M1** for 0·7 × 0·2 or for 0.7 x their branch or for figs 14 as final answer
11 (a)	[both pairs of] sides in ratio 1 : 1·5 o.e. [included angle =] 70° in both triangles	**1** **1**	eg sf = 1·5 or 2/3 or **1** for PQ/QR = AB/BC = 1·2 o.e.
(b)	6·3	**3**	**W2** for other versions of 6·33… or **M1** for 9·5 ÷ 1·5 o.e.; answer of 6·34 www (comes from premature approximation) implies **M1**

Section B Total: 25

General Certificate of Secondary Education (Mathematics C – Graduated Assessment) (J516)
March 2007 Assessment Series

Unit Threshold Marks

Unit		Maximum Mark	a*	a	b	c	d	e	f	g	p	u
B242	Raw	50							38	23	14	0
	UMS	42							36	24	(18)	0
B243	Raw	50							25	12		0
	UMS	47							36	24		0
B244	Raw	50						38	24	15		0
	UMS	54						48	36	(30)		0
B245	Raw	50						28	15			0
	UMS	59						48	36			0
B246	Raw	50					27	12				0
	UMS	71					60	48				0
B247	Raw	50				25	13					0
	UMS	83				72	60					0
B248	Raw	50			30	15						0
	UMS	95			84	72						0

Notes

The above table shows the raw marks and the corresponding key uniform scores for each unit (module test) available in the March 2007 series.

Raw marks falling between two raw marks in the appropriate row above are converted, by a linear map, to a uniform score between the uniform scores that correspond to the two raw marks.

The grade shown in the above table as 'p' indicates that the candidate has achieved at least the minimum raw mark necessary to access the uniform score scale for that unit but gained insufficient uniform marks to merit a grade 'g'. This avoids having to award such candidates a 'u' grade. Grade 'p' can only be awarded to candidates on B241 (M1) and B242 (M2). It is not a valid grade within GCSE Mathematics and will not be awarded to candidates when they aggregate for the full GCSE (J516).

For a description of how UMS marks are calculated see;
http://www.ocr.org.uk/exam_system/understand_ums.html

Statistics are correct at the time of publication.

OCR (Oxford Cambridge and RSA Examinations)
1 Hills Road
Cambridge
CB1 2EU

OCR Customer Contact Centre

(General Qualifications)
Telephone: 01223 553998
Facsimile: 01223 552627
Email: helpdesk@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; 1 Hills Road, Cambridge, CB1 2EU
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553