




(a) Calendar-day coverage




(b) Detrended screening




(a) Interval width: 400 / 200




(b) Bootstrap method difference




(c) Screened minus observed




(d) Excluded minus full network




Warm days · q0.10




Warm days · q0.50




Warm days · q0.90




Warm nights · q0.10




Warm nights · q0.50




Warm nights · q0.90




Cool days · q0.10




Cool days · q0.50




Cool days · q0.90




Cool nights · q0.10



Cool nights · q0.50



Cool nights · q0.90



40

20


0

-20


-40

Days per decade


(a) Warm days




(b) Warm nights



(c) Cool days



(d) Cool nights



$|\text{Bootstrap mean}| / \text{bootstrap SD}$

10

8


6

4


2

0


(a) Moran's I




(b) Retained local tests




(a) Warm days



(b) Warm nights




(c) Cool days




(d) Cool nights




(a) Warm days




(b) Warm nights




(c) Cool days



(d) Cool nights




(a) Warm days




C1: Garmsar C3: Omidiyeh (Aghajari)
C2: Fasa C4: Esfahan

(b) Warm nights




C1: Dorudzan C3: Semnan
C2: Abadan C4: Bushehr (Coastal)

(c) Cool days




C1: Arak C3: Abumusa Island
C2: Gorgan C4: Chahbahar

(d) Cool nights




C1: Dorudzan C3: Kish Island
C2: Biyarjomand C4: Garmsar


(a) Network temperature anomaly




(b) Warm days




(c) Warm nights




(d) Cool days




(e) Cool nights




(a) Annual




(b) June-September




Geographical associations with thermal asymmetry




(a) Annual station membership




(b) Asymmetry point estimates




(a) Upper-minus-lower slope contrasts




(b) Daytime-minus-nighttime asymmetry




(a) Warm days




(b) Warm nights



(c) Cool days




(d) Cool nights



Upper-minus-lower slope contrast (days per decade); conditional 95% intervals

(a) Include dry ties only



(b) Then include hot ties

