International Journal of Control, Automation, and Systems VV(X) (YYYY) 1-3
http://dx.doi.org/10.1007/s12555-xxx-xxxx-x
ISSN:1598-6446 eISSN:2005-4092
http://www.springer.com/12555

Manuscript Template for the International Journal of Control, Automation, and Systems: ICROS & KIEE

Gil-Dong Hong*, Adam Smith, and Ikuro Mizumoto

Abstract: This article describes the preparation procedure for publication in the International Journal of Control, Automation, and Systems (IJCAS), and this template applies both for initial submission and the final camera-ready manuscript of the paper. When authors submit their work for review, it is necessary to follow these instructions. The abstract should not exceed 300 words for regular papers or 75 words for technical notes and correspondence without equations, references, and footnotes.

Keywords: At least four keywords or phrases in alphabetical order, separated by commas.

1. INTRODUCTION

This document is a template for LATEX users. If you are reading a printed version of this document, please download an electronic file, IJCAS manuscript template.zip, from https://ijcas.com. You can use this template to prepare your manuscript. If you prefer to use MS Word template file, please download the IJCAS' Microsoft Word style and sample files from the same website. We recommend you to use LATEX for fast typesetting and publication schedule because the published file will be based on LATEX. But, we also accept Microsoft *Word* files for the authors' convenience.

It is necessary to adhere to these instructions when a manuscript is submitted for review. It is highly recommended to submit the manuscript in a *two-column format using template. The authors must strictly follow these instructions* to maintain the high standard of the journal.

A manuscript is divided into three parts: The first part includes the title, authors' names, abstract, and keywords. The second part is the paper's main body including the conclusion section, and the third part is the authors' profile section at the end.

2. PAPER SIZE AND FORMAT

The paper size should be A4, and the following margins should be set:

Left margin	20 mm
Right margin	20 mm
Top margin	30 mm
Bottom margin	30 mm
Heading	10 mm

Also, using the above margins, the article can be printed on U.S. Letter size papers.

The paper should be within the allowed page length.

1) Regular papers: Up to 10 pages
2) Technical notes and correspondence: Up to 5 pages

The page length is measured in the two-column format of this template. An over-length paper can be considered, but a justification is necessary when the initial submission is made. An over-length charge will be applied for publication if accepted.

3. FONTS AND STYLE

3.1. First part

The first part includes the paper title, authors' names, abstract, and keywords. All fonts must be in Times New Roman, and the font sizes of the title, authors' names, abstract, and keywords are 14 pt (bold), 10 pt (bold), 10 pt, and 10 pt, respectively.

3.2. Paper body

The second part of the manuscript's main body must be edited in double-column format, with each column 80 mm in width and separated by 8 mm. The top-level heading, usually called section and numbered in Roman numerals,

Manuscript received January 10, 2026; revised March 10, 2026; accepted May 10, 2026. Recommended by Associate Editor Soon-Shin Lee under the direction of Editor Milton John.

Gil-Dong Hong is with the School of Electrical and Computer Engineering, Best University, 635-4 Yeoksam-dong, Gangnam-gu, Seoul 12345, Korea (e-mail: journal@ijcas.com). Adam Smith and Ikura Mizumoto are with the School of Mechanical Engineering, World University, 1050 Jackson St., Albany, CA 94000, USA (e-mails: {smith, newton}@icros.org).
* Corresponding author.

©ICROS, KIEE and Springer 2026




Fig. 1. The caption must be shown after the figure.

shall appear centered on the column with Times New Roman capital bold 10 pt. The numbered level-two heading must be shown in Times New Roman 10 pt font.

The main text uses Times New Roman 10 pt with single line spacing. A new paragraph starts with a 3.5 mm indentation. However, if an empty line exists before a new paragraph, it can start without an indentation.

If you hit a return key after putting an equation number, the computer assumes that you want to go to a new paragraph, which is not the case. Therefore, you must remove the indentation automatically made after hitting the return key.

3.3. Subsection

The numbering of the subsection should take the above form.

4. FIGURE / TABLE / EQUATION

4.1. Figure

Clear original figures should be used. The authors should submit the original graphic files separately along with the main article file (for the camera-ready version after acceptance). The preferred formats for graphics are Tagged Image File (.tif), Encapsulated Postscript (.eps), and JPG (.jpg) format. High-contrast line figures should be prepared with 600 dpi resolution, and color/gray figures should be prepared with more than 300 dpi resolution. The color figures should be distinguished even if the figures are printed with black and white printers.

4.2. Table

Table 1. The caption must be shown before the table.

	A	B	C
(1)	150%	16.3%	18.2%
(2)	31.1%	33.8%	29.8%
(3)	13.3%	12.1%	11.1%

4.3. Equation

The equations should be numbered serially throughout the paper. The equation number should be located to the far right of the line in parenthesis. Equations are shown left aligned on the column.

Theorem 1: Equations are made as follows:

$$\dot{x} = Ax + Bu, \tag{1}$$

$$y = Cx + Du. \tag{2}$$

You must remove all the automatically-made indentations made after hitting the return key.

Proof: Each equation should be separated by a comma. Assuming that the Equation Editor is used, the settings for individual font sizes are

Main equation: 10 pt (Times New Roman),
Subscript/superscript: 7 pt (Times New Roman),
Sub-subscript: 6 pt (Times New Roman),
Symbol: 150%,
Sub-symbol: 100%.

The equation number should be set with a right tap as shown in (1)-(2). This is the end of the proof. □

Remark 1: The journal office knows how to convert all equations into font 10 pt at once. Please inquire about this before preparing the final manuscript. This will be handy for you.

4.4. Equation/figure/table citation

Equations (1)-(2) stand for the system dynamics. Fig. 1 is the first figure. Table 1 is cited as such. In the paper, all authors are required to use the SI unit.

4.5. References

References should appear in a separate bibliography at the end of the paper, with items referred to by numerals in square brackets [1, 3–5]. Times New Roman 10 pt is used for references [2]. References should be complete in the IJCAS style shown in the Reference section of this article. An article should include vol., no., pages, and year.

4.6. Author information

Brief biographies and either clear glossy photographs (25 mm × 30 mm) of the authors or TIF files of the figures should be submitted after the paper is accepted.

5. CONCLUSION

The authors should prepare their article for initial and final submission following the “Information for Authors? available at http://ijcas.com and this file. If accepted, the authors will be required to provide the text of the final version of their manuscript to the journal office.

APPENDIX A

The author(s) can insert an appendix with a meaningful title here.

DECLARATIONS

Conflict of Interest

Always applicable and includes interests of a financial or personal nature. For example, "The authors declare that there is no competing financial interest or personal relationship that could have appeared to influence the work reported in this paper."

Authors' Contributions

If there is one more author, please ensure that all authors' contributions are individually mentioned with their full names.

Funding

It should be provided in the Declarations, separate from the Acknowledgements. If any of these declarations listed are not relevant to the content of your submission, please state that this declaration is "Not Applicable".

Data Availability

An article's data availability statement lets a reader know where and how to access data that support the results and analysis. It may include links to publicly accessible datasets that were analyzed or generated during the study, descriptions of what data are available and/or information on how to access data that is not publicly available.

REFERENCES

[1] R. C. Baker and B. Charlie, "Nonlinear unstable systems," *International Journal of Control*, vol. 23, no. 4, pp. 123-145, 1989.

[2] G.-D. Hong, "Linear controllable systems," *Nature*, vol. 135, no. 5, pp. 18-27, 1990.


[3] K.-S. Hong and C. S. Kim, "Linear stable systems," *IEEE Transactions on Automatic Control*, vol. 33, no. 3, pp. 1234-1245, 1993.

[4] Z. Shiler, S. Filter, and S. Dubowski, "Time optimal paths and acceleration lines of robotic manipulators," *Proc. of the 26th Conference on Decision and Control*, pp. 98-99, 1987.

[5] M. Young, *The Technical Writer's Handbook*, Mill Valley, Seoul, 1989.

[6] Y. Feng, H. Wang, H. Lu, C. Chang, L. Luo, and F. Yang, "A novel faster all-pair shortest path algorithm based on the matrix multiplication for GPUs," *arXiv preprint* arXiv:2208.04514, 2022.

[7] "Reinforcement learning," Wikipedia, [Online]. Available: https://en.wikipedia.org/wiki/Reinforcement_learning. [Accessed: March 24, 2025].



Gil-Dong Hong (Times New Roman 9 pt, Bold) received his B.S. degree in Electrical Engineering from Best University in 2003. His research interests include nonlinear control, adaptive control, and system identification.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.