KERAAL team · How to use GitHub

For first-time users · 2026-10-16 · Lead: Sonny · Repo: https://github.com/hyeon03-sketch/AI-application

GitHub = a shared team folder + a history of every change. Who changed what and when is always recorded, so mistakes can be undone. The repo is **public**: anyone can view it without logging in. To edit, you need an invite.

1. One-time setup (5 min)

1	Create an account at github.com with Sign up.
2	Send your **GitHub username** to Sonny on KakaoTalk.
3	Click Accept invitation in the invite email. No email? Go to `https://github.com/hyeon03-sketch/AI-application/invitations`.

2. No coding: use the website only · Joshi, or anyone who only edits documents and notes

1	**Find your folder**	Repo front page → `members` → your name (`sonny` / `euijin` / `roshini` / `joshi`)
2	**Edit text**	Click `README.md` in your folder → pencil 🖍 (top right) → edit → Commit changes → choose **"Create a new branch for this commit and start a pull request"** → Propose changes → Create pull request → Merge pull request → Confirm merge
3	**Upload a file**	In your folder: Add file → Upload files → drag & drop → make a PR and merge as above
4	**Questions / tasks**	Issues tab → New issue → put the task ID first (e.g. `[U2] segment overlap question`) → set Assignees on the right

Why a PR every time? `main` (the final version) is protected, so changes don't save straight into it. If you only changed your own folder, merge it yourself; no approval needed.

3. Coding: GitHub Desktop (no commands needed) · Euijin, Roshini, Sonny

1	**Install**	Install `https://desktop.github.com` → sign in with GitHub
2	**Clone**	File → Clone repository → URL tab → paste the repo address → Clone
3	**Get the latest first**	Set Current branch to `main` → Fetch origin → Pull origin
4	**Your branch**	Current branch → New branch → name it `yourname/task` (e.g. `roshini/r1-threshold`)
5	**Save (commit)**	Edit files → one-line Summary bottom-left (e.g. `R1: add calibration script`) → Commit to your-branch
6	**Upload (push)**	Publish branch (later: Push origin) → Create Pull Request → on the website Create pull request
7	**Merge**	If you changed `keraal_pipeline/`, `README.md` or `RULES.md`: **after code-owner approval**, Merge pull request. Only your own folder: merge right away.
8	**Data path**	Put your PC's data path in `keraal_pipeline/data_root.txt` (e.g. `E:/KERAAL_data/extracted`). This file is never uploaded.

4. Rules you must follow

⚠️ **The repo is public. Anyone in the world can see it.**
🚫 **Never upload** raw data, tables made from it (`model_input_*.csv`, `temporal_segments.csv`), videos or video captures → share them via KakaoTalk or the team drive
🚫 No personal information (phone numbers, student IDs, emails, face photos) and no class assignment answers
🚫 Uploaded something by mistake? Don't just delete it; **tell Sonny right away** (it must be removed from the history too)

Topic	Rule
Other people's folders	Don't edit them. Comment in an Issue or PR instead.
Confirmatory config	Never edit `configs/p1_confirmatory.json`. New experiments get a new config file.
Results	Everything after the confirmatory run (10/08) is labelled "exploratory".
Log	Write what you did, with the date, as one paragraph in `keraal_pipeline/PROGRESS.md`.
Commit messages	Start with the task ID: `U2: …`, `R1: …`, `docs: …`
Stuck?	Don't struggle alone; ask in the group chat or an Issue right away.

5. FAQ

Question	Answer
It says “You can't commit to main”	That's expected: `main` is protected. Create a new branch and open a PR.
The Merge button is grey	The PR changes shared code, so it needs approval. Ask the code owner for a review on KakaoTalk.
I got a “conflict”	Two people edited the same lines. Don't fix it alone; post a screenshot in the group chat.
What should I read first?	Front-page `README.md` → `PROGRESS_AND_PRESENTATION.md` → `RULES.md`.