

Developer Guide for version 2.x

AWS SDK for Java 2.x



AWS SDK for Java 2.x: Developer Guide for version 2.x

Copyright © 2024 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

Table of Contents

Developer Guide - AWS SDK for Java 2.x	1
Get started with the SDK	1
Develop mobile applications	1
Maintenance and support for SDK major versions	1
Additional resources	2
Contribute to the SDK	2
Get started tutorial	3
Step 1: Set up for this tutorial	3
Step 2: Create the project	3
Step 3: Write the code	8
Step 4: Build and run the application	12
Success	13
Cleanup	13
Next steps	13
Setup	15
Setup overview	15
Set up authentication	16
Setup for single sign-on access for the SDK	16
Sign in using the AWS CLI	17
Install Java and a build tool	18
Additional authentication options	18
Set up an Apache Maven project	18
Prerequisites	18
Create a Maven project	19
Configure the Java compiler for Maven	19
Declare the SDK as a dependency	21
Set dependencies for SDK modules	21
Build your project	24
Set up a Gradle project	24
Set up a GraalVM Native Image project	31
Prerequisites	31
Create a project using the archetype	31
Build a native image	32
Use the SDK	34

Work with service clients	34
Create a service client	34
Default client configuration	35
Configure service clients	35
Close the service client	36
Make requests	36
Use requests to override client configuration	37
Handle responses	38
Handle exceptions	39
Use waiters	40
Set timeouts	40
Execution interceptors	41
Configure SDK authentication	42
Configure access to temporary credentials	42
Default credentials provider chain	44
Use a specific credentials provider	46
Use profiles	48
Load temporary credentials from an external process	51
Supply temporary credentials in code	56
Read IAM role credentials on Amazon EC2	59
Use AWS Regions	61
Explicitly configure an AWS Region	61
Determine Region from environment	62
Check for service availability	63
Choose a specific endpoint	63
Reduce SDK startup time for AWS Lambda	64
Use an AWS CRT-based HTTP client	64
Remove unused HTTP client dependencies	64
Configure service clients to shortcut lookups	65
Initialize the SDK client outside of the Lambda function handler	66
Minimize dependency injection	67
Use a Maven Archetype targeting AWS Lambda	67
Lambda SnapStart	67
Version 2.x changes that affect startup time	68
Additional resources	68
HTTP clients	68

Available clients	68
Client recommendations	69
Smart defaults	74
Configure the Apache-based HTTP client	75
Configure the URLConnection-based HTTP client	81
Configure the Netty-based HTTP client	87
Configure AWS CRT-based HTTP clients	93
Configure HTTP proxies	106
Exception handling	111
Why unchecked exceptions?	111
AwsServiceException (and subclasses)	112
SdkClientException	113
Exceptions and retry behavior	113
Retries	113
Retry strategies	114
Specify a strategy	117
Customize a strategy	119
Migrating from RetryPolicy to RetryStrategy	121
Logging	121
Log4j 2 configuration file	121
Add logging dependency	121
SDK-specific errors and warnings	122
Request/response summary logging	123
Debug-level SDK logging	124
Enable wire logging	126
Set the JVM TTL for DNS name lookups	131
How to set the JVM TTL	132
Best practices	132
Reuse an SDK client	133
Close input streams	133
Tune HTTP configurations	133
Use OpenSSL for Netty	134
Configure API timeouts	134
Use metrics	135
Troubleshooting	135
Connection reset	136

Connection timeout	136
Read timed out	137
Connection pool timeout	137
Classpath errors	141
Signature errors	142
Connection pool shut down	143
Use SDK features	146
General features	146
Service-specific features	146
Work with paginated results	146
Synchronous pagination	147
Asynchronous pagination	150
Poll for resource states	155
Prerequisites	155
Using waiters	156
Configure waiters	157
Code examples	157
Use asynchronous programming	158
Use asynchronous client APIs	158
Handle streaming in asynchronous methods	161
Configure advanced asynchronous options	165
Work with HTTP/2	166
Use SDK metrics	166
Prerequisites	167
How to enable metrics collection	167
Customize metrics publisher	169
When are metrics available?	171
What information is collected?	171
How can I use this information?	171
Service client metrics	172
Work with AWS services	177
CloudWatch	177
Get metrics from CloudWatch	178
Publish custom metric data to CloudWatch	180
Work with CloudWatch alarms	182
Use Amazon CloudWatch Events	186

AWS database services	189
Amazon DynamoDB	190
Amazon RDS	190
Amazon Redshift	191
Amazon Aurora Serverless v1	191
Amazon DocumentDB	191
DynamoDB	192
Use AWS account-based endpoints	192
Work with tables in DynamoDB	193
Work with items in DynamoDB	203
Map objects to DynamoDB items	210
Amazon EC2	343
Manage Amazon EC2 instances	343
Use AWS Regions and Availability Zones	350
Work with security groups in Amazon EC2	357
Work with Amazon EC2 instance metadata	362
IAM	368
Manage IAM access keys	368
Manage IAM Users	374
Create IAM policies	379
Work with IAM policies	386
Work with IAM server certificates	392
Kinesis	397
Subscribe to Amazon Kinesis Data Streams	397
Lambda	408
Invoke a Lambda function	408
List Lambda functions	409
Delete a Lambda function	410
Amazon S3	411
S3 clients in the SDK	411
Use access points or Multi-Region Access Points	414
Pre-signed URLs	415
Cross-Region access	424
Checksums	425
Use a performant S3 client	429
Configure parallel transfer support	432

Transfer files and directories	434
S3 Event Notifications	442
Amazon SNS	449
Create a topic	449
List your Amazon SNS topics	450
Subscribe an endpoint to a topic	451
Publish a message to a topic	452
Unsubscribe an endpoint from a topic	453
Delete a topic	454
Amazon SQS	455
Use automatic request batching	456
Queue operations	461
Message operations	464
Amazon Transcribe	468
Set up the microphone	468
Create a publisher	469
Create the client and start the stream	471
More information	467
Code examples	474
ACM	477
Actions	477
API Gateway	494
Actions	477
Scenarios	498
AWS community contributions	499
Application Auto Scaling	500
Actions	477
Application Recovery Controller	508
Actions	477
Aurora	511
Basics	512
Actions	477
Scenarios	498
Auto Scaling	546
Basics	512
Actions	477

Scenarios	498
AWS Batch	608
Actions	477
Scenarios	498
Amazon Bedrock	657
Actions	477
Amazon Bedrock Runtime	663
Scenarios	498
AI21 Labs Jurassic-2	664
Amazon Titan Image Generator	670
Amazon Titan Text	672
Amazon Titan Text Embeddings	683
Anthropic Claude	686
Cohere Command	697
Meta Llama	712
Mistral AI	723
Stable Diffusion	734
CloudFront	737
Actions	477
Scenarios	498
CloudWatch	756
Basics	512
Actions	477
Scenarios	498
CloudWatch Events	831
Actions	477
CloudWatch Logs	837
Actions	477
Amazon Cognito Identity	847
Actions	477
Amazon Cognito Identity Provider	855
Actions	477
Scenarios	498
Amazon Comprehend	882
Actions	477
Scenarios	498

Firehose	894
Actions	477
Scenarios	498
Amazon DocumentDB	904
Serverless examples	904
DynamoDB	906
Basics	512
Actions	477
Scenarios	498
Serverless examples	904
AWS community contributions	499
Amazon EC2	994
Basics	512
Actions	477
Scenarios	498
Amazon ECR	1091
Basics	512
Actions	477
Amazon ECS	1131
Actions	477
Elastic Load Balancing - Version 2	1145
Actions	477
Scenarios	498
MediaStore	1189
Actions	477
OpenSearch Service	1204
Basics	512
Actions	477
EventBridge	1234
Basics	512
Actions	477
Scenarios	498
EventBridge Scheduler	1268
Actions	477
Scenarios	498
Forecast	1293

Actions	477
AWS Glue	1306
Basics	512
Actions	477
HealthImaging	1338
Actions	477
Scenarios	498
IAM	1368
Basics	512
Actions	477
Scenarios	498
AWS IoT	1452
Basics	512
Actions	477
AWS IoT data	1492
Actions	477
AWS IoT SiteWise	1495
Basics	512
Actions	477
Amazon Keyspaces	1540
Basics	512
Actions	477
Kinesis	1566
Actions	477
Serverless examples	904
AWS KMS	1579
Basics	512
Actions	477
Lambda	1635
Basics	512
Actions	477
Scenarios	498
Serverless examples	904
AWS community contributions	499
Amazon Lex	1671
Scenarios	498

AWS Marketplace Catalog API	1672
AMI products	1673
Channel partner offers	1697
Container products	1714
Entities	1720
Offers	1725
Products	1785
Resale authorization	1790
SaaS products	1831
Utilities	1857
AWS Marketplace Agreement API	1861
Agreements	1861
MediaConvert	1914
Actions	477
Migration Hub	1936
Actions	477
Amazon MSK	1949
Serverless examples	904
Amazon Personalize	1951
Actions	477
Amazon Personalize Events	1980
Actions	477
Amazon Personalize Runtime	1984
Actions	477
Amazon Pinpoint	1988
Actions	477
Amazon Pinpoint SMS and Voice API	2032
Actions	477
Amazon Polly	2036
Actions	477
Scenarios	498
Amazon RDS	2043
Basics	512
Actions	477
Scenarios	498
Serverless examples	904

Amazon RDS Data Service	2085
Scenarios	498
Amazon Redshift	2087
Basics	512
Actions	477
Scenarios	498
Amazon Rekognition	2125
Actions	477
Scenarios	498
Route 53 domain registration	2194
Basics	512
Actions	477
Amazon S3	2217
Basics	512
Actions	477
Scenarios	498
Serverless examples	904
Amazon S3 Control	2396
Basics	512
Actions	477
S3 Directory Buckets	2440
Actions	477
Scenarios	498
S3 Glacier	2492
Actions	477
SageMaker AI	2508
Actions	477
Scenarios	498
Secrets Manager	2537
Actions	477
Amazon SES	2539
Actions	477
Scenarios	498
Amazon SES API v2	2555
Actions	477
Scenarios	498

Amazon SNS	2573
Actions	477
Scenarios	498
Serverless examples	904
Amazon SQS	2640
Actions	477
Scenarios	498
Serverless examples	904
Step Functions	2682
Basics	512
Actions	477
Scenarios	498
AWS STS	2707
Actions	477
AWS Support	2710
Basics	512
Actions	477
Systems Manager	2733
Basics	512
Actions	477
Amazon Textract	2775
Actions	477
Scenarios	498
Amazon Transcribe	2787
Actions	477
Scenarios	498
Amazon Transcribe Streaming	2798
Actions	477
Scenarios	498
Amazon Translate	2817
Scenarios	498
Security	2820
Data protection	2820
Transport Layer Security (TLS)	2821
Check TLS versions	2822
Enforce TLS versions	2822

Migrate to TLS 1.2	2823
Identity and Access Management	2823
Audience	2823
Authenticating with identities	2824
Managing access using policies	2827
How AWS services work with IAM	2830
Troubleshooting AWS identity and access	2830
Compliance Validation	2832
Resilience	2833
Infrastructure Security	2833
Migrate to version 2	2835
What's new in version 2	2835
How to migrate	2836
Migration tool (preview release)	2836
Step-by-step instructions	2841
What's different between 1.x and 2.x	2859
Package name change	2859
Adding version 2.x to your project	2860
Immutable POJOs	2861
Setter and getter methods	2861
Model class names	2862
Libraries and utilities	2862
Client changes	2864
Credentials provider changes	2909
Region changes	2917
Operations, requests and responses changes	2919
Exception changes	2920
Serialization changes	2921
Service-specific changes	2922
Profile file changes	2928
External configuration	2929
Waiters	2932
S3 Transfer Manager	2936
EC2 metadata utility	2944
CloudFront presigning	2952
S3 URI parsing	2956

IAM Policy Builder API	2958
DynamoDB mapping/document APIs	2964
S3 Event Notifications	2992
Working with Amazon S3	2997
Use the SDK for Java 1.x and 2.x side-by-side	2998
OpenPGP key	3000
Current key	3000
Historical keys	3004
Document history	3007

Developer Guide - AWS SDK for Java 2.x

The AWS SDK for Java provides a Java API for AWS services. Using the SDK, you can build Java applications that work with Amazon S3, Amazon EC2, DynamoDB, and more.

The AWS SDK for Java 2.x is a major rewrite of the version 1.x code base. It's built on top of Java 8+ and adds several frequently requested features. These include support for non-blocking I/O and the ability to plug in a different HTTP implementation at runtime.

We regularly add support for new services to the AWS SDK for Java. For a list of changes and features in a particular version, view the [change log](#).

Get started with the SDK

If you're ready to get hands-on with the SDK, follow the [Get started tutorial](#) tutorial.

To set up your development environment, see [Setup](#).

If you're currently using version 1.x of the SDK for Java, see [Migrate to version 2](#) for specific guidance.

For information on making requests to Amazon S3, DynamoDB, Amazon EC2 and other AWS services, see [Use the SDK for Java](#) and [Work with AWS services](#).

Develop mobile applications

If you're a mobile app developer, Amazon Web Services provides the [AWS Amplify](#) framework.

Maintenance and support for SDK major versions

For information about maintenance and support for SDK major versions and their underlying dependencies, see the following topics in the [AWS SDKs and Tools Reference Guide](#):

- [AWS SDKs and Tools Maintenance Policy](#)
- [AWS SDKs and Tools Version Support Matrix](#)

Additional resources

In addition to this guide, the following are valuable online resources for AWS SDK for Java developers:

- [AWS SDK for Java 2.x API Reference](#)
- [Java developer blog](#)
- [Java development topic in AWS re:Post](#)
- [SDK source](#) on GitHub
- [AWS SDK Code Examples library](#)
- [@awsforjava \(Twitter\)](#)

Contribute to the SDK

Developers can also contribute feedback through the following channels:

- Submit issues on GitHub:
 - [Submit Developer Guide documentation issues](#)
 - [Submit SDK issues](#)
- Join an informal chat about the SDK on the AWS SDK for Java 2.x [gitter channel](#)

Get started with the AWS SDK for Java 2.x

The AWS SDK for Java 2.x provides Java APIs for Amazon Web Services (AWS). Using the SDK, you can build Java applications that work with Amazon S3, Amazon EC2, DynamoDB, and more.

This tutorial shows you how to use [Apache Maven](#) to define dependencies for the SDK for Java 2.x and then write code that connects to Amazon S3 to upload a file.

Follow these steps to complete this tutorial:

- [Step 1: Set up for this tutorial](#)
- [Step 2: Create the project](#)
- [Step 3: Write the code](#)
- [Step 4: Build and run the application](#)

Step 1: Set up for this tutorial

Before you begin this tutorial, you need the following:

- Permission to access Amazon S3
- A Java development environment that is configured to access AWS services using single sign-on to the AWS IAM Identity Center

Use the instructions in [???](#) to get set up for this tutorial. After you have [configured your development environment with single sign-on access](#) for the Java SDK and you have an [active AWS access portal session](#), continue with Step 2 of this tutorial.

Step 2: Create the project

To create the project for this tutorial, you run a Maven command that prompts you for input on how to configure the project. After all input is entered and confirmed, Maven finishes building out the project by creating a `pom.xml` and creates stub Java files.

1. Open a terminal or command prompt window and navigate to a directory of your choice, for example, your Desktop or Home folder.

2. Enter the following command at the terminal and press Enter.

```
mvn archetype:generate \
-DarchetypeGroupId=software.amazon.awssdk \
-DarchetypeArtifactId=archetype-app-quickstart \
-DarchetypeVersion=2.27.21
```

3. Enter the value listed in the second column for each prompt.

Prompt	Value to enter
Define value for property 'service':	s3
Define value for property 'httpClient' :	apache-client
Define value for property 'nativeImage' :	false
Define value for property 'credentialProvider'	identity-center
Define value for property 'groupId':	org.example
Define value for property 'artifactId':	getstarted
Define value for property 'version' 1.0-SNAPSHOT:	<Enter>
Define value for property 'package' org.example:	<Enter>

4. After the last value is entered, Maven lists the choices you made. Confirm by entering *Y* or re-enter values by entering *N*.

Maven creates the project folder named `getstarted` based on the `artifactId` value that you entered. Inside the `getstarted` folder, find a `README.md` file that you can review, a `pom.xml` file, and a `src` directory.

Maven builds the following directory tree.

```
getstarted
### README.md
### pom.xml
### src
### main
#   ### java
#   #   ### org
#   #       ### example
#   #           ### App.java
#   #           ### DependencyFactory.java
#   #           ### Handler.java
#   ### resources
#       ### simplelogger.properties
### test
    ### java
        ### org
            ### example
            ### HandlerTest.java

10 directories, 7 files
```

The following shows the contents of the `pom.xml` project file.

pom.xml

The `dependencyManagement` section contains a dependency to the AWS SDK for Java 2.x and the `dependencies` section has a dependency for Amazon S3. The project uses Java 1.8 because of the `1.8` value in the `maven.compiler.source` and `maven.compiler.target` properties.

```
<?xml version="1.0" encoding="UTF-8"?>
<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/xsd/maven-4.0.0.xsd">
    <modelVersion>4.0.0</modelVersion>

    <groupId>org.example</groupId>
```

```
<artifactId>getstarted</artifactId>
<version>1.0-SNAPSHOT</version>
<packaging>jar</packaging>
<properties>
    <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
    <maven.compiler.source>1.8</maven.compiler.source>
    <maven.compiler.target>1.8</maven.compiler.target>
    <maven.shade.plugin.version>3.2.1</maven.shade.plugin.version>
    <maven.compiler.plugin.version>3.6.1</maven.compiler.plugin.version>
    <exec-maven-plugin.version>1.6.0</exec-maven-plugin.version>
    <aws.java.sdk.version>2.27.21</aws.java.sdk.version> <----- SDK version
picked up from archetype version.
    <slf4j.version>1.7.28</slf4j.version>
    <junit5.version>5.8.1</junit5.version>
</properties>

<dependencyManagement>
    <dependencies>
        <dependency>
            <groupId>software.amazon.awssdk</groupId>
            <artifactId>bom</artifactId>
            <version>${aws.java.sdk.version}</version>
            <type>pom</type>
            <scope>import</scope>
        </dependency>
    </dependencies>
</dependencyManagement>

<dependencies>
    <dependency>
        <groupId>software.amazon.awssdk</groupId>
        <artifactId>s3</artifactId> <----- S3 dependency
        <exclusions>
            <exclusion>
                <groupId>software.amazon.awssdk</groupId>
                <artifactId>netty-nio-client</artifactId>
            </exclusion>
            <exclusion>
                <groupId>software.amazon.awssdk</groupId>
                <artifactId>apache-client</artifactId>
            </exclusion>
        </exclusions>
    </dependency>
```

```
<dependency>
    <groupId>software.amazon.awssdk</groupId>
    <artifactId>sso</artifactId> <----- Required for identity center
authentication.
</dependency>

<dependency>
    <groupId>software.amazon.awssdk</groupId>
    <artifactId>ssooidc</artifactId> <----- Required for identity center
authentication.
</dependency>

<dependency>
    <groupId>software.amazon.awssdk</groupId>
    <artifactId>apache-client</artifactId> <----- HTTP client specified.
    <exclusions>
        <exclusion>
            <groupId>commons-logging</groupId>
            <artifactId>commons-logging</artifactId>
        </exclusion>
    </exclusions>
</dependency>

<dependency>
    <groupId>org.slf4j</groupId>
    <artifactId>slf4j-api</artifactId>
    <version>${slf4j.version}</version>
</dependency>

<dependency>
    <groupId>org.slf4j</groupId>
    <artifactId>slf4j-simple</artifactId>
    <version>${slf4j.version}</version>
</dependency>

<!-- Needed to adapt Apache Commons Logging used by Apache HTTP Client to Slf4j
to avoid
ClassNotFoundException: org.apache.commons.logging.impl.LogFactoryImpl during
runtime -->
<dependency>
    <groupId>org.slf4j</groupId>
    <artifactId>jcl-over-slf4j</artifactId>
    <version>${slf4j.version}</version>
</dependency>
```

```
<!-- Test Dependencies -->
<dependency>
    <groupId>org.junit.jupiter</groupId>
    <artifactId>junit-jupiter</artifactId>
    <version>${junit5.version}</version>
    <scope>test</scope>
</dependency>
</dependencies>

<build>
    <plugins>
        <plugin>
            <groupId>org.apache.maven.plugins</groupId>
            <artifactId>maven-compiler-plugin</artifactId>
            <version>${maven.compiler.plugin.version}</version>
        </plugin>
    </plugins>
</build>

</project>
```

Step 3: Write the code

The following code shows the App class created by Maven. The main method is the entry point into the application, which creates an instance of the Handler class and then calls its sendRequest method.

App class

```
package org.example;
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;

public class App {
    private static final Logger logger = LoggerFactory.getLogger(App.class);

    public static void main(String... args) {
        logger.info("Application starts");

        Handler handler = new Handler();
        handler.sendRequest();
```

```
        logger.info("Application ends");
    }
}
```

The DependencyFactory class created by Maven contains the s3Client factory method that builds and returns an [S3Client](#) instance. The S3Client instance uses an instance of the Apache-based HTTP client. This is because you specified apache-client when Maven prompted you for which HTTP client to use.

The DependencyFactory is shown in the following code.

DependencyFactory class

```
package org.example;

import software.amazon.awssdk.http.apache.ApacheHttpClient;
import software.amazon.awssdk.services.s3.S3Client;

/**
 * The module containing all dependencies required by the {@link Handler}.
 */
public class DependencyFactory {

    private DependencyFactory() {}

    /**
     * @return an instance of S3Client
     */
    public static S3Client s3Client() {
        return S3Client.builder()
            .httpClientBuilder(ApacheHttpClient.builder())
            .build();
    }
}
```

The Handler class contains the main logic of your program. When an instance of Handler is created in the App class, the DependencyFactory furnishes the S3Client service client. Your code uses the S3Client instance to call the Amazon S3 service.

Maven generates the following Handler class with a *TODO* comment. The next step in the tutorial replaces the *TODO* with code.

Handler class, Maven-generated

```
package org.example;

import software.amazon.awssdk.services.s3.S3Client;

public class Handler {
    private final S3Client s3Client;

    public Handler() {
        s3Client = DependencyFactory.s3Client();
    }

    public void sendRequest() {
        // TODO: invoking the api calls using s3Client.
    }
}
```

To fill in the logic, replace the entire contents of the `Handler` class with the following code. The `sendRequest` method is filled in and the necessary imports are added.

Handler class, implemented

The code first creates a new S3 bucket with the last part of the name generated using `System.currentTimeMillis()` in order to make the bucket name unique.

After creating the bucket in the `createBucket()` method, the program uploads an object using the [putObject](#) method of `S3Client`. The contents of the object is a simple string created with the `RequestBody.fromString` method.

Finally, the program deletes the object followed by the bucket in the `cleanUp` method.

```
package org.example;

import software.amazon.awssdk.core.sync.RequestBody;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.CreateBucketRequest;
import software.amazon.awssdk.services.s3.model.DeleteBucketRequest;
import software.amazon.awssdk.services.s3.model.DeleteObjectRequest;
import software.amazon.awssdk.services.s3.model.HeadBucketRequest;
import software.amazon.awssdk.services.s3.model.PutObjectRequest;
```

```
import software.amazon.awssdk.services.s3.model.S3Exception;

public class Handler {
    private final S3Client s3Client;

    public Handler() {
        s3Client = DependencyFactory.s3Client();
    }

    public void sendRequest() {
        String bucket = "bucket" + System.currentTimeMillis();
        String key = "key";

        createBucket(s3Client, bucket);

        System.out.println("Uploading object...");

        s3Client.putObject(PutObjectRequest.builder().bucket(bucket).key(key)
            .build(),
            RequestBody.fromString("Testing with the {sdk-java}"));

        System.out.println("Upload complete");
        System.out.printf("%n");

        cleanUp(s3Client, bucket, key);

        System.out.println("Closing the connection to {S3}");
        s3Client.close();
        System.out.println("Connection closed");
        System.out.println("Exiting...");
    }

    public static void createBucket(S3Client s3Client, String bucketName) {
        try {
            s3Client.createBucket(CreateBucketRequest
                .builder()
                .bucket(bucketName)
                .build());
            System.out.println("Creating bucket: " + bucketName);
            s3Client.waiter().waitUntilBucketExists(HeadBucketRequest.builder()
                .bucket(bucketName)
                .build());
            System.out.println(bucketName + " is ready.");
        }
    }
}
```

```
        System.out.printf("%n");
    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

public static void cleanUp(S3Client s3Client, String bucketName, String keyName) {
    System.out.println("Cleaning up...");
    try {
        System.out.println("Deleting object: " + keyName);
        DeleteObjectRequest deleteObjectRequest =
DeleteObjectRequest.builder().bucket(bucketName).key(keyName).build();
        s3Client.deleteObject(deleteObjectRequest);
        System.out.println(keyName + " has been deleted.");
        System.out.println("Deleting bucket: " + bucketName);
        DeleteBucketRequest deleteBucketRequest =
DeleteBucketRequest.builder().bucket(bucketName).build();
        s3Client.deleteBucket(deleteBucketRequest);
        System.out.println(bucketName + " has been deleted.");
        System.out.printf("%n");
    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    System.out.println("Cleanup complete");
    System.out.printf("%n");
}
}
```

Step 4: Build and run the application

After the project is created and contains the complete Handler class, build and run the application.

1. Make sure that you have an active IAM Identity Center session. To do so, run the AWS Command Line Interface command `aws sts get-caller-identity` and check the response. If you don't have an active session, see [this section](#) for instructions.
2. Open a terminal or command prompt window and navigate to your project directory `getstarted`.
3. Use the following command to build your project:

```
mvn clean package
```

4. Use the following command to run the application.

```
mvn exec:java -Dexec.mainClass="org.example.App"
```

To view the new bucket and object that the program creates, perform the following steps.

1. In Handler.java, comment out the line `cleanUp(s3Client, bucket, key)` in the `sendRequest` method and save the file.
2. Rebuild the project by running `mvn clean package`.
3. Rerun `mvn exec:java -Dexec.mainClass="org.example.App"` to upload the text object once more.
4. Sign in to [the S3 console](#) to view the new object in the newly created bucket.

After you view the file, delete the object, and then delete the bucket.

Success

If your Maven project built and ran without error, then congratulations! You have successfully built your first Java application using the SDK for Java 2.x.

Cleanup

To clean up the resources you created during this tutorial, do the following:

- If you haven't done so already, in [the S3 console](#), delete any objects and any buckets created when you ran the application.
- Delete the project folder (`getstarted`).

Next steps

Now that you have the basics down, you can learn about the following:

- [Working with Amazon S3](#)

- [Working with other Amazon Web Services](#), such as [DynamoDB](#), [Amazon EC2](#), and [various database services](#)
- [Use the SDK](#)
- [Security for the AWS SDK for Java](#)

Set up the AWS SDK for Java 2.x

This section provides information about how to set up your development environment and projects to use the AWS SDK for Java 2.x.

Setup overview

To successfully develop applications that access AWS services using the AWS SDK for Java, the following conditions are required:

- The Java SDK must have access to credentials to [authenticate requests](#) on your behalf.
- The [permissions of the IAM role](#) configured for the SDK must allow access to the AWS services that your application requires. The permissions associated with the **PowerUserAccess** AWS managed policy are sufficient for most development needs.
- A development environment with the following elements:
 - [Shared configuration files](#) that are set up in at least one of the following ways:
 - The config file contains [IAM Identity Center single sign-on settings](#) so that the SDK can get AWS credentials.
 - The credentials file contains temporary credentials.
 - An [installation of Java 8](#) or later.
 - A [build automation tool](#) such as [Maven](#) or [Gradle](#).
 - A text editor to work with code.
 - (Optional, but recommended) An IDE (integrated development environment) such as [IntelliJ IDEA](#), [Eclipse](#), or [NetBeans](#).

When you use an IDE, you can also integrate AWS Toolkits to more easily work with AWS services. The [AWS Toolkit for IntelliJ](#) and [AWS Toolkit for Eclipse](#) are two toolkits that you can use for Java development.

- An active AWS access portal session when you are ready to run your application. You use the AWS Command Line Interface to [initiate the sign-in process](#) to IAM Identity Center's AWS access portal.

⚠️ Important

The instructions in this setup section assume that you or organization uses IAM Identity Center. If your organization uses an external identity provider that works independently of IAM Identity Center, find out how you can get temporary credentials for the SDK for Java to use. Follow [these instructions](#) to add temporary credentials to the `~/.aws/credentials` file.

If your identity provider adds temporary credentials automatically to the `~/.aws/credentials` file, make sure that the profile name is `[default]` so that you do not need to provide a profile name to the SDK or AWS CLI.

Set up authentication

The [Authentication and access](#) topic in the AWS SDKs and Tools Reference Guide describes the different options to authenticate. We recommend that you follow the instructions to [set up access to the IAM Identity Center](#) so the SDK can acquire credentials. After following the instructions, [your system is set up](#) to allow the SDK to authenticate requests.

Setup for single sign-on access for the SDK

After you complete Step 2 in the [programmatic access section](#) so that the SDK can use IAM Identity Center authentication, your system should contain the following elements.

- The AWS CLI, which you use to start an [AWS access portal session](#) before you run your application.
- An `~/.aws/config` file that contains a [default profile](#). The SDK for Java uses the profile's SSO token provider configuration to acquire credentials before sending requests to AWS. The `sso_role_name` value, which is an IAM role connected to an IAM Identity Center permission set, should allow access to the AWS services used in your application.

The following sample config file shows a default profile set up with SSO token provider configuration. The profile's `sso_session` setting refers to the named `sso-session` section. The `sso-session` section contains settings to initiate an AWS access portal session.

```
[default]
sso_session = my-sso
```

```
sso_account_id = 111122223333  
sso_role_name = SampleRole  
region = us-east-1  
output = json  
  
[sso-session my-sso]  
sso_region = us-east-1  
sso_start_url = https://provided-domain.awsapps.com/start  
sso_registration_scopes = sso:account:access
```

For more details about the settings used in the SSO token provider configuration, see [SSO token provider configuration](#) in the AWS SDKs and Tools Reference Guide.

If your development environment is not set up for programmatic access as previously shown, follow [Step 2 in the SDKs Reference Guide](#).

Sign in using the AWS CLI

Before running an application that accesses AWS services, you need an active AWS access portal session in order for the SDK to use IAM Identity Center authentication to resolve credentials. Run the following command in the AWS CLI to sign in to the AWS access portal.

```
aws sso login
```

Since you have a default profile setup, you do not need to call the command with a `--profile` option. If your SSO token provider configuration is using a named profile, the command is `aws sso login --profile named-profile`.

To test if you already have an active session, run the following AWS CLI command.

```
aws sts get-caller-identity
```

The response to this command should report the IAM Identity Center account and permission set configured in the shared config file.

Note

If you already have an active AWS access portal session and run `aws sso login`, you will not be required to provide credentials.

However, you will see a dialog that requests permission for botocore to access your information. botocore is the foundation for the AWS CLI.

Select **Allow** to authorize access to your information for the AWS CLI and SDK for Java.

Install Java and a build tool

Your development environment needs the following:

- Java 8 or later. The AWS SDK for Java works with the [Oracle Java SE Development Kit](#) and with distributions of Open Java Development Kit (OpenJDK) such as [Amazon Corretto](#), [Red Hat OpenJDK](#), and [Adoptium](#).
- A build tool or IDE that supports Maven Central such as Apache Maven, Gradle, or IntelliJ.
 - For information about how to install and use Maven, see <https://maven.apache.org/>.
 - For information about how to install and use Gradle, see <https://gradle.org/>.
 - For information about how to install and use IntelliJ IDEA, see <https://www.jetbrains.com/idea/>.

Additional authentication options

For more options on authentication for the SDK, such as the use of profiles and environment variables, see the [configuration](#) chapter in the AWS SDKs and Tools Reference Guide.

Set up an Apache Maven project

You can use [Apache Maven](#) to set up and build AWS SDK for Java projects, or to [build the SDK itself](#).

Prerequisites

To use the AWS SDK for Java with Maven, you need the following:

- Java 8.0 or later. You can download the latest Java SE Development Kit software from <http://www.oracle.com/technetwork/java/javase/downloads/>. The AWS SDK for Java also works with [OpenJDK](#) and Amazon Corretto, a distribution of the Open Java Development Kit (OpenJDK). Download the latest OpenJDK version from <https://openjdk.java.net/install/index.html>. Download the latest Amazon Corretto 8 or Amazon Corretto 11 version from [the Corretto page](#).

- *Apache Maven.* If you need to install Maven, go to <http://maven.apache.org/> to download and install it.

Create a Maven project

To create a Maven project from the command line, run the following command from a terminal or command prompt window.

```
mvn -B archetype:generate \
-DarchetypeGroupId=software.amazon.awssdk \
-DarchetypeArtifactId=archetype-lambda -Dservice=s3 -Dregion=US_WEST_2 \
-DarchetypeVersion=2.X.X \
-DgroupId=com.example.myapp \
-DartifactId=myapp
```

Note

Replace *com.example.myapp* with the full package namespace of your application. Also replace *myapp* with your project name. This becomes the name of the directory for your project.

To use the latest version of the archetype, replace *2.X.X* with the [latest from Maven central](#).

This command creates a Maven project using the archetype templating toolkit. The archetype generates the scaffolding for an AWS Lambda function handler project . This project archetype is preconfigured to compile with Java SE 8 and includes a dependency to the version of the SDK for Java 2.x specified with *-DarchetypeVersion*.

For more information about creating and configuring Maven projects, see the [Maven Getting Started Guide](#).

Configure the Java compiler for Maven

If you created your project using the AWS Lambda project archetype as described previously, the configuration of the Java compiler is already done for you.

To verify that this configuration is present, start by opening the pom.xml file from the project folder you created (for example, *myapp*) when you executed the previous command. Look on

lines 11 and 12 to see the Java compiler version setting for this Maven project, and the required inclusion of the Maven compiler plugin on lines 71-75.

```
<project>
  <properties>
    <maven.compiler.source>1.8</maven.compiler.source>
    <maven.compiler.target>1.8</maven.compiler.target>
  </properties>
  <build>
    <plugins>
      <plugin>
        <groupId>org.apache.maven.plugins</groupId>
        <artifactId>maven-compiler-plugin</artifactId>
        <version>${maven.compiler.plugin.version}</version>
      </plugin>
    </plugins>
  </build>
</project>
```

If you create your project with a different archetype or by using another method, you must ensure that the Maven compiler plugin is part of the build and that its source and target properties are both set to **1.8** in the pom.xml file.

See the previous snippet for one way to configure these required settings.

Alternatively, you can configure the compiler configuration inline with the plugin declaration, as follows.

```
<project>
  <build>
    <plugins>
      <plugin>
        <groupId>org.apache.maven.plugins</groupId>
        <artifactId>maven-compiler-plugin</artifactId>
        <configuration>
          <source>1.8</source>
          <target>1.8</target>
        </configuration>
      </plugin>
    </plugins>
  </build>
</project>
```

Declare the SDK as a dependency

To use the AWS SDK for Java in your project, you need to declare it as a dependency in your project's pom.xml file.

If you created your project using the project archetype as described previously, the latest version of the SDK is already configured as a dependency in your project.

The archetype generates a BOM (bill of materials) artifact dependency for the software.amazon.awssdk group id. With a BOM, you do not have to specify the maven version for individual artifact dependencies that share the same group id.

If you created your Maven project in a different way, configure the latest version of the SDK for your project by ensuring that the pom.xml file contains the following.

```
<project>
  <properties>
    <aws.java.sdk.version>2.X.X</aws.java.sdk.version>
  </properties>
  <dependencyManagement>
    <dependencies>
      <dependency>
        <groupId>software.amazon.awssdk</groupId>
        <artifactId>bom</artifactId>
        <version>${aws.java.sdk.version}</version>
        <type>pom</type>
        <scope>import</scope>
      </dependency>
    </dependencies>
  </dependencyManagement>
</project>
```

 **Note**

Replace 2.X.X in the pom.xml file with the [latest version of the AWS SDK for Java 2.x](#).

Set dependencies for SDK modules

Now that you have configured the SDK, you can add dependencies for one or more of the AWS SDK for Java modules to use in your project.

Although you can specify the version number for each component, you don't need to because you already declared the SDK version in the dependencyManagement section using the bill of materials artifact. To load a different version of a given module, specify a version number for its dependency.

If you created your project using the project archetype as described previously, your project is already configured with multiple dependencies. These include dependences for AWS Lambda function handlers and Amazon S3, as follows.

```
<project>
  <dependencies>
    <dependency>
      <groupId>software.amazon.awssdk</groupId>
      <artifactId>s3</artifactId>
      <exclusions>
        <exclusion>
          <groupId>software.amazon.awssdk</groupId>
          <artifactId>netty-nio-client</artifactId>
        </exclusion>
        <exclusion>
          <groupId>software.amazon.awssdk</groupId>
          <artifactId>apache-client</artifactId>
        </exclusion>
      </exclusions>
    </dependency>

    <dependency>
      <groupId>software.amazon.awssdk</groupId>
      <artifactId>url-connection-client</artifactId>
    </dependency>

    <dependency>
      <groupId>com.amazonaws</groupId>
      <artifactId>aws-lambda-java-core</artifactId>
      <version>${aws.lambda.java.version}</version>
    </dependency>
  </dependencies>
</project>
```

Note

In the pom.xml example above, the dependencies are from different groupIds. The s3 dependency is from software.amazon.awssdk, whereas the aws-lambda-java-core dependency is from com.amazonaws. The BOM dependency management configuration affects artifacts for software.amazon.awssdk, so a version is needed for the aws-lambda-java-core artifact.

For the development of *Lambda function handlers* using the SDK for Java 2.x, aws-lambda-java-core is the correct dependency. However, if your application needs to manage Lambda resources, using operations such as `listFunctions`, `deleteFunction`, `invokeFunction`, and `createFunction`, your application requires the following dependency.

```
<groupId>software.amazon.awssdk</groupId>
<artifactId>lambda</artifactId>
```

Note

The s3 dependency excludes the netty-nio-client and apache-client transitive dependencies. In place of either of those HTTP clients, the archetype includes the url-connection-client dependency, which helps [reduce the startup latency for AWS Lambda functions](#).

Add the modules to your project for the AWS service and features you need for your project. The modules (dependencies) that are managed by the AWS SDK for Java BOM are listed on the [Maven central repository](#).

Note

You can look at the pom.xml file from a code example to determine which dependencies you need for your project. For example, if you're interested in the dependencies for the DynamoDB service, see [this example](#) from the [AWS Code Examples Repository](#) on GitHub. (Look for the pom.xml file under [/javav2/example_code/dynamodb](#).)

Build the entire SDK into your project

To optimize your application, we strongly recommend that you pull in only the components you need instead of the entire SDK. However, to build the entire AWS SDK for Java into your project, declare it in your `pom.xml` file, as follows.

```
<project>
  <dependencies>
    <dependency>
      <groupId>software.amazon.awssdk</groupId>
      <artifactId>aws-sdk-java</artifactId>
      <version>2.X.X</version>
    </dependency>
  </dependencies>
</project>
```

Build your project

After you configure the `pom.xml` file, you can use Maven to build your project.

To build your Maven project from the command line, open a terminal or command prompt window, navigate to your project directory (for example, `myapp`), enter or paste the following command, then press Enter or Return.

```
mvn package
```

This creates a single `.jar` file (JAR) in the `target` directory (for example, `myapp/target`). This JAR contains all of the SDK modules you specified as dependencies in your `pom.xml` file.

Set up a Gradle project

You can use [Gradle](#) to set up and build AWS SDK for Java projects.

The initial steps in the following example come from [Gradle's Getting Started guide](#) for version 8.4. If you use a different version, your results may differ slightly.

To create a Java application with Gradle (command line)

1. Create a directory to hold your project. In this example, `demo` is the directory name.

- Inside the demo directory, execute the gradle init command and supply the values highlighted in red as shown in the following command line output. For the walk through, we choose Kotlin as the build script DSL language, but a complete example for Groovy is also shown at the end of this topic.

```
> gradle init
Starting a Gradle Daemon (subsequent builds will be faster)

Select type of project to generate:
1: basic
2: application
3: library
4: Gradle plugin
Enter selection (default: basic) [1..4] 2

Select implementation language:
1: C++
2: Groovy
3: Java
4: Kotlin
5: Scala
6: Swift
Enter selection (default: Java) [1..6] 3

Generate multiple subprojects for application? (default: no) [yes, no] no
Select build script DSL:
1: Kotlin
2: Groovy
Enter selection (default: Kotlin) [1..2] <Enter>

Select test framework:
1: JUnit 4
2: TestNG
3: Spock
4: JUnit Jupiter
Enter selection (default: JUnit Jupiter) [1..4] 4

Project name (default: demo): <Enter>
Source package (default: demo): <Enter>
Enter target version of Java (min. 7) (default: 11): <Enter>
Generate build using new APIs and behavior (some features may change in the next
minor release)? (default: no) [yes, no] <Enter>
```

```
> Task :init
To learn more about Gradle by exploring our Samples at https://docs.gradle.org/8.4/samples/sample\_building\_java\_applications.html

BUILD SUCCESSFUL in 3m 43s
2 actionable tasks: 2 executed
```

3. After the init task completes, the demo directory contains the following tree structure. We take a closer look at the main build file, build.gradle.kts (highlighted in red), in the next section.

```
### app
#   ### build.gradle.kts
#   ### src
#       ### main
#           #   ### java
#           #   #   ### demo
#           #   #       ### App.java
#           #   #       ### resources
#           #       ### test
#               ### java
#               #   ### demo
#               #       ### AppTest.java
#               #       ### resources
### gradle
#   ### wrapper
#       ### gradle-wrapper.jar
#       ### gradle-wrapper.properties
### gradlew
### gradlew.bat
### settings.gradle.kts
```

The build.gradle.kts file contains the following scaffolded content.

```
/*
 * This file was generated by the Gradle 'init' task.
 *
 * This generated file contains a sample Java application project to get you
 * started.
 * For more details on building Java & JVM projects, please refer to https://docs.gradle.org/8.4/userguide/building\_java\_projects.html in the Gradle
 * documentation.
```

```
*/\n\nplugins {\n    // Apply the application plugin to add support for building a CLI application\n    // in Java.\n    application\n}\n\nrepositories {\n    // Use Maven Central for resolving dependencies.\n    mavenCentral()\n}\n\ndependencies {\n    // Use JUnit Jupiter for testing.\n    testImplementation("org.junit.jupiter:junit-jupiter:5.9.3")\n\n    testRuntimeOnly("org.junit.platform:junit-platform-launcher")\n\n    // This dependency is used by the application.\n    implementation("com.google.guava:guava:33.3.0-jre")\n}\n\n// Apply a specific Java toolchain to ease working on different environments.\njava {\n    toolchain {\n        languageVersion.set(JavaLanguageVersion.of(11))\n    }\n}\n\napplication {\n    // Define the main class for the application.\n    mainClass.set("demo.App")\n}\n\ntasks.named<Test>("test") {\n    // Use JUnit Platform for unit tests.\n    useJUnitPlatform()\n}
```

4. Use the scaffolded Gradle build file as the basis for your AWS project.

- a. To manage SDK dependencies for your Gradle project, add the Maven bill of materials (BOM) for the AWS SDK for Java 2.x to the dependencies section of the build.gradle.kts file.

```
...
dependencies {
    implementation(platform("software.amazon.awssdk:bom:2.27.21"))
    // With the bom declared, you specify individual SDK dependencies without a
    // version.
    ...
}
```

 **Note**

In this example build file, replace 2.27.21 with the latest version of the SDK for Java 2.x. Find the latest version available in [Maven central repository](#).

- b. Specify the SDK modules your application needs in the dependencies section. As an example, the following adds a dependency on Amazon Simple Storage Service.

```
...
dependencies {
    implementation(platform("software.amazon.awssdk:bom:2.27.21"))
    implementation("software.amazon.awssdk:s3")
    ...
}
```

Gradle automatically resolves the correct version of declared dependencies by using the information from the BOM.

The following examples show complete Gradle build files in both the Kotlin and Groovy DSLs. The build file contains dependencies for Amazon S3, authentication, logging, and testing. The source and target version of Java is version 11.

Kotlin DSL (build.gradle.kts)

```
/*
 * This file was generated by the Gradle 'init' task.
 *
 * This generated file contains a sample Java application project to get you
 * started.
 * For more details on building Java & JVM projects, please refer to https://
docs.gradle.org/8.4/userguide/building_java_projects.html in the Gradle
documentation.
 */

plugins {
    // Apply the application plugin to add support for building a CLI application in
    Java.
    application
}

repositories {
    // Use Maven Central for resolving dependencies.
    mavenCentral()
}

dependencies {
    implementation(platform("software.amazon.awssdk:bom:2.20.56"))
    implementation("software.amazon.awssdk:s3")
    implementation("software.amazon.awssdk:sso")
    implementation("software.amazon.awssdk:ssoidc")
    implementation(platform("org.apache.logging.log4j:log4j-bom:2.20.0"))
    implementation("org.apache.logging.log4j:log4j-slf4j2-impl")
    implementation("org.apache.logging.log4j:log4j-1.2-api")
    testImplementation(platform("org.junit:junit-bom:5.10.0"))
    testImplementation("org.junit.jupiter:junit-jupiter")
}

// Apply a specific Java toolchain to ease working on different environments.
java {
    toolchain {
        languageVersion.set(JavaLanguageVersion.of(11))
    }
}

application {
    // Define the main class for the application.
```

```
    mainClass.set("demo.App")
}

tasks.named<Test>("test") {
    // Use JUnit Platform for unit tests.
    useJUnitPlatform()
}
```

Groovy DSL (build.gradle)

```
/*
 * This file was generated by the Gradle 'init' task.
 *
 * This generated file contains a sample Java application project to get you
 * started.
 * For more details on building Java & JVM projects, please refer to https://
docs.gradle.org/8.4/userguide/building_java_projects.html in the Gradle
documentation.
 */

plugins {
    // Apply the application plugin to add support for building a CLI application in
    Java.
    id 'application'
}

repositories {
    // Use Maven Central for resolving dependencies.
    mavenCentral()
}

dependencies {
    implementation platform('software.amazon.awssdk:bom:2.27.21')
    implementation 'software.amazon.awssdk:s3'
    implementation 'software.amazon.awssdk:sso'
    implementation 'software.amazon.awssdk:ssoidc'
    implementation platform('org.apache.logging.log4j:log4j-bom:2.20.0')
    implementation 'org.apache.logging.log4j:log4j-slf4j2-impl'
    implementation 'org.apache.logging.log4j:log4j-1.2-api'
    testImplementation platform('org.junit:junit-bom:5.10.0')
    testImplementation 'org.junit.jupiter:junit-jupiter'
}
```

```
// Apply a specific Java toolchain to ease working on different environments.
java {
    toolchain {
        languageVersion = JavaLanguageVersion.of(11)
    }
}

application {
    // Define the main class for the application.
    mainClass = 'demo_groovy.App'
}

tasks.named('test') {
    // Use JUnit Platform for unit tests.
    useJUnitPlatform()
}
```

For next steps, see the Getting Started guide on the Gradle website for instructions on how to [build and run a Gradle application](#).

Set up a GraalVM Native Image project for the AWS SDK for Java

With versions 2.16.1 and later, the AWS SDK for Java provides out-of-the-box support for GraalVM Native Image applications. Use the archetype-app-quickstart Maven archetype to set up a project with built-in native image support.

Prerequisites

- Complete the steps in [Setting up the AWS SDK for Java 2.x](#).
- Install [GraalVM Native Image](#).

Create a project using the archetype

To create a Maven project with built-in native image support, in a terminal or command prompt window, use the following command.

Note

Replace `com.example.mynativeimageapp` with the full package namespace of your application. Also replace `mynativeimageapp` with your project name. This becomes the name of the directory for your project.

```
mvn archetype:generate \
-DarchetypeGroupId=software.amazon.awssdk \
-DarchetypeArtifactId=archetype-app-quickstart \
-DarchetypeVersion=2.27.21 \
-DnativeImage=true \
-DhttpClient=apache-client \
-Dservice=s3 \
-DgroupId=com.example.mynativeimageapp \
-DartifactId=mynativeimageapp \
-DinteractiveMode=false
```

This command creates a Maven project configured with dependencies for the AWS SDK for Java, Amazon S3, and the ApacheHttpClient HTTP client. It also includes a dependency for the [GraalVM Native Image Maven plugin](#), so that you can build native images using Maven.

To include dependencies for a different Amazon Web Services, set the value of the `-Dservice` parameter to the artifact ID of that service. Examples include dynamodb, comprehend, and pinpoint. For a complete list of artifact IDs, see the list of managed dependencies for [software.amazon.awssdk on Maven Central](#).

To use an asynchronous HTTP client, set the `-DhttpClient` parameter to `netty-nio-client`. To use `URLConnectionHttpClient` as the synchronous HTTP client instead of `apache-client`, set the `-DhttpClient` parameter to `url-connection-client`.

Build a native image

After you create the project, run the following command from your project directory, for example, `mynativeimageapp`:

```
mvn package -P native-image
```

This creates a native image application in the target directory, for example, target/mynativeimageapp.

Use the AWS SDK for Java 2.x

After completing the steps in [Setting up the SDK](#), you are ready to make requests to AWS services such as Amazon S3, DynamoDB, IAM, Amazon EC2, and more.

Work with service clients

Create a service client

To make a request to an AWS service, you must first instantiate a service client for that service by using the static factory method, `builder()`. The `builder()` method returns a builder object that allows you to customize the service client. The fluent setter methods return the builder object, so that you can chain the method calls for convenience and for more readable code. After you configure the properties you want, call the `build()` method to create the client.

As an example, the following code snippet instantiates an `Ec2Client` object as a service client for Amazon EC2.

```
Region region = Region.US_WEST_2;
Ec2Client ec2Client = Ec2Client.builder()
    .region(region)
    .build();
```

Note

Service clients in the SDK are thread-safe. For best performance, treat them as long-lived objects. Each client has its own connection pool resource that is released when the client is garbage collected.

A service client object is immutable, so you must create a new client for each service to which you make requests, or if you want to use a different configuration for making requests to the same service.

Specifying the Region in the service client builder is not required for all AWS services; however, it is a best practice to set the Region for the API calls you make in your applications. See [AWS region selection](#) for more information.

Default client configuration

The client builders have another factory method named `create()`. This method creates a service client with the default configuration. It uses the default provider chain to load credentials and the AWS Region. If credentials or the Region can't be determined from the environment that the application is running in, the call to `create` fails. See [Using credentials](#) and [Region selection](#) for more information about how the SDK determines the credentials and Region to use.

For example, the following code snippet instantiates a `DynamoDbClient` object as a service client for Amazon DynamoDB:

```
DynamoDbClient dynamoDbClient = DynamoDbClient.create();
```

Configure service clients

To customize the configuration of a service client, use the setters on the `builder()` factory method. For convenience and to create more readable code, chain the methods to set multiple configuration options.

The following example shows an `S3Client` that is configured with several custom settings.

```
ClientOverrideConfiguration clientOverrideConfiguration =
    ClientOverrideConfiguration.builder()
        .apiCallAttemptTimeout(Duration.ofSeconds(1))
        .retryPolicy(RetryPolicy.builder().numRetries(10).build())
        .addMetricPublisher(CloudWatchMetricPublisher.create())
        .build();

Region region = Region.US_WEST_2;
S3Client s3Client = S3Client.builder()
    .region(region)

    .credentialsProvider(EnvironmentVariableCredentialsProvider.create())
        .overrideConfiguration(clientOverrideConfiguration)
        .httpClientBuilder(ApacheHttpClient.builder())

    .proxyConfiguration(proxyConfig.build(ProxyConfiguration.builder()))
        .build()
    .build();
```

Close the service client

As a best practice, you should use a service clients for multiple API service calls during the life of an application. However, if you need a service client for a one-time use or no longer need the service client, close it.

Call the `close()` method when the service client is no longer needed to free up resources.

```
ec2Client.close();
```

If you need a service client for one-time use, you can instantiate the service client as a resource in a `try-with-resources` statement. Service clients implement the [Autoclosable](#) interface, so the JDK automatically calls the `close()` method at the end of the statement.

The following example demonstrates how to use a service client for a one-off call. The `StsClient` that calls the AWS Security Token Service is closed after it returns the account ID.

```
import software.amazon.awssdk.services.sts.StsClient;

String getAccountID() {
    try (StsClient stsClient = StsClient.create()) {
        return stsClient.getCallerIdentity().account();
    }
}
```

Make requests

Use the service client to make requests to the corresponding AWS service.

For example, this code snippet shows how to create a `RunInstancesRequest` object to create a new Amazon EC2 instance:

```
// Create the request by using the fluid setter methods of the request builder.
RunInstancesRequest runInstancesRequest = RunInstancesRequest.builder()
    .imageId(amiId)
    .instanceType(InstanceType.T1_MICRO)
    .maxCount(1)
    .minCount(1)
    .build();
```

```
// Use the configured request with the service client.  
RunInstancesResponse response = ec2Client.runInstances(runInstancesRequest);
```

Rather than create a request and pass in the instance, the SDK provides a fluent API that you can use to create a request. With the fluent API you can use a Java lambda expressions to create the request 'in-line'.

The following example rewrites the previous example by using the version of the `runInstances` method that uses a builder to create the request.

```
// Create the request by using a lambda expression.  
RunInstancesResponse response = ec2.runInstances(r -> r  
    .imageId(amiId)  
    .instanceType(InstanceType.T1_MICRO)  
    .maxCount(1)  
    .minCount(1));
```

Use requests to override client configuration

Although a service client is immutable, you can override many of its settings at the request level. When you build a request, you can provide an [AwsRequestOverrideConfiguration](#) instance to provide the overridden settings. Some of the methods you can use to override client settings are:

- `apiCallAttemptTimeout`
- `apiCallTimeout`
- `credentialProvider`
- `compressionConfiguration`
- `putHeader`

For an example of overriding a client setting with a request, assume that you have the following S3 client that uses default settings.

```
S3Client s3Client = S3Client.create();
```

You want to download a large file and want to be sure the request doesn't timeout before the download finishes. To accomplish this, increase the timeout values for only a single `GetObject` request as shown in the following code.

Standard API

```
AwsRequestOverrideConfiguration overrideConfiguration =  
    AwsRequestOverrideConfiguration.builder()  
        .apiCallTimeout(Duration.ofSeconds(100L))  
        .apiCallAttemptTimeout(Duration.ofSeconds(25L))  
        .build();  
  
GetObjectRequest request = GetObjectRequest.builder()  
    .bucket("DOC-EXAMPLE-BUCKET")  
    .key("DOC-EXAMPLE-KEY")  
    .overrideConfiguration(overrideConfiguration)  
    .build();  
  
s3Client.getObject(request, myPath);
```

Fluent API

```
s3Client.getObject(b -> b  
    .bucket("DOC-EXAMPLE-BUCKET")  
    .key("DOC-EXAMPLE-KEY")  
    .overrideConfiguration(c -> c  
        .apiCallTimeout(Duration.ofSeconds(100L))  
        .apiCallAttemptTimeout(Duration.ofSeconds(25L))),  
    myPath);
```

Handle responses

The SDK returns a response object for most service operations. Your code can process the information in the response object according to your needs.

For example, the following code snippet prints out the first instance id returned with the [RunInstancesResponse](#) object from the previous request.

```
RunInstancesResponse runInstancesResponse =  
    ec2Client.runInstances(runInstancesRequest);  
System.out.println(runInstancesResponse.instances().get(0).instanceId());
```

Not all operations return a response object with service-specific data, however. In these situations, you can query the HTTP response status to learn if the operation was successful.

For example, the code in the following snippet checks the HTTP response to see if the [DeleteContactList](#) operation of Amazon Simple Email Service was successful.

```
SesV2Client sesv2Client = SesV2Client.create();

DeleteContactListRequest request = DeleteContactListRequest.builder()
    .contactListName("ExampleContactListName")
    .build();

DeleteContactListResponse response = sesv2Client.deleteContactList(request);
if (response.sdkHttpResponse().isSuccessful()) {
    System.out.println("Contact list deleted successfully");
} else {
    System.out.println("Failed to delete contact list. Status code: " +
        response.sdkHttpResponse().statusCode());
}
```

Handle exceptions

The SDK uses runtime (or unchecked) exceptions, providing you fine-grained control over error handling and ensuring that exception handling will scale with your application.

An [SdkServiceException](#), or one of its sub-classes, is the most common form of exception the SDK will throw. These exceptions represent responses from the AWS service. You can also handle an [SdkClientException](#), which occurs when there's a problem on the client side (i.e., in your development or application environment), such as a network connection failure.

This code snippet demonstrates one way to handle service exceptions when you upload a file to Amazon S3. The example code catches both client and server exceptions, logs the details, and exists the application.

```
Region region = Region.US_WEST_2;
s3Client = S3Client.builder()
    .region(region)
    .build();

try {

    PutObjectRequest putObjectRequest = PutObjectRequest.builder()
        .bucket(bucketName)
```

```
.key(key)
.build();

s3Client.putObject(putObjectRequest, RequestBody.fromString("SDK for Java test"));

} catch (S3Exception se) {
    System.err.println("Service exception thrown.");
    System.err.println(se.awsErrorDetails().errorMessage());
} catch (SdkClientException ce){
    System.err.println("Client exception thrown.");
    System.err.println(ce.getMessage());
} finally {
    System.exit(1);
}
```

See [Handling exceptions](#) for more information.

Use waiters

Some requests take time to process, such as creating a new table in DynamoDB or creating a new Amazon S3 bucket. To ensure the resource is ready before your code continues to run, use a *Waiter*.

For example, this code snippet creates a new table ("myTable") in DynamoDB, waits for the table to be in an ACTIVE status, and then prints out the response:

```
DynamoDbClient dynamoDbClient = DynamoDbClient.create();
DynamoDbWaiter dynamoDbWaiter = dynamoDbClient.waiter();

WaiterResponse<DescribeTableResponse> waiterResponse =
    dynamoDbWaiter.waitUntilTableExists(r -> r.tableName("myTable"));

waiterResponse.matched().response().ifPresent(System.out::println);
```

See [Using waiters](#) for more information.

Set timeouts

You can configure timeouts for each of your service clients using the [apiCallTimeout](#) and the [apiCallAttemptTimeout](#) setters of the [ClientOverrideConfiguration.Builder](#). The

apiCallTimeout setting is the amount of time to allow the client to complete the execution of an API call. The apiCallAttemptTimeout setting is the amount of time to wait for each HTTP request (retry) to complete before giving up.

The following example sets both timeouts for an S3 client.

```
S3Client s3Client = S3Client.builder()
    .overrideConfiguration(b -> b
        .apiCallTimeout(Duration.ofSeconds(105L))
        .apiCallAttemptTimeout(Duration.ofSeconds(25L))).
    build();
```

You can also set timeouts at the request level by configuring an [AwsRequestOverrideConfiguration](#) and providing it to the request object with the overrideConfiguration method.

The following example uses the same timeout settings but at the request level for an S3 PutObject operation.

```
S3Client basicS3Client = S3Client.create(); // Client with default timeout settings.

AwsRequestOverrideConfiguration overrideConfiguration =
    AwsRequestOverrideConfiguration.builder()
        .apiCallTimeout(Duration.ofSeconds(105L))
        .apiCallAttemptTimeout(Duration.ofSeconds(25L))
        .build();

basicS3Client.putObject(b -> b
    .bucket("DOC-EXAMPLE-BUCKET")
    .key("DOC-EXAMPLE-KEY")
    .overrideConfiguration(overrideConfiguration),
    RequestBody.fromString("test"));
```

Execution interceptors

You can write code that intercepts the execution of your API requests and responses at different parts of the request/response lifecycle. This enables you to publish metrics, modify a request in-flight, debug request processing, view exceptions, and more. For more information, see [the ExecutionInterceptor interface](#) in the AWS SDK for Java API Reference.

Configure SDK authentication

Before making a request to Amazon Web Services using the AWS SDK for Java 2.x, the SDK cryptographically signs temporary credentials issued by AWS. To access temporary credentials, the SDK retrieves configuration values by checking several locations.

This topic discusses several ways that you enable the SDK to access temporary credentials.

Topics

- [Configure access to temporary credentials](#)
- [Default credentials provider chain](#)
- [Use a specific credentials provider](#)
- [Use profiles](#)
- [Load temporary credentials from an external process](#)
- [Supply temporary credentials in code](#)
- [Read IAM role credentials on Amazon EC2](#)

Configure access to temporary credentials

For increased security, AWS recommends that you configure the SDK for Java to [use temporary credentials](#) instead of long-lived credentials. Temporary credentials consist of access keys (access key id and secret access key) and a session token. We recommend that you [configure the SDK](#) to automatically get temporary credentials, since the token refresh process is automatic. You can, however, [provide the SDK with temporary credentials](#) directly.

IAM Identity Center configuration

When you configure the SDK to use IAM Identity Center single sign-on access as described in [???](#) in this guide, the SDK automatically uses temporary credentials.

The SDK uses the IAM Identity Center access token to gain access to the IAM role that is configured with the `sso_role_name` setting in your config file. The SDK assumes this IAM role and retrieves temporary credentials to use for AWS service requests.

For more details about how the SDK gets temporary credentials from the configuration, see the [Understanding IAM Identity Center authentication](#) section of the AWS SDKs and Tools Reference Guide.

Note

In addition to the configuration that you set in the config file that works for all projects, each individual Java project requires that the Maven pom.xml file contains the following dependencies:

```
<dependency>
    <groupId>software.amazon.awssdk</groupId>
    <artifactId>sso</artifactId>
</dependency>
<dependency>
    <groupId>software.amazon.awssdk</groupId>
    <artifactId>ssooidc</artifactId>
</dependency>
```

The sso and ssooidc dependencies provide the code that enables the SDK for Java 2.x to access temporary credentials.

Retrieve from AWS access portal

As an alternative to IAM Identity Center single sign-on configuration, you can copy and use temporary credentials available in the AWS access portal. You can use the temporary credentials in a profile or use them as values for system properties and environment variables.

Set up a local credentials file for temporary credentials

1. [Create a shared credentials file](#)
2. In the credentials file, paste the following placeholder text until you paste in working temporary credentials.

```
[default]
aws_access_key_id=<value from AWS access portal>
aws_secret_access_key=<value from AWS access portal>
aws_session_token=<value from AWS access portal>
```

3. Save the file ~/.aws/credentials should now exist on your local development system. This file contains the [\[default\] profile](#) that the SDK for Java uses if a specific named profile is not specified.

4. [Sign in to the AWS access portal](#)
 5. Follow these instructions under the [Manual credential refresh](#) heading to copy IAM role credentials from the AWS access portal.
 - a. For step 4 in the linked instructions, choose the IAM role name that grants access for your development needs. This role typically has a name like **PowerUserAccess** or **Developer**.
 - b. For step 7, select the **Manually add a profile to your AWS credentials file** option and copy the contents.
 6. Paste the copied credentials into your local `credentials` file and remove the generated profile name. Your file should resemble the following.

```
[default]
aws_access_key_id=AKIAIOSFODNN7EXAMPLE
aws_secret_access_key=wJalrXUtnFEMI/K7MDENG/bPxRfiCYEXAMPLEKEY
aws_session_token=IQoJb3JpZ2luX2IQtJb3JpZ2luX2IQtJb3JpZ2luX2IQtJb3JpZ2luX2IQtJb3JpZVERYLONG
```

- ## 7. Save the credentials file.

When the SDK for Java creates a service client, it will access these temporary credentials and use them for each request. The settings for the IAM role chosen in step 5a determine [how long the temporary credentials are valid](#). The maximum duration is twelve hours.

After the temporary credentials expire, repeat steps 4 through 7.

Default credentials provider chain

The default credentials provider chain is implemented by the [DefaultCredentialsProvider](#) class. It sequentially checks each place where you can set the default configuration for supplying temporary credentials, and then selects the first one you set.

To use the default credentials provider chain to supply temporary credentials, create a service client builder but don't specify a credentials provider. The following code snippet creates a `DynamoDbClient` that uses the default credentials provider chain to locate and retrieve default configuration settings.

```
Region region = Region.US_WEST_2;  
DynamoDbClient ddb =  
    DynamoDbClient.builder()
```

```
.region(region)
.build();
```

Credential settings retrieval order

The default credentials provider chain of the SDK for Java 2.x searches for configuration in your environment using a predefined sequence.

1. Java system properties

- The SDK uses the [SystemPropertyCredentialsProvider](#) class to load temporary credentials from the aws.accessKeyId, aws.secretAccessKey, and aws.sessionToken Java system properties.

 **Note**

For information on how to set Java system properties, see the [System Properties](#) tutorial on the official *Java Tutorials* website.

2. Environment variables

- The SDK uses the [EnvironmentVariableCredentialsProvider](#) class to load temporary credentials from the AWS_ACCESS_KEY_ID, AWS_SECRET_ACCESS_KEY, and AWS_SESSION_TOKEN environment variables.

3. Web identity token from AWS Security Token Service

- The SDK uses the [WebIdentityTokenFileCredentialsProvider](#) class to load temporary credentials from Java system properties or environment variables.

4. The shared credentials and config files

- The SDK uses the [ProfileCredentialsProvider](#) to load IAM Identity Center single sign-on settings or temporary credentials from the [default] profile in the shared credentials and config files.

The AWS SDKs and Tools Reference Guide has [detailed information](#) about how the SDK for Java works with the IAM Identity Center single sign-on token to get temporary credentials that the SDK uses to call AWS services.

Note

The credentials and config files are shared by various AWS SDKs and Tools. For more information, see [The .aws/credentials and .aws/config files](#) in the AWS SDKs and Tools Reference Guide.

5. Amazon ECS container credentials

- The SDK uses the [ContainerCredentialsProvider](#) class to load temporary credentials from the following environment variables:

AWS_CONTAINER_CREDENTIALS_RELATIVE_URI or
AWS_CONTAINER_CREDENTIALS_FULL_URI

AWS_CONTAINER_AUTHORIZATION_TOKEN_FILE or
AWS_CONTAINER_AUTHORIZATION_TOKEN

6. Amazon EC2 instance IAM role-provided credentials

- The SDK uses the [InstanceProfileCredentialsProvider](#) class to load temporary credentials from the Amazon EC2 metadata service.

Use a specific credentials provider

The SDK uses credentials providers to retrieve, manage, and supply authentication credentials (such as access keys and session tokens) that are needed to access AWS services.

Credential providers simplify retrieving credentials from various sources, implement security best practices, and support flexible authentication strategies across AWS environments.

Specify a credentials provider

To bypass the default credentials provider chain, specify which credentials provider a service client should use. When you supply a specific credentials provider, the SDK skips the process of checking various locations, which slightly reduces the time to create a service client.

For example, if you set your default configuration using environment variables, supply an [EnvironmentVariableCredentialsProvider](#) object to the `credentialsProvider` method on the service client builder, as shown the following code snippet:

```
Region region = Region.US_WEST_2;
```

```
DynamoDbClient ddb = DynamoDbClient.builder()
    .region(region)
    .credentialsProvider(EnvironmentVariableCredentialsProvider.create())
    .build();
```

For a complete list of credential providers and provider chains, see [All Known Implementing Classes in the API reference for `AwsCredentialsProvider`](#).

 **Note**

You can also use your own credentials provider or provider chains by implementing the `AwsCredentialsProvider` interface.

Configure a credentials provider

As an example of configuring a credentials provider implementation, you might want to have the SDK use a background thread to pre-fetch (retrieve in advance) credentials before they expire. That way you can avoid the blocking call that retrieves fresh credentials.

The following shows an example that creates an [`StsAssumeRoleCredentialsProvider`](#) that uses a background thread to pre-fetch credentials by setting the [`asyncCredentialUpdateEnabled`](#) property to true on the builder:

```
S3Client s3Client = S3Client.builder()
    .credentialsProvider(StsAssumeRoleCredentialsProvider.builder()
        .asyncCredentialUpdateEnabled(true)
        .stsClient(StsClient.create())
        .refreshRequest(r -> r
            .roleArn("arn:aws:iam::111122223333:role/S3-listbuckets-only-role")
            .roleSessionName("test-temp-session")
            .durationSeconds(900))
        .build())
    .build();
```

When you invoke an operation on `s3Client` for the first time, an [`AssumeRoleRequest`](#) is sent to the AWS Security Token Service (STS). STS returns temporary credentials that are valid for 15 minutes (900 seconds). The `s3Client` instance uses the cached credentials until it's time to refresh them before the 15 minutes elapse. By default, the SDK attempts to retrieve new credentials for

a new session between 5 minutes and 1 minute before the expiration time of the current session. The pre-fetch window is configurable by using the [prefetchTime](#) and [staleTime](#) properties.

You can configure the following session-based credentials providers similarly:

- `StsWebIdentityTokenFileCredentialsProvider`
- `StsGetSessionTokenCredentialsProvider`
- `StsGetFederationTokenCredentialsProvider`
- `StsAssumeRoleWithWebIdentityCredentialsProvider`
- `StsAssumeRoleWithSamlCredentialsProvider`
- `StsAssumeRoleCredentialsProvider`
- `DefaultCredentialsProvider` (when it delegates to credentials provider that uses sessions)
- `ProcessCredentialsProvider`
- `WebIdentityTokenFileCredentialsProvider`
- `ContainerCredentialsProvider`
- `InstanceProfileCredentialsProvider`

Use profiles

Using the shared `config` and `credentials` file, you can set up several profiles. This enables your application to use multiple sets of credentials configuration. The `[default]` profile was mentioned previously. The SDK uses the [ProfileCredentialsProvider](#) class to load settings from profiles defined in the shared `credentials` file.

The following code snippet demonstrates how to build a service client that uses the settings defined as part of the profile named `my_profile`.

```
Region region = Region.US_WEST_2;
DynamoDbClient ddb = DynamoDbClient.builder()
    .region(region)
    .credentialsProvider(ProfileCredentialsProvider.create("my_profile"))
    .build();
```

Set a different profile as the default

To set a profile other than the `[default]` profile as the default for your application, set the `AWS_PROFILE` environment variable to the name of your custom profile.

To set this variable on Linux, macOS, or Unix, use `export`:

```
export AWS_PROFILE="other_profile"
```

To set these variables on Windows, use `set`:

```
set AWS_PROFILE="other_profile"
```

Alternatively, set the `aws.profile` Java system property to the name of the profile.

Reload profile credentials

You can configure any credentials provider that has a `profileFile()` method on its builder to reload profile credentials. These credentials profile classes are: `ProfileCredentialsProvider`, `DefaultCredentialsProvider`, `InstanceProfileCredentialsProvider`, and `ProfileTokenProvider`.

Note

Profile credential reloading works only with the following settings in the profile file : `aws_access_key_id`, `aws_secret_access_key`, and `aws_session_token`. Settings such as `region`, `sso_session`, `sso_account_id`, and `source_profile` are ignored.

To configure a supported credentials provider to reload profile settings, provide an instance of [ProfileFileSupplier](#) to the `profileFile()` builder method. The following code example demonstrates a `ProfileCredentialsProvider` that reloads credential settings from the `[default]` profile.

```
ProfileCredentialsProvider provider = ProfileCredentialsProvider
    .builder()
    .profileFile(ProfileFileSupplier.defaultSupplier())
    .build();

// Set up a service client with the provider instance.
DynamoDbClient dynamoDbClient = DynamoDbClient.builder()
    .region(Region.US_EAST_1)
    .credentialsProvider(provider)
    .build();
```

```
/*
   Before dynamoDbClient makes a request, it reloads the credentials settings
   by calling provider.resolveCredentials().
*/
```

When `ProfileCredentialsProvider.resolveCredentials()` is called, the SDK for Java reloads the settings. `ProfileFileSupplier.defaultSupplier()` is one of [several convenience implementations](#) of `ProfileFileSupplier` provided by the SDK. If your use case requires, you can provide your own implementation.

The following example shows the use of the `ProfileFileSupplier.reloadWhenModified()` convenience method. `reloadWhenModified()` takes a `Path` parameter, which gives you flexibility in designating the source file for the configuration rather than the standard `~/.aws/credentials` (or `config`) location.

The settings will be reloaded when `resolveCredentials()` is called only if SDK determines the file's content has been modified.

```
Path credentialsFilePath = ...  
  
ProfileCredentialsProvider provider = ProfileCredentialsProvider  
    .builder()  
    .profileFile(ProfileFileSupplier.reloadWhenModified(credentialsFilePath,  
ProfileFile.Type.CREDENTIALS))  
    .profileName("my-profile")  
    .build();  
  
/*  
   A service client configured with the provider instance calls  
   provider.resolveCredential()  
   before each request.  
*/
```

The `ProfileFileSupplier.aggregate()` method merges the contents of multiple configuration files. You decide whether a file is reloaded per call to `resolveCredentials()` or a file's settings are fixed at the time it was first read.

The following example shows a `DefaultCredentialsProvider` that merges the settings of two files that contain profile settings. The SDK reloads the settings in the file pointed to by the `credentialsFilePath` variable each time `resolveCredentials()` is called and the settings have changed. The settings from the `profileFile` object remain the same.

```
Path credentialsFilePath = ...;
ProfileFile profileFile = ...;

DefaultCredentialsProvider provider = DefaultCredentialsProvider
    .builder()
    .profileFile(ProfileFileSupplier.aggregate(
        ProfileFileSupplier.reloadWhenModified(credentialsFilePath,
ProfileFile.Type.CREDENTIALS),
        ProfileFileSupplier.fixedProfileFile(profileFile)))
    .profileName("my-profile")
    .build();

/*
 A service client configured with the provider instance calls
 provider.resolveCredential()
 before each request.
*/
```

Load temporary credentials from an external process

Warning

The following describes a method of sourcing temporary credentials from an external process. This can potentially be dangerous, so proceed with caution. Other credential providers should be preferred if at all possible. If using this option, you should make sure that the config file is as locked down as possible using security best practices for your operating system.

Make sure that your custom credentials tool does not write any secret information to `StdErr`. SDKs and AWS CLI can capture and log such information, potentially exposing it to unauthorized users.

With the SDK for Java 2.x, you can acquire temporary credentials from an external process for custom use cases. There are two ways to configure this functionality.

Use the `credential_process` setting

If you have a method that provides temporary credentials, you can integrate it by adding the `credential_process` setting as part of a profile definition in the config file. The value you specify must use the full path to the command file. If the file path contains any spaces, you must surround it with quotation marks.

The SDK calls the command exactly as given and then reads JSON data from stdout.

The following examples show the use of this setting for file paths without spaces and file paths with spaces.

Linux/macOS

No spaces in file path

```
[profile process-credential-profile]
credential_process = /path/to/credential/file/credential_file.sh --custom-command
custom_parameter
```

Spaces in file path

```
[profile process-credential-profile]
credential_process = "/path/with/space to/credential/file/credential_file.sh" --
custom-command custom_parameter
```

Windows

No spaces in file path

```
[profile process-credential-profile]
credential_process = C:\Path\To\credentials.cmd --custom_command custom_parameter
```

Spaces in file path

```
[profile process-credential-profile]
credential_process = "C:\Path\With Space To\credentials.cmd" --custom_command
custom_parameter
```

The following code snippet demonstrates how to build a service client that uses the temporary credentials defined as part of the profile named `process-credential-profile`.

```
Region region = Region.US_WEST_2;
S3Client s3Client = S3Client.builder()
    .region(region)
    .credentialsProvider(ProfileCredentialsProvider.create("process-credential-
profile"))
```

```
.build();
```

For detailed information about using an external process as a source of temporary credentials, refer to the [process credentials section](#) in the AWS SDKs and Tools Reference Guide.

Use a ProcessCredentialsProvider

As an alternative to using settings in the config file, you can use the SDK's [ProcessCredentialsProvider](#) to load temporary credentials using Java.

The following examples show various versions of how to specify an external process using the `ProcessCredentialsProvider` and configuring a service client that uses the temporary credentials.

Linux/macOS

No spaces in file path

```
ProcessCredentialsProvider credentials =
    ProcessCredentialsProvider
        .builder()
        .command("/path/to/credentials.sh optional_param1 optional_param2")
        .build();

S3Client s3 = S3Client.builder()
    .region(Region.US_WEST_2)
    .credentialsProvider(credentials)
    .build();
```

Spaces in file path

```
ProcessCredentialsProvider credentials =
    ProcessCredentialsProvider
        .builder()
        .command("/path\\ with\\ spaces\\ to/credentials.sh optional_param1
optional_param2")
        .build();

S3Client s3 = S3Client.builder()
    .region(Region.US_WEST_2)
    .credentialsProvider(credentials)
```

```
.build();
```

Windows

No spaces in file path

```
ProcessCredentialsProvider credentials =
    ProcessCredentialsProvider
        .builder()
        .command("C:\\\\Path\\\\To\\\\credentials.exe optional_param1 optional_param2")
        .build();

S3Client s3 = S3Client.builder()
    .region(Region.US_WEST_2)
    .credentialsProvider(credentials)
    .build();
```

Spaces in file path

```
ProcessCredentialsProvider credentials =
    ProcessCredentialsProvider
        .builder()
        .command("\"C:\\\\Path\\\\With Spaces To\\\\credentials.exe\" optional_param1
optional_param2")
        .build();

S3Client s3 = S3Client.builder()
    .region(Region.US_WEST_2)
    .credentialsProvider(credentials)
    .build();
```

Use IAM Roles Anywhere for authentication

[IAM Roles Anywhere](#) is an AWS service that allows you to obtain temporary AWS credentials for workloads running outside of AWS. It enables secure access to AWS resources from on-premises or other cloud environments.

Before you can authenticate requests with IAM Roles Anywhere, you first need to gather the required information and download the [credential helper tool](#). By following the [Getting started](#) instructions in the IAM Roles Anywhere User Guide, you can create the necessary artifacts.

The SDK for Java doesn't have a dedicated credentials provider to retrieve temporary credentials from IAM Roles Anywhere, but you can use the credential helper tool along with one of the options to [retrieve credentials from an external process](#).

Use the `credential_process` setting in a profile

The following snippet in the shared AWS config file shows a profile named `roles_anywhere` that uses the `credential_process` setting:

```
[profile roles_anywhere]
credential_process = ./aws_signing_helper credential-process \
--certificate /path/to/certificate \
--private-key /path/to/private-key \
--trust-anchor-arn arn:aws:rolesanywhere:region:account:trust-anchor/TA_ID \
--profile-arn arn:aws:rolesanywhere:region:account:profile/PROFILE_ID \
--role-arn arn:aws:iam::account:role/role-name-with-path
```

You need to replace the text shown in red with your values after you have assembled all the artifacts. The first element in the setting, `aws_signing_helper`, is the executable of the credential helper tool and `credential-process` is the command.

When you configure a service client to use the `roles_anywhere` profile—as shown in the following code—the SDK caches the temporary credentials and refreshes them before they expire:

```
S3Client s3Client = S3Client.builder()
    .credentialsProvider(ProfileCredentialsProvider.builder()
        .profileName("roles_anywhere").build())
    .build();
```

Configure a `ProcessCredentialsProvider`

As shown next, you can use a code-only approach with the `ProcessCredentialsProvider` instead of using profile settings:

```
ProcessCredentialsProvider processCredentialsProvider =
ProcessCredentialsProvider.builder()
    .command("""
        ./aws_signing_helper credential-process \
        --certificate /path/to/certificate \
        --private-key /path/to/private-key \
        --trust-anchor-arn arn:aws:rolesanywhere:region:account:trust-anchor/TA_ID
    \")
```

```
--profile-arn arn:aws:rolesanywhere:region:account:profile/PROFILE_ID \
--role-arn arn:aws:iam::account:role/role-name-with-path
""").build();

S3Client s3Client = S3Client.builder()
    .credentialsProvider(processCredentialsProvider)
    .build();
```

Replace the text shown in red with your values after you have assembled all the artifacts.

Supply temporary credentials in code

If the default credential chain or a specific or custom provider or provider chain doesn't work for your application, you can supply temporary credentials directly in code. These can be [IAM role credentials as described above](#) or temporary credentials retrieved from AWS Security Token Service (AWS STS). If you retrieved temporary credentials using AWS STS, provide them to an AWS service client as shown in the following code example.

1. Assume a role by calling `StsClient.assumeRole()`.
2. Create a [`StaticCredentialsProvider`](#) object and supply it with the `AwsSessionCredentials` object.
3. Configure the service client builder with the `StaticCredentialsProvider` and build the client.

The following example creates an Amazon S3 service client using temporary credentials returned by AWS STS for an IAM assumed role.

```
// The AWS IAM Identity Center identity (user) who executes this method does not
// have permission to list buckets.
// The identity is configured in the [default] profile.
public static void assumeRole(String roleArn, String roleSessionName) {
    // The IAM role represented by the 'roleArn' parameter can be assumed by
    identities in two different accounts
    // and the role permits the user to only list buckets.

    // The SDK's default credentials provider chain will find the single sign-on
    settings in the [default] profile.
    // The identity configured with the [default] profile needs permission to call
    AssumeRole on the STS service.
    try {
```

```
Credentials tempRoleCredentials;
try (StsClient stsClient = StsClient.create()) {
    AssumeRoleRequest roleRequest = AssumeRoleRequest.builder()
        .roleArn(roleArn)
        .roleSessionName(roleSessionName)
        .build();

    AssumeRoleResponse roleResponse = stsClient.assumeRole(roleRequest);
    tempRoleCredentials = roleResponse.credentials();
}
// Use the following temporary credential items for the S3 client.
String key = tempRoleCredentials.accessKeyId();
String secKey = tempRoleCredentials.secretAccessKey();
String secToken = tempRoleCredentials.sessionToken();

// List all buckets in the account associated with the assumed role
// by using the temporary credentials retrieved by invoking
stsClient.assumeRole().
    StaticCredentialsProvider staticCredentialsProvider =
StaticCredentialsProvider.create(
    AwsSessionCredentials.create(key, secKey, secToken));
try (S3Client s3 = S3Client.builder()
    .credentialsProvider(staticCredentialsProvider)
    .build()) {
    List<Bucket> buckets = s3.listBuckets().buckets();
    for (Bucket bucket : buckets) {
        System.out.println("bucket name: " + bucket.name());
    }
}
} catch (StsException | S3Exception e) {
    logger.error(e.getMessage());
    System.exit(1);
}
}
```

Permission set

The following permission set defined in AWS IAM Identity Center allows the identity (user) to perform the following two operations

1. The GetObject operation of the Amazon Simple Storage Service.
2. The AssumeRole operation of the AWS Security Token Service.

Without assuming the role, the `s3.listBuckets()` method shown in the example would fail.

```
{  
    "Version": "2012-10-17",  
    "Statement": [  
        {  
            "Effect": "Allow",  
            "Action": [  
                "s3:GetObject",  
                "sts:AssumeRole"  
            ],  
            "Resource": [  
                "*"  
            ]  
        }  
    ]  
}
```

Assumed role

Assumed role permissions policy

The following permissions policy is attached to the role that is assumed in the previous example. This permissions policy permits the ability to list all buckets in the same account as the role.

```
{  
    "Version": "2012-10-17",  
    "Statement": [  
        {  
            "Effect": "Allow",  
            "Action": [  
                "s3>ListAllMyBuckets"  
            ],  
            "Resource": [  
                "*"  
            ]  
        }  
    ]  
}
```

Assumed role trust policy

The following trust policy is attached to the role that is assume in the previous example. The policy allows the role to be assumed by identities (users) in two accounts.

```
{  
    "Version": "2012-10-17",  
    "Statement": [  
        {  
            "Effect": "Allow",  
            "Principal": {  
                "AWS": [  
                    "arn:aws:iam::11122223333:root",  
                    "arn:aws:iam::555555555555:root"  
                ]  
            },  
            "Action": "sts:AssumeRole",  
            "Condition": {}  
        }  
    ]  
}
```

Read IAM role credentials on Amazon EC2

You can use an IAM role to manage temporary credentials for applications that are running on an EC2 instance and making AWS CLI or AWS API requests. This is preferable to storing access keys within the EC2 instance. To assign an AWS role to an EC2 instance and make it available to all of its applications, you create an instance profile that is attached to the instance. An instance profile contains the role and enables programs that are running on the EC2 instance to get temporary credentials. For more information, see [Use an IAM role to grant permissions to applications running on Amazon EC2 instances](#) in the *IAM User Guide*.

This topic provides information on how to set up your Java application to run on an EC2 instance and enable the SDK for Java to acquire IAM role credentials.

Acquire IAM role credentials from the environment

If your application creates an AWS service client by using the `create` method (or `builder().build()` methods), the SDK for Java uses the *default credentials provider chain*. The default credentials provider chain searches the execution environment for configuration elements

that the SDK can trade for temporary credentials. The [the section called “Default credentials provider chain”](#) section describes the full search process.

The final step in the default provider chain is available only when your application runs on an Amazon EC2 instance. In this step, the SDK uses an `InstanceProfileCredentialsProvider` to read the IAM role defined in the EC2 instance profile. The SDK then acquires temporary credentials for that IAM role.

Although these credentials are temporary and would eventually expire, an `InstanceProfileCredentialsProvider` periodically refreshes them for you so that they continue to allow access to AWS.

Acquire IAM role credentials programmatically

As an alternative to the default credentials provider chain that eventually uses an `InstanceProfileCredentialsProvider` on EC2, you can configure a service client explicitly with an `InstanceProfileCredentialsProvider`. This approach is shown in the following snippet.

```
S3Client s3 = S3Client.builder()
    .credentialsProvider(InstanceProfileCredentialsProvider.create())
    .build();
```

Securely acquire IAM role credentials

By default, EC2 instances run [IMDS](#) (Instance Metadata Service) that allows the SDK's `InstanceProfileCredentialsProvider` to access information such as the IAM role that has been configured. EC2 instances run two versions of IMDS by default:

- Instance Metadata Service Version 1 (IMDSv1) – a request/response method
- Instance Metadata Service Version 2 (IMDSv2) – a session-oriented method

[IMDSv2 is a more secure approach](#) than IMDSv1.

By default, the Java SDK first tries IMDSv2 to get the IAM role, but if that fails, it tries IMDSv1. However, since IMDSv1 is less secure, AWS recommends the use of IMDSv2 only and to disable the SDK from trying IMDSv1.

To use the more secure approach, disable the SDK from using IMDSv1 by providing one of the following settings with a value of `true`.

- Environment variable: AWS_EC2_METADATA_V1_DISABLED
- JVM system property: aws.disableEc2MetadataV1
- Shared config file setting: ec2_metadata_v1_disabled

With one of these settings set to true, the SDK does not load IMDS role credentials by using IMDSv1 if the initial IMDSv2 call fails.

Use AWS Regions

AWS Regions enable service clients to access AWS services that physically resides in a specific geographic area.

Explicitly configure an AWS Region

To explicitly set a Region, we recommend that you use the constants defined in the [Region](#) class. This is an enumeration of all publicly available regions.

To create a client with an enumerated Region from the class, use the client builder's `region` method.

```
Ec2Client ec2 = Ec2Client.builder()
    .region(Region.US_WEST_2)
    .build();
```

If the Region you want to use isn't one of the enumerations in the Region class, you can create a new Region by using the static `of` method. This method allows you access to new Regions without upgrading the SDK.

```
Region newRegion = Region.of("us-east-42");
Ec2Client ec2 = Ec2Client.builder()
    .region(newRegion)
    .build();
```

Note

After you build a client with the builder, it's *immutable* and the AWS Region *cannot be changed*. If you need to work with multiple AWS Regions for the same service, you should create multiple clients—one per Region.

Let the SDK automatically determine the Region from the environment

When your code runs on Amazon EC2 or AWS Lambda, you might want to configure clients to use the same AWS Region that your code is running on. This decouples your code from the environment it's running in and makes it easier to deploy your application to multiple AWS Regions for lower latency or redundancy.

To use the default credential/region provider chain to determine the Region from the environment, use the client builder's `create` method.

```
Ec2Client ec2 = Ec2Client.create();
```

If you don't explicitly set an AWS Region by using the `region` method, the SDK consults the default region provider chain to determine the Region to use.

Understand the default region provider chain

The SDK takes the following steps to look for an AWS Region :

1. Any explicit Region set by using `region` on the builder itself takes precedence over anything else.
2. The `AWS_REGION` environment variable is checked. If it's set, that Region is used to configure the client.

 **Note**

The Lambda container sets this environment variable.

3. The SDK checks the AWS shared configuration file and shared credentials file (usually located at `~/.aws/config` and `~/.aws/credentials`). If the `region` property is present, the SDK uses it.
 - If the SDK finds the `region` property in both files for the same profile (including the default profile), the SDK uses the value in the shared credentials file.
 - The `AWS_CONFIG_FILE` environment variable can be used to customize the location of the shared config file.
 - The `AWS_PROFILE` environment variable or the `aws.profile` system property can be used to specify the profile that the SDK loads.

4. The SDK attempts to use the Amazon EC2 instance metadata service (IMDS) to determine the Region of the currently running Amazon EC2 instance.
 - For greater security, you should disable the SDK from attempting to use version 1 of IMDS. You use the same setting to disable version 1 that are described in the [the section called "Securely"](#) section.
5. If the SDK still hasn't found a Region by this point, client creation fails with an exception.

When developing AWS applications, a common approach is to use the *shared configuration file* (described in [Credential retrieval order](#)) to set the Region for local development, and rely on the default region provider chain to determine the Region when the application runs on AWS infrastructure. This greatly simplifies client creation and keeps your application portable.

Check for service availability in a Region

To see if a particular AWS service is available in a Region, use the `serviceMetadata` and `region` method on the service client.

```
DynamoDbClient.serviceMetadata().regions().forEach(System.out::println);
```

See the [Region](#) class documentation for the AWS Regions you can specify, and use the endpoint prefix of the service to query.

Choose a specific endpoint

In certain situations—such as to test preview features of a service before the features graduate to general availability—you may need to specify a specific endpoint in a Region. In these situations, service clients can be configured by calling the `endpointOverride` method.

For example, to configure an Amazon EC2 client to use the Europe (Ireland) Region with a specific endpoint, use the following code.

```
Ec2Client ec2 = Ec2Client.builder()
    .region(Region.EU_WEST_1)
    .endpointOverride(URI.create("https://ec2.eu-west-1.amazonaws.com"))
    .build();
```

See [Regions and Endpoints](#) for the current list of regions and their corresponding endpoints for all AWS services.

Reduce SDK startup time for AWS Lambda

One of the goals of the AWS SDK for Java 2.x is to reduce the startup latency for AWS Lambda functions. The SDK contains changes that reduce startup time, which are discussed at the end of this topic.

First, this topic focuses on changes that you can make to reduce cold start times. These include making changes in your code structure and in the configuration of service clients.

Use an AWS CRT-based HTTP client

For working with AWS Lambda, we recommend the [AwsCrtHttpClient](#) for synchronous scenarios and the [AwsCrtAsyncHttpClient](#) for asynchronous scenarios.

The [the section called “Configure AWS CRT-based HTTP clients”](#) topic in this guide describes the benefits of using the HTTP clients, how to add the dependency, and how configure their use by service clients.

Remove unused HTTP client dependencies

Along with the explicit use of an AWS CRT-based client, you can remove other HTTP clients that the SDK brings in by default. Lambda startup time is reduced when fewer libraries need to be loaded, so you should remove any unused artifacts that the JVM needs to load.

The following snippet of a Maven pom.xml file shows the exclusion of the Apache-based HTTP client and the Netty-based HTTP client. (These clients aren't needed when you use an AWS CRT-based client.) This example excludes the HTTP client artifacts from the S3 client dependency and adds the aws-crt-client artifact to allow access to the AWS CRT-based HTTP clients.

```
<project>
  <properties>
    <aws.java.sdk.version>2.27.21</aws.java.sdk.version>
  <properties>
  <dependencyManagement>
    <dependencies>
      <dependency>
        <groupId>software.amazon.awssdk</groupId>
        <artifactId>bom</artifactId>
        <version>${aws.java.sdk.version}</version>
        <type>pom</type>
```

```
        <scope>import</scope>
    </dependency>
</dependencies>
</dependencyManagement>
<dependencies>
    <dependency>
        <groupId>software.amazon.awssdk</groupId>
        <artifactId>aws-crt-client</artifactId>
    </dependency>
    <dependency>
        <groupId>software.amazon.awssdk</groupId>
        <artifactId>s3</artifactId>
        <exclusions>
            <exclusion>
                <groupId>software.amazon.awssdk</groupId>
                <artifactId>netty-nio-client</artifactId>
            </exclusion>
            <exclusion>
                <groupId>software.amazon.awssdk</groupId>
                <artifactId>apache-client</artifactId>
            </exclusion>
        </exclusions>
    </dependency>
</dependencies>
</project>
```

Note

Add the `<exclusions>` element to all service client dependencies in your `pom.xml` file.

Configure service clients to shortcut lookups

Specify a region

When you create a service client, call the `region` method on the service client builder. This shortcuts the SDK's default [Region lookup process](#) that checks several places for the AWS Region information.

To keep the Lambda code independent of the region, use the following code inside the `region` method. This code accesses the `AWS_REGION` environment variable set by the Lambda container.

```
Region.of(System.getenv(SdkSystemSetting.AWS_REGION.environmentVariable()))
```

Use the EnvironmentVariableCredentialProvider

Much like the default lookup behavior for the Region information, the SDK looks in several places for credentials. By specifying the [EnvironmentVariableCredentialProvider](#) when you build a service client, you save time in the SDK's lookup process for credentials.

Note

Using this credentials provider enables the code to be used in Lambda functions, but might not work on Amazon EC2 or other systems.

If you intend to use [Lambda SnapStart for Java](#) at some point, you should rely on the default credentials provider chain to lookup credentials. If you specify the `EnvironmentVariableCredentialsProvider`, the initial credentials lookup works, but when SnapStart is activated, [the Java runtime sets container credentials environment variables](#). On activation, the environment variables used by the `EnvironmentVariableCredentialsProvider`—access key environment variables—are not available to the Java SDK.

The following code snippet shows an S3 service client appropriately configured for use in a Lambda environment.

```
S3Client s3Client = S3Client.builder()  
  
.region(Region.of(System.getenv(SdkSystemSetting.AWS_REGION.environmentVariable())))  
.credentialsProvider(EnvironmentVariableCredentialsProvider.create())  
.httpClient(AwsCrtHttpClient.builder().build())  
.build();
```

Initialize the SDK client outside of the Lambda function handler

We recommend initializing an SDK client outside of the Lambda handler method. This way, if the execution context is reused, the initialization of the service client can be skipped. By reusing the client instance and its connections, subsequent invocations of the handler method occur more quickly.

In the following example, the `S3Client` instance is initialized in the constructor using a static factory method. If the container that is managed by the Lambda environment is reused, the initialized `S3Client` instance is reused.

```
public class App implements RequestHandler<Object, Object> {
    private final S3Client s3Client;

    public App() {
        s3Client = DependencyFactory.s3Client();
    }

    @Override
    public Object handle Request(final Object input, final Context context) {
        ListBucketResponse response = s3Client.listBuckets();
        // Process the response.
    }
}
```

Minimize dependency injection

Dependency injection (DI) frameworks might take additional time to complete the setup process. They might also require additional dependencies, which take time to load.

If a DI framework is needed, we recommend using lightweight DI frameworks such as [Dagger](#).

Use a Maven Archetype targeting AWS Lambda

The AWS Java SDK team has developed a [Maven Archetype](#) template to bootstrap a Lambda project with minimal startup time. You can build out a Maven project from the archetype and know that the dependencies are configured suitably for the Lambda environment.

To learn more about the archetype and work through an example deployment, see this [blog post](#).

Consider Lambda SnapStart for Java

If your runtime requirements are compatible, AWS offers [Lambda SnapStart for Java](#). Lambda SnapStart is an infrastructure-based solution that improves startup performance for Java functions. When you publish a new version of a function, Lambda SnapStart initializes it and takes an immutable, encrypted snapshot of the memory and disk state. SnapStart then caches the snapshot for reuse.

Version 2.x changes that affect startup time

In addition to changes that you make to your code, version 2.x of the SDK for Java includes three primary changes that reduce startup time:

- Use of [jackson-jr](#), which is a serialization library that improves initialization time
- Use of the [java.time](#) libraries for date and time objects, which is part of the JDK
- Use of [Slf4j](#) for a logging facade

Additional resources

The AWS Lambda Developer Guide contains a [section on best practices](#) for developing Lambda functions that is not Java specific.

For an example of building a cloud-native application in Java that uses AWS Lambda, see this [workshop content](#). The workshop discussion performance optimization and other best practices.

You can consider using static images that are compiled ahead of time to reduce startup latency. For example, you can use the SDK for Java 2.x and Maven to [build a GraalVM native image](#).

HTTP clients

You can change the HTTP client to use for your service client as well as change the default configuration for HTTP clients with the AWS SDK for Java 2.x. This section discusses HTTP clients and settings for the SDK.

HTTP clients available in the SDK for Java

Synchronous clients

Synchronous HTTP clients in the SDK for Java implement the [SdkHttpClient](#) interface. A synchronous service client, such as the S3Client or the DynamoDbClient, requires the use of a synchronous HTTP client. The AWS SDK for Java offers three synchronous HTTP clients.

ApacheHttpClient (default)

[ApacheHttpClient](#) is the default HTTP client for synchronous service clients. For information about configuring the ApacheHttpClient, see [Configure the Apache-based HTTP client](#).

AwsCrtHttpClient

[AwsCrtHttpClient](#) provides high throughput and non-blocking IO. It is built on the AWS Common Runtime (CRT) Http Client. For information about configuring the AwsCrtHttpClient and using it with service clients, see [the section called “Configure AWS CRT-based HTTP clients”](#).

URLConnectionHttpClient

To minimize the number of jars and third-party libraries your application uses, you can use the [URLConnectionHttpClient](#). For information about configuring the [URLConnectionHttpClient](#), see [Configure the URLConnection-based HTTP client](#).

Asynchronous clients

Asynchronous HTTP clients in the SDK for Java implement the [SdkAsyncHttpClient](#) interface. An asynchronous service client, such as the [S3AsyncClient](#) or the [DynamoDbAsyncClient](#), requires the use of an asynchronous HTTP client. The AWS SDK for Java offers two asynchronous HTTP clients.

NettyNioAsyncHttpClient (default)

[NettyNioAsyncHttpClient](#) is the default HTTP client used by asynchronous clients. For information about configuring the [NettyNioAsyncHttpClient](#), see [the section called “Configure the Netty-based HTTP client”](#).

AwsCrtAsyncHttpClient


The [AwsCrtAsyncHttpClient](#) is based on the AWS Common Runtime (CRT) HTTP Client. For information about configuring the [AwsCrtAsyncHttpClient](#), see [the section called “Configure AWS CRT-based HTTP clients”](#).

HTTP client recommendations

Several factors come into play when you choose an HTTP client implementation. Use the following information to help you decide.

Recommendation flowchart

The following flowchart provides general guidance to help you determine which HTTP client to use.



HTTP client comparison

The following table provides detailed information for each HTTP client.

HTTP client	Sync or async	When to use	Limitation/ drawback
Apache-based HTTP client <i>(default sync HTTP client)</i>	Sync	Use it if you prefer low latency over high throughput	Slower startup time compared to other HTTP clients
URLConnection-based HTTP client	Sync	Use it if you have a hard requirement for limiting third-party dependencies	Does not support the HTTP PATCH method, required by some APIs like Amazon APIGateway Update operations
AWS CRT-based sync HTTP client ¹	Sync	<ul style="list-style-type: none"> • Use it if your application is running in AWS Lambda • Use it if you prefer high throughput over low latency • Use it if you prefer sync SDK clients 	The following Java system properties are not supported: <ul style="list-style-type: none"> • javax.net.ssl.keyStore • javax.net.ssl.keyStorePassword • javax.net.ssl.trustStore • javax.net.ssl.trustStorePassword

HTTP client	Sync or async	When to use	Limitation/ drawback
			tStorePas sword
Netty-based HTTP client <i>(default async HTTP client)</i>	Async	<ul style="list-style-type: none">• Use it if your application invokes APIs that require HTTP/2 support such as Kinesis API Subscribe ToShard	Slower startup time compared to other HTTP clients

HTTP client	Sync or async	When to use	Limitation/ drawback
AWS CRT-based async HTTP client ¹	Async	<ul style="list-style-type: none"> • Use it if your application is running in AWS Lambda • Use it if you prefer high throughput over low latency • Use it if you prefer async SDK clients 	<ul style="list-style-type: none"> • Does not support service clients that require HTTP/2 support such as KinesisAsyncClient and TranscribeStreamingAsyncClient <p>The following Java system properties are not supported:</p> <ul style="list-style-type: none"> • javax.net.ssl.keyStore • javax.net.ssl.keyStorePassword • javax.net.ssl.trustStore • javax.net.ssl.trustStorePassword

¹Because of their added benefits, we recommend that you use the AWS CRT-based HTTP clients if possible.

Smart configuration defaults

The AWS SDK for Java 2.x (version 2.17.102 or later) offers a smart configuration defaults feature. This feature optimizes two HTTP client properties along with other properties that don't affect the HTTP client.

The smart configuration defaults set sensible values for the `connectTimeoutInMillis` and `tlsNegotiationTimeoutInMillis` properties based on a defaults mode value that you provide. You choose the defaults mode value based on your application's characteristics.

For more information about smart configuration defaults and how to choose the defaults mode value that is best suited for your applications, see the [AWS SDKs and Tools Reference Guide](#).

Following are four ways to set the defaults mode for your application.

Service client

Use the service client builder to configure the defaults mode directly on the service client. The following example sets the defaults mode to auto for the `DynamoDbClient`.

```
DynamoDbClient ddbClient = DynamoDbClient.builder()
    .defaultsMode(DefaultsMode.AUTO)
    .build();
```

System property

You can use the `aws.defaultsMode` system property to specify the defaults mode. If you set the system property in Java, you need to set the property before initializing any service client.

The following example shows you how to set the defaults mode to auto using a system property set in Java.

```
System.setProperty("aws.defaultsMode", "auto");
```

The following example demonstrates how you set the defaults mode to auto using a `-D` option of the `java` command.

```
java -Daws.defaultsMode=auto
```

Environment variable

Set a value for environment variable AWS_DEFAULTS_MODE to select the defaults mode for your application.

The following information shows the command to run to set the value for the defaults mode to auto using an environment variable.

Operating system	Command to set environment variables
Linux, macOS, or Unix	export AWS_DEFAULTS_MODE=auto
Windows	set AWS_DEFAULTS_MODE=auto

AWS config file

You can add a defaults_mode configuration property to the shared AWS config file as the following example shows.

```
[default]
defaults_mode = auto
```

If you set the defaults mode globally with the system property, environment variable, or AWS config file, you can override the settings when you build an HTTP client.

When you build an HTTP client with the `httpClientBuilder()` method, settings apply only to the instance that you are building. An example of this is shown [here](#). The Netty-based HTTP client in this example overrides any default mode values set globally for `connectTimeoutInMillis` and `tlsNegotiationTimeoutInMillis`.

Configure the Apache-based HTTP client

Synchronous service clients in the AWS SDK for Java 2.x use an Apache-based HTTP client, [ApacheHttpClient](#) by default. The SDK's ApacheHttpClient is based on the Apache [HttpClient](#).

The SDK also offers the [URLConnectionHttpClient](#), which loads more quickly, but has fewer features. For information about configuring the `URLConnectionHttpClient`, see [the section called "Configure the URLConnection-based HTTP client"](#).

To see the full set of configuration options available to you for the ApacheHttpClient, see [ApacheHttpClient.Builder](#) and [ProxyConfiguration.Builder](#).

Access the ApacheHttpClient

In most situations, you use the ApacheHttpClient without any explicit configuration. You declare your service clients and the SDK will configure the ApacheHttpClient with standard values for you.

If you want to explicitly configure the ApacheHttpClient or use it with multiple service clients, you need to make it available for configuration.

No configuration needed

When you declare a dependency on a service client in Maven, the SDK adds a *runtime* dependency on the apache-client artifact. This makes the ApacheHttpClient class available to your code at runtime, but not at compile time. If you are not configuring the Apache-based HTTP client, you do not need to specify a dependency for it.

In the following XML snippet of a Maven pom.xml file, the dependency declared with <artifactId>s3</artifactId> automatically brings in the Apache-based HTTP client. You don't need to declare a dependency specifically for it.

```
<dependencyManagement>
    <dependencies>
        <dependency>
            <groupId>software.amazon.awssdk</groupId>
            <artifactId>bom</artifactId>
            <version>2.27.21</version>
            <type>pom</type>
            <scope>import</scope>
        </dependency>
    </dependencies>
</dependencyManagement>
<dependencies>
    <!-- The s3 dependency automatically adds a runtime dependency on the
    ApacheHttpClient-->
    <dependency>
        <groupId>software.amazon.awssdk</groupId>
        <artifactId>s3</artifactId>
    </dependency>
</dependencies>
```

With these dependencies, you cannot make any explicit HTTP configuration changes, because the ApacheHttpClient library is only on the runtime classpath.

Configuration needed

To configure the ApacheHttpClient, you need to add a dependency on the apache-client library at *compile* time.

Refer to the following example of a Maven pom.xml file to configure the ApacheHttpClient.

```
<dependencyManagement>
    <dependencies>
        <dependency>
            <groupId>software.amazon.awssdk</groupId>
            <artifactId>bom</artifactId>
            <version>2.27.21</version>
            <type>pom</type>
            <scope>import</scope>
        </dependency>
    </dependencies>
</dependencyManagement>
<dependencies>
    <dependency>
        <groupId>software.amazon.awssdk</groupId>
        <artifactId>s3</artifactId>
    </dependency>
    <!-- By adding the apache-client dependency, ApacheHttpClient will be added to
         the compile classpath so you can configure it. -->
    <dependency>
        <groupId>software.amazon.awssdk</groupId>
        <artifactId>apache-client</artifactId>
    </dependency>
</dependencies>
```

Use and configure the ApacheHttpClient

You can configure an instance of ApacheHttpClient along with building a service client, or you can configure a single instance to share across multiple service clients.

With either approach, you use the [ApacheHttpClient.Builder](#) to configure the properties for the Apache-based HTTP client.

Best practice: dedicate an ApacheHttpClient instance to a service client

If you need to configure an instance of the ApacheHttpClient, we recommend that you build the dedicated ApacheHttpClient instance. You can do so by using the `httpClientBuilder` method of the service client's builder. This way, the lifecycle of the HTTP client is managed by the SDK, which helps avoid potential memory leaks if the ApacheHttpClient instance is not closed down when it's no longer needed.

The following example creates an `S3Client` and configures the embedded instance of ApacheHttpClient with `maxConnections` and `connectionTimeout` values. The HTTP instance is created using the `httpClientBuilder` method of `S3Client.Builder`.

Imports

```
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import software.amazon.awssdk.services.s3.S3Client;
import java.time.Duration;
```

Code

```
S3Client s3Client = S3Client // Singleton: Use the s3Client for all requests.
    .builder()
    .httpClientBuilder(ApacheHttpClient.builder()
        .maxConnections(100)
        .connectionTimeout(Duration.ofSeconds(5)))
    .build();

// Perform work with the s3Client.

s3Client.close(); // Requests completed: Close all service clients.
```

Alternative approach: share an ApacheHttpClient instance

To help keep resource and memory usage lower for your application, you can configure an ApacheHttpClient and share it across multiple service clients. The HTTP connection pool will be shared, which lowers resource usage.

Note

When an ApacheHttpClient instance is shared, you must close it when it is ready to be disposed. The SDK will not close the instance when the service client is closed.

The following example configures an Apache-based HTTP client that is used by two service clients. The configured ApacheHttpClient instance is passed to the httpClient method of each builder. When the service clients and the HTTP client are no longer needed, the code explicitly closes them. The code closes the HTTP client last.

Imports

```
import software.amazon.awssdk.http.SdkHttpClient;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.s3.S3Client;
```

Code

```
SdkHttpClient apacheHttpClient = ApacheHttpClient.builder()
    .maxConnections(100).build();

// Singletons: Use the s3Client and dynamoDbClient for all requests.
S3Client s3Client =
    S3Client.builder()
        .httpClient(apacheHttpClient).build();

DynamoDbClient dynamoDbClient =
    DynamoDbClient.builder()
        .httpClient(apacheHttpClient).build();

// Perform work with the s3Client and dynamoDbClient.

// Requests completed: Close all service clients.
s3Client.close();
dynamoDbClient.close();
apacheHttpClient.close(); // Explicitly close apacheHttpClient.
```

Proxy configuration example

The following code snippet uses the [proxy configuration builder for the Apache HTTP client](#).

```
SdkHttpClient apacheHttpClient = ApacheHttpClient.builder()
    .proxyConfiguration(ProxyConfiguration.builder()
        .endpoint(URI.create("http://example.com:1234"))
        .username("username")
        .password("password")
        .addNonProxyHost("localhost")
        .addNonProxyHost("host.example.com")
        .build())
    .build();
```

The equivalent Java system properties for the proxy configuration are shown in the following command line snippet.

```
$ java -Dhttp.proxyHost=example.com -Dhttp.proxyPort=1234 -Dhttp.proxyUser=username \
-Dhttp.proxyPassword=password -Dhttp.nonProxyHosts=localhost|host.example.com -cp ...
App
```

The equivalent setup that uses environment variables is:

```
// Set the following environment variables.
// $ export HTTP_PROXY="http://username:password@example.com:1234"
// $ export NO_PROXY="localhost|host.example.com"

// Set the 'useSystemPropertyValues' to false on the proxy configuration.
SdkHttpClient apacheHttpClient = ApacheHttpClient.builder()
    .proxyConfiguration(ProxyConfiguration.builder()
        .useSystemPropertyValues(Boolean.FALSE)
        .build())
    .build();

// Run the application.
// $ java -cp ... App
```

Note

The Apache HTTP client does not currently support HTTPS proxy system properties or the HTTPS_PROXY environment variable.

Configure the URLConnection-based HTTP client

The AWS SDK for Java 2.x offers a lighter-weight [URLConnectionHttpClient](#) HTTP client in comparison to the default ApacheHttpClient. The [URLConnectionHttpClient](#) is based on Java's [URLConnection](#).

The [URLConnectionHttpClient](#) loads more quickly than the Apache-based HTTP client, but has fewer features. Because it loads more quickly, it is a [good solution](#) for Java AWS Lambda functions.

The [URLConnectionHttpClient](#) has several [configurable options](#) that you can access.

Note

The [URLConnectionHttpClient](#) does not support the HTTP PATCH method.

A handful of AWS API operations require PATCH requests. Those operation names usually start with Update*. The following are several examples.

- [Several Update* operations](#) in the AWS Security Hub API and also the [BatchUpdateFindings](#) operation
- All Amazon API Gateway API [Update* operations](#)
- [Several Update* operations](#) in the Amazon WorkDocs API

If you might use the [URLConnectionHttpClient](#), first refer to the API Reference for the AWS service that you're using. Check to see if the operations you need use the PATCH operation.

Access the [URLConnectionHttpClient](#)

To configure and use the [URLConnectionHttpClient](#), you declare a dependency on the `url-connection-client` Maven artifact in your `pom.xml` file.

Unlike the [ApacheHttpClient](#), the [URLConnectionHttpClient](#) is not automatically added to your project, so you must specifically declare it.

The following example of a `pom.xml` file shows the dependencies required to use and configure the HTTP client.

```
<dependencyManagement>
```

```
<dependencyManagement>
  <dependencies>
    <dependency>
      <groupId>software.amazon.awssdk</groupId>
      <artifactId>bom</artifactId>
      <version>2.27.21</version>
      <type>pom</type>
      <scope>import</scope>
    </dependency>
  </dependencies>
</dependencyManagement>

<!-- other dependencies such as s3 or dynamodb -->

<dependencies>
  <dependency>
    <groupId>software.amazon.awssdk</groupId>
    <artifactId>url-connection-client</artifactId>
  </dependency>
</dependencies>
```

Use and configure the `UrlConnectionHttpClient`

You can configure an instance of `UrlConnectionHttpClient` along with building a service client, or you can configure a single instance to share across multiple service clients.

With either approach, you use the [`UrlConnectionHttpClient.Builder`](#) to configure the properties for the `URLConnection`-based HTTP client.

Best practice: dedicate an `UrlConnectionHttpClient` instance to a service client

If you need to configure an instance of the `UrlConnectionHttpClient`, we recommend that you build the dedicated `UrlConnectionHttpClient` instance. You can do so by using the `httpClientBuilder` method of the service client's builder. This way, the lifecycle of the HTTP client is managed by the SDK, which helps avoid potential memory leaks if the `UrlConnectionHttpClient` instance is not closed down when it's no longer needed.

The following example creates an `S3Client` and configures the embedded instance of `UrlConnectionHttpClient` with `socketTimeout` and `proxyConfiguration` values. The `proxyConfiguration` method takes a Java lambda expression of type `Consumer<ProxyConfiguration.Builder>`.

Imports

```
import software.amazon.awssdk.http.SdkHttpClient;
import software.amazon.awssdk.http.urlconnection.UrlConnectionHttpClient;
import java.net.URI;
import java.time.Duration;
```

Code

```
// Singleton: Use the s3Client for all requests.
S3Client s3Client =
    S3Client.builder()
        .httpClientBuilder(UrlConnectionHttpClient.builder()
            .socketTimeout(Duration.ofMinutes(5))
            .proxyConfiguration(proxy -> proxy.endpoint(URI.create("http://
proxy.mydomain.net:8888"))))
        .credentialsProvider(EnvironmentVariableCredentialsProvider.create())
        .build();

// Perform work with the s3Client.

s3Client.close(); // Requests completed: Close the s3client.
```

Alternative approach: share an `UrlConnectionHttpClient` instance

To help keep resource and memory usage lower for your application, you can configure an `UrlConnectionHttpClient` and share it across multiple service clients. The HTTP connection pool will be shared, which lowers resource usage.

Note

When an `UrlConnectionHttpClient` instance is shared, you must close it when it is ready to be disposed. The SDK will not close the instance when the service client is closed.

The following example configures an `URLConnection`-based HTTP client that is used by two service clients. The configured `UrlConnectionHttpClient` instance is passed to the `httpClient` method of each builder. When the service clients and the HTTP client are no longer needed, the code explicitly closes them. The code closes the HTTP client last.

Imports

```
import software.amazon.awssdk.auth.credentials.EnvironmentVariableCredentialsProvider;
```

```
import software.amazon.awssdk.awscore.defaultsmode.DefaultsMode;
import software.amazon.awssdk.http.SdkHttpClient;
import software.amazon.awssdk.http.urlconnection.ProxyConfiguration;
import software.amazon.awssdk.http.urlconnection.UrlConnectionHttpClient;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.s3.S3Client;
import java.net.URI;
import java.time.Duration;
```

Code

```
SdkHttpClient urlHttpClient = UrlConnectionHttpClient.create();

// Singletons: Use the s3Client and dynamoDbClient for all requests.
S3Client s3Client =
    S3Client.builder()
        .httpClient(urlHttpClient)
        .defaultsMode(DefaultsMode.IN_REGION)
        .credentialsProvider(EnvironmentVariableCredentialsProvider.create())
        .build();

DynamoDbClient dynamoDbClient =
    DynamoDbClient.builder()
        .httpClient(urlHttpClient)
        .defaultsMode(DefaultsMode.IN_REGION)
        .credentialsProvider(EnvironmentVariableCredentialsProvider.create())
        .build();

// Perform work with the s3Client and dynamoDbClient.

// Requests completed: Close all service clients.
s3Client.close();
dynamoDbClient.close();
urlHttpClient.close();
```

Use **URLConnectionHttpClient** and **ApacheHttpClient** together

When you use the `URLConnectionHttpClient` in your application, you must supply each service client with either a `URLConnectionHttpClient` instance or a `ApacheHttpClient` instance using the service client builder's `httpClientBuilder` method.

An exception occurs if your program uses multiple service clients and both of the following are true:

- One service client is configured to use a `URLConnectionHttpClient` instance
- Another service client uses the default `ApacheHttpClient` without explicitly building it with the `httpClient()` or `httpClientBuilder()` methods

The exception will state that multiple HTTP implementations were found on the classpath.

The following example code snippet leads to an exception.

```
// The dynamoDbClient uses the URLConnectionHttpClient
DynamoDbClient dynamoDbClient = DynamoDbClient.builder()
    .httpClient(URLConnectionHttpClient.create())
    .build();

// The s3Client below uses the ApacheHttpClient at runtime, without specifying it.
// An SdkClientException is thrown with the message that multiple HTTP implementations
// were found on the classpath.
S3Client s3Client = S3Client.create();

// Perform work with the s3Client and dynamoDbClient.

dynamoDbClient.close();
s3Client.close();
```

Avoid the exception by explicitly configuring the `S3Client` with an `ApacheHttpClient`.

```
DynamoDbClient dynamoDbClient = DynamoDbClient.builder()
    .httpClient(URLConnectionHttpClient.create())
    .build();

S3Client s3Client = S3Client.builder()
    .httpClient(ApacheHttpClient.create())      // Explicitly build the
    .build();

// Perform work with the s3Client and dynamoDbClient.

dynamoDbClient.close();
s3Client.close();
```

Note

To explicitly create the ApacheHttpClient, you must [add a dependency](#) on the apache-client artifact in your Maven project file.

Proxy configuration example

The following code snippet uses the [proxy configuration builder for the URL connection HTTP client](#).

```
SdkHttpClient urlHttpClient = UrlConnectionHttpClient.builder()
    .proxyConfiguration(ProxyConfiguration.builder()
        .endpoint(URI.create("http://example.com:1234"))
        .username("username")
        .password("password")
        .addNonProxyHost("localhost")
        .addNonProxyHost("host.example.com")
        .build())
    .build();
```

The equivalent Java system properties for the proxy configuration are shown in the following command line snippet.

```
$ java -Dhttp.proxyHost=example.com -Dhttp.proxyPort=1234 -Dhttp.proxyUser=username \
-Dhttp.proxyPassword=password -Dhttp.nonProxyHosts=localhost|host.example.com -cp ...
App
```

The equivalent setup that uses environment variables is:

```
// Set the following environment variables.
// $ export HTTP_PROXY="http://username:password@example.com:1234"
// $ export NO_PROXY="localhost|host.example.com"

// Set the 'useSystemPropertyValues' to false on the proxy configuration.
SdkHttpClient apacheHttpClient = UrlConnectionHttpClient.builder()
    .proxyConfiguration(ProxyConfiguration.builder()
        .useSystemPropertyValues(Boolean.FALSE)
        .build())
    .build();
```

```
// Run the application.  
// $ java -cp ... App
```

Note

The URLConnection-based HTTP client does not currently support HTTPS proxy system properties or the HTTPS_PROXY environment variable.

Configure the Netty-based HTTP client

The default HTTP client for asynchronous operations in the AWS SDK for Java 2.x is the Netty-based [NettyNioAsyncHttpClient](#). The Netty-based client is based on the asynchronous event-driven network framework of the [Netty project](#).

As an alternative HTTP client, you can use the new [AWS CRT-based HTTP client](#). This topic shows you how to configure the NettyNioAsyncHttpClient.

Access the NettyNioAsyncHttpClient

In most situations, you use the NettyNioAsyncHttpClient without any explicit configuration in asynchronous programs. You declare your asynchronous service clients and the SDK will configure the NettyNioAsyncHttpClient with standard values for you.

If you want to explicitly configure the NettyNioAsyncHttpClient or use it with multiple service clients, you need to make it available for configuration.

No configuration needed

When you declare a dependency on a service client in Maven, the SDK adds a *runtime* dependency on the netty-nio-client artifact. This makes the NettyNioAsyncHttpClient class available to your code at runtime, but not at compile time. If you are not configuring the Netty-based HTTP client, you don't need to specify a dependency for it.

In the following XML snippet of a Maven pom.xml file, the dependency declared with <artifactId>dynamodb-enhanced</artifactId> transitively brings in the Netty-based HTTP client. You don't need to declare a dependency specifically for it.

```
<dependencyManagement>  
  <dependencies>
```

```
<dependency>
    <groupId>software.amazon.awssdk</groupId>
    <artifactId>bom</artifactId>
    <version>2.27.21</version>
    <type>pom</type>
    <scope>import</scope>
</dependency>
</dependencies>
</dependencyManagement>
<dependencies>
    <dependency>
        <groupId>software.amazon.awssdk</groupId>
        <artifactId>dynamodb-enhanced</artifactId>
    </dependency>
</dependencies>
```

With these dependencies, you cannot make any HTTP configuration changes, since the `NettyNioAsyncHttpClient` library is only on the runtime classpath.

Configuration needed

To configure the `NettyNioAsyncHttpClient`, you need to add a dependency on the `netty-nio-client` artifact at *compile* time.

Refer to the following example of a Maven `pom.xml` file to configure the `NettyNioAsyncHttpClient`.

```
<dependencyManagement>
    <dependencies>
        <dependency>
            <groupId>software.amazon.awssdk</groupId>
            <artifactId>bom</artifactId>
            <version>2.27.21</version>
            <type>pom</type>
            <scope>import</scope>
        </dependency>
    </dependencies>
</dependencyManagement>
<dependencies>
    <dependency>
        <groupId>software.amazon.awssdk</groupId>
        <artifactId>dynamodb-enhanced</artifactId>
    </dependency>
```

```
<!-- By adding the netty-nio-client dependency, NettyNioAsyncHttpClient will  
be  
     added to the compile classpath so you can configure it. -->  
<dependency>  
    <groupId>software.amazon.awssdk</groupId>  
    <artifactId>netty-nio-client</artifactId>  
</dependency>  
</dependencies>
```

Use and configure the NettyNioAsyncHttpClient

You can configure an instance of NettyNioAsyncHttpClient along with building a service client, or you can configure a single instance to share across multiple service clients.

With either approach, you use the [NettyNioAsyncHttpClient.Builder](#) to configure the properties for the Netty-based HTTP client instance.

Best practice: dedicate a NettyNioAsyncHttpClient instance to a service client

If you need to configure an instance of the NettyNioAsyncHttpClient, we recommend that you build a dedicated NettyNioAsyncHttpClient instance. You can do so by using the `httpClientBuilder` method of the service client's builder. This way, the lifecycle of the HTTP client is managed by the SDK, which helps avoid potential memory leaks if the NettyNioAsyncHttpClient instance is not closed down when it's no longer needed.

The following example creates a `DynamoDbAsyncClient` instance that is used by a `DynamoDbEnhancedAsyncClient` instance. The `DynamoDbAsyncClient` instance contains the NettyNioAsyncHttpClient instance with `connectionTimeout` and `maxConcurrency` values. The HTTP instance is created using `httpClientBuilder` method of `DynamoDbAsyncClient.Builder`.

Imports

```
import software.amazon.awssdk.auth.credentials.EnvironmentVariableCredentialsProvider;  
import software.amazon.awssdk.awscore.defaultsmode.DefaultsMode;  
import software.amazon.awssdk.enhanced.dynamodb.DynamoDbEnhancedAsyncClient;  
import  
    software.amazon.awssdk.enhanced.dynamodb.extensions.AutoGeneratedTimestampRecordExtension;  
import software.amazon.awssdk.http.nio.netty.NettyNioAsyncHttpClient;  
import software.amazon.awssdk.services.dynamodb.DynamoDbAsyncClient;  
import java.time.Duration;
```

Code

```
// DynamoDbAsyncClient is the lower-level client used by the enhanced client.  
DynamoDbAsyncClient dynamoDbAsyncClient =  
    DynamoDbAsyncClient  
        .builder()  
            .httpClientBuilder(NettyNioAsyncHttpClient.builder())  
            .connectionTimeout(Duration.ofMillis(5_000))  
            .maxConcurrency(100)  
            .tlsNegotiationTimeout(Duration.ofMillis(3_500))  
        .defaultsMode(DefaultsMode.IN_REGION)  
        .credentialsProvider(EnvironmentVariableCredentialsProvider.create())  
        .build();  
  
// Singleton: Use dynamoDbAsyncClient and enhancedClient for all requests.  
DynamoDbEnhancedAsyncClient enhancedClient =  
    DynamoDbEnhancedAsyncClient  
        .builder()  
        .dynamoDbClient(dynamoDbAsyncClient)  
        .extensions(AutoGeneratedTimestampRecordExtension.create())  
        .build();  
  
// Perform work with the dynamoDbAsyncClient and enhancedClient.  
  
// Requests completed: Close dynamoDbAsyncClient.  
dynamoDbAsyncClient.close();
```

Alternative approach: share a NettyNioAsyncHttpClient instance

To help keep resource and memory usage lower for your application, you can configure a `NettyNioAsyncHttpClient` and share it across multiple service clients. The HTTP connection pool will be shared, which lowers resource usage.

Note

When a `NettyNioAsyncHttpClient` instance is shared, you must close it when it is ready to be disposed. The SDK will not close the instance when the service client is closed.

The following example configures a Netty-based HTTP client that is used by two service clients. The configured `NettyNioAsyncHttpClient` instance is passed to the `httpClient` method of

each builder. When the service clients and the HTTP client are no longer needed, the code explicitly closes them. The code closes the HTTP client last.

Imports

```
import software.amazon.awssdk.http.SdkHttpClient;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.s3.S3Client;
```

Code

```
// Create a NettyNioAsyncHttpClient shared instance.
SdkAsyncHttpClient nettyHttpClient =
    NettyNioAsyncHttpClient.builder().maxConcurrency(100).build();

// Singletons: Use the s3AsyncClient, dbAsyncClient, and enhancedAsyncClient for all
// requests.
S3AsyncClient s3AsyncClient =
    S3AsyncClient.builder()
        .httpClient(nettyHttpClient)
        .build();

DynamoDbAsyncClient dbAsyncClient =
    DynamoDbAsyncClient.builder()
        .httpClient(nettyHttpClient)
        .defaultsMode(DefaultsMode.IN_REGION)

    .credentialsProvider(EnvironmentVariableCredentialsProvider.create())
        .build();

DynamoDbEnhancedAsyncClient enhancedAsyncClient =
    DynamoDbEnhancedAsyncClient.builder()
        .dynamoDbClient(dbAsyncClient)

    .extensions(AutoGeneratedTimestampRecordExtension.create())
        .build();

// Perform work with s3AsyncClient, dbAsyncClient, and enhancedAsyncClient.

// Requests completed: Close all service clients.
s3AsyncClient.close();
dbAsyncClient.close()
```

```
nettyHttpClient.close(); // Explicitly close nettyHttpClient.
```

Proxy configuration example

The following code snippet uses the [proxy configuration builder for the Netty HTTP client](#).

```
SdkAsyncHttpClient nettyHttpClient = NettyNioAsyncHttpClient.builder()
    .proxyConfiguration(ProxyConfiguration.builder()
        .scheme("https")
        .host("myproxy")
        .port(1234)
        .username("username")
        .password("password")
        .nonProxyHosts(Set.of("localhost", "host.example.com")))
    .build())
.build();
```

The equivalent Java system properties for the proxy configuration are shown in the following command line snippet.

```
$ java -Dhttps.proxyHost=myproxy -Dhttps.proxyPort=1234 -Dhttps.proxyUser=username \
-Dhttps.proxyPassword=password -Dhttp.nonProxyHosts=localhost|host.example.com -cp ...
App
```

Important

To use any of the HTTPS proxy system properties, the `scheme` property must be set in code to `https`. If the `scheme` property is not set in code, the `scheme` defaults to `HTTP` and the SDK looks only for `http.*` system properties.

The equivalent setup that uses environment variables is:

```
// Set the following environment variables.
// $ export HTTPS_PROXY="https://username:password@myproxy:1234"
// $ export NO_PROXY="localhost|host.example.com"

// Set the 'useSystemPropertyValues' to false on the proxy configuration.
SdkAsyncHttpClient nettyHttpClient = NettyNioAsyncHttpClient.builder()
    .proxyConfiguration(ProxyConfiguration.builder()
```

```
.useSystemPropertyValues(Boolean.FALSE)
.build()
.build();

// Run the application.
// $ java -cp ... App
```

Configure AWS CRT-based HTTP clients

The AWS CRT-based HTTP clients include the synchronous [AwsCrtHttpClient](#) and asynchronous [AwsCrtAsyncHttpClient](#). The AWS CRT-based HTTP clients provide the following HTTP client benefits:

- Faster SDK startup time
- Smaller memory footprint
- Reduced latency time
- Connection health management
- DNS load balancing

AWS CRT-based components in the SDK

The AWS CRT-based *HTTP* clients, described in this topic, and the AWS CRT-based S3 client are different components in the SDK.

The synchronous and asynchronous **AWS CRT-based HTTP clients** are implementations of the SDK HTTP client interfaces and are used for general HTTP communication. They are alternatives to the other synchronous or asynchronous HTTP clients in the SDK with additional benefits.

The [AWS CRT-based S3 client](#) is an implementation of the [S3AsyncClient](#) interface and is used for working with the Amazon S3 service. It is an alternative to the Java-based implementation of the S3AsyncClient interface and offers several advantages.

Although both components use libraries from the [AWS Common Runtime](#), the AWS CRT-based HTTP clients do not use the [aws-c-s3 library](#) and do not support the [S3 multipart upload API](#) features. The AWS CRT-based S3 client, by contrast, was purpose-built to support the S3 multipart upload API features.

Access the AWS CRT-based HTTP clients

Before you can use the AWS CRT-based HTTP clients, add the `aws-crt-client` artifact with a minimum version of 2.22.0 to your project's dependencies.

Use one of the following options to set up your `Maven pom.xml` file.

Note

You might choose to use the *Platform-specific jar option* if you need to keep the size of the runtime dependencies smaller, for example if your application runs in an AWS Lambda function.

Uber-jar option

By default, the `aws-crt-client` uses an uber-jar of AWS CRT artifacts that contains binaries for several platforms, including Linux, Windows, and macOS.

```
<project>
  <properties>
    <aws.sdk.java.version>2.29.10*</aws.sdk.java.version>
  </properties>
  <dependencyManagement>
    <dependencies>
      <dependency>
        <groupId>software.amazon.awssdk</groupId>
        <artifactId>bom</artifactId>
        <version>${aws.sdk.version}</version>
        <type>pom</type>
        <scope>import</scope>
      </dependency>
    </dependencies>
  </dependencyManagement>
  <dependencies>
    <dependency>
      <groupId>software.amazon.awssdk</groupId>
      <artifactId>aws-crt-client</artifactId>
    </dependency>
  </dependencies>
</project>
```

*Replace the version shown in red with the version of the Java SDK that you want to use. Find the latest on [Maven Central](#).

Platform-specific jar option

To restrict the Java runtime to platform-specific version of the AWS CRT library, make the following changes to the *Uber-jar option*.

- Add an exclusions element to the SDK's aws-crt-client artifact. This exclusion prevents the SDK from transitively using the AWS CRT uber-jar.
- Add a dependency element for the specific AWS CRT platform version you need. See the **Steps to determine the AWS CRT artifact version** below for how you can determine the correct version.

```
<project>
  <properties>
    <aws.sdk.java.version>2.29.101</aws.sdk.java.version>
  </properties>
  <dependencyManagement>
    <dependencies>
      <dependency>
        <groupId>software.amazon.awssdk</groupId>
        <artifactId>bom</artifactId>
        <version>${aws.sdk.java.version}</version>
        <type>pom</type>
        <scope>import</scope>
      </dependency>
    </dependencies>
  </dependencyManagement>
  <dependencies>
    <dependency>
      <groupId>software.amazon.awssdk</groupId>
      <artifactId>aws-crt-client</artifactId>
      <exclusions>
        <exclusion>
          <groupId>software.amazon.awssdk.crt</groupId>
          <artifactId>aws-crt</artifactId>
        </exclusion>
      </exclusions>
    </dependency>
    <dependency>
      <groupId>software.amazon.awssdk.crt</groupId>
```

```
<artifactId>aws-crt</artifactId>
<version>0.31.32</version>
<classifier>linux-x86_643</classifier>
</dependency>
</dependencies>
```

¹Replace the version shown in red with the version of the Java SDK that you want to use. Find the latest on [Maven Central](#).

²Replace the version of software.amazon.awssdk.crt:aws-crt that would be provided by the *Uber-jar option*. See the following **Steps to determine the AWS CRT artifact version**.

³Replace the classifier value with one for your platform. Refer to the AWS CRT for Java GitHub page for a [listing of available values](#).

Steps to determine the AWS CRT artifact version

Use the following steps to determine the AWS CRT artifact version that is compatible with the version of the SDK for Java that you are using.

1. Set up your pom.xml file as shown in the *Uber-jar option*. This setup allows you to see what version of software.amazon.awssdk.crt:aws-crt the SDK brings in by default.
2. At the root of the project (in the same directory as the pom.xml file), run the following Maven command:

```
mvn dependency:tree -Dincludes=software.amazon.awssdk.crt:aws-crt
```

Maven might perform other actions, but at the end you should see console output of the software.amazon.awssdk.crt:aws-crt dependency that the SDK transitively uses. The following snippet shows sample output based on an SDK version of 2.29.10:

```
[INFO] org.example:yourProject:jar:1.0-SNAPSHOT
[INFO] \- software.amazon.awssdk:crt-client:jar:2.29.10:compile
[INFO]     \- software.amazon.crt:jar:0.31.3:compile
```

3. Use the version that the console shows for the software.amazon.awssdk.crt:aws-crt artifact. In this case, add 0.31.3 to your pom.xml file.

Use and configure an AWS CRT-based HTTP client

You can configure an AWS CRT-based HTTP client along with building a service client, or you can configure a single instance to share across multiple service clients.

With either approach, you use a builder to [configure the properties](#) for the AWS CRT-based HTTP client instance.

Best practice: dedicate an instance to a service client

If you need to configure an instance of an AWS CRT-based HTTP client, we recommend that you dedicate the instance by building it along with the service client . You can do so by using the `httpClientBuilder` method of the service client's builder. This way, the lifecycle of the HTTP client is managed by the SDK, which helps avoid potential memory leaks if the AWS CRT-based HTTP client instance is not closed down when it's no longer needed.

The following example creates an S3 service client and configures an AWS CRT-based HTTP client with `connectionTimeout` and `maxConcurrency` values.

Synchronous client

Imports

```
import software.amazon.awssdk.http.crt.AwsCrtHttpClient;
import software.amazon.awssdk.services.s3.S3Client;
import java.time.Duration;
```

Code

```
// Singleton: Use s3Client for all requests.
S3Client s3Client = S3Client.builder()
    .httpClientBuilder(AwsCrtHttpClient
        .builder()
        .connectionTimeout(Duration.ofSeconds(3))
        .maxConcurrency(100))
    .build();

// Perform work with the s3Client.

// Requests completed: Close the s3Client.
s3Client.close();
```

Asynchronous client

Imports

```
import software.amazon.awssdk.http.crt.AwsCrtAsyncHttpClient;
import software.amazon.awssdk.services.s3.S3AsyncClient;
import java.time.Duration;
```

Code

```
// Singleton: Use s3AsyncClient for all requests.
S3AsyncClient s3AsyncClient = S3AsyncClient.builder()
    .httpClientBuilder(AwsCrtAsyncHttpClient
        .builder()
        .connectionTimeout(Duration.ofSeconds(3))
        .maxConcurrency(100))
    .build();

// Perform work with the s3AsyncClient.

// Requests completed: Close the s3AsyncClient.
s3AsyncClient.close();
```

Alternative approach: share an instance

To help keep resource and memory usage lower for your application, you can configure an AWS CRT-based HTTP client and share it across multiple service clients. The HTTP connection pool will be shared, which lowers resource usage.

Note

When an AWS CRT-based HTTP client instance is shared, you must close it when it is ready to be disposed. The SDK will not close the instance when the service client is closed.

The following example configures an AWS CRT-based HTTP client instance with `connectionTimeout` and `maxConcurrency` values. The configured instance is passed to the `httpClient` method of each service client's builder. When the service clients and the HTTP client are no longer needed, they are explicitly closed. The HTTP client is closed last.

Synchronous client

Imports

```
import software.amazon.awssdk.auth.credentials.EnvironmentVariableCredentialsProvider;
import software.amazon.awssdk.awscore.defaultsmode.DefaultsMode;
import software.amazon.awssdk.http.SdkHttpClient;
import software.amazon.awssdk.http.crt.AwsCrtHttpClient;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.s3.S3Client;
import java.time.Duration;
```

Code

```
// Create an AwsCrtHttpClient shared instance.
SdkHttpClient crtHttpClient = AwsCrtHttpClient.builder()
    .connectionTimeout(Duration.ofSeconds(3))
    .maxConcurrency(100)
    .build();

// Singletons: Use the s3Client and dynamoDbClient for all requests.
S3Client s3Client = S3Client.builder()
    .httpClient(crtHttpClient)
    .credentialsProvider(EnvironmentVariableCredentialsProvider.create())
    .defaultsMode(DefaultsMode.IN_REGION)
    .region(Region.US_EAST_1)
    .build();

DynamoDbClient dynamoDbClient = DynamoDbClient.builder()
    .httpClient(crtHttpClient)
    .credentialsProvider(EnvironmentVariableCredentialsProvider.create())
    .defaultsMode(DefaultsMode.IN_REGION)
    .region(Region.US_EAST_1)
    .build();

// Requests completed: Close all service clients.
s3Client.close();
dynamoDbClient.close();
crtHttpClient.close(); // Explicitly close crtHttpClient.
```

Asynchronous client

Imports

```
import software.amazon.awssdk.auth.credentials.EnvironmentVariableCredentialsProvider;
import software.amazon.awssdk.awscore.defaultsmode.DefaultsMode;
import software.amazon.awssdk.http.async.SdkAsyncHttpClient;
import software.amazon.awssdk.http.crt.AwsCrtAsyncHttpClient;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.DynamoDbAsyncClient;
import software.amazon.awssdk.services.s3.S3AsyncClient;
import java.time.Duration;
```

Code

```
// Create an AwsCrtAsyncHttpClient shared instance.
SdkAsyncHttpClient crtAsyncHttpClient = AwsCrtAsyncHttpClient.builder()
    .connectionTimeout(Duration.ofSeconds(3))
    .maxConcurrency(100)
    .build();

// Singletons: Use the s3AsyncClient and dynamoDbAsyncClient for all requests.
S3AsyncClient s3AsyncClient = S3AsyncClient.builder()
    .httpClient(crtAsyncHttpClient)
    .credentialsProvider(EnvironmentVariableCredentialsProvider.create())
    .defaultsMode(DefaultsMode.IN_REGION)
    .region(Region.US_EAST_1)
    .build();

DynamoDbAsyncClient dynamoDbAsyncClient = DynamoDbAsyncClient.builder()
    .httpClient(crtAsyncHttpClient)
    .credentialsProvider(EnvironmentVariableCredentialsProvider.create())
    .defaultsMode(DefaultsMode.IN_REGION)
    .region(Region.US_EAST_1)
    .build();

// Requests completed: Close all service clients.
s3AsyncClient.close();
dynamoDbAsyncClient.close();
crtAsyncHttpClient.close(); // Explicitly close crtAsyncHttpClient.
```

Set an AWS CRT-based HTTP client as the default

You can setup your Maven build file to have the SDK use an AWS CRT-based HTTP client as the default HTTP client for service clients.

You do this by adding an `exclusions` element with the default HTTP client dependencies to each service client artifact.

In the following `pom.xml` example, the SDK uses an AWS CRT-based HTTP client for S3 services. If the service client in your code is an `S3AsyncClient`, the SDK uses `AwsCrtAsyncHttpClient`. If the service client is an `S3Client`, the SDK uses `AwsCrtHttpClient`. With this setup the default Netty-based asynchronous HTTP client and the default Apache-based synchronous HTTP are not available.

```
<project>
  <properties>
    <aws.sdk.version>VERSION</aws.sdk.version>
  </properties>
  <dependencies>
    <dependency>
      <groupId>software.amazon.awssdk</groupId>
      <artifactId>s3</artifactId>
      <version>${aws.sdk.version}</version>
      <exclusions>
        <exclusion>
          <groupId>software.amazon.awssdk</groupId>
          <artifactId>netty-nio-client</artifactId>
        </exclusion>
        <exclusion>
          <groupId>software.amazon.awssdk</groupId>
          <artifactId>apache-client</artifactId>
        </exclusion>
      </exclusions>
    </dependency>
    <dependency>
      <groupId>software.amazon.awssdk</groupId>
      <artifactId>aws-crt-client</artifactId>
    </dependency>
  </dependencies>
</project>
```

Visit the Maven central repository for the latest [VERSION](#) value.

Note

If multiple service clients are declared in a pom.xml file, all require the exclusions XML element.

Use a Java system property

To use the AWS CRT-based HTTP clients as the default HTTP for your application, you can set the Java system property software.amazon.awssdk.http.async.service.impl to a value of software.amazon.awssdk.http.crt.AwsCrtSdkHttpService.

To set during application startup, run a command similar to the following.

```
java app.jar -Dsoftware.amazon.awssdk.http.async.service.impl=\
software.amazon.awssdk.http.crt.AwsCrtSdkHttpService
```

Use the following code snippet to set the system property in your application code.

```
System.setProperty("software.amazon.awssdk.http.async.service.impl",
"software.amazon.awssdk.http.crt.AwsCrtSdkHttpService");
```

Note

You need to add a dependency on the aws-crt-client artifact in your pom1.xml file when you use a system property to configure the use of the AWS CRT-based HTTP clients.

Advanced configuration of AWS CRT-based HTTP clients

You can use various configuration settings of the AWS CRT-based HTTP clients, including connection health configuration and maximum idle time. You can review the configuration [options available](#) for the AwsCrtAsyncHttpClient. You can configure the same options for the AwsCrtHttpClient.

Connection health configuration

You can configure connection health configuration for the AWS CRT-based HTTP clients by using the connectionHealthConfiguration method on the HTTP client builder.

The following example creates an S3 service client that uses a AWS CRT-based HTTP client instance configured with connection health configuration and a maximum idle time for connections.

Synchronous client

Imports

```
import software.amazon.awssdk.http.crt.AwsCrtHttpClient;
import software.amazon.awssdk.services.s3.S3Client;
import java.time.Duration;
```

Code

```
// Singleton: Use the s3Client for all requests.
S3Client s3Client = S3Client.builder()
    .httpClientBuilder(AwsCrtHttpClient
        .builder()
        .connectionHealthConfiguration(builder -> builder
            .minimumThroughputInBps(32000L)
            .minimumThroughputTimeout(Duration.ofSeconds(3)))
        .connectionMaxIdleTime(Duration.ofSeconds(5)))
    .build();

// Perform work with s3Client.

// Requests complete: Close the service client.
s3Client.close();
```

Asynchronous client

Imports

```
import software.amazon.awssdk.http.crt.AwsCrtAsyncHttpClient;
import software.amazon.awssdk.services.s3.S3AsyncClient;
import java.time.Duration;
```

Code

```
// Singleton: Use the s3AsyncClient for all requests.
S3AsyncClient s3AsyncClient = S3AsyncClient.builder()
    .httpClientBuilder(AwsCrtAsyncHttpClient
```

```
.builder()
.connectionHealthConfiguration(builder -> builder
    .minimumThroughputInBps(32000L)
    .minimumThroughputTimeout(Duration.ofSeconds(3)))
.connectionMaxIdleTime(Duration.ofSeconds(5)))
.build();

// Perform work with s3AsyncClient.

// Requests complete: Close the service client.
s3AsyncClient.close();
```

HTTP/2 support

The HTTP/2 protocol is not yet supported in the AWS CRT-based HTTP clients, but is planned for a future release.

In the meantime, if you are using service clients that require HTTP/2 support such as the [KinesisAsyncClient](#) or the [TranscribeStreamingAsyncClient](#), consider using the [NettyNioAsyncHttpClient](#) instead.

Proxy configuration example

The following code snippet shows the use of the [ProxyConfiguration.Builder](#) that you use to configure proxy setting in code.

Synchronous client

Imports

```
import software.amazon.awssdk.http.SdkHttpClient;
import software.amazon.awssdk.http.crt.AwsCrtHttpClient;
import software.amazon.awssdk.http.crt.ProxyConfiguration;
```

Code

```
SdkHttpClient crtHttpClient = AwsCrtHttpClient.builder()
.proxyConfiguration(ProxyConfiguration.builder()
    .scheme("https")
    .host("myproxy")
    .port(1234)
```

```
.username("username")
.password("password")
.nonProxyHosts(Set.of("localhost", "host.example.com"))
.build()
.build();
```

Asynchronous client

Imports

```
import software.amazon.awssdk.http.async.SdkAsyncHttpClient;
import software.amazon.awssdk.http.crt.AwsCrtAsyncHttpClient;
import software.amazon.awssdk.http.crt.ProxyConfiguration;
```

Code

```
SdkAsyncHttpClient crtAsyncHttpClient = AwsCrtAsyncHttpClient.builder()
    .proxyConfiguration(ProxyConfiguration.builder()
        .scheme("https")
        .host("myproxy")
        .port(1234)
        .username("username")
        .password("password")
        .nonProxyHosts(Set.of("localhost", "host.example.com")))
        .build())
    .build();
```

The equivalent Java system properties for the proxy configuration are shown in the following command line snippet.

```
$ java -Dhttps.proxyHost=myproxy -Dhttps.proxyPort=1234 -Dhttps.proxyUser=username \
-Dhttps.proxyPassword=password -Dhttp.nonProxyHosts=localhost|host.example.com -cp ...
App
```

Important

To use any of the HTTPS proxy system properties, the `scheme` property must be set in code to `https`. If the `scheme` property is not set in code, the `scheme` defaults to `HTTP` and the SDK looks only for `http.*` system properties.

The equivalent setup that uses environment variables is:

```
// Set the following environment variables.  
// $ export HTTPS_PROXY="https://username:password@myproxy:1234"  
// $ export NO_PROXY="localhost|host.example.com"  
  
// Set the 'useSystemPropertyValues' to false on the proxy configuration.  
SdkAsyncHttpClient crtAsyncHttpClient = AwsCrtAsyncHttpClient.builder()  
    .proxyConfiguration(ProxyConfiguration.builder()  
        .scheme("https")  
        .useSystemPropertyValues(Boolean.FALSE)  
        .build())  
    .build();  
  
// Run the application.  
// $ java -cp ... App
```

Configure HTTP proxies

You can configure HTTP proxies by using code, by setting Java system properties, or by setting environment variables.

Configure in code

You configure proxies in code with a client-specific `ProxyConfiguration` builder when you build the service client. The following code shows an example proxy configuration for an Apache-based HTTP client that is used by an Amazon S3 service client.

```
SdkHttpClient httpClient1 = ApacheHttpClient.builder()  
    .proxyConfiguration(ProxyConfiguration.builder()  
        .endpoint(URI.create("http://proxy.example.com"))  
        .username("username")  
        .password("password")  
        .addNonProxyHost("localhost")  
        .build())  
    .build();  
  
S3Client s3Client = S3Client.builder()  
    .httpClient(httpClient1)  
    .build();
```

The section for each HTTP client in this topic shows a proxy configuration example.

- [Apache HTTP client](#)
- [URLConnection-based HTTP client](#)
- [Netty-based HTTP client](#)
- [AWS CRT-based HTTP client](#)

Configure HTTP proxies with external settings

Even if you don't explicitly use a `ProxyConfiguration` builder in code, the SDK looks for external settings to configure a default proxy configuration.

By default, the SDK first searches for JVM system properties. If even one property is found, the SDK uses the value and any other system property values. If no system properties are available, the SDK looks for proxy environment variables.

The SDK can use the following Java system properties and environment variables.

Java system properties

System property	Description	HTTP client support
<code>http.proxyHost</code>	Host name of the HTTP proxy server	All
<code>http.proxyPort</code>	Port number of the HTTP proxy server	All
<code>http.proxyUser</code>	Username for HTTP proxy authentication	All
<code>http.proxyPassword</code>	Password for HTTP proxy authentication	All
<code>http.nonProxyHosts</code>	List of hosts that should be reached directly, bypassing the proxy. This list is also valid when HTTPS is used.	All
<code>https.proxyHost</code>	Host name of the HTTPS proxy server	Netty, CRT

System property	Description	HTTP client support
https.proxyPort	Port number of the HTTPS proxy server	Netty, CRT
https.proxyUser	Username for HTTPS proxy authentication	Netty, CRT
https.proxyPassword	Password for HTTPS proxy authentication	Netty, CRT

Environment variables

Environment variable	Description	HTTP client support
HTTP_PROXY ¹	A valid URL with a scheme of HTTP	All
HTTPS_PROXY ¹	A valid URL with a scheme of HTTPS	Netty, CRT
NO_PROXY ²	List of hosts that should be reached directly, bypassing the proxy. The list is valid for both HTTP and HTTPS.	All

View key and footnotes

All - All HTTP clients offered by the `SDK-URLConnectionHttpClient`, `ApacheHttpClient`, `NettyNioAsyncHttpClient`, `AwsCrtAsyncHttpClient`.

Netty - The Netty-based HTTP client (`NettyNioAsyncHttpClient`).

CRT - The AWS CRT-based HTTP clients, (`AwsCrtHttpClient` and `AwsCrtAsyncHttpClient`).

¹The environment variable queried, whether `HTTP_PROXY` or `HTTPS_PROXY`, depends on the scheme setting in the client's `ProxyConfiguration`. The default scheme is `HTTP`. The following snippet shows how to change the scheme to `HTTPS` used for environment variable resolution.

```
SdkHttpClient httpClient = ApacheHttpClient.builder()
    .proxyConfiguration(ProxyConfiguration.builder()
        .scheme("https")
        .build())
    .build();
```

²The NO_PROXY environment variable supports a mix of "|" and "," separators between host names. Host names may include the "*" wildcard.

Use a combination of settings

You can use a combination of HTTP proxy settings in code, system properties, and environment variables.

Example – configuration provided by a system property and by code

```
// Command line with the proxy password set as a system property.
$ java -Dhttp.proxyPassword=SYS_PROP_password -cp ... App

// Since the 'useSystemPropertyValues' setting is 'true' (the default), the SDK will
// supplement
// the proxy configuration in code with the 'http.proxyPassword' value from the system
// property.
SdkHttpClient apacheHttpClient = ApacheHttpClient.builder()
    .proxyConfiguration(ProxyConfiguration.builder()
        .endpoint(URI.create("http://localhost:1234"))
        .username("username")
        .build())
    .build();

// Use the apache HTTP client with proxy configuration.
DynamoDbClient dynamoDbClient = DynamoDbClient.builder()
    .httpClient(apacheHttpClient)
    .build();
```

The SDK resolves the following proxy settings.

```
Host = localhost
Port = 1234
Password = SYS_PROP_password
UserName = username
Non ProxyHost = null
```

Example – both system properties and environment variables are available

Each HTTP client's `ProxyConfiguration` builder offers settings named `useSystemPropertyValues` and `useEnvironmentVariablesValues`. By default, both setting are true. When true, the SDK automatically uses values from system properties or environment variables for options that are not provided by the `ProxyConfiguration` builder.

Important

System properties take precedence over environment variables. If an HTTP proxy system property is found, the SDK retrieves *all* values from system properties and none from environment variables. If you want to prioritize environment variables over system properties, set `useSystemPropertyValues` to false.

For this example, the following settings are available a runtime:

```
// System properties
http.proxyHost=SYS_PROP_HOST.com
http.proxyPort=2222
http.password=SYS_PROP_PASSWORD
http.user=SYS_PROP_USER

// Environment variables
HTTP_PROXY="http://EnvironmentUser:EnvironmentPassword@ENV_VAR_HOST:3333"
NO_PROXY="environmentnonproxy.host,environmentnonproxy2.host:1234"
```

The service client is created with one of the following statements. None of the statements explicitly set a proxy setting.

```
DynamoDbClient client = DynamoDbClient.create();
DynamoDbClient client = DynamoDbClient.builder().build();
DynamoDbClient client = DynamoDbClient.builder()
    .httpClient(ApacheHttpClient.builder()
        .proxyConfiguration(ProxyConfiguration.builder()
            .build())
        .build())
    .build();
.client();
```

The following proxy settings are resolved by the SDK:

```
Host = SYS_PROP_HOST.com
Port = 2222
Password = SYS_PROP_PASSWORD
UserName = SYS_PROP_USER
Non ProxyHost = null
```

Because the service client has default proxy settings, the SDK searches for system properties and then environment variables. Since system properties settings take precedence over environment variables, the SDK uses only system properties.

If the use of system properties is changed to false as shown in the following code, the SDK resolves only the environment variables.

```
DynamoDbClient client = DynamoDbClient.builder()
    .httpClient(ApacheHttpClient.builder()
        .proxyConfiguration(ProxyConfiguration.builder()
            .useSystemPropertyValues(Boolean.FALSE)
            .build())
        .build())
    .build();

```

The resolved proxy settings using HTTP are:

```
Host = ENV_VAR_HOST
Port = 3333
Password = EnvironmentPassword
UserName = EnvironmentUser
Non ProxyHost = environmentnonproxy.host, environmentnonproxy2.host:1234
```

Exception handling for the AWS SDK for Java 2.x

Understanding how and when the AWS SDK for Java 2.x throws exceptions is important to building high-quality applications using the SDK. The following sections describe the different cases of exceptions that are thrown by the SDK and how to handle them appropriately.

Why unchecked exceptions?

The AWS SDK for Java uses runtime (or unchecked) exceptions instead of checked exceptions for these reasons:

- To allow developers fine-grained control over the errors they want to handle without forcing them to handle exceptional cases they aren't concerned about (and making their code overly verbose)
- To prevent scalability issues inherent with checked exceptions in large applications

In general, checked exceptions work well on small scales, but can become troublesome as applications grow and become more complex.

AwsServiceException (and subclasses)

[AwsServiceException](#) is the most common exception that you'll experience when using the AWS SDK for Java. [AwsServiceException](#) is a subclass of the more general [SdkServiceException](#). [AwsServiceExceptions](#) represent an error response from an AWS service. For example, if you try to terminate an Amazon EC2 instance that doesn't exist, Amazon EC2 will return an error response and all the details of that error response will be included in the [AwsServiceException](#) that's thrown.

When you encounter an [AwsServiceException](#), you know that your request was successfully sent to the AWS service but couldn't be successfully processed. This can be because of errors in the request's parameters or because of issues on the service side.

[AwsServiceException](#) provides you with information such as:

- Returned HTTP status code
- Returned AWS error code
- Detailed error message from the service in the [AwsErrorDetails](#) class
- AWS request ID for the failed request

In most cases, a service-specific subclass of [AwsServiceException](#) is thrown to allow developers fine-grained control over handling error cases through catch blocks. The Java SDK API reference for [AwsServiceException](#) displays the large number of [AwsServiceException](#) subclasses. Use the subclass links to drill down to see the granular exceptions thrown by a service.

For example, the following links to the SDK API reference show the exception hierarchies for a few common AWS services. The list of subclasses shown on each pages shows the specific exceptions that your code can catch.

- [Amazon S3](#)

- [DynamoDB](#)
- [Amazon SQS](#)

To learn more about an exception, inspect the `errorCode` on the [AwsErrorDetails](#) object. You can use the `errorCode` value to look up information in the service guide API. For example if an `S3Exception` is caught and the `AwsErrorDetails#errorCode()` value is `InvalidRequest`, use the [list of error codes](#) in the Amazon S3 API Reference to see more details.

SdkClientException

[SdkClientException](#) indicates that a problem occurred inside the Java client code, either while trying to send a request to AWS or while trying to parse a response from AWS. An `SdkClientException` is generally more severe than an `SdkServiceException`, and indicates a major problem that is preventing the client from making service calls to AWS services. For example, the AWS SDK for Java throws an `SdkClientException` if no network connection is available when you try to call an operation on one of the clients.

Exceptions and retry behavior

The SDK for Java retries requests for several [client-side exceptions](#) and for [HTTP status codes](#) that it receives from AWS service responses. These errors are handled as part of the legacy `RetryMode` that service clients use by default. The Java API reference for [RetryMode](#) describes the various ways that you can configure the mode.

To customize the exceptions and HTTP status codes that trigger automatic retries, configure your service client with a [RetryPolicy](#) that adds [RetryOnExceptionsCondition](#) and [RetryOnStatusCodeCondition](#) instances.

Retries

Calls to AWS services can fail occasionally for unexpected reasons. Certain errors, such as throttling (rate exceeded) or transient errors, might succeed if the call is retried. The AWS SDK for Java 2.x has a built-in mechanism to detect such errors and automatically retry the call that is enabled by default for all clients.

This page describes how this works, how to configure the distinct modes, and tailor the retry behavior.

Retry strategies

A retry strategy is a mechanism used in the SDK to implement retries. Each SDK client has a retry strategy created at build time that cannot be modified after the client is built.

The retry strategy has the following responsibilities.

- Classify exceptions as retryable or not.
- Compute the suggested delay to wait before the next attempt.
- Maintain a [token bucket](#) that provides a mechanism to stop retries when a large percentage of requests are failing and retries are unsuccessful.

 **Note**

Before the release of *retry strategies* with version 2.26.0 of the SDK, *retry policies* provided the retry mechanism in the SDK. The *retry policy* API is made up of the core [RetryPolicy](#) class in the `software.amazon.awssdk.core.retry` package, whereas the [software.amazon.awssdk.retries](#) package contains the *retry strategy* API elements.

The *retry strategy* API was introduced as part of the AWS-wide effort to unify the interfaces and behavior of the core components of the SDKs.

The SDK for Java 2.x has three built-in retry strategies: standard, legacy, and adaptive. All three retry strategies are preconfigured to retry on a set of retryable exceptions. Examples of retryable errors are socket timeouts, service-side throttling, concurrency or optimistic lock failures, and transient service errors.

Standard retry strategy

The [standard retry strategy](#) is the recommended `RetryStrategy` implementation for normal use cases. Unlike the `AdaptiveRetryStrategy`, the standard strategy is generally useful across all retry use cases.

By default, the standard retry strategy does the following.

- Retries on the conditions that are configured at build time. You can adjust this with [StandardRetryStrategy.Builder#retryOnException](#).

- Retries 2 times for a total of 3 attempts. You can adjust this with `StandardRetryStrategy.Builder#maxAttempts(int)`.
- For non-throttling exceptions, it uses the [`BackoffStrategy#exponentialDelay`](#) backoff strategy, with a base delay of 100 milliseconds and a max delay of 20 seconds. You can adjust this with `StandardRetryStrategy.Builder#backoffStrategy`.
- For throttling exceptions, it uses the `BackoffStrategy#exponentialDelay` backoff strategy, with a base delay of 1 second and a max delay of 20 seconds. You can adjust this with `StandardRetryStrategy.Builder#throttlingBackoffStrategy`.
- Performs circuit breaking (disabling retries) in the event of high downstream failures. The first attempt is always executed, only retries are disabled. Adjust with `StandardRetryStrategy.Builder#circuitBreakerEnabled`.

Legacy retry strategy

The [legacy retry strategy](#) is a `RetryStrategy` for normal use cases, however, it is deprecated in favor of the `StandardRetryStrategy`. This is the default retry strategy used by clients when you don't specify another strategy.

It is characterized by treating throttling and non-throttling exceptions differently, for throttling exceptions the base delay for the backoff is larger (500ms) than the base delay for non-throttling exceptions (100ms), and throttling exceptions do not affect the token bucket state.

Experience using this strategy at scale inside AWS has shown that is not particularly better than the standard retry strategy. Moreover, it fails to protect downstream services from retry storms and can lead to resource starvation on the client side.

By default, the legacy retry strategy does the following.

- Retries on the conditions that are configured at build time. You can adjust this with [`LegacyRetryStrategy.Builder#retryOnException`](#).
- Retries 3 times for a total of 4 attempts. You can adjust this with `LegacyRetryStrategy.Builder#maxAttempts(int)`.
- For non-throttling exceptions, it uses the `BackoffStrategy#exponentialDelay` backoff strategy, with a base delay of 100 milliseconds and a max delay of 20 seconds. You can adjust this with `LegacyRetryStrategy.Builder#backoffStrategy`.

- For throttling exceptions, it uses the `BackoffStrategy#exponentialDelay` backoff strategy, with a base delay of 500 milliseconds and a max delay of 20 seconds. You can adjust this with `LegacyRetryStrategy.Builder#throttlingBackoffStrategy`.
- Performs circuit breaking (disabling retries) in the event of high downstream failures. Circuit breaking never prevents a successful first attempt. You can adjust this behavior with `LegacyRetryStrategy.Builder#circuitBreakerEnabled`.
- The state of the circuit breaker is not affected by throttling exceptions.

Adaptive retry strategy

The [adaptive retry strategy](#) is a `RetryStrategy` for use cases with a high level of resource constraints.

The adaptive retry strategy includes all the features of the standard strategy and adds a client-side rate limiter that measures the rate of throttled requests compared to non-throttled requests. The strategy uses this measurement to slow down the requests in an attempt to stay within a safe bandwidth, ideally causing zero throttling errors.

By default, the adaptive retry strategy does the following.

- Retries on the conditions that are configured at build time. You can adjust this with [`AdaptiveRetryStrategy.Builder#retryOnException`](#).
- Retries 2 times for a total of 3 attempts. You can adjust this with `AdaptiveRetryStrategy.Builder#maxAttempts(int)`.
- Uses a dynamic backoff delay that is based on the current load against the downstream resource.
- Performs circuit breaking (disabling retries) when there are high number of downstream failures. Circuit breaking may prevent a second attempt in outage scenarios to protect the downstream service.

Warning

The adaptive retry strategy assumes that the client works against a single resource (for example, one DynamoDB table or one Amazon S3 bucket).

If you use a single client for multiple resources, throttling or outages associated with one resource result in increased latency and failures when the client accesses all other

resources. When you use the adaptive retry strategy, we recommend that you use a single client for each resource.

We also recommend that you use this strategy in situations where all clients use the adaptive retry strategy against the resource.

Important

The release of retry strategies with 2.26.0 of the Java SDK includes the new [`RetryMode.ADAPTIVE_V2`](#) enumeration value. The ADAPTIVE_V2 mode corrects an error that failed to delay the first attempt when throttling errors were detected previously. With the 2.26.0 release, users automatically get the ADAPTIVE_V2 mode behavior by setting the mode as adaptive with an environment variable, system property, or profile setting. There is no `adaptive_v2` value for these settings. See the following [the section called "Specify a strategy"](#) section for how to set the mode.

Users can get the previous behavior by setting the mode in code using `RetryMode.ADAPTIVE`.

Summary: Comparison of retry strategy default values

The following table shows the default values for the properties of each retry strategy.

Strategy	Maximum attempts	Base delay for non-throttling errors	Base delay for throttling errors	Token bucket size	Token cost per non-throttling retry	Token cost per throttling retry
Standard	3	100 ms	1000 ms	500	5	5
Legacy	4	100 ms	500 ms	500	5	0
Adaptive	3	100 ms	100 ms	500	5	5

Specify a strategy

You have four ways to specify a strategy for your service client.

In code

When you build a client, you can configure a lambda expression with a retry strategy. The following snippet configures a standard retry strategy that uses default values on a DynamoDB service client.

```
DynamoDbClient client = DynamoDbClient.builder()
    .overrideConfiguration(o -> o.retryStrategy(RetryMode.STANDARD))
    .build();
```

You can specify `RetryMode.LEGACY` or `RetryMode.ADAPTIVE` in place of `RetryMode.STANDARD`.

As a profile setting

Include `retry_mode` as profile setting in the [shared AWS config file](#). Specify `standard`, `legacy`, or `adaptive` as a value. When set as a profile setting, all service clients that are created while the profile is active use the specified retry strategy with default values. You can override this setting by configuring a retry strategy in code as shown previously.

With the following profile, all service clients use the standard retry strategy.

```
[profile dev]
region = us-east-2
retry_mode = standard
```

As a JVM system property

You can configure a retry strategy for all service clients, unless overridden in code, by using the system property `aws.retryMode`. Specify `standard`, `legacy`, or `adaptive` as a value.

Use the `-D` switch when you invoke Java as shown in the following command.

```
java -Daws.retryMode=standard ...
```

Alternatively, set the system property in the code *before* creating any client as shown in the following snippet.

```
public void main(String[] args) {
    // Set the property BEFORE any AWS service clients are created.
    System.setProperty("aws.retryMode", "standard");
```

```
...  
}
```

With an environment variable

You can also use the AWS_RETRY_MODE environment variable with a value of standard, legacy, or adaptive. As with a profile setting or JVM system property, the environment variable configures all service clients with the specified retry mode unless you configure a client in code.

The following command sets the retry mode to standard for the current shell session.

```
export AWS_RETRY_MODE=standard
```

Customize a strategy

You can customize any retry strategy by setting the maximum attempts, backoff strategy, and exceptions that are retryable. You can customize when you build a retry strategy or when you build a client by using a override builder that allows further refinements of the configured strategy.

Customize maximum attempts

You can configure the maximum number of attempts during client construction as shown in the following statement. The following statement customizes the default retry strategy for the client to a maximum of 5 attempt--a first attempt plus 4 retries.

```
DynamoDbClient client = DynamoDbClient.builder()  
    .overrideConfiguration(o -> o.retryStrategy(b -> b.maxAttempts(5)))  
    .build();
```

Alternatively, you can build the strategy and provide it to the client as in the following code example. The following code replaces the standard 3 maximum attempts with 10 and configures a DynamoDB client with the customized strategy.

```
StandardRetryStrategy strategy = AwsRetryStrategy.standardRetryStrategy()  
    .toBuilder()  
    .maxAttempts(10)  
    .build();  
DynamoDbClient client = DynamoDbClient.builder()  
    .overrideConfiguration(o -> o.retryStrategy(strategy))  
    .build();
```

⚠ Warning

We recommended that you configure each client with a unique `RetryStrategy` instance. If a `RetryStrategy` instance is shared, failures in one client might affect the retry behavior in the other.

You can also set the maximum number of attempts for all clients by using [external settings](#) instead of code. You configure this setting as described in the [the section called “Specify a strategy”](#) section.

Customize retryable exceptions

You can configure additional exceptions that trigger retries during client construction. This customization is provided for edge cases where exceptions are thrown that are not included in the default set of retryable exceptions.

The following code snippet shows the methods you use to customize the retry exceptions--`retryOnException` and `retryOnExceptionOrCause`. The `retryOnExceptionOrCause` method adds a retryable exception if the SDK throws the direct exception or if the exception is wrapped.

```
DynamoDbClient client = DynamoDbClient.builder()
    .overrideConfiguration(o -> o.retryStrategy(
        b -> b.retryOnException(EdgeCaseException.class)
            .retryOnExceptionOrCause(WrappedEdgeCaseException.class)))
    .build();
```

Customize the backoff strategy

You can build the backoff strategy and supply it to the client.

The following code builds a `BackoffStrategy` that replaces the default, standard strategy's exponential delay backoff strategy.

```
BackoffStrategy backoffStrategy =
    BackoffStrategy.exponentialDelay(Duration.ofMillis(150), // The base delay.
                                      Duration.ofSeconds(15)); // The maximum delay.

DynamoDbClient client = DynamoDbClient.builder()
    .overrideConfiguration(o -> o.retryStrategy(
        b -> b.backoffStrategy(backoffStrategy)))
```

```
.build();
```

Migrating from RetryPolicy to RetryStrategy

RetryPolicy (the retry policy API) will be supported for the foreseeable future. If you currently use an instance of RetryPolicy to configure your client, everything is going to work as before. Behind the scenes the Java SDK adapts it to a RetryStrategy. The new retry strategy interfaces provide the same functionality as a RetryPolicy but are created and configured differently.

Logging with the SDK for Java 2.x

The AWS SDK for Java 2.x uses [SLF4J](#), which is an abstraction layer that enables the use of any one of several logging systems at runtime.

Supported logging systems include the Java Logging Framework and Apache [Log4j 2](#), among others. This topic shows you how to use Log4j 2 as the logging system for working with the SDK.

Log4j 2 configuration file

You typically use a configuration file, named `log4j2.xml` with Log4j 2. Example configuration files are shown below. To learn more about the values used in the configuration file, see the [manual for Log4j configuration](#).

The `log4j2.xml` file needs to be on the classpath when your application starts up. For a Maven project, put the file in the `<project-dir>/src/main/resources` directory.

The `log4j2.xml` configuration file specifies properties such as [logging level](#), where logging output is sent (for example, [to a file or to the console](#)), and the [format of the output](#). The logging level specifies the level of detail that Log4j 2 outputs. Log4j 2 supports the concept of multiple logging [hierarchies](#). The logging level is set independently for each hierarchy. The main logging hierarchy that you use with the AWS SDK for Java 2.x is `software.amazon.awssdk`.

Add logging dependency

To configure the Log4j 2 binding for SLF4J in your build file, use the following.

Maven

Add the following elements to your `pom.xml` file.

```
...
<dependency>
    <groupId>org.apache.logging.log4j</groupId>
    <artifactId>log4j-slf4j2-impl</artifactId>
    <version>VERSION</version>
</dependency>
...
```

Gradle–Kotlin DSL

Add the following to your `build.gradle.kts` file.

```
...
dependencies {
    ...
    implementation("org.apache.logging.log4j:log4j-slf4j2-impl:VERSION")
    ...
}
```

Use `2.20.0` for the minimum version of the `log4j-slf4j2-impl` artifact. For the latest version, use the version published to [Maven central](#). Replace `VERSION` with version you'll use.

SDK-specific errors and warnings

We recommend that you always leave the `"software.amazon.awssdk"` logger hierarchy set to `"WARN"` to catch any important messages from the SDK's client libraries. For example, if the Amazon S3 client detects that your application hasn't properly closed an `InputStream` and could be leaking resources, the S3 client reports it through a warning message to the logs. This also ensures that messages are logged if the client has any problems handling requests or responses.

The following `log4j2.xml` file sets the `rootLogger` to `"WARN"`, which causes warning and error-level messages from all loggers in the application to be output, *including* those in the `"software.amazon.awssdk"` hierarchy. Alternatively, you can explicitly set the `"software.amazon.awssdk"` logger hierarchy to `"WARN"` if `<Root level="ERROR">` is used.

Example Log4j2.xml configuration file

This configuration will log messages at the `"ERROR"` and `"WARN"` levels to the console for all logger hierarchies.

```
<Configuration status="WARN">
  <Appenders>
    <Console name="ConsoleAppender" target="SYSTEM_OUT">
      <PatternLayout pattern="%d{YYYY-MM-dd HH:mm:ss} [%t] %-5p %c:%L - %m%n" />
    </Console>
  </Appenders>

  <Loggers>
    <Root level="WARN">
      <AppenderRef ref="ConsoleAppender"/>
    </Root>
  </Loggers>
</Configuration>
```

Request/response summary logging

Every request to an AWS service generates a unique AWS request ID that is useful if you run into an issue with how an AWS service is handling a request. AWS request IDs are accessible programmatically through [SdkServiceException](#) objects in the SDK for any failed service call, and can also be reported through the "DEBUG" log level of the "software.amazon.awssdk.request" logger.

The following `log4j2.xml` file enables a summary of requests and responses.

```
<Configuration status="WARN">
  <Appenders>
    <Console name="ConsoleAppender" target="SYSTEM_OUT">
      <PatternLayout pattern="%d{YYYY-MM-dd HH:mm:ss} [%t] %-5p %c:%L - %m%n" />
    </Console>
  </Appenders>

  <Loggers>
    <Root level="ERROR">
      <AppenderRef ref="ConsoleAppender"/>
    </Root>
    <Logger name="software.amazon.awssdk" level="WARN" />
    <Logger name="software.amazon.awssdk.request" level="DEBUG" />
  </Loggers>
</Configuration>
```

Here is an example of the log output:

```
2022-09-23 16:02:08 [main] DEBUG software.amazon.awssdk.request:85 - Sending Request:  
DefaultSdkHttpFullRequest(httpMethod=POST, protocol=https, host=dynamodb.us-  
east-1.amazonaws.com, encodedPath=/, headers=[amz-sdk-invocation-id, Content-Length,  
Content-Type, User-Agent, X-Amz-Target], queryParameters=[])  
2022-09-23 16:02:08 [main] DEBUG software.amazon.awssdk.request:85 - Received  
successful response: 200, Request ID:  
QS9DUMME2NHEDH8TGT9N5V530JVV4KQNS05AEMVJF66Q9ASUAAJG, Extended Request ID: not  
available
```

If you are interested in only the request ID use `<Logger name="software.amazon.awssdk.requestId" level="DEBUG" />`.

Debug-level SDK logging

If you need more detail about what the SDK is doing, you can set the logging level of the `software.amazon.awssdk` logger to DEBUG. At this level, the SDK outputs a large amount of detail, so we recommend that you set this level to resolve errors using integration tests.

At this logging level, the SDK logs information about configuration, credentials resolution, execution interceptors, high-level TLS activity, request signing, and much more.

The following is a sampling of statements that are output by the SDK at DEBUG level for a `S3Client#listBuckets()` call.

```
DEBUG s.a.a.r.p.AwsRegionProviderChain:57 - Unable to load region from  
software.amazon.awssdk.regions.providers.SystemSettingsRegionProvider@324dcd31:Unable  
to load region from system settings. Region must be specified either via environment  
variable (AWS_REGION) or system property (aws.region).  
DEBUG s.a.a.c.i.h.l.ClasspathSdkHttpServiceProvider:85 - The HTTP implementation loaded  
is software.amazon.awssdk.http.apache.ApacheSdkHttpService@a23a01d  
DEBUG s.a.a.c.i.ExecutionInterceptorChain:85 - Creating an interceptor  
chain that will apply interceptors in the following order:  
[software.amazon.awssdk.core.internal.interceptor.HttpChecksumValidationInterceptor@69b2f8e5,  
software.amazon.awssdk.awscore.interceptor.HelpfulUnknownHostExceptionInterceptor@6331250e,  
software.amazon.awssdk.awscore.eventstream.EventStreamInitialRequestInterceptor@a10c1b5,  
software.amazon.awssdk.awscore.interceptor.TraceIdExecutionInterceptor@644abb8f,  
software.amazon.awssdk.services.s3.auth.scheme.internal.S3AuthSchemeInterceptor@1a411233,  
software.amazon.awssdk.services.s3.endpoints.internal.S3ResolveEndpointInterceptor@70325d20,  
software.amazon.awssdk.services.s3.endpoints.internal.S3RequestSetEndpointInterceptor@7c2327fa  
software.amazon.awssdk.services.s3.internal.handlers.StreamingRequestInterceptor@4d847d32,  
software.amazon.awssdk.services.s3.internal.handlers.CreateBucketInterceptor@5f462e3b,  
software.amazon.awssdk.services.s3.internal.handlers.CreateMultipartUploadRequestInterceptor@3
```

```
software.amazon.awssdk.services.s3.internal.handlers.DecodeUrlEncodedResponseInterceptor@58065
software.amazon.awssdk.services.s3.internal.handlers.GetBucketPolicyInterceptor@3605c4d3,
software.amazon.awssdk.services.s3.internal.handlers.S3ExpressChecksumInterceptor@585c13de,
software.amazon.awssdk.services.s3.internal.handlers.AsyncChecksumValidationInterceptor@187eb9
software.amazon.awssdk.services.s3.internal.handlers.SyncChecksumValidationInterceptor@726a6b9
software.amazon.awssdk.services.s3.internal.handlers.EnableTrailingChecksumInterceptor@6ad11a5
software.amazon.awssdk.services.s3.internal.handlers.ExceptionTranslationInterceptor@522b2631,
software.amazon.awssdk.services.s3.internal.handlers.GetObjectInterceptor@3ff57625,
software.amazon.awssdk.services.s3.internal.handlers.CopySourceInterceptor@1ee29c84,
software.amazon.awssdk.services.s3.internal.handlers.ObjectMetadataInterceptor@7c8326a4]
DEBUG s.a.a.u.c.CachedSupplier:85 - (SsoOidcTokenProvider()) Cached value is stale and
will be refreshed.

...
DEBUG s.a.a.c.i.ExecutionInterceptorChain:85 - Creating an interceptor
chain that will apply interceptors in the following order:
[software.amazon.awssdk.core.internal.interceptor.HttpChecksumValidationInterceptor@51351f28,
software.amazon.awssdk.awscore.interceptor.HelpfulUnknownHostExceptionInterceptor@21618fa7,
software.amazon.awssdk.awscore.eventstream.EventStreamInitialRequestInterceptor@15f2eda3,
software.amazon.awssdk.awscore.interceptor.TraceIdExecutionInterceptor@34cf294c,
software.amazon.awssdk.services.sso.auth.scheme.internal.SsoAuthSchemeInterceptor@4d7aaca2,
software.amazon.awssdk.services.sso.endpoints.internal.SsoResolveEndpointInterceptor@604b1e1d,
software.amazon.awssdk.services.sso.endpoints.internal.SsoRequestSetEndpointInterceptor@625668

...
DEBUG s.a.a.request:85 - Sending Request: DefaultSdkHttpFullRequest(httpMethod=GET,
protocol=https, host=portal.sso.us-east-1.amazonaws.com, encodedPath=/federation/
credentials, headers=[amz-sdk-invocation-id, User-Agent, x-amz-sso_bearer_token],
queryParameters=[role_name, account_id])
DEBUG s.a.a.c.i.h.p.s.SigningStage:85 - Using SelectedAuthScheme: smithy.api#noAuth
DEBUG s.a.a.h.a.i.c.SdkTlsSocketFactory:366 - Connecting socket to portal.sso.us-
east-1.amazonaws.com/18.235.195.183:443 with timeout 2000
...
DEBUG s.a.a.requestId:85 - Received successful response: 200, Request ID: bb4f40f4-
e920-4b5c-8648-58f26e7e08cd, Extended Request ID: not available
DEBUG s.a.a.request:85 - Received successful response: 200, Request ID: bb4f40f4-
e920-4b5c-8648-58f26e7e08cd, Extended Request ID: not available
DEBUG s.a.a.u.c.CachedSupplier:85 -
(software.amazon.awssdk.services.sso.auth.SsoCredentialsProvider@b965857) Successfully
refreshed cached value. Next Prefetch Time: 2024-04-25T22:03:10.097Z. Next Stale Time:
2024-04-25T22:05:30Z
DEBUG s.a.a.c.i.ExecutionInterceptorChain:85 - Interceptor
'software.amazon.awssdk.services.s3.endpoints.internal.S3RequestSetEndpointInterceptor@7c2327f'
modified the message with its modifyHttpRequest method.

...
DEBUG s.a.a.c.i.h.p.s.SigningStage:85 - Using SelectedAuthScheme: aws.auth#sigv4
```

```
...
DEBUG s.a.a.a.s.Aws4Signer:85 - AWS4 Canonical Request: GET
...
DEBUG s.a.a.h.a.a.i.s.DefaultV4RequestSigner:85 - AWS4 String to sign: AWS4-HMAC-SHA256
20240425T210631Z
20240425/us-east-1/s3/aws4_request
aafb7784627fa7a49584256cb746279751c48c2076f813259ef767ecce304d64
DEBUG s.a.a.h.a.i.c.SdkTlsSocketFactory:366 - Connecting socket to s3.us-
east-1.amazonaws.com/52.217.41.86:443 with timeout 2000
...
```

The following `log4j2.xml` file configures the previous output.

```
<Configuration status="WARN">
    <Appenders>
        <Console name="ConsoleAppender" target="SYSTEM_OUT">
            <PatternLayout pattern="%-5p %c{1.}:%L - %m%n" />
        </Console>
    </Appenders>

    <Loggers>
        <Root level="WARN">
            <AppenderRef ref="ConsoleAppender"/>
        </Root>
        <Logger name="software.amazon.awssdk" level="DEBUG" />
    </Loggers>
</Configuration>
```

Enable wire logging

It can be useful to see the exact requests and responses that the SDK for Java 2.x sends and receives. If you need access to this information, you can temporarily enable it by adding the necessary configuration depending on the HTTP client the service client uses.

By default, synchronous service clients, such as the [S3Client](#), use an underlying Apache HttpClient, and asynchronous service clients, such as the [S3AsyncClient](#), use a Netty non-blocking HTTP client.

Here is a breakdown of HTTP clients you can use for the two categories of service clients:

Synchronous HTTP Clients	Asynchronous HTTP Clients
ApacheHttpClient (default)	NettyNioAsyncHttpClient (default)
URLConnectionHttpClient	AwsCrtAsyncHttpClient
AwsCrtHttpClient	

Consult the appropriate tab below for configuration settings you need to add depending on the underlying HTTP client.

Warning

We recommend you only use wire logging for debugging purposes. Disable it in your production environments because it can log sensitive data. It logs the full request or response without encryption, even for an HTTPS call. For large requests (e.g., to upload a file to Amazon S3) or responses, verbose wire logging can also significantly impact your application's performance.

ApacheHttpClient

Add the "org.apache.http.wire" logger to the `log4j2.xml` configuration file and set the level to "DEBUG".

The following `log4j2.xml` file turns on full wire logging for the Apache HttpClient.

```
<Configuration status="WARN">
  <Appenders>
    <Console name="ConsoleAppender" target="SYSTEM_OUT">
      <PatternLayout pattern="%d{YYYY-MM-dd HH:mm:ss} [%t] %-5p %c:%L - %m%n" />
    </Console>
  </Appenders>

  <Loggers>
    <Root level="WARN">
      <AppenderRef ref="ConsoleAppender"/>
    </Root>
    <Logger name="software.amazon.awssdk" level="WARN" />
    <Logger name="software.amazon.awssdk.request" level="DEBUG" />
  </Loggers>
</Configuration>
```

```
<Logger name="org.apache.http.wire" level="DEBUG" />
</Loggers>
</Configuration>
```

An additional Maven dependency on the log4j-1.2-api artifact is required for wire logging with Apache since it uses 1.2 under the hood.

The full set of Maven dependencies for log4j 2, including wire logging for the Apache HTTP client are shown in the following build file snippets.

Maven

```
...
<dependencyManagement>
    ...
    <dependencies>
        <dependency>
            <groupId>org.apache.logging.log4j</groupId>
            <artifactId>log4j-bom</artifactId>
            <version>VERSION</version>
            <type>pom</type>
            <scope>import</scope>
        </dependency>
    </dependencies>
</dependencyManagement>
...
<!-- The following is needed for Log4j2 with SLF4J -->
<dependency>
    <groupId>org.apache.logging.log4j</groupId>
    <artifactId>log4j-slf4j2-impl</artifactId>
</dependency>

<!-- The following is needed for Apache HttpClient wire logging -->
<dependency>
    <groupId>org.apache.logging.log4j</groupId>
    <artifactId>log4j-1.2-api</artifactId>
</dependency>
...
```

Gradle–Kotlin DSL

```
...
```

```

dependencies {
    ...
    implementation(platform("org.apache.logging.log4j:log4j-bom:VERSION"))
    implementation("org.apache.logging.log4j:log4j-slf4j2-impl")
    implementation("org.apache.logging.log4j:log4j-1.2-api")
}
...

```

Use **2.20.0** for the minimum version of the log4j-bom artifact. For the latest version, use the version published to [Maven central](#). Replace **VERSION** with version you'll use.

URLConnectionHttpClient

To log details for service clients that use the `URLConnectionHttpClient`, first create a `logging.properties` file with the following contents:

```

handlers=java.util.logging.ConsoleHandler
java.util.logging.ConsoleHandler.level=FINEST
sun.net.www.protocol.http.HttpURLConnection.level=ALL

```

Set the following JVM system property with the full path of the `logging.properties`:

```
-Djava.util.logging.config.file=/full/path/to/logging.properties
```

This configuration will log the only the headers of the request and response, for example:

```

<Request> FINE: sun.net.www.MessageHeader@35a9782c11 pairs: {GET /fileuploadtest
HTTP/1.1: null}{amz-sdk-invocation-id: 5f7e707e-4ac5-bef5-ba62-00d71034ffdc}
{amz-sdk-request: attempt=1; max=4}{Authorization: AWS4-HMAC-SHA256
Credential=<deleted>/20220927/us-east-1/s3/aws4_request, SignedHeaders=amz-sdk-
invocation-id;amz-sdk-request;host;x-amz-content-sha256;x-amz-date;x-amz-te,
Signature=e367fa0bc217a6a65675bb743e1280cf12fbe8d566196a816d948fdf0b42ca1a}{User-
Agent: aws-sdk-java/2.17.230 Mac_OS_X/12.5 OpenJDK_64-Bit_Server_VM/25.332-b08
Java/1.8.0_332 vendor/Amazon.com_Inc. io/sync http/URLConnection cfg/retry-mode/
legacy}{x-amz-content-sha256: UNSIGNED-PAYLOAD}{X-Amz-Date: 20220927T133955Z}{x-amz-
te: append-md5}{Host: tkhill-test1.s3.amazonaws.com}{Accept: text/html, image/gif,
image/jpeg, *; q=.2, */*; q=.2}{Connection: keep-alive}
<Response> FINE: sun.net.www.MessageHeader@70a36a6611 pairs: {null: HTTP/1.1
200 OK}{x-amz-id-2: sAFeZDOKdUMsBbkdyDZw7P0oocb4C9KbiuzfJ6TWKQsGXHM/
dFu0vr2tUb7Y1wEHGdJ3DSIxq0=}{x-amz-request-id: P9QW9SMZ97FKZ9X7}{Date: Tue,
27 Sep 2022 13:39:57 GMT}{Last-Modified: Tue, 13 Sep 2022 14:38:12 GMT}{ETag:

```

```
"2cbe5ad4a064cedec33b452bebf48032"}{x-amz-transfer-encoding: append-md5}{Accept-Ranges: bytes}{Content-Type: text/plain}{Server: AmazonS3}{Content-Length: 67}
```

To see the request/response bodies, add `-Djavax.net.debug=all` to the JVM properties. This additional property logs a great deal of information, including all SSL information.

Within the log console or log file, search for "GET" or "POST" to quickly go to the section of the log containing actual requests and responses. Search for "Plaintext before ENCRYPTION" for requests and "Plaintext after DECRYPTION" for responses to see the full text of the headers and bodies.

NettyNioAsyncHttpClient

If your asynchronous service client uses the default NettyNioAsyncHttpClient, add two additional loggers to your `log4j2.xml` file to log HTTP headers and request/response bodies.

```
<Logger name="io.netty.handler.logging" level="DEBUG" />
<Logger name="io.netty.handler.codec.http2.Http2FrameLogger" level="DEBUG" />
```

Here is a complete `log4j2.xml` example:

```
<Configuration status="WARN">
    <Appenders>
        <Console name="ConsoleAppender" target="SYSTEM_OUT">
            <PatternLayout pattern="%d{YYYY-MM-dd HH:mm:ss} [%t] %-5p %c:%L - %m%n" />
        </Console>
    </Appenders>

    <Loggers>
        <Root level="WARN">
            <AppenderRef ref="ConsoleAppender"/>
        </Root>
        <Logger name="software.amazon.awssdk" level="WARN" />
        <Logger name="software.amazon.awssdk.request" level="DEBUG" />
        <Logger name="io.netty.handler.logging" level="DEBUG" />
        <Logger name="io.netty.handler.codec.http2.Http2FrameLogger" level="DEBUG" />
    </Loggers>
</Configuration>
```

These settings log all header details and request/response bodies.

AwsCrtAsyncHttpClient/AwsCrtHttpClient

If you have configured your service client to use an instance of an AWS CRT-based HTTP client, you can log details by setting JVM system properties or programmatically.

Log to a file at "Debug" level

Using system properties:

```
-Daws.crt.log.level=Trace  
-Daws.crt.log.destination=File  
-Daws.crt.log.filename=<path to file>
```

Programmatically:

```
import software.amazon.awssdk.crt.Log;  
  
// Execute this statement before constructing the  
// SDK service client.  
Log.initLoggingToFile(Log.LogLevel.Trace,  
    "<path to file>");
```

Log to the console at "Debug" level

Using system properties:

```
-Daws.crt.log.level=Trace  
-Daws.crt.log.destination=Stdout
```

Programmatically:

```
import software.amazon.awssdk.crt.Log;  
  
// Execute this statement before constructing the  
// SDK service client.  
Log.initLoggingToStdout(Log.LogLevel.Trace);
```

For security reasons, at the "Trace" level the AWS CRT-based HTTP clients log only response headers. Request headers, request bodies, and response bodies are not logged.

Set the JVM TTL for DNS name lookups

The Java virtual machine (JVM) caches DNS name lookups. When the JVM resolves a hostname to an IP address, it caches the IP address for a specified period of time, known as the *time-to-live* (TTL).

Because AWS resources use DNS name entries that occasionally change, we recommend that you configure your JVM with a TTL value of 5 seconds. This ensures that when a resource's IP

address changes, your application will be able to receive and use the resource's new IP address by querying the DNS.

On some Java configurations, the JVM default TTL is set so that it will *never* refresh DNS entries until the JVM is restarted. Thus, if the IP address for an AWS resource changes while your application is still running, it won't be able to use that resource until you *manually restart* the JVM and the cached IP information is refreshed. In this case, it's crucial to set the JVM's TTL so that it will periodically refresh its cached IP information.

How to set the JVM TTL

To modify the JVM's TTL, set the [networkaddress.cache.ttl](#) security property value, set the `networkaddress.cache.ttl` property in the `$JAVA_HOME/jre/lib/security/java.security` file for Java 8 or `$JAVA_HOME/conf/security/java.security` file for Java 11 or higher.

The following is a snippet from a `java.security` file that shows the TTL cache set to 5 seconds.

```
#  
# This is the "master security properties file".  
#  
# An alternate java.security properties file may be specified  
...  
# The Java-level namelookup cache policy for successful lookups:  
#  
# any negative value: caching forever  
# any positive value: the number of seconds to cache an address for  
# zero: do not cache  
...  
networkaddress.cache.ttl=5  
...
```

All applications that run on the JVM represented by the `$JAVA_HOME` environment variable use this setting.

Best practices for AWS SDK for Java 2.x

This section lists best practices for using the SDK for Java 2.x.

Topics

- [Reuse an SDK client, if possible](#)
- [Close input streams from client operations](#)
- [Tune HTTP configurations based on performance tests](#)
- [Use OpenSSL for the Netty-based HTTP client](#)
- [Configure API timeouts](#)
- [Use metrics](#)

Reuse an SDK client, if possible

Each SDK client maintains its own HTTP connection pool. A connection that already exists in the pool can be reused by a new request to cut down the time to establish a new connection. We recommend sharing a single instance of the client to avoid the overhead of having too many connection pools that aren't used effectively. All SDK clients are thread safe.

If you don't want to share a client instance, call `close()` on the instance to release the resources when the client is not needed.

Close input streams from client operations

For streaming operations such as [`S3Client#getObject`](#), if you are working with [`ResponseInputStream`](#) directly, we recommend that you do the following:

- Read all the data from the input stream as soon as possible.
- Close the input stream as soon as possible.

We make these recommendations because the input stream is a direct stream of data from the HTTP connection and the underlying HTTP connection can't be reused until all data from the stream has been read and the stream is closed. If these rules are not followed, the client can run out of resources by allocating too many open, but unused, HTTP connections.

Tune HTTP configurations based on performance tests

The SDK provides a set of [`default http configurations`](#) that apply to general use cases. We recommend that customers tune HTTP configurations for their applications based on their use cases.

As a good starting point, the SDK offers a [smart configuration defaults](#) feature. This feature is available starting with version 2.17.102. You choose a mode depending on your use case, which provides sensible configuration values.

Use OpenSSL for the Netty-based HTTP client

By default, the SDK's [NettyNioAsyncHttpClient](#) uses the JDK's default SSL implementation as the `SslProvider`. Our testing found that OpenSSL performs better than JDK's default implementation. The Netty community also [recommends using OpenSSL](#).

To use OpenSSL, add `netty-tcnative` to your dependencies. For configuration details, see the [Netty project documentation](#).

After you have `netty-tcnative` configured for your project, the `NettyNioAsyncHttpClient` instance will automatically select OpenSSL. Alternatively, you can set the `SslProvider` explicitly using the `NettyNioAsyncHttpClient` builder as shown in the following snippet.

```
NettyNioAsyncHttpClient.builder()  
    .sslProvider(SslProvider.OPENSSL)  
    .build();
```

Configure API timeouts

The SDK provides [default values](#) for some timeout options, such as connection timeout and socket timeouts, but not for API call timeouts or individual API call attempt timeouts. It is a good practice to set timeouts for both the individual attempts and the entire request. This will ensure your application fails fast in an optimal way when there are transient issues that could cause request attempts to take longer to complete or fatal network issues.

You can configure timeouts for all requests made by a service clients using [ClientOverrideConfiguration#apiCallAttemptTimeout](#) and [ClientOverrideConfiguration#apiCallTimeout](#).

The following example shows the configuration of an Amazon S3 client with custom timeout values.

```
S3Client.builder()  
    .overrideConfiguration(  
        b -> b.apiCallTimeout(Duration.ofSeconds(<custom value>))  
            .apiCallAttemptTimeout(Duration.ofMillis(<custom value>)))
```

```
.build();
```

apiCallAttemptTimeout

This setting sets the amount of time for a single HTTP attempt, after which the API call can be retried.

apiCallTimeout

The value for this property configures the amount of time for the entire execution, including all retry attempts.

As an alternative to setting these timeout values on the service client, you can use [RequestOverrideConfiguration#apiCallTimeout\(\)](#) and [RequestOverrideConfiguration#apiCallAttemptTimeout\(\)](#) to configure a single request .

The following example configures a single `listBuckets` request with custom timeout values.

```
s3Client.listBuckets(lbr -> lbr.overrideConfiguration(  
    b -> b.apiCallTimeout(Duration.ofSeconds(<custom value>))  
        .apiCallAttemptTimeout(Duration.ofMillis(<custom value>))));
```

When you use these properties together, you set a hard limit on the total time spent on all attempts across retries. You also set an individual HTTP request to fail fast on a slow request.

Use metrics

The SDK for Java can [collect metrics](#) for the service clients in your application. You can use these metrics to identify performance issues, review overall usage trends, review service client exceptions returned, or to dig in to understand a particular issue.

We recommend that you collect metrics, then analyze the Amazon CloudWatch Logs, in order to gain a deeper understanding of your application's performance.

Troubleshooting FAQs

As you use the AWS SDK for Java 2.x in your applications, you might encounter the runtime errors listed in this topic. Use the suggestions here to help you uncover the root cause and resolve the error.

How do I fix "java.net.SocketException: Connection reset" or "server failed to complete the response" error?

A connection reset error indicates that your host, the AWS service, or any intermediary party (for example, a NAT gateway, a proxy, a load balancer) closed the connection before the request was complete. Because there are many causes, finding a solution requires that you know why the connection is being closed. The following items commonly cause a connection to be closed.

- **The connection is inactive.** This is common for streaming operations, where data is not being written to or from the wire for a period of time, so an intermediary party detects the connection as dead and closes it. To prevent this, be sure your application actively downloads or uploads data.
- **You've closed the HTTP or SDK client.** Be sure not to close resources while they are in use.
- **A misconfigured proxy.** Try to bypass any proxies that you've configured to see if it fixes the problem. If this fixes the issue, the proxy is closing your connection for some reason. Research your specific proxy to determine why it's closing the connection.

If you cannot identify the problem, try running a TCP dump for an affected connection at the client edge of your network (for example, after any proxies that you control).

If you see that the AWS endpoint is sending a TCP RST (reset), [contact the affected service](#) to see if they can determine why the reset is occurring. Be prepared to provide request IDs and timestamps of when the issue occurred. The AWS support team might also benefit from [wire logs](#) that show exactly what bytes your application is sending and receiving and when.

How do I fix "connection timeout"?

A connection timeout error indicates that your host, the AWS service, or any intermediary party (for example, a NAT gateway, a proxy, a load balancer) failed to establish a new connection with the server within the configured connection timeout. The following items describe common causes of this issue.

- **The configured connection timeout is too low.** By default, the connection timeout is 2 seconds in the AWS SDK for Java 2.x. If you set the connection timeout too low, you may get this error. The recommended connection timeout is 1 second if you make only in-region calls and 3 seconds if you make cross-region requests.

- **A misconfigured proxy.** Try to bypass any proxies that you configured to see if it fixes the problem. If this fixes the issue, the proxy is the reason for the connection timeout. Research your specific proxy to determine why that is happening

If you cannot identify the problem, try running a TCP dump for an affected connection at the client edge of your network (for example, after any proxies that you control) to investigate any network issue.

How do I fix "java.net.SocketTimeoutException: Read timed out"?

A read timed out error indicates that the JVM attempted to read data from the underlying operating system, but data was not returned within the time configured via the SDK. This error can occur if the operating system, the AWS service, or any intermediary party (for example, a NAT gateway, a proxy, a load balancers) fails to send data within the time expected by the JVM. Because there are many causes, finding a solution requires that you know why the data is not being returned.

Try running a TCP dump for an affected connection at the client edge of your network (for example, after any proxies that you control).


If you see that the AWS endpoint is sending a TCP RST (reset), [contact the affected service](#). Be prepared to provide request IDs and timestamps of when the issue occurred. The AWS support team might also benefit from [wire logs](#) that show exactly what bytes your application is sending and receiving and when.

How do I fix "Unable to execute HTTP request: Timeout waiting for connection from pool" error?


This error indicates that a request cannot get a connection from the pool within the specified maximum time. To troubleshoot the issue, we recommend that you [enable SDK client-side metrics](#) to publish metrics to Amazon CloudWatch. The HTTP metrics can help narrow down the root cause. The following items describe common causes of this error.

- **Connection leak.** You can investigate this by checking LeasedConcurrency , AvailableConcurrency, and MaxConcurrency metrics. If LeasedConcurrency increases until it reaches MaxConcurrency but never decreases, there may be a connection leak. A common cause of a leak is because a streaming operation—such as a S3 getObject method—is not closed. We recommend that your application read all data from the input stream as soon

as possible and [close the input stream afterwards](#). The following chart shows what SDK metrics might look like for connection leak.



- **Connection pool starvation.** This can happen if your request rate is too high and the connection pool size that has been configured cannot meet the request demand. The default connection pool size is 50, and when the connections in the pool reach the maximum, the HTTP client queues incoming requests until connections become available. The following chart shows what SDK metrics might look like for connection pool starvation.



To mitigate this issue, consider taking any of the following actions.


- Increase the connection pool size,
- Increase acquire timeout.
- Slow the request rate.

By increasing the maximum number of connections, client throughput can increase (unless the network interface is already fully utilized). However, you can eventually hit operation system limitations on the number of file descriptors used by the process. If you already fully use your network interface or cannot further increase your connection count, try increasing the acquire timeout. With the increase, you gain extra time for requests to acquire a connection before timing out. If the connections don't free up, the subsequent requests will still timeout.

If you are unable to fix the issue by using the first two mechanisms, slow the request rate by trying the following options.

- Smooth out your requests so that large traffic bursts don't overload the client.
- Be more efficient with calls to AWS services.
- Increase the number of hosts sending requests.

- **I/O Threads are too busy.** This only applies if you are using an asynchronous SDK client with [NettyNioAsyncHttpClient](#). If the AvailableConcurrency metric is not low—indicating that connections are available in the pool—but ConcurrencyAcquireDuration is high, it might be because I/O threads are not able to handle the requests. Be sure you are not passing Runnable:run as a [future completion executor](#) and performing time-consuming task in the response future completion chain since this can block an I/O thread. If that is not the case, consider increasing the number of I/O threads by using the [eventLoopGroupBuilder](#) method. For reference, the default number of I/O threads for a NettyNioAsyncHttpClient instance is twice the number of CPU cores of the host.
- **High TLS handshake latency.** If your AvailableConcurrency metric is near 0 and LeasedConcurrency is lower than MaxConcurrency, it might be because the TLS handshake latency is high. The following chart shows what SDK metrics might look like for high TLS handshake latency.



For HTTP clients offered by the Java SDK that are not based on CRT, try enabling [TLS logs](#) to troubleshoot TLS issues. For the AWS CRT-based HTTP client, try enabling [AWS CRT logs](#). If you see that the AWS endpoint seems to take a long time to perform a TLS handshake, you should [contact the affected service](#).

How do I fix a `NoClassDefFoundError`, `NoSuchMethodError` or `NoSuchFieldError`?

A `NoClassDefFoundError` indicates that a class could not be loaded at runtime. The two most common causes for this error are:

- the class does not exist in the classpath because the JAR is missing or the wrong version of the JAR is on the classpath.
- the class failed to load because its static initializer threw an exception.

Similarly, `NoSuchMethodErrors` and `NoSuchFieldErrors` typically result from a mismatched JAR version. We recommend that you perform the following steps.

1. **Check your dependencies** to make sure that you're using the *same version of all SDK jars*. The most common reason that a class, method, or field cannot be found is when you upgrade to a new client version but you continue to use an old 'shared' SDK dependency version. The new client version might attempt to use classes that exist only in newer 'shared' SDK dependencies. Try running `mvn dependency:tree` or `gradle dependencies` (for Gradle) to verify that the SDK library versions all match. To avoid this issue completely in the future, we recommend using [BOM \(Bill of Materials\)](#) to manage SDK module versions.

The following example shows you an example of mixed SDK versions.

```
[INFO] +- software.amazon.awssdk:dynamodb:jar:2.20.00:compile
[INFO] |   +- software.amazon.awssdk:aws-core:jar:2.13.19:compile
[INFO] +- software.amazon.awssdk:netty-nio-client:jar:2.20.00:compile
```

The version of dynamodb is 2.20.00 and the version of aws-core is 2.13.19. The aws-core artifact version should also be 2.20.00.

2. **Check statements early in your logs** to see if a class is failing to load because of a static initialization failure. The first time the class fails to load, it may throw a different, more useful exception that specifies *why* the class cannot be loaded. This potentially useful exception occurs only once, so later log statements will only report that the class is not found.
3. **Check your deployment process** to make sure that it actually deploys required JAR files along with your application. It's possible that you're building with the correct version, but the process that creates the classpath for your application is excluding a required dependency.

How do I fix a "SignatureDoesNotMatch" error or "The request signature we calculated does not match the signature you provided" error?

A SignatureDoesNotMatch error indicates that the signature generated by the AWS SDK for Java and the signature generated by the AWS service do not match. The following items describe potential causes.

- A proxy or intermediary party modifies the request. For example, a proxy or load balancer might modify a header, path or query string that was signed by the SDK.
- The service and SDK differ in the way they encode the request when each generates the string to sign.

To debug this issue, we recommend that you [enable debug logging](#) for the SDK. Try to reproduce the error and find the canonical request that the SDK generated. In the log, the canonical request is labeled with AWS4 Canonical Request: ... and the string to sign is labeled AWS4 String to sign:

If you cannot enable debugging—for example, because it's only reproducible in production—add logic to your application that logs information about the request when the error occurs. You can then use that information to try to replicate the error outside of production in an integration test with debug logging enabled.

After you have collected the canonical request and string to sign, compare them against the [AWS Signature Version 4 specification](#) to determine if there are any issues in the way the SDK generated the string to sign. If something seems wrong, you can create a [GitHub bug report](#) to the AWS SDK for Java.

If nothing appears wrong, you can compare the SDK's string to sign with the string to sign that some AWS services return as part of the failure response (Amazon S3, for example). If this isn't available, you should [contact the affected service](#) to see what canonical request and string to sign they generated for comparison. These comparisons can help to identify intermediary parties that might have modified the request or encoding differences between the service and client.

For more background information about signing requests, see [Signing AWS API requests](#) in the AWS Identity and Access Management User Guide.

Example of a canonical request

```
PUT  
/Example-Bucket/Example-Object  
partNumber=19&uploadId=string  
amz-sdk-invocation-id:f8c2799d-367c-f024-e8fa-6ad6d0a1afb9  
amz-sdk-request:attempt=1; max=4  
content-encoding:aws-chunked  
content-length:51  
content-type:application/octet-stream  
host:xxxxx  
x-amz-content-sha256:STREAMING-UNSIGNED-PAYLOAD-TRAILER  
x-amz-date:20240308T034733Z  
x-amz-decoded-content-length:10  
x-amz-sdk-checksum-algorithm:CRC32  
x-amz-trailer:x-amz-checksum-crc32
```

Example of a string to sign

```
AWS4-HMAC-SHA256  
20240308T034435Z  
20240308/us-east-1/s3/aws4_request  
5f20a7604b1ef65dd89c333fd66736fdef9578d11a4f5d22d289597c387dc713
```

How do I fix "java.lang.IllegalStateException: Connection pool shut down" error?

This error indicates the underlying Apache HTTP connection pool was closed. The following items describe potential causes.

- **The SDK client was closed prematurely.** The SDK only closes the connection pool when the associated client is closed. Be sure not to close resources while they are in use.
- **A java.lang.Error was thrown.** Errors such as OutOfMemoryError cause an Apache HTTP connection pool to [shut down](#). Examine your logs for error stack traces. Also review your code for places where it catches Throwables or Errors but swallows the output that prevents the error from surfacing. If your code does not report errors, rewrite the code so information is logged. The logged information helps determine the root cause of the error.
- **You attempted to use the credentials provider returned from DefaultCredentialsProvider#create() after it was closed.**

[DefaultCredentialsProvider#create](#) returns a singleton instance, so if it's closed and your code calls the `resolveCredentials` method, the exception is thrown after cached credentials (or token) expire.

Check your code for places where the `DefaultCredentialsProvider` is closed, as shown in the following examples.

- The singleton instance is closed by calling `DefaultCredentialsProvider#close()`.

```
DefaultCredentialsProvider defaultCredentialsProvider =
    DefaultCredentialsProvider.create(); // Singleton instance returned.
AwsCredentials credentials = defaultCredentialsProvider.resolveCredentials();

// Make calls to AWS services.

defaultCredentialsProvider.close(); // Explicit close.

// Make calls to AWS services.

// After the credentials expire, either of the following calls eventually results
// in a "Connection pool shut down" exception.
credentials = defaultCredentialsProvider.resolveCredentials();
// Or
credentials = DefaultCredentialsProvider.create().resolveCredentials();
```

- Invoke `DefaultCredentialsProvider#create()` in a try-with-resources block.

```
try (DefaultCredentialsProvider defaultCredentialsProvider =
    DefaultCredentialsProvider.create()) {
    AwsCredentials credentials = defaultCredentialsProvider.resolveCredentials();

    // Make calls to AWS services.

} // After the try-with-resources block exits, the singleton
// DefaultCredentialsProvider is closed.

// Make calls to AWS services.

DefaultCredentialsProvider defaultCredentialsProvider =
    DefaultCredentialsProvider.create(); // The closed singleton instance is returned.
// If the credentials (or token) has expired, the following call results in the
// error.
AwsCredentials credentials = defaultCredentialsProvider.resolveCredentials();
```

Create a new, non-singleton instance by calling `DefaultCredentialsProvider.builder().build()` if your code has closed the singleton instance and you need to resolve credentials by using a `DefaultCredentialsProvider`.

Use features of the AWS SDK for Java 2.x

General features

The SDK for Java 2.x contains several features that make programming against AWS services easier.

- The SDK hides the complex mechanisms behind [retrieving paginated results](#) and [polling for resources](#).
- [Asynchronous programming with non-blocking I/O](#) helps you write concurrent code with better performance. The SDK provides the benefits of [HTTP/2](#), such as reduced latency, where possible.
- The Java SDK can generate [metrics](#) to help you monitor the operational health of your applications.

Service-specific features

In addition to the general features mentioned previously, the Java SDK provides features for specific AWS services.

- **Amazon S3** – To [simplify your work with files and directories](#) with Amazon S3, the SDK provides the S3 Transfer Manager. To [improve performance and reliability](#) while using the SDK's standard asynchronous S3 API, the SDK offers the AWS CRT-based S3 client.
- **DynamoDB** – [Object-oriented, mapping capability](#) is provided by the DynamoDB Enhanced Client API. [Work with JSON-style, document-oriented data](#) by using the Enhanced Document API.
- **IAM** – The IAM Policy Builder API provides a [type-safe, object-oriented way to create IAM policies](#).

Work with paginated results using the AWS SDK for Java 2.x

Many AWS operations return paginated results when the response object is too large to return in a single response. In the AWS SDK for Java 1.0, the response contains a token you use to retrieve the next page of results. In contrast, the AWS SDK for Java 2.x has autopagination methods that make multiple service calls to get the next page of results for you automatically. You only have to write code that processes the results. Autopagination is available for both synchronous and asynchronous clients.

Note

These code snippets assume that you understand [the basics of using the SDK](#), and have configured your environment with [single sign-on access](#).

Synchronous pagination

The following examples demonstrate synchronous pagination methods to list objects in an Amazon S3 bucket.

Iterate over pages

The first example demonstrates the use of a `listRes` paginator object, a [`ListObjectsV2Iterable`](#) instance, to iterate through all the response pages with the `stream` method. The code streams over the response pages, converts the response stream to a stream of [`S3Object`](#) content, and then processes the content of the Amazon S3 object.

The following imports apply to all examples in this synchronous pagination section.

Imports

```
import java.io.IOException;
import java.nio.ByteBuffer;
import java.util.Random;

import software.amazon.awssdk.core.waiters.WaiterResponse;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.paginators.ListObjectsV2Iterable;
import software.amazon.awssdk.core.sync.RequestBody;
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.services.s3.model.PutObjectRequest;
import software.amazon.awssdk.services.s3.model.ListObjectsV2Request;
import software.amazon.awssdk.services.s3.model.ListObjectsV2Response;
import software.amazon.awssdk.services.s3.model.S3Object;
import software.amazon.awssdk.services.s3.model.GetObjectRequest;
import software.amazon.awssdk.services.s3.model.DeleteObjectRequest;
import software.amazon.awssdk.services.s3.model.DeleteBucketRequest;
import software.amazon.awssdk.services.s3.model.CreateMultipartUploadRequest;
```

```
import software.amazon.awssdk.services.s3.model.CreateMultipartUploadResponse;
import software.amazon.awssdk.services.s3.model.CompletedMultipartUpload;
import software.amazon.awssdk.services.s3.model.CreateBucketRequest;
import software.amazon.awssdk.services.s3.model.CompletedPart;
import software.amazon.awssdk.services.s3.model.CreateBucketConfiguration;
import software.amazon.awssdk.services.s3.model.UploadPartRequest;
import software.amazon.awssdk.services.s3.model.CompleteMultipartUploadRequest;
import software.amazon.awssdk.services.s3.waiters.S3Waiter;
import software.amazon.awssdk.services.s3.model.HeadBucketRequest;
import software.amazon.awssdk.services.s3.model.HeadBucketResponse;
```

```
ListObjectsV2Request listReq = ListObjectsV2Request.builder()
    .bucket(bucketName)
    .maxKeys(1)
    .build();

ListObjectsV2Iterable listRes = s3.listObjectsV2Paginator(listReq);
// Process response pages
listRes.stream()
    .flatMap(r -> r.contents().stream())
    .forEach(content -> System.out
        .println(" Key: " + content.key() + " size = " + content.size()));
```

See the [complete example](#) on GitHub.

Iterate over objects

The following examples show ways to iterate over the objects returned in the response instead of the pages of the response. The `contents` method of `ListObjectsV2Iterable` class returns an [`SdkIterable`](#) that provides several methods to process the underlying content elements.

Use a stream

The following snippet uses the `stream` method on the response content to iterate over the paginated item collection.

```
// Helper method to work with paginated collection of items directly.
listRes.contents().stream()
    .forEach(content -> System.out
        .println(" Key: " + content.key() + " size = " + content.size()));
```

See the [complete example](#) on GitHub.

Use a for-each loop

Since `SdkIterable` extends the `Iterable` interface, you can process the contents like any `Iterable`. The following snippet uses standard `for`-each loop to iterate through the contents of the response.

```
for (S3Object content : listRes.contents()) {  
    System.out.println(" Key: " + content.key() + " size = " + content.size());  
}
```

See the [complete example](#) on GitHub.

Manual pagination

If your use case requires it, manual pagination is still available. Use the next token in the response object for the subsequent requests. The following example uses a while loop.

```
ListObjectsV2Request listObjectsReqManual = ListObjectsV2Request.builder()  
    .bucket(bucketName)  
    .maxKeys(1)  
    .build();  
  
boolean done = false;  
while (!done) {  
    ListObjectsV2Response listObjResponse =  
        s3.listObjectsV2(listObjectsReqManual);  
    for (S3Object content : listObjResponse.contents()) {  
        System.out.println(content.key());  
    }  
  
    if (listObjResponse.nextContinuationToken() == null) {  
        done = true;  
    }  
  
    listObjectsReqManual = listObjectsReqManual.toBuilder()  
        .continuationToken(listObjResponse.nextContinuationToken())  
        .build();  
}
```

See the [complete example](#) on GitHub.

Asynchronous pagination

The following examples demonstrate asynchronous pagination methods to list DynamoDB tables.

Iterate over pages of table names

The following two examples use an asynchronous DynamoDB client that call the `listTablesPaginator` method with a request to get a [ListTablesPublisher](#). `ListTablesPublisher` implements two interfaces, which provides many options to process responses. We'll look at methods of each interface.

Use a Subscriber

The following code example demonstrates how to process paginated results by using the `org.reactivestreams.Publisher` interface implemented by `ListTablesPublisher`. To learn more about the reactive streams model, see the [Reactive Streams GitHub repo](#).

The following imports apply to all examples in this asynchronous pagination section.

Imports

```
import io.reactivex.rxjava3.core.Flowable;
import org.reactivestreams.Subscriber;
import org.reactivestreams.Subscription;
import reactor.core.publisher.Flux;
import software.amazon.awssdk.core.async.SdkPublisher;
import software.amazon.awssdk.services.dynamodb.DynamoDbAsyncClient;
import software.amazon.awssdk.services.dynamodb.model.ListTablesRequest;
import software.amazon.awssdk.services.dynamodb.model.ListTablesResponse;
import software.amazon.awssdk.services.dynamodb.paginators.ListTablesPublisher;

import java.util.List;
import java.util.concurrent.CompletableFuture;
import java.util.concurrent.ExecutionException;
```

The following code acquires a `ListTablesPublisher` instance.

```
// Creates a default client with credentials and region loaded from the
// environment.
final DynamoDbAsyncClient asyncClient = DynamoDbAsyncClient.create();
```

```
ListTablesRequest listTablesRequest =  
ListTablesRequest.builder().limit(3).build();  
ListTablesPublisher publisher =  
asyncClient.listTablesPaginator(listTablesRequest);
```

The following code uses an anonymous implementation of `org.reactivestreams.Subscriber` to process the results for each page.

The `onSubscribe` method calls the `Subscription.request` method to initiate requests for data from the publisher. This method must be called to start getting data from the publisher.

The subscriber's `onNext` method processes a response page by accessing all the table names and printing out each one. After the page is processed, another page is requested from the publisher. This method that is called repeatedly until all pages are retrieved.

The `onError` method is triggered if an error occurs while retrieving data. Finally, the `onComplete` method is called when all pages have been requested.

```
// A Subscription represents a one-to-one life-cycle of a Subscriber  
subscribing  
// to a Publisher.  
publisher.subscribe(new Subscriber<ListTablesResponse>() {  
    // Maintain a reference to the subscription object, which is required to  
request  
    // data from the publisher.  
    private Subscription subscription;  
  
    @Override  
    public void onSubscribe(Subscription s) {  
        subscription = s;  
        // Request method should be called to demand data. Here we request a  
single  
        // page.  
        subscription.request(1);  
    }  
  
    @Override  
    public void onNext(ListTablesResponse response) {  
        response.tableNames().forEach(System.out::println);  
        // After you process the current page, call the request method to  
signal that  
        // you are ready for next page.  
    }  
});
```

```
        subscription.request(1);
    }

    @Override
    public void onError(Throwable t) {
        // Called when an error has occurred while processing the requests.
    }

    @Override
    public void onComplete() {
        // This indicates all the results are delivered and there are no more
        pages
        // left.
    }
});
```

See the [complete example](#) on GitHub.

Use a Consumer

The SdkPublisher interface that ListTablesPublisher implements has a subscribe method that takes a Consumer and returns a CompletableFuture<Void>.

The subscribe method from this interface can be used for simple use cases when an org.reactivestreams.Subscriber might be too much overhead. As the code below consumes each page, it calls the tableNames method on each. The tableNames method returns a java.util.List of DynamoDB table names that are processed with the forEach method.

```
// Use a Consumer for simple use cases.
CompletableFuture<Void> future = publisher.subscribe(
    response -> response.tableNames()
        .forEach(System.out::println));
```

See the [complete example](#) on GitHub.

Iterate over table names

The following examples show ways to iterate over the objects returned in the response instead of the pages of the response. Similar to the synchronous Amazon S3 example previously shown with its contents method, the DynamoDB asynchronous result class, ListTablesPublisher has the tableNames convenience method to interact with the underlying item collection. The return

type of the `tableNames` method is an [SdkPublisher](#) that can be used to request items across all pages.

Use a Subscriber

The following code acquires an `SdkPublisher` of the underlying collection of table names.

```
// Create a default client with credentials and region loaded from the
// environment.
final DynamoDbAsyncClient asyncClient = DynamoDbAsyncClient.create();

ListTablesRequest listTablesRequest =
ListTablesRequest.builder().limit(3).build();
ListTablesPublisher listTablesPublisher =
asyncClient.listTablesPaginator(listTablesRequest);
SdkPublisher<String> publisher = listTablesPublisher.tableNames();
```

The following code uses an anonymous implementation of `org.reactivestreams.Subscriber` to process the results for each page.

The subscriber's `onNext` method processes an individual element of the collection. In this case, it's a table name. After the table name is processed, another table name is requested from the publisher. This method that is called repeatedly until all table names are retrieved.

```
// Use a Subscriber.
publisher.subscribe(new Subscriber<String>() {
    private Subscription subscription;

    @Override
    public void onSubscribe(Subscription s) {
        subscription = s;
        subscription.request(1);
    }

    @Override
    public void onNext(String tableName) {
        System.out.println(tableName);
        subscription.request(1);
    }

    @Override
    public void onError(Throwable t) {
}
```

```
    @Override
    public void onComplete() {
    }
});
```

See the [complete example](#) on GitHub.

Use a Consumer

The following example uses the `subscribe` method of `SdkPublisher` that takes a `Consumer` to process each item.

```
// Use a Consumer.
CompletableFuture<Void> future = publisher.subscribe(System.out::println);
future.get();
```

See the [complete example](#) on GitHub.

Use third-party library

You can use other third party libraries instead of implementing a custom subscriber. This example demonstrates the use of RxJava, but any library that implements the reactive stream interfaces can be used. See the [RxJava wiki page on GitHub](#) for more information on that library.

To use the library, add it as a dependency. If using Maven, the example shows the POM snippet to use.

POM Entry

```
<dependency>
    <groupId>io.reactivex.rxjava3</groupId>
    <artifactId>rxjava</artifactId>
    <version>3.1.6</version>
</dependency>
```

Code

```
DynamoDbAsyncClient asyncClient = DynamoDbAsyncClient.create();
ListTablesPublisher publisher =
asyncClient.listTablesPaginator(ListTablesRequest.builder()
    .build());
```

```
// The Flowable class has many helper methods that work with
// an implementation of an org.reactivestreams.Publisher.
List<String> tables = Flowable.fromPublisher(publisher)
    .flatMapIterable(ListTablesResponse::tableNames)
    .toList()
    .blockingGet();
System.out.println(tables);
```

See the [complete example](#) on GitHub.

Poll for resource states in the AWS SDK for Java 2.x: Waiters

The waiters utility of the AWS SDK for Java 2.x enables you to validate that AWS resources are in a specified state before performing operations on those resources.

A *waiter* is an abstraction used to poll AWS resources, such as DynamoDB tables or Amazon S3 buckets, until a desired state is reached (or until a determination is made that the resource won't ever reach the desired state). Instead of writing logic to continuously poll your AWS resources, which can be cumbersome and error-prone, you can use waiters to poll a resource and have your code continue to run after the resource is ready.

Prerequisites

Before you can use waiters in a project with the AWS SDK for Java, you must complete the steps in [Setting up the AWS SDK for Java 2.x](#).

You must also configure your project dependencies (for example, in your pom.xml or build.gradle file) to use version 2.15.0 or later of the AWS SDK for Java.

For example:

```
<project>
  <dependencyManagement>
    <dependencies>
      <dependency>
        <groupId>software.amazon.awssdk</groupId>
        <artifactId>bom</artifactId>
        <version>2.27.21</version>
        <type>pom</type>
        <scope>import</scope>
```

```
</dependency>
</dependencies>
</dependencyManagement>
</project>
```

Using waiters

To instantiate a `Waiters` object, first create a service client. Set the service client's `waiter()` method as the value of the `Waiter` object. Once the `Waiter` instance exists, set its response options to execute the appropriate code.

Synchronous programming

The following code snippet shows how to wait for a DynamoDB table to exist and be in an **ACTIVE** state.

```
DynamoDbClient dynamo = DynamoDbClient.create();
DynamoDbWaiter waiter = dynamo.waiter();

WaiterResponse<DescribeTableResponse> waiterResponse =
    waiter.waitUntilTableExists(r -> r.tableName("myTable"));

// print out the matched response with a tableStatus of ACTIVE
waiterResponse.matched().response().ifPresent(System.out::println);
```

Asynchronous programming

The following code snippet shows how to wait for a DynamoDB table to no longer exist.

```
DynamoDbAsyncClient asyncDynamo = DynamoDbAsyncClient.create();
DynamoDbAsyncWaiter asyncWaiter = asyncDynamo.waiter();

CompletableFuture<WaiterResponse<DescribeTableResponse>> waiterResponse =
    asyncWaiter.waitUntilTableNotExists(r -> r.tableName("myTable"));

waiterResponse.whenComplete((r, t) -> {
    if (t == null) {
        // print out the matched ResourceNotFoundException
        r.matched().exception().ifPresent(System.out::println);
    }
}).join();
```

Configure waiters

You can customize the configuration for a waiter by using the `overrideConfiguration()` on its builder. For some operations, you can apply a custom configuration when you make the request.

Configure a waiter

The following code snippet shows how to override the configuration on a waiter.

```
// sync
DynamoDbWaiter waiter =
    DynamoDbWaiter.builder()
        .overrideConfiguration(b -> b.maxAttempts(10))
        .client(dynamoDbClient)
        .build();

// async
DynamoDbAsyncWaiter asyncWaiter =
    DynamoDbAsyncWaiter.builder()
        .client(dynamoDbAsyncClient)
        .overrideConfiguration(o -> o.backoffStrategy(
            FixedDelayBackoffStrategy.create(Duration.ofSeconds(2))))
        .scheduledExecutorService(Executors.newScheduledThreadPool(3))
        .build();
```

Override configuration for a specific request

The following code snippet shows how to override the configuration for a waiter on a per-request basis. Note that only some operations have customizable configurations.

```
waiter.waitUntilTableNotExists(b -> b.tableName("myTable"),
    o -> o.maxAttempts(10));

asyncWaiter.waitUntilTableExists(b -> b.tableName("myTable"),
    o -> o.waitTimeout(Duration.ofMinutes(1)));
```

Code examples

For a complete example using waiters with DynamoDB, see [CreateTable.java](#) in the AWS Code Examples Repository.

For a complete example using waiters with Amazon S3, see [S3BucketOps.java](#) in the AWS Code Examples Repository.

Use asynchronous programming

The AWS SDK for Java 2.x features asynchronous clients with non-blocking I/O support that implement high concurrency across a few threads. However, total non-blocking I/O is not guaranteed. Asynchronous client may perform blocking calls in some cases such as credential retrieval, request signing using [AWS Signature Version 4 \(SigV4\)](#), or endpoint discovery.

Synchronous methods block your thread's execution until the client receives a response from the service. Asynchronous methods return immediately, giving control back to the calling thread without waiting for a response.

Because an asynchronous method returns before a response is available, you need a way to get the response when it's ready. The methods for asynchronous client in 2.x of the AWS SDK for Java return *CompletableFuture objects* that allow you to access the response when it's ready.

Use asynchronous client APIs

The signatures of asynchronous client methods are the same their synchronous counterpart, but the asynchronous methods return a [CompletableFuture](#) object that contains the results of the asynchronous operation *in the future*. If an error is thrown while the SDK's asynchronous method executes, the error is thrown as `CompletionException`.

One approach you can use to get the result is to chain a `whenComplete()` method onto the `CompletableFuture` returned by the SDK method call. The `whenComplete()` method receives the result or a `Throwable` object of type `CompletionException` depending on how the asynchronous call completed. You provide an action to `whenComplete()` to process or check the results before it is returned to the calling code.

If you want to return something other than the object returned by the SDK method, use the `handle()` method instead. The `handle()` method takes the same parameters as `whenComplete()`, but you can process the result and return an object.

To wait for the asynchronous chain to complete and retrieve the completion results, you can call the `join()` method. If the `Throwable` object was not handled in the chain, the `join()` method throws an unchecked `CompletionException` that wraps the original exception. You access the original exception with `CompletionException#getCause()`. You can also call the `CompletableFuture#get()` method to get the completion results. The `get()` method, however, can throw checked exceptions.

The following example shows two variations of how you can work with the `listTables()` method of the DynamoDB asynchronous client. The action passed to `whenComplete()` simply logs a successful response, whereas the `handle()` version extracts the list of table names and returns the list. In both cases if an error is generated in the asynchronous chain, the error is rethrown so the client code has a chance to handle it.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.DynamoDbAsyncClient;
import software.amazon.awssdk.services.dynamodb.model.ListTablesRequest;
import software.amazon.awssdk.services.dynamodb.model.ListTablesResponse;

import java.util.List;
import java.util.concurrent.CompletableFuture;
```

Code

whenComplete() variation

```
public class DynamoDbAsyncListTables {

    public static void main(String[] args) {
        Region region = Region.US_EAST_1;
        DynamoDbAsyncClient dynamoDbAsyncClient =
        DynamoDbAsyncClient.builder().region(region).build();
        try {
            ListTablesResponse listTablesResponse =
            listTablesWhenComplete(dynamoDbAsyncClient).join(); // The join() method may throw
            a CompletionException.
            if (listTablesResponse.hasTableNames()){
                System.out.println("Table exist in this region: " + region.id());
            }
        } catch (RuntimeException e) {
            // Handle as needed. Here we simply print out the class names.
            System.out.println(e.getClass()); // Prints 'class
            java.util.concurrent.CompletionException'.
            System.out.println(e.getCause().getClass()); // Prints 'class
            software.amazon.awssdk.services.dynamodb.model.DynamoDbException'.
        }
    }
}
```

```

    public static CompletableFuture<ListTablesResponse>
listTablesWhenComplete(DynamoDbAsyncClient client) {
    return client.listTables(ListTablesRequest.builder().build())
        .whenComplete((listTablesResponse, throwable) -> {
            if (listTablesResponse != null) { // Consume the response.
                System.out.println("The SDK's listTables method completed
successfully.");
            } else {
                RuntimeException cause = (RuntimeException)
throwable.getCause(); // If an error was thrown during the SDK's listTables method
it is wrapped in a CompletionException.

// The SDK throws only RuntimeExceptions, so this is a safe cast.
                System.out.println(cause.getMessage()); // Log error here, but
rethrow so the calling code can handle as needed.
                throw cause;
            }
        });
}

```

handle() variation

```

public class DynamoDbAsyncListTables {

    public static void main(String[] args) {
        Region region = Region.US_EAST_1;
        DynamoDbAsyncClient dynamoDbAsyncClient =
DynamoDbAsyncClient.builder().region(region).build();
        try {
            List<String> tableNames =
listTablesHandle(dynamoDbAsyncClient).join(); // The join() method may throw a
CompletionException.
            tableNames.forEach(System.out::println);
        } catch (RuntimeException e) {
            // Handle as needed. Here we simply print out the class names.
            System.out.println(e.getClass()); // Prints 'class
java.util.concurrent.CompletionException'.
            System.out.println(e.getCause().getClass()); // Prints 'class
software.amazon.awssdk.services.dynamodb.model.DynamoDbException'.
        }
    }
}

```

```
public static CompletableFuture<List<String>>
listTablesHandle(DynamoDbAsyncClient client) {
    return client.listTables(ListTablesRequest.builder().build())
        .handle((listTablesResponse, throwable) -> {
            if (listTablesResponse != null) {
                return listTablesResponse.tableNames(); // Return the list of
table names.
            } else {
                RuntimeException cause = (RuntimeException)
throwable.getCause(); // If an error was thrown during the SDK's listTables method
it is wrapped in a CompletionException.

// The SDK throws only RuntimeExceptions, so this is a safe cast.
System.out.println(cause.getMessage()); // Log error here, but
rethrow so the calling code can handle as needed.
                throw cause;
            }
        });
}
```

Handle streaming in asynchronous methods

For asynchronous methods with streaming content, you must provide an [AsyncRequestBody](#) to provide the content incrementally, or an [AsyncResponseTransformer](#) to receive and process the response.

The following example uploads a file to Amazon S3 asynchronously by using the asynchronous form of the PutObject operation.

Imports

```
import software.amazon.awssdk.core.async.AsyncRequestBody;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3AsyncClient;
import software.amazon.awssdk.services.s3.model.PutObjectRequest;
import software.amazon.awssdk.services.s3.model.PutObjectResponse;
import java.nio.file.Paths;
import java.util.concurrent.CompletableFuture;
```

Code

```
/**  
 * To run this AWS code example, ensure that you have setup your development  
environment, including your AWS credentials.  
*  
* For information, see this documentation topic:  
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
  
public class S3AsyncOps {  
  
    public static void main(String[] args) {  
  
        final String USAGE = "\n" +  
            "Usage:\n" +  
            "      S3AsyncOps <bucketName> <key> <path>\n\n" +  
            "Where:\n" +  
            "      bucketName - the name of the Amazon S3 bucket (for example,  
bucket1). \n\n" +  
            "      key - the name of the object (for example, book.pdf). \n" +  
            "      path - the local path to the file (for example, C:/AWS/book.pdf).  
\n" ;  
  
        if (args.length != 3) {  
            System.out.println(USAGE);  
            System.exit(1);  
        }  
  
        String bucketName = args[0];  
        String key = args[1];  
        String path = args[2];  
  
        Region region = Region.US_WEST_2;  
        S3AsyncClient client = S3AsyncClient.builder()  
            .region(region)  
            .build();  
  
        PutObjectRequest objectRequest = PutObjectRequest.builder()  
            .bucket(bucketName)  
            .key(key)  
            .build();  
  
        // Put the object into the bucket
```

```
        CompletableFuture<PutObjectResponse> future = client.putObject(objectRequest,
            AsyncRequestBody.fromFile(Paths.get(path)))
    );
    future.whenComplete((resp, err) -> {
        try {
            if (resp != null) {
                System.out.println("Object uploaded. Details: " + resp);
            } else {
                // Handle error
                err.printStackTrace();
            }
        } finally {
            // Only close the client when you are completely done with it
            client.close();
        }
    });
}

future.join();
}
}
```

The following example gets a file from Amazon S3 by using the asynchronous form of the `GetObject` operation.

Imports

```
import software.amazon.awssdk.core.async.AsyncResponseTransformer;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3AsyncClient;
import software.amazon.awssdk.services.s3.model.GetObjectRequest;
import software.amazon.awssdk.services.s3.model.GetObjectResponse;
import java.nio.file.Paths;
import java.util.concurrent.CompletableFuture;
```

Code

```
/**
 * To run this AWS code example, ensure that you have setup your development
environment, including your AWS credentials.
*
* For information, see this documentation topic:
*
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html

```

```
*/\n\npublic class S3AsyncStreamOps {\n\n    public static void main(String[] args) {\n\n        final String USAGE = "\n" +\n            "Usage:\n" +\n            "    S3AsyncStreamOps <bucketName> <objectKey> <path>\n\n" +\n            "Where:\n" +\n            "    bucketName - the name of the Amazon S3 bucket (for example,\nbucket1). \n\n" +\n            "    objectKey - the name of the object (for example, book.pdf). \n" +\n            "    path - the local path to the file (for example, C:/AWS/book.pdf).\n\n" ;\n\n        if (args.length != 3) {\n            System.out.println(USAGE);\n            System.exit(1);\n        }\n\n        String bucketName = args[0];\n        String objectKey = args[1];\n        String path = args[2];\n\n        Region region = Region.US_WEST_2;\n        S3AsyncClient client = S3AsyncClient.builder()\n            .region(region)\n            .build();\n\n        GetObjectRequest objectRequest = GetObjectRequest.builder()\n            .bucket(bucketName)\n            .key(objectKey)\n            .build();\n\n        CompletableFuture<GetObjectResponse> futureGet =\nclient.getObject(objectRequest,\n                AsyncResponseTransformer.toFile(Paths.get(path)));\n\n        futureGet.whenComplete((resp, err) -> {\n            try {\n                if (resp != null) {\n                    System.out.println("Object downloaded. Details: "+resp);\n                } else {\n\n
```

```
        err.printStackTrace();
    }
} finally {
    // Only close the client when you are completely done with it
    client.close();
}
});
futureGet.join();
}
}
```

Configure advanced asynchronous options

The AWS SDK for Java 2.x uses [Netty](#), an asynchronous event-driven network application framework, to handle I/O threads. The AWS SDK for Java 2.x creates an `ExecutorService` behind Netty, to complete the futures returned from the HTTP client request through to the Netty client. This abstraction reduces the risk of an application breaking the async process if developers choose to stop or sleep threads. By default, each asynchronous client creates a threadpool based on the number of processors and manages the tasks in a queue within the `ExecutorService`.

You can specify a specific JDK implementation of `ExecutorService` when you build your asynchronous client. The following snippet create an `ExecutorService` with a fixed number of threads.

Code

```
S3AsyncClient clientThread = S3AsyncClient.builder()
    .asyncConfiguration(
        b -> b.advancedOption(SdkAdvancedAsyncClientOption
            .FUTURE_COMPLETION_EXECUTOR,
            Executors.newFixedThreadPool(10)
        )
    )
    .build();
```

To optimize performance, you can manage your own thread pool executor, and include it when you configure your client.

```
ThreadPoolExecutor executor = new ThreadPoolExecutor(50, 50,
    10, TimeUnit.SECONDS,
    new LinkedBlockingQueue<>(<custom_value>),
```

```
new ThreadFactoryBuilder()
    .threadNamePrefix("sdk-async-response").build());

// Allow idle core threads to time out
executor.allowCoreThreadTimeOut(true);

S3AsyncClient clientThread = S3AsyncClient.builder()
    .asyncConfiguration(
        b -> b.advancedOption(SdkAdvancedAsyncClientOption
            .FUTURE_COMPLETION_EXECUTOR,
            executor
        )
    )
    .build();
```

Work with HTTP/2 in the AWS SDK for Java

HTTP/2 is a major revision of the HTTP protocol. This new version has several enhancements to improve performance:

- Binary data encoding provides more efficient data transfer.
- Header compression reduces the overhead bytes downloaded by the client, helping get the content to the client sooner. This is especially useful for mobile clients that are already constrained on bandwidth.
- Bidirectional asynchronous communication (multiplexing) allows multiple requests and response messages between the client and AWS to be in flight at the same time over a single connection, instead of over multiple connections, which improves performance.

Developers upgrading to the latest SDKs will automatically use HTTP/2 when it's supported by the service they're working with. New programming interfaces seamlessly take advantage of HTTP/2 features and provide new ways to build applications.

The AWS SDK for Java 2.x features new APIs for event streaming that implement the HTTP/2 protocol. For examples of how to use these new APIs, see [Working with Kinesis](#).

Use SDK metrics from the AWS SDK for Java

With the AWS SDK for Java 2.x, you can collect metrics about the service clients in your application, analyze the output in Amazon CloudWatch, and then act on it.

By default, metrics collection is disabled in the SDK. This topic helps you to enable and configure it.

Prerequisites

Before you can enable and use metrics, you must complete the following steps:

- Complete the steps in [Setup](#).
- Configure your project dependencies (for example, in your pom.xml or build.gradle file) to use version 2.14.0 or later of the AWS SDK for Java.

To enabling publishing of metrics to CloudWatch, also include the artifactId `cloudwatch-metric-publisher` with the version number 2.14.0 or later in your project's dependencies.

For example:

```
<project>
  <dependencyManagement>
    <dependencies>
      <dependency>
        <groupId>software.amazon.awssdk</groupId>
        <artifactId>bom</artifactId>
        <version>2.27.21</version>
        <type>pom</type>
        <scope>import</scope>
      </dependency>
    </dependencies>
  </dependencyManagement>
  <dependencies>
    <dependency>
      <groupId>software.amazon.awssdk</groupId>
      <artifactId>cloudwatch-metric-publisher</artifactId>
    </dependency>
  </dependencies>
</project>
```

- Enable `cloudwatch:PutMetricData` permissions for the IAM identity used by the metrics publisher to allow the SDK for Java to write metrics.

How to enable metrics collection

You can enable metrics in your application for a service client or on individual requests.

Enable metrics for a specific request

The following class shows how to enable the CloudWatch metrics publisher for a request to Amazon DynamoDB. It uses the default metrics publisher configuration.

```
import software.amazon.awssdk.metrics.MetricPublisher;
import software.amazon.awssdk.metrics.publishers.cloudwatch.CloudWatchMetricPublisher;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.ListTablesRequest;

public class DefaultConfigForRequest {
    // Use one MetricPublisher for your application. It can be used with requests or
    // service clients.
    static MetricPublisher metricsPub = CloudWatchMetricPublisher.create();

    public static void main(String[] args) {
        DynamoDbClient ddb = DynamoDbClient.create();
        // Publish metrics for the ListTables operation.
        ddb.listTables(ListTablesRequest.builder()
            .overrideConfiguration(c -> c.addMetricPublisher(metricsPub))
            .build());

        // Perform more work in your application.

        // A MetricsPublisher has its own lifecycle independent of any service client
        // or request that uses it.
        // If you no longer need the publisher, close it to free up resources.
        metricsPub.close(); // All metrics stored in memory are flushed to CloudWatch.

        // Perform more work with the DynamoDbClient instance without publishing
        // metrics.
        // Close the service client when you no longer need it.
        ddb.close();
    }
}
```

Important

Make sure your application calls `close` on the [MetricPublisher](#) instance when the service client is no longer in use. Failure to do so results in possible thread or file descriptor leaks.

Enable summary metrics for a specific service client

The following code snippet shows how to enable a CloudWatch metrics publisher with default settings for a service client.

```
MetricPublisher metricsPub = CloudWatchMetricPublisher.create();

DynamoDbClient ddb = DynamoDbClient.builder()
    .overrideConfiguration(c -> c.addMetricPublisher(metricsPub))
    .build();
```

Customize metrics publisher

The following class demonstrates how to set up a custom configuration for the metrics publisher for a specific service client. The customizations include loading a specific profile, specifying a AWS Region where the metrics publisher sends requests, and customizing how often the publisher sends metrics to CloudWatch.

```
import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.core.metrics.CoreMetric;
import software.amazon.awssdk.metrics.MetricPublisher;
import software.amazon.awssdk.metrics.publishers.cloudwatch.CloudWatchMetricPublisher;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.cloudwatch.CloudWatchAsyncClient;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;

import java.time.Duration;

public class CustomConfigForDDBClient {
    // Use one MetricPublisher for your application. It can be used with requests or
    // service clients.

    static MetricPublisher metricsPub = CloudWatchMetricPublisher.builder()
        .cloudWatchClient(CloudWatchAsyncClient.builder()
            .region(Region.US_WEST_2)
            .credentialsProvider(ProfileCredentialsProvider.create("cloudwatch"))
            .build())
        .uploadFrequency(Duration.ofMinutes(5))
        .maximumCallsPerUpload(100)
        .namespace("ExampleSDKV2Metrics")
        .detailedMetrics(CoreMetric.API_CALL_DURATION)
        .build();
}
```

```
public static void main(String[] args) {
    DynamoDbClient ddb = DynamoDbClient.builder()
        .overrideConfiguration(c -> c.addMetricPublisher(metricsPub))
        .build();
    // Publish metrics for DynamoDB operations.
    ddb.listTables();
    ddb.describeEndpoints();
    ddb.describeLimits();
    // Perform more work in your application.

    // A MetricsPublisher has its own lifecycle independent of any service client
    or request that uses it.
    // If you no longer need the publisher, close it to free up resources.
    metricsPub.close(); // All metrics stored in memory are flushed to CloudWatch.

    // Perform more work with the DynamoDbClient instance without publishing
    metrics.
    // Close the service client when you no longer need it.
    ddb.close();
}
}
```

The customizations shown in the previous snippet have the following effects.

- The `cloudWatchClient` method lets you customize the CloudWatch client used to send metrics. In this example, we use a different region from the default of `us-east-1` where the client sends metrics. We also use a different named profile, `cloudwatch`, whose credentials will be used to authenticate requests to CloudWatch. Those credentials must have permissions to `cloudwatch:PutMetricData`.
- The `uploadFrequency` method allows you to specify how frequently the metrics publisher uploads metrics to CloudWatch. The default is once a minute.
- The `maximumCallsPerUpload` method limits the number of calls made per upload. The default is unlimited.
- By default, the SDK for Java 2.x publishes metrics under the namespace `AwsSdk/JavaSdk2`. You can use the `namespace` method to specify a different value.
- By default, the SDK publishes summary metrics. Summary metrics consist of average, minimum, maximum, sum, and sample count. By specifying one or more SDK metrics in the `detailedMetrics` method, the SDK publishes additional data for each metric. This additional data enables percentile statistics like p90 and p99 that you can query in CloudWatch. The

detailed metrics are especially useful for latency metrics like `APICallDuration`, which measures the end-to-end latency for SDK client requests. You can use fields of the [CoreMetric](#) class to specify other common SDK metrics.

When are metrics available?

Metrics are generally available within 5-10 minutes after the SDK for Java emits them. For accurate and up-to-date metrics, check Cloudwatch at least 10 minutes after emitting the metrics from your Java applications.

What information is collected?

Metrics collection includes the following:

- Number of API requests, including whether they succeed or fail
- Information about the AWS services you call in your API requests, including exceptions returned
- The duration for various operations such as Marshalling, Signing, and HTTP requests
- HTTP client metrics, such as the number of open connections, the number of pending requests, and the name of the HTTP client used

 **Note**

The metrics available vary by HTTP client.

For a complete list, see [Service client metrics](#).

How can I use this information?

You can use the metrics the SDK collects to monitor the service clients in your application. You can look at overall usage trends, identify anomalies, review service client exceptions returned, or to dig in to understand a particular issue. Using Amazon CloudWatch, you can also create alarms to notify you as soon as your application reaches a condition that you define.

For more information, see [Using Amazon CloudWatch Metrics](#) and [Using Amazon CloudWatch Alarms](#) in the [Amazon CloudWatch User Guide](#).

Service client metrics

With the AWS SDK for Java 2.x, you can collect metrics from the service clients in your application and then publish (output) those metrics to [Amazon CloudWatch](#).

These tables list the metrics that you can collect and any HTTP client usage requirement.

For more information about enabling and configuring metrics for the SDK, see [Enabling SDK metrics](#).

Metrics collected with each request

Metric name	Description	Type
ApiCallDuration	The total time taken to finish a request (inclusive of all retries).	Duration*
ApiCallSuccessful	True if the API call was successful; false if not.	Boolean
CredentialsFetchDuration	The time taken to fetch AWS signing credentials for the request.	Duration*
EndpointResolveDuration	The duration of time it took to resolve the endpoint used for the API call.	Duration*
MarshallingDuration	The time it takes to marshall an SDK request to an HTTP request.	Duration*
OperationName	The name of the AWS API the request is made to.	String
RetryCount	Number of times the SDK retried the API call.	Integer

Metric name	Description	Type
ServiceId	Service ID of the AWS service that the API request is made against.	String
TokenFetchDuration	The time taken to fetch token signing credentials for the request.	Duration*

[*java.time.Duration.](#)

Metrics collected for each request attempt

Each API call might require multiple attempts before a response is received. These metrics are collected for each attempt.

Core metrics

Metric name	Description	Type
AwsExtendedRequestId	The extended request ID of the service request.	String
AwsRequestId	The request ID of the service request.	String
BackoffDelayDuration	The duration of time the SDK waited before this API call attempt.	Duration*
ErrorType	The type of error that occurred for a call attempt.	String
ReadThroughput	The read throughput of the client in bytes/second.	Double
ServiceCallDuration	The time it takes to connect to the service, send the	Duration*

Metric name	Description	Type
	request, and receive the HTTP status code and header from the response.	
SigningDuration	The time it takes to sign the HTTP request.	Duration*
TimeToFirstByte	Elapsed time from sending the HTTP request (including acquiring a connection) to receiving the first byte of the headers in the response.	Duration*
TimeToLastByte	Elapsed time from sending the HTTP request (including acquiring a connection) to receiving the last byte of the response.	Duration*
UnmarshallingDuration	The time it takes to unmarshal an HTTP response to an SDK response.	Duration*

*[java.time.Duration](#).

HTTP Metrics

Metric name	Description	Type	HTTP client required*
AvailableConcurrency	The number of remaining concurrent requests that can be supported by the HTTP client without	Integer	Apache, Netty, CRT

Metric name	Description	Type	HTTP client required*
	needing to establish another connection.		
ConcurrencyAcquire Duration	The time taken to acquire a channel from the connection pool.	Duration*	Apache, Netty, CRT
HttpClientName	The name of the HTTP being used for the request.	String	Apache, Netty, CRT
HttpStatusCode	The status code returned with the HTTP response.	Integer	Any
LeasedConcurrency	The number of requests currently being executed by the HTTP client.	Integer	Apache, Netty, CRT
LocalStreamWindowSize	The local HTTP/2 window size in bytes for the stream that this request was executed on.	Integer	Netty
MaxConcurrency	The max number of concurrent requests supported by the HTTP client.	Integer	Apache, Netty, CRT

Metric name	Description	Type	HTTP client required*
PendingConcurrencyAcquires	The number of requests that are blocked, waiting for another TCP connection or a new stream to be available from the connection pool.	Integer	Apache, Netty, CRT
RemoteStreamWindowSize	The remote HTTP/2 window size in bytes for the stream that this request was executed on.	Integer	Netty

*[java.time.Duration](#).

The terms used in the column mean:

- Apache: the Apache-based HTTP client ([ApacheHttpClient](#))
- Netty: the Netty-based HTTP client ([NettyNioAsyncHttpClient](#))
- CRT: the AWS CRT-based HTTP client ([AwsCrtAsyncHttpClient](#))
- Any: the collection of metric data does not depend on the HTTP client; this includes the URLConnection-based HTTP client ([URLConnectionHttpClient](#))

Work with AWS services using the AWS SDK for Java 2.x

This section provides short tutorials and guidance for how to work with select AWS services. For a complete set of examples, see the [Code Examples section](#).

Topics

- [Work with CloudWatch](#)
- [AWS database services and AWS SDK for Java 2.x](#)
- [Work with DynamoDB](#)
- [Work with Amazon EC2](#)
- [Work with IAM](#)
- [Work with Kinesis](#)
- [Invoke, list, and delete AWS Lambda functions](#)
- [Work with Amazon S3](#)
- [Work with Amazon Simple Notification Service](#)
- [Work with Amazon Simple Queue Service](#)
- [Work with Amazon Transcribe](#)

Work with CloudWatch

This section provides examples of programming [Amazon CloudWatch](#) by using the AWS SDK for Java 2.x.

Amazon CloudWatch monitors your Amazon Web Services (AWS) resources and the applications you run on AWS in real time. You can use CloudWatch to collect and track metrics, which are variables you can measure for your resources and applications. CloudWatch alarms send notifications or automatically make changes to the resources you are monitoring based on rules that you define.

The following examples include only the code needed to demonstrate each technique. The [complete example code is available on GitHub](#). From there, you can download a single source file or clone the repository locally to get all the examples to build and run.

Topics

- [Get metrics from CloudWatch](#)
- [Publish custom metric data to CloudWatch](#)
- [Work with CloudWatch alarms](#)
- [Use Amazon CloudWatch Events](#)

Get metrics from CloudWatch

Listing metrics

To list CloudWatch metrics, create a [ListMetricsRequest](#) and call the CloudWatchClient's `listMetrics` method. You can use the `ListMetricsRequest` to filter the returned metrics by namespace, metric name, or dimensions.

Note

A list of metrics and dimensions that are posted by AWS services can be found within the [Amazon CloudWatch Metrics and Dimensions Reference](#) in the Amazon CloudWatch User Guide.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.cloudwatch.CloudWatchClient;
import software.amazon.awssdk.services.cloudwatch.model.CloudWatchException;
import software.amazon.awssdk.services.cloudwatch.model.ListMetricsRequest;
import software.amazon.awssdk.services.cloudwatch.model.ListMetricsResponse;
import software.amazon.awssdk.services.cloudwatch.model.Metric;
```

Code

```
public static void listMets( CloudWatchClient cw, String namespace) {

    boolean done = false;
    String nextToken = null;

    try {
        while(!done) {
```

```
ListMetricsResponse response;

if (nextToken == null) {
    ListMetricsRequest request = ListMetricsRequest.builder()
        .namespace(namespace)
        .build();

    response = cw.listMetrics(request);
} else {
    ListMetricsRequest request = ListMetricsRequest.builder()
        .namespace(namespace)
        .nextToken(nextToken)
        .build();

    response = cw.listMetrics(request);
}

for (Metric metric : response.metrics()) {
    System.out.printf(
        "Retrieved metric %s", metric.metricName());
    System.out.println();
}

if(response.nextToken() == null) {
    done = true;
} else {
    nextToken = response.nextToken();
}
}

} catch (CloudWatchException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

The metrics are returned in a [ListMetricsResponse](#) by calling its `getMetrics` method.

The results may be *paged*. To retrieve the next batch of results, call `nextToken` on the response object and use the token value to build a new request object. Then call the `listMetrics` method again with the new request.

See the [complete example](#) on GitHub.

More information

- [ListMetrics](#) in the Amazon CloudWatch API Reference

Publish custom metric data to CloudWatch

A number of AWS services publish [their own metrics](#) in namespaces beginning with " AWS ". You can also publish custom metric data using your own namespace (as long as it doesn't begin with " AWS ").

Publish custom metric data

To publish your own metric data, call the CloudWatchClient's `putMetricData` method with a [PutMetricDataRequest](#). The PutMetricDataRequest must include the custom namespace to use for the data, and information about the data point itself in a [MetricDatum](#) object.

 **Note**

You cannot specify a namespace that begins with " AWS ". Namespaces that begin with " AWS " are reserved for use by Amazon Web Services products.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.cloudwatch.CloudWatchClient;
import software.amazon.awssdk.services.cloudwatch.model.Dimension;
import software.amazon.awssdk.services.cloudwatch.model.MetricDatum;
import software.amazon.awssdk.services.cloudwatch.model.StandardUnit;
import software.amazon.awssdk.services.cloudwatch.model.PutMetricDataRequest;
import software.amazon.awssdk.services.cloudwatch.model.CloudWatchException;
import java.time.Instant;
import java.time.ZoneOffset;
import java.time.ZonedDateTime;
import java.time.format.DateTimeFormatter;
```

Code

```
public static void putMetData(CloudWatchClient cw, Double dataPoint ) {
```

```
try {
    Dimension dimension = Dimension.builder()
        .name("UNIQUE_PAGES")
        .value("URLS")
        .build();

    // Set an Instant object
    String time =
ZonedDateTime.now( ZoneOffset.UTC ).format( DateTimeFormatter.ISO_INSTANT );
    Instant instant = Instant.parse(time);

    MetricDatum datum = MetricDatum.builder()
        .metricName("PAGES_VISITED")
        .unit(StandardUnit.NONE)
        .value(dataPoint)
        .timestamp(instant)
        .dimensions(dimension).build();

    PutMetricDataRequest request = PutMetricDataRequest.builder()
        .namespace("SITE/TRAFFIC")
        .metricData(datum).build();

    cw.putMetricData(request);

} catch (CloudWatchException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
System.out.printf("Successfully put data point %f", dataPoint);
}
```

See the [complete example](#) on GitHub.

More information

- [Use Amazon CloudWatch Metrics](#) in the Amazon CloudWatch User Guide.
- [AWS Namespaces](#) in the Amazon CloudWatch User Guide.
- [PutMetricData](#) in the Amazon CloudWatch API Reference.

Work with CloudWatch alarms

Create an alarm

To create an alarm based on a CloudWatch metric, call the `CloudWatchClient`'s `putMetricAlarm` method with a [PutMetricAlarmRequest](#) filled with the alarm conditions.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.cloudwatch.CloudWatchClient;
import software.amazon.awssdk.services.cloudwatch.model.Dimension;
import software.amazon.awssdk.services.cloudwatch.model.PutMetricAlarmRequest;
import software.amazon.awssdk.services.cloudwatch.model.ComparisonOperator;
import software.amazon.awssdk.services.cloudwatch.model.Statistic;
import software.amazon.awssdk.services.cloudwatch.model.StandardUnit;
import software.amazon.awssdk.services.cloudwatch.model.CloudWatchException;
```

Code

```
public static void putMetricAlarm(CloudWatchClient cw, String alarmName, String
instanceId) {

    try {
        Dimension dimension = Dimension.builder()
            .name("InstanceId")
            .value(instanceId).build();

        PutMetricAlarmRequest request = PutMetricAlarmRequest.builder()
            .alarmName(alarmName)
            .comparisonOperator(
                ComparisonOperator.GREATER_THAN_THRESHOLD)
            .evaluationPeriods(1)
            .metricName("CPUUtilization")
            .namespace("AWS/EC2")
            .period(60)
            .statistic(Statistic.AVERAGE)
            .threshold(70.0)
            .actionsEnabled(false)
            .alarmDescription(
                "Alarm when server CPU utilization exceeds 70%")
            .unit(StandardUnit.SECONDS)
            .dimensions(dimension)

    }
}
```

```
.build();

cw.putMetricAlarm(request);
System.out.printf(
    "Successfully created alarm with name %s", alarmName);

} catch (CloudWatchException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

See the [complete example](#) on GitHub.

List alarms

To list the CloudWatch alarms that you have created, call the CloudWatchClient's `describeAlarms` method with a [DescribeAlarmsRequest](#) that you can use to set options for the result.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.cloudwatch.CloudWatchClient;
import software.amazon.awssdk.services.cloudwatch.model.CloudWatchException;
import software.amazon.awssdk.services.cloudwatch.model.DescribeAlarmsRequest;
import software.amazon.awssdk.services.cloudwatch.model.DescribeAlarmsResponse;
import software.amazon.awssdk.services.cloudwatch.model.MetricAlarm;
```

Code

```
public static void desCWAAlarms( CloudWatchClient cw) {

    try {

        boolean done = false;
        String newToken = null;

        while(!done) {
            DescribeAlarmsResponse response;

            if (newToken == null) {
```

```
        DescribeAlarmsRequest request =
DescribeAlarmsRequest.builder().build();
        response = cw.describeAlarms(request);
    } else {
        DescribeAlarmsRequest request = DescribeAlarmsRequest.builder()
            .nextToken(newToken)
            .build();
        response = cw.describeAlarms(request);
    }

    for(MetricAlarm alarm : response.metricAlarms()) {
        System.out.printf("\n Retrieved alarm %s", alarm.alarmName());
    }

    if(response.nextToken() == null) {
        done = true;
    } else {
        newToken = response.nextToken();
    }
}

} catch (CloudWatchException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
System.out.printf("Done");
}
```

The list of alarms can be obtained by calling `MetricAlarms` on the [DescribeAlarmsResponse](#) that is returned by `describeAlarms`.

The results may be *paged*. To retrieve the next batch of results, call `nextToken` on the response object and use the token value to build a new request object. Then call the `describeAlarms` method again with the new request.

 **Note**

You can also retrieve alarms for a specific metric by using the CloudWatchClient's `describeAlarmsForMetric` method. Its use is similar to `describeAlarms`.

See the [complete example](#) on GitHub.

Delete alarms

To delete CloudWatch alarms, call the `CloudWatchClient`'s `deleteAlarms` method with a [DeleteAlarmsRequest](#) containing one or more names of alarms that you want to delete.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.cloudwatch.CloudWatchClient;
import software.amazon.awssdk.services.cloudwatch.model.CloudWatchException;
import software.amazon.awssdk.services.cloudwatch.model.DeleteAlarmsRequest;
```

Code

```
public static void deleteCWAlarm(CloudWatchClient cw, String alarmName) {

    try {
        DeleteAlarmsRequest request = DeleteAlarmsRequest.builder()
            .alarmNames(alarmName)
            .build();

        cw.deleteAlarms(request);
        System.out.printf("Successfully deleted alarm %s", alarmName);

    } catch (CloudWatchException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

See the [complete example](#) on GitHub.

More information

- [Using Amazon CloudWatch alarms](#) in the Amazon CloudWatch User Guide
- [PutMetricAlarm](#) in the Amazon CloudWatch API Reference
- [DescribeAlarms](#) in the Amazon CloudWatch API Reference
- [DeleteAlarms](#) in the Amazon CloudWatch API Reference

Use Amazon CloudWatch Events

CloudWatch Events delivers a near real-time stream of system events that describe changes in AWS resources to Amazon EC2 instances, Lambda functions, Kinesis streams, Amazon ECS tasks, Step Functions state machines, Amazon SNS topics, Amazon SQS queues, or built-in targets. You can match events and route them to one or more target functions or streams by using simple rules.

Amazon EventBridge is the [evolution](#) of CloudWatch Events. Both services use the same API, so you can continue using the [CloudWatch Events client](#) provided by the SDK or migrate to the [SDK for Java's EventBridge client](#) for CloudWatch Events functionality. CloudWatch Events [User Guide documentation](#) and [API reference](#) are now available through the EventBridge documentation sites.

Add events

To add custom CloudWatch events, call the `CloudWatchEventsClient`'s `putEvents` method with a [PutEventsRequest](#) object that contains one or more [PutEventsRequestEntry](#) objects that provide details about each event. You can specify several parameters for the entry such as the source and type of the event, resources associated with the event, and so on.

Note

You can specify a maximum of 10 events per call to `putEvents`.

Imports

```
import software.amazon.awssdk.services.cloudwatch.model.CloudWatchException;
import software.amazon.awssdk.services.cloudwatchevents.CloudWatchEventsClient;
import software.amazon.awssdk.services.cloudwatchevents.model.PutEventsRequest;
import software.amazon.awssdk.services.cloudwatchevents.model.PutEventsRequestEntry;
```

Code

```
public static void putCWEVENTS(CloudWatchEventsClient cwe, String resourceArn ) {

    try {

        final String EVENT_DETAILS =
            "{ \"key1\": \"value1\", \"key2\": \"value2\" }";

        PutEventsRequestEntry requestEntry = PutEventsRequestEntry.builder()
```

```
.detail(EVENT_DETAILS)
.detailType("sampleSubmitted")
.resources(resourceArn)
.source("aws-sdk-java-cloudwatch-example")
.build();

PutEventsRequest request = PutEventsRequest.builder()
.entries(requestEntry)
.build();

cwe.putEvents(request);
System.out.println("Successfully put CloudWatch event");

} catch (CloudWatchException e) {
System.err.println(e.awsErrorDetails().errorMessage());
System.exit(1);
}
}
```

See the [complete example](#) on GitHub.

Add rules

To create or update a rule, call the `CloudWatchEventsClient`'s `putRule` method with a [PutRuleRequest](#) with the name of the rule and optional parameters such as the [event pattern](#), IAM role to associate with the rule, and a [scheduling expression](#) that describes how often the rule is run.

Imports

```
import software.amazon.awssdk.services.cloudwatch.model.CloudWatchException;
import software.amazon.awssdk.services.cloudwatchevents.CloudWatchEventsClient;
import software.amazon.awssdk.services.cloudwatchevents.model.PutRuleRequest;
import software.amazon.awssdk.services.cloudwatchevents.model.PutRuleResponse;
import software.amazon.awssdk.services.cloudwatchevents.model.RuleState;
```

Code

```
public static void putCWRule(CloudWatchEventsClient cwe, String ruleName, String
roleArn) {

try {
PutRuleRequest request = PutRuleRequest.builder()
```

```
.name(ruleName)
.roleArn(roleArn)
.scheduleExpression("rate(5 minutes)")
.state(RuleState.ENABLED)
.build();

PutRuleResponse response = cwe.putRule(request);
System.out.printf(
    "Successfully created CloudWatch events rule %s with arn %s",
    roleArn, response.ruleArn());
} catch (
    CloudWatchException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

See the [complete example](#) on GitHub.

Add targets

Targets are the resources that are invoked when a rule is triggered. Example targets include Amazon EC2 instances, Lambda functions, Kinesis streams, Amazon ECS tasks, Step Functions state machines, and built-in targets.

To add a target to a rule, call the `CloudWatchEventsClient`'s `putTargets` method with a [`PutTargetsRequest`](#) containing the rule to update and a list of targets to add to the rule.

Imports

```
import software.amazon.awssdk.services.cloudwatch.model.CloudWatchException;
import software.amazon.awssdk.services.cloudwatchevents.CloudWatchEventsClient;
import software.amazon.awssdk.services.cloudwatchevents.model.PutTargetsRequest;
import software.amazon.awssdk.services.cloudwatchevents.model.PutTargetsResponse;
import software.amazon.awssdk.services.cloudwatchevents.model.Target;
```

Code

```
public static void putCWTTargets(CloudWatchEventsClient cwe, String ruleName, String
functionArn, String targetId ) {

try {
    Target target = Target.builder()
```

```
.arn(functionArn)
.id(targetId)
.build();

PutTargetsRequest request = PutTargetsRequest.builder()
.targets(target)
.rule(ruleName)
.build();

PutTargetsResponse response = cwe.putTargets(request);
System.out.printf(
    "Successfully created CloudWatch events target for rule %s",
    ruleName);
} catch (CloudWatchException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

See the [complete example](#) on GitHub.

More information

- [Adding Events with PutEvents](#) in the Amazon EventBridge User Guide
- [Schedule Expressions for Rules](#) in the Amazon EventBridge User Guide
- [Event Types for CloudWatch Events](#) in the Amazon EventBridge User Guide
- [Event Patterns](#) in the Amazon EventBridge User Guide
- [PutEvents](#) in the Amazon EventBridge API Reference
- [PutTargets](#) in the Amazon EventBridge API Reference
- [PutRule](#) in the Amazon EventBridge API Reference

AWS database services and AWS SDK for Java 2.x

AWS offers several database types: relational, key-value, in-memory, document, and [several others](#). The SDK for Java 2.x support varies depending the nature of the database service in AWS.

Some database services, for example [Amazon DynamoDB](#) service, have web service APIs to manage the AWS resource (database) as well as web service APIs to interact with the data. In the SDK for Java 2.x these types of services have dedicated service clients, for example [DynamoDBClient](#).

Other database services have web service APIs that interact with the resource, such as the [Amazon DocumentDB API](#) (for cluster, instance and resource management), but do not have a web service API for working with the data. The SDK for Java 2.x has a corresponding [DocDbClient](#) interface for working with the resource. However, you need another Java API, such as [MongoDB for Java](#) to work with the data.

Use the examples below to learn how you use the SDK for Java 2.x service clients with the different types of databases.

Amazon DynamoDB examples

Working with the data

SDK service client: [DynamoDbClient](#)

Example: [React/Spring REST application using DynamoDB](#)

Examples: [Several DynamoDB examples](#)

SDK service client: [DynamoDbEnhancedClient](#)

Example: [React/Spring REST application using DynamoDB](#)

Examples: [Several DynamoDB examples](#)
(names starting with 'Enhanced')

Working with the database

SDK service client: [DynamoDbClient](#)

Examples: [CreateTable](#), [ListTables](#), [DeleteTable](#)

See [additional DynamoDB examples](#) in the guided code examples section of this guide.

Amazon RDS examples

Working with the data

Non-SDK API: JDBC, database-specific SQL flavor; your code manages database connections or a connection pool.

Working with the database

SDK service client: [RdsClient](#)

Working with the data	Working with the database
Example: React/Spring REST application using MySQL	Examples: Several RdsClient examples

Amazon Redshift examples

Working with the data	Working with the database
SDK service client: RedshiftDataClient	SDK service client: RedshiftClient
Examples: Several RedshiftDataClient examples	Examples: Several RedshiftClient examples
Example: React/Spring REST application using RedshiftDataClient	

Amazon Aurora Serverless v2 examples

Working with the data	Working with the database
SDK service client: RdsDataClient	SDK service client: RdsClient
Example: React/Spring REST application using RdsDataClient	Examples: Several RdsClient examples

Amazon DocumentDB examples

Working with the data	Working with the database
Non-SDK API: MongoDB-specific Java library (for example MongoDB for Java); your code manages database connections or a connection pool.	SDK service client: DocDbClient

Working with the data	Working with the database
Examples: DocumentDB (Mongo) Developer Guide (select 'Java' tab)	

Work with DynamoDB

This section provides examples that show you how to work with [DynamoDB](#).

The following examples use the standard, low-level DynamoDB client ([DynamoDbClient](#)) of the AWS SDK for Java 2.x.

- [the section called “Work with tables in DynamoDB”](#)
- [the section called “Work with items in DynamoDB”](#)

The SDK also offers the [DynamoDB Enhanced Client](#) that provides a high-level, object-oriented approach for working with DynamoDB. The following section discusses this client in depth.

- [the section called “ Map objects to DynamoDB items”](#)

Use AWS account-based endpoints

DynamoDB offers [AWS account-based endpoints](#) that can improve performance by using your AWS account ID to streamline request routing.

To take advantage of this feature, you need to use version 2.28.4 or greater of version 2 of AWS SDK for Java. You can find the latest version of the SDK listed in the [Maven central repository](#). After a supported version of SDK is active, it automatically uses the new endpoints.

If you want to opt out of the account-based routing, you have four options:

- Configure a DynamoDB service client with the AccountIdEndpointMode set to DISABLED.
- Set an environment variable.
- Set a JVM system property.
- Update the shared AWS config file setting.

The following snippet is an example of how to disable account-based routing by configuring a DynamoDB service client:

```
DynamoDbClient.builder()  
    .accountIdEndpointMode(AccountIdEndpointMode.DISABLED)  
    .build();
```

The AWS SDKs and Tools Reference Guide provides more information on the last [three configuration options](#).

Work with tables in DynamoDB

Tables are the containers for all items in a DynamoDB database. Before you can add or remove data from DynamoDB, you must create a table.

For each table, you must define:

- A table *name* that is unique for your account and Region.
- A *primary key* for which every value must be unique; no two items in your table can have the same primary key value.

A primary key can be *simple*, consisting of a single partition (HASH) key, or *composite*, consisting of a partition and a sort (RANGE) key.

Each key value has an associated *data type*, enumerated by the [ScalarAttributeType](#) class. The key value can be binary (B), numeric (N), or a string (S). For more information, see [Naming Rules and Data Types](#) in the Amazon DynamoDB Developer Guide.

- *Provisioned throughput* are values that define the number of reserved read/write capacity units for the table.

 **Note**

[Amazon DynamoDB pricing](#) is based on the provisioned throughput values that you set on your tables, so reserve only as much capacity as you think you'll need for your table.

Provisioned throughput for a table can be modified at any time, so you can adjust capacity as your needs change.

Create a table

Use the `DynamoDbClient`'s `createTable` method to create a new DynamoDB table. You need to construct table attributes and a table schema, both of which are used to identify the primary key of your table. You must also supply initial provisioned throughput values and a table name.

 **Note**

If a table with the name you chose already exists, a [DynamoDbException](#) is thrown.

Create a table with a simple primary key

This code creates a table with one attribute that is the table's simple primary key. the example uses [AttributeDefinition](#) and [KeySchemaElement](#) objects for the [CreateTableRequest](#).

Imports

```
import software.amazon.awssdk.core.waiters.WaiterResponse;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.model.CreateTableRequest;
import software.amazon.awssdk.services.dynamodb.model.AttributeDefinition;
import software.amazon.awssdk.services.dynamodb.model.ScalarAttributeType;
import software.amazon.awssdk.services.dynamodb.model.ScalarAttributeType;
import software.amazon.awssdk.services.dynamodb.model.KeySchemaElement;
import software.amazon.awssdk.services.dynamodb.model.ProvisionedThroughput;
import software.amazon.awssdk.services.dynamodb.model.KeyType;
import software.amazon.awssdk.services.dynamodb.model.CreateTableResponse;
import software.amazon.awssdk.services.dynamodb.model.DescribeTableRequest;
import software.amazon.awssdk.services.dynamodb.model.DescribeTableResponse;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.waiters.DynamoDbWaiter;
```

Code

```
public static String createTable(DynamoDbClient ddb, String tableName, String key)
{
    DynamoDbWaiter dbWaiter = ddb.waiter();
    CreateTableRequest request = CreateTableRequest.builder()
        .attributeDefinitions(AttributeDefinition.builder()
```

```
.attributeName(key)
.attributeType(ScalarAttributeType.S)
.build())
.keySchema(KeySchemaElement.builder()
.attributeName(key)
.keyType(KeyType.HASH)
.build())
.provisionedThroughput(ProvisionedThroughput.builder()
.readCapacityUnits(new Long(10))
.writeCapacityUnits(new Long(10))
.build())
.tableName(tableName)
.build();

String newTable = "";
try {
    CreateTableResponse response = ddb.createTable(request);
    DescribeTableRequest tableRequest = DescribeTableRequest.builder()
        .tableName(tableName)
        .build();

    // Wait until the Amazon DynamoDB table is created
    WaiterResponse<DescribeTableResponse> waiterResponse =
dbWaiter.waitUntilTableExists(tableRequest);
    waiterResponse.matched().response().ifPresent(System.out::println);

    newTable = response.tableDescription().tableName();
    return newTable;

} catch (DynamoDbException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
return "";
}
```

See the [complete example](#) on GitHub.

Create a table with a composite primary key

The following example creates a table with two attributes. Both attributes are used for the composite primary key.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.model.AttributeDefinition;
import software.amazon.awssdk.services.dynamodb.model.CreateTableRequest;
import software.amazon.awssdk.services.dynamodb.model.CreateTableResponse;
import software.amazon.awssdk.services.dynamodb.model.KeySchemaElement;
import software.amazon.awssdk.services.dynamodb.model.KeyType;
import software.amazon.awssdk.services.dynamodb.model.ProvisionedThroughput;
import software.amazon.awssdk.services.dynamodb.model.ScalarAttributeType;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
```

Code

```
public static String createTableComKey(DynamoDbClient ddb, String tableName) {
    CreateTableRequest request = CreateTableRequest.builder()
        .attributeDefinitions(
            AttributeDefinition.builder()
                .attributeName("Language")
                .attributeType(ScalarAttributeType.S)
                .build(),
            AttributeDefinition.builder()
                .attributeName("Greeting")
                .attributeType(ScalarAttributeType.S)
                .build())
        .keySchema(
            KeySchemaElement.builder()
                .attributeName("Language")
                .keyType(KeyType.HASH)
                .build(),
            KeySchemaElement.builder()
                .attributeName("Greeting")
                .keyType(KeyType.RANGE)
                .build())
        .provisionedThroughput(
            ProvisionedThroughput.builder()
                .readCapacityUnits(new Long(10))
                .writeCapacityUnits(new Long(10)).build())
        .tableName(tableName)
        .build();

    String tableId = "";

    try {
```

```
        CreateTableResponse result = ddb.createTable(request);
        tableId = result.tableDescription().tableId();
        return tableId;
    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
    return "";
}
```

See the [complete example](#) on GitHub.

List tables

You can list the tables in a particular Region by calling the `DynamoDbClient`'s `listTables` method.

Note

If the named table doesn't exist for your account and Region, a [`ResourceNotFoundException`](#) is thrown.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.model.ListTablesResponse;
import software.amazon.awssdk.services.dynamodb.model.ListTablesRequest;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import java.util.List;
```

Code

```
public static void listAllTables(DynamoDbClient ddb){

    boolean moreTables = true;
    String lastName = null;

    while(moreTables) {
```

```
try {
    ListTablesResponse response = null;
    if (lastName == null) {
        ListTablesRequest request = ListTablesRequest.builder().build();
        response = ddb.listTables(request);
    } else {
        ListTablesRequest request = ListTablesRequest.builder()
            .exclusiveStartTableName(lastName).build();
        response = ddb.listTables(request);
    }

    List<String> tableNames = response.tableNames();

    if (tableNames.size() > 0) {
        for (String curName : tableNames) {
            System.out.format("* %s\n", curName);
        }
    } else {
        System.out.println("No tables found!");
        System.exit(0);
    }

    lastName = response.lastEvaluatedTableName();
    if (lastName == null) {
        moreTables = false;
    }
} catch (DynamoDbException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
System.out.println("\nDone!");
}
```

By default, up to 100 tables are returned per call—use `lastEvaluatedTableName` on the returned [ListTablesResponse](#) object to get the last table that was evaluated. You can use this value to start the listing after the last returned value of the previous listing.

See the [complete example](#) on GitHub.

Describe (get information about) a table

Use the `DynamoDbClient`'s `describeTable` method to get information about a table.

Note

If the named table doesn't exist for your account and Region, a [ResourceNotFoundException](#) is thrown.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.AttributeDefinition;
import software.amazon.awssdk.services.dynamodb.model.DescribeTableRequest;
import software.amazon.awssdk.services.dynamodb.model.ProvisionedThroughputDescription;
import software.amazon.awssdk.services.dynamodb.model.TableDescription;
import java.util.List;
```

Code

```
public static void describeDynamoDBTable(DynamoDbClient ddb, String tableName) {

    DescribeTableRequest request = DescribeTableRequest.builder()
        .tableName(tableName)
        .build();

    try {
        TableDescription tableInfo =
            ddb.describeTable(request).table();

        if (tableInfo != null) {
            System.out.format("Table name : %s\n",
                tableInfo.tableName());
            System.out.format("Table ARN   : %s\n",
                tableInfo.tableArn());
            System.out.format("Status      : %s\n",
                tableInfo.tableStatus());
            System.out.format("Item count  : %d\n",
                tableInfo.itemCount().longValue());
            System.out.format("Size (bytes): %d\n",
                tableInfo.tableSizeBytes().longValue());

            ProvisionedThroughputDescription throughputInfo =

```

```
        tableInfo.provisionedThroughput();
System.out.println("Throughput");
System.out.format(" Read Capacity : %d\n",
                 throughputInfo.readCapacityUnits().longValue());
System.out.format(" Write Capacity: %d\n",
                 throughputInfo.writeCapacityUnits().longValue());

List<AttributeDefinition> attributes =
    tableInfo.attributeDefinitions();
System.out.println("Attributes");

for (AttributeDefinition a : attributes) {
    System.out.format(" %s (%s)\n",
                      a.attributeName(), a.attributeType());
}
}

} catch (DynamoDbException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
System.out.println("\nDone!");
}
```

See the [complete example](#) on GitHub.

Modify (update) a table

You can modify your table's provisioned throughput values at any time by calling the `DynamoDbClient`'s `updateTable` method.

Note

If the named table doesn't exist for your account and Region, a [`ResourceNotFoundException`](#) is thrown.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.model.ProvisionedThroughput;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.UpdateTableRequest;
```

```
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
```

Code

```
public static void updateDynamoDBTable(DynamoDbClient ddb,
                                         String tableName,
                                         Long readCapacity,
                                         Long writeCapacity) {

    System.out.format(
        "Updating %s with new provisioned throughput values\n",
        tableName);
    System.out.format("Read capacity : %d\n", readCapacity);
    System.out.format("Write capacity : %d\n", writeCapacity);

    ProvisionedThroughput tableThroughput = ProvisionedThroughput.builder()
        .readCapacityUnits(readCapacity)
        .writeCapacityUnits(writeCapacity)
        .build();

    UpdateTableRequest request = UpdateTableRequest.builder()
        .provisionedThroughput(tableThroughput)
        .tableName(tableName)
        .build();

    try {
        ddb.updateTable(request);
    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }

    System.out.println("Done!");
}
```

See the [complete example](#) on GitHub.

Delete a table

To delete a table, call `DynamoDbClient's` `deleteTable` method and provide the table's name.

Note

If the named table doesn't exist for your account and Region, a [ResourceNotFoundException](#) is thrown.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.DeleteTableRequest;
```

Code

```
public static void deleteDynamoDBTable(DynamoDbClient ddb, String tableName) {

    DeleteTableRequest request = DeleteTableRequest.builder()
        .tableName(tableName)
        .build();

    try {
        ddb.deleteTable(request);

    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
    System.out.println(tableName + " was successfully deleted!");
}
```

See the [complete example](#) on GitHub.

More information

- [Guidelines for Working with Tables](#) in the Amazon DynamoDB Developer Guide
- [Working with Tables in DynamoDB](#) in the Amazon DynamoDB Developer Guide

Work with items in DynamoDB

In DynamoDB, an item is a collection of *attributes*, each of which has a *name* and a *value*. An attribute value can be a scalar, set, or document type. For more information, see [Naming Rules and Data Types](#) in the Amazon DynamoDB Developer Guide.

Retrieve (get) an item from a table

Call the `DynamoDbClient's getItem` method and pass it a [GetItemRequest](#) object with the table name and primary key value of the item you want. It returns a [GetItemResponse](#) object with all of the attributes for that item. You can specify one or more [projection expressions](#) in the `GetItemRequest` to retrieve specific attributes.

You can use the returned `GetItemResponse` object's `item()` method to retrieve a [Map](#) of key (`String`) and value ([AttributeValue](#)) pairs that are associated with the item.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.AttributeValue;
import software.amazon.awssdk.services.dynamodb.model.GetItemRequest;
import java.util.HashMap;
import java.util.Map;
import java.util.Set;
```

Code

```
public static void getDynamoDBItem(DynamoDbClient ddb, String tableName, String key, String keyVal ) {

    HashMap<String,AttributeValue> keyToGet = new HashMap<String,AttributeValue>();

    keyToGet.put(key, AttributeValue.builder()
        .s(keyVal).build());

    GetItemRequest request = GetItemRequest.builder()
        .key(keyToGet)
        .tableName(tableName)
        .build();
```

```
try {
    Map<String,AttributeValue> returnedItem = ddb.getItem(request).item();

    if (returnedItem != null) {
        Set<String> keys = returnedItem.keySet();
        System.out.println("Amazon DynamoDB table attributes: \n");

        for (String key1 : keys) {
            System.out.format("%s: %s\n", key1,
returnedItem.get(key1).toString());
        }
    } else {
        System.out.format("No item found with the key %s!\n", key);
    }
} catch (DynamoDbException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
}
```

See the [complete example](#) on GitHub.

Retrieve (get) an item from a table using the asynchronous client

Invoke the `getItem` method of the `DynamoDbAsyncClient` and pass it a [GetItemRequest](#) object with the table name and primary key value of the item you want.

You can return a [Collection](#) instance with all of the attributes for that item (refer to the following example).

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.model.GetItemRequest;
import software.amazon.awssdk.services.dynamodb.model.AttributeValue;
import software.amazon.awssdk.services.dynamodb.DynamoDbAsyncClient;
import java.util.HashMap;
import java.util.Map;
import java.util.Set;
import java.util.stream.Collectors;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
```

Code

```
public static void getItem(DynamoDbAsyncClient client, String tableName, String key, String keyVal) {

    HashMap<String, AttributeValue> keyToGet =
        new HashMap<String, AttributeValue>();

    keyToGet.put(key, AttributeValue.builder()
        .s(keyVal).build());

    try {

        // Create a GetItemRequest instance
        GetItemRequest request = GetItemRequest.builder()
            .key(keyToGet)
            .tableName(tableName)
            .build();

        // Invoke the DynamoDbAsyncClient object's getItem
        java.util.Collection<AttributeValue> returnedItem =
client.getItem(request).join().item().values();

        // Convert Set to Map
        Map<String, AttributeValue> map =
returnedItem.stream().collect(Collectors.toMap(AttributeValue::s, s->s));
        Set<String> keys = map.keySet();
        for (String sinKey : keys) {
            System.out.format("%s: %s\n", sinKey, map.get(sinKey).toString());
        }

    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

See the [complete example](#) on GitHub.

Add a new item to a table

Create a [Map](#) of key-value pairs that represent the item's attributes. These must include values for the table's primary key fields. If the item identified by the primary key already exists, its fields are *updated* by the request.

Note

If the named table doesn't exist for your account and region, a [ResourceNotFoundException](#) is thrown.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.AttributeValue;
import software.amazon.awssdk.services.dynamodb.model.PutItemRequest;
import software.amazon.awssdk.services.dynamodb.model.ResourceNotFoundException;
import java.util.HashMap;
```

Code

```
public static void putItemInTable(DynamoDbClient ddb,
                                  String tableName,
                                  String key,
                                  String keyVal,
                                  String albumTitle,
                                  String albumTitleValue,
                                  String awards,
                                  String awardVal,
                                  String songTitle,
                                  String songTitleVal){

    HashMap<String,AttributeValue> itemValues = new
    HashMap<String,AttributeValue>();

    // Add all content to the table
    itemValues.put(key, AttributeValue.builder().s(keyVal).build());
    itemValues.put(songTitle, AttributeValue.builder().s(songTitleVal).build());
    itemValues.put(albumTitle,
    AttributeValue.builder().s(albumTitleValue).build());
    itemValues.put(awards, AttributeValue.builder().s(awardVal).build());

    PutItemRequest request = PutItemRequest.builder()
        .tableName(tableName)
        .item(itemValues)
```

```
        .build();

    try {
        ddb.putItem(request);
        System.out.println(tableName +" was successfully updated");

    } catch (ResourceNotFoundException e) {
        System.err.format("Error: The Amazon DynamoDB table \\\"%s\\\" can't be found.
\n", tableName);
        System.err.println("Be sure that it exists and that you've typed its name
correctly!");
        System.exit(1);
    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

See the [complete example](#) on GitHub.

Update an existing item in a table

You can update an attribute for an item that already exists in a table by using the `DynamoDbClient's updateItem method`, providing a table name, primary key value, and a map of fields to update.

Note

If the named table doesn't exist for your account and region, or if the item identified by the primary key you passed in doesn't exist, a [ResourceNotFoundException](#) is thrown.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.model.AttributeAction;
import software.amazon.awssdk.services.dynamodb.model.AttributeValue;
import software.amazon.awssdk.services.dynamodb.model.AttributeValueUpdate;
import software.amazon.awssdk.services.dynamodb.model.ResourceNotFoundException;
import software.amazon.awssdk.services.dynamodb.model.UpdateItemRequest;
```

```
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import java.util.HashMap;
```

Code

```
public static void updateTableItem(DynamoDbClient ddb,
                                    String tableName,
                                    String key,
                                    String keyVal,
                                    String name,
                                    String updateVal){

    HashMap<String,AttributeValue> itemKey = new HashMap<String,AttributeValue>();

    itemKey.put(key, AttributeValue.builder().s(keyVal).build());

    HashMap<String,AttributeValueUpdate> updatedValues =
        new HashMap<String,AttributeValueUpdate>();

    // Update the column specified by name with updatedVal
    updatedValues.put(name, AttributeValueUpdate.builder()
        .value(AttributeValue.builder().s(updateVal).build())
        .action(AttributeAction.PUT)
        .build());

    UpdateItemRequest request = UpdateItemRequest.builder()
        .tableName(tableName)
        .key(itemKey)
        .attributeUpdates(updatedValues)
        .build();

    try {
        ddb.updateItem(request);
    } catch (ResourceNotFoundException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }

    System.out.println("Done!");
}
```

See the [complete example](#) on GitHub.

Delete an existing item in a table

You can delete an item that exists in a table by using the `DynamoDbClient`'s `deleteItem` method and providing a table name as well as the primary key value.

Note

If the named table doesn't exist for your account and region, or if the item identified by the primary key you passed in doesn't exist, a [ResourceNotFoundException](#) is thrown.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.AttributeValue;
import software.amazon.awssdk.services.dynamodb.model.DeleteItemRequest;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import java.util.HashMap;
```

Code

```
public static void deleteDynamoDBItem(DynamoDbClient ddb, String tableName, String key, String keyVal) {

    HashMap<String,AttributeValue> keyToGet =
        new HashMap<String,AttributeValue>();

    keyToGet.put(key, AttributeValue.builder()
        .s(keyVal)
        .build());

    DeleteItemRequest deleteReq = DeleteItemRequest.builder()
        .tableName(tableName)
        .key(keyToGet)
        .build();

    try {
        ddb.deleteItem(deleteReq);
    } catch (DynamoDbException e) {
```

```
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

See the [complete example](#) on GitHub.

More information

- [Guidelines for Working with Items](#) in the Amazon DynamoDB Developer Guide
- [Working with Items in DynamoDB](#) in the Amazon DynamoDB Developer Guide

Map Java objects to DynamoDB items with the AWS SDK for Java 2.x

The [DynamoDB Enhanced Client API](#) is a high-level library that is the successor to the `DynamoDBMapper` class of in the SDK for Java v1.x. It offers a straightforward way to map client-side classes to DynamoDB tables. You define the relationships between tables and their corresponding data classes in your code. After you define those relationships, you can intuitively perform various create, read, update, or delete (CRUD) operations on tables or items in DynamoDB.

The DynamoDB Enhanced Client API also includes the [Enhanced Document API](#) that enables you to work with document-type items that do not follow a defined schema.

The DynamoDB Enhanced Client API is discussed in the following topics.

- [Get Started using the DynamoDB Enhanced Client API](#)
- [Learn the basics of the DynamoDB Enhanced Client API](#)
- [Use advanced mapping features](#)
- [Work with JSON documents with the Enhanced Document API for DynamoDB](#)
- [Use extensions](#)
- [Use the DynamoDB Enhanced Client API asynchronously](#)
- [Data class annotations](#)

Get Started using the DynamoDB Enhanced Client API

The following tutorial introduces you to fundamentals that you need to work with the DynamoDB Enhanced Client API.

Add dependencies

To begin working with the DynamoDB Enhanced Client API in your project, add a dependency on the dynamodb-enhanced Maven artifact. This is shown in the following examples.

Maven

```
<project>
  <dependencyManagement>
    <dependencies>
      <dependency>
        <groupId>software.amazon.awssdk</groupId>
        <artifactId>bom</artifactId>
        <version><VERSION></version>
        <type>pom</type>
        <scope>import</scope>
      </dependency>
    </dependencies>
  </dependencyManagement>
  <dependencies>
    <dependency>
      <groupId>software.amazon.awssdk</groupId>
      <artifactId>dynamodb-enhanced</artifactId>
    </dependency>
  </dependencies>
  ...
</project>
```

Perform a search of the Maven central repository for the [latest version](#) and replace `<VERSION>` with this value.

Gradle

```
repositories {
  mavenCentral()
}
dependencies {
  implementation(platform("software.amazon.awssdk:bom:<VERSION>"))
  implementation("software.amazon.awssdk:dynamodb-enhanced")
  ...
}
```

Perform a search of the Maven central repository for the [latest version](#) and replace `<VERSION>` with this value.

Generate a TableSchema from a data class

A [TableSchema](#) enables the enhanced client to map DynamoDB attribute values to and from your client-side classes. In this tutorial, you learn about TableSchemas derived from a static data class and generated from code by using a builder.

Use an annotated data class

The SDK for Java 2.x includes a [set of annotations](#) that you can use with a data class to quickly generate a TableSchema for mapping your classes to tables.

Start by creating a data class that conforms to the [JavaBean specification](#). The specification requires that a class has a no-argument public constructor and has getters and setters for each attribute in the class. Include a class-level annotation to indicate that the data class is a `DynamoDbBean`. Also, at a minimum, include a `DynamoDbPartitionKey` annotation on the getter or setter for the primary key attribute.

You can apply [attribute-level annotations](#) to getters or setters, but not both.

Note

The term `property` is normally used for a value encapsulated in a JavaBean. However, this guide uses the term `attribute` instead, to be consistent with the terminology used by DynamoDB.

The following `Customer` class shows annotations that link the class definition to a DynamoDB table.

Customer class

```
package org.example.tests.model;

import software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbBean;
import
software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbPartitionKey;
```

```
import software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbSortKey;

import java.time.Instant;

@DynamoDbBean
public class Customer {

    private String id;
    private String name;
    private String email;
    private Instant regDate;

    @DynamoDbPartitionKey
    public String getId() { return this.id; }

    public void setId(String id) { this.id = id; }

    public String getCustName() { return this.name; }

    public void setCustName(String name) { this.name = name; }

    @DynamoDbSortKey
    public String getEmail() { return this.email; }

    public void setEmail(String email) { this.email = email; }

    public Instant getRegistrationDate() { return this.regDate; }

    public void setRegistrationDate(Instant registrationDate) { this.regDate =
registrationDate; }

    @Override
    public String toString() {
        return "Customer [id=" + id + ", name=" + name + ", email=" + email
+ ", regDate=" + regDate + "]";
    }
}
```

After you have created an annotated data class, use it to create the `TableSchema`, as shown in the following snippet.

```
static final TableSchema<Customer> customerTableSchema =
TableSchema.fromBean(Customer.class);
```

A `TableSchema` is designed to be static and immutable. You can usually instantiate it at class-load time.

The static `TableSchema.fromBean()` factory method introspects the bean to generate the mapping of data class attributes (properties) to and from DynamoDB attributes.

For an example of working with a data model made up of several data classes, see the `Person` class in the [???](#) section.

Use a builder

You can skip the cost of bean introspection if you define the table schema in code. If you code the schema, your class does not need to follow JavaBean naming standards nor does it need to be annotated. The following example uses a builder and is equivalent to the `Customer` class example that uses annotations.

```
static final TableSchema<Customer> customerTableSchema =
    TableSchema.builder(Customer.class)
        .newItemSupplier(Customer::new)
        .addAttribute(String.class, a -> a.name("id")
            .getter(Customer::getId)
            .setter(Customer::setId)
            .tags(StaticAttributeTags.primaryPartitionKey()))
        .addAttribute(String.class, a -> a.name("email")
            .getter(Customer::getEmail)
            .setter(Customer::setEmail)
            .tags(StaticAttributeTags.primarySortKey()))
        .addAttribute(String.class, a -> a.name("name")
            .getter(Customer::getCustName)
            .setter(Customer::setCustName))
        .addAttribute(Instant.class, a -> a.name("registrationDate")
            .getter(Customer::getRegistrationDate)
            .setter(Customer::setRegistrationDate))
    .build();
```

Create an enhanced client and `DynamoDbTable`

Create an enhanced client

The [DynamoDbEnhancedClient](#) class or its asynchronous counterpart, [DynamoDbEnhancedAsyncClient](#), is the entry point to working with the DynamoDB Enhanced Client API.

The enhanced client requires a standard [DynamoDbClient](#) to perform work. The API offers two ways to create a `DynamoDbEnhancedClient` instance. The first option, shown in the following snippet, creates a standard `DynamoDbClient` with default settings picked up from configuration settings.

```
DynamoDbEnhancedClient enhancedClient = DynamoDbEnhancedClient.create();
```

If you want to configure the underlying standard client, you can supply it to the enhanced client's `builder` method as shown in the following snippet.

```
// Configure an instance of the standard DynamoDbClient.  
DynamoDbClient standardClient = DynamoDbClient.builder()  
    .region(Region.US_EAST_1)  
    .credentialsProvider(ProfileCredentialsProvider.create())  
    .build();  
  
// Use the configured standard client with the enhanced client.  
DynamoDbEnhancedClient enhancedClient = DynamoDbEnhancedClient.builder()  
    .dynamoDbClient(standardClient)  
    .build();
```

Create a `DynamoDbTable` instance

Think of a [DynamoDbTable](#) as the client-side representation of a DynamoDB table that uses the mapping functionality provided by a `TableSchema`. The `DynamoDbTable` class provides methods for CRUD operations that let you interact with a single DynamoDB table.

`DynamoDbTable<T>` is a generic class that takes a single type argument, whether it is a custom class or an `EnhancedDocument` when working with document-type items. This argument type establishes the relationship between the class that you use and the single DynamoDB table.

Use the `table()` factory method of the `DynamoDbEnhancedClient` to create a `DynamoDbTable` instance as shown in the following snippet.

```
static final DynamoDbTable<Customer> customerTable =  
    enhancedClient.table("Customer", TableSchema.fromBean(Customer.class));
```

`DynamoDbTable` instances are candidates for singletons because they are immutable and can be used throughout your application.

Your code now has an in-memory representation of a DynamoDB table that can work with `Customer` instances. The actual DynamoDB table might or might not exist. If the table named `Customer` already exists, you can begin performing CRUD operations against it. If it doesn't exist, use the `DynamoDbTable` instance to create the table as discussed in the next section.

Create a DynamoDB table if needed

After you have created a `DynamoDbTable` instance, use it to perform a *one-time* creation of a table in DynamoDB.

Create table example code

The following example creates a DynamoDB table based on the `Customer` data class.

This example creates a DynamoDB table with the name `Customer`—identical to the class name—but the table name can be something else. Whatever you name the table, you must use this name in additional applications to work with the table. Supply this name to the `table()` method anytime you create another `DynamoDbTable` object in order to work with the underlying DynamoDB table.

The Java lambda parameter, `builder`, passed to the `createTable` method lets you [customize the table](#). In this example, [provisioned throughput](#) is configured. If you want to use default settings when you create a table, skip the builder as shown in the following snippet.

```
customerTable.createTable();
```

When default settings are used, values for provisioned throughput are not set. Instead, the billing mode for the table is set to [on-demand](#).

The example also uses a [DynamoDbWaiter](#) before attempting to print out the table name received in the response. The creation of a table takes some time. Therefore, using a waiter means you don't have to write logic that polls the DynamoDB service to see if the table exists before using the table.

Imports

```
import com.example.dynamodb.Customer;
import software.amazon.awssdk.core.internal.waiters.ResponseOrException;
import software.amazon.awssdk.enhanced.dynamodb.DynamoDbEnhancedClient;
import software.amazon.awssdk.enhanced.dynamodb.DynamoDbTable;
import software.amazon.awssdk.enhanced.dynamodb.TableSchema;
import software.amazon.awssdk.services.dynamodb.model.DescribeTableResponse;
```

```
import software.amazon.awssdk.services.dynamodb.waiters.DynamoDbWaiter;
```

Code

```
public static void createCustomerTable(DynamoDbTable<Customer> customerTable,
DynamoDbClient standardClient) {
    // Create the DynamoDB table using the 'customerTable' DynamoDbTable instance.
    customerTable.createTable(builder -> builder
        .provisionedThroughput(b -> b
            .readCapacityUnits(10L)
            .writeCapacityUnits(10L)
            .build())
    );
    // The DynamoDbClient instance (named 'standardClient') passed to the builder for
    // the DynamoDbWaiter is the same instance
    // that was passed to the builder of the DynamoDbEnhancedClient instance that we
    // created previously.
    // By using the same instance, it ensures that the same Region that was configured
    // on the standard DynamoDbClient
    // instance is used for other service clients that accept a DynamoDbClient during
    // construction.
    try (DynamoDbWaiter waiter =
DynamoDbWaiter.builder().client(standardClient).build()) { // DynamoDbWaiter is
Autocloseable
        ResponseOrException<DescribeTableResponse> response = waiter
            .waitUntilTableExists(builder ->
builder.tableName("Customer").build()
            .matched());
        DescribeTableResponse tableDescription = response.response().orElseThrow(
            () -> new RuntimeException("Customer table was not created."));
        // The actual error can be inspected in response.exception()
        logger.info("Customer table was created.");
    }
}
```

Note

A DynamoDB table's attribute names begin with a lowercase letter when the table is generated from a data class. If you want the table's attribute name to begin with an uppercase letter, use the [@DynamoDbAttribute\(NAME\) annotation](#) and provide the name you want as a parameter.

Perform operations

After the table is created, use the `DynamoDbTable` instance to perform operations against the DynamoDB table.

In the following example, a singleton `DynamoDbTable<Customer>` is passed as a parameter along with a [Customer data class](#) instance to add a new item to the table.

```
public static void putItemExample(DynamoDbTable<Customer> customerTable, Customer customer){
    logger.info(customer.toString());
    customerTable.putItem(customer);
}
```

Customer object

```
Customer customer = new Customer();
customer.setId("1");
customer.setCustName("Customer Name");
customer.setEmail("customer@example.com");
customer.setRegistrationDate(Instant.parse("2023-07-03T10:15:30.00Z"));
```

Before sending the `customer` object to the DynamoDB service, log the output of the object's `toString()` method to compare it to what the enhanced client sends.

```
Customer [id=1, name=Customer Name, email=customer@example.com,
regDate=2023-07-03T10:15:30Z]
```

Wire-level logging shows the payload of the generated request. The enhanced client generated the low-level representation from the data class. The `regDate` attribute, which is an `Instant` type in Java, is represented as a DynamoDB string.

```
{
    "TableName": "Customer",
    "Item": {
        "registrationDate": {
            "S": "2023-07-03T10:15:30Z"
        },
        "id": {
            "S": "1"
        }
    }
}
```

```
},
"custName": {
    "S": "Customer Name"
},
"email": {
    "S": "customer@example.com"
}
}
```

Work with an existing table

The previous section showed how to create a DynamoDB table starting with a Java data class. If you already have an existing table and want to use the features of the enhanced client, you can create a Java data class to work with the table. You need to examine the DynamoDB table and add the necessary annotations to the data class.

Before you work with an existing table, call the `DynamoDbEnhanced.table()` method. This was done in the previous example with the following statement.

```
DynamoDbTable<Customer> customerTable = enhancedClient.table("Customer",
    TableSchema.fromBean(Customer.class));
```

After the `DynamoDbTable` instance is returned, you can begin working right away with the underlying table. You do not need to recreate the table by calling the `DynamoDbTable.createTable()` method.

The following example demonstrates this by immediately retrieving a `Customer` instance from the DynamoDB table.

```
DynamoDbTable<Customer> customerTable = enhancedClient.table("Customer",
    TableSchema.fromBean(Customer.class));
// The Customer table exists already and has an item with a primary key value of "1"
// and a sort key value of "customer@example.com".
customerTable.getItem(
    Key.builder().
        partitionValue("1").
        sortValue("customer@example.com").build());
```

Important

The table name used in the `table()` method must match the existing DynamoDB table name.

Learn the basics of the DynamoDB Enhanced Client API

This topic discusses the basic features of the DynamoDB Enhanced Client API and compares it to the [standard DynamoDB client API](#).

If you are new to the DynamoDB Enhanced Client API, we recommend that you go through the [introductory tutorial](#) to familiarize yourself with fundamental classes.

DynamoDB items in Java

DynamoDB tables store items. Depending on your use case, items on the Java side can take the form of statically structured data or structures created dynamically.

If your use case calls for items with a consistent set of attributes, use [annotated classes](#) or use a [builder](#) to generate the appropriate statically-typed `TableSchema`.

Alternatively, if you need to store items that consist of varying structures, create a `DocumentTableSchema`. `DocumentTableSchema` is part of the [Enhanced Document API](#) and requires only a statically-typed primary key and works with `EnhancedDocument` instances to hold the data elements. The Enhanced Document API is covered in another [topic](#).

Attribute types for data model classes

Although DynamoDB supports [a small number of attribute types](#) compared to the rich type system of Java, the DynamoDB Enhanced Client API provides mechanisms to convert members of a Java class to and from DynamoDB attribute types.

The attribute types (properties) of your Java data classes should be objects types, not primitives. For example, always use `Long` and `Integer` object data types, not `long` and `int` primitives.

By default, the DynamoDB Enhanced Client API supports attribute converters for a large number of types, such as [Integer](#), [String](#), [BigDecimal](#), and [Instant](#). The list appears in the [known implementing classes of the AttributeConverter interface](#). The list includes many types and collections such as maps, lists, and sets.

To store the data for an attribute type that isn't supported by default or doesn't conform to the JavaBean convention, you can write a custom `AttributeConverter` implementation to do the conversion. See the attribute conversion section for an [example](#).

To store the data for an attribute type whose class conforms to the Java beans specification (or an [immutable data class](#)), you can take two approaches.

- If you have access to the source file, you can annotate the class with `@DynamoDbBean` (or `@DynamoDbImmutable`). The section that discusses nested attributes shows [examples](#) of using annotated classes.
- If you do not have access to the source file of the JavaBean data class for the attribute (or you don't want to annotate the source file of a class that you do have access to), then you can use the builder approach. This creates a table schema without defining the keys. Then, you can nest this table schema inside another table schema to perform the mapping. The nested attribute section has an [example](#) showing use of nested schemas.

Null values

When you use the `putItem` method, the enhanced client does not include null-valued attributes of a mapped data object in the request to DynamoDB.

The SDK's default behavior for `updateItem` requests removes attributes from the item in DynamoDB that are set to null in the object that you submit in the `updateItem` method. If you intend to update some attribute values and keep the others unchanged, you have two options.

- Retrieve the item (by using `getItem`) before you make changes to values. By using this approach, the SDK submits all updated and old values to DynamoDB.
- Use either the `IgnoreNullsMode.SCALAR_ONLY` or `IgnoreNullsMode.MAPS_ONLY` when you build the request to update the item. Both modes ignore null-valued properties in the object that represent scalar attributes in DynamoDB. The [the section called "Update items that contain complex types"](#) topic in this guide contains more information about the `IgnoreNullsMode` values and how to work with complex types.

The following example demonstrates `ignoreNullsMode()` for the `updateItem()` method.

```
public static void updateItemNullsExample() {
    Customer customer = new Customer();
```

```
customer.setCustName("CustomerName");
customer.setEmail("email");
customer.setId("1");
customer.setRegistrationDate(Instant.now());

logger.info("Original customer: {}", customer);

// Put item with values for all attributes.
try {
    customerAsyncDynamoDbTable.putItem(customer).join();
} catch (RuntimeException rte) {
    logger.error("A exception occurred during putItem: {}", rte.getCause().getMessage(), rte);
    return;
}

// Create a Customer instance with the same 'id' and 'email' values, but a different 'name' value.
// Do not set the 'registrationDate' attribute.
Customer customerForUpdate = new Customer();
customerForUpdate.setCustName("NewName");
customerForUpdate.setEmail("email");
customerForUpdate.setId("1");

// Update item without setting the 'registrationDate' property and set IgnoreNullsMode to SCALAR_ONLY.
try {
    Customer updatedWithNullsIgnored = customerAsyncDynamoDbTable.updateItem(b -> b
        .item(customerForUpdate)
        .ignoreNullsMode(IgnoreNullsMode.SCALAR_ONLY))
        .join();
    logger.info("Customer updated with nulls ignored: {}", updatedWithNullsIgnored.toString());
} catch (RuntimeException rte) {
    logger.error("An exception occurred during updateItem: {}", rte.getCause().getMessage(), rte);
    return;
}

// Update item without setting the registrationDate attribute and not setting ignoreNulls to true.
try {
```

```
        Customer updatedWithNullsUsed =
customerAsyncDynamoDbTable.updateItem(customerForUpdate)
        .join();
    logger.info("Customer updated with nulls used: {}", updatedWithNullsUsed.toString());
} catch (RuntimeException rte) {
    logger.error("An exception occurred during updateItem: {}", rte.getCause().getMessage(), rte);
}
}

// Logged lines.
Original customer: Customer [id=1, name=CustomerName, email=email,
regDate=2024-10-11T14:12:30.222858Z]
Customer updated with nulls ignored: Customer [id=1, name=NewName, email=email,
regDate=2024-10-11T14:12:30.222858Z]
Customer updated with nulls used: Customer [id=1, name=NewName, email=email,
regDate=null]
```

DynamoDB Enhanced Client basic methods

Basic methods of the enhanced client map to the DynamoDB service operations that they're named after. The following examples show the simplest variation of each method. You can customize each method by passing in an enhanced request object. Enhanced request objects offer most of the features available in the standard DynamoDB client. They are fully documented in the AWS SDK for Java 2.x API Reference.

The example uses the [the section called “Customer class”](#) shown previously.

```
// CreateTable
customerTable.createTable();

// GetItem
Customer customer =
customerTable.getItem(Key.builder().partitionValue("a123").build());

// UpdateItem
Customer updatedCustomer = customerTable.updateItem(customer);

// PutItem
customerTable.putItem(customer);
```

```
// DeleteItem
Customer deletedCustomer =
    customerTable.deleteItem(Key.builder().partitionValue("a123").sortValue(456).build());

// Query
PageIterable<Customer> customers = customerTable.query(keyEqualTo(k ->
    k.partitionValue("a123")));

// Scan
PageIterable<Customer> customers = customerTable.scan();

// BatchGetItem
BatchGetResultPageIterable batchResults =
    enhancedClient.batchGetItem(r -> r.addReadBatch(ReadBatch.builder(Customer.class)
        .mappedTableResource(customerTable)
        .add.GetItem(key1)
        .add.GetItem(key2)
        .add.GetItem(key3)
        .build()));

// BatchWriteItem
batchResults = enhancedClient.batchWriteItem(r ->
    r.addWriteBatch(WriteBatch.builder(Customer.class)
        .mappedTableResource(customerTable)
        .add.PutItem(customer)
        .add.DeleteItem(key1)
        .add.DeleteItem(key1)
        .build()));

// TransactGetItems
transactResults = enhancedClient.transactGetItems(r -> r.add.GetItem(customerTable,
    key1)
    .add.GetItem(customerTable,
    key2));

// TransactWriteItems
enhancedClient.transactWriteItems(r -> r.addConditionCheck(customerTable,
    i -> i.key(orderKey)

    .conditionExpression(conditionExpression))
    .add.UpdateItem(customerTable, customer)
    .add.DeleteItem(customerTable, key));
```

Compare DynamoDB Enhanced Client to standard DynamoDB client

Both DynamoDB client APIs—[standard](#) and [enhanced](#)—let you work with DynamoDB tables to perform CRUD (create, read, update and delete) data-level operations. The difference between the client APIs is how that is accomplished. Using the standard client, you work directly with low-level data attributes. The enhanced client API uses familiar Java classes and maps to the low-level API behind the scenes.

While both client APIs support data-level operations, the standard DynamoDB client also supports resource-level operations. Resource-level operations manage the database, such as creating backups, listing tables, and updating tables. The enhanced client API supports a select number of resource-level operations such as creating, describing, and deleting tables.

To illustrate the different approaches used by the two client APIs, the following code examples show the creation of the same ProductCatalog table using the standard client and the enhanced client.

Compare: Create a table using the standard DynamoDB client

```
DependencyFactory.dynamoDbClient().createTable(builder -> builder
    .tableName(TABLE_NAME)
    .attributeDefinitions(
        b -> b.attributeName("id").attributeType(ScalarAttributeType.N),
        b -> b.attributeName("title").attributeType(ScalarAttributeType.S),
        b -> b.attributeName("isbn").attributeType(ScalarAttributeType.S)
    )
    .keySchema(
        builder1 -> builder1.attributeName("id").keyType(KeyType.HASH),
        builder2 -> builder2.attributeName("title").keyType(KeyType.RANGE)
    )
    .globalSecondaryIndexes(builder3 -> builder3
        .indexName("products_by_isbn")
        .keySchema(builder2 -> builder2
            .attributeName("isbn").keyType(KeyType.HASH))
        .projection(builder2 -> builder2
            .projectionType(ProjectionType.INCLUDE)
            .nonKeyAttributes("price", "authors"))
        .provisionedThroughput(builder4 -> builder4
            .writeCapacityUnits(5L).readCapacityUnits(5L)))
    )
    .provisionedThroughput(builder1 -> builder1
        .readCapacityUnits(5L).writeCapacityUnits(5L)))
)
```

```
);
```

Compare: Create a table using the DynamoDB Enhanced Client

```
DynamoDbEnhancedClient enhancedClient = DependencyFactory.enhancedClient();
productCatalog = enhancedClient.table(TABLE_NAME,
    TableSchema.fromImmutableClass(ProductCatalog.class));
productCatalog.createTable(b -> b
    .provisionedThroughput(b1 -> b1.readCapacityUnits(5L).writeCapacityUnits(5L))
    .globalSecondaryIndices(b2 -> b2.indexName("products_by_isbn"))
    .projection(b4 -> b4
        .projectionType(ProjectionType.INCLUDE)
        .nonKeyAttributes("price", "authors"))
    .provisionedThroughput(b3 ->
        b3.writeCapacityUnits(5L).readCapacityUnits(5L))
)
);
```

The enhanced client uses the following annotated data class. The DynamoDB Enhanced Client maps Java data types to DynamoDB data types for less verbose code that is easier to follow. `ProductCatalog` is an example of using an immutable class with the DynamoDB Enhanced Client. The use of Immutable classes for mapped data classes is [discussed later](#) in this topic.

ProductCatalog class

```
package org.example.tests.model;

import software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbIgnore;
import software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbImmutable;
import
software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbPartitionKey;
import
software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbSecondaryPartitionKey;
import software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbSortKey;

import java.math.BigDecimal;
import java.util.Objects;
import java.util.Set;

@DynamoDbImmutable(builder = ProductCatalog.Builder.class)
public class ProductCatalog implements Comparable<ProductCatalog> {
    private Integer id;
```

```
private String title;
private String isbn;
private Set<String> authors;
private BigDecimal price;

private ProductCatalog(Builder builder){
    this.authors = builder.authors;
    this.id = builder.id;
    this.isbn = builder.isbn;
    this.price = builder.price;
    this.title = builder.title;
}

public static Builder builder(){ return new Builder(); }

@DynamoDbPartitionKey
public Integer id() { return id; }

@DynamoDbSortKey
public String title() { return title; }

@DynamoDbSecondaryPartitionKey(indexNames = "products_by_isbn")
public String isbn() { return isbn; }
public Set<String> authors() { return authors; }
public BigDecimal price() { return price; }

public static final class Builder {
    private Integer id;
    private String title;
    private String isbn;
    private Set<String> authors;
    private BigDecimal price;
    private Builder(){}
    
    public Builder id(Integer id) { this.id = id; return this; }
    public Builder title(String title) { this.title = title; return this; }
    public Builder isbn(String ISBN) { this.isbn = ISBN; return this; }
    public Builder authors(Set<String> authors) { this.authors = authors; return this; }
    public Builder price(BigDecimal price) { this.price = price; return this; }
    public ProductCatalog build() { return new ProductCatalog(this); }
}
```

```
@Override
public String toString() {
    final StringBuffer sb = new StringBuffer("ProductCatalog{");
    sb.append("id=").append(id);
    sb.append(", title='").append(title).append('\'');
    sb.append(", isbn='").append(isbn).append('\'');
    sb.append(", authors=").append(authors);
    sb.append(", price=").append(price);
    sb.append('}');
    return sb.toString();
}

@Override
public boolean equals(Object o) {
    if (this == o) return true;
    if (o == null || getClass() != o.getClass()) return false;
    ProductCatalog that = (ProductCatalog) o;
    return id.equals(that.id) && title.equals(that.title) && Objects.equals(isbn,
that.isbn) && Objects.equals(authors, that.authors) && Objects.equals(price,
that.price);
}

@Override
public int hashCode() {
    return Objects.hash(id, title, isbn, authors, price);
}

@Override
@DynamoDbIgnore
public int compareTo(ProductCatalog other) {
    if (this.id.compareTo(other.id) != 0){
        return this.id.compareTo(other.id);
    } else {
        return this.title.compareTo(other.title);
    }
}
```

The following two code examples of a batch write illustrate the verboseness and lack of type safety when using the standard client as opposed to the enhanced client.

Compare: Batch write using the standard DynamoDB client

```
public static void batchWriteStandard(DynamoDbClient dynamoDbClient, String tableName) {

    Map<String, AttributeValue> catalogItem = Map.of(
        "authors", AttributeValue.builder().ss("a", "b").build(),
        "id", AttributeValue.builder().n("1").build(),
        "isbn", AttributeValue.builder().s("1-565-85698").build(),
        "title", AttributeValue.builder().s("Title 1").build(),
        "price", AttributeValue.builder().n("52.13").build());

    Map<String, AttributeValue> catalogItem2 = Map.of(
        "authors", AttributeValue.builder().ss("a", "b", "c").build(),
        "id", AttributeValue.builder().n("2").build(),
        "isbn", AttributeValue.builder().s("1-208-98073").build(),
        "title", AttributeValue.builder().s("Title 2").build(),
        "price", AttributeValue.builder().n("21.99").build());

    Map<String, AttributeValue> catalogItem3 = Map.of(
        "authors", AttributeValue.builder().ss("g", "k", "c").build(),
        "id", AttributeValue.builder().n("3").build(),
        "isbn", AttributeValue.builder().s("7-236-98618").build(),
        "title", AttributeValue.builder().s("Title 3").build(),
        "price", AttributeValue.builder().n("42.00").build());

    Set<WriteRequest> writeRequests = Set.of(
        WriteRequest.builder().putRequest(b -> b.item(catalogItem)).build(),
        WriteRequest.builder().putRequest(b -> b.item(catalogItem2)).build(),
        WriteRequest.builder().putRequest(b -> b.item(catalogItem3)).build());

    Map<String, Set<WriteRequest>> productCatalogItems = Map.of(
        "ProductCatalog", writeRequests);

    BatchWriteItemResponse response = dynamoDbClient.batchWriteItem(b ->
        b.requestItems(productCatalogItems));

    logger.info("Unprocessed items: " + response.unprocessedItems().size());
}
```

Compare: Batch write using the DynamoDB Enhanced Client

```
public static void batchWriteEnhanced(DynamoDbTable<ProductCatalog> productCatalog)
{
    ProductCatalog prod = ProductCatalog.builder()
        .id(1)
        .isbn("1-565-85698")
        .authors(new HashSet<>(Arrays.asList("a", "b")))
        .price(BigDecimal.valueOf(52.13))
        .title("Title 1")
        .build();
    ProductCatalog prod2 = ProductCatalog.builder()
        .id(2)
        .isbn("1-208-98073")
        .authors(new HashSet<>(Arrays.asList("a", "b", "c")))
        .price(BigDecimal.valueOf(21.99))
        .title("Title 2")
        .build();
    ProductCatalog prod3 = ProductCatalog.builder()
        .id(3)
        .isbn("7-236-98618")
        .authors(new HashSet<>(Arrays.asList("g", "k", "c")))
        .price(BigDecimal.valueOf(42.00))
        .title("Title 3")
        .build();

    BatchWriteResult batchWriteResult = DependencyFactory.enhancedClient()
        .batchWriteItem(b -> b.writeBatches(
            WriteBatch.builder(ProductCatalog.class)
                .mappedTableResource(productCatalog)
                .addPutItem(prod).addPutItem(prod2).addPutItem(prod3)
                .build()
        ));
    logger.info("Unprocessed items: " +
batchWriteResult.unprocessedPutItemsForTable(productCatalog).size());
}
```

Work with immutable data classes

The mapping feature of the DynamoDB Enhanced Client API works with immutable data classes. An immutable class has only getters and requires a builder class that the SDK uses to create instances of the class. Instead of using the `@DynamoDbBean` annotation as shown in the [Customer class](#),

immutable classes use the `@DynamoDbImmutable` annotation, which takes a parameter that indicates the builder class to use.

The following class is an immutable version of `Customer`.

```
package org.example.tests.model.immutable;

import software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbImmutable;
import
software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbPartitionKey;
import
software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbSecondaryPartitionKey;
import
software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbSecondarySortKey;
import software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbSortKey;

import java.time.Instant;

@DynamoDbImmutable(builder = CustomerImmutable.Builder.class)
public class CustomerImmutable {
    private final String id;
    private final String name;
    private final String email;
    private final Instant regDate;

    private CustomerImmutable(Builder b) {
        this.id = b.id;
        this.email = b.email;
        this.name = b.name;
        this.regDate = b.regDate;
    }

    // This method will be automatically discovered and used by the TableSchema.
    public static Builder builder() { return new Builder(); }

    @DynamoDbPartitionKey
    public String id() { return this.id; }

    @DynamoDbSortKey
    public String email() { return this.email; }

    @DynamoDbSecondaryPartitionKey(indexNames = "customers_by_name")
    public String name() { return this.name; }
}
```

```
@DynamoDbSecondarySortKey(indexNames = {"customers_by_date", "customers_by_name"})
public Instant regDate() { return this.regDate; }

public static final class Builder {
    private String id;
    private String email;
    private String name;
    private Instant regDate;

    // The private Builder constructor is visible to the enclosing
    CustomerImmutable class.
    private Builder() {}

    public Builder id(String id) { this.id = id; return this; }
    public Builder email(String email) { this.email = email; return this; }
    public Builder name(String name) { this.name = name; return this; }
    public Builder regDate(Instant regDate) { this.regDate = regDate; return
this; }

    // This method will be automatically discovered and used by the TableSchema.
    public CustomerImmutable build() { return new CustomerImmutable(this); }
}
}
```

You must meet the following requirements when you annotate a data class with `@DynamoDbImmutable`.

1. Every method that is both not an override of `Object.class` and has not been annotated with `@DynamoDbIgnore` must be a getter for an attribute of the DynamoDB table.
2. Every getter must have a corresponding case-sensitive setter on the builder class.
3. Only one of the following construction conditions must be met.
 - The builder class must have a public default constructor.
 - The data class must have a public static method named `builder()` that takes no parameters and returns an instance of the builder class. This option is shown in the immutable `Customer` class.
4. The builder class must have a public method named `build()` that takes no parameters and returns an instance of the immutable class.

To create a `TableSchema` for your immutable class, use the `fromImmutableClass()` method on `TableSchema` as shown in the following snippet.

```
static final TableSchema<CustomerImmutable> customerImmutableTableSchema =  
    TableSchema.fromImmutableClass(CustomerImmutable.class);
```

Just as you can create a DynamoDB table from a mutable class, you can create one from an immutable class with a *one-time* call to `createTable()` of `DynamoDbTable` as shown in the following snippet example.

```
static void createTableFromImmutable(DynamoDbEnhancedClient enhancedClient, String  
    tableName, DynamoDbWaiter waiter){  
    // First, create an in-memory representation of the table using the 'table()'  
    // method of the DynamoDb Enhanced Client.  
    // 'table()' accepts a name for the table and a TableSchema instance that you  
    // created previously.  
    DynamoDbTable<CustomerImmutable> customerDynamoDbTable = enhancedClient  
        .table(tableName, TableSchema.fromImmutableClass(CustomerImmutable.class));  
  
    // Second, call the 'createTable()' method on the DynamoDbTable instance.  
    customerDynamoDbTable.createTable();  
    waiter.waitUntilTableExists(b -> b.tableName(tableName));  
}
```

Use third-party libraries, such as Lombok

Third-party libraries, such as [Project Lombok](#), help generate boilerplate code associated with immutable objects. The DynamoDB Enhanced Client API works with these libraries as long as the data classes follow the conventions detailed in this section.

The following example shows the immutable `CustomerImmutable` class with Lombok annotations. Note how Lombok's `onMethod` feature copies attribute-based DynamoDB annotations, such as `@DynamoDbPartitionKey`, onto the generated code.

```
@Value  
@Builder  
@DynamoDbImmutable(builder = Customer.CustomerBuilder.class)  
public class Customer {  
    @Getter(onMethod_=@DynamoDbPartitionKey)  
    private String id;
```

```
@Getter(onMethod_=@DynamoDbSortKey)
private String email;

@Getter(onMethod_=@DynamoDbSecondaryPartitionKey(indexNames = "customers_by_name"))
private String name;

@Getter(onMethod_=@DynamoDbSecondarySortKey(indexNames = {"customers_by_date",
"customers_by_name"}))
private Instant createdDate;
}
```

Use expressions and conditions

Expressions in the DynamoDB Enhanced Client API are Java representations of [DynamoDB expressions](#).

The DynamoDB Enhanced Client API uses three types of expressions:

[Expression](#)

The Expression class is used when you define conditions and filters.

[QueryConditional](#)

This type of expression represents [key conditions](#) for query operations.

[UpdateExpression](#)

This class helps you write DynamoDB [update expressions](#) and is currently used in the extension framework when you update an item.

Expression anatomy

An expression is made up of the following:

- A string expression (required). The string contains a DynamoDB logic expression with placeholder names for attribute names and attribute values.
- A map of expression values (usually required).
- A map of expression names (optional).

Use a builder to generate anExpression object that takes the following general form.

```
Expression expression = Expression.builder()
    .expression(<String>)
    .expressionNames(<Map>)
    .expressionValues(<Map>)
    .build()
```

Expressions usually require a map of expression values. The map provides the values for the placeholders in the string expression. The map key consists of the placeholder name preceded with a colon (:) and the map value is an instance of [AttributeValue](#). The [AttributeValue](#) class has convenience methods to generate an [AttributeValue](#) instance from a literal. Alternatively, you can use the [AttributeValue.Builder](#) to generate an [AttributeValue](#) instance.

The following snippet shows a map with two entries after comment line 2. The string passed to the `expression()` method, shown after comment line 1, contains the placeholders that DynamoDB resolves before performing the operation. This snippet doesn't contain a map of expression names, because `price` is a permissible attribute name.

```
public static void scanAsync(DynamoDbAsyncTable productCatalog) {
    ScanEnhancedRequest request = ScanEnhancedRequest.builder()
        .consistentRead(true)
        .attributesToProject("id", "title", "authors", "price")
        .filterExpression(Expression.builder()
            // 1. :min_value and :max_value are placeholders for the values
            provided by the map
            .expression("price >= :min_value AND price <= :max_value")
            // 2. Two values are needed for the expression and each is
            supplied as a map entry.
            .expressionValues(
                Map.of( ":min_value", numberValue(8.00),
                    ":max_value", numberValue(400_000.00)))
            .build())
        .build();
}
```

If an attribute name in the DynamoDB table is a reserved word, begins with a number, or contains a space, a map of expression names is required for the Expression.

For example, if the attribute name was `1price` instead of `price` in the previous code example, the example would need to be modified as shown in the following example.

```
ScanEnhancedRequest request = ScanEnhancedRequest.builder()
```

```
.filterExpression(Expression.builder()
    .expression("#price >= :min_value AND #price <= :max_value")
    .expressionNames( Map.of("#price", "1price") )
    .expressionValues(
        Map.of(":min_value", numberValue(8.00),
               ":max_value", numberValue(400_000.00)))
    .build())
.build();
```

A placeholder for an expression name begins with the pound sign (#). An entry for the map of expression names uses the placeholder as the key and the attribute name as the value. The map is added to the expression builder with the `expressionNames()` method. DynamoDB resolves the attribute name before it performs the operation.

Expression values are not required if a function is used in the string expression. An example of an expression function is `attribute_exists(<attribute_name>)`.

The following example builds an Expression that uses a [DynamoDB function](#). The expression string in this example uses no placeholders. This expression could be used on a `putItem` operation to check if an item already exists in the database with a movie attribute's value equal to the data object's movie attribute.

```
Expression exp = Expression.builder().expression("attribute_not_exists
(movie)").build();
```

The DynamoDB Developer Guide contains complete information on the [low-level expressions](#) that are used with DynamoDB.

Condition expressions and conditionals

When you use the `putItem()`, `updateItem()`, and `deleteItem()` methods, and also when you use transaction and batch operations, you use [Expression](#) objects to specify conditions that DynamoDB must meet to proceed with the operation. These expressions are named condition expressions. For an example, see the condition expression used in the `addDeleteItem()` method (after comment line 1) of [transaction example](#) shown in this guide.

When you work with the `query()` methods, a condition is expressed as a [QueryConditional](#). The `QueryConditional` class has several static convenience methods that help you write the criteria that determine which items to read from DynamoDB.

For examples of `QueryConditionals`, see the first code example of the [the section called “Query method examples”](#) section of this guide.

Filter expressions

Filter expressions are used in scan and query operations to filter the items that are returned.

A filter expression is applied after all the data is read from the database, so the read cost is the same as if there were no filter. The *Amazon DynamoDB Developer Guide* has more information about using filter expressions for both [query](#) and [scan](#) operations.

The following example shows a filter expression added to a scan request. The criteria restricts the items returned to items with a price between 8.00 and 80.00 inclusive.

```
Map<String, AttributeValue> expressionValues = Map.of(
    ":min_value", numberValue(8.00),
    ":max_value", numberValue(80.00));

ScanEnhancedRequest request = ScanEnhancedRequest.builder()
    .consistentRead(true)
    // 1. the 'attributesToProject()' method allows you to specify which
    values you want returned.
    .attributesToProject("id", "title", "authors", "price")
    // 2. Filter expression limits the items returned that match the
    provided criteria.
    .filterExpression(Expression.builder()
        .expression("price >= :min_value AND price <= :max_value")
        .expressionValues(expressionValues)
        .build())
    .build();
```

Update expressions

The DynamoDB Enhanced Client's `updateItem()` method provides a standard way to update items in DynamoDB. However, when you require more functionality, [UpdateExpressions](#) provide a type-safe representation of DynamoDB [update expression syntax](#). For example, you can use UpdateExpressions to increase values without first reading items from DynamoDB, or add individual members to a list. Update expressions are currently available in custom extensions for the `updateItem()` method.

For an example that uses update expressions, see the [custom extension example](#) in this guide.

More information about update expressions is available in the [Amazon DynamoDB Developer Guide](#).

Work with paginated results: scans and queries

The scan, query and batch methods of the DynamoDB Enhanced Client API return responses with one or more *pages*. A page contains one or more items. Your code can process the response on per-page basis or it can process individual items.

A paginated response returned by the synchronous `DynamoDbEnhancedClient` client returns a [PageIterable](#) object, whereas a response returned by the asynchronous `DynamoDbEnhancedAsyncClient` returns a [PagePublisher](#) object.

This section looks at processing paginated results and provides examples that use the scan and query APIs.

Scan a table

The SDK's [scan](#) method corresponds to the [DynamoDB operation](#) of the same name. The DynamoDB Enhanced Client API offers the same options but it uses a familiar object model and handles the pagination for you.

First, we explore the `PageIterable` interface by looking at the `scan` method of the synchronous mapping class, [DynamoDbTable](#).

Use the synchronous API

The following example shows the `scan` method that uses an [expression](#) to filter the items that are returned. The [ProductCatalog](#) is the model object that was shown earlier.

The filtering expression shown after comment line 2 limits the `ProductCatalog` items that are returned to those with a price value between 8.00 and 80.00 inclusively.

This example also excludes the `isbn` values by using the `attributesToProject` method shown after comment line 1.

After comment line 3, the `PageIterable` object, `pagedResults`, is returned by the `scan` method. The `stream` method of `PageIterable` returns a [java.util.Stream](#) object, which you can use to process the pages. In this example, the number of pages is counted and logged.

Starting with comment line 4, the example shows two variations of accessing the `ProductCatalog` items. The version after comment line 4a streams through each page and sorts

and logs the items on each page. The version after comment line 4b skips the page iteration and accesses the items directly.

The `PageIterable` interface offers multiple ways to process results because of its two parent interfaces—[java.lang.Iterable](#) and [SdkIterable](#). `Iterable` brings the `forEach`, `iterator` and `spliterator` methods, and `SdkIterable` brings the `stream` method.

```
public static void scanSync(DynamoDbTable<ProductCatalog> productCatalog) {

    Map<String, AttributeValue> expressionValues = Map.of(
        ":min_value", numberValue(8.00),
        ":max_value", numberValue(80.00));

    ScanEnhancedRequest request = ScanEnhancedRequest.builder()
        .consistentRead(true)
        // 1. the 'attributesToProject()' method allows you to specify which
        values you want returned.
        .attributesToProject("id", "title", "authors", "price")
        // 2. Filter expression limits the items returned that match the
        provided criteria.
        .filterExpression(Expression.builder()
            .expression("price >= :min_value AND price <= :max_value")
            .expressionValues(expressionValues)
            .build())
        .build();

    // 3. A PageIterable object is returned by the scan method.
    PageIterable<ProductCatalog> pagedResults = productCatalog.scan(request);
    logger.info("page count: {}", pagedResults.stream().count());

    // 4. Log the returned ProductCatalog items using two variations.
    // 4a. This version sorts and logs the items of each page.
    pagedResults.stream().forEach(p -> p.items().stream()
        .sorted(Comparator.comparing(ProductCatalog::price))
        .forEach(
            item -> logger.info(item.toString())
        ));
    // 4b. This version sorts and logs all items for all pages.
    pagedResults.items().stream()
        .sorted(Comparator.comparing(ProductCatalog::price))
        .forEach(
            item -> logger.info(item.toString())
        );
}
```

```
}
```

Use the asynchronous API

The asynchronous scan method returns results as a `PagePublisher` object. The `PagePublisher` interface has two `subscribe` methods that you can use to process response pages. One `subscribe` method comes from the `org.reactivestreams.Publisher` parent interface. To process pages using this first option, pass a [Subscriber](#) instance to the `subscribe` method. The first example that follows shows the use of `subscribe` method.

The second `subscribe` method comes from the [SdkPublisher](#) interface. This version of `subscribe` accepts a [Consumer](#) rather than a `Subscriber`. This `subscribe` method variation is shown in the second example that follows.

The following example shows the asynchronous version of the `scan` method that uses the same filter expression shown in the previous example.

After comment line 3, `DynamoDbAsyncTable.scan` returns a `PagePublisher` object. On the next line, the code creates an instance of the `org.reactivestreams.Subscriber` interface, `ProductCatalogSubscriber`, which subscribes to the `PagePublisher` after comment line 4.

The `Subscriber` object collects the `ProductCatalog` items from each page in the `onNext` method after comment line 8 in the `ProductCatalogSubscriber` class example. The items are stored in the private `List` variable and are accessed in the calling code with the `ProductCatalogSubscriber.getSubscribedItems()` method. This is called after comment line 5.

After the list is retrieved, the code sorts all `ProductCatalog` items by price and logs each item.

The [CountDownLatch](#) in the `ProductCatalogSubscriber` class blocks the calling thread until all items have been added to the list before continuing after comment line 5.

```
public static void scanAsync(DynamoDbAsyncTable productCatalog) {
    ScanEnhancedRequest request = ScanEnhancedRequest.builder()
        .consistentRead(true)
        .attributesToProject("id", "title", "authors", "price")
        .filterExpression(Expression.builder()
            // 1. :min_value and :max_value are placeholders for the values
            provided by the map
            .expression("price >= :min_value AND price <= :max_value"))
}
```

```

// 2. Two values are needed for the expression and each is
supplied as a map entry.
    .expressionValues(
        Map.of( ":min_value", numberValue(8.00),
                ":max_value", numberValue(400_000.00)))
    .build())
.build();

// 3. A PagePublisher object is returned by the scan method.
PagePublisher<ProductCatalog> pagePublisher = productCatalog.scan(request);
ProductCatalogSubscriber subscriber = new ProductCatalogSubscriber();
// 4. Subscribe the ProductCatalogSubscriber to the PagePublisher.
pagePublisher.subscribe(subscriber);
// 5. Retrieve all collected ProductCatalog items accumulated by the
subscriber.
subscriber.getSubscribedItems().stream()
    .sorted(Comparator.comparing(ProductCatalog::price))
    .forEach(item ->
        logger.info(item.toString()));
// 6. Use a Consumer to work through each page.
pagePublisher.subscribe(page -> page
    .items().stream()
    .sorted(Comparator.comparing(ProductCatalog::price))
    .forEach(item ->
        logger.info(item.toString())))
    .join(); // If needed, blocks the subscribe() method thread until it is
finished processing.
// 7. Use a Consumer to work through each ProductCatalog item.
pagePublisher.items()
    .subscribe(product -> logger.info(product.toString()))
    .exceptionally(failure -> {
        logger.error("ERROR - ", failure);
        return null;
    })
    .join(); // If needed, blocks the subscribe() method thread until it is
finished processing.
}

```

```

private static class ProductCatalogSubscriber implements
Subscriber<Page<ProductCatalog>> {
    private CountDownLatch latch = new CountDownLatch(1);
    private Subscription subscription;
    private List<ProductCatalog> itemsFromAllPages = new ArrayList<>();

```

```
@Override
public void onSubscribe(Subscription sub) {
    subscription = sub;
    subscription.request(1L);
    try {
        latch.await(); // Called by main thread blocking it until latch is
released.
    } catch (InterruptedException e) {
        throw new RuntimeException(e);
    }
}

@Override
public void onNext(Page<ProductCatalog> productCatalogPage) {
    // 8. Collect all the ProductCatalog instances in the page, then ask the
publisher for one more page.
    itemsFromAllPages.addAll(productCatalogPage.items());
    subscription.request(1L);
}

@Override
public void onError(Throwable throwable) {
}

@Override
public void onComplete() {
    latch.countDown(); // Call by subscription thread; latch releases.
}

List<ProductCatalog> getSubscribedItems() {
    return this.itemsFromAllPages;
}
}
```

The following snippet example uses the version of the `PagePublisher.subscribe` method that accepts a `Consumer` after comment line 6. The Java lambda parameter consumes pages, which further process each item. In this example, each page is processed and the items on each page are sorted and then logged.

```
// 6. Use a Consumer to work through each page.
pagePublisher.subscribe(page -> page
                        .items().stream()
```

```
.sorted(Comparator.comparing(ProductCatalog::price))
.forEach(item ->
    logger.info(item.toString()))
.join(); // If needed, blocks the subscribe() method thread until it is
finished processing.
```

The `items` method of `PagePublisher` unwraps the model instances so that your code can process the items directly. This approach is shown in the following snippet.

```
// 7. Use a Consumer to work through each ProductCatalog item.
pagePublisher.items()
.subscribe(product -> logger.info(product.toString()))
.exceptionally(failure -> {
    logger.error("ERROR - ", failure);
    return null;
})
.join(); // If needed, blocks the subscribe() method thread until it is
finished processing.
```

Query a table

The [query\(\)](#) method of the `DynamoDbTable` class finds items based on primary key values. The `@DynamoDbPartitionKey` annotation and the optional `@DynamoDbSortKey` annotation are used to define the primary key on your data class.

The `query()` method requires a partition key value that finds items that match the supplied value. If your table also defines a sort key, you can add a value for it to your query as an additional comparison condition to fine tune the results.

Except for processing the results, the synchronous and asynchronous versions of `query()` work the same. As with the `scan` API, the `query` API returns a `PageIterable` for a synchronous call and a `PagePublisher` for asynchronous call. We discussed the use of `PageIterable` and `PagePublisher` previously in the `scan` section.

Query method examples

The `query()` method code example that follows uses the `MovieActor` class. The data class defines a composite primary key that is made up of the `movie` attribute for the partition key and the `actor` attribute for the sort key.

The class also signals that it uses a global secondary index named `acting_award_year`. The index's composite primary key is composed of the `actingaward` attribute for the partition key and

the **actingyear** for the sort key. Later in this topic, when we show how to create and use indexes, we'll refer to the **acting_award_year** index.

MovieActor class

```
package org.example.tests.model;

import software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbAttribute;
import software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbBean;
import
software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbPartitionKey;
import
software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbSecondaryPartitionKey;
import
software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbSecondarySortKey;
import software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbSortKey;

import java.util.Objects;

@DynamoDbBean
public class MovieActor implements Comparable<MovieActor> {

    private String movieName;
    private String actorName;
    private String actingAward;
    private Integer actingYear;
    private String actingSchoolName;

    @DynamoDbPartitionKey
    @DynamoDbAttribute("movie")
    public String getMovieName() {
        return movieName;
    }

    public void setMovieName(String movieName) {
        this.movieName = movieName;
    }

    @DynamoDbSortKey
    @DynamoDbAttribute("actor")
    public String getActorName() {
        return actorName;
    }
}
```

```
public void setActorName(String actorName) {
    this.actorName = actorName;
}

@DynamoDbSecondaryPartitionKey(indexNames = "acting_award_year")
@DynamoDbAttribute("actingaward")
public String getActingAward() {
    return actingAward;
}

public void setActingAward(String actingAward) {
    this.actingsAward = actingAward;
}

@DynamoDbSecondarySortKey(indexNames = {"acting_award_year", "movie_year"})
@DynamoDbAttribute("actingyear")
public Integer getActingYear() {
    return actingYear;
}

public void setActingYear(Integer actingYear) {
    this.actingsYear = actingYear;
}

@DynamoDbAttribute("actingschoolname")
public String getActingSchoolName() {
    return actingSchoolName;
}

public void setActingSchoolName(String actingSchoolName) {
    this.actingsSchoolName = actingSchoolName;
}

@Override
public String toString() {
    final StringBuffer sb = new StringBuffer("MovieActor{");
    sb.append("movieName='").append(movieName).append('\'');
    sb.append(", actorName='").append(actorName).append('\'');
    sb.append(", actingAward='").append(actingAward).append('\'');
    sb.append(", actingYear=").append(actingYear);
    sb.append(", actingSchoolName='").append(actingSchoolName).append('\'');
    sb.append('}');
    return sb.toString();
}
```

```
}

@Override
public boolean equals(Object o) {
    if (this == o) return true;
    if (o == null || getClass() != o.getClass()) return false;
    MovieActor that = (MovieActor) o;
    return Objects.equals(movieName, that.movieName) && Objects.equals(actorName,
that.actorName) && Objects.equals(actingAward, that.actingAward) &&
Objects.equals(actingYear, that.actingYear) && Objects.equals(actingSchoolName,
that.actingSchoolName);
}

@Override
public int hashCode() {
    return Objects.hash(movieName, actorName, actingAward, actingYear,
actingSchoolName);
}

@Override
public int compareTo(MovieActor o) {
    if (this.movieName.compareTo(o.movieName) != 0){
        return this.movieName.compareTo(o.movieName);
    } else {
        return this.actorName.compareTo(o.actorName);
    }
}
}
```

The code examples that follow query against the following items.

Items in the MovieActor table

```
MovieActor{movieName='movie01', actorName='actor0', actingAward='actingaward0',
actingYear=2001, actingSchoolName='null'}
MovieActor{movieName='movie01', actorName='actor1', actingAward='actingaward1',
actingYear=2001, actingSchoolName='actingschool1'}
MovieActor{movieName='movie01', actorName='actor2', actingAward='actingaward2',
actingYear=2001, actingSchoolName='actingschool2'}
MovieActor{movieName='movie01', actorName='actor3', actingAward='actingaward3',
actingYear=2001, actingSchoolName='null'}
MovieActor{movieName='movie01', actorName='actor4', actingAward='actingaward4',
actingYear=2001, actingSchoolName='actingschool4'}
```

```
MovieActor{movieName='movie02', actorName='actor0', actingAward='actingaward0',
actingYear=2002, actingSchoolName='null'}
MovieActor{movieName='movie02', actorName='actor1', actingAward='actingaward1',
actingYear=2002, actingSchoolName='actingschool1'}
MovieActor{movieName='movie02', actorName='actor2', actingAward='actingaward2',
actingYear=2002, actingSchoolName='actingschool2'}
MovieActor{movieName='movie02', actorName='actor3', actingAward='actingaward3',
actingYear=2002, actingSchoolName='null'}
MovieActor{movieName='movie02', actorName='actor4', actingAward='actingaward4',
actingYear=2002, actingSchoolName='actingschool4'}
MovieActor{movieName='movie03', actorName='actor0', actingAward='actingaward0',
actingYear=2003, actingSchoolName='null'}
MovieActor{movieName='movie03', actorName='actor1', actingAward='actingaward1',
actingYear=2003, actingSchoolName='actingschool1'}
MovieActor{movieName='movie03', actorName='actor2', actingAward='actingaward2',
actingYear=2003, actingSchoolName='actingschool2'}
MovieActor{movieName='movie03', actorName='actor3', actingAward='actingaward3',
actingYear=2003, actingSchoolName='null'}
MovieActor{movieName='movie03', actorName='actor4', actingAward='actingaward4',
actingYear=2003, actingSchoolName='actingschool4'}
```

The following code defines two [QueryConditional](#) instances. QueryConditionals work with key values—either the partition key alone or in combination with the sort key—and correspond to the [key conditional expressions](#) of the DynamoDB service API. After comment line 1, the example defines the keyEqual instance that matches items with a partition value of **movie01**.

This example also defines a filter expression that filters off any item that has no **actingschoolname** on after comment line 2.

After comment line 3, the example shows the [QueryEnhancedRequest](#) instance that the code passes to the `DynamoDbTable.query()` method. This object combines the key condition and filter that the SDK uses to generate the request to the DynamoDB service.

```
public static void query(DynamoDbTable movieActorTable) {

    // 1. Define a QueryConditional instance to return items matching a partition
    // value.
    QueryConditional keyEqual = QueryConditional.keyEqualTo(b ->
    b.partitionValue("movie01"));
    // 1a. Define a QueryConditional that adds a sort key criteria to the partition
    // value criteria.
```

```
        QueryConditional sortGreaterThanOrEqualTo =
QueryConditional.sortGreaterThanOrEqualTo(b ->
b.partitionValue("movie01").sortValue("actor2")));
    // 2. Define a filter expression that filters out items whose attribute value
is null.
    final Expression filterOutNoActingschoolname =
Expression.builder().expression("attribute_exists(actingschoolname)").build();

    // 3. Build the query request.
    QueryEnhancedRequest tableQuery = QueryEnhancedRequest.builder()
        .queryConditional(keyEqual)
        .filterExpression(filterOutNoActingschoolname)
        .build();
    // 4. Perform the query.
    PageIterable<MovieActor> pagedResults = movieActorTable.query(tableQuery);
    logger.info("page count: {}", pagedResults.stream().count()); // Log number of
pages.

    pagedResults.items().stream()
        .sorted()
        .forEach(
            item -> logger.info(item.toString()) // Log the sorted list of
items.
        );
    
```

The following is the output from running the method. The output displays items with a `movieName` value of **movie01** and displays no items with `actingSchoolName` equal to **null**.

```
2023-03-05 13:11:05 [main] INFO org.example.tests.QueryDemo:46 - page count: 1
2023-03-05 13:11:05 [main] INFO org.example.tests.QueryDemo:51 -
MovieActor{movieName='movie01', actorName='actor1', actingAward='actingaward1',
actingYear=2001, actingSchoolName='actingschool1'}
2023-03-05 13:11:05 [main] INFO org.example.tests.QueryDemo:51 -
MovieActor{movieName='movie01', actorName='actor2', actingAward='actingaward2',
actingYear=2001, actingSchoolName='actingschool2'}
2023-03-05 13:11:05 [main] INFO org.example.tests.QueryDemo:51 -
MovieActor{movieName='movie01', actorName='actor4', actingAward='actingaward4',
actingYear=2001, actingSchoolName='actingschool4'}
```

In the following query request variation shown previously after comment line 3, the code replaces the `keyEqual` `QueryConditional` with the `sortGreaterThanOrEqualTo` `QueryConditional` that was defined after comment line 1a. The following code also removes the filter expression.

```
QueryEnhancedRequest tableQuery = QueryEnhancedRequest.builder()
    .queryConditional(sortGreaterThanOrEqualTo)
```

Because this table has a composite primary key, all `QueryConditional` instances require a partition key value. `QueryConditional` methods that begin with `sort...` indicate that a *sort* key is required. The results are not sorted.

The following output displays the results from the query. The query returns items that have a `movieName` value equal to **movie01** and only items that have an `actorName` value that is greater than or equal to **actor2**. Because the filter was removed, the query returns items that have no value for the `actingSchoolName` attribute.

```
2023-03-05 13:15:00 [main] INFO org.example.tests.QueryDemo:46 - page count: 1
2023-03-05 13:15:00 [main] INFO org.example.tests.QueryDemo:51 -
  MovieActor{movieName='movie01', actorName='actor2', actingAward='actingaward2',
  actingYear=2001, actingSchoolName='actingschool2'}
2023-03-05 13:15:00 [main] INFO org.example.tests.QueryDemo:51 -
  MovieActor{movieName='movie01', actorName='actor3', actingAward='actingaward3',
  actingYear=2001, actingSchoolName='null'}
2023-03-05 13:15:00 [main] INFO org.example.tests.QueryDemo:51 -
  MovieActor{movieName='movie01', actorName='actor4', actingAward='actingaward4',
  actingYear=2001, actingSchoolName='actingschool4'}
```

Perform batch operations

The DynamoDB Enhanced Client API offers two batch methods, [batchGetItem\(\)](#) and [batchWriteItem\(\)](#).

batchGetItem() example

With the [DynamoDbEnhancedClient.batchGetItem\(\)](#) method, you can retrieve up to 100 individual items across multiple tables in one overall request. The following example uses the [Customer](#) and [MovieActor](#) data classes shown previously.

In the example after lines 1 and 2, you build [ReadBatch](#) objects that you later add as parameters to the `batchGetItem()` method after comment line 3.

The code after comment line 1 builds the batch to read from the `Customer` table. The code after comment line 1a shows the use of a [GetItemEnhancedRequest](#) builder that takes a primary key value and a sort key value to specify the item to read. If the data class has composite key, you must provide both the partition key value and the sort key value.

In contrast to specifying key values to request an item, you can use a data class to request an item as shown after comment line 1b. The SDK extracts the key values behind the scenes before submitting the request.

When you specify the item using the key-based approach as shown in the two statements after 2a, you can also specify that DynamoDB should perform a [strongly consistent read](#). When the `consistentRead()` method is used, it must be used on all requested items for the same table.

To retrieve the items that DynamoDB found, use the [`resultsForTable\(\)`](#) method that is shown after comment line 4. Call the method for each table that was read in the request. `resultsForTable()` returns a list of found items that you can process using any `java.util.List` method. This example logs each item.

To discover items that DynamoDB did not process, use the approach after comment line 5. The `BatchGetResultPage` class has the [`unprocessedKeysForTable\(\)`](#) method that gives you access to each key that was unprocessed. The [BatchGetItem API reference](#) has more information about situations that result in unprocessed items.

```
public static void batchGetItemExample(DynamoDbEnhancedClient enhancedClient,
                                       DynamoDbTable<Customer> customerTable,
                                       DynamoDbTable<MovieActor> movieActorTable) {

    Customer customer2 = new Customer();
    customer2.setId("2");
    customer2.setEmail("cust2@example.org");

    // 1. Build a batch to read from the Customer table.
    ReadBatch customerBatch = ReadBatch.builder(Customer.class)
        .mappedTableResource(customerTable)
        // 1a. Specify the primary key value and sort key value for the item.
        .addgetItem(b -> b.key(k ->
    k.partitionValue("1").sortValue("cust1@orgname.org")))
        // 1b. Alternatively, supply a data class instances to provide the
    primary key values.
        .addgetItem(customer2)
        .build();

    // 2. Build a batch to read from the MovieActor table.
    ReadBatch moveActorBatch = ReadBatch.builder(MovieActor.class)
        .mappedTableResource(movieActorTable)
        // 2a. Call consistentRead(Boolean.TRUE) for each item for the same
    table.
```

```
        .addGetItem(b -> b.key(k ->
k.partitionValue("movie01").sortValue("actor1")).consistentRead(Boolean.TRUE))
            .addGetItem(b -> b.key(k ->
k.partitionValue("movie01").sortValue("actor4")).consistentRead(Boolean.TRUE))
        .build();

        // 3. Add ReadBatch objects to the request.
        BatchGetResultPageIterable resultPages = enhancedClient.batchGetItem(b ->
b.readBatches(customerBatch, moveActorBatch));

        // 4. Retrieve the successfully requested items from each table.
        resultPages.resultsForTable(customerTable).forEach(item ->
logger.info(item.toString()));
        resultPages.resultsForTable(movieActorTable).forEach(item ->
logger.info(item.toString()));

        // 5. Retrieve the keys of the items requested but not processed by the
service.
        resultPages.forEach((BatchGetResultPage pageResult) -> {
            pageResult.unprocessedKeysForTable(customerTable).forEach(key ->
logger.info("Unprocessed item key: " + key.toString()));
            pageResult.unprocessedKeysForTable(movieActorTable).forEach(key ->
logger.info("Unprocessed item key: " + key.toString()));
        });
    }
}
```

Assume that the following items are in the two tables before running the example code.

Items in tables

```
Customer [id=1, name=CustName1, email=cust1@example.org,
regDate=2023-03-31T15:46:27.688Z]
Customer [id=2, name=CustName2, email=cust2@example.org,
regDate=2023-03-31T15:46:28.688Z]
Customer [id=3, name=CustName3, email=cust3@example.org,
regDate=2023-03-31T15:46:29.688Z]
Customer [id=4, name=CustName4, email=cust4@example.org,
regDate=2023-03-31T15:46:30.688Z]
Customer [id=5, name=CustName5, email=cust5@example.org,
regDate=2023-03-31T15:46:31.689Z]
MovieActor{movieName='movie01', actorName='actor0', actingAward='actingaward0',
actingYear=2001, actingSchoolName='null'}
MovieActor{movieName='movie01', actorName='actor1', actingAward='actingaward1',
actingYear=2001, actingSchoolName='actingschool1'}
```

```
MovieActor{movieName='movie01', actorName='actor2', actingAward='actingaward2',  
actingYear=2001, actingSchoolName='actingschool2'}  
MovieActor{movieName='movie01', actorName='actor3', actingAward='actingaward3',  
actingYear=2001, actingSchoolName='null'}  
MovieActor{movieName='movie01', actorName='actor4', actingAward='actingaward4',  
actingYear=2001, actingSchoolName='actingschool4'}
```

The following output shows the items returned and logged after comment line 4.

```
Customer [id=1, name=CustName1, email=cust1@example.org,  
regDate=2023-03-31T15:46:27.688Z]  
Customer [id=2, name=CustName2, email=cust2@example.org,  
regDate=2023-03-31T15:46:28.688Z]  
MovieActor{movieName='movie01', actorName='actor4', actingAward='actingaward4',  
actingYear=2001, actingSchoolName='actingschool4'}  
MovieActor{movieName='movie01', actorName='actor1', actingAward='actingaward1',  
actingYear=2001, actingSchoolName='actingschool1'}
```

batchWriteItem() example

The `batchWriteItem()` method puts or deletes multiple items in one or more tables. You can specify up to 25 individual put or delete operations in the request. The following example uses the [ProductCatalog](#) and [MovieActor](#) model classes shown previously.

`WriteBatch` objects are built after comment lines 1 and 2. For the `ProductCatalog` table, the code puts one item and deletes one item. For the `MovieActor` table after comment line 2, the code puts two items and deletes one.

The `batchWriteItem` method is called after comment line 3. The [builder](#) parameter provides the batch requests for each table.

The returned [BatchWriteResult](#) object provides separate methods for each operation to view unprocessed requests. The code after comment line 4a provides the keys for unprocessed delete requests and the code after comment line 4b provides the unprocessed put items.

```
public static void batchWriteItemExample(DynamoDbEnhancedClient enhancedClient,  
                                         DynamoDbTable<ProductCatalog>  
                                         catalogTable,  
                                         DynamoDbTable<MovieActor> movieActorTable)  
{  
  
    // 1. Build a batch to write to the ProductCatalog table.  
}
```

```

        WriteBatch products = WriteBatch.builder(ProductCatalog.class)
            .mappedTableResource(catalogTable)
            .addPutItem(b -> b.item(getProductCatItem1()))
            .addDeleteItem(b -> b.key(k -> k
                .partitionValue(getProductCatItem2().id())
                .sortValue(getProductCatItem2().title())))
            .build();

    // 2. Build a batch to write to the MovieActor table.
    WriteBatch movies = WriteBatch.builder(MovieActor.class)
        .mappedTableResource(movieActorTable)
        .addPutItem(getMovieActorYeoh())
        .addPutItem(getMovieActorBlanchettPartial())
        .addDeleteItem(b -> b.key(k -> k
            .partitionValue(getMovieActorStreep().getMovieName())
            .sortValue(getMovieActorStreep().getActorName())))
        .build();

    // 3. Add WriteBatch objects to the request.
    BatchWriteResult batchWriteResult = enhancedClient.batchWriteItem(b ->
b.writeBatches(products, movies));
    // 4. Retrieve keys for items the service did not process.
    // 4a. 'unprocessedDeleteItemsForTable()' returns keys for delete requests that
did not process.
    if (batchWriteResult.unprocessedDeleteItemsForTable(movieActorTable).size() >
0) {

batchWriteResult.unprocessedDeleteItemsForTable(movieActorTable).forEach(key ->
    logger.info(key.toString()));
}
// 4b. 'unprocessedPutItemsForTable()' returns keys for put requests that did
not process.
if (batchWriteResult.unprocessedPutItemsForTable(catalogTable).size() > 0) {
    batchWriteResult.unprocessedPutItemsForTable(catalogTable).forEach(key ->
        logger.info(key.toString()));
}
}
}

```

The following helper methods provide the model objects for the put and delete operations.

Helper methods

```

public static ProductCatalog getProductCatItem1() {
    return ProductCatalog.builder()

```

```
.id(2)
    .isbn("1-565-85698")
    .authors(new HashSet<>(Arrays.asList("a", "b")))
    .price(BigDecimal.valueOf(30.22))
    .title("Title 55")
    .build();
}

public static ProductCatalog getProductCatItem2() {
    return ProductCatalog.builder()
        .id(4)
        .price(BigDecimal.valueOf(40.00))
        .title("Title 1")
        .build();
}

public static MovieActor getMovieActorBlanchettPartial() {
    MovieActor movieActor = new MovieActor();
    movieActor.setActorName("Cate Blanchett");
    movieActor.setMovieName("Blue Jasmine");
    movieActor.setActingYear(2023);
    movieActor.setActingAward("Best Actress");
    return movieActor;
}

public static MovieActor getMovieActorStreep() {
    MovieActor movieActor = new MovieActor();
    movieActor.setActorName("Meryl Streep");
    movieActor.setMovieName("Sophie's Choice");
    movieActor.setActingYear(1982);
    movieActor.setActingAward("Best Actress");
    movieActor.setActingSchoolName("Yale School of Drama");
    return movieActor;
}

public static MovieActor getMovieActorYeoh(){
    MovieActor movieActor = new MovieActor();
    movieActor.setActorName("Michelle Yeoh");
    movieActor.setMovieName("Everything Everywhere All at Once");
    movieActor.setActingYear(2023);
    movieActor.setActingAward("Best Actress");
    movieActor.setActingSchoolName("Royal Academy of Dance");
    return movieActor;
}
```

}

Assume that the tables contain the following items before you run the example code.

```
MovieActor{movieName='Blue Jasmine', actorName='Cate Blanchett', actingAward='Best Actress', actingYear=2013, actingSchoolName='National Institute of Dramatic Art'}  
MovieActor{movieName='Sophie's Choice', actorName='Meryl Streep', actingAward='Best Actress', actingYear=1982, actingSchoolName='Yale School of Drama'}  
ProductCatalog{id=4, title='Title 1', isbn='orig_isbn', authors=[b, g], price=10}
```

After the example code finishes, the tables contain the following items.

```
MovieActor{movieName='Blue Jasmine', actorName='Cate Blanchett', actingAward='Best Actress', actingYear=2013, actingSchoolName='null'}  
MovieActor{movieName='Everything Everywhere All at Once', actorName='Michelle Yeoh', actingAward='Best Actress', actingYear=2023, actingSchoolName='Royal Academy of Dance'}  
ProductCatalog{id=2, title='Title 55', isbn='1-565-85698', authors=[a, b], price=30.22}
```

Notice in the MovieActor table that the Blue Jasmine movie item has been replaced with the item used in the put request acquired through the getMovieActorBlanchettPartial() helper method. If a data bean attribute value was not provided, the value in the database is removed. This is why the resulting actingSchoolName is null for the Blue Jasmine movie item.

Note

Although the API documentation suggests that condition expressions can be used and that consumed capacity and collection metrics can be returned with individual [put](#) and [delete](#) requests, this is not the case in a batch write scenario. To improve performance for batch operations, these individual options are ignored.

Perform transaction operations

The DynamoDB Enhanced Client API provides the `transactGetItems()` and the `transactWriteItems()` methods. The transaction methods of the SDK for Java provide atomicity, consistency, isolation, and durability (ACID) in DynamoDB tables, helping you to maintain data correctness in your applications.

transactGetItems() example

The [transactGetItems\(\)](#) method accepts up to 100 individual requests for items. All items are read in a single atomic transaction. The *Amazon DynamoDB Developer Guide* has information about the [conditions that cause a transactGetItems\(\) method to fail](#), and also about the isolation level used when you call [transactGetItem\(\)](#).

After comment line 1 in the following example, the code calls the `transactGetItems()` method with a [builder](#) parameter. The builder's [add.GetItem\(\)](#) is invoked three times with a data object that contains the key values that the SDK will use to generate the final request.

The request returns a list of [Document](#) objects after comment line 2. The list of documents that is returned contains non-null [Document](#) instances of item data in the same order as requested. The [Document.getItem\(MappedTableResource<T> mappedTableResource\)](#) method converts an untyped Document object into a typed Java object if item data was returned, otherwise the method returns null.

```
public static void transactGetItemsExample(DynamoDbEnhancedClient enhancedClient,
                                            DynamoDbTable<ProductCatalog>
                                            catalogTable,
                                            DynamoDbTable<MovieActor>
                                            movieActorTable) {

    // 1. Request three items from two tables using a builder.
    final List<Document> documents = enhancedClient.transactGetItems(b -> b
        .add.GetItem(catalogTable,
        Key.builder().partitionValue(2).sortValue("Title 55").build())
        .add.GetItem(movieActorTable, Key.builder().partitionValue("Sophie's
Choice").sortValue("Meryl Streep").build())
        .add.GetItem(movieActorTable, Key.builder().partitionValue("Blue
Jasmine").sortValue("Cate Blanchett").build())
        .build());

    // 2. A list of Document objects is returned in the same order as requested.
    ProductCatalog title55 = documents.get(0).getItem(catalogTable);
    if (title55 != null) {
        logger.info(title55.toString());
    }

    MovieActor sophiesChoice = documents.get(1).getItem(movieActorTable);
    if (sophiesChoice != null) {
        logger.info(sophiesChoice.toString());
```

```
}

// 3. The getItem() method returns null if the Document object contains no item
from DynamoDB.
MovieActor blueJasmine = documents.getItem(movieActorTable);
if (blueJasmine != null) {
    logger.info(blueJasmine.toString());
}
}
```

The DynamoDB tables contain the following items before the code example runs.

```
ProductCatalog{id=2, title='Title 55', isbn='orig_isbn', authors=[b, g], price=10}
MovieActor{movieName='Sophie's Choice', actorName='Meryl Streep', actingAward='Best
Actress', actingYear=1982, actingSchoolName='Yale School of Drama'}
```

The following output is logged. If an item is requested but not found, it is not returned as is the case for the request for the movie named Blue Jasmine.

```
ProductCatalog{id=2, title='Title 55', isbn='orig_isbn', authors=[b, g], price=10}
MovieActor{movieName='Sophie's Choice', actorName='Meryl Streep', actingAward='Best
Actress', actingYear=1982, actingSchoolName='Yale School of Drama'}
```

transactWriteItems() examples

The [transactWriteItems\(\)](#) accepts up to 100 put, update, or delete actions in a single atomic transaction across multiple tables. The *Amazon DynamoDB Developer Guide* contains details about restrictions and failure conditions of the [underlying DynamoDB service operation](#).

Basic example

In the following example, four operations are requested for two tables. The corresponding model classes [ProductCatalog](#) and [MovieActor](#) were shown previously.

Each of the three possible operations—put, update, and delete—uses a dedicated request parameter to specify the details.

The code after comment line 1 shows the simple variation of the `addPutItem()` method. The method accepts a [MappedTableResource](#) object and the data object instance to put. The statement after comment line 2 shows the variation that accepts a

[TransactPutItemEnhancedRequest](#) instance. This variation lets you add more options in the request, such as a condition expression. A subsequent [example](#) shows a condition expression for an individual operation.

An update operation is requested after comment line 3.

[TransactUpdateItemEnhancedRequest](#) has an `ignoreNulls()` method that lets you configure what the SDK does with null values on the model object. If the `ignoreNulls()` method returns true, the SDK does not remove the table's attribute values for data object attributes that are null. If the `ignoreNulls()` method returns false, the SDK requests the DynamoDB service to remove the attributes from the item in the table. The default value for `ignoreNulls` is false.

The statement after comment line 4 shows the variation of a delete request that takes a data object. The enhanced client extracts the key values before dispatching the final request.

```
public static void transactWriteItems(DynamoDbEnhancedClient enhancedClient,
                                      DynamoDbTable<ProductCatalog> catalogTable,
                                      DynamoDbTable<MovieActor> movieActorTable) {

    enhancedClient.transactWriteItems(b -> b
        // 1. Simplest variation of put item request.
        .addPutItem(catalogTable, getProductCatId2())
        // 2. Put item request variation that accommodates condition
expressions.
        .addPutItem(movieActorTable,
TransactPutItemEnhancedRequest.builder(MovieActor.class)
        .item(getMovieActorStreep())

.conditionExpression(Expression.builder().expression("attribute_not_exists
(movie)").build())
        .build()
        // 3. Update request that does not remove attribute values on the table
if the data object's value is null.
        .addUpdateItem(catalogTable,
TransactUpdateItemEnhancedRequest.builder(ProductCatalog.class)
        .item(getProductCatId4ForUpdate())
        .ignoreNulls(Boolean.TRUE)
        .build()
        // 4. Variation of delete request that accepts a data object. The key
values are extracted for the request.
        .addDeleteItem(movieActorTable, getMovieActorBlanchett())
    );
}
```

```
}
```

The following helper methods provide the data objects for the add*Item parameters.

Helper methods

```
public static ProductCatalog getProductCatId2() {
    return ProductCatalog.builder()
        .id(2)
        .isbn("1-565-85698")
        .authors(new HashSet<>(Arrays.asList("a", "b")))
        .price(BigDecimal.valueOf(30.22))
        .title("Title 55")
        .build();
}

public static ProductCatalog getProductCatId4ForUpdate() {
    return ProductCatalog.builder()
        .id(4)
        .price(BigDecimal.valueOf(40.00))
        .title("Title 1")
        .build();
}

public static MovieActor getMovieActorBlanchett() {
    MovieActor movieActor = new MovieActor();
    movieActor.setActorName("Cate Blanchett");
    movieActor.setMovieName("Tar");
    movieActor.setActingYear(2022);
    movieActor.setActingAward("Best Actress");
    movieActor.setActingSchoolName("National Institute of Dramatic Art");
    return movieActor;
}

public static MovieActor getMovieActorStreep() {
    MovieActor movieActor = new MovieActor();
    movieActor.setActorName("Meryl Streep");
    movieActor.setMovieName("Sophie's Choice");
    movieActor.setActingYear(1982);
    movieActor.setActingAward("Best Actress");
    movieActor.setActingSchoolName("Yale School of Drama");
    return movieActor;
}
```

The DynamoDB tables contain the following items before the code example runs.

```
1 | ProductCatalog{id=4, title='Title 1', isbn='orig_isbn', authors=[b, g], price=10}
2 | MovieActor{movieName='Tar', actorName='Cate Blanchett', actingAward='Best Actress',
  actingYear=2022, actingSchoolName='National Institute of Dramatic Art'}
```

The following items are in the tables after the code finishes running.

```
3 | ProductCatalog{id=2, title='Title 55', isbn='1-565-85698', authors=[a, b],
  price=30.22}
4 | ProductCatalog{id=4, title='Title 1', isbn='orig_isbn', authors=[b, g], price=40.0}
5 | MovieActor{movieName='Sophie's Choice', actorName='Meryl Streep', actingAward='Best
  Actress', actingYear=1982, actingSchoolName='Yale School of Drama'}
```

The item on line 2 has been deleted and lines 3 and 5 show the items that were put. Line 4 shows the update of line 1. The price value is the only value that changed on the item. If `ignoreNulls()` had returned false, line 4 would look like the following line.

```
ProductCatalog{id=4, title='Title 1', isbn='null', authors=null, price=40.0}
```

Condition check example

The following example shows the use of a condition check. A condition check is used to check that an item exists or to check the condition of specific attributes of an item in the database. The item checked in the condition check cannot be used in another operation in the transaction.

Note

You can't target the same item with multiple operations within the same transaction. For example, you can't perform a condition check and also attempt to update the same item in the same transaction.

The example shows one of each type of operation in a transactional write items request. After comment line 2, the `addConditionCheck()` method supplies the condition that fails the transaction if the `conditionExpression` parameter evaluates to `false`. The condition expression that is returned from the method shown in the Helper methods block checks if the award year for the movie Sophie's Choice is not equal to 1982. If it is, the expression evaluates to `false` and the transaction fails.

This guide discusses [expressions](#) in depth in another topic.

```
public static void conditionCheckFailExample(DynamoDbEnhancedClient enhancedClient,
                                              DynamoDbTable<ProductCatalog>
                                              catalogTable,
                                              DynamoDbTable<MovieActor>
                                              movieActorTable) {

    try {
        enhancedClient.transactWriteItems(b -> b
            // 1. Perform one of each type of operation with the next three
            methods.
            .addPutItem(catalogTable,
TransactPutItemEnhancedRequest.builder(ProductCatalog.class)
            .item(getProductCatId2()).build())
            .addUpdateItem(catalogTable,
TransactUpdateItemEnhancedRequest.builder(ProductCatalog.class)
            .item(getProductCatId4ForUpdate())
            .ignoreNulls(Boolean.TRUE).build())
            .addDeleteItem(movieActorTable,
TransactDeleteItemEnhancedRequest.builder()
            .key(b1 -> b1

.partitionValue(getMovieActorBlanchett().getMovieName())

.sortValue(getMovieActorBlanchett().getActorName()).build())
            // 2. Add a condition check on a table item that is not involved in
            another operation in this request.
            .addConditionCheck(movieActorTable, ConditionCheck.builder()
                .conditionExpression(buildConditionCheckExpression())
                .key(k -> k
                    .partitionValue("Sophie's Choice")
                    .sortValue("Meryl Streep"))
            // 3. Specify the request to return existing values from
            the item if the condition evaluates to true.

.returnValuesOnConditionCheckFailure(ReturnValuesOnConditionCheckFailure.ALL_OLD)
            .build())
        .build());
    // 4. Catch the exception if the transaction fails and log the information.
    } catch (TransactionCanceledException ex) {
        ex.cancellationReasons().stream().forEach(cancellationReason -> {
            logger.info(cancellationReason.toString());
        });
    }
}
```

```
    }  
}
```

The following helper methods are used in the previous code example.

Helper methods

```
private static Expression buildConditionCheckExpression() {  
    Map<String, AttributeValue> expressionValue = Map.of(  
        ":year", numberValue(1982));  
  
    return Expression.builder()  
        .expression("actingyear <> :year")  
        .expressionValues(expressionValue)  
        .build();  
}  
  
public static ProductCatalog getProductCatId2() {  
    return ProductCatalog.builder()  
        .id(2)  
        .isbn("1-565-85698")  
        .authors(new HashSet<>(Arrays.asList("a", "b")))  
        .price(BigDecimal.valueOf(30.22))  
        .title("Title 55")  
        .build();  
}  
  
public static ProductCatalog getProductCatId4ForUpdate() {  
    return ProductCatalog.builder()  
        .id(4)  
        .price(BigDecimal.valueOf(40.00))  
        .title("Title 1")  
        .build();  
}  
  
public static MovieActor getMovieActorBlanchett() {  
    MovieActor movieActor = new MovieActor();  
    movieActor.setActorName("Cate Blanchett");  
    movieActor.setMovieName("Blue Jasmine");  
    movieActor.setActingYear(2013);  
    movieActor.setActingAward("Best Actress");  
    movieActor.setActingSchoolName("National Institute of Dramatic Art");  
    return movieActor;  
}
```

```
}
```

The DynamoDB tables contain the following items before the code example runs.

```
1 | ProductCatalog{id=4, title='Title 1', isbn='orig_isbn', authors=[b, g], price=10}
2 | MovieActor{movieName='Sophie's Choice', actorName='Meryl Streep', actingAward='Best
Actress', actingYear=1982, actingSchoolName='Yale School of Drama'}
3 | MovieActor{movieName='Tar', actorName='Cate Blanchett', actingAward='Best Actress',
actingYear=2022, actingSchoolName='National Institute of Dramatic Art'}
```

The following items are in the tables after the code finishes running.

```
ProductCatalog{id=4, title='Title 1', isbn='orig_isbn', authors=[b, g], price=10}
MovieActor{movieName='Sophie's Choice', actorName='Meryl Streep', actingAward='Best
Actress', actingYear=1982, actingSchoolName='Yale School of Drama'}
MovieActor{movieName='Tar', actorName='Cate Blanchett', actingAward='Best Actress',
actingYear=2022, actingSchoolName='National Institute of Dramatic Art'}
```

Items remain unchanged in the tables because the transaction failed. The `actingYear` value for the movie Sophie's Choice is 1982, as shown on line 2 of the items in the table before the `transactWriteItem()` method is called.

To capture the cancellation information for the transaction, enclose the `transactWriteItems()` method call in a `try` block and catch the [TransactionCanceledException](#). After comment line 4 of the example, the code logs each [CancellationReason](#) object. Because the code following comment line 3 of the example specifies that values should be returned for the item that caused the transaction to fail, the log displays the raw database values for the Sophie's Choice movie item.

```
CancellationReason(Code=None)
CancellationReason(Code=None)
CancellationReason(Code=None)
CancellationReason(Item={actor=AttributeValue(S=Meryl Streep),
movie=AttributeValue(S=Sophie's Choice), actingaward=AttributeValue(S=Best Actress),
actingyear=AttributeValue(N=1982), actingschoolname=AttributeValue(S=Yale School of
Drama)}, -
Code=ConditionalCheckFailed, Message=The conditional request failed.)
```

Single operation condition example

The following example shows the use of a condition on a single operation in a transaction request. The delete operation after comment line 1 contains a condition that checks the value of the target item of the operation against the database. In this example, the condition expression created with the helper method after comment line 2 specifies that the item should be deleted from the database if the acting year of the movie is not equal to 2013.

[Expressions](#) are discussed later in this guide.

```
public static void singleOperationConditionFailExample(DynamoDbEnhancedClient  
enhancedClient,  
  
DynamoDbTable<ProductCatalog> catalogTable,  
                                              DynamoDbTable<MovieActor>  
movieActorTable) {  
    try {  
        enhancedClient.transactWriteItems(b -> b  
                                         .addPutItem(catalogTable,  
TransactPutItemEnhancedRequest.builder(ProductCatalog.class)  
                                         .item(getProductCatId2())  
                                         .build())  
                                         .addUpdateItem(catalogTable,  
TransactUpdateItemEnhancedRequest.builder(ProductCatalog.class)  
                                         .item(getProductCatId4ForUpdate())  
                                         .ignoreNulls(Boolean.TRUE).build())  
                                         // 1. Delete operation that contains a condition expression  
                                         .addDeleteItem(movieActorTable,  
TransactDeleteItemEnhancedRequest.builder()  
                                         .key((Key.Builder k) -> {  
                                             MovieActor blanchett = getMovieActorBlanchett();  
                                             k.partitionValue(blanchett.getMovieName())  
                                             .sortValue(blanchett.getActorName());  
                                         })  
                                         .conditionExpression(buildDeleteItemExpression())  
  
.returnValuesOnConditionCheckFailure(ReturnValuesOnConditionCheckFailure.ALL_OLD)  
                                         .build())  
                                         .build());  
    } catch (TransactionCanceledException ex) {  
        ex.cancellationReasons().forEach(cancellationReason ->  
logger.info(cancellationReason.toString()));  
    }
```

```
}

// 2. Provide condition expression to check if 'actingyear' is not equal to 2013.
private static Expression buildDeleteItemExpression() {
    Map<String, AttributeValue> expressionValue = Map.of(
        ":year", numberValue(2013));

    return Expression.builder()
        .expression("actingyear <> :year")
        .expressionValues(expressionValue)
        .build();
}
```

The following helper methods are used in the previous code example.

Helper methods

```
public static ProductCatalog getProductCatId2() {
    return ProductCatalog.builder()
        .id(2)
        .isbn("1-565-85698")
        .authors(new HashSet<>(Arrays.asList("a", "b")))
        .price(BigDecimal.valueOf(30.22))
        .title("Title 55")
        .build();
}

public static ProductCatalog getProductCatId4ForUpdate() {
    return ProductCatalog.builder()
        .id(4)
        .price(BigDecimal.valueOf(40.00))
        .title("Title 1")
        .build();
}

public static MovieActor getMovieActorBlanchett() {
    MovieActor movieActor = new MovieActor();
    movieActor.setActorName("Cate Blanchett");
    movieActor.setMovieName("Blue Jasmine");
    movieActor.setActingYear(2013);
    movieActor.setActingAward("Best Actress");
    movieActor.setActingSchoolName("National Institute of Dramatic Art");
    return movieActor;
}
```

The DynamoDB tables contain the following items before the code example runs.

```
1 | ProductCatalog{id=4, title='Title 1', isbn='orig_isbn', authors=[b, g], price=10}
2 | MovieActor{movieName='Blue Jasmine', actorName='Cate Blanchett', actingAward='Best
Actress', actingYear=2013, actingSchoolName='National Institute of Dramatic Art'}
```

The following items are in the tables after the code finishes running.

```
ProductCatalog{id=4, title='Title 1', isbn='orig_isbn', authors=[b, g], price=10}
2023-03-15 11:29:07 [main] INFO org.example.tests.TransactDemoTest:168 -
MovieActor{movieName='Blue Jasmine', actorName='Cate Blanchett', actingAward='Best
Actress', actingYear=2013, actingSchoolName='National Institute of Dramatic Art'}
```

Items remain unchanged in the tables because the transaction failed. The `actingYear` value for the movie `Blue Jasmine` is `2013` as shown on line 2 in the list of items before the code example runs.

The following lines are logged to the console.

```
CancellationReason(Code=None)
CancellationReason(Code=None)
CancellationReason(Item={actor=AttributeValue(S=Cate Blanchett),
movie=AttributeValue(S=Blue Jasmine), actingaward=AttributeValue(S=Best Actress),
actingyear=AttributeValue(N=2013), actingschoolname=AttributeValue(S=National
Institute of Dramatic Art)},
Code=ConditionalCheckFailed, Message=The conditional request failed)
```

Use secondary indices

Secondary indices improve data access by defining alternative keys that you use in query and scan operations. Global secondary indices (GSI) have a partition key and a sort key that can be different from those on the base table. In contrast, local secondary indices (LSI) use the partition key of the primary index.

Annotate data class with secondary index annotations

Attributes that participate in secondary indices require either the `@DynamoDbSecondaryPartitionKey` or `@DynamoDbSecondarySortKey` annotation.

The following class shows annotations for two indices. The GSI named `SubjectLastPostedDateIndex` uses the `Subject` attribute for the partition key and the `LastPostedDateTime` for the sort

key. The LSI named *ForumLastPostedDateIndex* uses the ForumName as its partition key and LastPostedDateTime as its sort key.

Note that the Subject attribute serves a dual role. It is the primary key's sort key and the partition key of the GSI named *SubjectLastPostedDateIndex*.

MessageThread class

The MessageThread class is suitable to use as a data class for the [example Thread table](#) in the *Amazon DynamoDB Developer Guide*.

Imports

```
import software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbBean;
import
software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbPartitionKey;
import
software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbSecondaryPartitionKey;
import
software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbSecondarySortKey;
import software.amazon.awssdk.enhanced.dynamodb.mapper.annotations.DynamoDbSortKey;

import java.util.List;
```

```
@DynamoDbBean
public class MessageThread {
    private String ForumName;
    private String Subject;
    private String Message;
    private String LastPostedBy;
    private String LastPostedDateTime;
    private Integer Views;
    private Integer Replies;
    private Integer Answered;
    private List<String> Tags;

    @DynamoDbPartitionKey
    public String getForumName() {
        return ForumName;
    }

    public void setForumName(String forumName) {
        ForumName = forumName;
```

```
}

// Sort key for primary index and partition key for GSI
"SubjectLastPostedDateIndex".
@DynamoDbSortKey
@DynamoDbSecondaryPartitionKey(indexNames = "SubjectLastPostedDateIndex")
public String getSubject() {
    return Subject;
}

public void setSubject(String subject) {
    Subject = subject;
}

// Sort key for GSI "SubjectLastPostedDateIndex" and sort key for LSI
"ForumLastPostedDateIndex".
@DynamoDbSecondarySortKey(indexNames = {"SubjectLastPostedDateIndex",
"ForumLastPostedDateIndex"})
public String getLastPostedDateTime() {
    return LastPostedDateTime;
}

public void setLastPostedDateTime(String lastPostedDateTime) {
    LastPostedDateTime = lastPostedDateTime;
}

public String getMessage() {
    return Message;
}

public void setMessage(String message) {
    Message = message;
}

public String getLastPostedBy() {
    return LastPostedBy;
}

public void setLastPostedBy(String lastPostedBy) {
    LastPostedBy = lastPostedBy;
}

public Integer getViews() {
    return Views;
}
```

```
public void setViews(Integer views) {
    Views = views;
}

@DynamoDbSecondaryPartitionKey(indexNames = "ForumRepliesIndex")
public Integer getReplies() {
    return Replies;
}

public void setReplies(Integer replies) {
    Replies = replies;
}

public Integer getAnswered() {
    return Answered;
}

public void setAnswered(Integer answered) {
    Answered = answered;
}

public List<String> getTags() {
    return Tags;
}

public void setTags(List<String> tags) {
    Tags = tags;
}

public MessageThread() {
    this.Answered = 0;
    this.LastPostedBy = "";
    this.ForumName = "";
    this.Message = "";
    this.LastPostedDateTime = "";
    this.Replies = 0;
    this.Views = 0;
    this.Subject = "";
}

@Override
public String toString() {
    return "MessageThread{" +

```

```
        "ForumName='\" + ForumName + '\" +\n        ", Subject='\" + Subject + '\" +\n        ", Message='\" + Message + '\" +\n        ", LastPostedBy='\" + LastPostedBy + '\" +\n        ", LastPostedDateTime='\" + LastPostedDateTime + '\" +\n        ", Views='\" + Views +\n        ", Replies='\" + Replies +\n        ", Answered='\" + Answered +\n        ", Tags='\" + Tags +\n        '}\';\n    }\n}
```

Create the index

Beginning with version 2.20.86 of the SDK for Java, the `createTable()` method automatically generates secondary indexes from data class annotations. By default, all attributes from the base table are copied to an index and the provisioned throughput values are 20 read capacity units and 20 write capacity units.

However, if you use an SDK version prior to 2.20.86, you need to build the index along with the table as shown in the following example. This example builds the two indexes for the Thread table. The `builder` parameter has methods to configure both types of indexes as shown after comment lines 1 and 2. You use the index builder's `indexName()` method to associate the index names specified in the data class annotations with the intended type of index.

This code configures all of the table attributes to end up in both indexes after comment lines 3 and 4. More information about [attribute projections](#) is available in the *Amazon DynamoDB Developer Guide*.

```
public static void createMessageThreadTable(DynamoDbTable<MessageThread>\nmessageThreadDynamoDbTable, DynamoDbClient dynamoDbClient) {\n    messageThreadDynamoDbTable.createTable(b -> b\n        // 1. Generate the GSI.\n        .globalSecondaryIndices(gsi ->\n            gsi.indexName("SubjectLastPostedDateIndex")\n                // 3. Populate the GSI with all attributes.\n                .projection(p -> p\n                    .projectionType(ProjectionType.ALL))\n        )\n        // 2. Generate the LSI.\n        .localSecondaryIndices(lsi -> lsi.indexName("ForumLastPostedDateIndex"))\n}
```

```
// 4. Populate the LSI with all attributes.  
    .projection(p -> p  
                .projectionType(ProjectionType.ALL))  
)  
);
```

Query by using an index

The following example queries the local secondary index *ForumLastPostedDateIndex*.

Following comment line 2, you create a [QueryConditional](#) object that is required when calling the [DynamoDbIndex.query\(\)](#) method.

You get a reference to the index you want to query after comment line 3 by passing in the name of the index. Following comment line 4, you call the `query()` method on the index passing in the `QueryConditional` object.

You also configure the query to return three attribute values as shown after comment line 5. If `attributesToProject()` is not called, the query returns all attribute values. Notice that the specified attribute names begin with lowercase letters. These attribute names match those used in the table, not necessarily the attribute names of the data class.

Following comment line 6, iterate through the results and log each item returned by the query and also store it in the list to return to the caller.

```
public static List<MessageThread> queryUsingSecondaryIndices(DynamoDbEnhancedClient  
enhancedClient,  
                                         String lastPostedDate,  
  
                                         DynamoDbTable<MessageThread> threadTable) {  
    // 1. Log the parameter value.  
    logger.info("lastPostedDate value: {}", lastPostedDate);  
  
    // 2. Create a QueryConditional whose sort key value must be greater than or  
    // equal to the parameter value.  
    QueryConditional queryConditional =  
        QueryConditional.sortGreaterThanOrEqualTo(qc ->  
            qc.partitionValue("Forum02").sortValue(lastPostedDate));  
  
    // 3. Specify the index name to query the DynamoDbIndex instance.  
    final DynamoDbIndex<MessageThread> forumLastPostedDateIndex =  
        threadTable.index("ForumLastPostedDateIndex");
```

```
// 4. Perform the query by using the QueryConditional object.  
final SdkIterable<Page<MessageThread>> pagedResult =  
forumLastPostedDateIndex.query(q -> q  
        .queryConditional(queryConditional)  
        // 5. Request three attribute in the results.  
        .attributesToProject("forumName", "subject", "lastPostedDateTime");  
  
List<MessageThread> collectedItems = new ArrayList<>();  
// 6. Iterate through the pages response and sort the items.  
pagedResult.stream().forEach(page -> page.items().stream()  
  
.sorted(Comparator.comparing(MessageThread::getLastPostedDateTime))  
        .forEach(mt -> {  
            // 7. Log the returned items and add the collection to  
            return to the caller.  
            logger.info(mt.toString());  
            collectedItems.add(mt);  
        });  
    return collectedItems;  
}
```

The following items exist in the database before the query is run.

```
MessageThread{ForumName='Forum01', Subject='Subject01', Message='Message01',  
LastPostedBy='', LastPostedDateTime='2023.03.28', Views=0, Replies=0, Answered=0,  
Tags=null}  
MessageThread{ForumName='Forum02', Subject='Subject02', Message='Message02',  
LastPostedBy='', LastPostedDateTime='2023.03.29', Views=0, Replies=0, Answered=0,  
Tags=null}  
MessageThread{ForumName='Forum02', Subject='Subject04', Message='Message04',  
LastPostedBy='', LastPostedDateTime='2023.03.31', Views=0, Replies=0, Answered=0,  
Tags=null}  
MessageThread{ForumName='Forum02', Subject='Subject08', Message='Message08',  
LastPostedBy='', LastPostedDateTime='2023.04.04', Views=0, Replies=0, Answered=0,  
Tags=null}  
MessageThread{ForumName='Forum02', Subject='Subject10', Message='Message10',  
LastPostedBy='', LastPostedDateTime='2023.04.06', Views=0, Replies=0, Answered=0,  
Tags=null}  
MessageThread{ForumName='Forum03', Subject='Subject03', Message='Message03',  
LastPostedBy='', LastPostedDateTime='2023.03.30', Views=0, Replies=0, Answered=0,  
Tags=null}
```

```
MessageThread{ForumName='Forum03', Subject='Subject06', Message='Message06',
LastPostedBy='', LastPostedDateTime='2023.04.02', Views=0, Replies=0, Answered=0,
Tags=null}
MessageThread{ForumName='Forum03', Subject='Subject09', Message='Message09',
LastPostedBy='', LastPostedDateTime='2023.04.05', Views=0, Replies=0, Answered=0,
Tags=null}
MessageThread{ForumName='Forum05', Subject='Subject05', Message='Message05',
LastPostedBy='', LastPostedDateTime='2023.04.01', Views=0, Replies=0, Answered=0,
Tags=null}
MessageThread{ForumName='Forum07', Subject='Subject07', Message='Message07',
LastPostedBy='', LastPostedDateTime='2023.04.03', Views=0, Replies=0, Answered=0,
Tags=null}
```

The logging statements at lines 1 and 6 result in the following console output.

```
lastPostedDate value: 2023.03.31
MessageThread{ForumName='Forum02', Subject='Subject04', Message='', LastPostedBy='',
LastPostedDateTime='2023.03.31', Views=0, Replies=0, Answered=0, Tags=null}
MessageThread{ForumName='Forum02', Subject='Subject08', Message='', LastPostedBy='',
LastPostedDateTime='2023.04.04', Views=0, Replies=0, Answered=0, Tags=null}
MessageThread{ForumName='Forum02', Subject='Subject10', Message='', LastPostedBy='',
LastPostedDateTime='2023.04.06', Views=0, Replies=0, Answered=0, Tags=null}
```

The query returned items with a `forumName` value of `Forum02` and a `lastPostedDateTime` value greater than or equal to `2023.03.31`. The results show message values with an empty string although the message attributes have values in the index. This is because the message attribute was not projected after comment line 5.

Use advanced mapping features

Learn about advanced table schema features in the DynamoDB Enhanced Client API.

Understand table schema types

[TableSchema](#) is the interface to the mapping functionality of the DynamoDB Enhanced Client API. It can map a data object to and from a map of [AttributeValues](#). A `TableSchema` object needs to know about the structure of the table it is mapping. This structure information is stored in a [TableMetadata](#) object.

The enhanced client API has several implementations of `TableSchema`, which follow.

Table schema generated from annotated classes

It is a moderately expensive operation to build a TableSchema from annotated classes, so we recommend doing this once, at application startup.

BeanTableSchema

This implementation is built based on attributes and annotations of a bean class. An example of this approach is demonstrated in the [Get started section](#).

 **Note**

If a BeanTableSchema is not behaving as you expect, enable debug logging for `software.amazon.awssdk.enhanced.dynamodb.beans`.

ImmutableTableSchema

This implementation is built from an immutable data class. This approach is described in the [???](#) section.

Table schema generated with a builder

The following TableSchemas are built from code by using a builder. This approach is less costly than the approach that uses annotated data classes. The builder approach avoids the use of annotations and doesn't require JavaBean naming standards.

StaticTableSchema

This implementation is built for mutable data classes. The getting started section of this guide demonstrated how to [generate a StaticTableSchema using a builder](#).

StaticImmutableTableSchema

Similarly to how you build a StaticTableSchema, you generate an implementation of this type of TableSchema using a [builder](#) for use with immutable data classes.

Table schema for data without a fixed schema

DocumentTableSchema

Unlike other implementations of TableSchema, you don't define attributes for a DocumentTableSchema instance. Usually, you specify only primary keys and attribute converter providers. An EnhancedDocument instance provides the attributes that you build from individual elements or from a JSON string.

Explicitly include or exclude attributes

The DynamoDB Enhanced Client API offers annotations to exclude data class attributes from becoming attributes on a table. With the API, you can also use an attribute name that's different from the data class attribute name.

Exclude attributes

To ignore attributes that should not be mapped to a DynamoDB table, mark the attribute with the @DynamoDbIgnore annotation.

```
private String internalKey;

@DynamoDbIgnore
public String getInternalKey() { return this.internalKey; }
public void setInternalKey(String internalKey) { this.internalKey = internalKey; }
```

Include attributes

To change the name of an attribute used in the DynamoDB table, mark it with the @DynamoDbAttribute annotation and supply a different name.

```
private String internalKey;

@DynamoDbAttribute("renamedInternalKey")
public String getInternalKey() { return this.internalKey; }
public void setInternalKey(String internalKey) { this.internalKey = internalKey; }
```

Control attribute conversion

By default, a table schema provides converters for many common Java types through a default implementation of the [AttributeConverterProvider](#) interface. You can change the overall

default behavior with a custom `AttributeConverterProvider` implementation. You can also change the converter for a single attribute.

For a list of available converters, see the [AttributeConverter](#) interface Java doc.

Provide custom attribute converter providers

You can provide a single `AttributeConverterProvider` or a chain of ordered `AttributeConverterProviders` through the `@DynamoDbBean (converterProviders = {...})` annotation. Any custom `AttributeConverterProvider` must extend the `AttributeConverterProvider` interface.

Note that if you supply your own chain of attribute converter providers, you will override the default converter provider, `DefaultAttributeConverterProvider`. If you want to use the functionality of the `DefaultAttributeConverterProvider`, you must include it in the chain.

It's also possible to annotate the bean with an empty array `{}`. This disables the use of any attribute converter providers, including the default. In this case all attributes that are to be mapped must have their own attribute converter.

The following snippet shows a single converter provider.

```
@DynamoDbBean(converterProviders = ConverterProvider1.class)
public class Customer {

}
```

The following snippet shows the use of a chain of converter providers. Since the SDK default is provided last, it has the lowest priority.

```
@DynamoDbBean(converterProviders = {
    ConverterProvider1.class,
    ConverterProvider2.class,
    DefaultAttributeConverterProvider.class})
public class Customer {

}
```

The static table schema builders have an `attributeConverterProviders()` method that works the same way. This is shown in the following snippet.

```
private static final StaticTableSchema<Customer> CUSTOMER_TABLE_SCHEMA =  
    StaticTableSchema.builder(Customer.class)  
        .newItemSupplier(Customer::new)  
        .addAttribute(String.class, a -> a.name("name")  
                      .getter(Customer::getName)  
                      .setter(Customer::setName))  
        .attributeConverterProviders(converterProvider1, converterProvider2)  
        .build();
```

Override the mapping of a single attribute

To override the way a single attribute is mapped, supply an `AttributeConverter` for the attribute. This addition overrides any converters provided by `AttributeConverterProviders` in the table schema. This adds a custom converter for only that attribute. Other attributes, even those of the same type, won't use that converter unless it is explicitly specified for those other attributes.

The `@DynamoDbConvertedBy` annotation is used to specify the custom `AttributeConverter` class as shown in the following snippet.

```
@DynamoDbBean  
public class Customer {  
    private String name;  
  
    @DynamoDbConvertedBy(CustomAttributeConverter.class)  
    public String getName() { return this.name; }  
    public void setName(String name) { this.name = name; }  
}
```

The builders for static schemas have an equivalent attribute builder `attributeConverter()` method. This method takes an instance of an `AttributeConverter` as the following shows.

```
private static final StaticTableSchema<Customer> CUSTOMER_TABLE_SCHEMA =  
    StaticTableSchema.builder(Customer.class)  
        .newItemSupplier(Customer::new)  
        .addAttribute(String.class, a -> a.name("name")  
                      .getter(Customer::getName)  
                      .setter(Customer::setName)  
                      .attributeConverter(customAttributeConverter))  
        .build();
```

Example

This example shows an `AttributeConverterProvider` implementation that provides an attribute converter for `java.net.HttpCookie` objects.

The following `SimpleUser` class contains an attribute named `lastUsedCookie` that is an instance of `HttpCookie`.

The parameter to the `@DynamoDbBean` annotations lists the two `AttributeConverterProvider` classes that provide converters.

Class with annotations

```
@DynamoDbBean(converterProviders = {CookieConverterProvider.class,
DefaultAttributeConverterProvider.class})
public static final class SimpleUser {
    private String name;
    private HttpCookie lastUsedCookie;

    @DynamoDbPartitionKey
    public String getName() {
        return name;
    }

    public void setName(String name) {
        this.name = name;
    }

    public HttpCookie getLastUsedCookie() {
        return lastUsedCookie;
    }

    public void setLastUsedCookie(HttpCookie lastUsedCookie) {
        this.lastUsedCookie = lastUsedCookie;
    }
}
```

Static table schema

```
private static final TableSchema<SimpleUser> SIMPLE_USER_TABLE_SCHEMA =
    TableSchema.builder(SimpleUser.class)
        .newItemSupplier(SimpleUser::new)
        .attributeConverterProviders(CookieConverterProvider.create(),
            AttributeConverterProvider.defaultProvider())
```

```
.addAttribute(String.class, a -> a.name("name"))
    .setter(SimpleUser::setName)
    .getter(SimpleUser::getName)
    .tags(StaticAttributeTags.primaryPartitionKey()))
.addAttribute(HttpCookie.class, a -> a.name("lastUsedCookie"))
    .setter(SimpleUser::setLastUsedCookie)
    .getter(SimpleUser::getLastUsedCookie))
.build();
```

The `CookieConverterProvider` in the following example provides an instance of an `HttpCookieConverter`.

```
public static final class CookieConverterProvider implements
AttributeConverterProvider {
    private final Map<EnhancedType<?>, AttributeConverter<?>> converterCache =
ImmutableMap.of(
        // 1. Add HttpCookieConverter to the internal cache.
        EnhancedType.of(HttpCookie.class), new HttpCookieConverter());

    public static CookieConverterProvider create() {
        return new CookieConverterProvider();
    }

    // The SDK calls this method to find out if the provider contains a
AttributeConverter instance
    // for the EnhancedType<T> argument.
    @SuppressWarnings("unchecked")
    @Override
    public <T> AttributeConverter<T> converterFor(EnhancedType<T> enhancedType) {
        return (AttributeConverter<T>) converterCache.get(enhancedType);
    }
}
```

Conversion code

In the `transformFrom()` method of the following `HttpCookieConverter` class, the code receives an `HttpCookie` instance and transforms it into a DynamoDB map that is stored as an attribute.

The `transformTo()` method receives a DynamoDB map parameter, then invokes the `HttpCookie` constructor that requires a name and a value.

```
public static final class HttpCookieConverter implements
AttributeConverter<HttpCookie> {

    @Override
    public AttributeValue transformFrom(HttpCookie httpCookie) {

        return AttributeValue.fromM(
            Map.of("cookieName", AttributeValue.fromS(httpCookie.getName())),
            "cookieValue", AttributeValue.fromS(httpCookie.getValue()))
    };
}

@Override
public HttpCookie transformTo(AttributeValue attributeValue) {
    Map<String, AttributeValue> map = attributeValue.m();
    return new HttpCookie(
        map.get("cookieName").s(),
        map.get("cookieValue").s());
}

@Override
public EnhancedType<HttpCookie> type() {
    return EnhancedType.of(HttpCookie.class);
}

@Override
public AttributeValueType attributeValueType() {
    return AttributeValueType.M;
}
}
```

Change update behavior of attributes

You can customize the update behavior of individual attributes when you perform an *update* operation. Some examples of update operations in the DynamoDB Enhanced Client API are [updateItem\(\)](#) and [transactWriteItems\(\)](#).

For example, imagine that you want to store a *created on* timestamp on your record. However, you want its value to be written only if there's no existing value for the attribute already in the database. In this case, you use the [WRITE_IF_NOT_EXISTS](#) update behavior.

The following example shows the annotation that adds the behavior to the `createdOn` attribute.

```
@DynamoDbBean
public class Customer extends GenericRecord {
    private String id;
    private Instant createdOn;

    @DynamoDbPartitionKey
    public String getId() { return this.id; }
    public void setId(String id) { this.name = id; }

    @DynamoDbUpdateBehavior(UpdateBehavior.WRITE_IF_NOT_EXISTS)
    public Instant getCreatedOn() { return this.createdOn; }
    public void setCreatedOn(Instant createdOn) { this.createdOn = createdOn; }
}
```

You can declare the same update behavior when you build a static table schema as shown in the following example after comment line 1.

```
static final TableSchema<Customer> CUSTOMER_TABLE_SCHEMA =
    TableSchema.builder(Customer.class)
        .newItemSupplier(Customer::new)
        .addAttribute(String.class, a -> a.name("id")
            .getter(Customer::getId)
            .setter(Customer::setId))

        .tags(StaticAttributeTags.primaryPartitionKey())
        .addAttribute(Instant.class, a -> a.name("createdOn")
            .getter(Customer::getCreatedOn)
            .setter(Customer::setCreatedOn))
        // 1. Add an UpdateBehavior.

    .tags(StaticAttributeTags.updateBehavior(UpdateBehavior.WRITE_IF_NOT_EXISTS))
    .build();
```

Flatten attributes from other classes

If the attributes for your table are spread across several different Java classes, either through inheritance or composition, the DynamoDB Enhanced Client API provides support to flatten the attributes into one class.

Use inheritance

If your classes use inheritance, use the following approaches to flatten the hierarchy.

Use annotated beans

For the annotation approach, both classes must carry the `@DynamoDbBean` annotation and a class must carry one or more primary key annotations.

The following shows examples of data classes that have an inheritance relationship.

Standard data class

```
@DynamoDbBean
public class Customer extends GenericRecord {
    private String name;

    public String getName() { return name; }
    public void setName(String name) { this.name = name; }
}

@dynamoDbBean
public abstract class GenericRecord {
    private String id;
    private String createdDate;

    @DynamoDbPartitionKey
    public String getId() { return id; }
    public void setId(String id) { this.id = id; }

    public String getCreatedDate() { return createdDate; }
    public void setCreatedDate(String createdDate) { this.createdDate =
        createdDate; }
}
```

Lombok

Lombok's [onMethod option](#) copies attribute-based DynamoDB annotations, such as `@DynamoDbPartitionKey`, onto the generated code.

```
@DynamoDbBean
@Data
@ToString(callSuper = true)
public class Customer extends GenericRecord {
    private String name;
}
```

```
@Data  
@DynamoDbBean  
public abstract class GenericRecord {  
    @Getter(onMethod_=@DynamoDbPartitionKey)  
    private String id;  
    private String createdDate;  
}
```

Use static schemas

For the static schema approach, use the `extend()` method of the builder to collapse the attributes of the parent class onto the child class. This is shown after comment line 1 in the following example.

```
StaticTableSchema<org.example.tests.model.inheritance.stat.GenericRecord>  
GENERIC_RECORD_SCHEMA =  
  
StaticTableSchema.builder(org.example.tests.model.inheritance.stat.GenericRecord.class)  
    // The partition key will be inherited by the top level mapper.  
    .addAttribute(String.class, a -> a.name("id"))  
  
.getter(org.example.tests.model.inheritance.stat.GenericRecord::getId)  
  
.setter(org.example.tests.model.inheritance.stat.GenericRecord::setId)  
    .tags(primaryPartitionKey()))  
    .addAttribute(String.class, a -> a.name("created_date"))  
  
.getter(org.example.tests.model.inheritance.stat.GenericRecord::getCreatedDate)  
  
.setter(org.example.tests.model.inheritance.stat.GenericRecord::setCreatedDate))  
    .build();  
  
StaticTableSchema<org.example.tests.model.inheritance.stat.Customer>  
CUSTOMER_SCHEMA =  
  
StaticTableSchema.builder(org.example.tests.model.inheritance.stat.Customer.class)  
    .newItemSupplier(org.example.tests.model.inheritance.stat.Customer::new)  
        .addAttribute(String.class, a -> a.name("name"))  
  
.getter(org.example.tests.model.inheritance.stat.Customer::getName)
```

```
.setter(org.example.tests.model.inheritance.stat.Customer::setName))
        // 1. Use the extend() method to collapse the parent attributes
        onto the child class.
        .extend(GENERIC_RECORD_SCHEMA)      // All the attributes of the
GenericRecord schema are added to Customer.
        .build();
```

The previous static schema example uses the following data classes. Because the mapping is defined when you build the static table schema, the data classes don't require annotations.

Data classes

Standard data class

```
public class Customer extends GenericRecord {
    private String name;

    public String getName() { return name; }
    public void setName(String name) { this.name = name; }
}

public abstract class GenericRecord {
    private String id;
    private String createdDate;

    public String getId() { return id; }
    public void setId(String id) { this.id = id; }

    public String getCreatedDate() { return createdDate; }
    public void setCreatedDate(String createdDate) { this.createdDate =
createdDate; }
```

Lombok

```
@Data
@ToString(callSuper = true)
public class Customer extends GenericRecord{
    private String name;
}

@Data
```

```
public abstract class GenericRecord {  
    private String id;  
    private String createdDate;  
}
```

Use composition

If your classes use composition, use the following approaches to flatten the hierarchy.

Use annotated beans

The `@DynamoDbFlatten` annotation flattens the contained class.

The following data class examples use the `@DynamoDbFlatten` annotation to effectively add all attributes of the contained `GenericRecord` class to the `Customer` class.

Standard data class

```
@DynamoDbBean  
public class Customer {  
    private String name;  
    private GenericRecord record;  
  
    public String getName() { return this.name; }  
    public void setName(String name) { this.name = name; }  
  
    @DynamoDbFlatten  
    public GenericRecord getRecord() { return this.record; }  
    public void setRecord(GenericRecord record) { this.record = record; }  
  
    @DynamoDbBean  
    public class GenericRecord {  
        private String id;  
        private String createdDate;  
  
        @DynamoDbPartitionKey  
        public String getId() { return this.id; }  
        public void setId(String id) { this.id = id; }  
  
        public String getCreatedDate() { return this.createdDate; }  
        public void setCreatedDate(String createdDate) { this.createdDate =  
            createdDate; }
```

}

Lombok

```
@Data  
@DynamoDbBean  
public class Customer {  
    private String name;  
    @Getter(onMethod_=@DynamoDbFlatten)  
    private GenericRecord record;  
}  
  
@Data  
@DynamoDbBean  
public class GenericRecord {  
    @Getter(onMethod_=@DynamoDbPartitionKey)  
    private String id;  
    private String createdDate;  
}
```

You can use the flatten annotation to flatten as many different eligible classes as you need to. The following constraints apply:

- All attribute names must be unique after they are flattened.
- There must never be more than one partition key, sort key, or table name.

Use static schemas

When you build a static table schema, use the `flatten()` method of the builder. You also supply the getter and setter methods that identify the contained class.

```
StaticTableSchema<GenericRecord> GENERIC_RECORD_SCHEMA =  
    StaticTableSchema.builder(GenericRecord.class)  
        .newItemSupplier(GenericRecord::new)  
        .addAttribute(String.class, a -> a.name("id")  
            .getter(GenericRecord::getId)  
            .setter(GenericRecord::setId)  
            .tags(primaryPartitionKey()))  
        .addAttribute(String.class, a -> a.name("created_date")  
            .getter(GenericRecord::getCreatedDate)
```

```
        .setter(GenericRecord::setCreatedDate))
    .build();

StaticTableSchema<Customer> CUSTOMER_SCHEMA =
    StaticTableSchema.builder(Customer.class)
        .newItemSupplier(Customer::new)
        .addAttribute(String.class, a -> a.name("name")
            .getter(Customer::getName)
            .setter(Customer::setName))
        // Because we are flattening a component object, we supply a
        // getter and setter so the
        // mapper knows how to access it.
        .flatten(GENERIC_RECORD_SCHEMA, Customer::getRecord,
Customer::setRecord)
    .build();
```

The previous static schema example uses the following data classes.

Data classes

Standard data class

```
public class Customer {
    private String name;
    private GenericRecord record;

    public String getName() { return this.name; }
    public void setName(String name) { this.name = name; }

    public GenericRecord getRecord() { return this.record; }
    public void setRecord(GenericRecord record) { this.record = record; }

public class GenericRecord {
    private String id;
    private String createdDate;

    public String getId() { return this.id; }
    public void setId(String id) { this.id = id; }

    public String getCreatedDate() { return this.createdDate; }
    public void setCreatedDate(String createdDate) { this.createdDate =
createdDate; }
}
```

Lombok

```
@Data  
public class Customer {  
    private String name;  
    private GenericRecord record;  
}  
  
@Data  
public class GenericRecord {  
    private String id;  
    private String createdDate;  
}
```

You can use the builder pattern to flatten as many different eligible classes as you need to.

Implications for other code

When you use the `@DynamoDbFlatten` attribute (or `flatten()` builder method), the item in DynamoDB contains an attribute for each attribute of the composed object. It also includes the attributes of the composing object.

In contrast, if you annotate a data class with a composed class and don't use `@DynamoDbFlatten`, the item is saved with the composed object as a single attribute.

For example, compare the `Customer` class shown in the [flattening with composition example](#) with and without flattening of the `record` attribute. You can visualize the difference with JSON as shown in the following table.

With flattening	Without flattening
3 attributes	2 attributes
<pre>{ "id": "1", "createdDate": "today", "name": "my name" }</pre>	<pre>{ "id": "1", "record": { "createdDate": "today", "name": "my name" } }</pre>

The difference becomes important if you have other code accessing the DynamoDB table that expects to find certain attributes.

Work with attributes that are beans, maps, lists and sets

A bean definition, such as the Person class shown below, might define properties (or attributes) that refer to types with additional attributes. For instance, in the Person class, mainAddress is a property that refers to an Address bean that defines additional value attributes. addresses refers to a Java Map, whose elements refer to Address beans. These complex types can be thought of as containers of simple attributes that you use for their data value in the context of DynamoDB.

DynamoDB refers to the value properties of nested elements, such as maps, lists, or beans, as *nested attributes*. The [Amazon DynamoDB Developer Guide](#) refers to the saved form of a Java map, list or bean as a *document type*. Simple attributes that you use for their data value in Java are referred to as *scalar types* in DynamoDB. Sets, which contains multiple scalar elements of the same type, and referred to as *set types*.

It is important to know that the DynamoDB Enhanced Client API converts a property that is bean to a DynamoDB map document type when it is save.

Person class

```
@DynamoDbBean
public class Person {
    private Integer id;
    private String firstName;
    private String lastName;
    private Integer age;
    private Address mainAddress;
    private Map<String, Address> addresses;
    private List<PhoneNumber> phoneNumbers;
    private Set<String> hobbies;

    @DynamoDbPartitionKey
    public Integer getId() {
        return id;
    }

    public void setId(Integer id) {
        this.id = id;
    }
}
```

```
public String getFirstName() {
    return firstName;
}

public void setFirstName(String firstName) {
    this.firstName = firstName;
}

public String getLastName() {
    return lastName;
}

public void setLastName(String lastName) {
    this.lastName = lastName;
}

public Integer getAge() {
    return age;
}

public void setAge(Integer age) {
    this.age = age;
}

public Address getMainAddress() {
    return mainAddress;
}

public void setMainAddress(Address mainAddress) {
    this.mainAddress = mainAddress;
}

public Map<String, Address> getAddresses() {
    return addresses;
}

public void setAddresses(Map<String, Address> addresses) {
    this.addresses = addresses;
}

public List<PhoneNumber> getPhoneNumbers() {
    return phoneNumbers;
}
```

```
public void setPhoneNumbers(List<PhoneNumber> phoneNumbers) {
    this.phoneNumbers = phoneNumbers;
}

public Set<String> getHobbies() {
    return hobbies;
}

public void setHobbies(Set<String> hobbies) {
    this.hobbies = hobbies;
}

@Override
public String toString() {
    return "Person{" +
        "addresses=" + addresses +
        ", id=" + id +
        ", firstName='" + firstName + '\'' +
        ", lastName='" + lastName + '\'' +
        ", age=" + age +
        ", mainAddress=" + mainAddress +
        ", phoneNumbers=" + phoneNumbers +
        ", hobbies=" + hobbies +
        '}';
}
}
```

Address class

```
@DynamoDbBean
public class Address {
    private String street;
    private String city;
    private String state;
    private String zipCode;

    public Address() {
    }

    public String getStreet() {
        return this.street;
    }
}
```

```
public String getCity() {
    return this.city;
}

public String getState() {
    return this.state;
}

public String getZipCode() {
    return this.zipCode;
}

public void setStreet(String street) {
    this.street = street;
}

public void setCity(String city) {
    this.city = city;
}

public void setState(String state) {
    this.state = state;
}

public void setZipCode(String zipCode) {
    this.zipCode = zipCode;
}

@Override
public boolean equals(Object o) {
    if (this == o) return true;
    if (o == null || getClass() != o.getClass()) return false;
    Address address = (Address) o;
    return Objects.equals(street, address.street) && Objects.equals(city,
address.city) && Objects.equals(state, address.state) && Objects.equals(zipCode,
address.zipCode);
}

@Override
public int hashCode() {
    return Objects.hash(street, city, state, zipCode);
}
```

```
@Override
public String toString() {
    return "Address{" +
        "street='" + street + '\'' +
        ", city='" + city + '\'' +
        ", state='" + state + '\'' +
        ", zipCode='" + zipCode + '\'' +
        '}';
}
```

PhoneNumber class

```
@DynamoDbBean
public class PhoneNumber {
    String type;
    String number;

    public String getType() {
        return type;
    }

    public void setType(String type) {
        this.type = type;
    }

    public String getNumber() {
        return number;
    }

    public void setNumber(String number) {
        this.number = number;
    }

    @Override
    public String toString() {
        return "PhoneNumber{" +
            "type='" + type + '\'' +
            ", number='" + number + '\'' +
            '}';
    }
}
```

Save complex types

Use annotated data classes

You save nested attributes for custom classes by simply annotating them. The `Address` class and `PhoneNumber` class shown previously are annotated with only the `@DynamoDbBean` annotation. When the DynamoDB Enhanced Client API builds the table schema for the `Person` class with the following snippet, the API discovers the use of the `Address` and `PhoneNumber` classes and builds the corresponding mappings to work with DynamoDB.

```
TableSchema<Person> personTableSchema = TableSchema.fromBean(Person.class);
```

Use abstract schemas with builders

The alternative approach is to use static table schema builders for each nested bean class as shown in the following code.

The table schemas for the `Address` and `PhoneNumber` classes are abstract in the sense that they cannot be used with a DynamoDB table. This is because they lack definitions for the primary key. They are used, however, as nested schemas in the table schema for the `Person` class.

After comment lines 1 and 2 in the definition of `PERSON_TABLE_SCHEMA`, you see the code that uses the abstract table schemas. The use of `documentOf` in the `EnhanceType.documentOf(...)` method does not indicate that the method returns an `EnhancedDocument` type of the Enhanced Document API. The `documentOf(...)` method in this context returns an object that knows how to map its class argument to and from DynamoDB table attributes by using the table schema argument.

Static schema code

```
// Abstract table schema that cannot be used to work with a DynamoDB table,  
// but can be used as a nested schema.  
public static final TableSchema<Address> TABLE_SCHEMA_ADDRESS =  
TableSchema.builder(Address.class)  
    .newItemSupplier(Address::new)  
    .addAttribute(String.class, a -> a.name("street")  
        .getter(Address::getStreet)  
        .setter(Address::setStreet))  
    .addAttribute(String.class, a -> a.name("city")  
        .getter(Address::getCity)  
        .setter(Address::setCity))  
    .addAttribute(String.class, a -> a.name("zipcode"))
```

```
.getter(Address::getZipCode)
.setter(Address::setZipCode))
.addAttribute(String.class, a -> a.name("state")
    .getter(Address::getState)
    .setter(Address::setState))
.build();

// Abstract table schema that cannot be used to work with a DynamoDB table,
// but can be used as a nested schema.
public static final TableSchema<PhoneNumber> TABLE_SCHEMA_PHONENUMBER =
TableSchema.builder(PhoneNumber.class)
    .newItemSupplier(PhoneNumber::new)
    .addAttribute(String.class, a -> a.name("type")
        .getter(PhoneNumber::getType)
        .setter(PhoneNumber::setType))
    .addAttribute(String.class, a -> a.name("number")
        .getter(PhoneNumber::getNumber)
        .setter(PhoneNumber::setNumber))
.build();

// A static table schema that can be used with a DynamoDB table.
// The table schema contains two nested schemas that are used to perform mapping
to/from DynamoDB.
public static final TableSchema<Person> PERSON_TABLE_SCHEMA =
    TableSchema.builder(Person.class)
        .newItemSupplier(Person::new)
        .addAttribute(Integer.class, a -> a.name("id")
            .getter(Person::getId)
            .setter(Person::setId)
            .addTag(StaticAttributeTags.primaryPartitionKey()))
        .addAttribute(String.class, a -> a.name("firstName")
            .getter(Person::getFirstName)
            .setter(Person::setFirstName))
        .addAttribute(String.class, a -> a.name("lastName")
            .getter(Person::getLastName)
            .setter(Person::setLastName))
        .addAttribute(Integer.class, a -> a.name("age")
            .getter(Person::getAge)
            .setter(Person::setAge))
        .addAttribute(EnhancedType.documentOf(Address.class, TABLE_SCHEMA_ADDRESS),
a -> a.name("mainAddress")
            .getter(Person::getMainAddress)
            .setter(Person::setMainAddress))
        .addAttribute(EnhancedType.listOf(String.class), a -> a.name("hobbies")
```

```
.getter(Person::getHobbies)
.setter(Person::setHobbies))
.addAttribute(EnhancedType.mapOf(
    EnhancedType.of(String.class),
    // 1. Use mapping functionality of the Address table schema.
    EnhancedType.documentOf(Address.class, TABLE_SCHEMA_ADDRESS)), a ->
a.name("addresses")
    .getter(Person::getAddresses)
    .setter(Person::setAddresses))
.addAttribute(EnhancedType.listOf(
    // 2. Use mapping functionality of the PhoneNumber table schema.
    EnhancedType.documentOf(PhoneNumber.class, TABLE_SCHEMA_PHONENUMBER)),
a -> a.name("phoneNumbers")
    .getter(Person::getPhoneNumbers)
    .setter(Person::setPhoneNumbers))
.build();
```

Project attributes of complex types

For `query()` and `scan()` methods, you can specify which attributes you want to be returned in the results by using method calls such as `addNestedAttributeToProject()` and `attributesToProject()`. The DynamoDB Enhanced Client API converts the Java method call parameters into [projection expressions](#) before the request is sent.

The following example populates the Person table with two items, then performs three scan operations.

The first scan accesses all items in the table in order to compare the results to the other scan operations.

The second scan uses the [`addNestedAttributeToProject\(\)`](#) builder method to return only the street attribute value.

The third scan operation uses the [`attributesToProject\(\)`](#) builder method to return the data for the first-level attribute, hobbies. The attribute type of hobbies is a list. To access individual list items, perform a `get()` operation on the list.

```
personDynamoDbTable = getDynamoDbEnhancedClient().table("Person",
PERSON_TABLE_SCHEMA);
PersonUtils.createPersonTable(personDynamoDbTable, getDynamoDbClient());
// Use a utility class to add items to the Person table.
List<Person> personList = PersonUtils.getItemsForCount(2);
```

```
// This utility method performs a put against DynamoDB to save the instances in
the list argument.
PersonUtils.putCollection(getDynamoDbEnhancedClient(), personList,
personDynamoDbTable);

// The first scan logs all items in the table to compare to the results of the
subsequent scans.
final PageIterable<Person> allItems = personDynamoDbTable.scan();
allItems.items().forEach(p ->
    // 1. Log what is in the table.
    logger.info(p.toString()));

// Scan for nested attributes.
PageIterable<Person> streetScanResult = personDynamoDbTable.scan(b -> b
    // Use the 'addNestedAttributeToProject()' or
'addNestedAttributesToProject()' to access data nested in maps in DynamoDB.
    .addNestedAttributeToProject(
        NestedAttributeName.create("addresses", "work", "street")
    ));

streetScanResult.items().forEach(p ->
    //2. Log the results of requesting nested attributes.
    logger.info(p.toString()));

// Scan for a top-level list attribute.
PageIterable<Person> hobbiesScanResult = personDynamoDbTable.scan(b -> b
    // Use the 'attributesToProject()' method to access first-level
attributes.
    .attributesToProject("hobbies"));

hobbiesScanResult.items().forEach((p) -> {
    // 3. Log the results of the request for the 'hobbies' attribute.
    logger.info(p.toString());
    // To access an item in a list, first get the parent attribute, 'hobbies',
then access items in the list.
    String hobby = p.getHobbies().get(1);
    // 4. Log an item in the list.
    logger.info(hobby);
});
```

```
// Logged results from comment line 1.
Person{id=2, firstName='first name 2', lastName='last name 2', age=11,
addresses={work=Address{street='street 21', city='city 21', state='state 21',
```

```
zipCode='33333'}, home=Address{street='street 2', city='city 2', state='state 2',
zipCode='22222'}}, phoneNumbers=[PhoneNumber{type='home', number='222-222-2222'},
PhoneNumber{type='work', number='333-333-3333'}], hobbies=[hobby 2, hobby 21]}
Person{id=1, firstName='first name 1', lastName='last name 1', age=11,
addresses={work=Address{street='street 11', city='city 11', state='state 11',
zipCode='22222'}, home=Address{street='street 1', city='city 1', state='state 1',
zipCode='11111'}}, phoneNumbers=[PhoneNumber{type='home', number='111-111-1111'},
PhoneNumber{type='work', number='222-222-2222'}], hobbies=[hobby 1, hobby 11]}

// Logged results from comment line 2.
Person{id=null, firstName='null', lastName='null', age=null,
addresses={work=Address{street='street 21', city='null', state='null',
zipCode='null'}}, phoneNumbers=null, hobbies=null}
Person{id=null, firstName='null', lastName='null', age=null,
addresses={work=Address{street='street 11', city='null', state='null',
zipCode='null'}}, phoneNumbers=null, hobbies=null}

// Logged results from comment lines 3 and 4.
Person{id=null, firstName='null', lastName='null', age=null, addresses=null,
phoneNumbers=null, hobbies=[hobby 2, hobby 21]}
hobby 21
Person{id=null, firstName='null', lastName='null', age=null, addresses=null,
phoneNumbers=null, hobbies=[hobby 1, hobby 11]}
hobby 11
```

Note

If the `attributesToProject()` method follows any other builder method that adds attributes that you want to project, the list of attribute names supplied to the `attributesToProject()` replaces all other attribute names.

A scan performed with the `ScanEnhancedRequest` instance in the following snippet returns only hobby data.

```
ScanEnhancedRequest lastOverwrites = ScanEnhancedRequest.builder()
    .addNestedAttributeToProject(
        NestedAttributeName.create("addresses", "work", "street"))
    .addAttributeToProject("firstName")
    // If the 'attributesToProject()' method follows other builder methods
    // that add attributes for projection,
    // its list of attributes replace all previous attributes.
    .attributesToProject("hobbies")
    .build();
```

```

PageIterable<Person> hobbiesOnlyResult =
    personDynamoDbTable.scan(lastOverwrites);
hobbiesOnlyResult.items().forEach(p ->
    logger.info(p.toString()));

// Logged results.
Person{id=null, firstName='null', lastName='null', age=null, addresses=null,
    phoneNumbers=null, hobbies=[hobby 2, hobby 21]}
Person{id=null, firstName='null', lastName='null', age=null, addresses=null,
    phoneNumbers=null, hobbies=[hobby 1, hobby 11]}

```

The following code snippet uses the `attributesToProject()` method first. This ordering preserves all other requested attributes.

```

ScanEnhancedRequest attributesPreserved = ScanEnhancedRequest.builder()
    // Use 'attributesToProject()' first so that the method call does not
    // replace all other attributes
    // that you want to project.
    .attributesToProject("firstName")
    .addNestedAttributeToProject(
        NestedAttributeName.create("addresses", "work", "street"))
    .addAttributeToProject("hobbies")
    .build();
PageIterable<Person> allAttributesResult =
    personDynamoDbTable.scan(attributesPreserved);
allAttributesResult.items().forEach(p ->
    logger.info(p.toString()));

// Logged results.
Person{id=null, firstName='first name 2', lastName='null', age=null,
    addresses={work=Address{street='street 21', city='null', state='null',
        zipCode='null'}}, phoneNumbers=null, hobbies=[hobby 2, hobby 21]}
Person{id=null, firstName='first name 1', lastName='null', age=null,
    addresses={work=Address{street='street 11', city='null', state='null',
        zipCode='null'}}, phoneNumbers=null, hobbies=[hobby 1, hobby 11]}

```

Use complex types in expressions

You can use complex types in expressions, such as filter expressions and condition expressions, by using dereferencing operators to navigate the structure of the complex type. For objects and maps, use the `.` (dot) and for list elements use `[n]` (square brackets around the sequence number

of the element). You can't refer to individual elements of a set, but you can use the [contains function](#).

The following example show two filter expressions that are used in scan operations. The filter expressions specify the match conditions for items you want in the results. The example uses Person, Address, and PhoneNumber classes shown previously.

```
public void scanUsingFilterOfNestedAttr() {
    // The following is a filter expression for an attribute that is a map of
    Address objects.
    // By using this filter expression, the SDK returns Person objects that have an
    address
    // with 'mailing' as a key and 'MS2' for a state value.
    Expression addressFilter = Expression.builder()
        .expression("addresses.#type.#field = :value")
        .putExpressionName("#type", "mailing")
        .putExpressionName("#field", "state")
        .putExpressionValue(":value",
    AttributeValue.builder().s("MS2").build())
        .build();

    PageIterable<Person> addressFilterResults = personDynamoDbTable.scan(rb -> rb.
        filterExpression(addressFilter));
    addressFilterResults.items().stream().forEach(p -> logger.info("Person: {}", p));

    assert addressFilterResults.items().stream().count() == 1;

    // The following is a filter expression for an attribute that is a list of
    phone numbers.
    // By using this filter expression, the SDK returns Person objects whose second
    phone number
    // in the list has a type equal to 'cell'.
    Expression phoneFilter = Expression.builder()
        .expression("phoneNumbers[1].#type = :type")
        .putExpressionName("#type", "type")
        .putExpressionValue(":type",
    AttributeValue.builder().s("cell").build())
        .build();

    PageIterable<Person> phoneFilterResults = personDynamoDbTable.scan(rb -> rb
        .filterExpression(phoneFilter)
```

```
.attributesToProject("id", "firstName", "lastName", "phoneNumbers")
);

phoneFilterResults.items().stream().forEach(p -> logger.info("Person: {}", p));

assert phoneFilterResults.items().stream().count() == 1;
assert
phoneFilterResults.items().stream().findFirst().get().getPhoneNumbers().get(1).getType().equals(
}
```

Helper method that populates the table

```
public static void populateDatabase() {
    Person person1 = new Person();
    person1.setId(1);
    person1.setFirstName("FirstName1");
    person1.setLastName("LastName1");

    Address billingAddr1 = new Address();
    billingAddr1.setState("BS1");
    billingAddr1.setCity("BillingTown1");

    Address mailing1 = new Address();
    mailing1.setState("MS1");
    mailing1.setCity("MailingTown1");

    person1.setAddresses(Map.of("billing", billingAddr1, "mailing", mailing1));

    PhoneNumber pn1_1 = new PhoneNumber();
    pn1_1.setType("work");
    pn1_1.setNumber("111-111-1111");

    PhoneNumber pn1_2 = new PhoneNumber();
    pn1_2.setType("home");
    pn1_2.setNumber("222-222-2222");

    List<PhoneNumber> phoneNumbers1 = List.of(pn1_1, pn1_2);
    person1.setPhoneNumbers(phoneNumbers1);

    personDynamoDbTable.putItem(person1);

    Person person2 = person1;
    person2.setId(2);
```

```
    person2.setFirstName("FirstName2");
    person2.setLastName("LastName2");

    Address billingAddress2 = billingAddr1;
    billingAddress2.setCity("BillingTown2");
    billingAddress2.setState("BS2");

    Address mailing2 = mailing1;
    mailing2.setCity("MailingTown2");
    mailing2.setState("MS2");

    person2.setAddresses(Map.of("billing", billingAddress2, "mailing", mailing2));

    PhoneNumber pn2_1 = new PhoneNumber();
    pn2_1.setType("work");
    pn2_1.setNumber("333-333-3333");

    PhoneNumber pn2_2 = new PhoneNumber();
    pn2_2.setType("cell");
    pn2_2.setNumber("444-444-4444");

    List<PhoneNumber> phoneNumbers2 = List.of(pn2_1, pn2_2);
    person2.setPhoneNumbers(phoneNumbers2);

    personDynamoDbTable.putItem(person2);
}
```

JSON representation of items in the database

```
{
  "id": 1,
  "addresses": {
    "billing": {
      "city": "BillingTown1",
      "state": "BS1",
      "street": null,
      "zipCode": null
    },
    "mailing": {
      "city": "MailingTown1",
      "state": "MS1",
      "street": null,
      "zipCode": null
    }
  }
}
```

```
    },
    },
    "firstName": "FirstName1",
    "lastName": "LastName1",
    "phoneNumbers": [
        {
            "number": "111-111-1111",
            "type": "work"
        },
        {
            "number": "222-222-2222",
            "type": "home"
        }
    ]
}

{
    "id": 2,
    "addresses": {
        "billing": {
            "city": "BillingTown2",
            "state": "BS2",
            "street": null,
            "zipCode": null
        },
        "mailing": {
            "city": "MailingTown2",
            "state": "MS2",
            "street": null,
            "zipCode": null
        }
    },
    "firstName": "FirstName2",
    "lastName": "LastName2",
    "phoneNumbers": [
        {
            "number": "333-333-3333",
            "type": "work"
        },
        {
            "number": "444-444-4444",
            "type": "cell"
        }
    ]
}
```

```
}
```

Update items that contain complex types

To update an item that contains complex types, you have two basic approaches:

- Approach 1: First retrieve the item (by using `getItem`), update the object, then call `DynamoDbTable#updateItem`.
- Approach 2: Don't retrieve the item, but construct a new instance, set the properties you want to update, and submit the instance to `DynamoDbTable#updateItem` by setting the appropriate value of [IgnoreNullsMode](#). This approach does not require that you fetch the item before updating it.

The examples shown in this section use the `Person`, `Address`, and `PhoneNumber` classes shown previously.

Update approach 1: retrieve, then update

By using this approach, you ensure that no data is lost on update. The DynamoDB Enhanced Client API recreates the bean with the attributes from the item saved in DynamoDB including values of complex types. You then need to use the getters and setters to update the bean. The downside of this approach is the cost you incur retrieving the item first.

The following example demonstrates that no data is lost if you first retrieve the item before updating it.

```
public void retrieveThenUpdateExample() {  
    // Assume that we ran this code yesterday.  
    Person person = new Person();  
    person.setId(1);  
    person.setFirstName("FirstName");  
    person.setLastName("LastName");  
  
    Address mainAddress = new Address();  
    mainAddress.setStreet("123 MyStreet");  
    mainAddress.setCity("MyCity");  
    mainAddress.setState("MyState");  
    mainAddress.setZipCode("MyZipCode");  
    person.setMainAddress(mainAddress);  
  
    PhoneNumber homePhone = new PhoneNumber();
```

```
homePhone.setNumber("1111111");
homePhone.setType("HOME");
person.setPhoneNumbers(List.of(homePhone));

personDynamoDbTable.putItem(person);

// Assume that we are running this code now.
// First, retrieve the item
Person retrievedPerson =
personDynamoDbTable.getItem(Key.builder().partitionValue(1).build());

// Make any updates.
retrievedPerson.getMainAddress().setCity("YourCity");

// Save the updated bean. 'updateItem' returns the bean as it appears after the
update.
Person updatedPerson = personDynamoDbTable.updateItem(retrievedPerson);

// Verify for this example.
Address updatedMainAddress = updatedPerson.getMainAddress();
assert updatedMainAddress.getCity().equals("YourCity");
assert updatedMainAddress.getState().equals("MyState"); // Unchanged.
// The list of phone numbers remains; it was not set to null;
assert updatedPerson.getPhoneNumbers().size() == 1;
}
```

Update approach 2: Use an `IgnoreNullsMode` enum without retrieving the item first

To update an item in DynamoDB, you can provide a new object that has only the properties that you want updated and leave the other values as null. With this approach, you need to be aware of how null values in the object are treated by the SDK and how you can control the behavior.

To specify which null-valued properties you want the SDK to ignore, provide an `IgnoreNullsMode` enum when you build the [UpdateItemEnhancedRequest](#). As an example of using one of the enumerated values, the following snippet uses the `IgnoreNullsMode.SCALAR_ONLY` mode.

```
// Create a new Person object to update the existing item in DynamoDB.
Person personForUpdate = new Person();
personForUpdate.setId(1);
personForUpdate.setFirstName("updatedFirstName"); // 'firstName' is a top scalar
property.
```

```
Address addressForUpdate = new Address();
addressForUpdate.setCity("updatedCity");
personForUpdate.setMainAddress(addressForUpdate);

personDynamoDbTable.updateItem(r -> r
        .item(personForUpdate)
        .ignoreNullsMode( IgnoreNullsMode.SCALAR_ONLY )
        .build());

/* With IgnoreNullsMode.SCALAR_ONLY provided, The SDK ignores all null properties. The
   SDK adds or replaces
the 'firstName' property with the provided value, "updatedFirstName". The SDK updates
   the 'city' value of
'mainAddress', as long as the 'mainAddress' attribute already exists in DynamoDB.
```

In the background, the SDK generates an update expression that it sends in the request to DynamoDB.

The following JSON object is a simplified version of what it sends. Notice that the SDK includes the paths to 'mainAddress.city' and 'firstName' in the SET clause of the update expression. No null values in 'personForUpdate' are included.

```
{
    "TableName": "PersonTable",
    "Key": {
        "id": {
            "N": "1"
        }
    },
    "ReturnValues": "ALL_NEW",
    "UpdateExpression": "SET #mainAddress.#city = :mainAddress_city, #firstName = :firstName",
    "ExpressionAttributeNames": {
        "#city": "city",
        "#firstName": "firstName",
        "#mainAddress": "mainAddress"
    },
    "ExpressionAttributeValues": {
        ":firstName": {
            "S": "updatedFirstName"
        },
        ":mainAddress_city": {
            "S": "updatedCity"
        }
    }
}
```

```
    }
}
}
```

Had we chosen 'IgnoreNullsMode.DEFAULT' instead of 'IgnoreNullsMode.SCALAR_ONLY', the SDK would have included null values in the "ExpressionAttributeValues" section of the request as shown in the following snippet.

```
"ExpressionAttributeValues": {
    ":mainAddress": {
        "M": {
            "zipCode": {
                "NULL": true
            },
            "city": {
                "S": "updatedCity"
            },
            "street": {
                "NULL": true
            },
            "state": {
                "NULL": true
            }
        },
        "S": "updatedFirstName"
    }
}
*/
```

The Amazon DynamoDB Developer Guide contains more information about [update expressions](#).

Descriptions of the `IgnoreNullsMode` options

- `IgnoreNullsMode.SCALAR_ONLY` - Use this setting to update scalar attributes at any level. The SDK constructs an update statement that sends only non-null, scalar attributes to DynamoDB. The SDK ignores null-valued, scalar attributes of a bean or map, retaining the saved value in DynamoDB.

When you update a scalar attribute of map or bean, the map must already exists in DynamoDB. If you add a map or a bean to the object that does not already exist for the object in DynamoDB,

you get a `DynamoDbException` with the message *The document path provided in the update expression is invalid for update*. You must use `MAPS_ONLY` mode to add a bean or map to DynamoDB before you update any of its attributes.

- `IgnoreNullsMode.MAPS_ONLY` - Use this setting to add or replace properties that are a bean or a map. The SDK replaces or adds any map or bean provided in the object. Any beans or maps that are null in the object are ignored, retaining the map that exists in DynamoDB.
- `IgnoreNullsMode.DEFAULT` - With this setting, the SDK never ignores null values. Scalar attributes at any level that are null are updated to null. The SDK updates any null-valued bean, map, list, or set property in the object to null in DynamoDB. When you use this mode—or don't provide a mode since it's the default mode—you should retrieve the item first so that values in DynamoDB are not set to null that are provided in the object for updating, unless your intention is to set the values to null.

In all modes, if you provide an object to `updateItem` that has a non-null list or set, the list or set is saved to DynamoDB.

Why the modes?

When you provide an object with a bean or map to the `updateItem` method, the SDK can't tell if it should use the property values in the bean (or entry values in the map) to update the item, or if the entire bean/map should replace what's been saved to DynamoDB.

Working from our previous example that shows the retrieval of the item first, let's attempt to update the `city` attribute of `mainAddress` without the retrieval.

```
/* The retrieval example saved the Person object with a 'mainAddress' property whose
   'city' property value is "MyCity".
   /* Note that we create a new Person with only the necessary information to update the
      city value
      of the mainAddress. */
Person personForUpdate = new Person();
personForUpdate.setId(1);
// The update we want to make changes the city.
Address mainAddressForUpdate = new Address();
mainAddressForUpdate.setCity("YourCity");
personForUpdate.setMainAddress(mainAddressForUpdate);

// Let's try the following:
Person updatedPerson = personDynamoDbTable.updateItem(personForUpdate);
/*
```

Since we haven't retrieved the item, we don't know if the 'mainAddress' property already exists, so what update expression should the SDK generate?

- A) Should it replace or add the 'mainAddress' with the provided object (setting all attributes to null other than city)
as shown in the following simplified JSON?

```
{  
    "TableName": "PersonTable",  
    "Key": {  
        "id": {  
            "N": "1"  
        }  
    },  
    "ReturnValues": "ALL_NEW",  
    "UpdateExpression": "SET #mainAddress = :mainAddress",  
    "ExpressionAttributeNames": {  
        "#mainAddress": "mainAddress"  
    },  
    "ExpressionAttributeValues": {  
        ":mainAddress": {  
            "M": {  
                "zipCode": {  
                    "NULL": true  
                },  
                "city": {  
                    "S": "YourCity"  
                },  
                "street": {  
                    "NULL": true  
                },  
                "state": {  
                    "NULL": true  
                }  
            }  
        }  
    }  
}
```

- B) Or should it update only the 'city' attribute of an existing 'mainAddress' as shown in the following simplified JSON?

```
{  
    "TableName": "PersonTable",
```

```
"Key": {  
    "id": {  
        "N": "1"  
    }  
},  
"ReturnValues": "ALL_NEW",  
"UpdateExpression": "SET #mainAddress.#city = :mainAddress_city",  
"ExpressionAttributeNames": {  
    "#city": "city",  
    "#mainAddress": "mainAddress"  
},  
"ExpressionAttributeValues": {  
    ":mainAddress_city": {  
        "S": "YourCity"  
    }  
}  
}
```

However, assume that we don't know if the 'mainAddress' already exists. If it doesn't exist, the SDK would try to update an attribute of a non-existent map, which results in an exception.

In this particular case, we would likely select option B (SCALAR_ONLY) to retain the other values of the 'mainAddress'.

```
*/
```

The following two examples show uses of the MAPS_ONLY and SCALAR_ONLY enumerated values. MAPS_ONLY adds a map and SCALAR_ONLY updates a map.

IgnoreNullsMode.MAPS_ONLY example

```
public void mapsOnlyModeExample() {  
    // Assume that we ran this code yesterday.  
    Person person = new Person();  
    person.setId(1);  
    person.setFirstName("FirstName");  
  
    personDynamoDbTable.putItem(person);  
  
    // Assume that we are running this code now.  
  
    /* Note that we create a new Person with only the necessary information to  
     * update the city value
```

```
of the mainAddress. */
Person personForUpdate = new Person();
personForUpdate.setId(1);
// The update we want to make changes the city.
Address mainAddressForUpdate = new Address();
mainAddressForUpdate.setCity("YourCity");
personForUpdate.setMainAddress(mainAddressForUpdate);

Person updatedPerson = personDynamoDbTable.updateItem(r -> r
    .item(personForUpdate)
    .ignoreNullsMode(IgnoreNullsMode.MAPS_ONLY)); // Since the mainAddress
property does not exist, use MAPS_ONLY mode.
assert updatedPerson.getMainAddress().getCity().equals("YourCity");
assert updatedPerson.getMainAddress().getState() == null;
}
```

IgnoreNullsMode.SCALAR_ONLY example

```
public void scalarOnlyExample() {
    // Assume that we ran this code yesterday.
    Person person = new Person();
    person.setId(1);
    Address mainAddress = new Address();
    mainAddress.setCity("MyCity");
    mainAddress.setState("MyState");
    person.setMainAddress(mainAddress);

    personDynamoDbTable.putItem(person);

    // Assume that we are running this code now.

    /* Note that we create a new Person with only the necessary information to
    update the city value
    of the mainAddress. */
    Person personForUpdate = new Person();
    personForUpdate.setId(1);
    // The update we want to make changes the city.
    Address mainAddressForUpdate = new Address();
    mainAddressForUpdate.setCity("YourCity");
    personForUpdate.setMainAddress(mainAddressForUpdate);

    Person updatedPerson = personDynamoDbTable.updateItem(r -> r
```

```

        .item(personForUpdate)
        .ignoreNullsMode(IgnoreNullsMode.SCALAR_ONLY)); // SCALAR_ONLY mode
ignores null properties in the in mainAddress.
    assert updatedPerson.getMainAddress().getCity().equals("YourCity");
    assert updatedPerson.getMainAddress().getState().equals("MyState"); // The
state property remains the same.
}

```

Refer to the following table to see which null values are ignored for each mode. You can often work with either SCALAR_ONLY and MAPS_ONLY except when you work with beans or maps.

Which null-valued properties in the object submitted to updateItem does the SDK ignore for each mode?

Type of property	in SCALAR_ONLY mode	in MAPS_ONLY mode	in DEFAULT mode
Top scalar	Yes	Yes	No
Bean or map	Yes	Yes	No
Scalar value of a bean or map entry	Yes ¹	No ²	No
List or set	Yes	Yes	No

¹This assumes the map already exists in DynamoDB. Any scalar value—null or not null—of the bean or map that you provide in the object for update requires that a path to the value exists in DynamoDB. The SDK constructs a path to the attribute by using the . (dot) dereference operator before it submits the request.

²Since you use MAPS_ONLY mode to fully replace or to add a bean or map, all null values in the bean or map are retained in the map saved to DynamoDB.

Preserve empty objects with @DynamoDbPreserveEmptyObject

If you save a bean to Amazon DynamoDB with empty objects and you want the SDK to recreate the empty objects upon retrieval, annotate the getter of the inner bean with @DynamoDbPreserveEmptyObject.

To illustrate how the annotation works, the code example uses the following two beans.

Example beans

The following data class contains two InnerBean fields. The getter method, `getInnerBeanWithoutAnno()`, is not annotated with `@DynamoDbPreserveEmptyObject`. The `getInnerBeanWithAnno()` method is annotated.

```
@DynamoDbBean
public class MyBean {

    private String id;
    private String name;
    private InnerBean innerBeanWithoutAnno;
    private InnerBean innerBeanWithAnno;

    @DynamoDbPartitionKey
    public String getId() { return id; }
    public void setId(String id) { this.id = id; }

    public String getName() { return name; }
    public void setName(String name) { this.name = name; }

    public InnerBean getInnerBeanWithoutAnno() { return innerBeanWithoutAnno; }
    public void setInnerBeanWithoutAnno(InnerBean innerBeanWithoutAnno)
    { this.innerBeanWithoutAnno = innerBeanWithoutAnno; }

    @DynamoDbPreserveEmptyObject
    public InnerBean getInnerBeanWithAnno() { return innerBeanWithAnno; }
    public void setInnerBeanWithAnno(InnerBean innerBeanWithAnno)
    { this.innerBeanWithAnno = innerBeanWithAnno; }

    @Override
    public String toString() {
        return new StringJoiner(", ", MyBean.class.getSimpleName() + "[", "]")
            .add("innerBeanWithoutAnno=" + innerBeanWithoutAnno)
            .add("innerBeanWithAnno=" + innerBeanWithAnno)
            .add("id='" + id + "'")
            .add("name='" + name + "'")
            .toString();
    }
}
```

Instances of the following InnerBean class are fields of MyBean and are initialized as empty objects in the example code.

```
@DynamoDbBean
public class InnerBean {

    private String innerBeanField;

    public String getInnerBeanField() {
        return innerBeanField;
    }

    public void setInnerBeanField(String innerBeanField) {
        this.innerBeanField = innerBeanField;
    }

    @Override
    public String toString() {
        return "InnerBean{" +
            "innerBeanField='" + innerBeanField + '\'' +
            '}';
    }
}
```

The following code example saves a MyBean object with initialized inner beans to DynamoDB and then retrieves the item. The logged output shows that the `innerBeanWithoutAnno` is not initialized, but `innerBeanWithAnno` has been created.

```
public MyBean preserveEmptyObjectAnnoUsingGetItemExample(DynamoDbTable<MyBean>
myBeanTable) {
    // Save an item to DynamoDB.
    MyBean bean = new MyBean();
    bean.setId("1");
    bean.setInnerBeanWithoutAnno(new InnerBean());    // Instantiate the inner bean.
    bean.setInnerBeanWithAnno(new InnerBean());        // Instantiate the inner bean.
    myBeanTable.putItem(bean);

    GetItemEnhancedRequest request = GetItemEnhancedRequest.builder()
        .key(Key.builder().partitionValue("1").build())
        .build();
    MyBean myBean = myBeanTable.getItem(request);

    logger.info(myBean.toString());
    // Output 'MyBean[innerBeanWithoutAnno=null,
    innerBeanWithAnno=InnerBean{innerBeanField='null'}, id='1', name='null']'.
}
```

```
    return myBean;  
}
```

Alternative static schema

You can use the following `StaticTableSchema` version of the table schemas in place of the annotations on the beans.

```
public static TableSchema<MyBean> buildStaticSchemas() {  
  
    StaticTableSchema<InnerBean> innerBeanStaticTableSchema =  
        StaticTableSchema.builder(InnerBean.class)  
            .newItemSupplier(InnerBean::new)  
            .addAttribute(String.class, a -> a.name("innerBeanField")  
                .getter(InnerBean::getInnerBeanField)  
                .setter(InnerBean::setInnerBeanField))  
            .build();  
  
    return StaticTableSchema.builder(MyBean.class)  
        .newItemSupplier(MyBean::new)  
        .addAttribute(String.class, a -> a.name("id")  
            .getter(MyBean::getId)  
            .setter(MyBean::setId)  
            .addTag(primaryPartitionKey()))  
        .addAttribute(String.class, a -> a.name("name")  
            .getter(MyBean::getName)  
            .setter(MyBean::setName))  
        .addAttribute(EnhancedType.documentOf(InnerBean.class,  
            innerBeanStaticTableSchema),  
            a -> a.name("innerBean1")  
                .getter(MyBean::getInnerBeanWithoutAnno)  
                .setter(MyBean::setInnerBeanWithoutAnno))  
        .addAttribute(EnhancedType.documentOf(InnerBean.class,  
            innerBeanStaticTableSchema,  
            b -> b.preserveEmptyObject(true)),  
            a -> a.name("innerBean2")  
                .getter(MyBean::getInnerBeanWithAnno)  
                .setter(MyBean::setInnerBeanWithAnno))  
        .build();  
}
```

Avoid saving null attributes of nested objects

You can skip null attributes of nested objects when saving a data class object to DynamoDB by applying the `@DynamoDbIgnoreNulls` annotation. By contrast, top-level attributes with null values are never saved to the database.

To illustrate how the annotation works, the code example uses the following two beans.

Example beans

The following data class contains two `InnerBean` fields. The getter method, `getInnerBeanWithoutAnno()`, is not annotated. The `getInnerBeanWithIgnoreNullsAnno()` method is annotated with `@DynamoDbIgnoreNulls`.

```
@DynamoDbBean
public class MyBean {

    private String id;
    private String name;
    private InnerBean innerBeanWithoutAnno;
    private InnerBean innerBeanWithIgnoreNullsAnno;

    @DynamoDbPartitionKey
    public String getId() { return id; }
    public void setId(String id) { this.id = id; }

    public String getName() { return name; }
    public void setName(String name) { this.name = name; }

    public InnerBean getInnerBeanWithoutAnno() { return innerBeanWithoutAnno; }
    public void setInnerBeanWithoutAnno(InnerBean innerBeanWithoutAnno)
    { this.innerBeanWithoutAnno = innerBeanWithoutAnno; }

    @DynamoDbIgnoreNulls
    public InnerBean getInnerBeanWithIgnoreNullsAnno() { return
innerBeanWithIgnoreNullsAnno; }
    public void setInnerBeanWithIgnoreNullsAnno(InnerBean innerBeanWithAnno)
    { this.innerBeanWithIgnoreNullsAnno = innerBeanWithAnno; }

    @Override
    public String toString() {
        return new StringJoiner(", ", MyBean.class.getSimpleName() + "[", "]")
            .add("innerBeanWithoutAnno=" + innerBeanWithoutAnno)
```

```

        .add("innerBeanWithIgnoreNullsAnno=" + innerBeanWithIgnoreNullsAnno)
        .add("id='" + id + "'")
        .add("name='" + name + "'")
        .toString();
    }
}

```

Instances of the following InnerBean class are fields of MyBean and are used in the following example code.

```

@DynamoDbBean
public class InnerBean {

    private String innerBeanFieldString;
    private Integer innerBeanFieldInteger;

    public String getInnerBeanFieldString() { return innerBeanFieldString; }
    public void setInnerBeanFieldString(String innerBeanFieldString)
    { this.innerBeanFieldString = innerBeanFieldString; }

    public Integer getInnerBeanFieldInteger() { return innerBeanFieldInteger; }
    public void setInnerBeanFieldInteger(Integer innerBeanFieldInteger)
    { this.innerBeanFieldInteger = innerBeanFieldInteger; }

    @Override
    public String toString() {
        return new StringJoiner(", ", InnerBean.class.getSimpleName() + "[", "]")
            .add("innerBeanFieldString='" + innerBeanFieldString + "'")
            .add("innerBeanFieldInteger=" + innerBeanFieldInteger)
            .toString();
    }
}

```

The following code example creates an InnerBean object and sets only one of its two attributes with a value.

```

public void ignoreNullsAnnoUsingPutItemExample(DynamoDbTable<MyBean> myBeanTable) {
    // Create an InnerBean object and give only one attribute a value.
    InnerBean innerBeanOneAttributeSet = new InnerBean();
    innerBeanOneAttributeSet.setInnerBeanFieldInteger(200);
}

```

```
// Create a MyBean instance and use the same InnerBean instance both for
// attributes.

MyBean bean = new MyBean();
bean.setId("1");
bean.setInnerBeanWithoutAnno(innerBeanOneAttributeSet);
bean.setInnerBeanWithIgnoreNullsAnno(innerBeanOneAttributeSet);

Map<String, AttributeValue> itemMap = myBeanTable.tableSchema().itemToMap(bean,
true);
logger.info(itemMap.toString());
// Log the map that is sent to the database.
//
{innerBeanWithIgnoreNullsAnno=AttributeValue(M={innerBeanFieldInteger=AttributeValue(N=200)}),
id=AttributeValue(S=1),
innerBeanWithoutAnno=AttributeValue(M={innerBeanFieldInteger=AttributeValue(N=200),
innerBeanFieldString=AttributeValue(NUL=true)})}

// Save the MyBean object to the table.
myBeanTable.putItem(bean);
}
```

To visualize the low-level data that is sent to DynamoDB, the code logs the attribute map before saving the MyBean object.

The logged output shows that the `innerBeanWithIgnoreNullsAnno` outputs one attribute,

```
innerBeanWithIgnoreNullsAnno=AttributeValue(M={innerBeanFieldInteger=AttributeValue(N=200)})
```

The `innerBeanWithoutAnno` instance outputs two attributes. One attribute has a value of 200 and the other is a null-valued attribute.

```
innerBeanWithoutAnno=AttributeValue(M={innerBeanFieldInteger=AttributeValue(N=200),
innerBeanFieldString=AttributeValue(NUL=true)})
```

JSON representation of the attribute map

The following JSON representation makes it easier to see the data that is saved to DynamoDB.

```
{
  "id": {
    "S": "1"
  },
}
```

```
"innerBeanWithIgnoreNullsAnno": {
    "M": {
        "innerBeanFieldInteger": {
            "N": "200"
        }
    },
},
"innerBeanWithoutAnno": {
    "M": {
        "innerBeanFieldInteger": {
            "N": "200"
        },
        "innerBeanFieldString": {
            "NULL": true
        }
    }
}
```

Alternative static schema

You can use the following `StaticTableSchema` version of the table schemas in place data class annotations.

```
public static TableSchema<MyBean> buildStaticSchemas() {

    StaticTableSchema<InnerBean> innerBeanStaticTableSchema =
        StaticTableSchema.builder(InnerBean.class)
            .newItemSupplier(InnerBean::new)
            .addAttribute(String.class, a -> a.name("innerBeanFieldString")
                .getter(InnerBean::getInnerBeanFieldString)
                .setter(InnerBean::setInnerBeanFieldString))
            .addAttribute(Integer.class, a -> a.name("innerBeanFieldInteger")
                .getter(InnerBean::getInnerBeanFieldInteger)
                .setter(InnerBean::setInnerBeanFieldInteger))
            .build();

    return StaticTableSchema.builder(MyBean.class)
        .newItemSupplier(MyBean::new)
        .addAttribute(String.class, a -> a.name("id")
            .getter(MyBean::getId)
            .setter(MyBean::setId)
            .addTag(primaryPartitionKey())));
}
```

```
.addAttribute(String.class, a -> a.name("name")
    .getter(MyBean::getName)
    .setter(MyBean::setName))
.addAttribute(EnhancedType.documentOf(InnerBean.class,
    innerBeanStaticTableSchema),
    a -> a.name("innerBeanWithoutAnno")
    .getter(MyBean::getInnerBeanWithoutAnno)
    .setter(MyBean::setInnerBeanWithoutAnno))
.addAttribute(EnhancedType.documentOf(InnerBean.class,
    innerBeanStaticTableSchema,
    b -> b.ignoreNulls(true)),
    a -> a.name("innerBeanWithIgnoreNullsAnno")
    .getter(MyBean::getInnerBeanWithIgnoreNullsAnno)
    .setter(MyBean::setInnerBeanWithIgnoreNullsAnno))
.build());
}
```

Work with JSON documents with the Enhanced Document API for DynamoDB

The [Enhanced Document API](#) for AWS SDK for Java 2.x is designed to work with document-oriented data that has no fixed schema. However, it also lets you use custom classes to map individual attributes.

The Enhanced Document API is the successor to the [Document API](#) of the AWS SDK for Java v1.x.

Contents

- [Get started using the Enhanced Document API](#)
 - [Create a DocumentTableSchema and a DynamoDbTable](#)
- [Build enhanced documents](#)
 - [Build from a JSON string](#)
 - [Build from individual elements](#)
- [Perform CRUD operations](#)
- [Access enhanced document attributes as custom objects](#)
- [Use an EnhancedDocument without DynamoDB](#)

Get started using the Enhanced Document API

The Enhanced Document API requires the same [dependencies](#) that are needed for the DynamoDB Enhanced Client API. It also requires a [DynamoDbEnhancedClient instance](#) as shown at the start of this topic.

Because the Enhanced Document API was released with version 2.20.3 of the AWS SDK for Java 2.x, you need that version or greater.

Create a DocumentTableSchema and a DynamoDbTable

To invoke commands against a DynamoDB table using the Enhanced Document API, associate the table with a client-side [DynamoDbTable<EnhancedDocument>](#) resource object.

The enhanced client's `table()` method creates a `DynamoDbTable<EnhancedDocument>` instance and requires parameters for the DynamoDB table name and a `DocumentTableSchema`.

The builder for a [DocumentTableSchema](#) requires a primary index key and one or more attribute converter providers. The `AttributeConverterProvider.defaultProvider()` method provides converters for [default types](#). It should be specified even if you provide a custom attribute converter provider. You can add an optional secondary index key to the builder.

The following code snippet shows the code that generates the client-side representation of a DynamoDB person table that stores schemaless `EnhancedDocument` objects.

```
DynamoDbTable<EnhancedDocument> documentDynamoDbTable =
    enhancedClient.table("person",
        TableSchema.documentSchemaBuilder()
            // Specify the primary key attributes.

        .addIndexPartitionKey(TableMetadata.primaryIndexName(), "id", AttributeValueType.S)
            .addIndexSortKey(TableMetadata.primaryIndexName(),
                "lastName", AttributeValueType.S)
                    // Specify attribute converter providers. Minimally add the
                    default one.

        .attributeConverterProviders(AttributeConverterProvider.defaultProvider())
            .build());

// Call documentTable.createTable() if "person" does not exist in DynamoDB.
// createTable() should be called only one time.
```

The following shows the JSON representation of a person object that is used throughout this section.

JSON person object

```
{  
    "id": 1,  
    "firstName": "Richard",  
    "lastName": "Roe",  
    "age": 25,  
    "addresses":  
    {  
        "home": {  
            "zipCode": "00000",  
            "city": "Any Town",  
            "state": "FL",  
            "street": "123 Any Street"  
        },  
        "work": {  
            "zipCode": "00001",  
            "city": "Anywhere",  
            "state": "FL",  
            "street": "100 Main Street"  
        }  
    },  
    "hobbies": [  
        "Hobby 1",  
        "Hobby 2"  
    ],  
    "phoneNumbers": [  
        {  
            "type": "Home",  
            "number": "555-0100"  
        },  
        {  
            "type": "Work",  
            "number": "555-0119"  
        }  
    ]  
}
```

Build enhanced documents

An [EnhancedDocument](#) represents a document-type object that has complex structure with nested attributes. An EnhancedDocument requires top-level attributes that match the primary key attributes specified for the DocumentTableSchema. The remaining content is arbitrary and can consist of top-level attributes and also deeply nested attributes.

You create an EnhancedDocument instance by using a builder that provides several ways to add elements.

Build from a JSON string

With a JSON string, you can build an EnhancedDocument in one method call. The following snippet creates an EnhancedDocument from a JSON string returned by the `jsonPerson()` helper method. The `jsonPerson()` method returns the JSON string version of the [person object](#) shown previously.

```
EnhancedDocument document =
    EnhancedDocument.builder()
        .json( jsonPerson() )
        .build();
```

Build from individual elements

Alternatively, you can build an EnhancedDocument instance from individual components using type-safe methods of the builder.

The following example builds a person enhanced document similar to the enhanced document that is built from the JSON string in the previous example.

```
/* Define the shape of an address map whose JSON representation looks like the
following.
   Use 'addressMapEnhancedType' in the following EnhancedDocument.builder() to
simplify the code.
"home": {
    "zipCode": "00000",
    "city": "Any Town",
    "state": "FL",
    "street": "123 Any Street"
}*/
EnhancedType<Map<String, String>> addressMapEnhancedType =
```

```

EnhancedType.mapOf(EnhancedType.of(String.class),
EnhancedType.of(String.class));

// Use the builder's typesafe methods to add elements to the enhanced
document.

EnhancedDocument personDocument = EnhancedDocument.builder()
    .putNumber("id", 50)
    .putString("firstName", "Shirley")
    .putString("lastName", "Rodriguez")
    .putNumber("age", 53)
    .putNull("nullAttribute")
    .putJson("phoneNumbers", phoneNumbersJSONString())
/* Add the map of addresses whose JSON representation looks like the
following.
{
    "home": {
        "zipCode": "00000",
        "city": "Any Town",
        "state": "FL",
        "street": "123 Any Street"
    }
} */
.putMap("addresses", getAddresses(), EnhancedType.of(String.class),
addressMapEnhancedType)
.putList("hobbies", List.of("Theater", "Golf"),
EnhancedType.of(String.class))
.build();

```

Helper methods

```

private static String phoneNumbersJSONString() {
    return "[" +
        "{" +
            "\"type\": \"Home\", " +
            "\"number\": \"555-0140\"" +
        }, " +
        "{" +
            "\"type\": \"Work\", " +
            "\"number\": \"555-0155\"" +
        }" +
    "]";
}

```

```
private static Map<String, Map<String, String>> getAddresses() {
    return Map.of(
        "home", Map.of(
            "zipCode", "00002",
            "city", "Any Town",
            "state", "ME",
            "street", "123 Any Street"));
}
```

Perform CRUD operations

After you define an EnhancedDocument instance, you can save it to a DynamoDB table. The following code snippet uses the [personDocument](#) that was created from individual elements.

```
documentDynamoDbTable.putItem(personDocument);
```

After you read an enhanced document instance from DynamoDB, you can extract the individual attribute values using getters as shown in the following code snippet that access the data saved from the personDocument. Alternatively, you can extract the complete content to a JSON string as shown in the last part of the example code.

```
// Read the item.
EnhancedDocument personDocFromDb =
documentDynamoDbTable.getItem(Key.builder().partitionValue(50).build());

// Access top-level attributes.
logger.info("Name: {} {}", personDocFromDb.getString("firstName"),
personDocFromDb.getString("lastName"));
// Name: Shirley Rodriguez

// Typesafe access of a deeply nested attribute. The addressMapEnhancedType
shown previously defines the shape of an addresses map.
Map<String, Map<String, String>> addresses =
personDocFromDb.getMap("addresses", EnhancedType.of(String.class),
addressMapEnhancedType);
addresses.keySet().forEach(k -> logger.info(addresses.get(k).toString()));
// {zipCode=00002, city=Any Town, street=123 Any Street, state=ME}

// Alternatively, work with AttributeValue types checking along the way for
deeply nested attributes.
```

```
Map<String, AttributeValue> addressesMap =
personDocFromDb.getMapOfUnknownType("addresses");
addressesMap.keySet().forEach((String k) -> {
    logger.info("Looking at data for [{}] address", k);
    // Looking at data for [home] address
    AttributeValue value = addressesMap.get(k);
    AttributeValue cityValue = value.m().get("city");
    if (cityValue != null) {
        logger.info(cityValue.s());
        // Any Town
    }
});

List<AttributeValue> phoneNumbers =
personDocFromDb.getListOfUnknownType("phoneNumbers");
phoneNumbers.forEach((AttributeValue av) -> {
    if (av.hasM()) {
        AttributeValue type = av.m().get("type");
        if (type.s() != null) {
            logger.info("Type of phone: {}", type.s());
            // Type of phone: Home
            // Type of phone: Work
        }
    }
});

String jsonPerson = personDocFromDb.toJson();
logger.info(jsonPerson);
// {"firstName":"Shirley","lastName":"Rodriguez","addresses": {"home": {"zipCode": "00002", "city": "Any Town", "street": "123 Any Street", "state": "ME"}}, "hobbies": ["Theater", "Golf"], "id": 50, "nullAttribute": null, "age": 53, "phoneNumbers": [{"number": "555-0140", "type": "Home"}, {"number": "555-0155", "type": "Work"}]}
```

EnhancedDocument instances can be used with any method of [DynamoDbTable](#) or [DynamoDbEnhancedClient](#) in place of mapped data classes.

Access enhanced document attributes as custom objects

In addition to providing an API to read and write attributes with schemaless structures, the Enhanced Document API lets you convert attributes to and from instances of custom classes.

The Enhanced Document API uses `AttributeConverterProviders` and `AttributeConverters` that were shown in the [control attribute conversion](#) section as part of the DynamoDB Enhanced Client API.

In the following example, we use a `CustomAttributeConverterProvider` with its nested `AddressConverter` class to convert `Address` objects.

This example shows that you can mix data from classes and also data from structures that are built as needed. This example also shows that custom classes can be used at any level of a nested structure. The `Address` objects in this example are values used in a map.

```
public static void attributeToAddressClassMappingExample(DynamoDbEnhancedClient enhancedClient, DynamoDbClient standardClient) {
    String tableName = "customer";

    // Define the DynamoDbTable for an enhanced document.
    // The schema builder provides methods for attribute converter providers and keys.
    DynamoDbTable<EnhancedDocument> documentDynamoDbTable =
enhancedClient.table(tableName,
        DocumentTableSchema.builder()
            // Add the CustomAttributeConverterProvider along with the default when you build the table schema.
            .attributeConverterProviders(
                List.of(
                    new CustomAttributeConverterProvider(),
                    AttributeConverterProvider.defaultProvider())))
            .addIndexPartitionKey(TableMetadata.primaryIndexName(), "id",
AttributeValue.N)
            .addIndexSortKey(TableMetadata.primaryIndexName(), "lastName",
AttributeValue.S)
            .build());
    // Create the DynamoDB table if needed.
    documentDynamoDbTable.createTable();
    waitForTableCreation(tableName, standardClient);

    // The getAddressesForCustomMappingExample() helper method that provides 'addresses' shows the use of a custom Address class
    // rather than using a Map<String, Map<String, String> to hold the address data.
    Map<String, Address> addresses = getAddressesForCustomMappingExample();
```

```
// Build an EnhancedDocument instance to save an item with a mix of structures
// defined as needed and static classes.
EnhancedDocument personDocument = EnhancedDocument.builder()
    .putNumber("id", 50)
    .putString("firstName", "Shirley")
    .putString("lastName", "Rodriguez")
    .putNumber("age", 53)
    .putNull("nullAttribute")
    .putJson("phoneNumbers", phoneNumbersJSONString())
    // Note the use of 'EnhancedType.of(Address.class)' instead of the more
generic
    // 'EnhancedType.mapOf(EnhancedType.of(String.class),
EnhancedType.of(String.class))' that was used in a previous example.
    .putMap("addresses", addresses, EnhancedType.of(String.class),
EnhancedType.of(Address.class))
    .putList("hobbies", List.of("Hobby 1", "Hobby 2"),
EnhancedType.of(String.class))
    .build();
// Save the item to DynamoDB.
documentDynamoDbTable.putItem(personDocument);

// Retrieve the item just saved.
EnhancedDocument srPerson =
documentDynamoDbTable.getItem(Key.builder().partitionValue(50).sortValue("Rodriguez").build())

// Access the addresses attribute.
Map<String, Address> srAddresses = srPerson.get("addresses",
    EnhancedType.mapOf(EnhancedType.of(String.class),
    EnhancedType.of(Address.class)));

srAddresses.keySet().forEach(k -> logger.info(addresses.get(k).toString()));

documentDynamoDbTable.deleteTable();

// The content logged to the console shows that the saved maps were converted to
Address instances.
Address{street='123 Main Street', city='Any Town', state='NC', zipCode='00000'}
Address{street='100 Any Street', city='Any Town', state='NC', zipCode='00000'}
```

CustomAttributeConverterProvider code

```
public class CustomAttributeConverterProvider implements AttributeConverterProvider {
```

```
private final Map<EnhancedType<?>, AttributeConverter<?>> converterCache =  
ImmutableMap.of(  
    // 1. Add AddressConverter to the internal cache.  
    EnhancedType.of(Address.class), new AddressConverter());  
  
public static CustomAttributeConverterProvider create() {  
    return new CustomAttributeConverterProvider();  
}  
  
// 2. The enhanced client queries the provider for attribute converters if it  
//     encounters a type that it does not know how to convert.  
@SuppressWarnings("unchecked")  
@Override  
public <T> AttributeConverter<T> converterFor(EnhancedType<T> enhancedType) {  
    return (AttributeConverter<T>) converterCache.get(enhancedType);  
}  
  
// 3. Custom attribute converter  
private class AddressConverter implements AttributeConverter<Address> {  
    // 4. Transform an Address object into a DynamoDB map.  
    @Override  
    public AttributeValue transformFrom(Address address) {  
  
        Map<String, AttributeValue> attributeValueMap = Map.of(  
            "street", AttributeValue.fromS(address.getStreet()),  
            "city", AttributeValue.fromS(address.getCity()),  
            "state", AttributeValue.fromS(address.getState()),  
            "zipCode", AttributeValue.fromS(address.getZipCode()));  
  
        return AttributeValue.fromM(attributeValueMap);  
    }  
  
    // 5. Transform the DynamoDB map attribute to an Address object.  
    @Override  
    public Address transformTo(AttributeValue attributeValue) {  
        Map<String, AttributeValue> m = attributeValue.m();  
        Address address = new Address();  
        address.setStreet(m.get("street").s());  
        address.setCity(m.get("city").s());  
        address.setState(m.get("state").s());  
        address.setZipCode(m.get("zipCode").s());  
  
        return address;  
    }  
}
```

```
    @Override
    public EnhancedType<Address> type() {
        return EnhancedType.of(Address.class);
    }

    @Override
    public AttributeValueType attributeValueType() {
        return AttributeValueType.M;
    }
}
```

Address class

```
public class Address {
    private String street;
    private String city;
    private String state;
    private String zipCode;

    public Address() {
    }

    public String getStreet() {
        return this.street;
    }

    public String getCity() {
        return this.city;
    }

    public String getState() {
        return this.state;
    }

    public String getZipCode() {
        return this.zipCode;
    }

    public void setStreet(String street) {
        this.street = street;
    }
```

```
public void setCity(String city) {  
    this.city = city;  
}  
  
public void setState(String state) {  
    this.state = state;  
}  
  
public void setZipCode(String zipCode) {  
    this.zipCode = zipCode;  
}  
}
```

Helper method that provides addresses

The following helper method provides the map that use custom Address instances for values rather than generic Map<String, String> instances for values.

```
private static Map<String, Address> getAddressesForCustomMappingExample() {  
    Address homeAddress = new Address();  
    homeAddress.setStreet("100 Any Street");  
    homeAddress.setCity("Any Town");  
    homeAddress.setState("NC");  
    homeAddress.setZipCode("00000");  
  
    Address workAddress = new Address();  
    workAddress.setStreet("123 Main Street");  
    workAddress.setCity("Any Town");  
    workAddress.setState("NC");  
    workAddress.setZipCode("00000");  
  
    return Map.of("home", homeAddress,  
                 "work", workAddress);  
}
```

Use an EnhancedDocument without DynamoDB

Although you usually use an instance of an EnhancedDocument to read and write document-type DynamoDB items, it can also be used independently of DynamoDB.

You can use EnhancedDocuments for their ability to convert between JSON strings or custom objects to low-level maps of AttributeValues as shown in the following example.

```
public static void conversionWithoutDynamoDbExample() {
    Address address = new Address();
    address.setCity("my city");
    address.setState("my state");
    address.setStreet("my street");
    address.setZipCode("00000");

    // Build an EnhancedDocument instance for its conversion functionality alone.
    EnhancedDocument addressEnhancedDoc = EnhancedDocument.builder()
        // Important: You must specify attribute converter providers when you
        build an EnhancedDocument instance not used with a DynamoDB table.
        .attributeConverterProviders(new CustomAttributeConverterProvider(),
DefaultAttributeConverterProvider.create())
        .put("addressDoc", address, Address.class)
        .build();

    // Convert address to a low-level item representation.
    final Map<String, AttributeValue> addressAsAttributeMap =
addressEnhancedDoc.getMapOfUnknownType("addressDoc");
    logger.info("addressAsAttributeMap: {}", addressAsAttributeMap.toString());

    // Convert address to a JSON string.
    String addressAsJsonString = addressEnhancedDoc.getJson("addressDoc");
    logger.info("addressAsJsonString: {}", addressAsJsonString);
    // Convert addressEnhancedDoc back to an Address instance.
    Address addressConverted = addressEnhancedDoc.get("addressDoc",
Address.class);
    logger.info("addressConverted: {}", addressConverted.toString());
}

/* Console output:
   addressAsAttributeMap: {zipCode=AttributeValue(S=00000),
state=AttributeValue(S=my state), street=AttributeValue(S=my street),
city=AttributeValue(S=my city)}
   addressAsJsonString: {"zipCode":"00000","state":"my state","street":"my
street","city":"my city"}
   addressConverted: Address{street='my street', city='my city', state='my
state', zipCode='00000'}
*/
```

Note

When you use an enhanced document independent of a DynamoDB table, make sure you explicitly set attribute converter providers on the builder.

In contrast, the document table schema supplies the converter providers when an enhanced document is used with a DynamoDB table.

Use extensions

The DynamoDB Enhanced Client API supports plugin extensions that provide functionality beyond mapping operations. Extensions have two hook methods, `beforeWrite()` and `afterRead()`. `beforeWrite()` modifies a write operation before it happens, and the `afterRead()` method modifies the results of a read operation after it happens. Because some operations (such as item updates) perform both a write and then a read, both hook methods are called.

Extensions are loaded in the order that they are specified in the enhanced client builder. The load order can be important because one extension can act on values that have been transformed by a previous extension.

The enhanced client API comes with a set of plugin extensions that are located in the [extensions](#) package. By default, the enhanced client loads the [VersionedRecordExtension](#) and the [AtomicCounterExtension](#). You can override the default behavior with the enhance client builder and load any extension. You can also specify none if you don't want the default extensions.

If you load your own extensions, the enhanced client doesn't load any default extensions. If you want the behavior provided by either default extension, you need to explicitly add it to the list of extensions.

In the following example, a custom extension named `verifyChecksumExtension` is loaded after the `VersionedRecordExtension`, which is usually loaded by default by itself. The `AtomicCounterExtension` is not loaded in this example.

```
DynamoDbEnhancedClientExtension versionedRecordExtension =
    VersionedRecordExtension.builder().build();

DynamoDbEnhancedClient enhancedClient =
    DynamoDbEnhancedClient.builder()
        .dynamoDbClient(dynamoDbClient)
```

```
.extensions(versionedRecordExtension,  
verifyChecksumExtension)  
.build();
```

VersionedRecordExtension

The VersionedRecordExtension is loaded by default and will increment and track an item version number as items are written to the database. A condition will be added to every write that causes the write to fail if the version number of the actual persisted item doesn't match the value that the application last read. This behavior effectively provides optimistic locking for item updates. If another process updates an item between the time the first process has read the item and is writing an update to it, the write will fail.

To specify which attribute to use to track the item version number, tag a numeric attribute in the table schema.

The following snippet specifies that the `version` attribute should hold the item version number.

```
@DynamoDbVersionAttribute  
public Integer getVersion() {...};  
public void setVersion(Integer version) {...};
```

The equivalent static table schema approach is shown in the following snippet.

```
.addAttribute(Integer.class, a -> a.name("version")  
                .getter(Customer::getVersion)  
                .setter(Customer::setVersion)  
                // Apply the 'version' tag to the attribute.  
  
.tags(VersionedRecordExtension.AttributeTags.versionAttribute())
```

AtomicCounterExtension

The AtomicCounterExtension is loaded by default and increments a tagged numerical attribute each time a record is written to the database. Start and increment values can be specified. If no values are specified, the start value is set to 0 and the attribute's value increments by 1.

To specify which attribute is a counter, tag an attribute of type Long in the table schema.

The following snippet shows the use of the default start and increment values for the counter attribute.

```
@DynamoDbAtomicCounter  
public Long getCounter() {...};  
public void setCounter(Long counter) {...};
```

The static table schema approach is shown in the following snippet. The atomic counter extension uses a start value of 10 and increments the value by 5 each time the record is written.

```
.addAttribute(Integer.class, a -> a.name("counter")  
                .getter(Customer::getCounter)  
                .setter(Customer::setCounter)  
                // Apply the 'atomicCounter' tag to the  
attribute with start and increment values.  
                .tags(StaticAttributeTags.atomicCounter(10L,  
5L))
```

AutoGeneratedTimestampRecordExtension

The AutoGeneratedTimestampRecordExtension automatically updates tagged attributes of type [Instant](#) with a current timestamp every time the item is successfully written to the database.

This extension is not loaded by default. Therefore, you need to specify it as a custom extension when you build the enhanced client as shown in the first example in this topic.

To specify which attribute to update with the current timestamp, tag the Instant attribute in the table schema.

The lastUpdate attribute is the target of the extensions behavior in the following snippet. Note the requirement that the attribute must be an Instant type.

```
@DynamoDbAutoGeneratedTimestampAttribute  
public Instant getLastUpdate() {...}  
public void setLastUpdate(Instant lastUpdate) {...}
```

The equivalent static table schema approach is shown in the following snippet.

```
.addAttribute(Instant.class, a -> a.name("lastUpdate")  
                .getter(Customer::getLastUpdate)  
                .setter(Customer::setLastUpdate)  
                // Applying the 'autoGeneratedTimestamp' tag to  
the attribute.
```

```
.tags(AutoGeneratedTimestampRecordExtension.AttributeTags.autoGeneratedTimestampAttribute())
```

AutoGeneratedUuidExtension

You can generate a unique UUID (Universally Unique Identifier) for an attribute when a new record is written to the database by using the [AutoGeneratedUuidExtension](#). The Java JDK [UUID.randomUUID\(\)](#) method generates the value and you apply the extension to a attributes of type `java.lang.String`.

Since the Java SDK does not load this extension by default, you need to specify it as a custom extension when you build the enhanced client as shown in the [first example in this topic](#).

The `uniqueId` attribute is the target of the extension's behavior in the following snippet.

```
@AutoGeneratedUuidExtension  
public String getUniqueId() {...}  
public void setUniqueId(String uniqueId) {...}
```

The equivalent static table schema approach is shown in the following snippet.

```
.addAttribute(String.class, a -> a.name("uniqueId")  
            .getter(Customer::getUniqueId)  
            .setter(Customer::setUniqueId)  
            // Applying the 'autoGeneratedUuid' tag to the  
attribute.  
  
.tags(AutoGeneratedUuidExtension.AttributeTags.autoGeneratedUuidAttribute())
```

If you want the extension to populate the UUID only for `putItem` methods and not for `updateItem` methods, add the [update behavior](#) annotation as shown in the following snippet.

```
@AutoGeneratedUuidExtension  
@DynamoDbUpdateBehavior(UpdateBehavior.WRITE_IF_NOT_EXISTS)  
public String getUniqueId() {...}  
public void setUniqueId(String uniqueId) {...}
```

If you use the static table schema approach, use the following equivalent code.

```
.addAttribute(String.class, a -> a.name("uniqueId"))
```

```
        .getter(Customer::getUniqueId)
        .setter(Customer::setUniqueId)
        // Applying the 'autoGeneratedUuid' tag to the
attribute.

.tags(AutoGeneratedUuidExtension.AttributeTags.autoGeneratedUuidAttribute(),
StaticAttributeTags.updateBehavior(UpdateBehavior.WRITE_IF_NOT_EXISTS))
```

Custom extensions

The following custom extension class shows a `beforeWrite()` method that uses an update expression. After comment line 2, we create a `SetAction` to set the `registrationDate` attribute if the item in the database doesn't already have a `registrationDate` attribute. Whenever a `Customer` object is updated, the extension makes sure that a `registrationDate` is set.

```
public final class CustomExtension implements DynamoDbEnhancedClientExtension {

    // 1. In a custom extension, use an UpdateExpression to define what action to take
    // before
    //    an item is updated.
    @Override
    public WriteModification beforeWrite(DynamoDbExtensionContext.BeforeWrite context)
    {
        if ( context.operationContext().tableName().equals("Customer")
            && context.operationName().equals(OperationName.UPDATE_ITEM) ) {
            return WriteModification.builder()
                .updateExpression(createUpdateExpression())
                .build();
        }
        return WriteModification.builder().build(); // Return an "empty"
        // WriteModification instance if the extension should not be applied.
                                                // In this case, if the code is
not updating an item on the Customer table.
    }

    private static UpdateExpression createUpdateExpression() {

        // 2. Use a SetAction, a subclass of UpdateAction, to provide the values in the
        // update.
        SetAction setAction =
            SetAction.builder()
                .path("registrationDate")
```

```
        .value("if_not_exists(registrationDate, :regValue)")
        .putExpressionValue(":regValue",
AttributeValue.fromString(Instant.now().toString()))
        .build();
    // 3. Build the UpdateExpression with one or more UpdateAction.
    return UpdateExpression.builder()
        .addAction(setAction)
        .build();
}
}
```

Use the DynamoDB Enhanced Client API asynchronously

If your application requires non-blocking, asynchronous calls to DynamoDB, you can use the [DynamoDbEnhancedAsyncClient](#). It's similar to the synchronous implementation but with the following key differences:

1. When you build the `DynamoDbEnhancedAsyncClient`, you must provide the asynchronous version of the standard client, `DynamoDbAsyncClient`, as shown in the following snippet.

```
DynamoDbEnhancedAsyncClient enhancedClient =
    DynamoDbEnhancedAsyncClient.builder()
        .dynamoDbClient(dynamoDbAsyncClient)
        .build();
```

2. Methods that return a single data object return a `CompletableFuture` of the result instead of only the result. Your application can then do other work without having to block on the result. The following snippet shows the asynchronous `getItem()` method.

```
CompletableFuture<Customer> result = customerDynamoDbTable.getItem(customer);
// Perform other work here.
return result.join(); // Now block and wait for the result.
```

3. Methods that return paginated lists of results return an [SdkPublisher](#) instead of an [SdkIterable](#) that the synchronous `DynamoDbEnhancedClient` returns for the same methods. Your application can then subscribe a handler to that publisher to deal with the results asynchronously without having to block.

```
PagePublisher<Customer> results = customerDynamoDbTable.query(r ->
    r.queryConditional(keyEqualTo(k -> k.partitionValue("Smith"))));
results.subscribe(myCustomerResultsProcessor);
```

```
// Perform other work and let the processor handle the results asynchronously.
```

For a more complete example of working with the `SdkPublisher` API, see [the example](#) in the section that discusses the asynchronous `scan()` method of this guide.

Data class annotations

The following table lists the annotations that can be used on data classes and provides links to information and examples in this guide. The table is sorted in ascending alphabetical order by annotation name.

Data class annotations used in this guide

Annotation name	Annotation applies to ¹	What it does	Where it is shown in this guide
DynamoDbAtomicCounter	attribute ²	Increments a tagged numerical attribute each time a record is written to the database.	Introduction and discussion.
DynamoDbAttribute	attribute	Defines or renames a bean property that is mapped to a DynamoDB table attribute.	<ul style="list-style-type: none"> Initial discussion. Get started section —see Note. In MovieActor class In Query method examples.
DynamoDbAutoGeneratedTimestampAttribute	attribute	Updates a tagged attribute with a current timestamp every time the item is successfully written to the database	Introduction and discussion.
DynamoDbAutoGeneratedUuid	attribute	Generate a unique UUID (Universally	Introduction and discussion.

Annotation name	Annotation applies to ¹	What it does	Where it is shown in this guide
		Unique Identifier) for an attribute when a new record is written to the database.	
DynamoDbBean	class	Marks a data class as mappable to a table schema.	First use on the Customer class in the Get started section. Several usages appear throughout the guide.
DynamoDbC onvertedBy	attribute	Associates a custom Attribute Converter with the annotated attribute.	Initial discussion and example.
DynamoDbFlatten	attribute	Flattens all the attributes of a separate DynamoDB data class and adds them as top-level attributes to the record that is read and written to the database.	<ul style="list-style-type: none"> • Initial discussion. • Implications for other code.
DynamoDbIgnore	attribute	Results in the attribute remaining unmapped.	<ul style="list-style-type: none"> • Initial discussion. • Use in the ProductCatalog class.

Annotation name	Annotation applies to ¹	What it does	Where it is shown in this guide
DynamoDbIgnoreNulls	attribute	Prevents saving null attributes of nested DynamoDb objects.	Discussion and examples.
DynamoDbImmutable	class	Marks an immutable data class as mappable to a table schema.	<ul style="list-style-type: none"> Introduction to the annotation. Use in the ProductCatalog class. Use with Lombok.
DynamoDbPartitionKey	attribute	Marks an attribute as the primary partition key (hash key) of the DynamoDb table.	<ul style="list-style-type: none"> Initial usage on the Customer class in the Get started section. With Lombok.
DynamoDbPreserveEmptyObject	attribute	Specifies that if no data is present for the object mapped to the annotated attribute, the object should be initialized with all null fields.	Discussion and examples.
DynamoDbSecondaryPartitionKey	attribute	Marks an attribute as a partition key for a global secondary index.	<ul style="list-style-type: none"> Use in secondary indices and example. In Query method examples. In Lombok example With immutable classes.

Annotation name	Annotation applies to ¹	What it does	Where it is shown in this guide
DynamoDbSecondarySortKey	attribute	Marks an attribute as an optional sort key for a global or local secondary index.	<ul style="list-style-type: none"> • Use in secondary indices and example. • In Query method examples. • In Lombok example. • With immutable classes.
DynamoDbSortKey	attribute	Marks an attribute as the optional primary sort key (range key).	<ul style="list-style-type: none"> • Get started section on Customer class. • With immutable classes. • In Lombok example. • In Query method examples.
DynamoDbUpdateBehavior	attribute	Specifies the behavior when this attribute is updated as part of an 'update' operation such as UpdateItem.	Introduction and example.
DynamoDbVersionAttribute	attribute	Increments an item version number.	Introduction and discussion.

¹You can apply an attribute-level annotations to the getter or setter, but not both. This guide shows annotations on getters.

²The term **property** is normally used for a value encapsulated in a JavaBean data class. However, this guide uses the term **attribute** instead, to be consistent with the terminology used by DynamoDB.

Work with Amazon EC2

This section provides examples of programming [Amazon EC2](#) that use the AWS SDK for Java 2.x.

Topics

- [Manage Amazon EC2 instances](#)
- [Use AWS Regions and Availability Zones](#)
- [Work with security groups in Amazon EC2](#)
- [Work with Amazon EC2 instance metadata](#)

Manage Amazon EC2 instances

Create an instance

Create a new Amazon EC2 instance by calling the [Ec2Client's runInstances](#) method, providing it with a [RunInstancesRequest](#) containing the [Amazon Machine Image \(AMI\)](#) to use and an [instance type](#).

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ec2.Ec2Client;
import software.amazon.awssdk.services.ec2.model.InstanceType;
import software.amazon.awssdk.services.ec2.model.RunInstancesRequest;
import software.amazon.awssdk.services.ec2.model.RunInstancesResponse;
import software.amazon.awssdk.services.ec2.model.Tag;
import software.amazon.awssdk.services.ec2.model.CreateTagsRequest;
import software.amazon.awssdk.services.ec2.model.Ec2Exception;
```

Code

```
public static String createEC2Instance(Ec2Client ec2, String name, String amiId) {
    RunInstancesRequest runRequest = RunInstancesRequest.builder()
```

```
.imageId(amiId)
.instanceType(InstanceType.T1_MICRO)
.maxCount(1)
.minCount(1)
.build();

RunInstancesResponse response = ec2.runInstances(runRequest);
String instanceId = response.instances().get(0).instanceId();

Tag tag = Tag.builder()
.key("Name")
.value(name)
.build();

CreateTagsRequest tagRequest = CreateTagsRequest.builder()
.resources(instanceId)
.tags(tag)
.build();

try {
    ec2.createTags(tagRequest);
    System.out.printf(
        "Successfully started EC2 Instance %s based on AMI %s",
        instanceId, amiId);

    return instanceId;

} catch (Ec2Exception e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}

return "";
}
```

See the [complete example](#) on GitHub.

Start an instance

To start an Amazon EC2 instance, call the Ec2Client's [startInstances](#) method, providing it with a [StartInstancesRequest](#) containing the ID of the instance to start.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ec2.Ec2Client;
import software.amazon.awssdk.services.ec2.model.StartInstancesRequest;
import software.amazon.awssdk.services.ec2.model.StopInstancesRequest;
```

Code

```
public static void startInstance(Ec2Client ec2, String instanceId) {

    StartInstancesRequest request = StartInstancesRequest.builder()
        .instanceIds(instanceId)
        .build();

    ec2.startInstances(request);
    System.out.printf("Successfully started instance %s", instanceId);
}
```

See the [complete example](#) on GitHub.

Stop an instance

To stop an Amazon EC2 instance, call the Ec2Client's [stopInstances](#) method, providing it with a [StopInstancesRequest](#) containing the ID of the instance to stop.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ec2.Ec2Client;
import software.amazon.awssdk.services.ec2.model.StartInstancesRequest;
import software.amazon.awssdk.services.ec2.model.StopInstancesRequest;
```

Code

```
public static void stopInstance(Ec2Client ec2, String instanceId) {

    StopInstancesRequest request = StopInstancesRequest.builder()
        .instanceIds(instanceId)
        .build();

    ec2.stopInstances(request);
    System.out.printf("Successfully stopped instance %s", instanceId);
```

```
}
```

See the [complete example](#) on GitHub.

Reboot an instance

To reboot an Amazon EC2 instance, call the Ec2Client's [rebootInstances](#) method, providing it with a [RebootInstancesRequest](#) containing the ID of the instance to reboot.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ec2.Ec2Client;
import software.amazon.awssdk.services.ec2.model.Ec2Exception;
import software.amazon.awssdk.services.ec2.model.RebootInstancesRequest;
```

Code

```
public static void rebootEC2Instance(Ec2Client ec2, String instanceId) {

    try {
        RebootInstancesRequest request = RebootInstancesRequest.builder()
            .instanceIds(instanceId)
            .build();

        ec2.rebootInstances(request);
        System.out.printf(
            "Successfully rebooted instance %s", instanceId);
    } catch (Ec2Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

See the [complete example](#) on GitHub.

Describe instances

To list your instances, create a [DescribeInstancesRequest](#) and call the Ec2Client's [describeInstances](#) method. It will return a [DescribeInstancesResponse](#) object that you can use to list the Amazon EC2 instances for your account and region.

Instances are grouped by *reservation*. Each reservation corresponds to the call to `startInstances` that launched the instance. To list your instances, you must first call the `DescribeInstancesResponse` class' `reservations` method, and then call `instances` on each returned [Reservation](#) object.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ec2.Ec2Client;
import software.amazon.awssdk.services.ec2.model.DescribeInstancesRequest;
import software.amazon.awssdk.services.ec2.model.DescribeInstancesResponse;
import software.amazon.awssdk.services.ec2.model.Instance;
import software.amazon.awssdk.services.ec2.model.Reservation;
import software.amazon.awssdk.services.ec2.model.Ec2Exception;
```

Code

```
public static void describeEC2Instances( Ec2Client ec2){

    String nextToken = null;

    try {

        do {
            DescribeInstancesRequest request =
DescribeInstancesRequest.builder().maxResults(6).nextToken(nextToken).build();
            DescribeInstancesResponse response = ec2.describeInstances(request);

            for (Reservation reservation : response.reservations()) {
                for (Instance instance : reservation.instances()) {
                    System.out.println("Instance Id is " + instance.instanceId());
                    System.out.println("Image id is " + instance.imageId());
                    System.out.println("Instance type is " +
instance.instanceType());
                    System.out.println("Instance state name is " +
instance.state().name());
                    System.out.println("monitoring information is " +
instance.monitoring().state());

                }
            }
            nextToken = response.nextToken();
        } while (nextToken != null);
    }
}
```

```
        } catch (Ec2Exception e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
```

Results are paged; you can get further results by passing the value returned from the result object's `nextToken` method to a new request object's `nextToken` method, then using the new request object in your next call to `describeInstances`.

See the [complete example](#) on GitHub.

Monitor an instance

You can monitor various aspects of your Amazon EC2 instances, such as CPU and network utilization, available memory, and disk space remaining. To learn more about instance monitoring, see [Monitoring Amazon EC2](#) in the Amazon EC2 User Guide for Linux Instances.

To start monitoring an instance, you must create a [MonitorInstancesRequest](#) with the ID of the instance to monitor, and pass it to the `Ec2Client`'s [monitorInstances](#) method.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ec2.Ec2Client;
import software.amazon.awssdk.services.ec2.model.MonitorInstancesRequest;
import software.amazon.awssdk.services.ec2.model.UnmonitorInstancesRequest;
```

Code

```
public static void monitorInstance( Ec2Client ec2, String instanceId) {

    MonitorInstancesRequest request = MonitorInstancesRequest.builder()
        .instanceIds(instanceId).build();

    ec2.monitorInstances(request);
    System.out.printf(
        "Successfully enabled monitoring for instance %s",
        instanceId);
}
```

See the [complete example](#) on GitHub.

Stop instance monitoring

To stop monitoring an instance, create an [UnmonitorInstancesRequest](#) with the ID of the instance to stop monitoring, and pass it to the Ec2Client's [unmonitorInstances](#) method.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ec2.Ec2Client;
import software.amazon.awssdk.services.ec2.model.MonitorInstancesRequest;
import software.amazon.awssdk.services.ec2.model.UnmonitorInstancesRequest;
```

Code

```
public static void unmonitorInstance(Ec2Client ec2, String instanceId) {
    UnmonitorInstancesRequest request = UnmonitorInstancesRequest.builder()
        .instanceIds(instanceId).build();

    ec2.unmonitorInstances(request);

    System.out.printf(
        "Successfully disabled monitoring for instance %s",
        instanceId);
}
```

See the [complete example](#) on GitHub.

More information

- [RunInstances](#) in the Amazon EC2 API Reference
- [DescribeInstances](#) in the Amazon EC2 API Reference
- [StartInstances](#) in the Amazon EC2 API Reference
- [StopInstances](#) in the Amazon EC2 API Reference
- [RebootInstances](#) in the Amazon EC2 API Reference
- [MonitorInstances](#) in the Amazon EC2 API Reference
- [UnmonitorInstances](#) in the Amazon EC2 API Reference

Use AWS Regions and Availability Zones

Describe Regions

To list the Regions available to your account, call the `Ec2Client`'s `describeRegions` method. It returns a [DescribeRegionsResponse](#). Call the returned object's `regions` method to get a list of [Region](#) objects that represent each Region.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ec2.Ec2AsyncClient;
import software.amazon.awssdk.services.ec2.model.DescribeRegionsResponse;
import software.amazon.awssdk.services.ec2.model.DescribeAvailabilityZonesResponse;
import java.util.concurrent.CompletableFuture;
```

Code

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ec2.Ec2AsyncClient;
import software.amazon.awssdk.services.ec2.model.DescribeRegionsResponse;
import software.amazon.awssdk.services.ec2.model.DescribeAvailabilityZonesResponse;
import java.util.concurrent.CompletableFuture;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DescribeRegionsAndZones {
    public static void main(String[] args) {
        Ec2AsyncClient ec2AsyncClient = Ec2AsyncClient.builder()
            .region(Region.US_EAST_1)
            .build();

        try {
            CompletableFuture<Void> future =
            describeEC2RegionsAndZonesAsync(ec2AsyncClient);
            future.join(); // Wait for both async operations to complete.
        } catch (RuntimeException rte) {
    }
```

```
        System.err.println("An exception occurred: " + (rte.getCause() != null ?
rte.getCause().getMessage() : rte.getMessage()));
    }

}

/***
 * Asynchronously describes the EC2 regions and availability zones.
 *
 * @param ec2AsyncClient the EC2 async client used to make the API calls
 * @return a {@link CompletableFuture} that completes when both the region and
availability zone descriptions are complete
 */
public static CompletableFuture<Void>
describeEC2RegionsAndZonesAsync(Ec2AsyncClient ec2AsyncClient) {
    // Initiate the asynchronous request to describe regions
    CompletableFuture<DescribeRegionsResponse> regionsResponse =
ec2AsyncClient.describeRegions();

    // Handle the response or exception for regions
    CompletableFuture<DescribeRegionsResponse> regionsFuture =
regionsResponse.whenComplete((regionsResp, ex) -> {
        if (ex != null) {
            // Handle the exception by throwing a RuntimeException
            throw new RuntimeException("Failed to describe EC2 regions.", ex);
        } else if (regionsResp == null || regionsResp.regions().isEmpty()) {
            // Throw an exception if the response is null or the result is empty
            throw new RuntimeException("No EC2 regions found.");
        } else {
            // Process the response if no exception occurred and the result is not
empty
            regionsResp.regions().forEach(region -> {
                System.out.printf(
                    "Found Region %s with endpoint %s%n",
                    region.regionName(),
                    region.endpoint());
            });
        }
    });

    CompletableFuture<DescribeAvailabilityZonesResponse> zonesResponse =
ec2AsyncClient.describeAvailabilityZones();
    CompletableFuture<DescribeAvailabilityZonesResponse> zonesFuture =
zonesResponse.whenComplete((zonesResp, ex) -> {
        if (ex != null) {
```

```
        throw new RuntimeException("Failed to describe EC2 availability
zones.", ex);
    } else if (zonesResp == null || zonesResp.availabilityZones().isEmpty()) {
        throw new RuntimeException("No EC2 availability zones found.");
    } else {
        zonesResp.availabilityZones().forEach(zone -> {
            System.out.printf(
                "Found Availability Zone %s with status %s in region %s%n",
                zone.zoneName(),
                zone.state(),
                zone.regionName()
            );
        });
    }
});

return CompletableFuture.allOf(regionsFuture, zonesFuture);
}
}
```

See the [complete example](#) on GitHub.

Describe availability zones

To list each Availability Zone available to your account, call the Ec2Client's `describeAvailabilityZones` method. It returns a [DescribeAvailabilityZonesResponse](#). Call its `availabilityZones` method to get a list of [AvailabilityZone](#) objects that represent each Availability Zone.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ec2.Ec2AsyncClient;
import software.amazon.awssdk.services.ec2.model.DescribeRegionsResponse;
import software.amazon.awssdk.services.ec2.model.DescribeAvailabilityZonesResponse;
import java.util.concurrent.CompletableFuture;
```

Code

Create the Ec2Client.

```
Ec2AsyncClient ec2AsyncClient = Ec2AsyncClient.builder()
    .region(Region.US_EAST_1)
```

```
.build();
```

Then call `describeAvailabilityZones()` and retrieve results.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ec2.Ec2AsyncClient;
import software.amazon.awssdk.services.ec2.model.DescribeRegionsResponse;
import software.amazon.awssdk.services.ec2.model.DescribeAvailabilityZonesResponse;
import java.util.concurrent.CompletableFuture;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DescribeRegionsAndZones {
    public static void main(String[] args) {
        Ec2AsyncClient ec2AsyncClient = Ec2AsyncClient.builder()
            .region(Region.US_EAST_1)
            .build();

        try {
            CompletableFuture<Void> future =
            describeEC2RegionsAndZonesAsync(ec2AsyncClient);
            future.join(); // Wait for both async operations to complete.
        } catch (RuntimeException rte) {
            System.err.println("An exception occurred: " + (rte.getCause() != null ?
            rte.getCause().getMessage() : rte.getMessage()));
        }
    }

    /**
     * Asynchronously describes the EC2 regions and availability zones.
     *
     * @param ec2AsyncClient the EC2 async client used to make the API calls
     * @return a {@link CompletableFuture} that completes when both the region and
     * availability zone descriptions are complete
     */
    public static CompletableFuture<Void>
    describeEC2RegionsAndZonesAsync(Ec2AsyncClient ec2AsyncClient) {
```

```
// Initiate the asynchronous request to describe regions
CompletableFuture<DescribeRegionsResponse> regionsResponse =
ec2AsyncClient.describeRegions();

// Handle the response or exception for regions
CompletableFuture<DescribeRegionsResponse> regionsFuture =
regionsResponse.whenComplete((regionsResp, ex) -> {
    if (ex != null) {
        // Handle the exception by throwing a RuntimeException
        throw new RuntimeException("Failed to describe EC2 regions.", ex);
    } else if (regionsResp == null || regionsResp.regions().isEmpty()) {
        // Throw an exception if the response is null or the result is empty
        throw new RuntimeException("No EC2 regions found.");
    } else {
        // Process the response if no exception occurred and the result is not
empty
        regionsResp.regions().forEach(region -> {
            System.out.printf(
                "Found Region %s with endpoint %s%n",
                region.regionName(),
                region.endpoint());
        });
    }
});

CompletableFuture<DescribeAvailabilityZonesResponse> zonesResponse =
ec2AsyncClient.describeAvailabilityZones();
CompletableFuture<DescribeAvailabilityZonesResponse> zonesFuture =
zonesResponse.whenComplete((zonesResp, ex) -> {
    if (ex != null) {
        throw new RuntimeException("Failed to describe EC2 availability
zones.", ex);
    } else if (zonesResp == null || zonesResp.availabilityZones().isEmpty()) {
        throw new RuntimeException("No EC2 availability zones found.");
    } else {
        zonesResp.availabilityZones().forEach(zone -> {
            System.out.printf(
                "Found Availability Zone %s with status %s in region %s%n",
                zone.zoneName(),
                zone.state(),
                zone.regionName()
            );
        });
    }
});
```

```
        });

        return CompletableFuture.allOf(regionsFuture, zonesFuture);
    }
}
```

See the [complete example](#) on GitHub.

Describe accounts

To list EC2-related information about your account, call the Ec2Client's `describeAccountAttributes` method. This method returns a [DescribeAccountAttributesResponse](#) object. Invoke this object's `accountAttributes` method to get a list of [AccountAttribute](#) objects. You can iterate through the list to retrieve an [AccountAttribute](#) object.

You can get your account's attribute values by invoking the [AccountAttribute](#) object's `attributeValues` method. This method returns a list of [AccountAttributeValue](#) objects. You can iterate through this second list to display the value of attributes (see the following code example).

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ec2.Ec2AsyncClient;
import software.amazon.awssdk.services.ec2.model.DescribeAccountAttributesResponse;
import java.util.concurrent.CompletableFuture;
```

Code

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ec2.Ec2AsyncClient;
import software.amazon.awssdk.services.ec2.model.DescribeAccountAttributesResponse;
import java.util.concurrent.CompletableFuture;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
```

```
public class DescribeAccount {  
    public static void main(String[] args) {  
        Ec2AsyncClient ec2AsyncClient = Ec2AsyncClient.builder()  
            .region(Region.US_EAST_1)  
            .build();  
  
        try {  
            CompletableFuture<DescribeAccountAttributesResponse> future =  
describeEC2AccountAsync(ec2AsyncClient);  
            future.join();  
            System.out.println("EC2 Account attributes described successfully.");  
        } catch (RuntimeException rte) {  
            System.err.println("An exception occurred: " + (rte.getCause() != null ?  
rte.getCause().getMessage() : rte.getMessage()));  
        }  
    }  
  
    /**  
     * Describes the EC2 account attributes asynchronously.  
     *  
     * @param ec2AsyncClient the EC2 asynchronous client to use for the operation  
     * @return a {@link CompletableFuture} containing the {@link  
DescribeAccountAttributesResponse} with the account attributes  
     */  
    public static CompletableFuture<DescribeAccountAttributesResponse>  
describeEC2AccountAsync(Ec2AsyncClient ec2AsyncClient) {  
        CompletableFuture<DescribeAccountAttributesResponse> response =  
ec2AsyncClient.describeAccountAttributes();  
        return response.whenComplete((accountResults, ex) -> {  
            if (ex != null) {  
                // Handle the exception by throwing a RuntimeException.  
                throw new RuntimeException("Failed to describe EC2 account  
attributes.", ex);  
            } else if (accountResults == null ||  
accountResults.accountAttributes().isEmpty()) {  
                // Throw an exception if the response is null or no account attributes  
are found.  
                throw new RuntimeException("No account attributes found.");  
            } else {  
                // Process the response if no exception occurred.  
                accountResults.accountAttributes().forEach(attribute -> {  
                    System.out.println("\nThe name of the attribute is " +  
attribute.attributeName());  
                    attribute.attributeValues().forEach(  
                }  
    }
```

```
        myValue -> System.out.println("The value of the attribute is "
+ myValue.attributeValue()));
    });
});
}
}
```

See the [complete example](#) on GitHub.

More information

- [Regions and Availability Zones](#) in the Amazon EC2 User Guide for Linux Instances
- [DescribeRegions](#) in the Amazon EC2 API Reference
- [DescribeAvailabilityZones](#) in the Amazon EC2 API Reference

Work with security groups in Amazon EC2

Create a security group

To create a security group, call the Ec2Client's `createSecurityGroup` method with a [CreateSecurityGroupRequest](#) that contains the key's name.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ec2.Ec2Client;
import software.amazon.awssdk.services.ec2.model.CreateSecurityGroupRequest;
import software.amazon.awssdk.services.ec2.model.AuthorizeSecurityGroupIngressRequest;
import software.amazon.awssdk.services.ec2.model.AuthorizeSecurityGroupIngressResponse;
import software.amazon.awssdk.services.ec2.model.Ec2Exception;
import software.amazon.awssdk.services.ec2.model.IpPermission;
import software.amazon.awssdk.services.ec2.model.CreateSecurityGroupResponse;
import software.amazon.awssdk.services.ec2.model.IpRange;
```

Code

```
CreateSecurityGroupRequest createRequest =
CreateSecurityGroupRequest.builder()
    .groupName(groupName)
    .description(groupDesc)
```

```
.vpcId(vpcId)
.build();

CreateSecurityGroupResponse resp= ec2.createSecurityGroup(createRequest);
```

See the [complete example](#) on GitHub.

Configure a security group

A security group can control both inbound (ingress) and outbound (egress) traffic to your Amazon EC2 instances.

To add ingress rules to your security group, use the Ec2Client's `authorizeSecurityGroupIngress` method, providing the name of the security group and the access rules ([IpPermission](#)) you want to assign to it within an [AuthorizeSecurityGroupIngressRequest](#) object. The following example shows how to add IP permissions to a security group.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ec2.Ec2Client;
import software.amazon.awssdk.services.ec2.model.CreateSecurityGroupRequest;
import software.amazon.awssdk.services.ec2.model.AuthorizeSecurityGroupIngressRequest;
import software.amazon.awssdk.services.ec2.model.AuthorizeSecurityGroupIngressResponse;
import software.amazon.awssdk.services.ec2.model.Ec2Exception;
import software.amazon.awssdk.services.ec2.model.IpPermission;
import software.amazon.awssdk.services.ec2.model.CreateSecurityGroupResponse;
import software.amazon.awssdk.services.ec2.model.IpRange;
```

Code

First, create an Ec2Client

```
Region region = Region.US_WEST_2;
Ec2Client ec2 = Ec2Client.builder()
    .region(region)
    .build();
```

Then use the Ec2Client's `authorizeSecurityGroupIngress` method,

```
IpRange ipRange = IpRange.builder()
```

```
.cidrIp("0.0.0.0/0").build();

IpPermission ipPerm = IpPermission.builder()
    .ipProtocol("tcp")
    .toPort(80)
    .fromPort(80)
    .ipRanges(ipRange)
    .build();

IpPermission ipPerm2 = IpPermission.builder()
    .ipProtocol("tcp")
    .toPort(22)
    .fromPort(22)
    .ipRanges(ipRange)
    .build();

AuthorizeSecurityGroupIngressRequest authRequest =
    AuthorizeSecurityGroupIngressRequest.builder()
        .groupName(groupName)
        .ipPermissions(ipPerm, ipPerm2)
        .build();

AuthorizeSecurityGroupIngressResponse authResponse =
ec2.authorizeSecurityGroupIngress(authRequest);

System.out.printf(
    "Successfully added ingress policy to Security Group %s",
    groupName);

return resp.groupId();

} catch (Ec2Exception e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
return "";
}
```

To add an egress rule to the security group, provide similar data in an [AuthorizeSecurityGroupEgressRequest](#) to the Ec2Client's `authorizeSecurityGroupEgress` method.

See the [complete example](#) on GitHub.

Describe security groups

To describe your security groups or get information about them, call the Ec2Client's `describeSecurityGroups` method. It returns a [DescribeSecurityGroupsResponse](#) that you can use to access the list of security groups by calling its `securityGroups` method, which returns a list of [SecurityGroup](#) objects.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ec2.Ec2Client;
import software.amazon.awssdk.services.ec2.model.DescribeSecurityGroupsRequest;
import software.amazon.awssdk.services.ec2.model.DescribeSecurityGroupsResponse;
import software.amazon.awssdk.services.ec2.model.SecurityGroup;
import software.amazon.awssdk.services.ec2.model.Ec2Exception;
```

Code

```
public static void describeEC2SecurityGroups(Ec2Client ec2, String groupId) {

    try {
        DescribeSecurityGroupsRequest request =
            DescribeSecurityGroupsRequest.builder()
                .groupIds(groupId).build();

        DescribeSecurityGroupsResponse response =
            ec2.describeSecurityGroups(request);

        for(SecurityGroup group : response.securityGroups()) {
            System.out.printf(
                "Found Security Group with id %s, " +
                "vpc id %s " +
                "and description %s",
                group.groupId(),
                group.vpcId(),
                group.description());
        }
    } catch (Ec2Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

See the [complete example](#) on GitHub.

Delete a security group

To delete a security group, call the `Ec2Client`'s `deleteSecurityGroup` method, passing it a [DeleteSecurityGroupRequest](#) that contains the ID of the security group to delete.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ec2.Ec2Client;
import software.amazon.awssdk.services.ec2.model.DeleteSecurityGroupRequest;
import software.amazon.awssdk.services.ec2.model.Ec2Exception;
```

Code

```
public static void deleteEC2SecGroup(Ec2Client ec2, String groupId) {

    try {
        DeleteSecurityGroupRequest request = DeleteSecurityGroupRequest.builder()
            .groupId(groupId)
            .build();

        ec2.deleteSecurityGroup(request);
        System.out.printf(
            "Successfully deleted Security Group with id %s", groupId);

    } catch (Ec2Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

See the [complete example](#) on GitHub.

More information

- [Amazon EC2 Security Groups](#) in the Amazon EC2 User Guide for Linux Instances
- [Authorize inbound traffic for Your Linux Instances](#) in the Amazon EC2 User Guide for Linux Instances
- [CreateSecurityGroup](#) in the Amazon EC2 API Reference

- [DescribeSecurityGroups](#) in the Amazon EC2 API Reference
- [DeleteSecurityGroup](#) in the Amazon EC2 API Reference
- [AuthorizeSecurityGroupIngress](#) in the Amazon EC2 API Reference

Work with Amazon EC2 instance metadata

A Java SDK client for the Amazon EC2 Instance Metadata Service (metadata client) allows your applications to access metadata on their local EC2 instance. The metadata client works with the local instance of [IMDSv2](#) (Instance Metadata Service v2) and uses session-oriented requests.

Two client classes are available in the SDK. The synchronous [Ec2MetadataClient](#) is for blocking operations, and the [Ec2MetadataAsyncClient](#) is for asynchronous, non-blocking use cases.

Get started

To use the metadata client, add the `imds` Maven artifact to your project. You also need classes for an [SdkHttpClient](#) (or an [SdkAsyncHttpClient](#) for the asynchronous variant) on the classpath.

The following Maven XML shows dependency snippets for using the synchronous [URLConnectionHttpClient](#) along with the dependency for metadata clients.

```
<dependencyManagement>
    <dependencies>
        <dependency>
            <groupId>software.amazon.awssdk</groupId>
            <artifactId>bom</artifactId>
            <version>VERSION</version>
            <type>pom</type>
            <scope>import</scope>
        </dependency>
    </dependencies>
</dependencyManagement>

<dependencies>
    <dependency>
        <groupId>software.amazon.awssdk</groupId>
        <artifactId>imds</artifactId>
    </dependency>
    <dependency>
        <groupId>software.amazon.awssdk</groupId>
```

```
<artifactId>url-connection-client</artifactId>
</dependency>
<!-- other dependencies -->
</dependencies>
```

Search the [Maven central repository](#) for the latest version of the bom artifact.

To use an asynchronous HTTP client, replace the dependency snippet for the url-connection-client artifact. For example, the following snippet brings in the [NettyNioAsyncHttpClient](#) implementation.

```
<dependency>
    <groupId>software.amazon.awssdk</groupId>
    <artifactId>netty-nio-client</artifactId>
</dependency>
```

Use the metadata client

Instantiate a metadata client

You can instantiate an instance of a synchronous Ec2MetadataClient when only one implementation of the SdkHttpClient interface is present on the classpath. To do so, call the static Ec2MetadataClient#create() method as shown in the following snippet.

```
Ec2MetadataClient client = Ec2MetadataClient.create(); //  
'Ec2MetadataAsyncClient#create' is the asynchronous version.
```

If your application has multiple implementations of the SdkHttpClient or SdkHttpAsyncClient interface, you must specify an implementation for the metadata client to use as shown in the [the section called “Configurable HTTP client”](#) section.

Note

For most service clients, such as Amazon S3, the SDK for Java automatically adds implementations of the SdkHttpClient or SdkHttpAsyncClient interface. If your metadata client uses the same implementation, then Ec2MetadataClient#create() will work. If you require a different implementation, you must specify it when you create the metadata client.

Send requests

To retrieve instance metadata, instantiate the `EC2MetadataClient` class and call the `get` method with a path parameter that specifies the [instance metadata category](#).

The following example prints the value associated with the `ami-id` key to the console.

```
Ec2MetadataClient client = Ec2MetadataClient.create();
Ec2MetadataResponse response = client.get("/latest/meta-data/ami-id");
System.out.println(responseasString());
client.close(); // Closes the internal resources used by the Ec2MetadataClient class.
```

If the path isn't valid, the `get` method throws an exception.

Reuse the same client instance for multiple requests, but call `close` on the client when it is no longer needed to release resources. After the `close` method is called, the client instance can't be used anymore.

Parse responses

EC2 instance metadata can be output in different formats. Plain text and JSON are the most commonly used formats. The metadata clients offer ways to work with those formats.

As the following example shows, use the `asString` method to get the data as a Java string. You can also use the `asList` method to separate a plain text response that returns multiple lines.

```
Ec2MetadataClient client = Ec2MetadataClient.create();
Ec2MetadataResponse response = client.get("/latest/meta-data/");
String fullResponse = responseasString();
List<String> splits = response.asList();
```

If the response is in JSON, use the `Ec2MetadataResponse#asDocument` method to parse the JSON response into a [Document](#) instance as shown in the following code snippet.

```
Document fullResponse = response.asDocument();
```

An exception will be thrown if the format of the metadata is not in JSON. If the response is successfully parsed, you can use the [document API](#) to inspect the response in more detail. Consult the instance [metadata category chart](#) to learn which metadata categories deliver JSON-formatted responses.

Configure a metadata client

Retries

You can configure a metadata client with a retry mechanism. If you do, then the client can automatically retry requests that fail for unexpected reasons. By default, the client retries three times on a failed request with an exponential backoff time between attempts.

If your use case requires a different retry mechanism, you can customize the client using the `retryPolicy` method on its builder. For example, the following example shows a synchronous client configured with a fixed delay of two seconds between attempts and five retry attempts.

```
BackoffStrategy fixedBackoffStrategy =
    FixedDelayBackoffStrategy.create(Duration.ofSeconds(2));
Ec2MetadataClient client =
    Ec2MetadataClient.builder()
        .retryPolicy(retryPolicyBuilder ->
    retryPolicyBuilder.numRetries(5)

    .backoffStrategy(fixedBackoffStrategy))
        .build();
```

There are several [BackoffStrategies](#) that you can use with a metadata client.

You can also disable the retry mechanism entirely, as the following snippet shows.

```
Ec2MetadataClient client =
    Ec2MetadataClient.builder()
        .retryPolicy(Ec2MetadataRetryPolicy.none())
        .build();
```

Using `Ec2MetadataRetryPolicy#none()` disables the default retry policy so that the metadata client attempts no retries.

IP version

By default, a metadata client uses the IPV4 endpoint at `http://169.254.169.254`. To change the client to use the IPV6 version, use either the `endpointMode` or the `endpoint` method of the builder. An exception results if both methods are called on the builder.

The following examples show both IPV6 options.

```
Ec2MetadataClient client =
    Ec2MetadataClient.builder()
        .endpointMode(EndpointMode.IPV6)
        .build();
```

```
Ec2MetadataClient client =
    Ec2MetadataClient.builder()
        .endpoint(URI.create("http://[fd00:ec2::254]"))
        .build();
```

Key features

Asynchronous client

To use the non-blocking version of the client, instantiate an instance of the `Ec2MetadataAsyncClient` class. The code in the following example creates an asynchronous client with default settings and uses the `get` method to retrieve the value for the `ami-id` key.

```
Ec2MetadataAsyncClient asyncClient = Ec2MetadataAsyncClient.create();
CompletableFuture<Ec2MetadataResponse> response = asyncClient.get("/latest/meta-data/
ami-id");
```

The `java.util.concurrent.CompletableFuture` returned by the `get` method completes when the response returns. The following example prints the `ami-id` metadata to the console.

```
response.thenAccept(metadata -> System.out.println(metadataasString()));
```

Configurable HTTP client

The builder for each metadata client has a `httpClient` method that you can use to supply a customized HTTP client.

The following example shows code for a custom `URLConnectionHttpClient` instance.

```
SdkHttpClient httpClient =
    UrlConnectionHttpClient.builder()
        .socketTimeout(Duration.ofMinutes(5))
        .proxyConfiguration(proxy ->
    proxy.endpoint(URI.create("http://proxy.example.net:8888"))))
```

```
        .build();

Ec2MetadataClient metaDataClient =
    Ec2MetadataClient.builder()
        .httpClient(httpClient)
        .build();

// Use the metaDataClient instance.
metaDataClient.close(); // Close the instance when no longer needed.
```

The following example shows code for a custom `NettyNioAsyncHttpClient` instance with an asynchronous metadata client.

```
SdkAsyncHttpClient httpAsyncClient =
    NettyNioAsyncHttpClient.builder()
        .connectionTimeout(Duration.ofMinutes(5))
        .maxConcurrency(100)
        .build();

Ec2MetadataAsyncClient asyncMetaDataClient =
    Ec2MetadataAsyncClient.builder()
        .httpClient(httpAsyncClient)
        .build();

// Use the asyncMetaDataClient instance.
asyncMetaDataClient.close(); // Close the instance when no longer needed.
```

The [the section called “HTTP clients”](#) topic in this guide provides details on how to configure the HTTP clients that are available in the SDK for Java.

Token caching

Because the metadata clients use IMDSv2, all requests are associated with a session. A session is defined by a token that has an expiration, which the metadata client manages for you. Every metadata request automatically reuses the token until it expires.

By default, a token lasts for six hours (21,600 seconds). We recommend that you keep the default time-to-live value, unless your specific use case requires advanced configuration.

If needed, configure the duration by using the `tokenTtl` builder method. For example, the code in the following snippet creates a client with a session duration of five minutes.

```
Ec2MetadataClient client =
    Ec2MetadataClient.builder()
        .tokenTtl(Duration.ofMinutes(5))
```

```
.build();
```

If you omit calling the `tokenTtl` method on the builder, the default duration of 21,600 is used instead.

Work with IAM

This section provides examples of programming AWS Identity and Access Management (IAM) by using the AWS SDK for Java 2.x.

AWS Identity and Access Management (IAM) enables you to securely control access to AWS services and resources for your users. Using IAM, you can create and manage AWS users and groups, and use permissions to allow and deny their access to AWS resources. For a complete guide to IAM, visit the [IAM User Guide](#).

The following examples include only the code needed to demonstrate each technique. The [complete example code is available on GitHub](#). From there, you can download a single source file or clone the repository locally to get all the examples to build and run.

Topics

- [Manage IAM access keys](#)
- [Manage IAM Users](#)
- [Create IAM policies with the AWS SDK for Java 2.x](#)
- [Work with IAM policies](#)
- [Work with IAM server certificates](#)

Manage IAM access keys

Create an access key

To create an IAM access key, call the `IamClient`'s `createAccessKey` method with a [CreateAccessKeyRequest](#) object.

 **Note**

You must set the region to **AWS_GLOBAL** for `IamClient` calls to work because IAM is a global service.

Imports

```
import software.amazon.awssdk.services.iam.model.CreateAccessKeyRequest;
import software.amazon.awssdk.services.iam.model.CreateAccessKeyResponse;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.IamException;
```

Code

```
public static String createIAMAccessKey(IamClient iam, String user) {

    try {
        CreateAccessKeyRequest request = CreateAccessKeyRequest.builder()
            .userName(user).build();

        CreateAccessKeyResponse response = iam.createAccessKey(request);
        String keyId = response.accessKey().accessKeyId();
        return keyId;

    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}
```

See the [complete example](#) on GitHub.

List access keys

To list the access keys for a given user, create a [ListAccessKeysRequest](#) object that contains the user name to list keys for, and pass it to the IamClient's `listAccessKeys` method.

Note

If you do not supply a user name to `listAccessKeys`, it will attempt to list access keys associated with the AWS account that signed the request.

Imports

```
import software.amazon.awssdk.services.iam.model.AccessKeyMetadata;
import software.amazon.awssdk.services.iam.model.IamException;
import software.amazon.awssdk.services.iam.model.ListAccessKeysRequest;
import software.amazon.awssdk.services.iam.model.ListAccessKeysResponse;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
```

Code

```
public static void listKeys( IamClient iam, String userName ){

    try {
        boolean done = false;
        String newMarker = null;

        while (!done) {
            ListAccessKeysResponse response;

            if(newMarker == null) {
                ListAccessKeysRequest request = ListAccessKeysRequest.builder()
                    .userName(userName).build();
                response = iam.listAccessKeys(request);
            } else {
                ListAccessKeysRequest request = ListAccessKeysRequest.builder()
                    .userName(userName)
                    .marker(newMarker).build();
                response = iam.listAccessKeys(request);
            }

            for (AccessKeyMetadata metadata :
                response.accessKeyMetadata()) {
                System.out.format("Retrieved access key %s",
                    metadata.accessKeyId());
            }

            if (!response.isTruncated()) {
                done = true;
            } else {
                newMarker = response.marker();
            }
        }

    } catch (IamException e) {
```

```
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

The results of `listAccessKeys` are paged (with a default maximum of 100 records per call). You can call `isTruncated` on the returned [ListAccessKeysResponse](#) object to see if the query returned fewer results than are available. If so, then call `marker` on the `ListAccessKeysResponse` and use it when creating a new request. Use that new request in the next invocation of `listAccessKeys`.

See the [complete example](#) on GitHub.

Retrieve an access key's last used time

To get the time an access key was last used, call the `IamClient`'s `getAccessKeyLastUsed` method with the access key's ID (which can be passed in using a [GetAccessKeyLastUsedRequest](#) object).

You can then use the returned [GetAccessKeyLastUsedResponse](#) object to retrieve the key's last used time.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.GetAccessKeyLastUsedRequest;
import software.amazon.awssdk.services.iam.model.GetAccessKeyLastUsedResponse;
import software.amazon.awssdk.services.iam.model.IamException;
```

Code

```
public static void getAccessKeyLastUsed(IamClient iam, String accessId ){

    try {
        GetAccessKeyLastUsedRequest request = GetAccessKeyLastUsedRequest.builder()
            .accessKeyId(accessId).build();

        GetAccessKeyLastUsedResponse response = iam.getAccessKeyLastUsed(request);
```

```
        System.out.println("Access key was last used at: " +
            response.accessKeyLastUsed().lastUsedDate());

    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    System.out.println("Done");
}
```

See the [complete example](#) on GitHub.

Activate or deactivate access keys

You can activate or deactivate an access key by creating an [UpdateAccessKeyRequest](#) object, providing the access key ID, optionally the user name, and the desired [status](#), then passing the request object to the `IamClient`'s `updateAccessKey` method.

Imports

```
import software.amazon.awssdk.services.iam.model.IamException;
import software.amazon.awssdk.services.iam.model.StatusType;
import software.amazon.awssdk.services.iam.model.UpdateAccessKeyRequest;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
```

Code

```
public static void updateKey(IamClient iam, String username, String accessId,
String status) {

    try {
        if (status.toLowerCase().equalsIgnoreCase("active")) {
            statusType = StatusType.ACTIVE;
        } else if (status.toLowerCase().equalsIgnoreCase("inactive")) {
            statusType = StatusType.INACTIVE;
        } else {
            statusType = StatusType.UNKNOWN_TO_SDK_VERSION;
        }
        UpdateAccessKeyRequest request = UpdateAccessKeyRequest.builder()
            .accessKeyId(accessId)
            .userName(username)
```

```
.status(statusType)
.build();

iam.updateAccessKey(request);

System.out.printf(
    "Successfully updated the status of access key %s to" +
    "status %s for user %s", accessId, status, username);

} catch (IamException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

See the [complete example](#) on GitHub.

Delete an access key

To permanently delete an access key, call the `IamClient`'s `deleteKey` method, providing it with a [DeleteAccessKeyRequest](#) containing the access key's ID and username.

Note

Once deleted, a key can no longer be retrieved or used. To temporarily deactivate a key so that it can be activated again later, use [updateAccessKey](#) method instead.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.DeleteAccessKeyRequest;
import software.amazon.awssdk.services.iam.model.IamException;
```

Code

```
public static void deleteKey(IamClient iam ,String username, String accessKey ) {

    try {
        DeleteAccessKeyRequest request = DeleteAccessKeyRequest.builder()
```

```
        .accessKeyId(accessKey)
        .userName(username)
        .build();

    iam.deleteAccessKey(request);
    System.out.println("Successfully deleted access key " + accessKey +
        " from user " + username);

} catch (IamException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

See the [complete example](#) on GitHub.

More information

- [CreateAccessKey](#) in the IAM API Reference
- [ListAccessKeys](#) in the IAM API Reference
- [GetAccessKeyLastUsed](#) in the IAM API Reference
- [UpdateAccessKey](#) in the IAM API Reference
- [DeleteAccessKey](#) in the IAM API Reference

Manage IAM Users

Create a User

Create a new IAM user by providing the user name to the `IamClient's createUser` method using a [CreateUserRequest](#) object containing the user name.

Imports

```
import software.amazon.awssdk.core.waiters.WaiterResponse;
import software.amazon.awssdk.services.iam.model.CreateUserRequest;
import software.amazon.awssdk.services.iam.model.CreateUserResponse;
import software.amazon.awssdk.services.iam.model.IamException;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
```

```
import software.amazon.awssdk.services.iam.waiters.IamWaiter;
import software.amazon.awssdk.services.iam.model.GetUserRequest;
import software.amazon.awssdk.services.iam.model.GetUserResponse;
```

Code

```
public static String createIAMUser(IamClient iam, String username ) {

    try {
        // Create an IamWaiter object
        IamWaiter iamWaiter = iam.waiter();

        CreateUserRequest request = CreateUserRequest.builder()
            .userName(username)
            .build();

        CreateUserResponse response = iam.createUser(request);

        // Wait until the user is created
        GetUserRequest userRequest = GetUserRequest.builder()
            .userName(response.user().userName())
            .build();

        WaiterResponse< GetUserResponse> waitUntilUserExists =
        iamWaiter.waitUntilUserExists(userRequest);
        waitUntilUserExists.matched().response().ifPresent(System.out::println);
        return response.user().userName();

    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}
```

See the [complete example](#) on GitHub.

List Users

To list the IAM users for your account, create a new [ListUsersRequest](#) and pass it to the `IamClient`'s `listUsers` method. You can retrieve the list of users by calling `users` on the returned [ListUsersResponse](#) object.

The list of users returned by `listUsers` is paged. You can check to see there are more results to retrieve by calling the response object's `isTruncated` method. If it returns true, then call the response object's `marker()` method. Use the marker value to create a new request object. Then call the `listUsers` method again with the new request.

Imports

```
import software.amazon.awssdk.services.iam.model.IamException;
import software.amazon.awssdk.services.iam.model.ListUsersRequest;
import software.amazon.awssdk.services.iam.model.ListUsersResponse;
import software.amazon.awssdk.services.iam.model.User;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
```

Code

```
public static void listAllUsers(IamClient iam) {

    try {

        boolean done = false;
        String newMarker = null;

        while(!done) {
            ListUsersResponse response;

            if (newMarker == null) {
                ListUsersRequest request = ListUsersRequest.builder().build();
                response = iam.listUsers(request);
            } else {
                ListUsersRequest request = ListUsersRequest.builder()
                    .marker(newMarker).build();
                response = iam.listUsers(request);
            }

            for(User user : response.users()) {
                System.out.format("\n Retrieved user %s", user.userName());
            }

            if(!response.isTruncated()) {
                done = true;
            } else {
                newMarker = response.marker();
            }
        }
    }
}
```

```
        }
    }
} catch (IamException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

See the [complete example](#) on GitHub.

Update a User

To update a user, call the `IamClient` object's `updateUser` method, which takes a [`UpdateUserRequest`](#) object that you can use to change the user's *name* or *path*.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.IamException;
import software.amazon.awssdk.services.iam.model.UpdateUserRequest;
```

Code

```
public static void updateIAMUser(IamClient iam, String curName, String newName) {

    try {
        UpdateUserRequest request = UpdateUserRequest.builder()
            .userName(curName)
            .newUserName(newName)
            .build();

        iam.updateUser(request);
        System.out.printf("Successfully updated user to username %s",
            newName);
    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

See the [complete example](#) on GitHub.

Delete a User

To delete a user, call the `IamClient's deleteUser` request with a [UpdateUserRequest](#) object set with the user name to delete.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.DeleteUserRequest;
import software.amazon.awssdk.services.iam.model.IamException;
```

Code

```
public static void deleteIAMUser(IamClient iam, String userName) {

    try {
        DeleteUserRequest request = DeleteUserRequest.builder()
            .userName(userName)
            .build();

        iam.deleteUser(request);
        System.out.println("Successfully deleted IAM user " + userName);
    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

See the [complete example](#) on GitHub.

More Information

- [IAM Users](#) in the IAM User Guide
- [Managing IAM Users](#) in the IAM User Guide
- [CreateUser](#) in the IAM API Reference
- [ListUsers](#) in the IAM API Reference
- [UpdateUser](#) in the IAM API Reference
- [DeleteUser](#) in the IAM API Reference

Create IAM policies with the AWS SDK for Java 2.x

The [IAM Policy Builder API](#) is a library that you can use to build [IAM policies](#) in Java and upload them to AWS Identity and Access Management (IAM).

Instead of building an IAM policy by manually assembling a JSON string or by reading a file, the API provides a client-side, object-oriented approach to generate the JSON string. When you read an existing IAM policy in JSON format, the API converts it to an [IamPolicy](#) instance for handling.

The IAM Policy Builder API became available with version 2.20.105 of the SDK, so use that version or a later one in your Maven build file. The latest version number of the SDK is [listed on Maven central](#).

The following snippet shows an example dependency block for a Maven pom.xml file. This allows you to use the IAM Policy Builder API in your project.

```
<dependency>
    <groupId>software.amazon.awssdk</groupId>
    <artifactId>iam-policy-builder</artifactId>
    <version>2.27.21</version>
</dependency>
```

Create an IamPolicy

This section shows several examples of how to build policies by using the IAM Policy Builder API.

In each of the following examples, start with the [IamPolicy.Builder](#) and add one or more statements by using the addStatement method. Following this pattern, the [IamStatement.Builder](#) has methods to add the effect, actions, resources, and conditions to the statement.

Example: Create a time-based policy

The following example creates an identity-based policy that permits the Amazon DynamoDB GetItem action between two points in time.

```
public String timeBasedPolicyExample() {
    IamPolicy policy = IamPolicy.builder()
        .addStatement(b -> b
            .effect(IamEffect.ALLOW)
            .addAction("dynamodb:GetItem")
            .addResource(IamResource.ALL)
```

```
        .addCondition(b1 -> b1
                      .operator(IamConditionOperator.DATE_GREATER_THAN)
                      .key("aws:CurrentTime")
                      .value("2020-04-01T00:00:00Z"))
        .addCondition(b1 -> b1
                      .operator(IamConditionOperator.DATE_LESS_THAN)
                      .key("aws:CurrentTime")
                      .value("2020-06-30T23:59:59Z")))
    .build();

    // Use an IamPolicyWriter to write out the JSON string to a more readable
format.
    return policy.toJson(IamPolicyWriter.builder()
        .prettyPrint(true)
        .build());
}
```

JSON output

The last statement in the previous example returns the following JSON string.

Read more about this [example](#) in the *AWS Identity and Access Management User Guide*.

```
{
  "Version" : "2012-10-17",
  "Statement" : {
    "Effect" : "Allow",
    "Action" : "dynamodb:GetItem",
    "Resource" : "*",
    "Condition" : {
      "DateGreaterThan" : {
        "aws:CurrentTime" : "2020-04-01T00:00:00Z"
      },
      "DateLessThan" : {
        "aws:CurrentTime" : "2020-06-30T23:59:59Z"
      }
    }
  }
}
```

Example: Specify multiple conditions

The following example shows how you can create an identity-based policy that allows access to specific DynamoDB attributes. The policy contains two conditions.

```

public String multipleConditionsExample() {
    IamPolicy policy = IamPolicy.builder()
        .addStatement(b -> b
            .effect(IamEffect.ALLOW)
            .addAction("dynamodb:GetItem")
            .addAction("dynamodb:BatchGetItem")
            .addAction("dynamodb:Query")
            .addAction("dynamodb:PutItem")
            .addAction("dynamodb:UpdateItem")
            .addAction("dynamodb:DeleteItem")
            .addAction("dynamodb:BatchWriteItem")
            .addResource("arn:aws:dynamodb:*:*:table/table-name"))

        .addConditions(IamConditionOperator.STRING_EQUALS.addPrefix("ForAllValues:",
            "dynamodb:Attributes",
            List.of("column-name1", "column-name2", "column-
name3")))
            .addCondition(b1 ->
    b1.operator(IamConditionOperator.STRING_EQUALS.addSuffix("IfExists"))
        .key("dynamodb:Select")
        .value("SPECIFIC_ATTRIBUTES")))
        .build();

    return policy.toJson(IamPolicyWriter.builder()
        .prettyPrint(true).build());
}

```

JSON output

The last statement in the previous example returns the following JSON string.

Read more about this [example](#) in the *AWS Identity and Access Management User Guide*.

```
{
  "Version" : "2012-10-17",
  "Statement" : {
    "Effect" : "Allow",
    "Action" : [ "dynamodb:GetItem", "dynamodb:BatchGetItem", "dynamodb:Query",
    "dynamodb:PutItem", "dynamodb:UpdateItem", "dynamodb:DeleteItem",
    "dynamodb:BatchWriteItem" ],
    "Resource" : "arn:aws:dynamodb:*:*:table/table-name",
    "Condition" : {
      "ForAllValues:StringEquals" : {

```

```
        "dynamodb:Attributes" : [ "column-name1", "column-name2", "column-name3" ]
    },
    "StringEqualsIfExists" : {
        "dynamodb:Select" : "SPECIFIC_ATTRIBUTES"
    }
}
```

Example: Specify principals

The following example shows how to create a resource-based policy that denies access to a bucket for all principals except for those specified in the condition.

```
public String specifyPrincipalsExample() {
    IamPolicy policy = IamPolicy.builder()
        .addStatement(b -> b
            .effect(IamEffect.DENY)
            .addAction("s3:*")
            .addPrincipal(IamPrincipal.ALL)
            .addResource("arn:aws:s3::::BUCKETNAME/*")
            .addResource("arn:aws:s3::::BUCKETNAME")
            .addCondition(b1 -> b1
                .operator(IamConditionOperator.ARN_NOT_EQUALS)
                .key("aws:PrincipalArn")
                .value("arn:aws:iam::44445556666:user/user-name")))
        .build();
    return policy.toJson(IamPolicyWriter.builder()
        .prettyPrint(true).build());
}
```

JSON output

The last statement in the previous example returns the following JSON string.

Read more about this [example](#) in the *AWS Identity and Access Management User Guide*.

```
{
    "Version" : "2012-10-17",
    "Statement" : {
        "Effect" : "Deny",
        "Principal" : "*",
        "Action" : "s3:*",
        "Condition" : {
            "StringNotEquals" : {
                "aws:PrincipalArn" : "arn:aws:iam::44445556666:user/user-name"
            }
        }
    }
}
```

```

"Resource" : [ "arn:aws:s3:::BUCKETNAME/*", "arn:aws:s3:::BUCKETNAME" ],
"Condition" : {
    "ArnNotEquals" : {
        "aws:PrincipalArn" : "arn:aws:iam::444455556666:user/user-name"
    }
}
}
}

```

Example: Allow cross-account access

The following example shows how to allow another AWS account to upload objects to your bucket while retaining full owner control of the uploaded objects.

```

public String allowCrossAccountAccessExample() {
    IamPolicy policy = IamPolicy.builder()
        .addStatement(b -> b
            .effect(IamEffect.ALLOW)
            .addPrincipal(IamPrincipalType.AWS, "111122223333")
            .addAction("s3:PutObject")
            .addResource("arn:aws:s3:::amzn-s3-demo-bucket/*")
            .addCondition(b1 -> b1
                .operator(IamConditionOperator.STRING_EQUALS)
                .key("s3:x-amz-acl")
                .value("bucket-owner-full-control")))
        .build();
    return policy.toJson(IamPolicyWriter.builder()
        .prettyPrint(true).build());
}

```

JSON output

The last statement in the previous example returns the following JSON string.

Read more about this [example](#) in the *Amazon Simple Storage Service User Guide*.

```
{
    "Version" : "2012-10-17",
    "Statement" : {
        "Effect" : "Allow",
        "Principal" : {
            "AWS" : "111122223333"
        },
    }
}
```

```
"Action" : "s3:PutObject",
"Resource" : "arn:aws:s3:::amzn-s3-demo-bucket/*",
"Condition" : {
    "StringEquals" : {
        "s3:x-amz-acl" : "bucket-owner-full-control"
    }
}
}
```

Use an [IamPolicy](#) with IAM

After you have created a [IamPolicy](#) instance, you use an [IamClient](#) to work with the IAM service.

The following example builds a policy that allows an [IAM identity](#) to write items to a DynamoDB table in the account that is specified with the accountID parameter. The policy is then uploaded to IAM as a JSON string.

```
public String createAndUploadPolicyExample(IamClient iam, String accountID, String
policyName) {
    // Build the policy.
    IamPolicy policy =
        IamPolicy.builder() // 'version' defaults to "2012-10-17".
            .addStatement(IamStatement.builder()
                .effect(IamEffect.ALLOW)
                .addAction("dynamodb:PutItem")
                .addResource("arn:aws:dynamodb:us-east-1:" + accountID
+ ":table/exampleTableName")
                    .build())
            .build();
    // Upload the policy.
    iam.createPolicy(r ->
        r.policyName(policyName).policyDocument(policy.toJson()));
    return policy.toJson(IamPolicyWriter.builder().prettyPrint(true).build());
}
```

The next example builds on the previous example. The code downloads the policy and uses it as the basis for a new policy by copying and altering the statement. The new policy is then uploaded.

```
public String createNewBasedOnExistingPolicyExample(IamClient iam, String
accountID, String policyName, String newPolicyName) {
```

```
String policyArn = "arn:aws:iam://" + accountID + ":policy/" + policyName;
GetPolicyResponse getPolicyResponse = iam.getPolicy(r ->
r.policyArn(policyArn));

String policyVersion = getPolicyResponse.policy().defaultVersionId();
GetPolicyVersionResponse getPolicyVersionResponse =
iam.getPolicyVersion(r ->
r.policyArn(policyArn).versionId(policyVersion));

// Create an IamPolicy instance from the JSON string returned from IAM.
String decodedPolicy =
URLDecoder.decode(getPolicyVersionResponse.policyVersion().document(),
StandardCharsets.UTF_8);
IamPolicy policy = IamPolicy.fromJson(decodedPolicy);

/*
All IamPolicy components are immutable, so use the copy method that
creates a new instance that
can be altered in the same method call.

Add the ability to get an item from DynamoDB as an additional action.
*/
IamStatement newStatement = policy.statements().get(0).copy(s ->
s.addAction("dynamodb:GetItem"));

// Create a new statement that replaces the original statement.
IamPolicy newPolicy = policy.copy(p ->
p.statements(Arrays.asList(newStatement)));

// Upload the new policy. IAM now has both policies.
iam.createPolicy(r -> r.policyName(newPolicyName)
    .policyDocument(newPolicy.toJson()));

return newPolicy.toJson(IamPolicyWriter.builder().prettyPrint(true).build());
}
```

IamClient

The previous examples use an `IamClient` argument that is created as shown in the following snippet.

```
IamClient iam = IamClient.builder().region(Region.AWS_GLOBAL).build();
```

Policies in JSON

The examples return the following JSON strings.

First example

```
{  
    "Version" : "2012-10-17",  
    "Statement" : {  
        "Effect" : "Allow",  
        "Action" : "dynamodb:PutItem",  
        "Resource" : "arn:aws:dynamodb:us-east-1:111122223333:table/exampleTableName"  
    }  
}
```

Second example

```
{  
    "Version" : "2012-10-17",  
    "Statement" : {  
        "Effect" : "Allow",  
        "Action" : [ "dynamodb:PutItem", "dynamodb:GetItem" ],  
        "Resource" : "arn:aws:dynamodb:us-east-1:111122223333:table/exampleTableName"  
    }  
}
```

Work with IAM policies

Create a policy

To create a new policy, provide the policy's name and a JSON-formatted policy document in a [CreatePolicyRequest](#) to the `IamClient`'s `createPolicy` method.

Imports

```
import software.amazon.awssdk.core.waiters.WaiterResponse;  
import software.amazon.awssdk.services.iam.model.CreatePolicyRequest;  
import software.amazon.awssdk.services.iam.model.CreatePolicyResponse;  
import software.amazon.awssdk.services.iam.model.GetPolicyRequest;  
import software.amazon.awssdk.services.iam.model.GetPolicyResponse;  
import software.amazon.awssdk.services.iam.model.IamException;  
import software.amazon.awssdk.regions.Region;  
import software.amazon.awssdk.services.iam.IamClient;  
import software.amazon.awssdk.services.iam.waiters.IamWaiter;
```

Code

```
public static String createIAMPolicy(IamClient iam, String policyName) {

    try {
        // Create an IamWaiter object
        IamWaiter iamWaiter = iam.waiter();

        CreatePolicyRequest request = CreatePolicyRequest.builder()
            .policyName(policyName)
            .policyDocument(PolicyDocument).build();

        CreatePolicyResponse response = iam.createPolicy(request);

        // Wait until the policy is created
        GetPolicyRequest polRequest = GetPolicyRequest.builder()
            .policyArn(response.policy().arn())
            .build();

        WaiterResponse<GetPolicyResponse> waitUntilPolicyExists =
        iamWaiter.waitUntilPolicyExists(polRequest);
        waitUntilPolicyExists.matched().response().ifPresent(System.out::println);
        return response.policy().arn();

    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}
```

See the [complete example](#) on GitHub.

Get a policy

To retrieve an existing policy, call the `IamClient`'s `getPolicy` method, providing the policy's ARN within a [GetPolicyRequest](#) object.

Imports

```
import software.amazon.awssdk.services.iam.model.GetPolicyRequest;
import software.amazon.awssdk.services.iam.model.GetPolicyResponse;
import software.amazon.awssdk.regions.Region;
```

```
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.IamException;
```

Code

```
public static void getIAMPolicy(IamClient iam, String policyArn) {

    try {
        GetPolicyRequest request = GetPolicyRequest.builder()
            .policyArn(policyArn).build();

        GetPolicyResponse response = iam.getPolicy(request);
        System.out.format("Successfully retrieved policy %s",
            response.policy().policyName());

    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

See the [complete example](#) on GitHub.

Attach a role policy

You can attach a policy to an IAM [role](#) by calling the IamClient's `attachRolePolicy` method, providing it with the role name and policy ARN in an [AttachRolePolicyRequest](#).

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.IamException;
import software.amazon.awssdk.services.iam.model.AttachRolePolicyRequest;
import software.amazon.awssdk.services.iam.model.AttachedPolicy;
import software.amazon.awssdk.services.iam.model.ListAttachedRolePoliciesRequest;
import software.amazon.awssdk.services.iam.model.ListAttachedRolePoliciesResponse;
import java.util.List;
```

Code

```
public static void attachIAMRolePolicy(IamClient iam, String roleName, String
policyArn ) {
```

```
try {

    ListAttachedRolePoliciesRequest request =
ListAttachedRolePoliciesRequest.builder()
        .roleName(roleName)
        .build();

    ListAttachedRolePoliciesResponse response =
iam.listAttachedRolePolicies(request);
    List<AttachedPolicy> attachedPolicies = response.attachedPolicies();

    // Ensure that the policy is not attached to this role
    String polArn = "";
    for (AttachedPolicy policy: attachedPolicies) {
        polArn = policy.policyArn();
        if (polArn.compareTo(policyArn)==0) {
            System.out.println(roleName +
                " policy is already attached to this role.");
            return;
        }
    }

    AttachRolePolicyRequest attachRequest =
        AttachRolePolicyRequest.builder()
            .roleName(roleName)
            .policyArn(policyArn)
            .build();

    iam.attachRolePolicy(attachRequest);

    System.out.println("Successfully attached policy " + policyArn +
        " to role " + roleName);

} catch (IamException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}

System.out.println("Done");
}
```

See the [complete example](#) on GitHub.

List attached role policies

List attached policies on a role by calling the `IamClient's listAttachedRolePolicies` method. It takes a [ListAttachedRolePoliciesRequest](#) object that contains the role name to list the policies for.

Call `getAttachedPolicies` on the returned [ListAttachedRolePoliciesResponse](#) object to get the list of attached policies. Results may be truncated; if the `ListAttachedRolePoliciesResponse` object's `isTruncated` method returns `true`, call the `ListAttachedRolePoliciesResponse` object's `marker` method. Use the marker returned to create a new request and use it to call `listAttachedRolePolicies` again to get the next batch of results.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.IamException;
import software.amazon.awssdk.services.iam.model.AttachRolePolicyRequest;
import software.amazon.awssdk.services.iam.model.AttachedPolicy;
import software.amazon.awssdk.services.iam.model.ListAttachedRolePoliciesRequest;
import software.amazon.awssdk.services.iam.model.ListAttachedRolePoliciesResponse;
import java.util.List;
```

Code

```
public static void attachIAMRolePolicy(IamClient iam, String roleName, String policyArn) {

    try {

        ListAttachedRolePoliciesRequest request =
ListAttachedRolePoliciesRequest.builder()
            .roleName(roleName)
            .build();

        ListAttachedRolePoliciesResponse response =
iam.listAttachedRolePolicies(request);
        List<AttachedPolicy> attachedPolicies = response.attachedPolicies();

        // Ensure that the policy is not attached to this role
        String polArn = "";
        for (AttachedPolicy policy: attachedPolicies) {
```

```
polArn = policy.policyArn();
if (polArn.compareTo(policyArn)==0) {
    System.out.println(roleName +
        " policy is already attached to this role.");
    return;
}

AttachRolePolicyRequest attachRequest =
    AttachRolePolicyRequest.builder()
        .roleName(roleName)
        .policyArn(policyArn)
        .build();

iam.attachRolePolicy(attachRequest);

System.out.println("Successfully attached policy " + policyArn +
    " to role " + roleName);

} catch (IamException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}

System.out.println("Done");
}
```

See the [complete example](#) on GitHub.

Detach a role policy

To detach a policy from a role, call the `IamClient`'s `detachRolePolicy` method, providing it with the role name and policy ARN in a [DetachRolePolicyRequest](#).

Imports

```
import software.amazon.awssdk.services.iam.model.DetachRolePolicyRequest;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.IamException;
```

Code

```
public static void detachPolicy(IamClient iam, String roleName, String policyArn ) {  
  
    try {  
        DetachRolePolicyRequest request = DetachRolePolicyRequest.builder()  
            .roleName(roleName)  
            .policyArn(policyArn)  
            .build();  
  
        iam.detachRolePolicy(request);  
        System.out.println("Successfully detached policy " + policyArn +  
            " from role " + roleName);  
  
    } catch (IamException e) {  
        System.err.println(e.awsErrorDetails().errorMessage());  
        System.exit(1);  
    }  
}
```

See the [complete example](#) on GitHub.

More information

- [Overview of IAM Policies](#) in the IAM User Guide.
- [AWS IAM Policy Reference](#) in the IAM User Guide.
- [CreatePolicy](#) in the IAM API Reference
- [GetPolicy](#) in the IAM API Reference
- [AttachRolePolicy](#) in the IAM API Reference
- [ListAttachedRolePolicies](#) in the IAM API Reference
- [DetachRolePolicy](#) in the IAM API Reference

Work with IAM server certificates

To enable HTTPS connections to your website or application on AWS, you need an *SSL/TLS server certificate*. You can use a server certificate provided by AWS Certificate Manager or one that you obtained from an external provider.

We recommend that you use ACM to provision, manage, and deploy your server certificates. With ACM you can request a certificate, deploy it to your AWS resources, and let ACM handle certificate

renewals for you. Certificates provided by ACM are free. For more information about ACM, see the [AWS Certificate Manager User Guide](#).

Get a server certificate

You can retrieve a server certificate by calling the `IamClient`'s `getServerCertificate` method, passing it a [GetServerCertificateRequest](#) with the certificate's name.

Imports

```
import software.amazon.awssdk.services.iam.model.GetServerCertificateRequest;
import software.amazon.awssdk.services.iam.model.GetServerCertificateResponse;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.IamException;
```

Code

```
public static void getCertificate(IamClient iam, String certName) {

    try {
        GetServerCertificateRequest request = GetServerCertificateRequest.builder()
            .serverCertificateName(certName)
            .build();

        GetServerCertificateResponse response = iam.getServerCertificate(request);
        System.out.format("Successfully retrieved certificate with body %s",
            response.serverCertificate().certificateBody());

    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

See the [complete example](#) on GitHub.

List server certificates

To list your server certificates, call the `IamClient`'s `listServerCertificates` method with a [ListServerCertificatesRequest](#). It returns a [ListServerCertificatesResponse](#).

Call the returned `ListServerCertificateResponse` object's `serverCertificateMetadataList` method to get a list of [ServerCertificateMetadata](#) objects that you can use to get information about each certificate.

Results may be truncated; if the `ListServerCertificateResponse` object's `isTruncated` method returns `true`, call the `ListServerCertificatesResponse` object's `marker` method and use the marker to create a new request. Use the new request to call `listServerCertificates` again to get the next batch of results.

Imports

```
import software.amazon.awssdk.services.iam.model.IamException;
import software.amazon.awssdk.services.iam.model.ListServerCertificatesRequest;
import software.amazon.awssdk.services.iam.model.ListServerCertificatesResponse;
import software.amazon.awssdk.services.iam.model.ServerCertificateMetadata;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
```

Code

```
public static void listCertificates(IamClient iam) {

    try {
        boolean done = false;
        String newMarker = null;

        while(!done) {
            ListServerCertificatesResponse response;

            if (newMarker == null) {
                ListServerCertificatesRequest request =
                    ListServerCertificatesRequest.builder().build();
                response = iam.listServerCertificates(request);
            } else {
                ListServerCertificatesRequest request =
                    ListServerCertificatesRequest.builder()
                        .marker(newMarker).build();
                response = iam.listServerCertificates(request);
            }

            for(ServerCertificateMetadata metadata :
                response.serverCertificateMetadataList()) {
```

```
        System.out.printf("Retrieved server certificate %s",
                           metadata.serverCertificateName());
    }

    if(!response.isTruncated()) {
        done = true;
    } else {
        newMarker = response.marker();
    }
}

} catch (IamException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

See the [complete example](#) on GitHub.

Update a server certificate

You can update a server certificate's name or path by calling the `IamClient`'s `updateServerCertificate` method. It takes a [`UpdateServerCertificateRequest`](#) object set with the server certificate's current name and either a new name or new path to use.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.IamException;
import software.amazon.awssdk.services.iam.model.UpdateServerCertificateRequest;
import software.amazon.awssdk.services.iam.model.UpdateServerCertificateResponse;
```

Code

```
public static void updateCertificate(IamClient iam, String curName, String newName)
{
    try {
        UpdateServerCertificateRequest request =
            UpdateServerCertificateRequest.builder()
                .serverCertificateName(curName)
```

```
        .newServerCertificateName(newName)
        .build();

    UpdateServerCertificateResponse response =
        iam.updateServerCertificate(request);

    System.out.printf("Successfully updated server certificate to name %s",
        newName);

} catch (IamException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

See the [complete example](#) on GitHub.

Delete a server certificate

To delete a server certificate, call the `IamClient`'s `deleteServerCertificate` method with a [`DeleteServerCertificateRequest`](#) containing the certificate's name.

Imports

```
import software.amazon.awssdk.services.iam.model.DeleteServerCertificateRequest;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.IamException;
```

Code

```
public static void deleteCert(IamClient iam, String certName ) {

    try {
        DeleteServerCertificateRequest request =
            DeleteServerCertificateRequest.builder()
                .serverCertificateName(certName)
                .build();

        iam.deleteServerCertificate(request);
        System.out.println("Successfully deleted server certificate " +
            certName);
    }
}
```

```
        } catch (IamException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
```

See the [complete example](#) on GitHub.

More information

- [Working with Server Certificates](#) in the IAM User Guide
- [GetServerCertificate](#) in the IAM API Reference
- [ListServerCertificates](#) in the IAM API Reference
- [UpdateServerCertificate](#) in the IAM API Reference
- [DeleteServerCertificate](#) in the IAM API Reference
- [AWS Certificate Manager User Guide](#)

Work with Kinesis

This section provides examples of programming [Amazon Kinesis](#) using the AWS SDK for Java 2.x.

For more information about Kinesis, see the [Amazon Kinesis Developer Guide](#).

The following examples include only the code needed to demonstrate each technique. The [complete example code is available on GitHub](#). From there, you can download a single source file or clone the repository locally to get all the examples to build and run.

Topics

- [Subscribe to Amazon Kinesis Data Streams](#)

Subscribe to Amazon Kinesis Data Streams

The following examples show you how to retrieve and process data from Amazon Kinesis Data Streams using the `subscribeToShard` method. Kinesis Data Streams now employs the enhanced fanout feature and a low-latency HTTP/2 data retrieval API, making it easier for developers to run multiple low-latency, high-performance applications on the same Kinesis Data Stream.

Set up

First, create an asynchronous Kinesis client and a [SubscribeToShardRequest](#) object. These objects are used in each of the following examples to subscribe to Kinesis events.

Imports

```
import java.util.concurrent.CompletableFuture;
import java.util.concurrent.atomic.AtomicInteger;
import org.reactivestreams.Subscriber;
import org.reactivestreams.Subscription;
import software.amazon.awssdk.core.async.SdkPublisher;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.kinesis.KinesisAsyncClient;
import software.amazon.awssdk.services.kinesis.model.ShardIteratorType;
import software.amazon.awssdk.services.kinesis.model.SubscribeToShardEvent;
import software.amazon.awssdk.services.kinesis.model.SubscribeToShardEventStream;
import software.amazon.awssdk.services.kinesis.model.SubscribeToShardRequest;
import software.amazon.awssdk.services.kinesis.model.SubscribeToShardResponse;
import software.amazon.awssdk.services.kinesis.model.SubscribeToShardResponseHandler;
```

Code

```
Region region = Region.US_EAST_1;
KinesisAsyncClient client = KinesisAsyncClient.builder()
    .region(region)
    .build();

SubscribeToShardRequest request = SubscribeToShardRequest.builder()
    .consumerARN(CONSUMER_ARN)
    .shardId("arn:aws:kinesis:us-east-1:111122223333:stream/
StockTradeStream")
    .startingPosition(s -> s.type(ShardIteratorType.LATEST)).build();
```

Use the builder interface

You can use the builder method to simplify the creation of the [SubscribeToShardResponseHandler](#).

Using the builder, you can set each lifecycle callback with a method call instead of implementing the full interface.

Code

```
private static CompletableFuture<Void> responseHandlerBuilder(KinesisAsyncClient client, SubscribeToShardRequest request) {
    SubscribeToShardResponseHandler responseHandler =
    SubscribeToShardResponseHandler
        .builder()
        .onError(t -> System.err.println("Error during stream - " +
t.getMessage()))
        .onComplete(() -> System.out.println("All records stream
successfully"))
        // Must supply some type of subscriber
        .subscriber(e -> System.out.println("Received event - " + e))
        .build();
    return client.subscribeToShard(request, responseHandler);
}
```

For more control of the publisher, you can use the `publisherTransformer` method to customize the publisher.

Code

```
private static CompletableFuture<Void>
responseHandlerBuilderPublisherTransformer(KinesisAsyncClient client,
SubscribeToShardRequest request) {
    SubscribeToShardResponseHandler responseHandler =
    SubscribeToShardResponseHandler
        .builder()
        .onError(t -> System.err.println("Error during stream - " +
t.getMessage()))
        .publisherTransformer(p -> p.filter(e -> e instanceof
SubscribeToShardEvent).limit(100))
        .subscriber(e -> System.out.println("Received event - " + e))
        .build();
    return client.subscribeToShard(request, responseHandler);
}
```

See the [complete example](#) on GitHub.

Use a custom response handler

For full control of the subscriber and publisher, implement the `SubscribeToShardResponseHandler` interface.

In this example, you implement the `onEventStream` method, which allows you full access to the publisher. This demonstrates how to transform the publisher to event records for printing by the subscriber.

Code

```
private static CompletableFuture<Void>
responseHandlerBuilderClassic(KinesisAsyncClient client, SubscribeToShardRequest
request) {
    SubscribeToShardResponseHandler responseHandler = new
SubscribeToShardResponseHandler() {

        @Override
        public void responseReceived(SubscribeToShardResponse response) {
            System.out.println("Received initial response");
        }

        @Override
        public void onEventStream(SdkPublisher<SubscribeToShardEventStream>
publisher) {
            publisher
                // Filter to only SubscribeToShardEvents
                .filter(SubscribeToShardEvent.class)
                // Flat map into a publisher of just records
                .flatMapIterable(SubscribeToShardEvent::records)
                // Limit to 1000 total records
                .limit(1000)
                // Batch records into lists of 25
                .buffer(25)
                // Print out each record batch
                .subscribe(batch -> System.out.println("Record Batch - " +
batch));
        }

        @Override
        public void complete() {
            System.out.println("All records stream successfully");
        }

        @Override
        public void exceptionOccurred(Throwable throwable) {
            System.err.println("Error during stream - " + throwable.getMessage());
        }
    }
}
```

```
    };
    return client.subscribeToShard(request, responseHandler);
}
```

See the [complete example](#) on GitHub.

Use the visitor interface

You can use a [Visitor](#) object to subscribe to specific events you're interested in watching.

Code

```
private static CompletableFuture<Void>
responseHandlerBuilderVisitorBuilder(KinesisAsyncClient client,
SubscribeToShardRequest request) {
    SubscribeToShardResponseHandler.Visitor visitor =
SubscribeToShardResponseHandler.Visitor
    .builder()
    .onSubscribeToShardEvent(e -> System.out.println("Received subscribe to
shard event " + e))
    .build();
    SubscribeToShardResponseHandler responseHandler =
SubscribeToShardResponseHandler
    .builder()
    .onError(t -> System.err.println("Error during stream - " +
t.getMessage()))
    .subscriber(visitor)
    .build();
    return client.subscribeToShard(request, responseHandler);
}
```

See the [complete example](#) on GitHub.

Use a custom subscriber

You can also implement your own custom subscriber to subscribe to the stream.

This code snippet shows an example subscriber.

Code

```
private static class MySubscriber implements
Subscriber<SubscribeToShardEventStream> {
```

```
private Subscription subscription;
private AtomicInteger eventCount = new AtomicInteger(0);

@Override
public void onSubscribe(Subscription subscription) {
    this.subscription = subscription;
    this.subscription.request(1);
}

@Override
public void onNext(SubscribeToShardEventStream shardSubscriptionEventStream) {
    System.out.println("Received event " + shardSubscriptionEventStream);
    if (eventCount.incrementAndGet() >= 100) {
        // You can cancel the subscription at any time if you wish to stop
receiving events.
        subscription.cancel();
    }
    subscription.request(1);
}

@Override
public void onError(Throwable throwable) {
    System.err.println("Error occurred while stream - " +
throwable.getMessage());
}

@Override
public void onComplete() {
    System.out.println("Finished streaming all events");
}
}
```

You can pass the custom subscriber to the subscribe method as shown in the following code snippet.

Code

```
private static CompletableFuture<Void>
responseHandlerBuilderSubscriber(KinesisAsyncClient client, SubscribeToShardRequest
request) {
    SubscribeToShardResponseHandler responseHandler =
SubscribeToShardResponseHandler
    .builder()
```

```
        .onError(t -> System.err.println("Error during stream - " +  
t.getMessage()))  
        .subscriber(MySubscriber::new)  
        .build();  
    return client.subscribeToShard(request, responseHandler);  
}
```

See the [complete example](#) on GitHub.

Write data records into a Kinesis data stream

You can use the [KinesisClient](#) object to write data records into a Kinesis data stream by using the `putRecords` method. To successfully invoke this method, create a [PutRecordsRequest](#) object. You pass the name of the data stream to the `streamName` method. Also you must pass the data by using the `putRecords` method (as shown in the following code example).

Imports

```
import software.amazon.awssdk.core.SdkBytes;  
import software.amazon.awssdk.regions.Region;  
import software.amazon.awssdk.services.kinesis.KinesisClient;  
import software.amazon.awssdk.services.kinesis.model.PutRecordRequest;  
import software.amazon.awssdk.services.kinesis.model.KinesisException;  
import software.amazon.awssdk.services.kinesis.model.DescribeStreamRequest;  
import software.amazon.awssdk.services.kinesis.model.DescribeStreamResponse;
```

In the following Java code example, notice that **StockTrade** object is used as the data to write to the Kinesis data stream. Before running this example, ensure that you have created the data stream.

Code

```
import software.amazon.awssdk.core.SdkBytes;  
import software.amazon.awssdk.regions.Region;  
import software.amazon.awssdk.services.kinesis.KinesisClient;  
import software.amazon.awssdk.services.kinesis.model.PutRecordRequest;  
import software.amazon.awssdk.services.kinesis.model.KinesisException;  
import software.amazon.awssdk.services.kinesis.model.DescribeStreamRequest;  
import software.amazon.awssdk.services.kinesis.model.DescribeStreamResponse;  
  
/**  
 * Before running this Java V2 code example, set up your development
```

```
* environment, including your credentials.  
*  
* For more information, see the following documentation topic:  
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
  
public class StockTradesWriter {  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:  
            <streamName>  
  
            Where:  
            streamName - The Amazon Kinesis data stream to which records are  
written (for example, StockTradeStream)  
            """;  
  
        if (args.length != 1) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String streamName = args[0];  
        Region region = Region.US_EAST_1;  
        KinesisClient kinesisClient = KinesisClient.builder()  
            .region(region)  
            .build();  
  
        // Ensure that the Kinesis Stream is valid.  
        validateStream(kinesisClient, streamName);  
        setStockData(kinesisClient, streamName);  
        kinesisClient.close();  
    }  
  
    public static void setStockData(KinesisClient kinesisClient, String streamName) {  
        try {  
            // Repeatedly send stock trades with a 100 milliseconds wait in between.  
            StockTradeGenerator stockTradeGenerator = new StockTradeGenerator();  
  
            // Put in 50 Records for this example.  
            int index = 50;  
            for (int x = 0; x < index; x++) {  
                StockTrade trade = stockTradeGenerator.getRandomTrade();  
            }  
        } catch (Exception e) {  
            e.printStackTrace();  
        }  
    }  
}
```

```
        sendStockTrade(trade, kinesisClient, streamName);
        Thread.sleep(100);
    }

} catch (KinesisException | InterruptedException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
System.out.println("Done");
}

private static void sendStockTrade(StockTrade trade, KinesisClient kinesisClient,
    String streamName) {
byte[] bytes = trade.toJsonAsBytes();

// The bytes could be null if there is an issue with the JSON serialization by
// the Jackson JSON library.
if (bytes == null) {
    System.out.println("Could not get JSON bytes for stock trade");
    return;
}

System.out.println("Putting trade: " + trade);
PutRecordRequest request = PutRecordRequest.builder()
    .partitionKey(trade.getTickerSymbol()) // We use the ticker symbol as
the partition key, explained in
                                            // the Supplemental Information
section below.
    .streamName(streamName)
    .data(SdkBytes.fromByteArray(bytes))
    .build();

try {
    kinesisClient.putRecord(request);
} catch (KinesisException e) {
    System.err.println(e.getMessage());
}
}

private static void validateStream(KinesisClient kinesisClient, String streamName)
{
    try {
        DescribeStreamRequest describeStreamRequest =
DescribeStreamRequest.builder()
```

```
        .streamName(streamName)
        .build();

        DescribeStreamResponse describeStreamResponse =
kinesisClient.describeStream(describeStreamRequest);

        if (!
describeStreamResponse.streamDescription().streamStatus().toString().equals("ACTIVE"))
{
    System.err.println("Stream " + streamName + " is not active. Please
wait a few moments and try again.");
    System.exit(1);
}

} catch (KinesisException e) {
    System.err.println("Error found while describing the stream " +
streamName);
    System.err.println(e);
    System.exit(1);
}
}
```

See the [complete example](#) on GitHub.

Use a third-party library

You can use other third-party libraries instead of implementing a custom subscriber. This example demonstrates using the RxJava implementation, but you can use any library that implements the Reactive Streams interfaces. See the [RxJava wiki page on Github](#) for more information on that library.

To use the library, add it as a dependency. If you're using Maven, the example shows the POM snippet to use.

POM Entry

```
<dependency>
<groupId>io.reactivex.rxjava2</groupId>
<artifactId>rxjava</artifactId>
<version>2.2.21</version>
</dependency>
```

Imports

```
import java.net.URI;
import java.util.concurrent.CompletableFuture;

import io.reactivex.Flowable;
import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.core.async.SdkPublisher;
import software.amazon.awssdk.http.Protocol;
import software.amazon.awssdk.http.SdkHttpConfigurationOption;
import software.amazon.awssdk.http.nio.netty.NettyNioAsyncHttpClient;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.kinesis.KinesisAsyncClient;
import software.amazon.awssdk.services.kinesis.model.ShardIteratorType;
import software.amazon.awssdk.services.kinesis.model.StartingPosition;
import software.amazon.awssdk.services.kinesis.model.SubscribeToShardEvent;
import software.amazon.awssdk.services.kinesis.model.SubscribeToShardRequest;
import software.amazon.awssdk.services.kinesis.model.SubscribeToShardResponseHandler;
import software.amazon.awssdk.utils.AttributeMap;
```

This example uses RxJava in the `onEventStream` lifecycle method. This gives you full access to the publisher, which can be used to create an Rx Flowable.

Code

```
SubscribeToShardResponseHandler responseHandler =
SubscribeToShardResponseHandler
    .builder()
    .onError(t -> System.err.println("Error during stream - " +
t.getMessage()))
    .onEventStream(p -> Flowable.fromPublisher(p)
        .ofType(SubscribeToShardEvent.class)

    .flatMapIterable(SubscribeToShardEvent::records)
        .limit(1000)
        .buffer(25)
        .subscribe(e -> System.out.println("Record
batch = " + e)))
    .build();
```

You can also use the `publisherTransformer` method with the `Flowable` publisher. You must adapt the `Flowable` publisher to an `SdkPublisher`, as shown in the following example.

Code

```
SubscribeToShardResponseHandler responseHandler =  
SubscribeToShardResponseHandler  
    .builder()  
    .onError(t -> System.err.println("Error during stream - " +  
t.getMessage()))  
    .publisherTransformer(p ->  
SdkPublisher.adapt(Flowable.fromPublisher(p).limit(100)))  
    .build();
```

See the [complete example](#) on GitHub.

More information

- [SubscribeToShardEvent](#) in the Amazon Kinesis API Reference
- [SubscribeToShard](#) in the Amazon Kinesis API Reference

Invoke, list, and delete AWS Lambda functions

This section provides examples of programming with the Lambda service client by using the AWS SDK for Java 2.x.

Topics

- [Invoke a Lambda function](#)
- [List Lambda functions](#)
- [Delete a Lambda function](#)

Invoke a Lambda function

You can invoke a Lambda function by creating a [LambdaClient](#) object and invoking its `invoke` method. Create an [InvokeRequest](#) object to specify additional information such as the function name and the payload to pass to the Lambda function. Function names appear as `arn:aws:lambda:us-east-1:123456789012:function:HelloFunction`. You can retrieve the value by looking at the function in the AWS Management Console.

To pass payload data to a function, create a [SdkBytes](#) object that contains information. For example, in the following code example, notice the JSON data passed to the Lambda function.

Imports

```
import software.amazon.awssdk.services.lambda.LambdaClient;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.lambda.model.InvokeRequest;
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.services.lambda.model.InvokeResponse;
import software.amazon.awssdk.services.lambda.model.LambdaException;
```

Code

The following code example demonstrates how to invoke a Lambda function.

```
public static void invokeFunction(LambdaClient awsLambda, String functionName) {

    InvokeResponse res = null ;
    try {
        //Need a SdkBytes instance for the payload
        String json = "{\"Hello \":\"Paris\"}";
        SdkBytes payload = SdkBytes.fromUtf8String(json) ;

        //Setup an InvokeRequest
        InvokeRequest request = InvokeRequest.builder()
            .functionName(functionName)
            .payload(payload)
            .build();

        res = awsLambda.invoke(request);
        String value = res.payload().asUtf8String() ;
        System.out.println(value);

    } catch(LambdaException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

See the [complete example](#) on GitHub.

List Lambda functions

Build a [LambdaClient](#) object and invoke its `listFunctions` method. This method returns a [ListFunctionsResponse](#) object. You can invoke this object's `functions` method to return a

list of [FunctionConfiguration](#) objects. You can iterate through the list to retrieve information about the functions. For example, the following Java code example shows how to get each function name.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.lambda.LambdaClient;
import software.amazon.awssdk.services.lambda.model.LambdaException;
import software.amazon.awssdk.services.lambda.model.ListFunctionsResponse;
import software.amazon.awssdk.services.lambda.model.FunctionConfiguration;
import java.util.List;
```

Code

The following Java code example demonstrates how to retrieve a list of function names.

```
public static void listFunctions(LambdaClient awsLambda) {

    try {
        ListFunctionsResponse functionResult = awsLambda.listFunctions();
        List<FunctionConfiguration> list = functionResult.functions();

        for (FunctionConfiguration config: list) {
            System.out.println("The function name is "+config.functionName());
        }

    } catch(LambdaException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

See the [complete example](#) on GitHub.

Delete a Lambda function

Build a [LambdaClient](#) object and invoke its `deleteFunction` method. Create a [DeleteFunctionRequest](#) object and pass it to the `deleteFunction` method. This object contains information such as the name of the function to delete. Function names appear as `arn:aws:lambda:us-east-1:123456789012:function:HelloFunction`. You can retrieve the value by looking at the function in the AWS Management Console.

Imports

```
import software.amazon.awssdk.services.lambda.LambdaClient;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.lambda.model.DeleteFunctionRequest;
import software.amazon.awssdk.services.lambda.model.LambdaException;
```

Code

The following Java code demonstrates how to delete a Lambda function.

```
public static void deleteLambdaFunction(LambdaClient awsLambda, String
functionName ) {
    try {
        DeleteFunctionRequest request = DeleteFunctionRequest.builder()
            .functionName(functionName)
            .build();

        awsLambda.deleteFunction(request);
        System.out.println("The "+functionName +" function was deleted");

    } catch(LambdaException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

See the [complete example](#) on GitHub.

Work with Amazon S3

This section provides background information for working with Amazon S3 by using the AWS SDK for Java 2.x. This section complements the [Amazon S3 Java v2 examples](#) presented in the *Code examples* section of this guide.

S3 clients in the AWS SDK for Java 2.x

The AWS SDK for Java 2.x provides different types of S3 clients. The following table shows the differences and can help you decide what is best for your use cases.

Different flavors of Amazon S3 clients

S3 Client	Short description	When to use	Limitation/drawback
AWS CRT-based S3 client Interface: S3AsyncClient Builder: S3CrtAsyncClientBuilder	<ul style="list-style-type: none"> Provides the same asynchronous API operations as the Java-base d S3 async client but with greater performance. Requires the aws-crt dependency. Supports automatic parallel transfers (multipar t). <p>See the section called “Use a performant S3 client”.</p>	<ul style="list-style-type: none"> Your application transfers large objects (> 8MB) and you want maximized performance. You want to upload objects with unknown content length. You want enhanced connection pooling and DNS load balancing, which improves throughput and performance. You want improved transfer reliability in the event of a network failure. Individual failed parts are retried without restarting the transfer from the beginning. 	<ul style="list-style-type: none"> Supports fewer configuration settings than the Java-based S3 clients. Requires an additional dependency.
Java-based S3 async client with multipart enabled Interface: S3AsyncClient	<ul style="list-style-type: none"> Provides an asynchronous API. Supports automatic parallel transfers (multipar t) when you enable 	<ul style="list-style-type: none"> Your application transfers large objects and you want improved performance. 	Less performant than the AWS CRT-based S3 client.

S3 Client	Short description	When to use	Limitation/drawback
Builder: S3AsyncClientBuilder	<p>multipart at creation time.</p> <p>See the section called "Configure parallel transfer support".</p>	<ul style="list-style-type: none"> you want to upload object with unknown content length. You want improved transfer reliability in the event of a network failure. Individual failed parts are retried without restarting the transfer from the beginning. You need configuration options that are not available with the AWS CRT-based S3 client. 	
Java-based S3 async client <i>without multipart enabled</i> Interface: S3AsyncClient Builder: S3AsyncClientBuilder	<ul style="list-style-type: none"> Provides an asynchronous API. 	<ul style="list-style-type: none"> You are transferring objects that are less than 8MB. You want an asynchronous API. 	No performance optimization.
Java-based S3 sync client Interface: S3Client Builder: S3ClientBuilder	<ul style="list-style-type: none"> Provides a synchronous API. 	<ul style="list-style-type: none"> You are transferring objects that are less than 8MB. You want a synchronous API. 	No performance optimization.

Note

From version 2.18.x and onward, the AWS SDK for Java 2.x uses [virtual hosted-style addressing](#) when including an endpoint override. This applies as long as the bucket name is a valid DNS label.

Call the [forcePathStyle](#) method with `true` in your client builder to force the client to use path-style addressing for buckets.

The following example shows a service client configured with an endpoint override and using path-style addressing.

```
S3Client client = S3Client.builder()
    .region(Region.US_WEST_2)
    .endpointOverride(URI.create("https://s3.us-
west-2.amazonaws.com"))
    .forcePathStyle(true)
    .build();
```

Topics

- [Use access points or Multi-Region Access Points](#)
- [Work with Amazon S3 pre-signed URLs](#)
- [Cross-Region access for Amazon S3](#)
- [Amazon S3 checksums with AWS SDK for Java](#)
- [Use a performant S3 client: AWS CRT-based S3 client](#)
- [Configure the Java-based S3 async client to use parallel transfers](#)
- [Transfer files and directories with the Amazon S3 Transfer Manager](#)
- [Work with S3 Event Notifications](#)

Use access points or Multi-Region Access Points

After [Amazon S3 access points](#) or [Multi-Region Access Points](#) are set up, you can call object methods, such as `putObject` and `getObject` and provide the access point identifier instead of a bucket name.

For example, if an access point ARN identifier is `arn:aws:s3:us-west-2:123456789012:accesspoint/test`, you can use the following snippet to call the `putObject` method.

```
Path path = Paths.get(URI.create("file:///temp/file.txt"));

s3Client.putObject(builder -> builder
    .key("myKey")
    .bucket("arn:aws:s3:us-west-2:123456789012:accesspoint/test")
    , path);
```

In place of the ARN string, you can also use the [bucket-style alias](#) of the access point for the `bucket` parameter.

To use Multi-Region Access Point, replace the `bucket` parameter with the Multi-Region Access Point ARN that has the following format.

```
arn:aws:s3:::account-id:accesspoint/MultiRegionAccessPoint_alias
```

Add the following Maven dependency to work with Multi-Region Access Points using the SDK for Java. Search maven central for the [latest version](#).

```
<dependency>
  <groupId>software.amazon.awssdk</groupId>
  <artifactId>auth-crt</artifactId>
  <version>VERSION</version>
</dependency>
```

Work with Amazon S3 pre-signed URLs

Pre-signed URLs provide temporary access to private S3 objects without requiring users to have AWS credentials or permissions.

For example, assume Alice has access to an S3 object, and she wants to temporarily share access to that object with Bob. Alice can generate a pre-signed GET request to share with Bob so that he can download the object without requiring access to Alice's credentials. You can generate pre-signed URLs for HTTP GET and for HTTP PUT requests.

Generate a pre-signed URL for an object, then download it (GET request)

The following example consists of two parts.

- Part 1: Alice generates the pre-signed URL for an object.
- Part 2: Bob downloads the object by using the pre-signed URL.

Part 1: Generate the URL

Alice already has an object in an S3 bucket. She uses the following code to generate a URL string that Bob can use in a subsequent GET request.

Imports

```
import com.example.s3.util.PresignUrlUtils;
import org.slf4j.Logger;
import software.amazon.awssdk.http.HttpExecuteRequest;
import software.amazon.awssdk.http.HttpExecuteResponse;
import software.amazon.awssdk.http.SdkHttpClient;
import software.amazon.awssdk.http.SdkHttpMethod;
import software.amazon.awssdk.http.SdkHttpRequest;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.GetObjectRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.services.s3.presigner.S3Presigner;
import software.amazon.awssdk.services.s3.presigner.model.GetObjectPresignRequest;
import software.amazon.awssdk.services.s3.presigner.model.PresignedGetObjectRequest;
import software.amazon.awssdk.utils.IoUtils;

import java.io.ByteArrayOutputStream;
import java.io.File;
import java.io.IOException;
import java.io.InputStream;
import java.net.HttpURLConnection;
import java.net.URISyntaxException;
import java.net.URL;
import java.net.http.HttpClient;
import java.net.http.HttpRequest;
import java.net.http.HttpResponse;
import java.nio.file.Paths;
import java.time.Duration;
import java.util.UUID;
```

```
/* Create a pre-signed URL to download an object in a subsequent GET request. */
```

```
public String createPresignedGetUrl(String bucketName, String keyName) {
    try (S3Presigner presigner = S3Presigner.create()) {

        GetObjectRequest objectRequest = GetObjectRequest.builder()
            .bucket(bucketName)
            .key(keyName)
            .build();

        GetObjectPresignRequest presignRequest = GetObjectPresignRequest.builder()
            .signatureDuration(Duration.ofMinutes(10)) // The URL will expire
in 10 minutes.
            .getObjectRequest(objectRequest)
            .build();

        PresignedGetObjectRequest presignedRequest =
presigner.presignGetObject(presignRequest);
        logger.info("Presigned URL: {}", presignedRequest.url().toString());
        logger.info("HTTP method: {}", presignedRequest.httpRequest().method());

        return presignedRequest.url().toExternalForm();
    }
}
```

Part 2: Download the object

Bob uses one of the following three code options to download the object. Alternatively, he could use a browser to perform the GET request.

Use JDK HttpURLConnection (since v1.1)

```
/* Use the JDK HttpURLConnection (since v1.1) class to do the download. */
public byte[] useHttpURLConnectionToGet(String presignedUrlString) {
    ByteArrayOutputStream byteArrayOutputStream = new ByteArrayOutputStream(); // Capture the response body to a byte array.

    try {
        URL presignedUrl = new URL(presignedUrlString);
        HttpURLConnection connection = (HttpURLConnection)
presignedUrl.openConnection();
        connection.setRequestMethod("GET");
        // Download the result of executing the request.
        try (InputStream content = connection.getInputStream()) {
            IoUtils.copy(content, byteArrayOutputStream);
        }
    }
}
```

```
        }
        logger.info("HTTP response code is " + connection.getResponseCode());

    } catch (S3Exception | IOException e) {
        logger.error(e.getMessage(), e);
    }
    return byteArrayOutputStream.toByteArray();
}
```

Use JDK HttpClient (since v11)

```
/* Use the JDK HttpClient (since v11) class to do the download. */
public byte[] useHttpClientToGet(String presignedUrlString) {
    ByteArrayOutputStream byteArrayOutputStream = new ByteArrayOutputStream(); // Capture the response body to a byte array.

    HttpRequest.Builder requestBuilder = HttpRequest.newBuilder();
    HttpClient httpClient = HttpClient.newHttpClient();
    try {
        URL presignedUrl = new URL(presignedUrlString);
        HttpResponse<InputStream> response = httpClient.send(requestBuilder
            .uri(presignedUrl.toURI())
            .GET()
            .build(),
            HttpResponse.BodyHandlers.ofInputStream());

        IoUtils.copy(response.body(), byteArrayOutputStream);

        logger.info("HTTP response code is " + response.statusCode());
    } catch (URISyntaxException | InterruptedException | IOException e) {
        logger.error(e.getMessage(), e);
    }
    return byteArrayOutputStream.toByteArray();
}
```

Use SdkHttpClient from the SDK for Java

```
/* Use the AWS SDK for Java SdkHttpClient class to do the download. */
public byte[] useSdkHttpClientToPut(String presignedUrlString) {

    ByteArrayOutputStream byteArrayOutputStream = new ByteArrayOutputStream(); // Capture the response body to a byte array.
```

```
try {
    URL presignedUrl = new URL(presignedUrlString);
    SdkHttpRequest request = SdkHttpRequest.builder()
        .method(SdkHttpMethod.GET)
        .uri(presignedUrl.toURI())
        .build();

    HttpExecuteRequest executeRequest = HttpExecuteRequest.builder()
        .request(request)
        .build();

    try (SdkHttpClient sdkHttpClient = ApacheHttpClient.create()) {
        HttpExecuteResponse response =
            sdkHttpClient.prepareRequest(executeRequest).call();
        response.responseBody().ifPresentOrElse(
            abortableInputStream -> {
                try {
                    IoUtils.copy(abortableInputStream,
byteArrayOutputStream);
                } catch (IOException e) {
                    throw new RuntimeException(e);
                }
            },
            () -> logger.error("No response body."));

        logger.info("HTTP Response code is {}",
response.httpResponse().statusCode());
    }
} catch (URISyntaxException | IOException e) {
    logger.error(e.getMessage(), e);
}
return byteArrayOutputStream.toByteArray();
}
```

See the [complete example](#) and [test](#) on GitHub.

Generate a pre-signed URL for an upload, then upload a file (PUT request)

The following example consists of two parts.

- Part 1: Alice generates the pre-signed URL to upload an object.
- Part 2: Bob uploads a file by using the pre-signed URL.

Part 1: Generate the URL

Alice already has an S3 bucket. She uses the following code to generate a URL string that Bob can use in a subsequent PUT request.

Imports

```
import com.example.s3.util.PresignUrlUtils;
import org.slf4j.Logger;
import software.amazon.awssdk.core.internal.sync.FileContentStreamProvider;
import software.amazon.awssdk.http.HttpExecuteRequest;
import software.amazon.awssdk.http.HttpExecuteResponse;
import software.amazon.awssdk.http.SdkHttpClient;
import software.amazon.awssdk.http.SdkHttpMethod;
import software.amazon.awssdk.http.SdkHttpRequest;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.PutObjectRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.services.s3.presigner.S3Presigner;
import software.amazon.awssdk.services.s3.presigner.model.PresignedPutObjectRequest;
import software.amazon.awssdk.services.s3.presigner.model.PutObjectPresignRequest;

import java.io.File;
import java.io.IOException;
import java.io.OutputStream;
import java.io.RandomAccessFile;
import java.net.HttpURLConnection;
import java.net.URISyntaxException;
import java.net.URL;
import java.net.http.HttpClient;
import java.net.http.HttpRequest;
import java.net.http.HttpResponse;
import java.nio.ByteBuffer;
import java.nio.channels.FileChannel;
import java.nio.file.Path;
import java.nio.file.Paths;
import java.time.Duration;
import java.util.Map;
import java.util.UUID;
```

```
/* Create a presigned URL to use in a subsequent PUT request */
```

```
public String createPresignedUrl(String bucketName, String keyName, Map<String, String> metadata) {
    try (S3Presigner presigner = S3Presigner.create()) {

        PutObjectRequest objectRequest = PutObjectRequest.builder()
            .bucket(bucketName)
            .key(keyName)
            .metadata(metadata)
            .build();

        PutObjectPresignRequest presignRequest = PutObjectPresignRequest.builder()
            .signatureDuration(Duration.ofMinutes(10)) // The URL expires in
10 minutes.
            .putObjectRequest(objectRequest)
            .build();

        PresignedPutObjectRequest presignedRequest =
presigner.presignPutObject(presignRequest);
        String myURL = presignedRequest.url().toString();
        logger.info("Presigned URL to upload a file to: {}", myURL);
        logger.info("HTTP method: {}", presignedRequest.httpRequest().method());

        return presignedRequest.url().toExternalForm();
    }
}
```

Part 2: Upload a file object

Bob uses one of the following three code options to upload a file.

Use JDK HttpURLConnection (since v1.1)

```
/* Use the JDK HttpURLConnection (since v1.1) class to do the upload. */
public void useHttpURLConnectionToPut(String presignedUrlString, File fileToPut,
Map<String, String> metadata) {
    logger.info("Begin [{}] upload", fileToPut.toString());
    try {
        URL presignedUrl = new URL(presignedUrlString);
        HttpURLConnection connection = (HttpURLConnection)
presignedUrl.openConnection();
        connection.setDoOutput(true);
        metadata.forEach((k, v) -> connection.setRequestProperty("x-amz-meta-" + k,
v));
    }
}
```

```
connection.setRequestMethod("PUT");
OutputStream out = connection.getOutputStream();

try (RandomAccessFile file = new RandomAccessFile(fileToPut, "r");
     FileChannel inChannel = file.getChannel()) {
    ByteBuffer buffer = ByteBuffer.allocate(8192); //Buffer size is 8k

    while (inChannel.read(buffer) > 0) {
        buffer.flip();
        for (int i = 0; i < buffer.limit(); i++) {
            out.write(buffer.get());
        }
        buffer.clear();
    }
} catch (IOException e) {
    logger.error(e.getMessage(), e);
}

out.close();
connection.getResponseCode();
logger.info("HTTP response code is " + connection.getResponseCode());

} catch (S3Exception | IOException e) {
    logger.error(e.getMessage(), e);
}
}
```

Use JDK HttpClient (since v11)

```
/* Use the JDK HttpClient (since v11) class to do the upload. */
public void useHttpClientToPut(String presignedUrlString, File fileToPut,
Map<String, String> metadata) {
    logger.info("Begin [{}] upload", fileToPut.toString());

    HttpRequest.Builder requestBuilder = HttpRequest.newBuilder();
    metadata.forEach((k, v) -> requestBuilder.header("x-amz-meta-" + k, v));

    HttpClient httpClient = HttpClient.newHttpClient();
    try {
        final HttpResponse<Void> response = httpClient.send(requestBuilder
            .uri(new URL(presignedUrlString).toURI())
            .PUT(HttpRequest.BodyPublishers.ofFile(Path.of(fileToPut.toURI()))))
```

```
        .build(),
        HttpResponse.BodyHandlers.discardign()));

    logger.info("HTTP response code is " + response.statusCode());

} catch (URISyntaxException | InterruptedException | IOException e) {
    logger.error(e.getMessage(), e);
}
}
```

Use SdkHttpClient from the SDK for Java

```
/* Use the AWS SDK for Java V2 SdkHttpClient class to do the upload. */
public void useSdkHttpClientToPut(String presignedUrlString, File fileToPut,
Map<String, String> metadata) {
    logger.info("Begin [{}] upload", fileToPut.toString());

    try {
        URL presignedUrl = new URL(presignedUrlString);

        SdkHttpRequest.Builder requestBuilder = SdkHttpRequest.builder()
            .method(SdkHttpMethod.PUT)
            .uri(presignedUrl.toURI());
        // Add headers
        metadata.forEach((k, v) -> requestBuilder.putHeader("x-amz-meta-" + k, v));
        // Finish building the request.
        SdkHttpRequest request = requestBuilder.build();

        HttpExecuteRequest executeRequest = HttpExecuteRequest.builder()
            .request(request)
            .contentStreamProvider(new
FileContentStreamProvider(fileToPut.toPath()))
            .build();

        try (SdkHttpClient sdkHttpClient = ApacheHttpClient.create()) {
            HttpExecuteResponse response =
            sdkHttpClient.prepareRequest(executeRequest).call();
            logger.info("Response code: {}", response.httpResponse().statusCode());
        }
    } catch (URISyntaxException | IOException e) {
        logger.error(e.getMessage(), e);
    }
}
```

See the [complete example](#) and [test](#) on GitHub.

Cross-Region access for Amazon S3

When you work with Amazon Simple Storage Service (Amazon S3) buckets, you usually know the AWS Region for the bucket. The Region you work with is determined when you create the S3 client.

However, sometimes you might need to work with a specific bucket, but you don't know if it's located in the same Region that's set for the S3 client.

Instead of making more calls to determine the bucket Region, you can use the SDK to enable access to S3 buckets across different Regions.

Setup

Support for cross-Region access became available with version 2.20.111 of the SDK. Use this version or a later one in your Maven build file for the s3 dependency as shown in the following snippet.

```
<dependency>
  <groupId>software.amazon.awssdk</groupId>
  <artifactId>s3</artifactId>
  <version>2.27.21</version>
</dependency>
```

Next, when you create your S3 client, enable cross-Region access as shown in the snippet. By default, access is not enabled.

```
S3AsyncClient client = S3AsyncClient.builder()
    .crossRegionAccessEnabled(true)
    .build();
```

How the SDK provides cross-Region access

When you reference an existing bucket in a request, such as when you use the `putObject` method, the SDK initiates a request to the Region configured for the client.

If the bucket does not exist in that specific Region, the error response includes the actual Region where the bucket resides. The SDK then uses the correct Region in a second request.

To optimize future requests to the same bucket, the SDK caches this Region mapping in the client.

Considerations

When you enable cross-Region bucket access, be aware that the first API call might result in increased latency if the bucket isn't in the client's configured Region. However, subsequent calls benefit from cached Region information, resulting in improved performance.

When you enable cross-Region access, access to the bucket is not affected. The user must be authorized to access the bucket in whatever Region it resides.

Amazon S3 checksums with AWS SDK for Java

Amazon Simple Storage Service (Amazon S3) provides the ability to specify a checksum when you upload an object. When you specify a checksum, it is stored with the object and can be validated when the object is downloaded.

Checksums provide an additional layer of data integrity when you transfer files. With checksums, you can verify data consistency by confirming that the received file matches the original file. For more information about checksums with Amazon S3, see the [Amazon Simple Storage Service User Guide](#).

Amazon S3 currently supports four checksum algorithms: SHA-1, SHA-256, CRC-32, and CRC-32C. You have the flexibility to choose the algorithm that best fits your needs and let the SDK calculate the checksum. Alternatively, you can specify their own pre-computed checksum value by using one of the four supported algorithms.

We discuss checksums in two request phases: uploading an object and downloading an object.

Upload an object

You upload objects to Amazon S3 by using the [putObject](#) method of the `S3Client`. Use the `checksumAlgorithm` method of the builder for the `PutObjectRequest` to enable checksum computation and specify the algorithm. Valid values for the algorithm are `CRC32`, `CRC32C`, `SHA1`, and `SHA256`.

The following code snippet shows a request to upload an object with a CRC-32 checksum. When the SDK sends the request, it calculates the CRC-32 checksum and uploads the object. Amazon S3 stores the checksum with the object.

```
public void putObjectWithChecksum() {  
    s3Client.putObject(b -> b  
        .bucket(bucketName)
```

```
.key(key)
.checksumAlgorithm(ChecksumAlgorithm.CRC32),
RequestBody.fromString("This is a test"));
}
```

If the checksum that the SDK calculates doesn't match the checksum that Amazon S3 calculates when it receives the request, an error is returned.

Use a pre-calculated checksum value

A pre-calculated checksum value provided with the request disables automatic computation by the SDK and uses the provided value instead.

The following example shows a request with a pre-calculated SHA-256 checksum.

```
public void putObjectWithPrecalculatedChecksum(String filePath) {
    String checksum = calculateChecksum(filePath, "SHA-256");

    s3Client.putObject((b -> b
        .bucket(bucketName)
        .key(key)
        .checksumSHA256(checksum)),
        RequestBody.fromFile(Paths.get(filePath)));
}
```

If Amazon S3 determines the checksum value is incorrect for the specified algorithm, the service returns an error response.

Multipart uploads

You can also use checksums with multipart uploads. The SDK for Java 2.x provides two options to use checksums with multipart uploads. The first option uses the `S3TransferManager`.

The following transfer manager example specifies the SHA1 algorithm for the upload.

```
public void multipartUploadWithChecksumTm(String filePath) {
    S3TransferManager transferManager = S3TransferManager.create();
    UploadFileRequest uploadFileRequest = UploadFileRequest.builder()
        .putObjectRequest(b -> b
            .bucket(bucketName)
            .key(key)
            .checksumAlgorithm(ChecksumAlgorithm.SHA1))
        .source(Paths.get(filePath))
```

```
        .build();
    FileUpload fileUpload = transferManager.uploadFile(uploadFileRequest);
    fileUpload.completionFuture().join();
    transferManager.close();
}
```

The second option uses the [S3Client API](#) (or the [S3AsyncClient API](#)) to perform the multipart upload. If you specify a checksum with this approach, you must specify the algorithm to use on the initiation of the upload. You must also specify the algorithm for each part request and provide the checksum calculated for each part after it is uploaded.

```
public void multipartUploadWithChecksumS3Client(String filePath) {
    ChecksumAlgorithm algorithm = ChecksumAlgorithm.CRC32;

    // Initiate the multipart upload.
    CreateMultipartUploadResponse createMultipartUploadResponse =
s3Client.createMultipartUpload(b -> b
        .bucket(bucketName)
        .key(key)
        .checksumAlgorithm(algorithm)); // Checksum specified on initiation.
    String uploadId = createMultipartUploadResponse.uploadId();

    // Upload the parts of the file.
    int partNumber = 1;
    List<CompletedPart> completedParts = new ArrayList<>();
    ByteBuffer bb = ByteBuffer.allocate(1024 * 1024 * 5); // 5 MB byte buffer

    try (RandomAccessFile file = new RandomAccessFile(filePath, "r")) {
        long fileSize = file.length();
        long position = 0;
        while (position < fileSize) {
            file.seek(position);
            long read = file.getChannel().read(bb);

            bb.flip(); // Swap position and limit before reading from the buffer.
            UploadPartRequest uploadPartRequest = UploadPartRequest.builder()
                .bucket(bucketName)
                .key(key)
                .uploadId(uploadId)
                .checksumAlgorithm(algorithm) // Checksum specified on each part.
                .partNumber(partNumber)
                .build();
        }
    }
}
```

```
        UploadPartResponse partResponse = s3Client.uploadPart(
            uploadPartRequest,
            RequestBody.fromByteBuffer(bb));

        CompletedPart part = CompletedPart.builder()
            .partNumber(partNumber)
            .checksumCRC32(partResponse.checksumCRC32()) // Provide the
calculated checksum.
            .eTag(partResponse.eTag())
            .build();
        completedParts.add(part);

        bb.clear();
        position += read;
        partNumber++;
    }
} catch (IOException e) {
    System.err.println(e.getMessage());
}

// Complete the multipart upload.
s3Client.completeMultipartUpload(b -> b
    .bucket(bucketName)
    .key(key)
    .uploadId(uploadId)

.multipartUpload(CompletedMultipartUpload.builder().parts(completedParts).build()));
}
```

[Code for the complete examples](#) and [tests](#) are in the GitHub code examples repository.

Download an object

When you use the [getObject](#) method to download an object, the SDK automatically validates the checksum when the `checksumMode` method of the builder for the `GetObjectRequest` is set to `ChecksumMode.ENABLED`.

The request in the following snippet directs the SDK to validate the checksum in the response by calculating the checksum and comparing the values.

```
public GetObjectResponse getObjectWithChecksum() {
    return s3Client.getObject(b -> b
        .bucket(bucketName)
```

```
    .key(key)
    .checksumMode(ChecksumMode.ENABLED))
.response();
}
```

If the object wasn't uploaded with a checksum, no validation takes place.

An object in Amazon S3 can have multiple checksums, but only one checksum is validated on download. The following precedence—based on the efficiency of the checksum algorithm—determines which checksum the SDK validates:

1. CRC-32C
2. CRC-32
3. SHA-1
4. SHA-256

For example, if a response contains both CRC-32 and SHA-256 checksums, only the CRC-32 checksum is validated.

Use a performant S3 client: AWS CRT-based S3 client

The AWS CRT-based S3 client—built on top of the [AWS Common Runtime \(CRT\)](#)—is an alternative S3 asynchronous client. It transfers objects to and from Amazon Simple Storage Service (Amazon S3) with enhanced performance and reliability by automatically using Amazon S3's [multipart upload API](#) and [byte-range fetches](#).

The AWS CRT-based S3 client improves transfer reliability in case there is a network failure. Reliability is improved by retrying individual failed parts of a file transfer without restarting the transfer from the beginning.

In addition, the AWS CRT-based S3 client offers enhanced connection pooling and Domain Name System (DNS) load balancing, which also improves throughput.

You can use the AWS CRT-based S3 client in place of the SDK's standard S3 asynchronous client and take advantage of its improved throughput right away.

AWS CRT-based components in the SDK

The AWS CRT-based S3 client, described in this topic, and the AWS CRT-based *HTTP* client are different components in the SDK.

The **AWS CRT-based S3 client** is an implementation of the [S3AsyncClient](#) interface and is used for working with the Amazon S3 service. It is an alternative to the Java-based implementation of the S3AsyncClient interface and offers several benefits.

The [AWS CRT-based HTTP client](#) is an implementation of the [SdkAsyncHttpClient](#) interface and is used for general HTTP communication. It is an alternative to the Netty implementation of the SdkAsyncHttpClient interface and offers several advantages.

Although both components use libraries from the [AWS Common Runtime](#), the AWS CRT-based S3 client uses the [aws-c-s3 library](#) and supports the [S3 multipart upload API](#) features. Since the AWS CRT-based HTTP client is meant for general purpose use, it does not support the S3 multipart upload API features.

Add dependencies to use the AWS CRT-based S3 client

To use the AWS CRT-based S3 client, add the following two dependencies to your Maven project file. The example shows the minimum versions to use. Search the Maven central repository for the most recent versions of the [s3](#) and [aws-crt](#) artifacts.

```
<dependency>
    <groupId>software.amazon.awssdk</groupId>
    <artifactId>s3</artifactId>
    <version>2.27.21</version>
</dependency>
<dependency>
    <groupId>software.amazon.awssdk.crt</groupId>
    <artifactId>aws-crt</artifactId>
    <version>0.30.11</version>
</dependency>
```

Create an instance of the AWS CRT-based S3 client

Create an instance of the AWS CRT-based S3 client with default settings as shown in the following code snippet.

```
S3AsyncClient s3AsyncClient = S3AsyncClient.crtCreate();
```

To configure the client, use the AWS CRT client builder. You can switch from the standard S3 asynchronous client to AWS CRT-based client by changing the builder method.

```
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3AsyncClient;

S3AsyncClient s3AsyncClient =
    S3AsyncClient.crtBuilder()
        .credentialsProvider(DefaultCredentialsProvider.create())
        .region(Region.US_WEST_2)
        .targetThroughputInGbps(20.0)
        .minimumPartSizeInBytes(8 * 1025 * 1024L)
        .build();
```

 **Note**

Some of the settings in the standard builder might not be currently supported in the AWS CRT client builder. Get the standard builder by calling `S3AsyncClient#builder()`.

Use the AWS CRT-based S3 client

Use the AWS CRT-based S3 client to call Amazon S3 API operations. The following example demonstrates the [PutObject](#) and [GetObject](#) operations available through the AWS SDK for Java.

```
import software.amazon.awssdk.core.async.AsyncRequestBody;
import software.amazon.awssdk.core.async.AsyncResponseTransformer;
import software.amazon.awssdk.services.s3.S3AsyncClient;
import software.amazon.awssdk.services.s3.model.GetObjectResponse;
import software.amazon.awssdk.services.s3.model.PutObjectResponse;

S3AsyncClient s3Client = S3AsyncClient.crtCreate();

// Upload a local file to Amazon S3.
PutObjectResponse putObjectResponse =
    s3Client.putObject(req -> req.bucket(<BUCKET_NAME>)
                      .key(<KEY_NAME>),
                      AsyncRequestBody.fromFile(Paths.get(<FILE_NAME>)))
    .join();

// Download an object from Amazon S3 to a local file.
```

```
GetObjectResponse get0bjectResponse =
    s3Client.getObject(req -> req.bucket(<BUCKET_NAME>)
                      .key(<KEY_NAME>),
                      AsyncResponseTransformer.toFile(Paths.get(<FILE_NAME>)))
    .join();
```

Configuration limitations

The AWS CRT-based S3 client and Java-based S3 async client [provide comparable features](#), with the AWS CRT-based S3 client offering a performance edge. However, the AWS CRT-based S3 client lacks configuration settings that the Java-based S3 async client has. These settings include:

- *Client-level configuration*: API call attempt timeout, compression execution interceptors, metric publishers, custom execution attributes, custom advanced options, custom scheduled executor service, custom headers
- *Request-level configuration*: custom signers, credentials providers, API call attempt timeout

For a full listing of the configuration differences, see the API reference.

Java-based S3 async client	AWS CRT-based S3 client
Client-level configurations <ul style="list-style-type: none">• ClientOverrideConfiguration.Builder	Client-level configurations <ul style="list-style-type: none">• S3CrtAsyncClientBuilder
Request-level configurations <ul style="list-style-type: none">• RequestOverrideConfiguration.Builder• AwsRequestOverrideConfiguration.Builder	No request-level configurations

Configure the Java-based S3 async client to use parallel transfers

Since version 2.27.5, the standard Java-based S3 async client supports automatic parallel transfers (multipart uploads and downloads). You configure support for parallel transfers when you create the Java-based S3 async client.

This section shows how to enable parallel transfers and how to customize the configuration.

Create an instance of S3AsyncClient

When you create an `S3AsyncClient` instance without calling any of the `multipart*` methods on the [builder](#), parallel transfers are not enabled. Each of following statements create a Java-based S3 async client without support for multipart uploads and downloads.

Create *without* multipart support

Example

```
import software.amazon.awssdk.auth.credentials.ProcessCredentialsProvider;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3AsyncClient;

S3AsyncClient s3Client = S3AsyncClient.create();

S3AsyncClient s3Client2 = S3AsyncClient.builder().build();

S3AsyncClient s3Client3 = S3AsyncClient.builder()
    .credentialsProvider(ProcessCredentialsProvider.builder().build())
    .region(Region.EU_NORTH_1)
    .build();
```

Create *with* multipart support

To enable parallel transfers with default settings, call the `multipartEnabled` on the builder and pass in `true` as shown in the following example.

Example

```
S3AsyncClient s3AsyncClient2 = S3AsyncClient.builder()
    .multipartEnabled(true)
    .build();
```

The default value is 8 MiB for `thresholdInBytes` and `minimumPartSizeInBytes` settings.

If you customize the multipart settings, parallel transfers are automatically enabled as shown in the following.

Example

```
import software.amazon.awssdk.services.s3.S3AsyncClient;
```

```
import static software.amazon.awssdk.transfer.s3.SizeConstant.MB;
```

```
S3AsyncClient s3AsyncClient2 = S3AsyncClient.builder()
    .multipartConfiguration(b -> b
        .thresholdInBytes(16 * MB)
        .minimumPartSizeInBytes(10 * MB))
    .build();
```

Transfer files and directories with the Amazon S3 Transfer Manager

The Amazon S3 Transfer Manager is an open source, high level file transfer utility for the AWS SDK for Java 2.x. Use it to transfer files and directories to and from Amazon Simple Storage Service (Amazon S3).

When built on top of the [AWS CRT-based S3 client](#) or the [standard Java-based S3 async client with multipart enabled](#), the S3 Transfer Manager can take advantage of performance improvements such as the [multipart upload API](#) and [byte-range fetches](#).

With the S3 Transfer Manager, you can also monitor a transfer's progress in real time and pause the transfer for later execution.

Get started

Add dependencies to your build file

To use the S3 Transfer Manager with enhanced multipart performance, configure your build file with necessary dependencies.

Use the AWS CRT-based S3 client

```
<dependencyManagement>
    <dependencies>
        <dependency>
            <groupId>software.amazon.awssdk</groupId>
            <artifactId>bom</artifactId>
            <version>2.27.211</version>
            <type>pom</type>
            <scope>import</scope>
        </dependency>
    </dependencies>
```

```
</dependencyManagement>
<dependencies>
    <dependency>
        <groupId>software.amazon.awssdk</groupId>
        <artifactId>s3-transfer-manager</artifactId>
    </dependency>
    <dependency>
        <groupId>software.amazon.awssdk.crt</groupId>
        <artifactId>aws-crt</artifactId>
        <version>10.29.1432</version>
    </dependency>
</dependencies>
```

¹ [Latest version.](#) ² [Latest version.](#)

Use the Java-based S3 async client

```
<dependencyManagement>
    <dependencies>
        <dependency>
            <groupId>software.amazon.awssdk</groupId>
            <artifactId>bom</artifactId>
            <version>12.27.211</version>
            <type>pom</type>
            <scope>import</scope>
        </dependency>
    </dependencies>
</dependencyManagement>
<dependencies>
    <dependency>
        <groupId>software.amazon.awssdk</groupId>
        <artifactId>s3-transfer-manager</artifactId>
    </dependency>
</dependencies>
```

¹ [Latest version.](#)

Create an instance of the S3 Transfer Manager

To enable parallel transfer, you must pass in a AWS CRT-based S3 client OR a Java-based S3 async client with multipart enabled. The following examples shows how to configure a S3 Transfer Manager with custom settings.

Use the AWS CRT-based S3 client

```
S3AsyncClient s3AsyncClient = S3AsyncClient.crtBuilder()
    .credentialsProvider(DefaultCredentialsProvider.create())
    .region(Region.US_EAST_1)
    .targetThroughputInGbps(20.0)
    .minimumPartSizeInBytes(8 * MB)
    .build();

S3TransferManager transferManager = S3TransferManager.builder()
    .s3Client(s3AsyncClient)
    .build();
```

Use the Java-based S3 async client

If the `aws-crt` dependency is not included in the build file, the S3 Transfer Manager is built on top of the standard Java-based S3 async client used in the SDK for Java 2.x.

Custom configuration of S3 client - requires multipart enabled

```
S3AsyncClient s3AsyncClient = S3AsyncClient.builder()
    .multipartEnabled(true)
    .credentialsProvider(DefaultCredentialsProvider.create())
    .region(Region.US_EAST_1)
    .targetThroughputInGbps(20.0)
    .minimumPartSizeInBytes(8 * MB)
    .build();

S3TransferManager transferManager = S3TransferManager.builder()
    .s3Client(s3AsyncClient)
    .build();
```

No configuration of S3 client - multipart support automatically enabled

```
S3TransferManager transferManager = S3TransferManager.create();
```

Upload a file to an S3 bucket

The following example shows a file upload example along with the optional use of a [LoggingTransferListener](#), which logs the progress of the upload.

To upload a file to Amazon S3 using the S3 Transfer Manager, pass an [UploadFileRequest](#) object to the [S3TransferManager](#)'s [uploadFile](#) method.

The [FileUpload](#) object returned from the [uploadFile](#) method represents the upload process. After the request finishes, the [CompletedFileUpload](#) object contains information about the upload.

```
public String uploadFile(S3TransferManager transferManager, String bucketName,
                        String key, URI filePathURI) {
    UploadFileRequest uploadFileRequest = UploadFileRequest.builder()
        .putObjectRequest(b -> b.bucket(bucketName).key(key))
        .source(Paths.get(filePathURI))
        .build();

    FileUpload fileUpload = transferManager.uploadFile(uploadFileRequest);

    CompletedFileUpload uploadResult = fileUpload.completionFuture().join();
    return uploadResult.response().eTag();
}
```

Imports

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.transfer.s3.S3TransferManager;
import software.amazon.awssdk.transfer.s3.model.CompletedFileUpload;
import software.amazon.awssdk.transfer.s3.model.FileUpload;
import software.amazon.awssdk.transfer.s3.model.UploadFileRequest;
import software.amazon.awssdk.transfer.s3.progress.LoggingTransferListener;
import java.net.URI;
import java.net.URISyntaxException;
import java.net.URL;
import java.nio.file.Paths;
import java.util.UUID;
```

Download a file from an S3 bucket

The following example shows a download example along with the optional use of a [LoggingTransferListener](#), which logs the progress of the download.

To download an object from an S3 bucket using the S3 Transfer Manager, build a [DownloadFileRequest](#) object and pass it to the [downloadFile](#) method.

The [FileDownload](#) object returned by the `S3TransferManager`'s `downloadFile` method represents the file transfer. After the download completes, the [CompletedFileDownload](#) contains access to information about the download.

```
public Long downloadFile(S3TransferManager transferManager, String bucketName,
                         String key, String downloadedFilePath) {
    DownloadFileRequest downloadFileRequest = DownloadFileRequest.builder()
        .getObjectRequest(b -> b.bucket(bucketName).key(key))
        .destination(Paths.get(downloadedFilePath))
        .build();

    FileDownload downloadFile = transferManager.downloadFile(downloadFileRequest);

    CompletedFileDownload downloadResult = downloadFile.completionFuture().join();
    logger.info("Content length [{}]", downloadResult.response().contentLength());
    return downloadResult.response().contentLength();
}
```

Imports

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.core.sync.RequestBody;
import software.amazon.awssdk.transfer.s3.S3TransferManager;
import software.amazon.awssdk.transfer.s3.model.CompletedFileDownload;
import software.amazon.awssdk.transfer.s3.model.DownloadFileRequest;
import software.amazon.awssdk.transfer.s3.model.FileDownload;
import software.amazon.awssdk.transfer.s3.progress.LoggingTransferListener;

import java.io.IOException;
import java.net.URISyntaxException;
import java.net.URL;
import java.nio.file.Files;
import java.nio.file.Path;
import java.nio.file.Paths;
import java.util.UUID;
```

Copy an Amazon S3 object to another bucket

The following example shows how to copy an object with the S3 Transfer Manager.

To begin the copy of an object from an S3 bucket to another bucket, create a basic [CopyObjectRequest](#) instance.

Next, wrap the basic `CopyObjectRequest` in a [CopyRequest](#) that can be used by the S3 Transfer Manager.

The `Copy` object returned by the `S3TransferManager`'s `copy` method represents the copy process. After the copy process completes, the [CompletedCopy](#) object contains details about the response.

```
public String copyObject(S3TransferManager transferManager, String bucketName,
    String key, String destinationBucket, String destinationKey) {
    CopyObjectRequest copyObjectRequest = CopyObjectRequest.builder()
        .sourceBucket(bucketName)
        .sourceKey(key)
        .destinationBucket(destinationBucket)
        .destinationKey(destinationKey)
        .build();

    CopyRequest copyRequest = CopyRequest.builder()
        .copyObjectRequest(copyObjectRequest)
        .build();

    Copy copy = transferManager.copy(copyRequest);

    CompletedCopy completedCopy = copy.completionFuture().join();
    return completedCopy.response().copyObjectResult().eTag();
}
```

Note

To perform a cross-Region copy with the S3 Transfer Manager, enable `crossRegionAccessEnabled` on the AWS CRT-based S3 client builder as shown in the following snippet.

```
S3AsyncClient s3AsyncClient = S3AsyncClient.crtBuilder()
    .crossRegionAccessEnabled(true)
    .build();

S3TransferManager transferManager = S3TransferManager.builder()
    .s3Client(s3AsyncClient)
```

```
.build();
```

Imports

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.core.sync.RequestBody;
import software.amazon.awssdk.services.s3.model.CopyObjectRequest;
import software.amazon.awssdk.transfer.s3.S3TransferManager;
import software.amazon.awssdk.transfer.s3.model.CompletedCopy;
import software.amazon.awssdk.transfer.s3.model.Copy;
import software.amazon.awssdk.transfer.s3.model.CopyRequest;

import java.util.UUID;
```

Upload a local directory to an S3 bucket

The following example demonstrates how you can upload a local directory to S3.

Start by calling the [uploadDirectory](#) method of the `S3TransferManager` instance, passing in an [UploadDirectoryRequest](#).

The `DirectoryUpload` object represents the upload process, which generates a `CompletedDirectoryUpload` when the request completes. The `CompleteDirectoryUpload` object contains information about the results of the transfer, including which files failed to transfer.

```
public Integer uploadDirectory(S3TransferManager transferManager,
                               URI sourceDirectory, String bucketName) {
    DirectoryUpload directoryUpload =
        transferManager.uploadDirectory(UploadDirectoryRequest.builder()
            .source(Paths.get(sourceDirectory))
            .bucket(bucketName)
            .build());

    CompletedDirectoryUpload completedDirectoryUpload =
        directoryUpload.completionFuture().join();
    completedDirectoryUpload.failedTransfers()
        .forEach(fail -> logger.warn("Object [{}] failed to transfer",
        fail.toString()));
    return completedDirectoryUpload.failedTransfers().size();
```

```
}
```

Imports

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.services.s3.model.ObjectIdentifier;
import software.amazon.awssdk.transfer.s3.S3TransferManager;
import software.amazon.awssdk.transfer.s3.model.CompletedDirectoryUpload;
import software.amazon.awssdk.transfer.s3.model.DirectoryUpload;
import software.amazon.awssdk.transfer.s3.model.UploadDirectoryRequest;

import java.net.URI;
import java.net.URISyntaxException;
import java.net.URL;
import java.nio.file.Paths;
import java.util.UUID;
```

Download S3 bucket objects to a local directory

You can download the objects in an S3 bucket to a local directory as shown in the following example.

To download the objects in an S3 bucket to a local directory, begin by calling the [downloadDirectory](#) method of the Transfer Manager, passing in a [DownloadDirectoryRequest](#).

The [DirectoryDownload](#) object represents the download process, which generates a [CompletedDirectoryDownload](#) when the request completes. The [CompletedDirectoryDownload](#) object contains information about the results of the transfer, including which files failed to transfer.

```
public Integer downloadObjectsToDirectory(S3TransferManager transferManager,
                                         URI destinationPathURI, String bucketName) {
    DirectoryDownload directoryDownload =
        transferManager.downloadDirectory(DownloadDirectoryRequest.builder()
            .destination(Paths.get(destinationPathURI))
            .bucket(bucketName)
            .build());
    CompletedDirectoryDownload completedDirectoryDownload =
        directoryDownload.completionFuture().join();

    completedDirectoryDownload.failedTransfers()
```

```
        .forEach(fail -> logger.warn("Object [{}] failed to transfer",
fail.toString()));
    return completedDirectoryDownload.failedTransfers().size();
}
```

Imports

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.core.sync.RequestBody;
import software.amazon.awssdk.services.s3.model.ObjectIdentifier;
import software.amazon.awssdk.transfer.s3.S3TransferManager;
import software.amazon.awssdk.transfer.s3.model.CompletedDirectoryDownload;
import software.amazon.awssdk.transfer.s3.model.DirectoryDownload;
import software.amazon.awssdk.transfer.s3.model.DownloadDirectoryRequest;
import java.io.IOException;
import java.net.URI;
import java.net.URISyntaxException;
import java.nio.file.Files;
import java.nio.file.Path;
import java.nio.file.Paths;
import java.util.HashSet;
import java.util.Set;
import java.util.UUID;
import java.util.stream.Collectors;
```

See complete examples

[GitHub contains the complete](#) code for all examples on this page.

Work with S3 Event Notifications

To help you monitor activity in your buckets, Amazon S3 can send notifications when certain events happen. The Amazon S3 User Guide provides information on the [notifications that a bucket can send out](#).

You can set up a bucket to send events to four possible destinations using the SDK for Java:

- Amazon Simple Notification Service topics
- Amazon Simple Queue Service queues
- AWS Lambda functions

- Amazon EventBridge

When you setup up a bucket to send events to EventBridge, you have the ability to configure an EventBridge rule to fanout the same event to multiple destinations. When you configure your bucket to send directly to one of the first three destinations, only one destination type can be specified for each event.

In the next section, you'll see how to configure a bucket using the SDK for Java to send S3 Event Notifications in two ways: directly to an Amazon SQS queue and to EventBridge.

The last section shows you how to use the S3 Event Notifications API to work with notifications in an object-oriented way.

Configure a bucket to send directly to a destination

The following example configures a bucket to send notifications when *object create* events or *object tagging* events occur against a bucket.

```
static void processS3Events(String bucketName, String queueArn) {  
    // Configure the bucket to send Object Created and Object Tagging notifications to  
    // an existing SQS queue.  
    s3Client.putBucketNotificationConfiguration(b -> b  
        .notificationConfiguration(ncb -> ncb  
            .queueConfigurations(qcb -> qcb  
                .events(Event.S3_OBJECT_CREATED, Event.S3_OBJECT_TAGGING)  
                .queueArn(queueArn)))  
        .bucket(bucketName)  
    );  
}
```

The code shown above sets up one queue to receive two types of events. Conveniently, the `queueConfigurations` method allows you to set multiple queue destinations if needed. Also, in the `notificationConfiguration` method you can set additional destinations, such as one or more Amazon SNS topics or one or more Lambda functions. The following snippet shows an example with two queues and three types of destinations.

```
s3Client.putBucketNotificationConfiguration(b -> b  
    .notificationConfiguration(ncb -> ncb  
        .queueConfigurations(qcb -> qcb  
            .events(Event.S3_OBJECT_CREATED,  
Event.S3_OBJECT_TAGGING)
```

```
        .queueArn(queueArn),
        qcb2 -> qcb2.<...>)
    .topicConfigurations(tcb -> tcb.<...>)
    .lambdaFunctionConfigurations(lfcb -> lfcb.<...>))
    .bucket(bucketName)
);
```

The Code Examples GitHub repository contains the [complete example](#) to send S3 event notifications directly to a queue.

Configure a bucket to send to EventBridge

The following example configures a bucket to send notifications to EventBridge.

```
public static String setBucketNotificationToEventBridge(String bucketName) {
    // Enable bucket to emit S3 Event notifications to EventBridge.
    s3Client.putBucketNotificationConfiguration(b -> b
        .bucket(bucketName)
        .notificationConfiguration(b1 -> b1
            .eventBridgeConfiguration(SdkBuilder::build)))
    .build());
```

When you configure a bucket to send events to EventBridge, you simply indicate the EventBridge destination, not the types of events nor the ultimate destination that EventBridge will dispatch to. You configure the ultimate targets and event types by using the Java SDK's EventBridge client.

The following code shows how to configure EventBridge to fan out *object created* events to a topic and a queue.

```
public static String configureEventBridge(String topicArn, String queueArn) {
    try {
        // Create an EventBridge rule to route Object Created notifications.
        PutRuleRequest putRuleRequest = PutRuleRequest.builder()
            .name(RULE_NAME)
            .eventPattern("""
                {
                    "source": ["aws.s3"],
                    "detail-type": ["Object Created"],
                    "detail": {
                        "bucket": {
                            "name": ["%s"]
                        }
                    }
                """
            ));
        putRuleRequest.build();
        ruleArn = putRuleRequest.ruleArn();
    } catch (AmazonServiceException e) {
        System.out.println("Error creating rule: " + e.getMessage());
    }
}
```

```
        }
    }
}
""".formatted(bucketName))
.build();

// Add the rule to the default event bus.
PutRuleResponse putRuleResponse = eventBridgeClient.putRule(putRuleRequest)
    .whenComplete((r, t) -> {
        if (t != null) {
            logger.error("Error creating event bus rule: " +
t.getMessage(), t);
            throw new RuntimeException(t.getCause().getMessage(), t);
        }
        logger.info("Event bus rule creation request sent successfully.
ARN is: {}", r.ruleArn());
    }).join();

// Add the existing SNS topic and SQS queue as targets to the rule.
eventBridgeClient.putTargets(b -> b
    .eventBusName("default")
    .rule(RULE_NAME)
    .targets(List.of (
        Target.builder()
            .arn(queueArn)
            .id("Queue")
            .build(),
        Target.builder()
            .arn(topicArn)
            .id("Topic")
            .build())
    )
).join();

return putRuleResponse.ruleArn();
} catch (S3Exception e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
return null;
}
```

To work with EventBridge in your Java code, add a dependency on the `eventbridge` artifact to your Maven `pom.xml` file.

```
<dependency>
    <groupId>software.amazon.awssdk</groupId>
    <artifactId>eventbridge</artifactId>
</dependency>
```

The Code Examples GitHub repository contains the [complete example](#) to send S3 event notifications to EventBridge and then to a topic and queue.

Use the S3 Event Notifications API to process events

After a destination receives S3 notification events, you can process them in an object-oriented way by using the S3 Event Notifications API. You can use the S3 Event Notifications API to work with event notifications that are dispatched directly to a target (as shown in the [first example](#)), but not with notifications routed through EventBridge. S3 event notifications sent by buckets to EventBridge contain a [different structure](#) that the S3 Event Notifications API does not currently handle.

Add dependency

The S3 Event Notifications API was released with version 2.25.11 of the SDK for Java 2.x.

To use the S3 Event Notifications API, add the required dependency element to your Maven `pom.xml` as shown in the following snippet.

```
<dependencyManagement>
    <dependencies>
        <dependency>
            <groupId>software.amazon.awssdk</groupId>
            <artifactId>bom</artifactId>
            <version>2.X.X1</version>
            <type>pom</type>
            <scope>import</scope>
        </dependency>
    </dependencies>
</dependencyManagement>
<dependencies>
    <dependency>
        <groupId>software.amazon.awssdk</groupId>
        <artifactId>s3-event-notifications</artifactId>
    </dependency>
</dependencies>
```

¹ [Latest version.](#)

Use the S3EventNotification class

Create an S3EventNotification instance from a JSON string

To convert a JSON string into an S3EventNotification object, use the static methods of the S3EventNotification class as shown in the following example.

```
import software.amazon.awssdk.eventnotifications.s3.model.S3EventNotification
import software.amazon.awssdk.eventnotifications.s3.model.S3EventNotificationRecord
import software.amazon.awssdk.services.sqs.model.Message;

public class S3EventNotificationExample {
    ...

    void receiveMessage(Message message) {
        // Message received from SQSClient.
        String sqsEventBody = message.body();
        S3EventNotification s3EventNotification =
        S3EventNotification.fromJson(sqsEventBody);

        // Use getRecords() to access all the records in the notification.

        List<S3EventNotificationRecord> records = s3EventNotification.getRecords();

        S3EventNotificationRecord record = records.stream().findFirst();
        // Use getters on the record to access individual attributes.
        String awsRegion = record.getAwsRegion();
        String eventName = record.getEventName();
        String eventSource = record.getEventSource();

    }
}
```

In this example, the `fromJson` method converts the JSON string into an S3EventNotification object. Missing fields in the JSON string will result in null values in the corresponding Java object fields and any extra fields in the JSON will be ignored.

Other APIs for an event notification record can be found in API reference for [S3EventNotificationRecord](#).

Convert an S3EventNotification instance to a JSON string

Use the `toJson` (or `toJsonPretty`) method to convert an `S3EventNotification` object into a JSON string as shown in the following example.

```
import software.amazon.awssdk.eventnotifications.s3.model.S3EventNotification

public class S3EventNotificationExample {

    ...

    void toJsonString(S3EventNotification event) {

        String json = event.toJson();
        String jsonPretty = event.toJsonPretty();

        System.out.println("JSON: " + json);
        System.out.println("Pretty JSON: " + jsonPretty);
    }
}
```

Fields for `GlacierEventData`, `ReplicationEventData`, `IntelligentTieringEventData`, and `LifecycleEventData` are excluded from the JSON if they are null. Other null fields will be serialized as null.

The following shows example output of the `toJsonPretty` method for an S3 object tagging event.

```
{
  "Records" : [ {
    "eventVersion" : "2.3",
    "eventSource" : "aws:s3",
    "awsRegion" : "us-east-1",
    "eventTime" : "2024-07-19T20:09:18.551Z",
    "eventName" : "ObjectTagging:Put",
    "userIdentity" : {
      "principalId" : "AWS:XXXXXXXXXXXX"
    },
    "requestParameters" : {
      "sourceIPAddress" : "XXX.XX.XX.XX"
    },
    "responseElements" : {
      "x-amz-request-id" : "XXXXXXXXXXXXXX",
      "x-amz-id-2" : "XXXXXXXXXXXXXX"
    }
  } ]}
```

```
"x-amz-id-2" : "XXXXXXXXXXXXXX"
},
"s3" : {
    "s3SchemaVersion" : "1.0",
    "configurationId" : "XXXXXXXXXXXXXX",
    "bucket" : {
        "name" : "DOC-EXAMPLE-BUCKET",
        "ownerIdentity" : {
            "principalId" : "XXXXXXXXXXXX"
        },
        "arn" : "arn:aws:s3:::XXXXXXXXXX"
    },
    "object" : {
        "key" : "akey",
        "size" : null,
        "eTag" : "XXXXXXXXXX",
        "versionId" : null,
        "sequencer" : null
    }
}
}
}
}
```

A [complete example](#) is available in GitHub that shows how to use the API to work with notifications received by an Amazon SQS queue.

Work with Amazon Simple Notification Service

With Amazon Simple Notification Service, you can easily push real-time notification messages from your applications to subscribers over multiple communication channels. This topic describes how to perform some of the basic functions of Amazon SNS.

Create a topic

A **topic** is a logical grouping of communication channels that defines which systems to send a message to, for example, fanning out a message to AWS Lambda and an HTTP webhook. You send messages to Amazon SNS, then they're distributed to the channels defined in the topic. This makes the messages available to subscribers.

To create a topic, first build a [CreateTopicRequest](#) object, with the name of the topic set using the `name()` method in the builder. Then, send the request object to Amazon SNS by using

the `createTopic()` method of the [SnsClient](#). You can capture the result of this request as a [CreateTopicResponse](#) object, as demonstrated in the following code snippet.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.CreateTopicRequest;
import software.amazon.awssdk.services.sns.model.CreateTopicResponse;
import software.amazon.awssdk.services.sns.model.SnsException;
```

Code

```
public static String createSNSTopic(SnsClient snsClient, String topicName) {

    CreateTopicResponse result = null;
    try {
        CreateTopicRequest request = CreateTopicRequest.builder()
            .name(topicName)
            .build();

        result = snsClient.createTopic(request);
        return result.topicArn();
    } catch (SnsException e) {

        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}
```

See the [complete example](#) on GitHub.

List your Amazon SNS topics

To retrieve a list of your existing Amazon SNS topics, build a [ListTopicsRequest](#) object. Then, send the request object to Amazon SNS by using the `listTopics()` method of the `SnsClient`. You can capture the result of this request as a [ListTopicsResponse](#) object.

The following code snippet prints out the HTTP status code of the request and a list of Amazon Resource Names (ARNs) for your Amazon SNS topics.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.ListTopicsRequest;
import software.amazon.awssdk.services.sns.model.ListTopicsResponse;
import software.amazon.awssdk.services.sns.model.SnsException;
```

Code

```
public static void listSNSTopics(SnsClient snsClient) {

    try {
        ListTopicsRequest request = ListTopicsRequest.builder()
            .build();

        ListTopicsResponse result = snsClient.listTopics(request);
        System.out.println("Status was " + result.sdkHttpResponse().statusCode() +
"\n\nTopics\n\n" + result.topics());

    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

See the [complete example](#) on GitHub.

Subscribe an endpoint to a topic

After you create a topic, you can configure which communication channels will be endpoints for that topic. Messages are distributed to these endpoints after Amazon SNS receives them.

To configure a communication channel as an endpoint for a topic, subscribe that endpoint to the topic. To start, build a [SubscribeRequest](#) object. Specify the communication channel (for example, `lambda` or `email`) as the `protocol()`. Set the `endpoint()` to the relevant output location (for example, the ARN of a Lambda function or an email address), and then set the ARN of the topic to which you want to subscribe as the `topicArn()`. Send the request object to Amazon SNS by using the `subscribe()` method of the `SnsClient`. You can capture the result of this request as a [SubscribeResponse](#) object.

The following code snippet shows how to subscribe an email address to a topic.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.SnsException;
import software.amazon.awssdk.services.sns.model.SubscribeRequest;
import software.amazon.awssdk.services.sns.model.SubscribeResponse;
```

Code

```
public static void subEmail(SnsClient snsClient, String topicArn, String email) {

    try {
        SubscribeRequest request = SubscribeRequest.builder()
            .protocol("email")
            .endpoint(email)
            .returnSubscriptionArn(true)
            .topicArn(topicArn)
            .build();

        SubscribeResponse result = snsClient.subscribe(request);
        System.out.println("Subscription ARN: " + result.subscriptionArn() + "\n\n"
    Status is " + result.sdkHttpResponse().statusCode());

    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

See the [complete example](#) on GitHub.

Publish a message to a topic

After you have a topic and one or more endpoints configured for it, you can publish a message to it. To start, build a [PublishRequest](#) object. Specify the `message()` to send, and the ARN of the topic (`topicArn()`) to send it to. Then, send the request object to Amazon SNS by using the `publish()` method of the `SnsClient`. You can capture the result of this request as a [PublishResponse](#) object.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.PublishRequest;
import software.amazon.awssdk.services.sns.model.PublishResponse;
import software.amazon.awssdk.services.sns.model.SnsException;
```

Code

```
public static void pubTopic(SnsClient snsClient, String message, String topicArn) {

    try {
        PublishRequest request = PublishRequest.builder()
            .message(message)
            .topicArn(topicArn)
            .build();

        PublishResponse result = snsClient.publish(request);
        System.out.println(result.messageId() + " Message sent. Status is " +
result.sdkHttpResponse().statusCode());

    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

See the [complete example](#) on GitHub.

Unsubscribe an endpoint from a topic

You can remove the communication channels configured as endpoints for a topic. After doing that, the topic itself continues to exist and distribute messages to any other endpoints configured for that topic.

To remove a communication channel as an endpoint for a topic, unsubscribe that endpoint from the topic. To start, build an [UnsubscribeRequest](#) object and set the ARN of the topic you want to unsubscribe from as the `subscriptionArn()`. Then send the request object to SNS by using the `unsubscribe()` method of the `SnsClient`. You can capture the result of this request as an [UnsubscribeResponse](#) object.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.SnsException;
import software.amazon.awssdk.services.sns.model.UnsubscribeRequest;
import software.amazon.awssdk.services.sns.model.UnsubscribeResponse;
```

Code

```
public static void unSub(SnsClient snsClient, String subscriptionArn) {

    try {
        UnsubscribeRequest request = UnsubscribeRequest.builder()
            .subscriptionArn(subscriptionArn)
            .build();

        UnsubscribeResponse result = snsClient.unsubscribe(request);

        System.out.println("\n\nStatus was " +
result.sdkHttpResponse().statusCode()
            + "\n\nSubscription was removed for " + request.subscriptionArn());

    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

See the [complete example](#) on GitHub.

Delete a topic

To delete an Amazon SNS topic, first build a [DeleteTopicRequest](#) object with the ARN of the topic set as the `topicArn()` method in the builder. Then send the request object to Amazon SNS by using the `deleteTopic()` method of the `SnsClient`. You can capture the result of this request as a [DeleteTopicResponse](#) object, as demonstrated in the following code snippet.

Imports

```
import software.amazon.awssdk.regions.Region;
```

```
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.DeleteTopicRequest;
import software.amazon.awssdk.services.sns.model.DeleteTopicResponse;
import software.amazon.awssdk.services.sns.model.SnsException;
```

Code

```
public static void deleteSNSTopic(SnsClient snsClient, String topicArn ) {

    try {
        DeleteTopicRequest request = DeleteTopicRequest.builder()
            .topicArn(topicArn)
            .build();

        DeleteTopicResponse result = snsClient.deleteTopic(request);
        System.out.println("\n\nStatus was " +
result.sdkHttpResponse().statusCode());

    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

See the [complete example](#) on GitHub.

For more information, see the [Amazon Simple Notification Service Developer Guide](#).

Work with Amazon Simple Queue Service

This section provides examples of programming [Amazon Simple Queue Service](#) using the AWS SDK for Java 2.x.

The following examples include only the code needed to demonstrate each technique. The [complete example code is available on GitHub](#). From there, you can download a single source file or clone the repository locally to get all the examples to build and run.

Topics

- [Use automatic request batching for Amazon SQS with the AWS SDK for Java 2.x](#)
- [Work with Amazon Simple Queue Service message queues](#)

- [Send, receive, and delete Amazon Simple Queue Service messages](#)

Use automatic request batching for Amazon SQS with the AWS SDK for Java 2.x

The Automatic Request Batching API for Amazon SQS is a high-level library that provides an efficient way to batch and buffer requests for SQS operations. By using the batching API, you reduce the number of requests to SQS, which improves throughput and minimizes costs.

Because the batch API methods match the [SqsAsyncClient](#) methods—sendMessage, changeMessageVisibility, deleteMessage, receiveMessage—you can use the batch API as a drop-in replacement with minimal changes.

This topic gives you an overview of how to configure and work with the Automatic Request Batching API for Amazon SQS.

Check prerequisites

You need to use version 2.28.0 or later of the SDK for Java 2.x to have access to the batching API. Your Maven pom.xml should at least contain the following elements.

```
<dependencyManagement>
    <dependencies>
        <dependency>
            <groupId>software.amazon.awssdk</groupId>
            <artifactId>bom</artifactId>
            <version>2.28.231</version>
            <type>pom</type>
            <scope>import</scope>
        </dependency>
    </dependencies>
</dependencyManagement>
<dependencies>
    <dependency>
        <groupId>software.amazon.awssdk</groupId>
        <artifactId>sqs</artifactId>
    </dependency>
</dependencies>
```

¹ [Latest version](#)

Create a batch manager

The automatic request batching API is implemented by the [SqsAsyncBatchManager](#) interface. You can create an instance of the manager a couple ways.

Default configuration by using SqsAsyncClient

The simplest way you can create a batch manager is to call the `batchManager` factory method on an existing [SqsAsyncClient](#) instance. The simple approach is shown in the following snippet.

```
SqsAsyncClient asyncClient = SqsAsyncClient.create();
SqsAsyncBatchManager sqsAsyncBatchManager = asyncClient.batchManager();
```

When you use this approach, the `SqsAsyncBatchManager` instance uses the default values that are shown in the table in the [the section called “Configuration settings”](#) section. Additionally, the `SqsAsyncBatchManager` instance uses the `ExecutorService` of the `SqsAsyncClient` instance that it was created from.

Custom configuration by using SqsAsyncBatchManager.Builder

For more advanced use cases, you can customize the batch manager using the [SqsAsyncBatchManager.Builder](#). By using this approach to create a `SqsAsyncBatchManager` instance, you can fine tune the batching behavior. The following snippet shows an example of how to use the builder to customize batching behavior.

```
SqsAsyncBatchManager batchManager = SqsAsyncBatchManager.builder()
    .client(SqsAsyncClient.create())
    .scheduledExecutor(Executors.newScheduledThreadPool(5))
    .overrideConfiguration(b -> b
        .receiveMessageMinWaitDuration(Duration.ofSeconds(10))
        .receiveMessageVisibilityTimeout(Duration.ofSeconds(1))
        .receiveMessageAttributeNames(Collections.singletonList("*"))

    .receiveMessageSystemAttributeNames(Collections.singletonList(MessageAttributeName.ALL))
    .build();
```

When you use this approach, you can adjust the settings on the `BatchOverrideConfiguration` object that are shown in the table in the [the section called “Configuration settings”](#) section. You can also provide a custom [ScheduledExecutorService](#) for the batch manager by using this approach.

Send messages

To send messages with the batch manager, use the [`SqsAsyncBatchManager#sendMessage`](#) method. The SDK buffers requests and sends them as a batch when the `maxBatchSize` or `sendRequestFrequency` values are reached.

The following example show a `sendMessage` request immediately following by another request. In this case, the SDK sends both messages in a single batch.

```
// Sending the first message
CompletableFuture<SendMessageResponse> futureOne =
    sqsAsyncBatchManager.sendMessage(r -> r.messageBody("One").queueUrl("queue"));

// Sending the second message
CompletableFuture<SendMessageResponse> futureTwo =
    sqsAsyncBatchManager.sendMessage(r -> r.messageBody("Two").queueUrl("queue"));

// Waiting for both futures to complete and retrieving the responses
SendMessageResponse messageOne = futureOne.join();
SendMessageResponse messageTwo = futureTwo.join();
```

Change the message visibility timeout

You can change the visibility timeout of messages in a batch by using the [`SqsAsyncBatchManager#changeMessageVisibility`](#) method. The SDK buffers requests and sends them as a batch when the `maxBatchSize` or `sendRequestFrequency` values are reached.

The following example shows how to call the `changeMessageVisibility` method.

```
CompletableFuture<ChangeMessageVisibilityResponse> futureOne =
    sqsAsyncBatchManager.changeMessageVisibility(r ->
        r.receiptHandle("receiptHandle")
        .queueUrl("queue"));
ChangeMessageVisibilityResponse response = futureOne.join();
```

Delete messages

You can delete messages in a batch using the [`SqsAsyncBatchManager#deleteMessage`](#) method. The SDK buffers requests and sends them as a batch when the `maxBatchSize` or `sendRequestFrequency` values are reached.

The following example shows how you can call the `deleteMessage` method.

```
CompletableFuture<DeleteMessageResponse> futureOne =  
    sqsAsyncBatchManager.deleteMessage(r ->  
        r.receiptHandle("receiptHandle")  
        .queueUrl("queue"));  
DeleteMessageResponse response = futureOne.join();
```

Receive messages

Use default settings

When you poll the [SqsAsyncBatchManager#receiveMessage](#) method in your application, the batch manager fetches messages from its internal buffer, which the SDK automatically updates in the background.

The following example shows how to call the `receiveMessage` method.

```
CompletableFuture<ReceiveMessageResponse> responseFuture =  
    sqsAsyncBatchManager.receiveMessage(r -> r.queueUrl("queueUrl"));
```

Use custom settings

If you want to customize the request further, for example by setting custom wait times and specifying the number of messages to retrieve, you can customize the request as shown in the following example.

```
CompletableFuture<ReceiveMessageResponse> response =  
    sqsAsyncBatchManager.receiveMessage(r ->  
        r.queueUrl("queueUrl")  
        .waitTimeSeconds(5)  
        .visibilityTimeout(20));
```

Note

If you call `receiveMessage` with a [ReceiveMessageRequest](#) that includes any of the following parameters, the SDK bypasses the batch manager and sends a regular asynchronous `receiveMessage` request:

- `messageAttributeNames`
- `messageSystemAttributeNames`
- `messageSystemAttributeNamesWithStrings`

- `overrideConfiguration`

Override configuration settings for `SqsAsyncBatchManager`

You can adjust the following settings when you create an `SqsAsyncBatchManager` instance. The following list of settings are available on the [BatchOverrideConfiguration.Builder](#).

Setting	Description	Default value
<code>maxBatchSize</code>	Maximum number of requests per batch for each <code>SendMessageBatchRequest</code> , <code>ChangeMessageVisibilityBatchRequest</code> , or <code>DeleteMessageBatchRequest</code> . The maximum value is 10.	10
<code>sendRequestFrequency</code>	Time before sending a batch, unless <code>maxBatchSize</code> is reached earlier. Higher values may reduce requests but increase latency.	200ms
<code>receiveMessageVisibilityTimeout</code>	Visibility timeout for messages. If unset, the queue's default is used.	Queue's default
<code>receiveMessageMinWaitDuration</code>	Minimum wait time for <code>receiveMessage</code> requests. Avoid setting to 0 to prevent CPU waste.	50ms
<code>receiveMessageSystemAttributeNames</code>	List of system attribute names to request for <code>receiveMessage</code> calls.	None

Setting	Description	Default value
receiveMessageAttributeNames	List of attribute names to request for <code>receiveMessage</code> calls.	None

Work with Amazon Simple Queue Service message queues

A *message queue* is the logical container used for sending messages reliably in Amazon Simple Queue Service. There are two types of queues: *standard* and *first-in, first-out* (FIFO). To learn more about queues and the differences between these types, see the [Amazon Simple Queue Service Developer Guide](#).

This topic describes how to create, list, delete, and get the URL of an Amazon Simple Queue Service queue by using the AWS SDK for Java.

The `sqsClient` variable that is used in the following examples can be created from the following snippet.

```
SqsClient sqsClient = SqsClient.create();
```

When you create an `SqsClient` by using the static `create()` method, the SDK configures the Region by using the [default region provider chain](#) and the credentials by using the [default credentials provider chain](#).

Create a queue

Use the `SqsClient`'s `createQueue` method, and provide a [CreateQueueRequest](#) object that describes the queue parameters as shown in the following code snippet.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sqs.SqsClient;
import software.amazon.awssdk.services.sqs.model.*;
import java.util.List;
```

Code

```
CreateQueueRequest createQueueRequest = CreateQueueRequest.builder()
    .queueName(queueName)
    .build();

sqscClient.createQueue(createQueueRequest);
```

See the [complete sample](#) on GitHub.

List queues

To list the Amazon Simple Queue Service queues for your account, call the SqsClient's `listQueues` method with a [ListQueuesRequest](#) object.

When you use the form of the [listQueues](#) method that takes no parameters, the service returns *all queues*—up to 1,000 queues.

You can supply a queue name prefix to the [ListQueuesRequest](#) object to limit the results to queues that match that prefix as shown in the following code.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sqs.SqsClient;
import software.amazon.awssdk.services.sqs.model.*;
import java.util.List;
```

Code

```
String prefix = "que";

try {
    ListQueuesRequest listQueuesRequest =
ListQueuesRequest.builder().queueNamePrefix(prefix).build();
    ListQueuesResponse listQueuesResponse =
sqscClient.listQueues(listQueuesRequest);

    for (String url : listQueuesResponse.queueUrls()) {
        System.out.println(url);
    }

} catch (SqsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
}
```

```
        System.exit(1);
    }
```

See the [complete sample](#) on GitHub.

Get the URL for a queue

The following code shows how to get the URL for a queue by calling the SqsClient's `getQueueUrl` method with a [GetQueueUrlRequest](#) object.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sqs.SqsClient;
import software.amazon.awssdk.services.sqs.model.*;
import java.util.List;
```

Code

```
GetQueueUrlResponse getQueueUrlResponse =
    sqsClient.getQueueUrl(GetQueueUrlRequest.builder().queueName(queueName).build());
    String queueUrl = getQueueUrlResponse.queueUrl();
    return queueUrl;
```

See the [complete sample](#) on GitHub.

Delete a queue

Provide the queue's [URL](#) to the [DeleteQueueRequest](#) object. Then call the SqsClient's `deleteQueue` method to delete a queue as shown in the following code.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sqs.SqsClient;
import software.amazon.awssdk.services.sqs.model.*;
import java.util.List;
```

Code

```
public static void deleteSQSQueue(SqsClient sqsClient, String queueName) {
```

```
try {

    GetQueueUrlRequest getQueueRequest = GetQueueUrlRequest.builder()
        .queueName(queueName)
        .build();

    String queueUrl = sqsClient.getQueueUrl(getQueueRequest).queueUrl();

    DeleteQueueRequest deleteQueueRequest = DeleteQueueRequest.builder()
        .queueUrl(queueUrl)
        .build();

    sqsClient.deleteQueue(deleteQueueRequest);

} catch (SqsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

See the [complete sample](#) on GitHub.

More information

- [CreateQueue](#) in the Amazon Simple Queue Service API Reference
- [GetQueueUrl](#) in the Amazon Simple Queue Service API Reference
- [ListQueues](#) in the Amazon Simple Queue Service API Reference
- [DeleteQueue](#) in the Amazon Simple Queue Service API Reference

Send, receive, and delete Amazon Simple Queue Service messages

A message is a piece of data that can be sent and received by distributed components. Messages are always delivered using an [SQS Queue](#).

The `sqsClient` variable that is used in the following examples can be created from the following snippet.

```
SqsClient sqsClient = SqsClient.create();
```

When you create an `SqsClient` by using the static `create()` method, the SDK configures the Region by using the [default region provider chain](#) and the credentials by using the [default credentials provider chain](#).

Send a message

Add a single message to an Amazon Simple Queue Service queue by calling the `SqsClient` client `sendMessage` method. Provide a [SendMessageRequest](#) object that contains the queue's [URL](#), message body, and optional delay value (in seconds).

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sqs.SqsClient;
import software.amazon.awssdk.services.sqs.model.*;
import java.util.List;
```

Code

```
sqsClient.sendMessage(SendMessageRequest.builder()
    .queueUrl(queueUrl)
    .messageBody("Hello world!")
    .delaySeconds(10)
    .build());

sqsClient.sendMessage(sendMsgRequest);
```

Send multiple messages in a request

Send more than one message in a single request by using the `SqsClient` `sendMessageBatch` method. This method takes a [SendMessageBatchRequest](#) that contains the queue URL and a list of messages to send. (Each message is a [SendMessageBatchRequestEntry](#).) You can also delay sending a specific message by setting a delay value on the message.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sqs.SqsClient;
import software.amazon.awssdk.services.sqs.model.*;
import java.util.List;
```

Code

```
SendMessageBatchRequest sendMessageBatchRequest =
SendMessageBatchRequest.builder()
    .queueUrl(queueUrl)

.entries(SendMessageBatchRequestEntry.builder().id("id1").messageBody("Hello from msg
1").build(),

SendMessageBatchRequestEntry.builder().id("id2").messageBody("msg
2").delaySeconds(10).build())
    .build();
sqSClient.sendMessageBatch(sendMessageBatchRequest);
```

See the [complete sample](#) on GitHub.

Retrieve Messages

Retrieve any messages that are currently in the queue by calling the `SqsClient receiveMessage` method. This method takes a [ReceiveMessageRequest](#) that contains the queue URL. You can also specify the maximum number of messages to return. Messages are returned as a list of [Message](#) objects.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sqs.SqsClient;
import software.amazon.awssdk.services.sqs.model.*;
import java.util.List;
```

Code

```
try {
    ReceiveMessageRequest receiveMessageRequest =
ReceiveMessageRequest.builder()
    .queueUrl(queueUrl)
    .maxNumberOfMessages(5)
    .build();
    List<Message> messages =
sqSClient.receiveMessage(receiveMessageRequest).messages();
    return messages;
} catch (SqsException e) {
```

```
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return null;
```

See the [complete sample](#) on GitHub.

Delete a message after receipt

After receiving a message and processing its contents, delete the message from the queue by sending the message's receipt handle and queue URL to the `SqsClient`'s [deleteMessage](#) method.

Imports

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sqs.SqsClient;
import software.amazon.awssdk.services.sqs.model.*;
import java.util.List;
```

Code

```
try {
    for (Message message : messages) {
        DeleteMessageRequest deleteMessageRequest =
DeleteMessageRequest.builder()
            .queueUrl(queueUrl)
            .receiptHandle(message.receiptHandle())
            .build();
        sqsClient.deleteMessage(deleteMessageRequest);
    }
}
```

See the [complete sample](#) on GitHub.

More Info

- [How Amazon Simple Queue Service Queues Work](#) in the Amazon Simple Queue Service Developer Guide
- [SendMessage](#) in the Amazon Simple Queue Service API Reference
- [SendMessageBatch](#) in the Amazon Simple Queue Service API Reference

- [ReceiveMessage](#) in the Amazon Simple Queue Service API Reference
- [DeleteMessage](#) in the Amazon Simple Queue Service API Reference

Work with Amazon Transcribe

The following example shows how bidirectional streaming works using Amazon Transcribe. Bidirectional streaming implies that there's both a stream of data going to the service and being received back in real time. The example uses Amazon Transcribe streaming transcription to send an audio stream and receive a stream of transcribed text back in real time.

See [Streaming Transcription](#) in the Amazon Transcribe Developer Guide to learn more about this feature.

See [Getting Started](#) in the Amazon Transcribe Developer Guide to get started using Amazon Transcribe.

Set up the microphone

This code uses the javax.sound.sampled package to stream audio from an input device.

Code

```
import javax.sound.sampled.AudioFormat;
import javax.sound.sampled.AudioSystem;
import javax.sound.sampled.DataLine;
import javax.sound.sampled.TargetDataLine;

public class Microphone {

    public static TargetDataLine get() throws Exception {
        AudioFormat format = new AudioFormat(16000, 16, 1, true, false);
        DataLine.Info dataLineInfo = new DataLine.Info(TargetDataLine.class, format);

        TargetDataLine dataLine = (TargetDataLine) AudioSystem.getLine(dataLineInfo);
        dataLine.open(format);

        return dataLine;
    }
}
```

See the [complete example](#) on GitHub.

Create a publisher

This code implements a publisher that publishes audio data from the Amazon Transcribe audio stream.

Code

```
package com.amazonaws.transcribe;

import java.io.IOException;
import java.io.InputStream;
import java.io.UncheckedIOException;
import java.nio.ByteBuffer;
import java.util.concurrent.ExecutorService;
import java.util.concurrent.Executors;
import java.util.concurrent.atomic.AtomicLong;
import org.reactivestreams.Publisher;
import org.reactivestreams.Subscriber;
import org.reactivestreams.Subscription;
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.services.transcribestreaming.model.AudioEvent;
import software.amazon.awssdk.services.transcribestreaming.model.AudioStream;
import
software.amazon.awssdk.services.transcribestreaming.model.TranscribeStreamingException;

public class AudioStreamPublisher implements Publisher<AudioStream> {
    private final InputStream inputStream;

    public AudioStreamPublisher(InputStream inputStream) {
        this.inputStream = inputStream;
    }

    @Override
    public void subscribe(Subscriber<? super AudioStream> s) {
        s.onSubscribe(new SubscriptionImpl(s, inputStream));
    }

    private class SubscriptionImpl implements Subscription {
        private static final int CHUNK_SIZE_IN_BYTES = 1024 * 1;
        private ExecutorService executor = Executors.newFixedThreadPool(1);
        private AtomicLong demand = new AtomicLong(0);
```

```
private final Subscriber<? super AudioStream> subscriber;
private final InputStream inputStream;

private SubscriptionImpl(Subscriber<? super AudioStream> s, InputStream
inputStream) {
    this.subscriber = s;
    this.inputStream = inputStream;
}

@Override
public void request(long n) {
    if (n <= 0) {
        subscriber.onError(new IllegalArgumentException("Demand must be
positive"));
    }

    demand.getAndAdd(n);

    executor.submit(() -> {
        try {
            do {
                ByteBuffer audioBuffer = getNextEvent();
                if (audioBuffer.remaining() > 0) {
                    AudioEvent audioEvent = audioEventFromBuffer(audioBuffer);
                    subscriber.onNext(audioEvent);
                } else {
                    subscriber.onComplete();
                    break;
                }
            } while (demand.decrementAndGet() > 0);
        } catch (TranscribeStreamingException e) {
            subscriber.onError(e);
        }
    });
}

@Override
public void cancel() {

}

private ByteBuffer getNextEvent() {
    ByteBuffer audioBuffer;
    byte[] audioBytes = new byte[CHUNK_SIZE_IN_BYTES];
```

```
int len = 0;
try {
    len = inputStream.read(audioBytes);

    if (len <= 0) {
        audioBuffer = ByteBuffer.allocate(0);
    } else {
        audioBuffer = ByteBuffer.wrap(audioBytes, 0, len);
    }
} catch (IOException e) {
    throw new UncheckedIOException(e);
}

return audioBuffer;
}

private AudioEvent audioEventFromBuffer(ByteBuffer bb) {
    return AudioEvent.builder()
        .audioChunk(SdkBytes.fromByteBuffer(bb))
        .build();
}
}
```

See the [complete example](#) on GitHub.

Create the client and start the stream

In the main method, create a request object, start the audio input stream and instantiate the publisher with the audio input.

You must also create a [StartStreamTranscriptionResponseHandler](#) to specify how to handle the response from Amazon Transcribe.

Then, use the `TranscribeStreamingAsyncClient`'s `startStreamTranscription` method to start the bidirectional streaming.

Imports

```
import javax.sound.sampled.AudioFormat;
import javax.sound.sampled.AudioSystem;
import javax.sound.sampled.DataLine;
```

```
import javax.sound.sampled.TargetDataLine;
import javax.sound.sampled.AudioInputStream;
import software.amazon.awssdk.regions.Region;
import
software.amazon.awssdk.services.transcribestreaming.TranscribeStreamingAsyncClient;
import
software.amazon.awssdk.services.transcribestreaming.model.TranscribeStreamingException ;
import
software.amazon.awssdk.services.transcribestreaming.model.StartStreamTranscriptionRequest;
import software.amazon.awssdk.services.transcribestreaming.model.MediaEncoding;
import software.amazon.awssdk.services.transcribestreaming.model.LanguageCode;
import
software.amazon.awssdk.services.transcribestreaming.model.StartStreamTranscriptionResponseHand
import software.amazon.awssdk.services.transcribestreaming.model.TranscriptEvent;
```

Code

```
public static void convertAudio(TranscribeStreamingAsyncClient client) throws
Exception {

    try {

        StartStreamTranscriptionRequest request =
StartStreamTranscriptionRequest.builder()
            .mediaEncoding(MediaEncoding.PCM)
            .languageCode(LanguageCode.EN_US)
            .mediaSampleRateHertz(16_000).build();

        TargetDataLine mic = Microphone.get();
        mic.start();

        AudioStreamPublisher publisher = new AudioStreamPublisher(new
AudioInputStream(mic));

        StartStreamTranscriptionResponseHandler response =
            StartStreamTranscriptionResponseHandler.builder().subscriber(e -> {
                TranscriptEvent event = (TranscriptEvent) e;
                event.transcript().results().forEach(r ->
r.alternatives().forEach(a -> System.out.println(a.transcript())));
            }).build();

        // Keeps Streaming until you end the Java program
        client.startStreamTranscription(request, publisher, response);
    }
}
```

```
        } catch (TranscribeStreamingException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
```

See the [complete example](#) on GitHub.

More information

- [How It Works](#) in the Amazon Transcribe Developer Guide.
- [Getting Started With Streaming Audio](#) in the Amazon Transcribe Developer Guide.

SDK for Java 2.x code examples

The code examples in this topic show you how to use the AWS SDK for Java 2.x with AWS.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Some services contain additional example categories that show how to leverage libraries or functions specific to the service.

Services

- [ACM examples using SDK for Java 2.x](#)
- [API Gateway examples using SDK for Java 2.x](#)
- [Application Auto Scaling examples using SDK for Java 2.x](#)
- [Application Recovery Controller examples using SDK for Java 2.x](#)
- [Aurora examples using SDK for Java 2.x](#)
- [Auto Scaling examples using SDK for Java 2.x](#)
- [AWS Batch examples using SDK for Java 2.x](#)
- [Amazon Bedrock examples using SDK for Java 2.x](#)
- [Amazon Bedrock Runtime examples using SDK for Java 2.x](#)
- [CloudFront examples using SDK for Java 2.x](#)
- [CloudWatch examples using SDK for Java 2.x](#)
- [CloudWatch Events examples using SDK for Java 2.x](#)
- [CloudWatch Logs examples using SDK for Java 2.x](#)
- [Amazon Cognito Identity examples using SDK for Java 2.x](#)
- [Amazon Cognito Identity Provider examples using SDK for Java 2.x](#)
- [Amazon Comprehend examples using SDK for Java 2.x](#)

- [Firehose examples using SDK for Java 2.x](#)
- [Amazon DocumentDB examples using SDK for Java 2.x](#)
- [DynamoDB examples using SDK for Java 2.x](#)
- [Amazon EC2 examples using SDK for Java 2.x](#)
- [Amazon ECR examples using SDK for Java 2.x](#)
- [Amazon ECS examples using SDK for Java 2.x](#)
- [Elastic Load Balancing - Version 2 examples using SDK for Java 2.x](#)
- [MediaStore examples using SDK for Java 2.x](#)
- [OpenSearch Service examples using SDK for Java 2.x](#)
- [EventBridge examples using SDK for Java 2.x](#)
- [EventBridge Scheduler examples using SDK for Java 2.x](#)
- [Forecast examples using SDK for Java 2.x](#)
- [AWS Glue examples using SDK for Java 2.x](#)
- [HealthImaging examples using SDK for Java 2.x](#)
- [IAM examples using SDK for Java 2.x](#)
- [AWS IoT examples using SDK for Java 2.x](#)
- [AWS IoT data examples using SDK for Java 2.x](#)
- [AWS IoT SiteWise examples using SDK for Java 2.x](#)
- [Amazon Keyspaces examples using SDK for Java 2.x](#)
- [Kinesis examples using SDK for Java 2.x](#)
- [AWS KMS examples using SDK for Java 2.x](#)
- [Lambda examples using SDK for Java 2.x](#)
- [Amazon Lex examples using SDK for Java 2.x](#)
- [AWS Marketplace Catalog API examples using SDK for Java 2.x](#)
- [AWS Marketplace Agreement API examples using SDK for Java 2.x](#)
- [MediaConvert examples using SDK for Java 2.x](#)
- [Migration Hub examples using SDK for Java 2.x](#)
- [Amazon MSK examples using SDK for Java 2.x](#)

- [Amazon Personalize examples using SDK for Java 2.x](#)
- [Amazon Personalize Events examples using SDK for Java 2.x](#)
- [Amazon Personalize Runtime examples using SDK for Java 2.x](#)
- [Amazon Pinpoint examples using SDK for Java 2.x](#)
- [Amazon Pinpoint SMS and Voice API examples using SDK for Java 2.x](#)
- [Amazon Polly examples using SDK for Java 2.x](#)
- [Amazon RDS examples using SDK for Java 2.x](#)
- [Amazon RDS Data Service examples using SDK for Java 2.x](#)
- [Amazon Redshift examples using SDK for Java 2.x](#)
- [Amazon Rekognition examples using SDK for Java 2.x](#)
- [Route 53 domain registration examples using SDK for Java 2.x](#)
- [Amazon S3 examples using SDK for Java 2.x](#)
- [Amazon S3 Control examples using SDK for Java 2.x](#)
- [S3 Directory Buckets examples using SDK for Java 2.x](#)
- [S3 Glacier examples using SDK for Java 2.x](#)
- [SageMaker AI examples using SDK for Java 2.x](#)
- [Secrets Manager examples using SDK for Java 2.x](#)
- [Amazon SES examples using SDK for Java 2.x](#)
- [Amazon SES API v2 examples using SDK for Java 2.x](#)
- [Amazon SNS examples using SDK for Java 2.x](#)
- [Amazon SQS examples using SDK for Java 2.x](#)
- [Step Functions examples using SDK for Java 2.x](#)
- [AWS STS examples using SDK for Java 2.x](#)
- [AWS Support examples using SDK for Java 2.x](#)
- [Systems Manager examples using SDK for Java 2.x](#)
- [Amazon Textract examples using SDK for Java 2.x](#)
- [Amazon Transcribe examples using SDK for Java 2.x](#)
- [Amazon Transcribe Streaming examples using SDK for Java 2.x](#)
- [Amazon Translate examples using SDK for Java 2.x](#)

ACM examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with ACM.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)

Actions

AddTagsToCertificate

The following code example shows how to use AddTagsToCertificate.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 * <p>  
 * For more information, see the following documentation topic:  
 * <p>  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
public class AddTagsToCertificate {
```

```
public static void main(String[] args) {
    final String usage = """
        Usage:      <certArn>
        Where:
            certArn - the ARN of the certificate.
        """;
    if (args.length != 1) {
        System.out.println(usage);
        return;
    }

    String certArn = args[0];
    addTags(certArn);
}

/**
 * Adds tags to a certificate in AWS Certificate Manager (ACM).
 *
 * @param certArn the Amazon Resource Name (ARN) of the certificate to add tags
 * to
 */
public static void addTags(String certArn) {
    AcmClient acmClient = AcmClient.create();
    List<Tag> expectedTags =
List.of(Tag.builder().key("key").value("value").build());
    AddTagsToCertificateRequest addTagsToCertificateRequest =
AddTagsToCertificateRequest.builder()
        .certificateArn(certArn)
        .tags(expectedTags)
        .build();

    try {
        acmClient.addTagsToCertificate(addTagsToCertificateRequest);
        System.out.println("Successfully added tags to a certificate");
    } catch (AcmException e) {
        System.out.println(e.getMessage());
    }
}
```

- For API details, see [AddTagsToCertificate](#) in *AWS SDK for Java 2.x API Reference*.

DeleteCertificate

The following code example shows how to use DeleteCertificate.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 * <p>  
 * For more information, see the following documentation topic:  
 * <p>  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
public class DeleteCert {  
  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:      <certArn>  
  
            Where:  
                certArn - the ARN of the certificate.  
            """;  
        if (args.length != 1) {  
            System.out.println(usage);  
            return;  
        }  
  
        String certArn = args[0];  
        deleteCertificate(certArn);  
    }  
  
    /**  
     * Deletes an SSL/TLS certificate from the AWS Certificate Manager (ACM).  
     */
```

```
* @param certArn the Amazon Resource Name (ARN) of the certificate to be
deleted
*/
public static void deleteCertificate( String certArn) {
    AcmClient acmClient = AcmClient.create();
    DeleteCertificateRequest request = DeleteCertificateRequest.builder()
        .certificateArn(certArn)
        .build();

    try {
        acmClient.deleteCertificate(request);
        System.out.println("The certificate was deleted");

    } catch (AcmException e) {
        System.out.println(e.getMessage());
    }
}
```

- For API details, see [DeleteCertificate](#) in *AWS SDK for Java 2.x API Reference*.

DescribeCertificate

The following code example shows how to use `DescribeCertificate`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 * <p>
 * For more information, see the following documentation topic:
 * <p>
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
```

```
*/  
  
public class DescribeCert {  
  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:      <certArn>  
  
            Where:  
            certArn - the ARN of the certificate.  
        """;  
        if (args.length != 1) {  
            System.out.println(usage);  
            return;  
        }  
  
        String certArn = args[0];  
        describeCertificate(certArn);  
    }  
  
    /**  
     * Describes the details of an SSL/TLS certificate.  
     *  
     * @param certArn the Amazon Resource Name (ARN) of the certificate to describe  
     * @throws AcmException if an error occurs while describing the certificate  
     */  
    public static void describeCertificate(String certArn) {  
        AcmClient acmClient = AcmClient.create();  
        DescribeCertificateRequest req = DescribeCertificateRequest.builder()  
            .certificateArn(certArn)  
            .build();  
  
        try {  
            DescribeCertificateResponse response =  
acmClient.describeCertificate(req);  
  
            // Print the certificate details.  
            System.out.println("Certificate ARN: " +  
response.certificate().certificateArn());  
            System.out.println("Domain Name: " +  
response.certificate().domainName());  
            System.out.println("Issued By: " + response.certificate().issuer());  
            System.out.println("Issued On: " + response.certificate().issuedAt());  
        } catch (AcmException e) {  
            System.out.println("Error: " + e.getMessage());  
        }  
    }  
}
```

```
        System.out.println("Status: " + response.certificate().status());
    } catch (AcmException e) {
        System.out.println(e.getMessage());
    }
}
}
```

- For API details, see [DescribeCertificate](#) in *AWS SDK for Java 2.x API Reference*.

ExportCertificate

The following code example shows how to use ExportCertificate.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 * <p>
 * For more information, see the following documentation topic:
 * <p>
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ExportCertificate {

    public static void main(String[] args) throws Exception {
        final String usage = """

            Usage:      <certArn>

            Where:
                certArn - the ARN of the certificate.
"""

        if (args.length != 1) {
```

```
        System.out.println(usage);
        return;
    }

    String certArn = args[0];
    exportCert(certArn);
}

/**
 * Exports an SSL/TLS certificate and its associated private key and certificate
chain from AWS Certificate Manager (ACM).
*
 * @param certArn The Amazon Resource Name (ARN) of the certificate that you
want to export.
 * @throws IOException If an I/O error occurs while reading the private key
passphrase file or exporting the certificate.
*/
public static void exportCert(String certArn) throws IOException {
    AcmClient acmClient = AcmClient.create();

    // Initialize a file descriptor for the passphrase file.
    RandomAccessFile filePassphrase = null;
    ByteBuffer bufPassphrase = null;

    // Create a file stream for reading the private key passphrase.
    try {
        filePassphrase = new RandomAccessFile("C:\\AWS\\password.txt", "r");
    } catch (IllegalArgumentException | SecurityException |
FileNotFoundException ex) {
        throw ex;
    }

    // Create a channel to map the file.
    FileChannel channelPassphrase = filePassphrase.getChannel();

    // Map the file to the buffer.
    try {
        bufPassphrase = channelPassphrase.map(FileChannel.MapMode.READ_ONLY, 0,
channelPassphrase.size());
        channelPassphrase.close();
        filePassphrase.close();
    } catch (IOException ex) {
        throw ex;
    }
}
```

```
// Create a request object.
ExportCertificateRequest req = ExportCertificateRequest.builder()
    .certificateArn(certArn)
    .passphrase(SdkBytes.fromByteBuffer(bufPassphrase))
    .build();

// Export the certificate.
ExportCertificateResponse result = null;
try {
    result = acmClient.exportCertificate(req);
} catch (InvalidArnException | InvalidTagException |
ResourceNotFoundException ex) {
    throw ex;
}

// Clear the buffer.
bufPassphrase.clear();

// Display the certificate and certificate chain.
String certificate = result.certificate();
System.out.println(certificate);

String certificateChain = result.certificateChain();
System.out.println(certificateChain);

// This example retrieves but does not display the private key.
String privateKey = result.privateKey();
System.out.println("The example is complete");
}
```

- For API details, see [ExportCertificate](#) in *AWS SDK for Java 2.x API Reference*.

ImportCertificate

The following code example shows how to use ImportCertificate.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 * <p>  
 * For more information, see the following documentation topic:  
 * <p>  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
public class ImportCert {  
  
    public static void main(String[] args) {  
  
        final String usage = """  
  
            Usage:      <certificatePath> <privateKeyPath>  
  
            Where:  
                certificatePath - the path to the SSL/TLS certificate file.  
                privateKeyPath - the path to the private key file associated with  
the SSL/TLS certificate.  
        """;  
  
        if (args.length != 2) {  
            System.out.println(usage);  
            return;  
        }  
  
        String certificatePath = args[0];  
        String privateKeyPath = args[1];  
        String certificateArn = importCertificate(certificatePath, privateKeyPath);  
        System.out.println("Certificate imported with ARN: " + certificateArn);  
    }  
  
    /**
```

```
* Imports an SSL/TLS certificate and private key into AWS Certificate Manager
(ACM) for use with
* AWS services.
*
* @param certificatePath the file path to the SSL/TLS certificate
* @param privateKeyPath the file path to the private key associated with the
certificate
* @throws IOException if there is an error reading the certificate or private
key files
*/
public static String importCertificate(String certificatePath, String
privateKeyPath) {
    AcmClient acmClient = AcmClient.create();
    try {
        byte[] certificateBytes = readFileBytes(certificatePath);
        byte[] privateKeyBytes = readFileBytes(privateKeyPath);

        ImportCertificateRequest request = ImportCertificateRequest.builder()
            .certificate(SdkBytes.fromByteBuffer(ByteBuffer.wrap(certificateBytes)))
            .privateKey(SdkBytes.fromByteBuffer(ByteBuffer.wrap(privateKeyBytes)))
            .build();

        ImportCertificateResponse response =
        acmClient.importCertificate(request);
        String certificateArn = response.certificateArn();
        return certificateArn;
    } catch (IOException e) {
        System.err.println("Error reading certificate or private key file: " +
e.getMessage());
    }
    return "";
}

private static byte[] readFileBytes(String filePath) throws IOException {
    try (InputStream inputStream = new FileInputStream(filePath)) {
        return IoUtils.toByteArray(inputStream);
    }
}
```

- For API details, see [ImportCertificate](#) in *AWS SDK for Java 2.x API Reference*.

ListCertificates

The following code example shows how to use `ListCertificates`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 * <p>  
 * For more information, see the following documentation topic:  
 * <p>  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
public class ListCerts {  
    public static void main(String[] args) {  
        listCertificates();  
    }  
  
    /**  
     * Lists all the certificates managed by AWS Certificate Manager (ACM) that have  
     * a status of "ISSUED".  
     */  
    public static void listCertificates() {  
        AcmClient acmClient = AcmClient.create();  
        try {  
            ListCertificatesRequest listRequest = ListCertificatesRequest.builder()  
                .certificateStatuses(CertificateStatus.ISSUED)  
                .maxItems(100)  
                .build();  
            ListCertificatesIterable listResponse =  
                acmClient.listCertificatesPaginator(listRequest);  
  
            // Print the certificate details using streams  
            listResponse.certificateSummaryList().stream()  
                .forEach(certificate -> {
```

```
        System.out.println("Certificate ARN: " +
certificate.certificateArn());
        System.out.println("Certificate Domain Name: " +
certificate.domainName());
        System.out.println("Certificate Status: " +
certificate.statusAsString());
        System.out.println("---");
    });

} catch (AcmeException e) {
    System.err.println(e.getMessage());
}

}
```

- For API details, see [ListCertificates](#) in *AWS SDK for Java 2.x API Reference*.

ListTagsForCertificate

The following code example shows how to use `ListTagsForCertificate`.

SDK for Java 2.x



There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 * <p>  
 * For more information, see the following documentation topic:  
 * <p>  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
public class ListCertTags {
```

```
public static void main(String[] args) {

    final String usage = """
        Usage:      <certArn>

        Where:
            certArn - the ARN of the certificate.
        """;
    if (args.length != 1) {
        System.out.println(usage);
        return;
    }

    String certArn = args[0];
    listCertTags(certArn);
}

/**
 * Lists the tags associated with an AWS Certificate Manager (ACM) certificate.
 *
 * @param certArn the Amazon Resource Name (ARN) of the ACM certificate
 */
public static void listCertTags(String certArn) {
    AcmClient acmClient = AcmClient.create();

    ListTagsForCertificateRequest request =
ListTagsForCertificateRequest.builder()
        .certificateArn(certArn)
        .build();

    ListTagsForCertificateResponse response =
acmClient.listTagsForCertificate(request);
    List<Tag> tagList = response.tags();
    tagList.forEach(tag -> {
        System.out.println("Key: " + tag.key());
        System.out.println("Value: " + tag.value());
    });
}
}
```

- For API details, see [ListTagsForCertificate](#) in *AWS SDK for Java 2.x API Reference*.

RemoveTagsFromCertificate

The following code example shows how to use RemoveTagsFromCertificate.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 * <p>  
 * For more information, see the following documentation topic:  
 * <p>  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
  
public class RemoveTagsFromCert {  
  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:      <certArn>  
  
            Where:  
            certArn - the ARN of the certificate.  
            """;  
        if (args.length != 1) {  
            System.out.println(usage);  
            return;  
        }  
  
        String certArn = args[0];  
        removeTags(certArn);  
    }  
  
    /**  
     * Removes tags from an AWS Certificate Manager (ACM) certificate.  
    */
```

```
* @param certArn the Amazon Resource Name (ARN) of the certificate from which  
to remove tags  
*/  
public static void removeTags(String certArn) {  
    AcmClient acmClient = AcmClient.create();  
    List<Tag> expectedTags =  
List.of(Tag.builder().key("key").value("value").build());  
    RemoveTagsFromCertificateRequest req =  
RemoveTagsFromCertificateRequest.builder()  
        .certificateArn(certArn)  
        .tags(expectedTags)  
        .build();  
  
    try {  
        acmClient.removeTagsFromCertificate(req);  
        System.out.println("Successfully removed tags from the certificate");  
    } catch (AcmException e) {  
        System.err.println(e.getMessage());  
    }  
}  
}
```

- For API details, see [RemoveTagsFromCertificate](#) in *AWS SDK for Java 2.x API Reference*.

RenewCertificate

The following code example shows how to use RenewCertificate.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 * <p>
```

```
* For more information, see the following documentation topic:  
* <p>  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
  
public class RenewCert {  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:      <certArn>  
  
            Where:  
                certArn - the ARN of the certificate.  
                """;  
        if (args.length != 1) {  
            System.out.println(usage);  
            return;  
        }  
  
        String certArn = args[0];  
        renewCertificate(certArn);  
    }  
  
    /**  
     * Renews an existing SSL/TLS certificate in AWS Certificate Manager (ACM).  
     *  
     * @param certArn The Amazon Resource Name (ARN) of the certificate to be  
     * renewed.  
     * @throws AcmException If there is an error renewing the certificate.  
     */  
    public static void renewCertificate(String certArn) {  
        AcmClient acmClient = AcmClient.create();  
  
        RenewCertificateRequest certificateRequest =  
RenewCertificateRequest.builder()  
            .certificateArn(certArn)  
            .build();  
  
        try {  
            acmClient.renewCertificate(certificateRequest);  
            System.out.println("The certificate was renewed");  
        } catch(AcmException e){  
            System.out.println(e.getMessage());  
        }  
    }  
}
```

```
    }  
}
```

- For API details, see [RenewCertificate](#) in *AWS SDK for Java 2.x API Reference*.

RequestCertificate

The following code example shows how to use RequestCertificate.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 * <p>  
 * For more information, see the following documentation topic:  
 * <p>  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
public class RequestCert {  
  
    public static void main(String[] args) {  
        requestCertificate();  
    }  
  
    /**  
     * Requests a certificate from the AWS Certificate Manager (ACM) service.  
     */  
    public static void requestCertificate() {  
        AcmClient acmClient = AcmClient.create();  
        ArrayList<String> san = new ArrayList<>();  
        san.add("www.example.com");
```

```
RequestCertificateRequest req = RequestCertificateRequest.builder()
    .domainName("example.com")
    .idempotencyToken("1Aq25pTy")
    .subjectAlternativeNames(san)
    .build();

try {
    RequestCertificateResponse response = acmClient.requestCertificate(req);
    System.out.println("Cert ARN IS " + response.certificateArn());
} catch (AcmException e) {
    System.err.println(e.getMessage());
}
}
```

- For API details, see [RequestCertificate](#) in *AWS SDK for Java 2.x API Reference*.

API Gateway examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with API Gateway.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

AWS community contributions are examples that were created and are maintained by multiple teams across AWS. To provide feedback, use the mechanism provided in the linked repositories.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)
- [Scenarios](#)
- [AWS community contributions](#)

Actions

CreateDeployment

The following code example shows how to use CreateDeployment.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String createNewDeployment(ApiGatewayClient apiGateway, String
restApiId, String stageName) {

    try {
        CreateDeploymentRequest request = CreateDeploymentRequest.builder()
            .restApiId(restApiId)
            .description("Created using the AWS API Gateway Java API")
            .stageName(stageName)
            .build();

        CreateDeploymentResponse response =
apiGateway.createDeployment(request);
        System.out.println("The id of the deployment is " + response.id());
        return response.id();

    } catch (ApiGatewayException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}
```

- For API details, see [CreateDeployment](#) in *AWS SDK for Java 2.x API Reference*.

CreateRestApi

The following code example shows how to use CreateRestApi.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String createAPI(ApiGatewayClient apiGateway, String restApiId,
String restApiName) {

    try {
        CreateRestApiRequest request = CreateRestApiRequest.builder()
            .cloneFrom(restApiId)
            .description("Created using the Gateway Java API")
            .name(restApiName)
            .build();

        CreateRestApiResponse response = apiGateway.createRestApi(request);
        System.out.println("The id of the new api is " + response.id());
        return response.id();

    } catch (ApiGatewayException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}
```

- For API details, see [CreateRestApi](#) in *AWS SDK for Java 2.x API Reference*.

DeleteDeployment

The following code example shows how to use DeleteDeployment.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void deleteSpecificDeployment(ApiGatewayClient apiGateway, String
restApiId, String deploymentId) {

    try {
        DeleteDeploymentRequest request = DeleteDeploymentRequest.builder()
            .restApiId(restApiId)
            .deploymentId(deploymentId)
            .build();

        apiGateway.deleteDeployment(request);
        System.out.println("Deployment was deleted");

    } catch (ApiGatewayException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [DeleteDeployment](#) in *AWS SDK for Java 2.x API Reference*.

DeleteRestApi

The following code example shows how to use DeleteRestApi.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void deleteAPI(ApiGatewayClient apiGateway, String restApiId) {  
  
    try {  
        DeleteRestApiRequest request = DeleteRestApiRequest.builder()  
            .restApiId(restApiId)  
            .build();  
  
        apiGateway.deleteRestApi(request);  
        System.out.println("The API was successfully deleted");  
  
    } catch (ApiGatewayException e) {  
        System.err.println(e.awsErrorDetails().errorMessage());  
        System.exit(1);  
    }  
}
```

- For API details, see [DeleteRestApi](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Create a serverless application to manage photos

The following code example shows how to create a serverless application that lets users manage photos using labels.

SDK for Java 2.x

Shows how to develop a photo asset management application that detects labels in images using Amazon Rekognition and stores them for later retrieval.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

For a deep dive into the origin of this example see the post on [AWS Community](#).

Services used in this example

- API Gateway
- DynamoDB
- Lambda

- Amazon Rekognition
- Amazon S3
- Amazon SNS

Use API Gateway to invoke a Lambda function

The following code example shows how to create an AWS Lambda function invoked by Amazon API Gateway.

SDK for Java 2.x

Shows how to create an AWS Lambda function by using the Lambda Java runtime API.

This example invokes different AWS services to perform a specific use case. This example demonstrates how to create a Lambda function invoked by Amazon API Gateway that scans an Amazon DynamoDB table for work anniversaries and uses Amazon Simple Notification Service (Amazon SNS) to send a text message to your employees that congratulates them at their one year anniversary date.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- API Gateway
- DynamoDB
- Lambda
- Amazon SNS

AWS community contributions

Build and test a serverless application

The following code example shows how to build and test a serverless application using API Gateway with Lambda and DynamoDB

SDK for Java 2.x

Shows how to build and test a serverless application that consists of an API Gateway with Lambda and DynamoDB using the Java SDK.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- API Gateway
- DynamoDB
- Lambda

Application Auto Scaling examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Application Auto Scaling.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)

Actions

DeleteScalingPolicy

The following code example shows how to use DeleteScalingPolicy.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
```

```
import software.amazon.awssdk.services.applicationautoscaling.ApplicationAutoScalingClient;
import software.amazon.awssdk.services.applicationautoscaling.model.ApplicationAutoScalingException;
import software.amazon.awssdk.services.applicationautoscaling.model.DeleteScalingPolicyRequest;
import software.amazon.awssdk.services.applicationautoscaling.model.DeregisterScalableTargetRequest;
import software.amazon.awssdk.services.applicationautoscaling.model.DescribeScalableTargetsRequest;
import software.amazon.awssdk.services.applicationautoscaling.model.DescribeScalableTargetsResponse;
import software.amazon.awssdk.services.applicationautoscaling.model.DescribeScalingPoliciesRequest;
import software.amazon.awssdk.services.applicationautoscaling.model.DescribeScalingPoliciesResponse;
import software.amazon.awssdk.services.applicationautoscaling.model.ScalableDimension;
import software.amazon.awssdk.services.applicationautoscaling.model.ServiceNamespace;

/**
 * Before running this Java V2 code example, set up your development environment,
 * including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */

public class DisableDynamoDBAutoscaling {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <tableId> <policyName>\s
            Where:
            tableId - The table Id value (for example, table/Music).\s
            policyName - The name of the policy (for example, $Music5-scaling-
            policy).
            """;
        if (args.length != 2) {
```

```
        System.out.println(usage);
        System.exit(1);
    }

    ApplicationAutoScalingClient appAutoScalingClient =
ApplicationAutoScalingClient.builder()
    .region(Region.US_EAST_1)
    .build();

    ServiceNamespace ns = ServiceNamespace.DYNAMODB;
    ScalableDimension tableWCUs =
ScalableDimension.DYNAMODB_TABLE_WRITE_CAPACITY_UNITS;
    String tableName = args[0];
    String policyName = args[1];

    deletePolicy(appAutoScalingClient, policyName, tableWCUs, ns, tableName);
    verifyScalingPolicies(appAutoScalingClient, tableName, ns, tableWCUs);
    deregisterScalableTarget(appAutoScalingClient, tableName, ns, tableWCUs);
    verifyTarget(appAutoScalingClient, tableName, ns, tableWCUs);
}

public static void deletePolicy(ApplicationAutoScalingClient
appAutoScalingClient, String policyName, ScalableDimension tableWCUs,
ServiceNamespace ns, String tableName) {
    try {
        DeleteScalingPolicyRequest delSPRequest =
DeleteScalingPolicyRequest.builder()
    .policyName(policyName)
    .scalableDimension(tableWCUs)
    .serviceNamespace(ns)
    .resourceId(tableName)
    .build();

        appAutoScalingClient.deleteScalingPolicy(delSPRequest);
        System.out.println(policyName + " was deleted successfully.");
    } catch (ApplicationAutoScalingException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
    }
}

// Verify that the scaling policy was deleted
```

```
public static void verifyScalingPolicies(ApplicationAutoScalingClient appAutoScalingClient, String tableId, ServiceNamespace ns, ScalableDimension tableWCUs) {
    DescribeScalingPoliciesRequest dscRequest =
    DescribeScalingPoliciesRequest.builder()
        .scalableDimension(tableWCUs)
        .serviceNamespace(ns)
        .resourceId(tableId)
        .build();

    DescribeScalingPoliciesResponse response =
    appAutoScalingClient.describeScalingPolicies(dscRequest);
    System.out.println("DescribeScalableTargets result: ");
    System.out.println(response);
}

public static void deregisterScalableTarget(ApplicationAutoScalingClient appAutoScalingClient, String tableId, ServiceNamespace ns, ScalableDimension tableWCUs) {
    try {
        DeregisterScalableTargetRequest targetRequest =
        DeregisterScalableTargetRequest.builder()
            .scalableDimension(tableWCUs)
            .serviceNamespace(ns)
            .resourceId(tableId)
            .build();

        appAutoScalingClient.deregisterScalableTarget(targetRequest);
        System.out.println("The scalable target was deregistered.");
    } catch (ApplicationAutoScalingException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
    }
}

public static void verifyTarget(ApplicationAutoScalingClient appAutoScalingClient, String tableId, ServiceNamespace ns, ScalableDimension tableWCUs) {
    DescribeScalableTargetsRequest dscRequest =
    DescribeScalableTargetsRequest.builder()
        .scalableDimension(tableWCUs)
        .serviceNamespace(ns)
        .resourceIds(tableId)
        .build();
```

```
        DescribeScalableTargetsResponse response =
    appAutoScalingClient.describeScalableTargets(dscRequest);
    System.out.println("DescribeScalableTargets result: ");
    System.out.println(response);
}
}
```

- For API details, see [DeleteScalingPolicy](#) in *AWS SDK for Java 2.x API Reference*.

RegisterScalableTarget

The following code example shows how to use RegisterScalableTarget.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import
software.amazon.awssdk.services.applicationautoscaling.ApplicationAutoScalingClient;
import
software.amazon.awssdk.services.applicationautoscaling.model.ApplicationAutoScalingException;
import
software.amazon.awssdk.services.applicationautoscaling.model.DescribeScalableTargetsRequest;
import
software.amazon.awssdk.services.applicationautoscaling.model.DescribeScalableTargetsResponse;
import
software.amazon.awssdk.services.applicationautoscaling.model.DescribeScalingPoliciesRequest;
import
software.amazon.awssdk.services.applicationautoscaling.model.DescribeScalingPoliciesResponse;
import software.amazon.awssdk.services.applicationautoscaling.model.PolicyType;
import
software.amazon.awssdk.services.applicationautoscaling.model.PredefinedMetricSpecification;
import
software.amazon.awssdk.services.applicationautoscaling.model.PutScalingPolicyRequest;
```

```
import software.amazon.awssdk.services.applicationautoscaling.model.RegisterScalableTargetRequest;
import software.amazon.awssdk.services.applicationautoscaling.model.ScalingPolicy;
import software.amazon.awssdk.services.applicationautoscaling.model.ServiceNamespace;
import software.amazon.awssdk.services.applicationautoscaling.model.ScalableDimension;
import software.amazon.awssdk.services.applicationautoscaling.model.MetricType;
import software.amazon.awssdk.services.applicationautoscaling.model.TargetTrackingScalingPolicyConfig;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development environment,
 * including your credentials.
 *
 * For more information, see the following documentation topic:
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class EnableDynamoDBAutoscaling {
    public static void main(String[] args) {
        final String usage = """

            Usage:
            <tableId> <roleARN> <policyName>\s

            Where:
            tableId - The table Id value (for example, table/Music).
            roleARN - The ARN of the role that has ApplicationAutoScaling
            permissions.
            policyName - The name of the policy to create.

        """;

        if (args.length != 3) {
            System.out.println(usage);
            System.exit(1);
        }

        System.out.println("This example registers an Amazon DynamoDB table, which
is the resource to scale.");
        String tableId = args[0];
        String roleARN = args[1];
    }
}
```

```
        String policyName = args[2];
        ServiceNamespace ns = ServiceNamespace.DYNAMODB;
        ScalableDimension tableWCUs =
ScalableDimension.DYNAMODB_TABLE_WRITE_CAPACITY_UNITS;
        ApplicationAutoScalingClient appAutoScalingClient =
ApplicationAutoScalingClient.builder()
            .region(Region.US_EAST_1)
            .build();

        registerScalableTarget(appAutoScalingClient, tableId, roleARN, ns,
tableWCUs);
        verifyTarget(appAutoScalingClient, tableId, ns, tableWCUs);
        configureScalingPolicy(appAutoScalingClient, tableId, ns, tableWCUs,
policyName);
    }

    public static void registerScalableTarget(ApplicationAutoScalingClient
appAutoScalingClient, String tableId, String roleARN, ServiceNamespace ns,
ScalableDimension tableWCUs) {
    try {
        RegisterScalableTargetRequest targetRequest =
RegisterScalableTargetRequest.builder()
            .serviceNamespace(ns)
            .scalableDimension(tableWCUs)
            .resourceId(tableId)
            .roleARN(roleARN)
            .minCapacity(5)
            .maxCapacity(10)
            .build();

        appAutoScalingClient.registerScalableTarget(targetRequest);
        System.out.println("You have registered " + tableId);

    } catch (ApplicationAutoScalingException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
    }
}

// Verify that the target was created.
public static void verifyTarget(ApplicationAutoScalingClient
appAutoScalingClient, String tableId, ServiceNamespace ns, ScalableDimension
tableWCUs) {
    DescribeScalableTargetsRequest dscRequest =
DescribeScalableTargetsRequest.builder()
```

```
.scalableDimension(tableWCUs)
.serviceNamespace(ns)
.resourceIds(tableId)
.build();

DescribeScalableTargetsResponse response =
appAutoScalingClient.describeScalableTargets(dscRequest);
System.out.println("DescribeScalableTargets result: ");
System.out.println(response);
}

// Configure a scaling policy.
public static void configureScalingPolicy(ApplicationAutoScalingClient
appAutoScalingClient, String tableId, ServiceNamespace ns, ScalableDimension
tableWCUs, String policyName) {
    // Check if the policy exists before creating a new one.
    DescribeScalingPoliciesResponse describeScalingPoliciesResponse =
appAutoScalingClient.describeScalingPolicies(DescribeScalingPoliciesRequest.builder()
        .serviceNamespace(ns)
        .resourceId(tableId)
        .scalableDimension(tableWCUs)
        .build());

    if (!describeScalingPoliciesResponse.scalingPolicies().isEmpty()) {
        // If policies exist, consider updating an existing policy instead of
        creating a new one.
        System.out.println("Policy already exists. Consider updating it
instead.");
        List<ScalingPolicy> polList =
describeScalingPoliciesResponse.scalingPolicies();
        for (ScalingPolicy pol : polList) {
            System.out.println("Policy name:" + pol.policyName());
        }
    } else {
        // If no policies exist, proceed with creating a new policy.
        PredefinedMetricSpecification specification =
PredefinedMetricSpecification.builder()

.predefinedMetricType(MetricType.DYNAMO_DB_WRITE_CAPACITY_UTILIZATION)
.build();

        TargetTrackingScalingPolicyConfiguration policyConfiguration =
TargetTrackingScalingPolicyConfiguration.builder()
        .predefinedMetricSpecification(specification)
```

```
.targetValue(50.0)
.scaleInCooldown(60)
.scaleOutCooldown(60)
.build();

PutScalingPolicyRequest putScalingPolicyRequest =
PutScalingPolicyRequest.builder()
    .targetTrackingScalingPolicyConfiguration(policyConfiguration)
    .serviceNamespace(ns)
    .scalableDimension(tableWCUs)
    .resourceId(tableId)
    .policyName(policyName)
    .policyType(PolicyType.TARGET_TRACKING_SCALING)
    .build();

try {
    appAutoScalingClient.putScalingPolicy(putScalingPolicyRequest);
    System.out.println("You have successfully created a scaling policy
for an Application Auto Scaling scalable target");
} catch (ApplicationAutoScalingException e) {
    System.err.println("Error: " + e.awsErrorDetails().errorMessage());
}
}
```

- For API details, see [RegisterScalableTarget](#) in *AWS SDK for Java 2.x API Reference*.

Application Recovery Controller examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Application Recovery Controller.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)

Actions

GetRoutingControlState

The following code example shows how to use GetRoutingControlState.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static GetRoutingControlStateResponse
getRoutingControlState(List<ClusterEndpoint> clusterEndpoints,
                      String routingControlArn) {
    // As a best practice, we recommend choosing a random cluster endpoint to
    // get or
    // set routing control states.
    // For more information, see
    // https://docs.aws.amazon.com/r53recovery/latest/dg/route53-arc-best-
    // practices.html#route53-arc-best-practices.regional
    Collections.shuffle(clusterEndpoints);
    for (ClusterEndpoint clusterEndpoint : clusterEndpoints) {
        try {
            System.out.println(clusterEndpoint);
            Route53RecoveryClusterClient client =
Route53RecoveryClusterClient.builder()
                .endpointOverride(URI.create(clusterEndpoint.endpoint()))
                .region(Region.of(clusterEndpoint.region())).build();
            return client.getRoutingControlState(
                GetRoutingControlStateRequest.builder()
                    .routingControlArn(routingControlArn).build());
        } catch (Exception exception) {
            System.out.println(exception);
        }
    }
}
```

```
        return null;
    }
```

- For API details, see [GetRoutingControlState](#) in *AWS SDK for Java 2.x API Reference*.

UpdateRoutingControlState

The following code example shows how to use `UpdateRoutingControlState`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static UpdateRoutingControlStateResponse
updateRoutingControlState(List<ClusterEndpoint> clusterEndpoints,
    String routingControlArn,
    String routingControlState) {
    // As a best practice, we recommend choosing a random cluster endpoint to
    get or
    // set routing control states.
    // For more information, see
    // https://docs.aws.amazon.com/r53recovery/latest/dg/route53-arc-best-
    practices.html#route53-arc-best-practices.regional
    Collections.shuffle(clusterEndpoints);
    for (ClusterEndpoint clusterEndpoint : clusterEndpoints) {
        try {
            System.out.println(clusterEndpoint);
            Route53RecoveryClusterClient client =
Route53RecoveryClusterClient.builder()
            .endpointOverride(URI.create(clusterEndpoint.endpoint()))
            .region(Region.of(clusterEndpoint.region()))
            .build();
            return client.updateRoutingControlState(
                UpdateRoutingControlStateRequest.builder()
                    .routingControlArn(routingControlArn).routingControlState(routingControlState).build());
        } catch (Exception exception) {
```

```
        System.out.println(exception);
    }
}
return null;
}
```

- For API details, see [UpdateRoutingControlState](#) in *AWS SDK for Java 2.x API Reference*.

Aurora examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Aurora.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello Aurora

The following code examples show how to get started using Aurora.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rds.RdsClient;
```

```
import software.amazon.awssdk.services.rds.paginators.DescribeDBClustersIterable;

public class DescribeDbClusters {
    public static void main(String[] args) {
        Region region = Region.US_EAST_1;
        RdsClient rdsClient = RdsClient.builder()
            .region(region)
            .build();

        describeClusters(rdsClient);
        rdsClient.close();
    }

    public static void describeClusters(RdsClient rdsClient) {
        DescribeDBClustersIterable clustersIterable =
        rdsClient.describeDBClustersPaginator();
        clustersIterable.stream()
            .flatMap(r -> r.dbClusters().stream())
            .forEach(cluster -> System.out
                .println("Database name: " + cluster.databaseName() + " Arn
= " + cluster.dbClusterArn()));
    }
}
```

- For API details, see [DescribeDBClusters](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Basics](#)
- [Actions](#)
- [Scenarios](#)

Basics

Learn the basics

The following code example shows how to:

- Create a custom Aurora DB cluster parameter group and set parameter values.
- Create a DB cluster that uses the parameter group.

- Create a DB instance that contains a database.
- Take a snapshot of the DB cluster, then clean up resources.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Before running this Java (v2) code example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 *  
 * This example requires an AWS Secrets Manager secret that contains the  
 * database credentials. If you do not create a  
 * secret, this example will not work. For details, see:  
 *  
 * https://docs.aws.amazon.com/secretsmanager/latest/userguide/integrating\_how-services-use-secrets\_RS.html  
 *  
 * This Java example performs the following tasks:  
 *  
 * 1. Gets available engine families for Amazon Aurora MySQL-Compatible Edition  
 * by calling the DescribeDbEngineVersions(Engine='aurora-mysql') method.  
 * 2. Selects an engine family and creates a custom DB cluster parameter group  
 * by invoking the describeDBClusterParameters method.  
 * 3. Gets the parameter groups by invoking the describeDBClusterParameterGroups  
 * method.  
 * 4. Gets parameters in the group by invoking the describeDBClusterParameters  
 * method.  
 * 5. Modifies the auto_increment_offset parameter by invoking the  
 * modifyDBClusterParameterGroupRequest method.  
 * 6. Gets and displays the updated parameters.  
 * 7. Gets a list of allowed engine versions by invoking the  
 * describeDbEngineVersions method.
```

```
* 8. Creates an Aurora DB cluster database cluster that contains a MySQL
* database.
* 9. Waits for DB instance to be ready.
* 10. Gets a list of instance classes available for the selected engine.
* 11. Creates a database instance in the cluster.
* 12. Waits for DB instance to be ready.
* 13. Creates a snapshot.
* 14. Waits for DB snapshot to be ready.
* 15. Deletes the DB cluster.
* 16. Deletes the DB cluster group.
*/
public class AuroraScenario {
    public static long sleepTime = 20;
    public static final String DASHES = new String(new char[80]).replace("\0", "-");

    public static void main(String[] args) throws InterruptedException {
        final String usage = "\n" +
            "Usage:\n" +
            "  <dbClusterGroupName> <dbParameterGroupFamily>\n<dbInstanceClusterIdentifier> <dbInstanceIdentifier> <dbName>\n<dbSnapshotIdentifier><secretName>\n" +
            "Where:\n" +
            "  dbClusterGroupName - The name of the DB cluster parameter\n" +
            "group. \n" +
            "  dbParameterGroupFamily - The DB cluster parameter group family\n" +
            "name (for example, aurora-mysql5.7). \n" +
            "  dbInstanceClusterIdentifier - The instance cluster identifier\n" +
            "value.\n" +
            "  dbInstanceIdentifier - The database instance identifier.\n" +
            "  dbName - The database name.\n" +
            "  dbSnapshotIdentifier - The snapshot identifier.\n" +
            "  secretName - The name of the AWS Secrets Manager secret that\n" +
            "contains the database credentials\n";
        ;

        if (args.length != 7) {
            System.out.println(usage);
            System.exit(1);
        }

        String dbClusterGroupName = args[0];
        String dbParameterGroupFamily = args[1];
```

```
String dbInstanceClusterIdentifier = args[2];
String dbInstanceIdentifier = args[3];
String dbName = args[4];
String dbSnapshotIdentifier = args[5];
String secretName = args[6];

// Retrieve the database credentials using AWS Secrets Manager.
Gson gson = new Gson();
User user = gson.fromJson(String.valueOf(getSecretValues(secretName)),
User.class);
String username = user.getUsername();
String userPassword = user.getPassword();

Region region = Region.US_WEST_2;
RdsClient rdsClient = RdsClient.builder()
    .region(region)
    .build();

System.out.println(DASHES);
System.out.println("Welcome to the Amazon Aurora example scenario.");
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("1. Return a list of the available DB engines");
describeDBEngines(rdsClient);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("2. Create a custom parameter group");
createDBClusterParameterGroup(rdsClient, dbClusterGroupName,
dbParameterGroupFamily);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("3. Get the parameter group");
describeDbClusterParameterGroups(rdsClient, dbClusterGroupName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("4. Get the parameters in the group");
describeDbClusterParameters(rdsClient, dbClusterGroupName, 0);
System.out.println(DASHES);

System.out.println(DASHES);
```

```
System.out.println("5. Modify the auto_increment_offset parameter");
modifyDBClusterParas(rdsClient, dbClusterGroupName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("6. Display the updated parameter value");
describeDbClusterParameters(rdsClient, dbClusterGroupName, -1);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("7. Get a list of allowed engine versions");
getAllowedEngines(rdsClient, dbParameterGroupFamily);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("8. Create an Aurora DB cluster database");
String arnClusterVal = createDBCluster(rdsClient, dbClusterGroupName,
dbName, dbInstanceClusterIdentifier,
        username, userPassword);
System.out.println("The ARN of the cluster is " + arnClusterVal);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("9. Wait for DB instance to be ready");
waitForInstanceReady(rdsClient, dbInstanceClusterIdentifier);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("10. Get a list of instance classes available for the
selected engine");
String instanceClass = getListInstanceClasses(rdsClient);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("11. Create a database instance in the cluster.");
String clusterDBARN = createDBInstanceCluster(rdsClient,
dbInstanceIdentifier, dbInstanceClusterIdentifier,
        instanceClass);
System.out.println("The ARN of the database is " + clusterDBARN);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("12. Wait for DB instance to be ready");
waitForDBInstanceReady(rdsClient, dbInstanceIdentifier);
```

```
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("13. Create a snapshot");
        createDBClusterSnapshot(rdsClient, dbInstanceClusterIdentifier,
dbSnapshotIdentifier);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("14. Wait for DB snapshot to be ready");
        waitForSnapshotReady(rdsClient, dbSnapshotIdentifier,
dbInstanceClusterIdentifier);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("14. Delete the DB instance");
        deleteDatabaseInstance(rdsClient, dbInstanceIdentifier);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("15. Delete the DB cluster");
        deleteCluster(rdsClient, dbInstanceClusterIdentifier);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("16. Delete the DB cluster group");
        deleteDBClusterGroup(rdsClient, dbClusterGroupName, clusterDBARN);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("The Scenario has successfully completed.");
        System.out.println(DASHES);
        rdsClient.close();
    }

private static SecretsManagerClient getSecretClient() {
    Region region = Region.US_WEST_2;
    return SecretsManagerClient.builder()
        .region(region)

        .credentialsProvider(EnvironmentVariableCredentialsProvider.create())
        .build();
}
```

```
private static String getSecretValues(String secretName) {
    SecretsManagerClient secretClient = getSecretClient();
    GetSecretValueRequest valueRequest = GetSecretValueRequest.builder()
        .secretId(secretName)
        .build();

    GetSecretValueResponse valueResponse =
secretClient.getSecretValue(valueRequest);
    return valueResponse.secretString();
}

public static void deleteDBClusterGroup(RdsClient rdsClient, String
dbClusterGroupName, String clusterDBARN)
    throws InterruptedException {
try {
    boolean isDataDel = false;
    boolean didFind;
    String instanceARN;

    // Make sure that the database has been deleted.
    while (!isDataDel) {
        DescribeDbInstancesResponse response =
rdsClient.describeDBInstances();
        List<DBInstance> instanceList = response.dbInstances();
        int listSize = instanceList.size();
        didFind = false;
        int index = 1;
        for (DBInstance instance : instanceList) {
            instanceARN = instance.dbInstanceArn();
            if (instanceARN.compareTo(clusterDBARN) == 0) {
                System.out.println(clusterDBARN + " still exists");
                didFind = true;
            }
            if ((index == listSize) && (!didFind)) {
                // Went through the entire list and did not find the
database ARN.
                isDataDel = true;
            }
            Thread.sleep(sleepTime * 1000);
            index++;
        }
    }
}
```

```
        DeleteDbClusterParameterGroupRequest clusterParameterGroupRequest =
DeleteDbClusterParameterGroupRequest
        .builder()
        .dbClusterParameterGroupName(dbClusterGroupName)
        .build();

        rdsClient.deleteDBClusterParameterGroup(clusterParameterGroupRequest);
        System.out.println(dbClusterGroupName + " was deleted.");

    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}

public static void deleteCluster(RdsClient rdsClient, String dbInstanceClusterIdentifier) {
    try {
        DeleteDbClusterRequest deleteDbClusterRequest =
DeleteDbClusterRequest.builder()
        .dbClusterIdentifier(dbInstanceClusterIdentifier)
        .skipFinalSnapshot(true)
        .build();

        rdsClient.deleteDBCluster(deleteDbClusterRequest);
        System.out.println(dbInstanceClusterIdentifier + " was deleted!");

    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}

public static void deleteDatabaseInstance(RdsClient rdsClient, String dbInstanceIdentifier) {
    try {
        DeleteDbInstanceRequest deleteDbInstanceRequest =
DeleteDbInstanceRequest.builder()
        .dbInstanceIdentifier(dbInstanceIdentifier)
        .deleteAutomatedBackups(true)
        .skipFinalSnapshot(true)
        .build();
    }
}
```

```
        DeleteDbInstanceResponse response =
rdsClient.deleteDBInstance(deleteDbInstanceRequest);
        System.out.println("The status of the database is " +
response.dbInstance().dbInstanceState());

    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}

public static void waitForSnapshotReady(RdsClient rdsClient, String
dbSnapshotIdentifier,
    String dbInstanceClusterIdentifier) {
try {
    boolean snapshotReady = false;
    String snapshotReadyStr;
    System.out.println("Waiting for the snapshot to become available.");

    DescribeDbClusterSnapshotsRequest snapshotsRequest =
DescribeDbClusterSnapshotsRequest.builder()
        .dbClusterSnapshotIdentifier(dbSnapshotIdentifier)
        .dbClusterIdentifier(dbInstanceClusterIdentifier)
        .build();

    while (!snapshotReady) {
        DescribeDbClusterSnapshotsResponse response =
rdsClient.describeDBClusterSnapshots(snapshotsRequest);
        List<DBClusterSnapshot> snapshotList =
response.dbClusterSnapshots();
        for (DBClusterSnapshot snapshot : snapshotList) {
            snapshotReadyStr = snapshot.status();
            if (snapshotReadyStr.contains("available")) {
                snapshotReady = true;
            } else {
                System.out.println(".");
                Thread.sleep(sleepTime * 5000);
            }
        }
    }

    System.out.println("The Snapshot is available!");

} catch (RdsException | InterruptedException e) {
```

```
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }

    public static void createDBClusterSnapshot(RdsClient rdsClient, String dbInstanceClusterIdentifier,
                                                String dbSnapshotIdentifier) {
        try {
            CreateDbClusterSnapshotRequest snapshotRequest =
CreateDbClusterSnapshotRequest.builder()
                .dbClusterIdentifier(dbInstanceClusterIdentifier)
                .dbClusterSnapshotIdentifier(dbSnapshotIdentifier)
                .build();

            CreateDbClusterSnapshotResponse response =
rdsClient.createDBClusterSnapshot(snapshotRequest);
            System.out.println("The Snapshot ARN is " +
response.dbClusterSnapshot().dbClusterSnapshotArn());

        } catch (RdsException e) {
            System.out.println(e.getLocalizedMessage());
            System.exit(1);
        }
    }

    public static void waitDBInstanceReady(RdsClient rdsClient, String dbInstanceIdentifier) {
        boolean instanceReady = false;
        String instanceReadyStr;
        System.out.println("Waiting for instance to become available.");
        try {
            DescribeDbInstancesRequest instanceRequest =
DescribeDbInstancesRequest.builder()
                .dbInstanceIdentifier(dbInstanceIdentifier)
                .build();

            String endpoint = "";
            while (!instanceReady) {
                DescribeDbInstancesResponse response =
rdsClient.describeDBInstances(instanceRequest);
                List<DBInstance> instanceList = response.dbInstances();
                for (DBInstance instance : instanceList) {
                    instanceReadyStr = instance.dbInstanceState();

```

```
        if (instanceReadyStr.contains("available")) {
            endpoint = instance.endpoint().address();
            instanceReady = true;
        } else {
            System.out.print(".");
            Thread.sleep(sleepTime * 1000);
        }
    }
}

System.out.println("Database instance is available! The connection
endpoint is " + endpoint);

} catch (RdsException | InterruptedException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
}

public static String createDBInstanceCluster(RdsClient rdsClient,
    String dbInstanceIdentifier,
    String dbInstanceClusterIdentifier,
    String instanceClass) {
try {
    CreateDbInstanceRequest instanceRequest =
CreateDbInstanceRequest.builder()
    .dbInstanceIdentifier(dbInstanceIdentifier)
    .dbClusterIdentifier(dbInstanceClusterIdentifier)
    .engine("aurora-mysql")
    .dbInstanceClass(instanceClass)
    .build();

    CreateDbInstanceResponse response =
rdsClient.createDBInstance(instanceRequest);
    System.out.print("The status is " +
response.dbInstance().dbInstanceState());
    return response.dbInstance().dbInstanceArn();
}

} catch (RdsException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
return "";
}
```

```
public static String getListInstanceClasses(RdsClient rdsClient) {  
    try {  
        DescribeOrderableDbInstanceOptionsRequest optionsRequest =  
DescribeOrderableDbInstanceOptionsRequest  
            .builder()  
            .engine("aurora-mysql")  
            .maxRecords(20)  
            .build();  
  
        DescribeOrderableDbInstanceOptionsResponse response = rdsClient  
            .describeOrderableDBInstanceOptions(optionsRequest);  
        List<OrderableDBInstanceOption> instanceOptions =  
response.orderableDBInstanceOptions();  
        String instanceClass = "";  
        for (OrderableDBInstanceOption instanceOption : instanceOptions) {  
            instanceClass = instanceOption.dbInstanceClass();  
            System.out.println("The instance class is " +  
instanceOption.dbInstanceClass());  
            System.out.println("The engine version is " +  
instanceOption.engineVersion());  
        }  
        return instanceClass;  
  
    } catch (RdsException e) {  
        System.err.println(e.getMessage());  
        System.exit(1);  
    }  
    return "";  
}  
  
// Waits until the database instance is available.  
public static void waitForInstanceReady(RdsClient rdsClient, String  
dbClusterIdentifier) {  
    boolean instanceReady = false;  
    String instanceReadyStr;  
    System.out.println("Waiting for instance to become available.");  
    try {  
        DescribeDbClustersRequest instanceRequest =  
DescribeDbClustersRequest.builder()  
            .dbClusterIdentifier(dbClusterIdentifier)  
            .build();  
  
        while (!instanceReady) {
```

```
        DescribeDbClustersResponse response =
rdsClient.describeDBClusters(instanceRequest);
        List<DBCluster> clusterList = response.dbClusters();
        for (DBCluster cluster : clusterList) {
            instanceReadyStr = cluster.status();
            if (instanceReadyStr.contains("available")) {
                instanceReady = true;
            } else {
                System.out.print(".");
                Thread.sleep(sleepTime * 1000);
            }
        }
    }
    System.out.println("Database cluster is available!");

} catch (RdsException | InterruptedException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
}

public static String createDBCluster(RdsClient rdsClient, String
dbParameterGroupFamily, String dbName,
        String dbClusterIdentifier, String userName, String password) {
try {
    CreateDbClusterRequest clusterRequest = CreateDbClusterRequest.builder()
        .databaseName(dbName)
        .dbClusterIdentifier(dbClusterIdentifier)
        .dbClusterParameterGroupName(dbParameterGroupFamily)
        .engine("aurora-mysql")
        .masterUsername(userName)
        .masterUserPassword(password)
        .build();

    CreateDbClusterResponse response =
rdsClient.createDBCluster(clusterRequest);
    return response.dbCluster().dbClusterArn();

} catch (RdsException e) {
    System.out.println(e.getLocalizedMessage());
    System.exit(1);
}
return "";
}
```

```
// Get a list of allowed engine versions.
public static void getAllowedEngines(RdsClient rdsClient, String dbParameterGroupFamily) {
    try {
        DescribeDbEngineVersionsRequest versionsRequest =
DescribeDbEngineVersionsRequest.builder()
        .dbParameterGroupFamily(dbParameterGroupFamily)
        .engine("aurora-mysql")
        .build();

        DescribeDbEngineVersionsResponse response =
rdsClient.describeDBEngineVersions(versionsRequest);
        List<DBEngineVersion> dbEngines = response.dbEngineVersions();
        for (DBEngineVersion dbEngine : dbEngines) {
            System.out.println("The engine version is " +
dbEngine.engineVersion());
            System.out.println("The engine description is " +
dbEngine.dbEngineDescription());
        }
    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}

// Modify the auto_increment_offset parameter.
public static void modifyDBClusterParas(RdsClient rdsClient, String dClusterGroupName) {
    try {
        Parameter parameter1 = Parameter.builder()
            .parameterName("auto_increment_offset")
            .applyMethod("immediate")
            .parameterValue("5")
            .build();

        List<Parameter> paraList = new ArrayList<>();
        paraList.add(parameter1);
        ModifyDbClusterParameterGroupRequest groupRequest =
ModifyDbClusterParameterGroupRequest.builder()
            .dBClusterParameterGroupName(dClusterGroupName)
            .parameters(paraList)
            .build();
    }
}
```

```
        ModifyDbClusterParameterGroupResponse response =
rdsClient.modifyDBClusterParameterGroup(groupRequest);
        System.out.println(
            "The parameter group " + response.dbClusterParameterGroupName()
+ " was successfully modified");

    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}

public static void describeDbClusterParameters(RdsClient rdsClient, String
dbCLusterGroupName, int flag) {
    try {
        DescribeDbClusterParametersRequest dbParameterGroupsRequest;
        if (flag == 0) {
            dbParameterGroupsRequest =
DescribeDbClusterParametersRequest.builder()
                .dbClusterParameterGroupName(dbCLusterGroupName)
                .build();
        } else {
            dbParameterGroupsRequest =
DescribeDbClusterParametersRequest.builder()
                .dbClusterParameterGroupName(dbCLusterGroupName)
                .source("user")
                .build();
        }
    }

    DescribeDbClusterParametersResponse response = rdsClient
        .describeDBClusterParameters(dbParameterGroupsRequest);
    List<Parameter> dbParameters = response.parameters();
    String paraName;
    for (Parameter para : dbParameters) {
        // Only print out information about either auto_increment_offset or
        // auto_increment_increment.
        paraName = para.parameterName();
        if ((paraName.compareTo("auto_increment_offset") == 0)
            || (paraName.compareTo("auto_increment_increment ") == 0)) {
            System.out.println("*** The parameter name is " + paraName);
            System.out.println("*** The parameter value is " +
para.parameterValue());
    }
}
```

```
        System.out.println("**** The parameter data type is " +
para.dataType());
        System.out.println("**** The parameter description is " +
para.description());
        System.out.println("**** The parameter allowed values is " +
para.allowedValues());
    }
}

} catch (RdsException e) {
    System.out.println(e.getLocalizedMessage());
    System.exit(1);
}
}

public static void describeDbClusterParameterGroups(RdsClient rdsClient, String
dbClusterGroupName) {
try {
    DescribeDbClusterParameterGroupsRequest groupsRequest =
DescribeDbClusterParameterGroupsRequest.builder()
        .dbClusterParameterGroupName(dbClusterGroupName)
        .maxRecords(20)
        .build();

    List<DBClusterParameterGroup> groups =
rdsClient.describeDBClusterParameterGroups(groupsRequest)
        .dbClusterParameterGroups();
    for (DBClusterParameterGroup group : groups) {
        System.out.println("The group name is " +
group.dbClusterParameterGroupName());
        System.out.println("The group ARN is " +
group.dbClusterParameterGroupArn());
    }
}

} catch (RdsException e) {
    System.out.println(e.getLocalizedMessage());
    System.exit(1);
}
}

public static void createDBClusterParameterGroup(RdsClient rdsClient, String
dbClusterGroupName,
        String dbParameterGroupFamily) {
try {
```

```
        CreateDbClusterParameterGroupRequest groupRequest =
CreateDbClusterParameterGroupRequest.builder()
        .dbClusterParameterGroupName(dbClusterGroupName)
        .dbParameterGroupFamily(dbParameterGroupFamily)
        .description("Created by using the AWS SDK for Java")
        .build();

        CreateDbClusterParameterGroupResponse response =
rdsClient.createDBClusterParameterGroup(groupRequest);
        System.out.println("The group name is " +
response.dbClusterParameterGroup().dbClusterParameterGroupName());

    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}

public static void describeDBEngines(RdsClient rdsClient) {
    try {
        DescribeDbEngineVersionsRequest engineVersionsRequest =
DescribeDbEngineVersionsRequest.builder()
        .engine("aurora-mysql")
        .defaultOnly(true)
        .maxRecords(20)
        .build();

        DescribeDbEngineVersionsResponse response =
rdsClient.describeDBEngineVersions(engineVersionsRequest);
        List<DBEngineVersion> engines = response.dbEngineVersions();

        // Get all DBEngineVersion objects.
        for (DBEngineVersion engine0b : engines) {
            System.out.println("The name of the DB parameter group family for
the database engine is "
                + engine0b.dbParameterGroupFamily());
            System.out.println("The name of the database engine " +
engine0b.engine());
            System.out.println("The version number of the database engine " +
engine0b.engineVersion());
        }
    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
```

```
        System.exit(1);
    }
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [CreateDBCluster](#)
- [CreateDBClusterParameterGroup](#)
- [CreateDBClusterSnapshot](#)
- [CreateDBInstance](#)
- [DeleteDBCluster](#)
- [DeleteDBClusterParameterGroup](#)
- [DeleteDBInstance](#)
- [DescribeDBClusterParameterGroups](#)
- [DescribeDBClusterParameters](#)
- [DescribeDBClusterSnapshots](#)
- [DescribeDBClusters](#)
- [DescribeDBEngineVersions](#)
- [DescribeDBInstances](#)
- [DescribeOrderableDBInstanceOptions](#)
- [ModifyDBClusterParameterGroup](#)

Actions

CreateDBCluster

The following code example shows how to use `CreateDBCluster`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String createDBCluster(RdsClient rdsClient, String dbParameterGroupFamily, String dbName, String dbClusterIdentifier, String userName, String password) {
    try {
        CreateDbClusterRequest clusterRequest = CreateDbClusterRequest.builder()
            .databaseName(dbName)
            .dbClusterIdentifier(dbClusterIdentifier)
            .dbClusterParameterGroupName(dbParameterGroupFamily)
            .engine("aurora-mysql")
            .masterUsername(userName)
            .masterUserPassword(password)
            .build();

        CreateDbClusterResponse response =
rdsClient.createDBCluster(clusterRequest);
        return response.dbCluster().dbClusterArn();
    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
    return "";
}
```

- For API details, see [CreateDBCluster](#) in *AWS SDK for Java 2.x API Reference*.

CreateDBClusterParameterGroup

The following code example shows how to use `CreateDBClusterParameterGroup`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void createDBClusterParameterGroup(RdsClient rdsClient, String dbClusterGroupName,
```

```
        String dbParameterGroupFamily) {  
    try {  
        CreateDbClusterParameterGroupRequest groupRequest =  
CreateDbClusterParameterGroupRequest.builder()  
            .dbClusterParameterGroupName(dbClusterGroupName)  
            .dbParameterGroupFamily(dbParameterGroupFamily)  
            .description("Created by using the AWS SDK for Java")  
            .build();  
  
        CreateDbClusterParameterGroupResponse response =  
rdsClient.createDBClusterParameterGroup(groupRequest);  
        System.out.println("The group name is " +  
response.dbClusterParameterGroup().dbClusterParameterGroupName());  
  
    } catch (RdsException e) {  
        System.out.println(e.getLocalizedMessage());  
        System.exit(1);  
    }  
}
```

- For API details, see [CreateDBClusterParameterGroup](#) in *AWS SDK for Java 2.x API Reference*.

CreateDBClusterSnapshot

The following code example shows how to use `CreateDBClusterSnapshot`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void createDBClusterSnapshot(RdsClient rdsClient, String  
dbInstanceClusterIdentifier,  
    String dbSnapshotIdentifier) {  
    try {  
        CreateDbClusterSnapshotRequest snapshotRequest =  
CreateDbClusterSnapshotRequest.builder()  
            .dbClusterIdentifier(dbInstanceClusterIdentifier)
```

```
        .dbClusterSnapshotIdentifier(dbSnapshotIdentifier)
        .build();

        CreateDbClusterSnapshotResponse response =
rdsClient.createDBClusterSnapshot(snapshotRequest);
        System.out.println("The Snapshot ARN is " +
response.dbClusterSnapshot().dbClusterSnapshotArn());

    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}
```

- For API details, see [CreateDBClusterSnapshot](#) in *AWS SDK for Java 2.x API Reference*.

CreateDBInstance

The following code example shows how to use CreateDBInstance.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String createDBInstanceCluster(RdsClient rdsClient,
                                             String dbInstanceIdentifier,
                                             String dbInstanceClusterIdentifier,
                                             String instanceClass) {
    try {
        CreateDbInstanceRequest instanceRequest =
CreateDbInstanceRequest.builder()
        .dbInstanceIdentifier(dbInstanceIdentifier)
        .dbClusterIdentifier(dbInstanceClusterIdentifier)
        .engine("aurora-mysql")
        .dbInstanceClass(instanceClass)
        .build();
    }
```

```
        CreateDbInstanceResponse response =
rdsClient.createDBInstance(instanceRequest);
        System.out.print("The status is " +
response.dbInstance().dbInstanceState());
        return response.dbInstance().dbInstanceArn();

    } catch (RdsException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
    return "";
}
```

- For API details, see [CreateDBInstance](#) in *AWS SDK for Java 2.x API Reference*.

DeleteDBCluster

The following code example shows how to use DeleteDBCluster.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void deleteCluster(RdsClient rdsClient, String
dbInstanceClusterIdentifier) {
    try {
        DeleteDbClusterRequest deleteDbClusterRequest =
DeleteDbClusterRequest.builder()
        .dbClusterIdentifier(dbInstanceClusterIdentifier)
        .skipFinalSnapshot(true)
        .build();

        rdsClient.deleteDBCluster(deleteDbClusterRequest);
        System.out.println(dbInstanceClusterIdentifier + " was deleted!");

    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
    }
}
```

```
        System.exit(1);
    }
}
```

- For API details, see [DeleteDBCluster](#) in *AWS SDK for Java 2.x API Reference*.

DeleteDBClusterParameterGroup

The following code example shows how to use DeleteDBClusterParameterGroup.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void deleteDBClusterGroup(RdsClient rdsClient, String
dbClusterGroupName, String clusterDBARN)
    throws InterruptedException {
try {
    boolean isDataDel = false;
    boolean didFind;
    String instanceARN;

    // Make sure that the database has been deleted.
    while (!isDataDel) {
        DescribeDbInstancesResponse response =
rdsClient.describeDBInstances();
        List<DBInstance> instanceList = response.dbInstances();
        int listSize = instanceList.size();
        didFind = false;
        int index = 1;
        for (DBInstance instance : instanceList) {
            instanceARN = instance.dbInstanceArn();
            if (instanceARN.compareTo(clusterDBARN) == 0) {
                System.out.println(clusterDBARN + " still exists");
                didFind = true;
            }
            if ((index == listSize) && (!didFind)) {
```

```
// Went through the entire list and did not find the
database ARN.
        isDataDel = true;
    }
    Thread.sleep(sleepTime * 1000);
    index++;
}
}

DeleteDbClusterParameterGroupRequest clusterParameterGroupRequest =
DeleteDbClusterParameterGroupRequest
    .builder()
    .dbClusterParameterGroupName(dbClusterGroupName)
    .build();

rdsClient.deleteDBClusterParameterGroup(clusterParameterGroupRequest);
System.out.println(dbClusterGroupName + " was deleted.");

} catch (RdsException e) {
    System.out.println(e.getLocalizedMessage());
    System.exit(1);
}
}
```

- For API details, see [DeleteDBClusterParameterGroup](#) in *AWS SDK for Java 2.x API Reference*.

DeleteDBInstance

The following code example shows how to use DeleteDBInstance.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void deleteDatabaseInstance(RdsClient rdsClient, String
dbInstanceIdentifier) {
    try {
```

```
        DeleteDbInstanceRequest deleteDbInstanceRequest =
DeleteDbInstanceRequest.builder()
    .dbInstanceIdentifier(dbInstanceIdentifier)
    .deleteAutomatedBackups(true)
    .skipFinalSnapshot(true)
    .build();

        DeleteDbInstanceResponse response =
rdsClient.deleteDBInstance(deleteDbInstanceRequest);
    System.out.println("The status of the database is " +
response.dbInstance().dbInstanceState());

} catch (RdsException e) {
    System.out.println(e.getLocalizedMessage());
    System.exit(1);
}
}
```

- For API details, see [DeleteDBInstance](#) in *AWS SDK for Java 2.x API Reference*.

DescribeDBClusterParameterGroups

The following code example shows how to use `DescribeDBClusterParameterGroups`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void describeDbClusterParameterGroups(RdsClient rdsClient, String
dbClusterGroupName) {
    try {
        DescribeDbClusterParameterGroupsRequest groupsRequest =
DescribeDbClusterParameterGroupsRequest.builder()
    .dbClusterParameterGroupName(dbClusterGroupName)
    .maxRecords(20)
    .build();
```

```
        List<DBClusterParameterGroup> groups =
rdsClient.describeDBClusterParameterGroups(groupsRequest)
            .dBClusterParameterGroups();
        for (DBClusterParameterGroup group : groups) {
            System.out.println("The group name is " +
group.dbClusterParameterGroupName());
            System.out.println("The group ARN is " +
group.dbClusterParameterGroupArn());
        }

    } catch (RdsException e) {
    System.out.println(e.getLocalizedMessage());
    System.exit(1);
}
}
```

- For API details, see [DescribeDBClusterParameterGroups](#) in *AWS SDK for Java 2.x API Reference*.

DescribeDBClusterParameters

The following code example shows how to use `DescribeDBClusterParameters`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void describeDbClusterParameters(RdsClient rdsClient, String
dbClusterGroupName, int flag) {
    try {
        DescribeDbClusterParametersRequest dbParameterGroupsRequest;
        if (flag == 0) {
            dbParameterGroupsRequest =
DescribeDbClusterParametersRequest.builder()
                .dBClusterParameterGroupName(dbClusterGroupName)
```

```
        .build();
    } else {
        dbParameterGroupsRequest =
DescribeDbClusterParametersRequest.builder()
        .dbClusterParameterGroupName(dbCLusterGroupName)
        .source("user")
        .build();
    }

    DescribeDbClusterParametersResponse response = rdsClient
        .describeDBClusterParameters(dbParameterGroupsRequest);
    List<Parameter> dbParameters = response.parameters();
    String paraName;
    for (Parameter para : dbParameters) {
        // Only print out information about either auto_increment_offset or
        // auto_increment_increment.
        paraName = para.parameterName();
        if ((paraName.compareTo("auto_increment_offset") == 0)
            || (paraName.compareTo("auto_increment_increment ") == 0)) {
            System.out.println("**** The parameter name is " + paraName);
            System.out.println("**** The parameter value is " +
para.parameterValue());
            System.out.println("**** The parameter data type is " +
para.dataType());
            System.out.println("**** The parameter description is " +
para.description());
            System.out.println("**** The parameter allowed values is " +
para.allowedValues());
        }
    }

} catch (RdsException e) {
    System.out.println(e.getLocalizedMessage());
    System.exit(1);
}
}
```

- For API details, see [DescribeDBClusterParameters](#) in *AWS SDK for Java 2.x API Reference*.

DescribeDBClusterSchemas

The following code example shows how to use `DescribeDBClusterSchemas`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void waitForSnapshotReady(RdsClient rdsClient, String dbSnapshotIdentifier, String dbInstanceClusterIdentifier) {  
    try {  
        boolean snapshotReady = false;  
        String snapshotReadyStr;  
        System.out.println("Waiting for the snapshot to become available.");  
  
        DescribeDbClusterSnapshotsRequest snapshotsRequest =  
        DescribeDbClusterSnapshotsRequest.builder()  
            .dbClusterSnapshotIdentifier(dbSnapshotIdentifier)  
            .dbClusterIdentifier(dbInstanceClusterIdentifier)  
            .build();  
  
        while (!snapshotReady) {  
            DescribeDbClusterSnapshotsResponse response =  
            rdsClient.describeDBClusterSnapshots(snapshotsRequest);  
            List<DBClusterSnapshot> snapshotList =  
            response.dbClusterSnapshots();  
            for (DBClusterSnapshot snapshot : snapshotList) {  
                snapshotReadyStr = snapshot.status();  
                if (snapshotReadyStr.contains("available")) {  
                    snapshotReady = true;  
                } else {  
                    System.out.println(".");  
                    Thread.sleep(sleepTime * 5000);  
                }  
            }  
        }  
  
        System.out.println("The Snapshot is available!");  
    } catch (RdsException | InterruptedException e) {  
        System.out.println(e.getLocalizedMessage());  
    }  
}
```

```
        System.exit(1);
    }
}
```

- For API details, see [DescribeDBClusterSnapshots](#) in *AWS SDK for Java 2.x API Reference*.

DescribeDBClusters

The following code example shows how to use `DescribeDBClusters`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void describeDbClusterParameters(RdsClient rdsClient, String dbClusterGroupName, int flag) {
    try {
        DescribeDbClusterParametersRequest dbParameterGroupsRequest;
        if (flag == 0) {
            dbParameterGroupsRequest =
                DescribeDbClusterParametersRequest.builder()
                    .dbClusterParameterGroupName(dbClusterGroupName)
                    .build();
        } else {
            dbParameterGroupsRequest =
                DescribeDbClusterParametersRequest.builder()
                    .dbClusterParameterGroupName(dbClusterGroupName)
                    .source("user")
                    .build();
        }

        DescribeDbClusterParametersResponse response = rdsClient
            .describeDBClusterParameters(dbParameterGroupsRequest);
        List<Parameter> dbParameters = response.parameters();
        String paraName;
        for (Parameter para : dbParameters) {
            // Only print out information about either auto_increment_offset or
```

```
// auto_increment_incremet.  
paraName = para.parameterName();  
if ((paraName.compareTo("auto_increment_offset") == 0)  
    || (paraName.compareTo("auto_increment_incremet ") == 0)) {  
    System.out.println("**** The parameter name is " + paraName);  
    System.out.println("**** The parameter value is " +  
para.parameterValue());  
    System.out.println("**** The parameter data type is " +  
para.dataType());  
    System.out.println("**** The parameter description is " +  
para.description());  
    System.out.println("**** The parameter allowed values is " +  
para.allowedValues());  
}  
}  
  
}  
}  
  
} catch (RdsException e) {  
    System.out.println(e.getLocalizedMessage());  
    System.exit(1);  
}  
}
```

- For API details, see [DescribeDBClusters](#) in *AWS SDK for Java 2.x API Reference*.

DescribeDBEngineVersions

The following code example shows how to use `DescribeDBEngineVersions`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void describeDBEngines(RdsClient rdsClient) {  
    try {  
        DescribeDbEngineVersionsRequest engineVersionsRequest =  
DescribeDbEngineVersionsRequest.builder()  
            .engine("aurora-mysql")
```

```
.defaultOnly(true)
.maxRecords(20)
.build();

DescribeDbEngineVersionsResponse response =
rdsClient.describeDBEngineVersions(engineVersionsRequest);
List<DBEngineVersion> engines = response.dbEngineVersions();

// Get all DBEngineVersion objects.
for (DBEngineVersion engine0b : engines) {
    System.out.println("The name of the DB parameter group family for
the database engine is "
        + engine0b.dbParameterGroupFamily());
    System.out.println("The name of the database engine " +
engine0b.engine());
    System.out.println("The version number of the database engine " +
engine0b.engineVersion());
}

} catch (RdsException e) {
    System.out.println(e.getLocalizedMessage());
    System.exit(1);
}
}
```

- For API details, see [DescribeDBEngineVersions](#) in *AWS SDK for Java 2.x API Reference*.

DescribeDBInstances

The following code example shows how to use `DescribeDBInstances`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
// Waits until the database instance is available.
```

```
public static void waitForInstanceReady(RdsClient rdsClient, String dbClusterIdentifier) {
    boolean instanceReady = false;
    String instanceReadyStr;
    System.out.println("Waiting for instance to become available.");
    try {
        DescribeDbClustersRequest instanceRequest =
DescribeDbClustersRequest.builder()
            .dbClusterIdentifier(dbClusterIdentifier)
            .build();

        while (!instanceReady) {
            DescribeDbClustersResponse response =
rdsClient.describeDBClusters(instanceRequest);
            List<DBCluster> clusterList = response.dbClusters();
            for (DBCluster cluster : clusterList) {
                instanceReadyStr = cluster.status();
                if (instanceReadyStr.contains("available")) {
                    instanceReady = true;
                } else {
                    System.out.print(".");
                    Thread.sleep(sleepTime * 1000);
                }
            }
        }
        System.out.println("Database cluster is available!");

    } catch (RdsException | InterruptedException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

- For API details, see [DescribeDBInstances](#) in *AWS SDK for Java 2.x API Reference*.

DescribeOrderableDBInstanceOptions

The following code example shows how to use `DescribeOrderableDBInstanceOptions`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void describeDBEngines(RdsClient rdsClient) {  
    try {  
        DescribeDbEngineVersionsRequest engineVersionsRequest =  
DescribeDbEngineVersionsRequest.builder()  
            .engine("aurora-mysql")  
            .defaultOnly(true)  
            .maxRecords(20)  
            .build();  
  
        DescribeDbEngineVersionsResponse response =  
rdsClient.describeDBEngineVersions(engineVersionsRequest);  
        List<DBEngineVersion> engines = response.dbEngineVersions();  
  
        // Get all DBEngineVersion objects.  
        for (DBEngineVersion engine0b : engines) {  
            System.out.println("The name of the DB parameter group family for  
the database engine is "  
                + engine0b.dbParameterGroupFamily());  
            System.out.println("The name of the database engine " +  
engine0b.engine());  
            System.out.println("The version number of the database engine " +  
engine0b.engineVersion());  
        }  
  
    } catch (RdsException e) {  
        System.out.println(e.getLocalizedMessage());  
        System.exit(1);  
    }  
}
```

- For API details, see [DescribeOrderableDBInstanceOptions](#) in *AWS SDK for Java 2.x API Reference*.

ModifyDBClusterParameterGroup

The following code example shows how to use `ModifyDBClusterParameterGroup`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void describeDbClusterParameterGroups(RdsClient rdsClient, String dbClusterGroupName) {
    try {
        DescribeDbClusterParameterGroupsRequest groupsRequest =
DescribeDbClusterParameterGroupsRequest.builder()
            .dbClusterParameterGroupName(dbClusterGroupName)
            .maxRecords(20)
            .build();

        List<DBClusterParameterGroup> groups =
rdsClient.describeDBClusterParameterGroups(groupsRequest)
            .dbClusterParameterGroups();
        for (DBClusterParameterGroup group : groups) {
            System.out.println("The group name is " +
group.dbClusterParameterGroupName());
            System.out.println("The group ARN is " +
group.dbClusterParameterGroupArn());
        }
    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}
```

- For API details, see [ModifyDBClusterParameterGroup](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Create an Aurora Serverless work item tracker

The following code example shows how to create a web application that tracks work items in an Amazon Aurora Serverless database and uses Amazon Simple Email Service (Amazon SES) to send reports.

SDK for Java 2.x

Shows how to create a web application that tracks and reports on work items stored in an Amazon RDS database.

For complete source code and instructions on how to set up a Spring REST API that queries Amazon Aurora Serverless data and for use by a React application, see the full example on [GitHub](#).

For complete source code and instructions on how to set up and run an example that uses the JDBC API, see the full example on [GitHub](#).

Services used in this example

- Aurora
- Amazon RDS
- Amazon RDS Data Service
- Amazon SES

Auto Scaling examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Auto Scaling.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello Auto Scaling

The following code examples show how to get started using Auto Scaling.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.autoscaling.AutoScalingClient;
import software.amazon.awssdk.services.autoscaling.model.AutoScalingGroup;
import
software.amazon.awssdk.services.autoscaling.model.DescribeAutoScalingGroupsResponse;
import java.util.List;

/**
 * Before running this SDK for Java (v2) code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DescribeAutoScalingGroups {
    public static void main(String[] args) throws InterruptedException {
        AutoScalingClient autoScalingClient = AutoScalingClient.builder()
            .region(Region.US_EAST_1)
            .build();

        describeGroups(autoScalingClient);
    }

    public static void describeGroups(AutoScalingClient autoScalingClient) {
```

```
        DescribeAutoScalingGroupsResponse response =
    autoScalingClient.describeAutoScalingGroups();
    List<AutoScalingGroup> groups = response.autoScalingGroups();
    groups.forEach(group -> {
        System.out.println("Group Name: " + group.autoScalingGroupName());
        System.out.println("Group ARN: " + group.autoScalingGroupARN());
    });
}
```

- For API details, see [DescribeAutoScalingGroups](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Basics](#)
- [Actions](#)
- [Scenarios](#)

Basics

Learn the basics

The following code example shows how to:

- Create an Amazon EC2 Auto Scaling group with a launch template and Availability Zones, and get information about running instances.
- Enable Amazon CloudWatch metrics collection.
- Update the group's desired capacity and wait for an instance to start.
- Terminate an instance in the group.
- List scaling activities that occur in response to user requests and capacity changes.
- Get statistics for CloudWatch metrics, then clean up resources.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Before running this SDK for Java (v2) code example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 *  
 * In addition, create a launch template. For more information, see the  
 * following topic:  
 *  
 * https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/ec2-launch-templates.html#create-launch-template  
 *  
 * This code example performs the following operations:  
 * 1. Creates an Auto Scaling group using an AutoScalingWaiter.  
 * 2. Gets a specific Auto Scaling group and returns an instance Id value.  
 * 3. Describes Auto Scaling with the Id value.  
 * 4. Enables metrics collection.  
 * 5. Update an Auto Scaling group.  
 * 6. Describes Account details.  
 * 7. Describe account details"  
 * 8. Updates an Auto Scaling group to use an additional instance.  
 * 9. Gets the specific Auto Scaling group and gets the number of instances.  
 * 10. List the scaling activities that have occurred for the group.  
 * 11. Terminates an instance in the Auto Scaling group.  
 * 12. Stops the metrics collection.  
 * 13. Deletes the Auto Scaling group.  
 */  
  
public class AutoScalingScenario {  
    public static final String DASHES = new String(new char[80]).replace("\0", "-");  
  
    public static void main(String[] args) throws InterruptedException {
```

```
final String usage = """\n\n\tUsage:\n\t<groupName> <launchTemplateName> <vpcZoneId>\n\n\tWhere:\n\t\tgroupName - The name of the Auto Scaling group.\n\t\tlaunchTemplateName - The name of the launch template.\n\t\tvpcZoneId - A subnet Id for a virtual private cloud (VPC) where\ninstances in the Auto Scaling group can be created.\n\t""";\n\nif (args.length != 3) {\n    System.out.println(usage);\n    System.exit(1);\n}\n\nString groupName = args[0];\nString launchTemplateName = args[1];\nString vpcZoneId = args[2];\nAutoScalingClient autoScalingClient = AutoScalingClient.builder()\n    .region(Region.US_EAST_1)\n    .build();\n\nSystem.out.println(DASHES);\nSystem.out.println("Welcome to the Amazon EC2 Auto Scaling example\nscenario.");\nSystem.out.println(DASHES);\n\nSystem.out.println(DASHES);\nSystem.out.println("1. Create an Auto Scaling group named " + groupName);\ncreateAutoScalingGroup(autoScalingClient, groupName, launchTemplateName,\nvpcZoneId);\nSystem.out.println(\n        "Wait 1 min for the resources, including the instance. Otherwise, an\nempty instance Id is returned");\nThread.sleep(60000);\nSystem.out.println(DASHES);\n\nSystem.out.println(DASHES);\nSystem.out.println("2. Get Auto Scale group Id value");\nString instanceId = getSpecificAutoScalingGroups(autoScalingClient,\ngroupName);\nif (instanceId.compareTo("") == 0) {\n    System.out.println("No instances found in the group");\n}\n\nSystem.out.println(DASHES);\nSystem.out.println("3. Stop the instance");\nstopInstances(autoScalingClient, instanceId);\n\nSystem.out.println(DASHES);\nSystem.out.println("4. Get the instance status");\ngetInstancesStatus(autoScalingClient, instanceId);\n\nSystem.out.println(DASHES);\nSystem.out.println("5. Delete the Auto Scaling group");\ndeleteAutoScalingGroup(autoScalingClient, groupName);\n\nSystem.out.println(DASHES);\nSystem.out.println("6. Verify the group is deleted");\nverifyGroupDeleted(autoScalingClient, groupName);\n\nSystem.out.println(DASHES);\nSystem.out.println("7. Clean up the launch template");\ncleanUpLaunchTemplate(autoScalingClient, launchTemplateName);\n\nSystem.out.println(DASHES);\nSystem.out.println("8. Clean up the VPC zone");\ncleanUpVpcZone(autoScalingClient, vpcZoneId);\n\nSystem.out.println(DASHES);\nSystem.out.println("9. Clean up the region");\ncleanUpRegion(autoScalingClient);\n\nSystem.out.println(DASHES);\nSystem.out.println("10. Exit the script");\nSystem.exit(0);
```

```
        System.out.println("Error - no instance Id value");
        System.exit(1);
    } else {
        System.out.println("The instance Id value is " + instanceId);
    }
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("3. Describe Auto Scaling with the Id value " +
instanceId);
    describeAutoScalingInstance(autoScalingClient, instanceId);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("4. Enable metrics collection " + instanceId);
    enableMetricsCollection(autoScalingClient, groupName);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("5. Update an Auto Scaling group to update max size to
3");
    updateAutoScalingGroup(autoScalingClient, groupName, launchTemplateName);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("6. Describe Auto Scaling groups");
    describeAutoScalingGroups(autoScalingClient, groupName);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("7. Describe account details");
    describeAccountLimits(autoScalingClient);
    System.out.println(
            "Wait 1 min for the resources, including the instance. Otherwise, an
empty instance Id is returned");
    Thread.sleep(60000);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("8. Set desired capacity to 2");
    setDesiredCapacity(autoScalingClient, groupName);
    System.out.println(DASHES);

    System.out.println(DASHES);
```

```
        System.out.println("9. Get the two instance Id values and state");
        getSpecificAutoScalingGroups(autoScalingClient, groupName);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("10. List the scaling activities that have occurred for
the group");
        describeScalingActivities(autoScalingClient, groupName);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("11. Terminate an instance in the Auto Scaling group");
        terminateInstanceInAutoScalingGroup(autoScalingClient, instanceId);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("12. Stop the metrics collection");
        disableMetricsCollection(autoScalingClient, groupName);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("13. Delete the Auto Scaling group");
        deleteAutoScalingGroup(autoScalingClient, groupName);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("The Scenario has successfully completed.");
        System.out.println(DASHES);

        autoScalingClient.close();
    }

    public static void describeScalingActivities(AutoScalingClient
autoScalingClient, String groupName) {
    try {
        DescribeScalingActivitiesRequest scalingActivitiesRequest =
DescribeScalingActivitiesRequest.builder()
            .autoScalingGroupName(groupName)
            .maxRecords(10)
            .build();

        DescribeScalingActivitiesResponse response = autoScalingClient
            .describeScalingActivities(scalingActivitiesRequest);
        List<Activity> activities = response.activities();
    }
}
```

```
        for (Activity activity : activities) {
            System.out.println("The activity Id is " + activity.activityId());
            System.out.println("The activity details are " +
activity.details());
        }

    } catch (AutoScalingException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

public static void setDesiredCapacity(AutoScalingClient autoScalingClient,
String groupName) {
    try {
        SetDesiredCapacityRequest capacityRequest =
SetDesiredCapacityRequest.builder()
            .autoScalingGroupName(groupName)
            .desiredCapacity(2)
            .build();

        autoScalingClient.setDesiredCapacity(capacityRequest);
        System.out.println("You have set the DesiredCapacity to 2");

    } catch (AutoScalingException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

public static void createAutoScalingGroup(AutoScalingClient autoScalingClient,
String groupName,
String launchTemplateName,
String vpcZoneId) {
    try {
        AutoScalingWaiter waiter = autoScalingClient.waiter();
        LaunchTemplateSpecification templateSpecification =
LaunchTemplateSpecification.builder()
            .launchTemplateName(launchTemplateName)
            .build();

        CreateAutoScalingGroupRequest request =
CreateAutoScalingGroupRequest.builder()
            .autoScalingGroupName(groupName)
```

```
        .availabilityZones("us-east-1a")
        .launchTemplate(templateSpecification)
        .maxSize(1)
        .minSize(1)
        .vpcZoneIdentifier(vpcZoneId)
        .build();

    autoScalingClient.createAutoScalingGroup(request);
    DescribeAutoScalingGroupsRequest groupsRequest =
DescribeAutoScalingGroupsRequest.builder()
        .autoScalingGroupNames(groupName)
        .build();

    WaiterResponse<DescribeAutoScalingGroupsResponse> waiterResponse =
waiter
        .waitFor("AutoScalingGroupExists")
        .pollDelay(Duration.ofSeconds(10))
        .build();

    waiterResponse.matched().response().ifPresent(System.out::println);
    System.out.println("Auto Scaling Group created");

} catch (AutoScalingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}

public static void describeAutoScalingInstance(AutoScalingClient
autoScalingClient, String id) {
    try {
        DescribeAutoScalingInstancesRequest describeAutoScalingInstancesRequest
= DescribeAutoScalingInstancesRequest
        .builder()
        .instanceIds(id)
        .build();

        DescribeAutoScalingInstancesResponse response = autoScalingClient

.describeAutoScalingInstances(describeAutoScalingInstancesRequest);
        List<AutoScalingInstanceDetails> instances =
response.autoScalingInstances();
        for (AutoScalingInstanceDetails instance : instances) {
            System.out.println("The instance lifecycle state is: " +
instance.lifecycleState());
        }
    }
}
```

```
        } catch (AutoScalingException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }

    public static void describeAutoScalingGroups(AutoScalingClient autoScalingClient, String groupName) {
        try {
            DescribeAutoScalingGroupsRequest groupsRequest =
DescribeAutoScalingGroupsRequest.builder()
                .autoScalingGroupNames(groupName)
                .maxRecords(10)
                .build();

            DescribeAutoScalingGroupsResponse response =
autoScalingClient.describeAutoScalingGroups(groupsRequest);
            List<AutoScalingGroup> groups = response.autoScalingGroups();
            for (AutoScalingGroup group : groups) {
                System.out.println("**** The service to use for the health checks: "
+ group.healthCheckType());
            }
        } catch (AutoScalingException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }

    public static String getSpecificAutoScalingGroups(AutoScalingClient autoScalingClient, String groupName) {
        try {
            String instanceId = "";
            DescribeAutoScalingGroupsRequest scalingGroupsRequest =
DescribeAutoScalingGroupsRequest.builder()
                .autoScalingGroupNames(groupName)
                .build();

            DescribeAutoScalingGroupsResponse response = autoScalingClient
                .describeAutoScalingGroups(scalingGroupsRequest);
            List<AutoScalingGroup> groups = response.autoScalingGroups();
            for (AutoScalingGroup group : groups) {
                System.out.println("The group name is " +
group.autoScalingGroupName());
            }
        }
    }
}
```

```
        System.out.println("The group ARN is " +
group.autoScalingGroupARN());
        List<Instance> instances = group.instances();

        for (Instance instance : instances) {
            instanceId = instance.instanceId();
            System.out.println("The instance id is " + instanceId);
            System.out.println("The lifecycle state is " +
instance.lifecycleState());
        }
    }

    return instanceId;
} catch (AutoScalingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
return "";
}

public static void enableMetricsCollection(AutoScalingClient autoScalingClient,
String groupName) {
try {
    EnableMetricsCollectionRequest collectionRequest =
EnableMetricsCollectionRequest.builder()
        .autoScalingGroupName(groupName)
        .metrics("GroupMaxSize")
        .granularity("1Minute")
        .build();

    autoScalingClient.enableMetricsCollection(collectionRequest);
    System.out.println("The enable metrics collection operation was
successful");
} catch (AutoScalingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}

public static void disableMetricsCollection(AutoScalingClient autoScalingClient,
String groupName) {
try {
```

```
        DisableMetricsCollectionRequest disableMetricsCollectionRequest =
DisableMetricsCollectionRequest.builder()
    .autoScalingGroupName(groupName)
    .metrics("GroupMaxSize")
    .build();

autoScalingClient.disableMetricsCollection(disableMetricsCollectionRequest);
    System.out.println("The disable metrics collection operation was
successful");

} catch (AutoScalingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}

public static void describeAccountLimits(AutoScalingClient autoScalingClient) {
    try {
        DescribeAccountLimitsResponse response =
autoScalingClient.describeAccountLimits();
        System.out.println("The max number of auto scaling groups is " +
response.maxNumberOfAutoScalingGroups());
        System.out.println("The current number of auto scaling groups is " +
response.numberOfAutoScalingGroups());

    } catch (AutoScalingException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

public static void updateAutoScalingGroup(AutoScalingClient autoScalingClient,
String groupName,
    String launchTemplateName) {
try {
    AutoScalingWaiter waiter = autoScalingClient.waiter();
    LaunchTemplateSpecification templateSpecification =
LaunchTemplateSpecification.builder()
        .launchTemplateName(launchTemplateName)
        .build();

    UpdateAutoScalingGroupRequest groupRequest =
UpdateAutoScalingGroupRequest.builder()
```

```
.maxSize(3)
    .autoScalingGroupName(groupName)
    .launchTemplate(templateSpecification)
    .build();

    autoScalingClient.updateAutoScalingGroup(groupRequest);
    DescribeAutoScalingGroupsRequest groupsRequest =
DescribeAutoScalingGroupsRequest.builder()
    .autoScalingGroupNames(groupName)
    .build();

    WaiterResponse<DescribeAutoScalingGroupsResponse> waiterResponse =
waiter
        .waitFor("groupInService")
        .pollDelay(Duration.ofSeconds(10))
        .build();

    waiterResponse.waitUntilReady();
    waiterResponse.matched().response().ifPresent(System.out::println);
    System.out.println("You successfully updated the auto scaling group " +
groupName);

} catch (AutoScalingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}

}

public static void terminateInstanceInAutoScalingGroup(AutoScalingClient
autoScalingClient, String instanceId) {
    try {
        TerminateInstanceInAutoScalingGroupRequest request =
TerminateInstanceInAutoScalingGroupRequest.builder()
            .instanceId(instanceId)
            .shouldDecrementDesiredCapacity(false)
            .build();

        autoScalingClient.terminateInstanceInAutoScalingGroup(request);
        System.out.println("You have terminated instance " + instanceId);

    } catch (AutoScalingException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

public static void deleteAutoScalingGroup(AutoScalingClient autoScalingClient,
String groupName) {
```

```
try {
    DeleteAutoScalingGroupRequest deleteAutoScalingGroupRequest =
DeleteAutoScalingGroupRequest.builder()
        .autoScalingGroupName(groupName)
        .forceDelete(true)
        .build();

    autoScalingClient.deleteAutoScalingGroup(deleteAutoScalingGroupRequest);
    System.out.println("You successfully deleted " + groupName);

} catch (AutoScalingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [CreateAutoScalingGroup](#)
- [DeleteAutoScalingGroup](#)
- [DescribeAutoScalingGroups](#)
- [DescribeAutoScalingInstances](#)
- [DescribeScalingActivities](#)
- [DisableMetricsCollection](#)
- [EnableMetricsCollection](#)
- [SetDesiredCapacity](#)
- [TerminateInstanceInAutoScalingGroup](#)
- [UpdateAutoScalingGroup](#)

Actions

CreateAutoScalingGroup

The following code example shows how to use CreateAutoScalingGroup.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.core.waiters.WaiterResponse;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.autoscaling.AutoScalingClient;
import software.amazon.awssdk.services.autoscaling.model.AutoScalingException;
import
software.amazon.awssdk.services.autoscaling.model.CreateAutoScalingGroupRequest;
import
software.amazon.awssdk.services.autoscaling.model.DescribeAutoScalingGroupsRequest;
import
software.amazon.awssdk.services.autoscaling.model.DescribeAutoScalingGroupsResponse;
import
software.amazon.awssdk.services.autoscaling.model.LaunchTemplateSpecification;
import software.amazon.awssdk.services.autoscaling.waiters.AutoScalingWaiter;

/**
 * Before running this SDK for Java (v2) code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class CreateAutoScalingGroup {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <groupName> <launchTemplateName> <serviceLinkedRoleARN>
            <vpcZoneId>
            Where:
            groupName - The name of the Auto Scaling group.
            launchTemplateName - The name of the launch template.\s
        """;
    }
}
```

```
vpcZoneId - A subnet Id for a virtual private cloud (VPC) where
instances in the Auto Scaling group can be created.

""";  
  
if (args.length != 3) {
    System.out.println(usage);
    System.exit(1);
}  
  
String groupName = args[0];
String launchTemplateName = args[1];
String vpcZoneId = args[2];
AutoScalingClient autoScalingClient = AutoScalingClient.builder()
    .region(Region.US_EAST_1)
    .build();  
  
createAutoScalingGroup(autoScalingClient, groupName, launchTemplateName,
vpcZoneId);
autoScalingClient.close();
}  
  
public static void createAutoScalingGroup(AutoScalingClient autoScalingClient,
    String groupName,
    String launchTemplateName,
    String vpcZoneId) {  
  
try {
    AutoScalingWaiter waiter = autoScalingClient.waiter();
    LaunchTemplateSpecification templateSpecification =
LaunchTemplateSpecification.builder()
        .launchTemplateName(launchTemplateName)
        .build();  
  
CreateAutoScalingGroupRequest request =
CreateAutoScalingGroupRequest.builder()
        .autoScalingGroupName(groupName)
        .availabilityZones("us-east-1a")
        .launchTemplate(templateSpecification)
        .maxSize(1)
        .minSize(1)
        .vpcZoneIdentifier(vpcZoneId)
        .build();  
  
autoScalingClient.createAutoScalingGroup(request);
```

```
        DescribeAutoScalingGroupsRequest groupsRequest =
DescribeAutoScalingGroupsRequest.builder()
    .autoScalingGroupNames(groupName)
    .build();

    WaiterResponse<DescribeAutoScalingGroupsResponse> waiterResponse =
waiter
    .waitFor(WaiterConfig.create().withWaitTime(10).withPollingStrategy(PollingStrategy.fixed(1)))
    .withWaitUntil(WaitUntilGroupExists.class)
    .withMatcher(WaiterConfig.create().withMatch(WaiterConfig.MATCH_ALL))
    .withPollingStrategy(PollingStrategy.fixed(1))
    .withWaitTime(10);

    waiterResponse.matched().response().ifPresent(System.out::println);
    System.out.println("Auto Scaling Group created");

} catch (AutoScalingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

- For API details, see [CreateAutoScalingGroup](#) in *AWS SDK for Java 2.x API Reference*.

DeleteAutoScalingGroup

The following code example shows how to use DeleteAutoScalingGroup.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.autoscaling.AutoScalingClient;
import software.amazon.awssdk.services.autoscaling.model.AutoScalingException;
import
software.amazon.awssdk.services.autoscaling.model.DeleteAutoScalingGroupRequest;

/**
 * Before running this SDK for Java (v2) code example, set up your development
 * environment, including your credentials.

```

```
*  
* For more information, see the following documentation:  
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
public class DeleteAutoScalingGroup {  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:  
            <groupName>  
  
            Where:  
            groupName - The name of the Auto Scaling group.  
            """;  
  
        if (args.length != 1) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String groupName = args[0];  
        AutoScalingClient autoScalingClient = AutoScalingClient.builder()  
            .region(Region.US_EAST_1)  
            .build();  
  
        deleteAutoScalingGroup(autoScalingClient, groupName);  
        autoScalingClient.close();  
    }  
  
    public static void deleteAutoScalingGroup(AutoScalingClient autoScalingClient,  
String groupName) {  
        try {  
            DeleteAutoScalingGroupRequest deleteAutoScalingGroupRequest =  
DeleteAutoScalingGroupRequest.builder()  
                .autoScalingGroupName(groupName)  
                .forceDelete(true)  
                .build();  
  
            autoScalingClient.deleteAutoScalingGroup(deleteAutoScalingGroupRequest);  
            System.out.println("You successfully deleted " + groupName);  
  
        } catch (AutoScalingException e) {  
            System.err.println(e.awsErrorDetails().errorMessage());  
        }  
    }  
}
```

```
        System.exit(1);
    }
}
```

- For API details, see [DeleteAutoScalingGroup](#) in *AWS SDK for Java 2.x API Reference*.

DescribeAutoScalingGroups

The following code example shows how to use `DescribeAutoScalingGroups`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.autoscaling.AutoScalingClient;
import software.amazon.awssdk.services.autoscaling.model.AutoScalingException;
import software.amazon.awssdk.services.autoscaling.model.AutoScalingGroup;
import
software.amazon.awssdk.services.autoscaling.model.DescribeAutoScalingGroupsResponse;
import
software.amazon.awssdk.services.autoscaling.model.DescribeAutoScalingGroupsRequest;
import software.amazon.awssdk.services.autoscaling.model.Instance;
import java.util.List;

/**
 * Before running this SDK for Java (v2) code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DescribeAutoScalingInstances {
    public static void main(String[] args) {
        final String usage = """
```

```
Usage:  
<groupName>  
  
Where:  
    groupName - The name of the Auto Scaling group.  
""";  
  
if (args.length != 1) {  
    System.out.println(usage);  
    System.exit(1);  
}  
  
String groupName = args[0];  
AutoScalingClient autoScalingClient = AutoScalingClient.builder()  
    .region(Region.US_EAST_1)  
    .build();  
  
String instanceId = getAutoScaling(autoScalingClient, groupName);  
System.out.println(instanceId);  
autoScalingClient.close();  
}  
  
public static String getAutoScaling(AutoScalingClient autoScalingClient, String  
groupName) {  
    try {  
        String instanceId = "";  
        DescribeAutoScalingGroupsRequest scalingGroupsRequest =  
DescribeAutoScalingGroupsRequest.builder()  
            .autoScalingGroupNames(groupName)  
            .build();  
  
        DescribeAutoScalingGroupsResponse response = autoScalingClient  
            .describeAutoScalingGroups(scalingGroupsRequest);  
        List<AutoScalingGroup> groups = response.autoScalingGroups();  
        for (AutoScalingGroup group : groups) {  
            System.out.println("The group name is " +  
group.autoScalingGroupName());  
            System.out.println("The group ARN is " +  
group.autoScalingGroupARN());  
  
            List<Instance> instances = group.instances();  
            for (Instance instance : instances) {  
                instanceId = instance.instanceId();  
            }  
        }  
    } catch (AmazonServiceException e) {  
        System.out.println("Error: " + e.getMessage());  
    }  
}
```

```
        }
    }
    return instanceId;
} catch (AutoScalingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
return "";
}
}
```

- For API details, see [DescribeAutoScalingGroups](#) in *AWS SDK for Java 2.x API Reference*.

DescribeAutoScalingInstances

The following code example shows how to use `DescribeAutoScalingInstances`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void describeAutoScalingInstance(AutoScalingClient
autoScalingClient, String id) {
    try {
        DescribeAutoScalingInstancesRequest describeAutoScalingInstancesRequest
= DescribeAutoScalingInstancesRequest
        .builder()
        .instanceIds(id)
        .build();

        DescribeAutoScalingInstancesResponse response = autoScalingClient
            .describeAutoScalingInstances(describeAutoScalingInstancesRequest);
        List<AutoScalingInstanceDetails> instances =
response.autoScalingInstances();
        for (AutoScalingInstanceDetails instance : instances) {
```

```
        System.out.println("The instance lifecycle state is: " +
instance.lifecycleState());
    }

} catch (AutoScalingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

- For API details, see [DescribeAutoScalingInstances](#) in *AWS SDK for Java 2.x API Reference*.

DescribeScalingActivities

The following code example shows how to use `DescribeScalingActivities`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void describeScalingActivities(AutoScalingClient
autoScalingClient, String groupName) {
    try {
        DescribeScalingActivitiesRequest scalingActivitiesRequest =
DescribeScalingActivitiesRequest.builder()
        .autoScalingGroupName(groupName)
        .maxRecords(10)
        .build();

        DescribeScalingActivitiesResponse response = autoScalingClient
            .describeScalingActivities(scalingActivitiesRequest);
        List<Activity> activities = response.activities();
        for (Activity activity : activities) {
            System.out.println("The activity Id is " + activity.activityId());
            System.out.println("The activity details are " +
activity.details());
    }
}
```

```
    }

} catch (AutoScalingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}

}
```

- For API details, see [DescribeScalingActivities](#) in *AWS SDK for Java 2.x API Reference*.

DisableMetricsCollection

The following code example shows how to use `DisableMetricsCollection`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void disableMetricsCollection(AutoScalingClient autoScalingClient,
String groupName) {
    try {
        DisableMetricsCollectionRequest disableMetricsCollectionRequest =
DisableMetricsCollectionRequest.builder()
            .autoScalingGroupName(groupName)
            .metrics("GroupMaxSize")
            .build();

autoScalingClient.disableMetricsCollection(disableMetricsCollectionRequest);
        System.out.println("The disable metrics collection operation was
successful");

    } catch (AutoScalingException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

```
}
```

- For API details, see [DisableMetricsCollection](#) in *AWS SDK for Java 2.x API Reference*.

EnableMetricsCollection

The following code example shows how to use `EnableMetricsCollection`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void enableMetricsCollection(AutoScalingClient autoScalingClient,
String groupName) {
    try {
        EnableMetricsCollectionRequest collectionRequest =
EnableMetricsCollectionRequest.builder()
            .autoScalingGroupName(groupName)
            .metrics("GroupMaxSize")
            .granularity("1Minute")
            .build();

        autoScalingClient.enableMetricsCollection(collectionRequest);
        System.out.println("The enable metrics collection operation was
successful");

    } catch (AutoScalingException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [EnableMetricsCollection](#) in *AWS SDK for Java 2.x API Reference*.

SetDesiredCapacity

The following code example shows how to use SetDesiredCapacity.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void setDesiredCapacity(AutoScalingClient autoScalingClient,
String groupName) {
    try {
        SetDesiredCapacityRequest capacityRequest =
SetDesiredCapacityRequest.builder()
            .autoScalingGroupName(groupName)
            .desiredCapacity(2)
            .build();

        autoScalingClient.setDesiredCapacity(capacityRequest);
        System.out.println("You have set the DesiredCapacity to 2");

    } catch (AutoScalingException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [SetDesiredCapacity](#) in *AWS SDK for Java 2.x API Reference*.

TerminateInstanceInAutoScalingGroup

The following code example shows how to use TerminateInstanceInAutoScalingGroup.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void terminateInstanceInAutoScalingGroup(AutoScalingClient  
autoScalingClient, String instanceId) {  
    try {  
        TerminateInstanceInAutoScalingGroupRequest request =  
TerminateInstanceInAutoScalingGroupRequest.builder()  
            .instanceId(instanceId)  
            .shouldDecrementDesiredCapacity(false)  
            .build();  
  
        autoScalingClient.terminateInstanceInAutoScalingGroup(request);  
        System.out.println("You have terminated instance " + instanceId);  
  
    } catch (AutoScalingException e) {  
        System.err.println(e.awsErrorDetails().errorMessage());  
        System.exit(1);  
    }  
}
```

- For API details, see [TerminateInstanceInAutoScalingGroup](#) in *AWS SDK for Java 2.x API Reference*.

UpdateAutoScalingGroup

The following code example shows how to use UpdateAutoScalingGroup.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void updateAutoScalingGroup(AutoScalingClient autoScalingClient,
String groupName,
    String launchTemplateName) {
try {
    AutoScalingWaiter waiter = autoScalingClient.waiter();
    LaunchTemplateSpecification templateSpecification =
LaunchTemplateSpecification.builder()
        .launchTemplateName(launchTemplateName)
        .build();

    UpdateAutoScalingGroupRequest groupRequest =
UpdateAutoScalingGroupRequest.builder()
        .maxSize(3)
        .autoScalingGroupName(groupName)
        .launchTemplate(templateSpecification)
        .build();

    autoScalingClient.updateAutoScalingGroup(groupRequest);
    DescribeAutoScalingGroupsRequest groupsRequest =
DescribeAutoScalingGroupsRequest.builder()
        .autoScalingGroupNames(groupName)
        .build();

    WaiterResponse<DescribeAutoScalingGroupsResponse> waiterResponse =
waiter
        .waitForGroupInService(groupsRequest);
    waiterResponse.matched().response().ifPresent(System.out::println);
    System.out.println("You successfully updated the auto scaling group " +
groupName);

} catch (AutoScalingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

- For API details, see [UpdateAutoScalingGroup](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Build and manage a resilient service

The following code example shows how to create a load-balanced web service that returns book, movie, and song recommendations. The example shows how the service responds to failures, and how to restructure the service for more resilience when failures occur.

- Use an Amazon EC2 Auto Scaling group to create Amazon Elastic Compute Cloud (Amazon EC2) instances based on a launch template and to keep the number of instances in a specified range.
- Handle and distribute HTTP requests with Elastic Load Balancing.
- Monitor the health of instances in an Auto Scaling group and forward requests only to healthy instances.
- Run a Python web server on each EC2 instance to handle HTTP requests. The web server responds with recommendations and health checks.
- Simulate a recommendation service with an Amazon DynamoDB table.
- Control web server response to requests and health checks by updating AWS Systems Manager parameters.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Run the interactive scenario at a command prompt.

```
public class Main {  
  
    public static final String fileName = "C:\\AWS\\reswokflow\\  
\\recommendations.json"; // Modify file location.  
    public static final String tableName = "doc-example-recommendation-service";  
    public static final String startScript = "C:\\AWS\\reswokflow\\  
\\server_startup_script.sh"; // Modify file location.  
    public static final String policyFile = "C:\\AWS\\reswokflow\\  
\\instance_policy.json"; // Modify file location.
```

```
public static final String ssmJSON = "C:\\AWS\\resworkflow\\\nssm_only_policy.json"; // Modify file location.\npublic static final String failureResponse = "doc-example-resilient-\narchitecture-failure-response";\npublic static final String healthCheck = "doc-example-resilient-architecture-\nhealth-check";\npublic static final String templateName = "doc-example-resilience-template";\npublic static final String roleName = "doc-example-resilience-role";\npublic static final String policyName = "doc-example-resilience-pol";\npublic static final String profileName = "doc-example-resilience-prof";\n\npublic static final String badCredsProfileName = "doc-example-resilience-prof-\nbc";\n\npublic static final String targetGroupName = "doc-example-resilience-tg";\npublic static final String autoScalingGroupName = "doc-example-resilience-\ngroup";\npublic static final String lbName = "doc-example-resilience-lb";\npublic static final String protocol = "HTTP";\npublic static final int port = 80;\n\npublic static final String DASHES = new String(new char[80]).replace("\0", "-");\n\npublic static void main(String[] args) throws IOException, InterruptedException\n{\n    Scanner in = new Scanner(System.in);\n    Database database = new Database();\n    AutoScaler autoScaler = new AutoScaler();\n    LoadBalancer loadBalancer = new LoadBalancer();\n\n    System.out.println(DASHES);\n    System.out.println("Welcome to the demonstration of How to Build and Manage\na Resilient Service!");\n    System.out.println(DASHES);\n\n    System.out.println(DASHES);\n    System.out.println("A - SETUP THE RESOURCES");\n    System.out.println("Press Enter when you're ready to start deploying\nresources.");\n    in.nextLine();\n    deploy(loadBalancer);\n    System.out.println(DASHES);\n    System.out.println(DASHES);\n    System.out.println("B - DEMO THE RESILIENCE FUNCTIONALITY");\n}
```

```
System.out.println("Press Enter when you're ready.");
in.nextLine();
demo(loadBalancer);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("C - DELETE THE RESOURCES");
System.out.println(""""
    This concludes the demo of how to build and manage a resilient
service.

To keep things tidy and to avoid unwanted charges on your account,
we can clean up all AWS resources
    that were created for this demo.
""");

System.out.println("\n Do you want to delete the resources (y/n)? ");
String userInput = in.nextLine().trim().toLowerCase(); // Capture user input

if (userInput.equals("y")) {
    // Delete resources here
    deleteResources(loadBalancer, autoScaler, database);
    System.out.println("Resources deleted.");
} else {
    System.out.println("""
        Okay, we'll leave the resources intact.
        Don't forget to delete them when you're done with them or you
might incur unexpected charges.
""");
}
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("The example has completed. ");
System.out.println("\n Thanks for watching!");
System.out.println(DASHES);
}

// Deletes the AWS resources used in this example.
private static void deleteResources(LoadBalancer loadBalancer, AutoScaler
autoScaler, Database database)
    throws IOException, InterruptedException {
loadBalancer.deleteLoadBalancer(lbName);
System.out.println("*** Wait 30 secs for resource to be deleted");
TimeUnit.SECONDS.sleep(30);
```

```
        loadBalancer.deleteTargetGroup(targetGroupName);
        autoScaler.deleteAutoScaleGroup(autoScalingGroupName);
        autoScaler.deleteRolesPolicies(policyName, roleName, profileName);
        autoScaler.deleteTemplate(templateName);
        database.deleteTable(tableName);
    }

    private static void deploy(LoadBalancer loadBalancer) throws
InterruptedException, IOException {
    Scanner in = new Scanner(System.in);
    System.out.println(
        """
            For this demo, we'll use the AWS SDK for Java (v2) to create
several AWS resources
            to set up a load-balanced web service endpoint and explore
some ways to make it resilient
            against various kinds of failures.

            Some of the resources create by this demo are:
            \t* A DynamoDB table that the web service depends on to
provide book, movie, and song recommendations.
            \t* An EC2 launch template that defines EC2 instances that
each contain a Python web server.
            \t* An EC2 Auto Scaling group that manages EC2 instances
across several Availability Zones.
            \t* An Elastic Load Balancing (ELB) load balancer that
targets the Auto Scaling group to distribute requests.
        """);

    System.out.println("Press Enter when you're ready.");
    in.nextLine();
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("Creating and populating a DynamoDB table named " +
tableName);
    Database database = new Database();
    database.createTable(tableName, fileName);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("""
        Creating an EC2 launch template that runs '{startup_script}' when an
instance starts.
```

```
This script starts a Python web server defined in the `server.py`  
script. The web server  
    listens to HTTP requests on port 80 and responds to requests to '/'  
and to '/healthcheck'.  
    For demo purposes, this server is run as the root user. In  
production, the best practice is to  
        run a web server, such as Apache, with least-privileged credentials.  
  
    The template also defines an IAM policy that each instance uses to  
assume a role that grants  
    permissions to access the DynamoDB recommendation table and Systems  
Manager parameters  
        that control the flow of the demo.  
        """");  
  
LaunchTemplateCreator templateCreator = new LaunchTemplateCreator();  
templateCreator.createTemplate(policyFile, policyName, profileName,  
startScript, templateName, roleName);  
System.out.println(DASHES);  
  
System.out.println(DASHES);  
System.out.println(  
    "Creating an EC2 Auto Scaling group that maintains three EC2  
instances, each in a different Availability Zone.");  
System.out.println("**** Wait 30 secs for the VPC to be created");  
TimeUnit.SECONDS.sleep(30);  
AutoScaler autoScaler = new AutoScaler();  
String[] zones = autoScaler.createGroup(3, templateName,  
autoScalingGroupName);  
  
System.out.println("")  
    At this point, you have EC2 instances created. Once each instance  
starts, it listens for  
    HTTP requests. You can see these instances in the console or  
continue with the demo.  
    Press Enter when you're ready to continue.  
    """");  
  
in.nextLine();  
System.out.println(DASHES);  
  
System.out.println(DASHES);  
System.out.println("Creating variables that control the flow of the demo.");  
ParameterHelper paramHelper = new ParameterHelper();
```

```
paramHelper.reset();
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println(""""
Creating an Elastic Load Balancing target group and load balancer.

The target group
    defines how the load balancer connects to instances. The load
balancer provides a
    single endpoint where clients connect and dispatches requests to
instances in the group.
""");

String vpcId = autoScaler.getDefaultVPC();
List<Subnet> subnets = autoScaler.getSubnets(vpcId, zones);
System.out.println("You have retrieved a list with " + subnets.size() + "
subnets");
String targetGroupArn = loadBalancer.createTargetGroup(protocol, port,
vpcId, targetGroupName);
String elbDnsName = loadBalancer.createLoadBalancer(subnets, targetGroupArn,
lbName, port, protocol);
autoScaler.attachLoadBalancerTargetGroup(autoScalingGroupName,
targetGroupArn);
System.out.println("Verifying access to the load balancer endpoint...");
boolean wasSuccessful = loadBalancer.verifyLoadBalancerEndpoint(elbDnsName);
if (!wasSuccessful) {
    System.out.println("Couldn't connect to the load balancer, verifying
that the port is open...");
    CloseableHttpClient httpClient = HttpClients.createDefault();

    // Create an HTTP GET request to "http://checkip.amazonaws.com"
    HttpGet httpGet = new HttpGet("http://checkip.amazonaws.com");
    try {
        // Execute the request and get the response
        HttpResponse response = httpClient.execute(httpGet);

        // Read the response content.
        String ipAddress =
IOUtils.toString(response.getEntity().getContent(), StandardCharsets.UTF_8).trim();

        // Print the public IP address.
        System.out.println("Public IP Address: " + ipAddress);
        GroupInfo groupInfo = autoScaler.verifyInboundPort(vpcId, port,
ipAddress);
```

```
        if (!groupInfo.isPortOpen()) {
            System.out.println(""""
                For this example to work, the default security group for
your default VPC must
                allow access from this computer. You can either add it
automatically from this
                example or add it yourself using the AWS Management
Console.
            """);
        }

        System.out.println(
            "Do you want to add a rule to security group " +
groupInfo.getGroupName() + " to allow");
        System.out.println("inbound traffic on port " + port + " from
your computer's IP address (y/n)");
        String ans = in.nextLine();
        if ("y".equalsIgnoreCase(ans)) {
            autoScaler.openInboundPort(groupInfo.getGroupName(),
String.valueOf(port), ipAddress);
            System.out.println("Security group rule added.");
        } else {
            System.out.println("No security group rule added.");
        }
    }

} catch (AutoScalingException e) {
    e.printStackTrace();
}
} else if (wasSuccessful) {
    System.out.println("Your load balancer is ready. You can access it by
browsing to:");
    System.out.println("\t http://" + elbDnsName);
} else {
    System.out.println("Couldn't get a successful response from the load
balancer endpoint. Troubleshoot by");
    System.out.println("manually verifying that your VPC and security group
are configured correctly and that");
    System.out.println("you can successfully make a GET request to the load
balancer.");
}

System.out.println("Press Enter when you're ready to continue with the
demo.");
in.nextLine();
```

```
}

// A method that controls the demo part of the Java program.
public static void demo(LoadBalancer loadBalancer) throws IOException,
InterruptedException {
    ParameterHelper paramHelper = new ParameterHelper();
    System.out.println("Read the ssm_only_policy.json file");
    String ssmOnlyPolicy = readFileSync(ssmJSON);

    System.out.println("Resetting parameters to starting values for demo.");
    paramHelper.reset();

    System.out.println(
        """
            This part of the demonstration shows how to toggle
different parts of the system
            to create situations where the web service fails, and shows
how using a resilient
            architecture can keep the web service running in spite of
these failures.

            At the start, the load balancer endpoint returns
recommendations and reports that all targets are healthy.
        """);
    demoChoices(loadBalancer);

    System.out.println(
        """
            The web service running on the EC2 instances gets
recommendations by querying a DynamoDB table.
            The table name is contained in a Systems Manager parameter
named self.param_helper.table.
            To simulate a failure of the recommendation service, let's
set this parameter to name a non-existent table.
        """);
    paramHelper.put(paramHelper.tableName, "this-is-not-a-table");

    System.out.println(
        """
            \nNow, sending a GET request to the load balancer endpoint
returns a failure code. But, the service reports as
            healthy to the load balancer because shallow health checks
don't check for failure of the recommendation service.
        """);
```

```
demoChoices(loadBalancer);

System.out.println(
    """
        Instead of failing when the recommendation service fails,
the web service can return a static response.

        While this is not a perfect solution, it presents the
customer with a somewhat better experience than failure.

    """);
paramHelper.put(paramHelper.failureResponse, "static");

System.out.println("""
        Now, sending a GET request to the load balancer endpoint returns a
static response.

        The service still reports as healthy because health checks are still
shallow.

    """);
demoChoices(loadBalancer);

System.out.println("Let's reinstate the recommendation service.");
paramHelper.put(paramHelper.tableName, paramHelper.dyntable);

System.out.println("""
        Let's also substitute bad credentials for one of the instances in
the target group so that it can't
access the DynamoDB recommendation table. We will get an instance id
value.

    """);

LaunchTemplateCreator templateCreator = new LaunchTemplateCreator();
AutoScaler autoScaler = new AutoScaler();

// Create a new instance profile based on badCredsProfileName.
templateCreator.createInstanceProfile(policyFile, policyName,
badCredsProfileName, roleName);
String badInstanceId = autoScaler.getBadInstanceId(autoScalingGroupName);
System.out.println("The bad instance id values used for this demo is " +
badInstanceId);

String profileAssociationId = autoScaler.getInstanceProfile(badInstanceId);
System.out.println("The association Id value is " + profileAssociationId);
System.out.println("Replacing the profile for instance " + badInstanceId
+ " with a profile that contains bad credentials");
```

```
        autoScaler.replaceInstanceProfile(badInstanceId, badCredsProfileName,
profileAssociationId);

        System.out.println(
        """
Now, sending a GET request to the load balancer endpoint
returns either a recommendation or a static response,
depending on which instance is selected by the load
balancer.
""");

        demoChoices(loadBalancer);

        System.out.println("""
Let's implement a deep health check. For this demo, a deep health
check tests whether
the web service can access the DynamoDB table that it depends on for
recommendations. Note that
the deep health check is only for ELB routing and not for Auto
Scaling instance health.
This kind of deep health check is not recommended for Auto Scaling
instance health, because it
risks accidental termination of all instances in the Auto Scaling
group when a dependent service fails.
""");

        System.out.println("""
By implementing deep health checks, the load balancer can detect
when one of the instances is failing
and take that instance out of rotation.
""");

        paramHelper.put(paramHelper.healthCheck, "deep");

        System.out.println("""
Now, checking target health indicates that the instance with bad
credentials
is unhealthy. Note that it might take a minute or two for the load
balancer to detect the unhealthy
instance. Sending a GET request to the load balancer endpoint always
returns a recommendation, because
the load balancer takes unhealthy instances out of its rotation.
""");
```

```
demoChoices(loadBalancer);

System.out.println(
    """
        Because the instances in this demo are controlled by an auto
        scaler, the simplest way to fix an unhealthy
            instance is to terminate it and let the auto scaler start a
        new instance to replace it.
    """);
autoScaler.terminateInstance(badInstanceId);

System.out.println("""
        Even while the instance is terminating and the new instance is
        starting, sending a GET
            request to the web service continues to get a successful
        recommendation response because
            the load balancer routes requests to the healthy instances. After
        the replacement instance
            starts and reports as healthy, it is included in the load balancing
        rotation.
        Note that terminating and replacing an instance typically takes
        several minutes, during which time you
            can see the changing health check status until the new instance is
        running and healthy.
    """);

demoChoices(loadBalancer);
System.out.println(
    "If the recommendation service fails now, deep health checks mean
all instances report as unhealthy.");
paramHelper.put(paramHelper.tableName, "this-is-not-a-table");

demoChoices(loadBalancer);
paramHelper.reset();
}

public static void demoChoices(LoadBalancer loadBalancer) throws IOException,
InterruptedException {
    String[] actions = {
        "Send a GET request to the load balancer endpoint.",
        "Check the health of load balancer targets.",
        "Go to the next part of the demo."
    };
    Scanner scanner = new Scanner(System.in);
```

```
while (true) {
    System.out.println("-".repeat(88));
    System.out.println("See the current state of the service by selecting
one of the following choices:");
    for (int i = 0; i < actions.length; i++) {
        System.out.println(i + ": " + actions[i]);
    }

try {
    System.out.print("\nWhich action would you like to take? ");
    int choice = scanner.nextInt();
    System.out.println("-".repeat(88));

    switch (choice) {
        case 0 -> {
            System.out.println("Request:\n");
            System.out.println("GET http://" +
loadBalancer.getEndpoint(lbName));
            CloseableHttpClient httpClient =
HttpClients.createDefault();

            // Create an HTTP GET request to the ELB.
            HttpGet httpGet = new HttpGet("http://" +
loadBalancer.getEndpoint(lbName));

            // Execute the request and get the response.
            HttpResponse response = httpClient.execute(httpGet);
            int statusCode = response.getStatusLine().getStatusCode();
            System.out.println("HTTP Status Code: " + statusCode);

            // Display the JSON response
            BufferedReader reader = new BufferedReader(
                new
InputStreamReader(response.getEntity().getContent()));
            StringBuilder jsonResponse = new StringBuilder();
            String line;
            while ((line = reader.readLine()) != null) {
                jsonResponse.append(line);
            }
            reader.close();

            // Print the formatted JSON response.
            System.out.println("Full Response:\n");
        }
    }
}
```

```
        System.out.println(jsonResponse.toString());

        // Close the HTTP client.
        httpClient.close();

    }

    case 1 -> {
        System.out.println("\nChecking the health of load balancer
targets:\n");
        List<TargetHealthDescription> health =
loadBalancer.checkTargetHealth(targetGroupName);
        for (TargetHealthDescription target : health) {
            System.out.printf("\tTarget %s on port %d is %s%n",
target.target().id(),
                           target.target().port(),
target.targetHealth().stateAsString());
        }
        System.out.println("""
Note that it can take a minute or two for the health
check to update
after changes are made.
""");
    }

    case 2 -> {
        System.out.println("\nOkay, let's move on.");
        System.out.println("-".repeat(88));
        return; // Exit the method when choice is 2
    }

    default -> System.out.println("You must choose a value between
0-2. Please select again.");
}

} catch (java.util.InputMismatchException e) {
    System.out.println("Invalid input. Please select again.");
    scanner.nextLine(); // Clear the input buffer.
}
}

public static String readFileAsString(String filePath) throws IOException {
    byte[] bytes = Files.readAllBytes(Paths.get(filePath));
    return new String(bytes);
}
}
```

Create a class that wraps Auto Scaling and Amazon EC2 actions.

```
public class AutoScaler {

    private static Ec2Client ec2Client;
    private static AutoScalingClient autoScalingClient;
    private static IamClient iamClient;

    private static SsmClient ssmClient;

    private IamClient getIAMClient() {
        if (iamClient == null) {
            iamClient = IamClient.builder()
                .region(Region.US_EAST_1)
                .build();
        }
        return iamClient;
    }

    private SsmClient getSSMClient() {
        if (ssmClient == null) {
            ssmClient = SsmClient.builder()
                .region(Region.US_EAST_1)
                .build();
        }
        return ssmClient;
    }

    private Ec2Client getEc2Client() {
        if (ec2Client == null) {
            ec2Client = Ec2Client.builder()
                .region(Region.US_EAST_1)
                .build();
        }
        return ec2Client;
    }

    private AutoScalingClient getAutoScalingClient() {
        if (autoScalingClient == null) {
            autoScalingClient = AutoScalingClient.builder()
                .region(Region.US_EAST_1)
```

```
        .build();
    }
    return autoScalingClient;
}

/**
 * Terminates and instances in an EC2 Auto Scaling group. After an instance is
 * terminated, it can no longer be accessed.
 */
public void terminateInstance(String instanceId) {
    TerminateInstanceInAutoScalingGroupRequest terminateInstanceRequest =
TerminateInstanceInAutoScalingGroupRequest
        .builder()
        .instanceId(instanceId)
        .shouldDecrementDesiredCapacity(false)
        .build();

getAutoScalingClient().terminateInstanceInAutoScalingGroup(terminateInstanceRequest);
    System.out.format("Terminated instance %s.", instanceId);
}

/**
 * Replaces the profile associated with a running instance. After the profile is
 * replaced, the instance is rebooted to ensure that it uses the new profile.
 * When
 * the instance is ready, Systems Manager is used to restart the Python web
 * server.
 */
public void replaceInstanceProfile(String instanceId, String
newInstanceProfileName, String profileAssociationId)
        throws InterruptedException {
    // Create an IAM instance profile specification.
    software.amazon.awssdk.services.ec2.model.IamInstanceProfileSpecification
iamInstanceProfile =
software.amazon.awssdk.services.ec2.model.IamInstanceProfileSpecification
        .builder()
        .name(newInstanceProfileName) // Make sure 'newInstanceProfileName'
is a valid IAM Instance Profile
                                // name.
        .build();

    // Replace the IAM instance profile association for the EC2 instance.
```

```
ReplaceIamInstanceProfileAssociationRequest replaceRequest =
ReplaceIamInstanceProfileAssociationRequest
    .builder()
    .iamInstanceProfile(iamInstanceProfile)
    .associationId(profileAssociationId) // Make sure
'profileAssociationId' is a valid association ID.
    .build();

try {
    getEc2Client().replaceIamInstanceProfileAssociation(replaceRequest);
    // Handle the response as needed.
} catch (Ec2Exception e) {
    // Handle exceptions, log, or report the error.
    System.err.println("Error: " + e.getMessage());
}
System.out.format("Replaced instance profile for association %s with profile
%s.", profileAssociationId,
    newInstanceProfileName);
TimeUnit.SECONDS.sleep(15);
boolean instReady = false;
int tries = 0;

// Reboot after 60 seconds
while (!instReady) {
    if (tries % 6 == 0) {
        getEc2Client().rebootInstances(RebootInstancesRequest.builder()
            .instanceIds(instanceId)
            .build());
        System.out.println("Rebooting instance " + instanceId + " and
waiting for it to be ready.");
    }
    tries++;
    try {
        TimeUnit.SECONDS.sleep(10);
    } catch (InterruptedException e) {
        e.printStackTrace();
    }

    DescribeInstanceInformationResponse informationResponse =
getSSMClient().describeInstanceInformation();
    List<InstanceInformation> instanceInformationList =
informationResponse.instanceInformationList();
    for (InstanceInformation info : instanceInformationList) {
        if (info.instanceId().equals(instanceId)) {
```

```
        instReady = true;
        break;
    }
}

SendCommandRequest sendCommandRequest = SendCommandRequest.builder()
    .instanceIds(instanceId)
    .documentName("AWS-RunShellScript")
    .parameters(Collections.singletonMap("commands",
        Collections.singletonList("cd / && sudo python3 server.py
80")))
    .build();

getSSMClient().sendCommand(sendCommandRequest);
System.out.println("Restarted the Python web server on instance " +
instanceId + ".");
}

public void openInboundPort(String secGroupId, String port, String ipAddress) {
    AuthorizeSecurityGroupIngressRequest ingressRequest =
AuthorizeSecurityGroupIngressRequest.builder()
    .groupId(secGroupId)
    .cidrIp(ipAddress)
    .fromPort(Integer.parseInt(port))
    .build();

    getEc2Client().authorizeSecurityGroupIngress(ingressRequest);
    System.out.format("Authorized ingress to %s on port %s from %s.",
secGroupId, port, ipAddress);
}

/**
 * Detaches a role from an instance profile, detaches policies from the role,
 * and deletes all the resources.
 */
public void deleteInstanceProfile(String roleName, String profileName) {
    try {
        software.amazon.awssdk.services.iam.model.GetInstanceProfileRequest
getInstanceProfileRequest =
software.amazon.awssdk.services.iam.model.GetInstanceProfileRequest
        .builder()
        .instanceProfileName(profileName)
        .build();
    }
}
```

```
GetInstanceProfileResponse response =
getIAMClient().getInstanceProfile(getInstanceProfileRequest);
String name = response.instanceProfile().instanceProfileName();
System.out.println(name);

RemoveRoleFromInstanceProfileRequest profileRequest =
RemoveRoleFromInstanceProfileRequest.builder()
    .instanceProfileName(profileName)
    .roleName(roleName)
    .build();

getIAMClient().removeRoleFromInstanceProfile(profileRequest);
DeleteInstanceProfileRequest deleteInstanceProfileRequest =
DeleteInstanceProfileRequest.builder()
    .instanceProfileName(profileName)
    .build();

getIAMClient().deleteInstanceProfile(deleteInstanceProfileRequest);
System.out.println("Deleted instance profile " + profileName);

DeleteRoleRequest deleteRoleRequest = DeleteRoleRequest.builder()
    .roleName(roleName)
    .build();

// List attached role policies.
ListAttachedRolePoliciesResponse rolesResponse = getIAMClient()
    .listAttachedRolePolicies(role -> role.roleName(roleName));
List<AttachedPolicy> attachedPolicies =
rolesResponse.attachedPolicies();
for (AttachedPolicy attachedPolicy : attachedPolicies) {
    DetachRolePolicyRequest request = DetachRolePolicyRequest.builder()
        .roleName(roleName)
        .policyArn(attachedPolicy.policyArn())
        .build();

    getIAMClient().detachRolePolicy(request);
    System.out.println("Detached and deleted policy " +
attachedPolicy.policyName());
}

getIAMClient().deleteRole(deleteRoleRequest);
System.out.println("Instance profile and role deleted.");
```

```
        } catch (IamException e) {
            System.err.println(e.getMessage());
            System.exit(1);
        }
    }

    public void deleteTemplate(String templateName) {
        getEc2Client().deleteLaunchTemplate(name ->
name.launchTemplateName(templateName));
        System.out.format(templateName + " was deleted.");
    }

    public void deleteAutoScaleGroup(String groupName) {
        DeleteAutoScalingGroupRequest deleteAutoScalingGroupRequest =
DeleteAutoScalingGroupRequest.builder()
            .autoScalingGroupName(groupName)
            .forceDelete(true)
            .build();

getAutoScalingClient().deleteAutoScalingGroup(deleteAutoScalingGroupRequest);
        System.out.println(groupName + " was deleted.");
    }

    /*
     * Verify the default security group of the specified VPC allows ingress from
     * this
     * computer. This can be done by allowing ingress from this computer's IP
     * address. In some situations, such as connecting from a corporate network, you
     * must instead specify a prefix list ID. You can also temporarily open the port
     * to
     * any IP address while running this example. If you do, be sure to remove
     * public
     * access when you're done.
     *
     */
    public GroupInfo verifyInboundPort(String VPC, int port, String ipAddress) {
        boolean portIsOpen = false;
        GroupInfo groupInfo = new GroupInfo();
        try {
            Filter filter = Filter.builder()
                .name("group-name")
                .values("default")
                .build();
            
```

```
Filter filter1 = Filter.builder()
    .name("vpc-id")
    .values(VPC)
    .build();

DescribeSecurityGroupsRequest securityGroupsRequest =
DescribeSecurityGroupsRequest.builder()
    .filters(filter, filter1)
    .build();

DescribeSecurityGroupsResponse securityGroupsResponse = getEc2Client()
    .describeSecurityGroups(securityGroupsRequest);
String securityGroup =
securityGroupsResponse.securityGroups().get(0).groupName();
groupInfo.setGroupName(securityGroup);

for (SecurityGroup secGroup : securityGroupsResponse.securityGroups()) {
    System.out.println("Found security group: " + secGroup.groupId());

    for (IpPermission ipPermission : secGroup.ipPermissions()) {
        if (ipPermission.fromPort() == port) {
            System.out.println("Found inbound rule: " + ipPermission);
            for (IpRange ipRange : ipPermission.ipRanges()) {
                String cidrIp = ipRange.cidrIp();
                if (cidrIp.startsWith(ipAddress) ||
cidrIp.equals("0.0.0.0/0")) {
                    System.out.println(cidrIp + " is applicable");
                    portIsOpen = true;
                }
            }
        }

        if (!ipPermission.prefixListIds().isEmpty()) {
            System.out.println("Prefix list is applicable");
            portIsOpen = true;
        }
    }

    if (!portIsOpen) {
        System.out
            .println("The inbound rule does not appear to be
open to either this computer's IP,"
                     + " all IP addresses (0.0.0.0/0), or to
a prefix list ID.");
    } else {

```

```
                break;
            }
        }
    }

} catch (AutoScalingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
}

groupInfo.setPortOpen(portIsOpen);
return groupInfo;
}

/*
 * Attaches an Elastic Load Balancing (ELB) target group to this EC2 Auto
 * Scaling group.
 * The target group specifies how the load balancer forward requests to the
 * instances
 * in the group.
 */
public void attachLoadBalancerTargetGroup(String asGroupName, String
targetGroupARN) {
    try {
        AttachLoadBalancerTargetGroupsRequest targetGroupsRequest =
AttachLoadBalancerTargetGroupsRequest.builder()
            .autoScalingGroupName(asGroupName)
            .targetGroupARNs(targetGroupARN)
            .build();

getAutoScalingClient().attachLoadBalancerTargetGroups(targetGroupsRequest);
        System.out.println("Attached load balancer to " + asGroupName);

    } catch (AutoScalingException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

// Creates an EC2 Auto Scaling group with the specified size.
public String[] createGroup(int groupSize, String templateName, String
autoScalingGroupName) {
```

```
// Get availability zones.  
software.amazon.awssdk.services.ec2.model.DescribeAvailabilityZonesRequest  
zonesRequest =  
software.amazon.awssdk.services.ec2.model.DescribeAvailabilityZonesRequest  
    .builder()  
    .build();  
  
DescribeAvailabilityZonesResponse zonesResponse =  
getEc2Client().describeAvailabilityZones(zonesRequest);  
List<String> availabilityZoneNames =  
zonesResponse.availabilityZones().stream()  
.map(software.amazon.awssdk.services.ec2.model.AvailabilityZone::zoneName)  
.collect(Collectors.toList());  
  
String availabilityZones = String.join(", ", availabilityZoneNames);  
LaunchTemplateSpecification specification =  
LaunchTemplateSpecification.builder()  
    .launchTemplateName(templateName)  
    .version("$Default")  
    .build();  
  
String[] zones = availabilityZones.split(", ");  
CreateAutoScalingGroupRequest groupRequest =  
CreateAutoScalingGroupRequest.builder()  
    .launchTemplate(specification)  
    .availabilityZones(zones)  
    .maxSize(groupSize)  
    .minSize(groupSize)  
    .autoScalingGroupName(autoScalingGroupName)  
    .build();  
  
try {  
    getAutoScalingClient().createAutoScalingGroup(groupRequest);  
  
} catch (AutoScalingException e) {  
    System.err.println(e.awsErrorDetails().errorMessage());  
    System.exit(1);  
}  
System.out.println("Created an EC2 Auto Scaling group named " +  
autoScalingGroupName);  
return zones;  
}
```

```
public String getDefaultVPC() {
    // Define the filter.
    Filter defaultFilter = Filter.builder()
        .name("is-default")
        .values("true")
        .build();

    software.amazon.awssdk.services.ec2.model.DescribeVpcsRequest request =
software.amazon.awssdk.services.ec2.model.DescribeVpcsRequest
        .builder()
        .filters(defaultFilter)
        .build();

    DescribeVpcsResponse response = getEc2Client().describeVpcs(request);
    return response.vpcs().get(0).vpcId();
}

// Gets the default subnets in a VPC for a specified list of Availability Zones.
public List<Subnet> getSubnets(String vpcId, String[] availabilityZones) {
    List<Subnet> subnets = null;
    Filter vpcFilter = Filter.builder()
        .name("vpc-id")
        .values(vpcId)
        .build();

    Filter azFilter = Filter.builder()
        .name("availability-zone")
        .values(availabilityZones)
        .build();

    Filter defaultForAZ = Filter.builder()
        .name("default-for-az")
        .values("true")
        .build();

    DescribeSubnetsRequest request = DescribeSubnetsRequest.builder()
        .filters(vpcFilter, azFilter, defaultForAZ)
        .build();

    DescribeSubnetsResponse response = getEc2Client().describeSubnets(request);
    subnets = response.subnets();
    return subnets;
}
```

```
// Gets data about the instances in the EC2 Auto Scaling group.
public String getBadInstance(String groupName) {
    DescribeAutoScalingGroupsRequest request =
DescribeAutoScalingGroupsRequest.builder()
    .autoScalingGroupNames(groupName)
    .build();

    DescribeAutoScalingGroupsResponse response =
getAutoScalingClient().describeAutoScalingGroups(request);
    AutoScalingGroup autoScalingGroup = response.autoScalingGroups().get(0);
    List<String> instanceIds = autoScalingGroup.instances().stream()
        .map(instance -> instance.instanceId())
        .collect(Collectors.toList());

    String[] instanceIdArray = instanceIds.toArray(new String[0]);
    for (String instanceId : instanceIdArray) {
        System.out.println("Instance ID: " + instanceId);
        return instanceId;
    }
    return "";
}

// Gets data about the profile associated with an instance.
public String getInstanceProfile(String instanceId) {
    Filter filter = Filter.builder()
        .name("instance-id")
        .values(instanceId)
        .build();

    DescribeIamInstanceProfileAssociationsRequest associationsRequest =
DescribeIamInstanceProfileAssociationsRequest
    .builder()
    .filters(filter)
    .build();

    DescribeIamInstanceProfileAssociationsResponse response = getEc2Client()
        .describeIamInstanceProfileAssociations(associationsRequest);
    return response.iamInstanceProfileAssociations().get(0).associationId();
}

public void deleteRolesPolicies(String policyName, String roleName, String
InstanceProfile) {
    ListPoliciesRequest listPoliciesRequest =
ListPoliciesRequest.builder().build();
```

```
        ListPoliciesResponse listPoliciesResponse =
getIAMClient().listPolicies(listPoliciesRequest);
        for (Policy policy : listPoliciesResponse.policies()) {
            if (policy.policyName().equals(policyName)) {
                // List the entities (users, groups, roles) that are attached to the
                policy.

software.amazon.awssdk.services.iam.model.ListEntitiesForPolicyRequest
listEntitiesRequest =
software.amazon.awssdk.services.iam.model.ListEntitiesForPolicyRequest
                .builder()
                .policyArn(policy.arn())
                .build();
ListEntitiesForPolicyResponse listEntitiesResponse = iamClient
                .listEntitiesForPolicy(listEntitiesRequest);
            if (!listEntitiesResponse.policyGroups().isEmpty() || !
listEntitiesResponse.policyUsers().isEmpty()
                || !listEntitiesResponse.policyRoles().isEmpty()) {
                // Detach the policy from any entities it is attached to.
                DetachRolePolicyRequest detachPolicyRequest =
DetachRolePolicyRequest.builder()
                .policyArn(policy.arn())
                .roleName(roleName) // Specify the name of the IAM role
                .build();

                getIAMClient().detachRolePolicy(detachPolicyRequest);
                System.out.println("Policy detached from entities.");
            }

            // Now, you can delete the policy.
            DeletePolicyRequest deletePolicyRequest =
DeletePolicyRequest.builder()
                .policyArn(policy.arn())
                .build();

                getIAMClient().deletePolicy(deletePolicyRequest);
                System.out.println("Policy deleted successfully.");
                break;
        }
    }

    // List the roles associated with the instance profile
    ListInstanceProfilesForRoleRequest listRolesRequest =
ListInstanceProfilesForRoleRequest.builder()
```

```
.roleName(roleName)
.build();

// Detach the roles from the instance profile
ListInstanceProfilesForRoleResponse listRolesResponse =
iamClient.listInstanceProfilesForRole(listRolesRequest);
for (software.amazon.awssdk.services.iam.model.InstanceProfile profile :
listRolesResponse.instanceProfiles()) {
    RemoveRoleFromInstanceProfileRequest removeRoleRequest =
RemoveRoleFromInstanceProfileRequest.builder()
        .instanceProfileName(InstanceProfile)
        .roleName(roleName) // Remove the extra dot here
        .build();

    getIAMClient().removeRoleFromInstanceProfile(removeRoleRequest);
    System.out.println("Role " + roleName + " removed from instance profile
" + InstanceProfile);
}

// Delete the instance profile after removing all roles
DeleteInstanceProfileRequest deleteInstanceProfileRequest =
DeleteInstanceProfileRequest.builder()
    .instanceProfileName(InstanceProfile)
    .build();

getIAMClient().deleteInstanceProfile(r ->
r.instanceProfileName(InstanceProfile));
System.out.println(InstanceProfile + " Deleted");
System.out.println("All roles and policies are deleted.");
}
}
```

Create a class that wraps Elastic Load Balancing actions.

```
public class LoadBalancer {
    public ElasticLoadBalancingV2Client elasticLoadBalancingV2Client;

    public ElasticLoadBalancingV2Client getLoadBalancerClient() {
        if (elasticLoadBalancingV2Client == null) {
            elasticLoadBalancingV2Client = ElasticLoadBalancingV2Client.builder()
                .region(Region.US_EAST_1)
                .build();
        }
    }
}
```

```
    }

    return elasticLoadBalancingV2Client;
}

// Checks the health of the instances in the target group.
public List<TargetHealthDescription> checkTargetHealth(String targetGroupName) {
    DescribeTargetGroupsRequest targetGroupsRequest =
DescribeTargetGroupsRequest.builder()
    .names(targetGroupName)
    .build();

    DescribeTargetGroupsResponse tgResponse =
getLoadBalancerClient().describeTargetGroups(targetGroupsRequest);

    DescribeTargetHealthRequest healthRequest =
DescribeTargetHealthRequest.builder()
    .targetGroupArn(tgResponse.targetGroups().get(0).targetGroupArn())
    .build();

    DescribeTargetHealthResponse healthResponse =
getLoadBalancerClient().describeTargetHealth(healthRequest);
    return healthResponse.targetHealthDescriptions();
}

// Gets the HTTP endpoint of the load balancer.
public String getEndpoint(String lbName) {
    DescribeLoadBalancersResponse res = getLoadBalancerClient()
        .describeLoadBalancers(describe -> describe.names(lbName));
    return res.loadBalancers().get(0).dnsName();
}

// Deletes a load balancer.
public void deleteLoadBalancer(String lbName) {
    try {
        // Use a waiter to delete the Load Balancer.
        DescribeLoadBalancersResponse res = getLoadBalancerClient()
            .describeLoadBalancers(describe -> describe.names(lbName));
        ElasticLoadBalancingV2Waiter loadBalancerWaiter =
getLoadBalancerClient().waiter();
        DescribeLoadBalancersRequest request =
DescribeLoadBalancersRequest.builder()
            .loadBalancerArns(res.loadBalancers().get(0).loadBalancerArn())
            .build();
    }
}
```

```
        getLoadBalancerClient().deleteLoadBalancer(
            builder ->
builder.loadBalancerArn(res.loadBalancers().get(0).loadBalancerArn()));
            WaiterResponse<DescribeLoadBalancersResponse> waiterResponse =
loadBalancerWaiter
                .waitUntilLoadBalancersDeleted(request);
            waiterResponse.matched().response().ifPresent(System.out::println);

        } catch (ElasticLoadBalancingV2Exception e) {
            System.err.println(e.awsErrorDetails().errorMessage());
        }
        System.out.println(lbName + " was deleted.");
    }

    // Deletes the target group.
    public void deleteTargetGroup(String targetGroupName) {
        try {
            DescribeTargetGroupsResponse res = getLoadBalancerClient()
                .describeTargetGroups(describe ->
describe.names(targetGroupName));
            getLoadBalancerClient()
                .deleteTargetGroup(builder ->
builder.targetGroupArn(res.targetGroups().get(0).targetGroupArn()));
        } catch (ElasticLoadBalancingV2Exception e) {
            System.err.println(e.awsErrorDetails().errorMessage());
        }
        System.out.println(targetGroupName + " was deleted.");
    }

    // Verify this computer can successfully send a GET request to the load balancer
    // endpoint.
    public boolean verifyLoadBalancerEndpoint(String elbDnsName) throws IOException,
InterruptedException {
        boolean success = false;
        int retries = 3;
        CloseableHttpClient httpClient = HttpClients.createDefault();

        // Create an HTTP GET request to the ELB.
        HttpGet httpGet = new HttpGet("http://" + elbDnsName);
        try {
            while ((!success) && (retries > 0)) {
                // Execute the request and get the response.
                HttpResponse response = httpClient.execute(httpGet);
```

```
        int statusCode = response.getStatusLine().getStatusCode();
        System.out.println("HTTP Status Code: " + statusCode);
        if (statusCode == 200) {
            success = true;
        } else {
            retries--;
            System.out.println("Got connection error from load balancer
endpoint, retrying...");  
            TimeUnit.SECONDS.sleep(15);
        }
    }

} catch (org.apache.http.conn.HttpHostConnectException e) {
    System.out.println(e.getMessage());
}

System.out.println("Status.." + success);
return success;
}

/*
 * Creates an Elastic Load Balancing target group. The target group specifies
 * how
 * the load balancer forward requests to instances in the group and how instance
 * health is checked.
 */
public String createTargetGroup(String protocol, int port, String vpcId, String
targetGroupName) {
    CreateTargetGroupRequest targetGroupRequest =
CreateTargetGroupRequest.builder()
        .healthCheckPath("/healthcheck")
        .healthCheckTimeoutSeconds(5)
        .port(port)
        .vpcId(vpcId)
        .name(targetGroupName)
        .protocol(protocol)
        .build();

    CreateTargetGroupResponse targetGroupResponse =
getLoadBalancerClient().createTargetGroup(targetGroupRequest);
    String targetGroupArn =
targetGroupResponse.getTargetGroups().get(0).getTargetGroupArn();
    String targetGroup =
targetGroupResponse.getTargetGroups().get(0).getTargetGroupName();
```

```
        System.out.println("The " + targetGroup + " was created with ARN" +  
targetGroupArn);  
        return targetGroupArn;  
    }  
  
/*  
 * Creates an Elastic Load Balancing load balancer that uses the specified  
 * subnets  
 * and forwards requests to the specified target group.  
 */  
public String createLoadBalancer(List<Subnet> subnetIds, String targetGroupARN,  
String lbName, int port,  
        String protocol) {  
    try {  
        List<String> subnetIdStrings = subnetIds.stream()  
            .map(Subnet::subnetId)  
            .collect(Collectors.toList());  
  
        CreateLoadBalancerRequest balancerRequest =  
CreateLoadBalancerRequest.builder()  
            .subnets(subnetIdStrings)  
            .name(lbName)  
            .scheme("internet-facing")  
            .build();  
  
        // Create and wait for the load balancer to become available.  
        CreateLoadBalancerResponse lsResponse =  
getLoadBalancerClient().createLoadBalancer(balancerRequest);  
        String lbARN = lsResponse.loadBalancers().get(0).loadBalancerArn();  
  
        ElasticLoadBalancingV2Waiter loadBalancerWaiter =  
getLoadBalancerClient().waiter();  
        DescribeLoadBalancersRequest request =  
DescribeLoadBalancersRequest.builder()  
            .loadBalancerArns(lbARN)  
            .build();  
  
        System.out.println("Waiting for Load Balancer " + lbName + " to become  
available.");  
        WaiterResponse<DescribeLoadBalancersResponse> waiterResponse =  
loadBalancerWaiter  
            .waitForLoadBalancerAvailable(request);  
        waiterResponse.matched().response().ifPresent(System.out::println);  
        System.out.println("Load Balancer " + lbName + " is available.");  
    }  
}
```

```
// Get the DNS name (endpoint) of the load balancer.  
String lbDNSName = lsResponse.loadBalancers().get(0).dnsName();  
System.out.println("*** Load Balancer DNS Name: " + lbDNSName);  
  
// Create a listener for the load balance.  
Action action = Action.builder()  
    .targetGroupArn(targetGroupARN)  
    .type("forward")  
    .build();  
  
CreateListenerRequest listenerRequest = CreateListenerRequest.builder()  
  
.loadBalancerArn(lsResponse.loadBalancers().get(0).loadBalancerArn())  
    .defaultActions(action)  
    .port(port)  
    .protocol(protocol)  
    .defaultActions(action)  
    .build();  
  
getLoadBalancerClient().createListener(listenerRequest);  
System.out.println("Created listener to forward traffic from load  
balancer " + lbName + " to target group "  
    + targetGroupARN);  
  
// Return the load balancer DNS name.  
return lbDNSName;  
  
} catch (ElasticLoadBalancingV2Exception e) {  
    e.printStackTrace();  
}  
return "";  
}  
}
```

Create a class that uses DynamoDB to simulate a recommendation service.

```
public class Database {  
  
    private static DynamoDbClient dynamoDbClient;  
  
    public static DynamoDbClient getDynamoDbClient() {
```

```
        if (dynamoDbClient == null) {
            dynamoDbClient = DynamoDbClient.builder()
                .region(Region.US_EAST_1)
                .build();
        }
        return dynamoDbClient;
    }

    // Checks to see if the Amazon DynamoDB table exists.
    private boolean doesTableExist(String tableName) {
        try {
            // Describe the table and catch any exceptions.
            DescribeTableRequest describeTableRequest =
DescribeTableRequest.builder()
                .tableName(tableName)
                .build();

            getDynamoDbClient().describeTable(describeTableRequest);
            System.out.println("Table '" + tableName + "' exists.");
            return true;

        } catch (ResourceNotFoundException e) {
            System.out.println("Table '" + tableName + "' does not exist.");
        } catch (DynamoDbException e) {
            System.err.println("Error checking table existence: " + e.getMessage());
        }
        return false;
    }

    /*
     * Creates a DynamoDB table to use a recommendation service. The table has a
     * hash key named 'MediaType' that defines the type of media recommended, such
     * as
     * Book or Movie, and a range key named 'ItemId' that, combined with the
     * MediaType,
     * forms a unique identifier for the recommended item.
     */
    public void createTable(String tableName, String fileName) throws IOException {
        // First check to see if the table exists.
        boolean doesExist = doesTableExist(tableName);
        if (!doesExist) {
            DynamoDbWaiter dbWaiter = getDynamoDbClient().waiter();
            CreateTableRequest createTableRequest = CreateTableRequest.builder()
                .tableName(tableName)
```

```
.attributeDefinitions(
    AttributeDefinition.builder()
        .attributeName("MediaType")
        .attributeType(ScalarAttributeType.S)
        .build(),
    AttributeDefinition.builder()
        .attributeName("ItemId")
        .attributeType(ScalarAttributeType.N)
        .build())
.keySchema(
    KeySchemaElement.builder()
        .attributeName("MediaType")
        .keyType(KeyType.HASH)
        .build(),
    KeySchemaElement.builder()
        .attributeName("ItemId")
        .keyType(KeyType.RANGE)
        .build())
.provisionedThroughput(
    ProvisionedThroughput.builder()
        .readCapacityUnits(5L)
        .writeCapacityUnits(5L)
        .build())
.build();

getDynamoDbClient().createTable(createTableRequest);
System.out.println("Creating table " + tableName + "...");

// Wait until the Amazon DynamoDB table is created.
DescribeTableRequest tableRequest = DescribeTableRequest.builder()
    .tableName(tableName)
    .build();

WaiterResponse<DescribeTableResponse> waiterResponse =
dbWaiter.waitUntilTableExists(tableRequest);
waiterResponse.matched().response().ifPresent(System.out::println);
System.out.println("Table " + tableName + " created.");

// Add records to the table.
populateTable(fileName, tableName);
}

}

public void deleteTable(String tableName) {
```

```
        getDynamoDbClient().deleteTable(table -> table.tableName(tableName));
        System.out.println("Table " + tableName + " deleted.");
    }

    // Populates the table with data located in a JSON file using the DynamoDB
    // enhanced client.
    public void populateTable(String fileName, String tableName) throws IOException
{
    DynamoDbEnhancedClient enhancedClient = DynamoDbEnhancedClient.builder()
        .dynamoDbClient(getDynamoDbClient())
        .build();

    ObjectMapper objectMapper = new ObjectMapper();
    File jsonFile = new File(fileName);
    JsonNode rootNode = objectMapper.readTree(jsonFile);

    DynamoDbTable<Recommendation> mappedTable = enhancedClient.table(tableName,
        TableSchema.fromBean(Recommendation.class));
    for (JsonNode currentNode : rootNode) {
        String mediaType = currentNode.path("MediaType").path("S").asText();
        int itemId = currentNode.path("ItemId").path("N").asInt();
        String title = currentNode.path("Title").path("S").asText();
        String creator = currentNode.path("Creator").path("S").asText();

        // Create a Recommendation object and set its properties.
        Recommendation rec = new Recommendation();
        rec.setMediaType(mediaType);
        rec.setItemId(itemId);
        rec.setTitle(title);
        rec.setCreator(creator);

        // Put the item into the DynamoDB table.
        mappedTable.putItem(rec); // Add the Recommendation to the list.
    }
    System.out.println("Added all records to the " + tableName);
}
}
```

Create a class that wraps Systems Manager actions.

```
public class ParameterHelper {

    String tableName = "doc-example-resilient-architecture-table";
```

```
String dyntable = "doc-example-recommendation-service";
String failureResponse = "doc-example-resilient-architecture-failure-response";
String healthCheck = "doc-example-resilient-architecture-health-check";

public void reset() {
    put(dyntable, tableName);
    put(failureResponse, "none");
    put(healthCheck, "shallow");
}

public void put(String name, String value) {
    SsmClient ssmClient = SsmClient.builder()
        .region(Region.US_EAST_1)
        .build();

    PutParameterRequest parameterRequest = PutParameterRequest.builder()
        .name(name)
        .value(value)
        .overwrite(true)
        .type("String")
        .build();

    ssmClient.putParameter(parameterRequest);
    System.out.printf("Setting demo parameter %s to '%s'.", name, value);
}
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [AttachLoadBalancerTargetGroups](#)
- [CreateAutoScalingGroup](#)
- [CreateInstanceProfile](#)
- [CreateLaunchTemplate](#)
- [CreateListener](#)
- [CreateLoadBalancer](#)
- [CreateTargetGroup](#)
- [DeleteAutoScalingGroup](#)
- [DeleteInstanceProfile](#)
- [DeleteLaunchTemplate](#)

- [DeleteLoadBalancer](#)
- [DeleteTargetGroup](#)
- [DescribeAutoScalingGroups](#)
- [DescribeAvailabilityZones](#)
- [DescribelamInstanceProfileAssociations](#)
- [DescribelInstances](#)
- [DescribeLoadBalancers](#)
- [DescribeSubnets](#)
- [DescribeTargetGroups](#)
- [DescribeTargetHealth](#)
- [DescribeVpcs](#)
- [RebootInstances](#)
- [ReplacelamInstanceProfileAssociation](#)
- [TerminateInstanceInAutoScalingGroup](#)
- [UpdateAutoScalingGroup](#)

AWS Batch examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with AWS Batch.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello AWS Batch

The following code example shows how to get started using AWS Batch.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.core.client.config.ClientOverrideConfiguration;
import software.amazon.awssdk.core.retry.RetryPolicy;
import software.amazon.awssdk.http.async.SdkAsyncHttpClient;
import software.amazon.awssdk.http.nio.netty.NettyNioAsyncHttpClient;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.batch.BatchAsyncClient;
import software.amazon.awssdk.services.batch.model.JobStatus;
import software.amazon.awssdk.services.batch.model.JobSummary;
import software.amazon.awssdk.services.batch.model.ListJobsRequest;
import software.amazon.awssdk.services.batch.paginators.ListJobsPublisher;
import java.time.Duration;
import java.util.ArrayList;
import java.util.List;
import java.util.concurrent.CompletableFuture;

public class HelloBatch {
    private static BatchAsyncClient batchClient;

    public static void main(String[] args) {
        List<JobSummary> jobs = listJobs("my-job-queue");
        jobs.forEach(job ->
            System.out.printf("Job ID: %s, Job Name: %s, Job Status: %s%n",
                job.jobId(), job.jobName(), job.status())
        );
    }

    public static List<JobSummary> listJobs(String jobQueue) {
        if (jobQueue == null || jobQueue.isEmpty()) {
            throw new IllegalArgumentException("Job queue cannot be null or empty");
        }

        ListJobsRequest listJobsRequest = ListJobsRequest.builder()
            .jobQueue(jobQueue)
            .jobStatus(JobStatus.SUCCEEDED)
```

```
        .build();

        List<JobSummary> jobSummaries = new ArrayList<>();
        ListJobsPublisher listJobsPaginator =
getAsyncClient().listJobsPaginator(listJobsRequest);
        CompletableFuture<Void> future = listJobsPaginator.subscribe(response -> {
            jobSummaries.addAll(response.jobSummaryList());
        });

        future.join();
        return jobSummaries;
    }

private static BatchAsyncClient getAsyncClient() {
    SdkAsyncHttpClient httpClient = NettyNioAsyncHttpClient.builder()
        .maxConcurrency(100) // Increase max concurrency to handle more
simultaneous connections.
        .connectionTimeout(Duration.ofSeconds(60)) // Set the connection
timeout.
        .readTimeout(Duration.ofSeconds(60)) // Set the read timeout.
        .writeTimeout(Duration.ofSeconds(60)) // Set the write timeout.
        .build();

    ClientOverrideConfiguration overrideConfig =
ClientOverrideConfiguration.builder()
        .apiCallTimeout(Duration.ofMinutes(2)) // Set the overall API call
timeout.
        .apiCallAttemptTimeout(Duration.ofSeconds(90)) // Set the individual
call attempt timeout.
        .retryPolicy(RetryPolicy.builder() // Add a retry policy to handle
transient errors.
            .numRetries(3) // Number of retry attempts.
            .build())
        .build();

    if (batchClient == null) {
        batchClient = BatchAsyncClient.builder()
            .region(Region.US_EAST_1)
            .httpClient(httpClient)
            .overrideConfiguration(overrideConfig)
            .build();
    }
    return batchClient;
}
```

```
}
```

- For API details, see [listJobsPaginator](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Actions](#)
- [Scenarios](#)

Actions

CreateComputeEnvironment

The following code example shows how to use CreateComputeEnvironment.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Asynchronously creates a new compute environment in AWS Batch.  
 *  
 * @param computeEnvironmentName the name of the compute environment to create  
 * @param batchIAMRole the IAM role to be used by the compute environment  
 * @param subnet the subnet ID to be used for the compute environment  
 * @param secGroup the security group ID to be used for the compute environment  
 * @return a {@link CompletableFuture} representing the asynchronous operation,  
 * which will complete with the  
 *         {@link CreateComputeEnvironmentResponse} when the compute environment  
 * has been created  
 * @throws BatchException if there is an error creating the compute environment  
 * @throws RuntimeException if there is an unexpected error during the operation  
 */  
public CompletableFuture<CreateComputeEnvironmentResponse>  
createComputeEnvironmentAsync(
```

```
        String computeEnvironmentName, String batchIAMRole, String subnet, String
secGroup) {
    CreateComputeEnvironmentRequest environmentRequest =
CreateComputeEnvironmentRequest.builder()
    .computeEnvironmentName(computeEnvironmentName)
    .type(CEType.MANAGED)
    .state(CEState.ENABLED)
    .computeResources(ComputeResource.builder()
        .type(CRTyp...
```

```
        .type(CRTyp...
        .maxvCpus(256)
        .subnets(Collections.singletonList(subnet))
        .securityGroupIds(Collections.singletonList(secGroup))
        .build())
    .serviceRole(batchIAMRole)
    .build();

    CompletableFuture<CreateComputeEnvironmentResponse> response =
getAsyncClient().createComputeEnvironment(environmentRequest);
    response.whenComplete((resp, ex) -> {
        if (ex != null) {
            String errorMessage = "Unexpected error occurred: " +
ex.getMessage();
            throw new RuntimeException(errorMessage, ex);
        }
    });

    return response;
}
```

- For API details, see [CreateComputeEnvironment](#) in *AWS SDK for Java 2.x API Reference*.

CreateJobQueue

The following code example shows how to use `CreateJobQueue`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Creates a job queue asynchronously.  
 *  
 * @param jobQueueName the name of the job queue to create  
 * @param computeEnvironmentName the name of the compute environment to  
 associate with the job queue  
 * @return a CompletableFuture that completes with the Amazon Resource Name  
 (ARN) of the job queue  
 */  
 public CompletableFuture<String> createJobQueueAsync(String jobQueueName, String  
 computeEnvironmentName) {  
     if (jobQueueName == null || jobQueueName.isEmpty()) {  
         throw new IllegalArgumentException("Job queue name cannot be null or  
 empty");  
     }  
     if (computeEnvironmentName == null || computeEnvironmentName.isEmpty()) {  
         throw new IllegalArgumentException("Compute environment name cannot be  
 null or empty");  
     }  
  
     CreateJobQueueRequest request = CreateJobQueueRequest.builder()  
         .jobQueueName(jobQueueName)  
         .priority(1)  
         .computeEnvironmentOrder(ComputeEnvironmentOrder.builder()  
             .computeEnvironment(computeEnvironmentName)  
             .order(1)  
             .build())  
         .build();  
  
     CompletableFuture<CreateJobQueueResponse> response =  
     getAsyncClient().createJobQueue(request);  
     response.whenComplete((resp, ex) -> {  
         if (ex != null) {  
             String errorMessage = "Unexpected error occurred: " +  
             ex.getMessage();  
             throw new RuntimeException(errorMessage, ex);  
         }  
     });  
  
     return response.thenApply(CreateJobQueueResponse::jobQueueArn);  
 }
```

- For API details, see [CreateJobQueue](#) in *AWS SDK for Java 2.x API Reference*.

DeleteComputeEnvironment

The following code example shows how to use `DeleteComputeEnvironment`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public CompletableFuture<DeleteComputeEnvironmentResponse>
deleteComputeEnvironmentAsync(String computeEnvironmentName) {
    DeleteComputeEnvironmentRequest deleteComputeEnvironment =
        DeleteComputeEnvironmentRequest.builder()
            .computeEnvironment(computeEnvironmentName)
            .build();

    return getAsyncClient().deleteComputeEnvironment(deleteComputeEnvironment)
        .whenComplete((response, ex) -> {
            if (ex != null) {
                Throwable cause = ex.getCause();
                if (cause instanceof BatchException) {
                    throw new RuntimeException(cause);
                } else {
                    throw new RuntimeException("Unexpected error: " +
                        cause.getMessage(), cause);
                }
            }
        });
}
```

- For API details, see [DeleteComputeEnvironment](#) in *AWS SDK for Java 2.x API Reference*.

DeleteJobQueue

The following code example shows how to use `DeleteJobQueue`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Deletes a Batch job queue asynchronously.  
 *  
 * @param jobQueueArn The Amazon Resource Name (ARN) of the job queue to delete.  
 * @return A CompletableFuture that represents the asynchronous deletion of the  
 * job queue.  
 *          The future completes when the job queue has been successfully deleted  
 * or if an error occurs.  
 *          If successful, the future will be completed with a {@code Void}  
 * value.  
 *          If an error occurs, the future will be completed exceptionally with  
 * the thrown exception.  
 */  
public CompletableFuture<Void> deleteJobQueueAsync(String jobQueueArn) {  
    DeleteJobQueueRequest deleteRequest = DeleteJobQueueRequest.builder()  
        .jobQueue(jobQueueArn)  
        .build();  
  
    CompletableFuture<DeleteJobQueueResponse> responseFuture =  
        getAsyncClient().deleteJobQueue(deleteRequest);  
    return responseFuture.whenComplete((deleteResponse, ex) -> {  
        if (ex != null) {  
            throw new RuntimeException("Failed to delete job queue: " +  
                ex.getMessage(), ex);  
        }  
    }).thenApply(deleteResponse -> null);  
}
```

- For API details, see [DeleteJobQueue](#) in *AWS SDK for Java 2.x API Reference*.

DeregisterJobDefinition

The following code example shows how to use `DeregisterJobDefinition`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Deregisters a job definition asynchronously.  
 *  
 * @param jobDefinition the name of the job definition to be deregistered  
 * @return a CompletableFuture that completes when the job definition has been  
 deregistered  
 * or an exception has occurred  
 */  
public CompletableFuture<DeregisterJobDefinitionResponse>  
deregisterJobDefinitionAsync(String jobDefinition) {  
    DeregisterJobDefinitionRequest jobDefinitionRequest =  
DeregisterJobDefinitionRequest.builder()  
        .jobDefinition(jobDefinition)  
        .build();  
  
    CompletableFuture<DeregisterJobDefinitionResponse> responseFuture =  
getAsyncClient().deregisterJobDefinition(jobDefinitionRequest);  
    responseFuture.whenComplete((response, ex) -> {  
        if (ex != null) {  
            throw new RuntimeException("Unexpected error occurred: " +  
ex.getMessage(), ex);  
        }  
    });  
  
    return responseFuture;  
}
```

- For API details, see [DeregisterJobDefinition](#) in *AWS SDK for Java 2.x API Reference*.

DescribeComputeEnvironments

The following code example shows how to use `DescribeComputeEnvironments`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Checks the status of the specified compute environment.  
 *  
 * @param computeEnvironmentName the name of the compute environment to check  
 * @return a CompletableFuture containing the status of the compute environment,  
 * or "ERROR" if an exception occurs  
 */  
public CompletableFuture<String> checkComputeEnvironmentsStatus(String  
computeEnvironmentName) {  
    if (computeEnvironmentName == null || computeEnvironmentName.isEmpty()) {  
        throw new IllegalArgumentException("Compute environment name cannot be  
null or empty");  
    }  
  
    DescribeComputeEnvironmentsRequest environmentsRequest =  
DescribeComputeEnvironmentsRequest.builder()  
        .computeEnvironments(computeEnvironmentName)  
        .build();  
  
    CompletableFuture<DescribeComputeEnvironmentsResponse> response =  
getAsyncClient().describeComputeEnvironments(environmentsRequest);  
    response.whenComplete((resp, ex) -> {  
        if (ex != null) {  
            String errorMessage = "Unexpected error occurred: " +  
ex.getMessage();  
            throw new RuntimeException(errorMessage, ex);  
        }  
    });  
  
    return response.thenApply(resp -> resp.computeEnvironments().stream()  
        .map(env -> env.statusAsString())
```

```
        .findFirst()
        .orElse("UNKNOWN"));
}
```

- For API details, see [DescribeComputeEnvironments](#) in *AWS SDK for Java 2.x API Reference*.

DescribeJobQueues

The following code example shows how to use `DescribeJobQueues`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/** 
 * Asynchronously describes the job queue associated with the specified compute
environment.
*
 * @param computeEnvironmentName the name of the compute environment to find the
associated job queue for
 * @return a {@link CompletableFuture} that, when completed, contains the job
queue ARN associated with the specified compute environment
 * @throws RuntimeException if the job queue description fails
 */
public CompletableFuture<String> describeJobQueueAsync(String
computeEnvironmentName) {
    DescribeJobQueuesRequest describeJobQueuesRequest =
DescribeJobQueuesRequest.builder()
    .build();

    CompletableFuture<DescribeJobQueuesResponse> responseFuture =
getAsyncClient().describeJobQueues(describeJobQueuesRequest);
    return responseFuture.whenComplete((describeJobQueuesResponse, ex) -> {
        if (describeJobQueuesResponse != null) {
            String jobQueueARN;
            for (JobQueueDetail jobQueueDetail :
describeJobQueuesResponse.jobQueues()) {
```

```
        for (ComputeEnvironmentOrder computeEnvironmentOrder :  
jobQueueDetail.computeEnvironmentOrder()) {  
            String computeEnvironment =  
computeEnvironmentOrder.computeEnvironment();  
            String name = getComputeEnvironmentName(computeEnvironment);  
            if (name.equals(computeEnvironmentName)) {  
                jobQueueARN = jobQueueDetail.jobQueueArn();  
                logger.info("Job queue ARN associated with the compute  
environment: " + jobQueueARN);  
            }  
        }  
    }  
} else {  
    throw new RuntimeException("Failed to describe job queue: " +  
ex.getMessage(), ex);  
}  
}).thenApply(describeJobQueuesResponse -> {  
    String jobQueueARN = "";  
    for (JobQueueDetail jobQueueDetail :  
describeJobQueuesResponse.jobQueues()) {  
        for (ComputeEnvironmentOrder computeEnvironmentOrder :  
jobQueueDetail.computeEnvironmentOrder()) {  
            String computeEnvironment =  
computeEnvironmentOrder.computeEnvironment();  
            String name = getComputeEnvironmentName(computeEnvironment);  
            if (name.equals(computeEnvironmentName)) {  
                jobQueueARN = jobQueueDetail.jobQueueArn();  
            }  
        }  
    }  
    return jobQueueARN;  
});  
}
```

- For API details, see [DescribeJobQueues](#) in *AWS SDK for Java 2.x API Reference*.

DescribeJobs

The following code example shows how to use `DescribeJobs`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Asynchronously retrieves the status of a specific job.  
 *  
 * @param jobId the ID of the job to retrieve the status for  
 * @return a CompletableFuture that completes with the job status  
 */  
public CompletableFuture<String> describeJobAsync(String jobId) {  
    DescribeJobsRequest describeJobsRequest = DescribeJobsRequest.builder()  
        .jobs(jobId)  
        .build();  
  
    CompletableFuture<DescribeJobsResponse> responseFuture =  
        getAsyncClient().describeJobs(describeJobsRequest);  
    return responseFuture.whenComplete((response, ex) -> {  
        if (ex != null) {  
            throw new RuntimeException("Unexpected error occurred: " +  
                ex.getMessage(), ex);  
        }  
    }).thenApply(response -> response.jobs().get(0).status().toString());  
}
```

- For API details, see [DescribeJobs](#) in *AWS SDK for Java 2.x API Reference*.

ListJobsPaginator

The following code example shows how to use ListJobsPaginator.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Asynchronously lists the jobs in the specified job queue with the given job  
 * status.  
 *  
 * @param jobQueue the name of the job queue to list jobs from  
 * @return a List<JobSummary> that contains the jobs that succeeded  
 */  
public List<JobSummary> listJobsAsync(String jobQueue) {  
    if (jobQueue == null || jobQueue.isEmpty()) {  
        throw new IllegalArgumentException("Job queue cannot be null or empty");  
    }  
  
    ListJobsRequest listJobsRequest = ListJobsRequest.builder()  
        .jobQueue(jobQueue)  
        .jobStatus(JobStatus.SUCCEEDED) // Filter jobs by status.  
        .build();  
  
    List<JobSummary> jobSummaries = new ArrayList<>();  
    ListJobsPublisher listJobsPaginator =  
getAsyncClient().listJobsPaginator(listJobsRequest);  
    CompletableFuture<Void> future = listJobsPaginator.subscribe(response -> {  
        jobSummaries.addAll(response.jobSummaryList());  
    });  
    future.join();  
    return jobSummaries;  
}
```

- For API details, see [ListJobsPaginator](#) in *AWS SDK for Java 2.x API Reference*.

RegisterJobDefinition

The following code example shows how to use RegisterJobDefinition.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Registers a new job definition asynchronously in AWS Batch.  
 * <p>  
 * When using Fargate as the compute environment, it is crucial to set the  
 * {@link NetworkConfiguration} with {@link AssignPublicIp#ENABLED} to  
 * ensure proper networking configuration for the Fargate tasks. This  
 * allows the tasks to communicate with external services, access the  
 * internet, or communicate within a VPC.  
 *  
 * @param jobDefinitionName the name of the job definition to be registered  
 * @param executionRoleARN the ARN (Amazon Resource Name) of the execution role  
 *                         that provides permissions for the containers in the  
 job  
 * @param cpuArch a value of either X86_64 or ARM64 required for the service  
 call  
 * @return a CompletableFuture that completes with the ARN of the registered  
 *         job definition upon successful execution, or completes exceptionally  
 with  
 *         an error if the registration fails  
 */  
public CompletableFuture<String> registerJobDefinitionAsync(String  
jobDefinitionName, String executionRoleARN, String image, String cpuArch) {  
    NetworkConfiguration networkConfiguration = NetworkConfiguration.builder()  
        .assignPublicIp(AssignPublicIp.ENABLED)  
        .build();  
  
    ContainerProperties containerProperties = ContainerProperties.builder()  
        .image(image)  
        .executionRoleArn(executionRoleARN)  
        .resourceRequirements(  
            Arrays.asList(  
                ResourceRequirement.builder()  
                    .type(ResourceType.VCPU)  
                    .value("1")
```

```
        .build(),
        ResourceRequirement.builder()
            .type(ResourceType.MEMORY)
            .value("2048")
            .build()
    )
)
.networkConfiguration(networkConfiguration)
.runtimePlatform(b -> b
    .cpuArchitecture(cpuArch)
    .operatingSystemFamily("LINUX"))
.build();

RegisterJobDefinitionRequest request =
RegisterJobDefinitionRequest.builder()
    .jobDefinitionName(jobDefinitionName)
    .type(JobDefinitionType.CONTAINER)
    .containerProperties(containerProperties)
    .platformCapabilities(PlatformCapability.FARGATE)
    .build();

CompletableFuture<String> future = new CompletableFuture<>();
getAsyncClient().registerJobDefinition(request)
    .thenApply(RegisterJobDefinitionResponse::jobDefinitionArn)
    .whenComplete((result, ex) -> {
        if (ex != null) {
            future.completeExceptionally(ex);
        } else {
            future.complete(result);
        }
    });
}

return future;
}
```

- For API details, see [RegisterJobDefinition](#) in *AWS SDK for Java 2.x API Reference*.

SubmitJob

The following code example shows how to use SubmitJob.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Submits a job asynchronously to the AWS Batch service.  
 *  
 * @param jobDefinitionName the name of the job definition to use  
 * @param jobQueueName the name of the job queue to submit the job to  
 * @param jobARN the Amazon Resource Name (ARN) of the job definition  
 * @return a CompletableFuture that, when completed, contains the job ID of the  
 submitted job  
 */  
public CompletableFuture<String> submitJobAsync(String jobDefinitionName, String  
jobQueueName, String jobARN) {  
    SubmitJobRequest jobRequest = SubmitJobRequest.builder()  
        .jobDefinition(jobARN)  
        .jobName(jobDefinitionName)  
        .jobQueue(jobQueueName)  
        .build();  
  
    CompletableFuture<SubmitJobResponse> responseFuture =  
getAsyncClient().submitJob(jobRequest);  
    responseFuture.whenComplete((response, ex) -> {  
        if (ex != null) {  
            throw new RuntimeException("Unexpected error occurred: " +  
ex.getMessage(), ex);  
        }  
    });  
  
    return responseFuture.thenApply(SubmitJobResponse::jobId);  
}
```

- For API details, see [SubmitJob](#) in *AWS SDK for Java 2.x API Reference*.

UpdateComputeEnvironment

The following code example shows how to use `UpdateComputeEnvironment`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Disables the specified compute environment asynchronously.  
 *  
 * @param computeEnvironmentName the name of the compute environment to disable  
 * @return a CompletableFuture that completes when the compute environment is  
 disabled  
 */  
public CompletableFuture<UpdateComputeEnvironmentResponse>  
disableComputeEnvironmentAsync(String computeEnvironmentName) {  
    UpdateComputeEnvironmentRequest updateRequest =  
        UpdateComputeEnvironmentRequest.builder()  
            .computeEnvironment(computeEnvironmentName)  
            .state(CEState.DISABLED)  
            .build();  
  
    CompletableFuture<UpdateComputeEnvironmentResponse> responseFuture =  
        getAsyncClient().updateComputeEnvironment(updateRequest);  
    responseFuture.whenComplete((response, ex) -> {  
        if (ex != null) {  
            throw new RuntimeException("Failed to disable compute environment: " +  
                ex.getMessage(), ex);  
        }  
    });  
  
    return responseFuture;  
}
```

- For API details, see [UpdateComputeEnvironment](#) in *AWS SDK for Java 2.x API Reference*.

UpdateJobQueue

The following code example shows how to use `UpdateJobQueue`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Disables the specified job queue asynchronously.  
 *  
 * @param jobQueueArn the Amazon Resource Name (ARN) of the job queue to be  
 * disabled  
 * @return a {@link CompletableFuture} that completes when the job queue update  
 * operation is complete,  
 *         or completes exceptionally if an error occurs during the operation  
 */  
public CompletableFuture<Void> disableJobQueueAsync(String jobQueueArn) {  
    UpdateJobQueueRequest updateRequest = UpdateJobQueueRequest.builder()  
        .jobQueue(jobQueueArn)  
        .state(JQState.DISABLED)  
        .build();  
  
    CompletableFuture<UpdateJobQueueResponse> responseFuture =  
        getAsyncClient().updateJobQueue(updateRequest);  
    return responseFuture.whenComplete((updateResponse, ex) -> {  
        if (ex != null) {  
            throw new RuntimeException("Failed to update job queue: " +  
                ex.getMessage(), ex);  
        }  
    }).thenApply(updateResponse -> null);  
}
```

- For API details, see [UpdateJobQueue](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Learn AWS Batch core operations

The following code example shows how to:

- Create an AWS Batch compute environment.
- Check the status of the compute environment.
- Set up an AWS Batch job queue and job definition.
- Register a job definition.
- Submit an AWS Batch Job.
- Get a list of jobs applicable to the job queue.
- Check the status of job.
- Delete AWS Batch resources.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Run an interactive scenario demonstrating AWS Batch features.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.services.batch.model.BatchException;
import software.amazon.awssdk.services.batch.model.ClientException;
import software.amazon.awssdk.services.batch.model.CreateComputeEnvironmentResponse;
import software.amazon.awssdk.services.batch.model.JobSummary;
import software.amazon.awssdk.services.ec2.Ec2AsyncClient;
import software.amazon.awssdk.services.ec2.model.DescribeSecurityGroupsRequest;
import software.amazon.awssdk.services.ec2.model.DescribeSecurityGroupsResponse;
import software.amazon.awssdk.services.ec2.model.DescribeSubnetsRequest;
import software.amazon.awssdk.services.ec2.model.DescribeSubnetsResponse;
import software.amazon.awssdk.services.ec2.model.DescribeVpcsRequest;
import software.amazon.awssdk.services.ec2.model.Filter;
import software.amazon.awssdk.services.ec2.model.SecurityGroup;
```

```
import software.amazon.awssdk.services.ec2.model.Subnet;
import software.amazon.awssdk.services.ec2.model.Vpc;
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import java.util.List;
import java.util.Map;
import java.util.Scanner;
import java.util.UUID;
import java.util.concurrent.CompletableFuture;
import java.util.concurrent.CompletionException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 *
 * NOTE
 * This scenario submits a job that pulls a Docker image named echo-text from Amazon
 * ECR to Amazon Fargate.
 *
 * To place this Docker image on Amazon ECR, run the following Basics scenario.
 *
 * https://github.com/awsdocs/aws-doc-sdk-examples/tree/main/javav2/example\_code/ecr
 */
public class BatchScenario {
    public static final String DASHES = new String(new char[80]).replace("\0", "-");

    // Define two stacks used in this Basics Scenario.
    private static final String ROLES_STACK = "RolesStack";
    private static String defaultSubnet;
    private static String defaultSecurityGroup;

    private static final Logger logger =
    LoggerFactory.getLogger(BatchScenario.class);

    public static void main(String[] args) throws InterruptedException {

        BatchActions batchActions = new BatchActions();
        Scanner scanner = new Scanner(System.in);
        String computeEnvironmentName = "my-compute-environment";
```

```
String jobQueueName = "my-job-queue";
String jobDefinitionName = "my-job-definition";

// See the NOTE in this Java code example (at start).
String dockerImage = "dkr.ecr.us-east-1.amazonaws.com/echo-text:echo-text";

logger.info(""""
    AWS Batch is a fully managed batch processing service that dynamically
provisions the required compute
    resources for batch computing workloads. The Java V2 `BatchAsyncClient` 
allows
    developers to automate the submission, monitoring, and management of
batch jobs.
```

This scenario provides an example of setting up a compute environment, job queue and job definition, and then submitting a job.

This scenario submits a job that pulls a Docker image named echo-text from Amazon ECR to Amazon Fargate.

To place this Docker image on Amazon ECR, run the following Basics scenario.

https://github.com/awsdocs/aws-doc-sdk-examples/tree/main/javav2/example_code/ecr

Let's get started...

You have two choices:

1 - Run the entire program.
2 - Delete an existing Compute Environment (created from a previous execution of
this program that did not complete).
""");

```
while (true) {
    String input = scanner.nextLine();
    if (input.trim().equalsIgnoreCase("1")) {
        logger.info("Continuing with the program...");
        // logger.info("");
        break;
```

```
        } else if (input.trim().equalsIgnoreCase("2")) {
            String jobQueueARN = String.valueOf(batchActions.
describeJobQueueAsync(computeEnvironmentName));
            if (!jobQueueARN.isEmpty()) {
                batchActions.disableJobQueueAsync(jobQueueARN);
                countdown(1);
                batchActions.deleteJobQueueAsync(jobQueueARN);
            }

            try {

batchActions.disableComputeEnvironmentAsync(computeEnvironmentName)
    .exceptionally(ex -> {
        logger.info("Disable compute environment failed: " +
ex.getMessage());
        return null;
    })
    .join();
} catch (CompletionException ex) {
    logger.info("Failed to disable compute environment: " +
ex.getMessage());
}
countdown(2);

batchActions.deleteComputeEnvironmentAsync(computeEnvironmentName).join();
    return;
} else {
    // Handle invalid input.
    logger.info("Invalid input. Please try again.");
}
System.out.println(DASHES);

waitForInputToContinue(scanner);
// Get an AWS Account id used to retrieve the docker image from Amazon ECR.
// Create a single-element array to store the `accountId` value.
String[] accId = new String[1];
CompletableFuture<String> accountIdFuture = batchActions.getAccountId();
accountIdFuture.thenAccept(accountId -> {
    logger.info("Account ID: " + accountId);
    accId[0] = accountId;
}).join();

dockerImage = accId[0]+". "+dockerImage;
```

```
// Get a default subnet and default security associated with the default
VPC.
getSubnetSecurityGroup();

logger.info("Use AWS CloudFormation to create two IAM roles that are
required for this scenario.");
CloudFormationHelper.deployCloudFormationStack(ROLES_STACK);

Map<String, String> stackOutputs =
CloudFormationHelper.getStackOutputs(ROLES_STACK);
String batchIAMRole = stackOutputs.get("BatchRoleArn");
String executionRoleARN = stackOutputs.get("EcsRoleArn");

logger.info("The IAM role needed to interact with AWS Batch is
"+batchIAMRole);
waitForInputToContinue(scanner);

logger.info(DASHES);
logger.info("1. Create a Batch compute environment");
logger.info(""""
A compute environment is a resource where you can run your batch jobs.
After creating a compute environment, you can define job queues and job
definitions to submit jobs for
execution.

The benefit of creating a compute environment is it allows you to easily
configure and manage the compute
resources that will be used to run your Batch jobs. By separating the
compute environment from the job definitions,
you can easily scale your compute resources up or down as needed,
without having to modify your job definitions.
This makes it easier to manage your Batch workloads and ensures that
your jobs have the necessary
compute resources to run efficiently.
""");

waitForInputToContinue(scanner);
try {
    CompletableFuture<CreateComputeEnvironmentResponse> future =
batchActions.createComputeEnvironmentAsync(computeEnvironmentName, batchIAMRole,
defaultSubnet, defaultSecurityGroup);
    CreateComputeEnvironmentResponse response = future.join();
```

```
        logger.info("Compute Environment ARN: " +
response.computeEnvironmentArn());
    } catch (RuntimeException rte) {
        Throwable cause = rte.getCause();
        if (cause instanceof ClientException batchExceptionEx) {
            String myErrorCode =
batchExceptionEx.awsErrorDetails().errorMessage();
            if ("Object already exists".contains(myErrorCode)) {
                logger.info("The compute environment '" + computeEnvironmentName
+ "' already exists. Moving on...");
            } else {
                logger.info("Batch error occurred: {} (Code: {})",
batchExceptionEx.getMessage(), batchExceptionEx.awsErrorDetails().errorCode());
                return;
            }
        } else {
            logger.info("An unexpected error occurred: {}", (cause != null ?
cause.getMessage() : rte.getMessage()));
        }
    }
    waitForInputToContinue(scanner);
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("2. Check the status of the "+computeEnvironmentName +" Compute
Environment.");
    waitForInputToContinue(scanner);
    try {
        CompletableFuture<String> future =
batchActions.checkComputeEnvironmentsStatus(computeEnvironmentName);
        String status = future.join();
        logger.info("Compute Environment Status: " + status);

    } catch (RuntimeException rte) {
        Throwable cause = rte.getCause();
        if (cause instanceof ClientException batchExceptionEx) {
            logger.info("Batch error occurred: {} (Code: {})",
batchExceptionEx.getMessage(), batchExceptionEx.awsErrorDetails().errorCode());
            return;
        } else {
            logger.info("An unexpected error occurred: " + (cause != null ?
cause.getMessage() : rte.getMessage()));
            return;
        }
    }
}
```

```
    }

    waitForInputToContinue(scanner);
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("3. Create a job queue");
    logger.info(""""

        A job queue is an essential component that helps manage the execution
        of your batch jobs.

        It acts as a buffer, where jobs are placed and then scheduled for
        execution based on their
            priority and the available resources in the compute environment.

        """);

    waitForInputToContinue(scanner);

    String jobQueueArn = null;
    try {
        CompletableFuture<String> jobQueueFuture =
batchActions.createJobQueueAsync(jobQueueName, computeEnvironmentName);
        jobQueueArn = jobQueueFuture.join();
        logger.info("Job Queue ARN: " + jobQueueArn);

    } catch (RuntimeException rte) {
        Throwable cause = rte.getCause();
        if (cause instanceof BatchException batchExceptionEx) {
            String myErrorCode =
batchExceptionEx.awsErrorDetails().errorMessage();
            if ("Object already exists".contains(myErrorCode)) {
                logger.info("The job queue '" + jobQueueName + "' already
exists. Moving on...");
                // Retrieve the ARN of the job queue.
                CompletableFuture<String> jobQueueArnFuture =
batchActions.getJobQueueARN(jobQueueName);
                jobQueueArn = jobQueueArnFuture.join();
                logger.info("Job Queue ARN: " + jobQueueArn);
            } else {
                logger.info("Batch error occurred: {} (Code: {})",
batchExceptionEx.getMessage(), batchExceptionEx.awsErrorDetails().errorCode());
                return;
            }
        } else {
            logger.info("An unexpected error occurred: " + (cause != null ?
cause.getMessage() : rte.getMessage()));
            return; // End the execution
        }
    }
}
```

```
        }
    }
    waitForInputToContinue(scanner);
    logger.info(DASHES);

    logger.info("4. Register a Job Definition.");
    logger.info(""""

    Registering a job in AWS Batch using the Fargate launch type ensures
that all
        necessary parameters, such as the execution role, command to run, and so
on
        are specified and reused across multiple job submissions.

    The job definition pulls a Docker image from Amazon ECR and executes
the Docker image.
    """);

    waitForInputToContinue(scanner);
    String jobARN;
    try {
        String platform = "";
        while (true) {
            logger.info(""""

            On which platform/CPU architecture combination did you build the
Docker image?:
            1. Windows      X86_64
            2. Mac or Linux ARM64
            3. Mac or Linux X86_64

            Please select 1, 2, or 3.
            """);
            String platAns = scanner.nextLine().trim();
            if (platAns.equals("1")) {
                platform = "X86_64";
                break; // Exit loop since a valid option is selected
            } else if (platAns.equals("2")) {
                platform = "ARM64";
                break; // Exit loop since a valid option is selected
            } else if (platAns.equals("3")) {
                platform = "X86_64";
                break; // Exit loop since a valid option is selected
            } else {
                System.out.println("Invalid input. Please select either 1 or
2.");
            }
        }
    }
}
```

```
        }
    }

    jobARN = batchActions.registerJobDefinitionAsync(jobDefinitionName,
executionRoleARN, dockerImage, platform)
    .exceptionally(ex -> {
        System.err.println("Register job definition failed: " +
ex.getMessage());
        return null;
    })
    .join();
if (jobARN != null) {
    logger.info("Job ARN: " + jobARN);
}
} catch (RuntimeException rte) {
    logger.error("A Batch exception occurred while registering the job: {}",
rte.getCause() != null ? rte.getCause().getMessage() : rte.getMessage());
    return;
}
logger.info(DASHES);

logger.info(DASHES);
logger.info("5. Submit an AWS Batch job from a job definition.");
waitForInputToContinue(scanner);
String jobId;
try {
    jobId = batchActions.submitJobAsync(jobDefinitionName, jobQueueName,
jobARN)
    .exceptionally(ex -> {
        System.err.println("Submit job failed: " + ex.getMessage());
        return null;
    })
    .join();

    logger.info("The job id is "+jobId);
    logger.info("Let's wait 2 minutes for the job to complete");
    countdown(2);

} catch (RuntimeException rte) {
    logger.error("A Batch exception occurred while submitting the job: {}",
rte.getCause() != null ? rte.getCause().getMessage() : rte.getMessage());
    return;
}
waitForInputToContinue(scanner);
```

```
System.out.println(DASHES);

logger.info(DASHES);
logger.info("6. Get a list of jobs applicable to the job queue.");

waitForInputToContinue(scanner);
try {
    List<JobSummary> jobs = batchActions.listJobsAsync(jobQueueName);
    jobs.forEach(job ->
        logger.info("Job ID: {}, Job Name: {}, Job Status: {}", job.jobId(),
job.jobName(), job.status()));

} catch (RuntimeException rte) {
    logger.info("A Batch exception occurred while submitting the job: {}",
rte.getCause() != null ? rte.getCause().getMessage() : rte.getMessage());
    return;
}

waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("7. Check the status of job "+jobId);
waitForInputToContinue(scanner);
try {
    CompletableFuture<String> future = batchActions.describeJobAsync(jobId);
    String jobStatus = future.join();
    logger.info("Job Status: " + jobStatus);

} catch (RuntimeException rte) {
    logger.info("A Batch exception occurred while submitting the job: {}",
rte.getCause() != null ? rte.getCause().getMessage() : rte.getMessage());
    return;
}

waitForInputToContinue(scanner);
System.out.println(DASHES);

logger.info("8. Delete Batch resources");
logger.info(
"""
When deleting an AWS Batch compute environment, it does not happen
instantaneously.

There is typically a delay, similar to some other AWS resources.
```

```
AWS Batch starts the deletion process.  
""");  
logger.info("Would you like to delete the AWS Batch resources such as the  
compute environment? (y/n)");  
String delAns = scanner.nextLine().trim();  
if (delAns.equalsIgnoreCase("y")) {  
    logger.info("You selected to delete the AWS ECR resources.");  
    logger.info("First, we will deregister the Job Definition.");  
    waitForInputToContinue(scanner);  
    try {  
        batchActions.deregisterJobDefinitionAsync(jobARN)  
            .exceptionally(ex -> {  
                logger.info("Deregister job definition failed: " +  
ex.getMessage());  
                return null;  
            })  
            .join();  
        logger.info(jobARN + " was deregistered");  
    } catch (RuntimeException rte) {  
        logger.error("A Batch exception occurred: {}", rte.getCause() !=  
null ? rte.getCause().getMessage() : rte.getMessage());  
        return;  
    }  
  
    logger.info("Second, we will disable and then delete the Job Queue.");  
    waitForInputToContinue(scanner);  
    try {  
        batchActions.disableJobQueueAsync(jobQueueArn)  
            .exceptionally(ex -> {  
                logger.info("Disable job queue failed: " + ex.getMessage());  
                return null;  
            })  
            .join();  
        logger.info(jobQueueArn + " was disabled");  
    } catch (RuntimeException rte) {  
        logger.info("A Batch exception occurred: {}", rte.getCause() !=  
null ? rte.getCause().getMessage() : rte.getMessage());  
        return;  
    }  
  
    batchActions.waitForJobQueueToBeDisabledAsync(jobQueueArn);  
    try {  
        CompletableFuture<Void> future =  
batchActions.waitForJobQueueToBeDisabledAsync(jobQueueArn);
```

```
        future.join();
        logger.info("Job queue is now disabled.");
    } catch (RuntimeException rte) {
        logger.info("A Batch exception occurred: {}", rte.getCause() != null ? rte.getCause().getMessage() : rte.getMessage());
        return;
    }

    waitForInputToContinue(scanner);
    try {
        batchActions.deleteJobQueueAsync(jobQueueArn);
        logger.info(jobQueueArn + " was deleted");
    } catch (RuntimeException rte) {
        logger.info("A Batch exception occurred: {}", rte.getCause() != null ? rte.getCause().getMessage() : rte.getMessage());
        return;
    }
    logger.info("Let's wait 2 minutes for the job queue to be deleted");
    countdown(2);
    waitForInputToContinue(scanner);

    logger.info("Third, we will delete the Compute Environment.");
    waitForInputToContinue(scanner);
    try {
        batchActions.disableComputeEnvironmentAsync(computeEnvironmentName)
            .exceptionally(ex -> {
                System.err.println("Disable compute environment failed: " + ex.getMessage());
                return null;
            })
            .join();
        logger.info("Compute environment disabled");
    } catch (RuntimeException rte) {
        logger.info("A Batch exception occurred: {}", rte.getCause() != null ? rte.getCause().getMessage() : rte.getMessage());
        return;
    }

batchActions.checkComputeEnvironmentsStatus(computeEnvironmentName).thenAccept(state -> {
    logger.info("Current State: " + state);
}).join();
```

```
        logger.info("Lets wait 1 min for the compute environment to be
deleted");
        countdown(1);

        try {

batchActions.deleteComputeEnvironmentAsync(computeEnvironmentName).join();
            logger.info(computeEnvironmentName +" was deleted.");

        } catch (RuntimeException rte) {
            logger.info("A Batch exception occurred: {}", rte.getCause() !=
null ? rte.getCause().getMessage() : rte.getMessage());
            return;
        }
        waitForInputToContinue(scanner);
        CloudFormationHelper.destroyCloudFormationStack(ROLES_STACK);
    }

    logger.info(DASHES);
    logger.info("This concludes the AWS Batch SDK scenario");
    logger.info(DASHES);
}

private static void waitForInputToContinue(Scanner scanner) {
    while (true) {
        logger.info("");
        logger.info("Enter 'c' followed by <ENTER> to continue:");
        String input = scanner.nextLine();

        if (input.trim().equalsIgnoreCase("c")) {
            logger.info("Continuing with the program...");
            logger.info("");
            break;
        } else {
            // Handle invalid input.
            logger.info("Invalid input. Please try again.");
        }
    }
}

public static void countdown(int minutes) throws InterruptedException {
    int seconds = 0;
    for (int i = minutes * 60 + seconds; i >= 0; i--) {
        int displayMinutes = i / 60;
```

```
        int displaySeconds = i % 60;
        System.out.print(String.format("\r%02d:%02d", displayMinutes,
displaySeconds));
        Thread.sleep(1000); // Wait for 1 second
    }
    logger.info("Countdown complete!");
}

private static void getSubnetSecurityGroup() {
    try (Ec2AsyncClient ec2Client = Ec2AsyncClient.create()) {
        CompletableFuture<Vpc> defaultVpcFuture =
ec2Client.describeVpcs(DescribeVpcsRequest.builder()
                    .filters(Filter.builder()
                        .name("is-default")
                        .values("true")
                        .build())
                    .build())
                    .thenApply(response -> response.vpcs().stream()
                        .findFirst()
                        .orElseThrow(() -> new RuntimeException("Default VPC not
found")));
    }

    CompletableFuture<String> defaultSubnetFuture = defaultVpcFuture
        .thenCompose(vpc ->
ec2Client.describeSubnets(DescribeSubnetsRequest.builder()
                    .filters(Filter.builder()
                        .name("vpc-id")
                        .values(vpc.vpcId())
                        .build(),
                    Filter.builder()
                        .name("default-for-az")
                        .values("true")
                        .build())
                    .build())
                    .thenApply(DescribeSubnetsResponse::subnets)
                    .thenApply(subnets -> subnets.stream()
                        .findFirst()
                        .map(Subnet::subnetId)
                        .orElseThrow(() -> new RuntimeException("No
default subnet found"))));
    }

    CompletableFuture<String> defaultSecurityGroupFuture = defaultVpcFuture
        .thenCompose(vpc ->
ec2Client.describeSecurityGroups(DescribeSecurityGroupsRequest.builder()
```

```
        .filters(Filter.builder()
                      .name("group-name")
                      .values("default")
                      .build(),
                  Filter.builder()
                      .name("vpc-id")
                      .values(vpc.vpcId())
                      .build())
        .build()

.thenApply(DescribeSecurityGroupsResponse::securityGroups)
        .thenApply(securityGroups -> securityGroups.stream()
                      .findFirst()
                      .map(SecurityGroup::groupId)
                      .orElseThrow(() -> new RuntimeException("No
default security group found"))));

        defaultSubnet = defaultSubnetFuture.join();
        defaultSecurityGroup = defaultSecurityGroupFuture.join();
    }
}
}
```

A wrapper class for AWS Batch SDK methods.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.core.client.config.ClientOverrideConfiguration;
import software.amazon.awssdk.core.retry.RetryPolicy;
import software.amazon.awssdk.http.async.SdkAsyncHttpClient;
import software.amazon.awssdk.http.nio.netty.NettyNioAsyncHttpClient;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.batch.BatchAsyncClient;
import software.amazon.awssdk.services.batch.BatchClient;
import software.amazon.awssdk.services.batch.model.AssignPublicIp;
import software.amazon.awssdk.services.batch.model.BatchException;
import software.amazon.awssdk.services.batch.model.CEState;
import software.amazon.awssdk.services.batch.model.CEType;
import software.amazon.awssdk.services.batch.model.CRTType;
import software.amazon.awssdk.services.batch.model.ComputeEnvironmentOrder;
import software.amazon.awssdk.services.batch.model.ComputeResource;
import software.amazon.awssdk.services.batch.model.ContainerProperties;
```

```
import software.amazon.awssdk.services.batch.model.CreateComputeEnvironmentRequest;
import software.amazon.awssdk.services.batch.model.CreateComputeEnvironmentResponse;
import software.amazon.awssdk.services.batch.model.CreateJobQueueRequest;
import software.amazon.awssdk.services.batch.model.DeleteComputeEnvironmentRequest;
import software.amazon.awssdk.services.batch.model.DeleteComputeEnvironmentResponse;
import software.amazon.awssdk.services.batch.model.DeleteJobQueueRequest;
import software.amazon.awssdk.services.batch.model.DeleteJobQueueResponse;
import software.amazon.awssdk.services.batch.model.DeregisterJobDefinitionRequest;
import software.amazon.awssdk.services.batch.model.DeregisterJobDefinitionResponse;
import
software.amazon.awssdk.services.batch.model.DescribeComputeEnvironmentsRequest;
import
software.amazon.awssdk.services.batch.model.DescribeComputeEnvironmentsResponse;
import software.amazon.awssdk.services.batch.model.DescribeJobQueuesRequest;
import software.amazon.awssdk.services.batch.model.DescribeJobQueuesResponse;
import software.amazon.awssdk.services.batch.model.DescribeJobsRequest;
import software.amazon.awssdk.services.batch.model.DescribeJobsResponse;
import software.amazon.awssdk.services.batch.model.JQState;
import software.amazon.awssdk.services.batch.model.JobDefinitionType;
import software.amazon.awssdk.services.batch.model.JobDetail;
import software.amazon.awssdk.services.batch.model.JobQueueDetail;
import software.amazon.awssdk.services.batch.model.JobStatus;
import software.amazon.awssdk.services.batch.model.JobSummary;
import software.amazon.awssdk.services.batch.model.ListJobsRequest;
import software.amazon.awssdk.services.batch.model.RegisterJobDefinitionResponse;
import software.amazon.awssdk.services.batch.model.NetworkConfiguration;
import software.amazon.awssdk.services.batch.model.PlatformCapability;
import software.amazon.awssdk.services.batch.model.RegisterJobDefinitionRequest;
import software.amazon.awssdk.services.batch.model.ResourceRequirement;
import software.amazon.awssdk.services.batch.model.ResourceType;
import software.amazon.awssdk.services.batch.model.RuntimePlatform;
import software.amazon.awssdk.services.batch.model.SubmitJobRequest;
import software.amazon.awssdk.services.batch.model.CreateJobQueueResponse;
import java.time.Duration;
import java.util.ArrayList;
import java.util.Arrays;
import java.util.Collections;
import java.util.List;
import java.util.concurrent.CompletableFuture;
import java.util.concurrent.atomic.AtomicBoolean;
import
software.amazon.awssdk.auth.credentials.EnvironmentVariableCredentialsProvider;
import software.amazon.awssdk.services.batch.model.SubmitJobResponse;
import software.amazon.awssdk.services.batch.model.UpdateComputeEnvironmentRequest;
```

```
import software.amazon.awssdk.services.batch.model.UpdateComputeEnvironmentResponse;
import software.amazon.awssdk.services.batch.model.UpdateJobQueueRequest;
import software.amazon.awssdk.services.batch.model.UpdateJobQueueResponse;
import software.amazon.awssdk.services.batch.paginators.ListJobsPublisher;
import software.amazon.awssdk.services.sts.StsAsyncClient;
import software.amazon.awssdk.services.sts.model.GetCallerIdentityResponse;

public class BatchActions {
    private static BatchAsyncClient batchClient;

    private static final Logger logger =
LoggerFactory.getLogger(BatchActions.class);

    private static BatchAsyncClient getAsyncClient() {
        if (batchClient == null) {
            SdkAsyncHttpClient httpClient = NettyNioAsyncHttpClient.builder()
                .maxConcurrency(100)
                .connectionTimeout(Duration.ofSeconds(60))
                .readTimeout(Duration.ofSeconds(60))
                .writeTimeout(Duration.ofSeconds(60))
                .build();

            ClientOverrideConfiguration overrideConfig =
ClientOverrideConfiguration.builder()
                .apiCallTimeout(Duration.ofMinutes(2))
                .apiCallAttemptTimeout(Duration.ofSeconds(90))
                .retryPolicy(RetryPolicy.builder()
                    .numRetries(3)
                    .build())
                .build();
            .build();

            batchClient = BatchAsyncClient.builder()
                .region(Region.US_EAST_1)
                .httpClient(httpClient)
                .overrideConfiguration(overrideConfig)
                .build();
        }
        return batchClient;
    }

    /**
     * Asynchronously creates a new compute environment in AWS Batch.
     *
     * @param computeEnvironmentName the name of the compute environment to create
     */
```

```
* @param batchIAMRole the IAM role to be used by the compute environment
* @param subnet the subnet ID to be used for the compute environment
* @param secGroup the security group ID to be used for the compute environment
* @return a {@link CompletableFuture} representing the asynchronous operation,
which will complete with the
*         {@link CreateComputeEnvironmentResponse} when the compute environment
has been created
* @throws BatchException if there is an error creating the compute environment
* @throws RuntimeException if there is an unexpected error during the operation
*/
public CompletableFuture<CreateComputeEnvironmentResponse>
createComputeEnvironmentAsync(
    String computeEnvironmentName, String batchIAMRole, String subnet, String
secGroup) {
    CreateComputeEnvironmentRequest environmentRequest =
CreateComputeEnvironmentRequest.builder()
    .computeEnvironmentName(computeEnvironmentName)
    .type(CEType.MANAGED)
    .state(CEState.ENABLED)
    .computeResources(ComputeResource.builder()
        .type(CRTType.FARGATE)
        .maxvCpus(256)
        .subnets(Collections.singletonList(subnet))
        .securityGroupIds(Collections.singletonList(secGroup))
        .build())
    .serviceRole(batchIAMRole)
    .build();

    CompletableFuture<CreateComputeEnvironmentResponse> response =
getAsyncClient().createComputeEnvironment(environmentRequest);
    response.whenComplete((resp, ex) -> {
        if (ex != null) {
            String errorMessage = "Unexpected error occurred: " +
ex.getMessage();
            throw new RuntimeException(errorMessage, ex);
        }
    });

    return response;
}

public CompletableFuture<DeleteComputeEnvironmentResponse>
deleteComputeEnvironmentAsync(String computeEnvironmentName) {
```

```
        DeleteComputeEnvironmentRequest deleteComputeEnvironment =
DeleteComputeEnvironmentRequest.builder()
    .computeEnvironment(computeEnvironmentName)
    .build();

    return getAsyncClient().deleteComputeEnvironment(deleteComputeEnvironment)
    .whenComplete((response, ex) -> {
        if (ex != null) {
            Throwable cause = ex.getCause();
            if (cause instanceof BatchException) {
                throw new RuntimeException(cause);
            } else {
                throw new RuntimeException("Unexpected error: " +
cause.getMessage(), cause);
            }
        }
    });
}

/**
 * Checks the status of the specified compute environment.
 *
 * @param computeEnvironmentName the name of the compute environment to check
 * @return a CompletableFuture containing the status of the compute environment,
 * or "ERROR" if an exception occurs
 */
public CompletableFuture<String> checkComputeEnvironmentsStatus(String
computeEnvironmentName) {
    if (computeEnvironmentName == null || computeEnvironmentName.isEmpty()) {
        throw new IllegalArgumentException("Compute environment name cannot be
null or empty");
    }

    DescribeComputeEnvironmentsRequest environmentsRequest =
DescribeComputeEnvironmentsRequest.builder()
    .computeEnvironments(computeEnvironmentName)
    .build();

    CompletableFuture<DescribeComputeEnvironmentsResponse> response =
getAsyncClient().describeComputeEnvironments(environmentsRequest);
    response.whenComplete((resp, ex) -> {
        if (ex != null) {
            String errorMessage = "Unexpected error occurred: " +
ex.getMessage();
```

```
        throw new RuntimeException(errorMessage, ex);
    }
});

return response.thenApply(resp -> resp.computeEnvironments().stream()
    .map(env -> env.statusAsString())
    .findFirst()
    .orElse("UNKNOWN"));
}

/**
 * Creates a job queue asynchronously.
 *
 * @param jobQueueName the name of the job queue to create
 * @param computeEnvironmentName the name of the compute environment to
 * associate with the job queue
 * @return a CompletableFuture that completes with the Amazon Resource Name
 * (ARN) of the job queue
 */
public CompletableFuture<String> createJobQueueAsync(String jobQueueName, String
computeEnvironmentName) {
    if (jobQueueName == null || jobQueueName.isEmpty()) {
        throw new IllegalArgumentException("Job queue name cannot be null or
empty");
    }
    if (computeEnvironmentName == null || computeEnvironmentName.isEmpty()) {
        throw new IllegalArgumentException("Compute environment name cannot be
null or empty");
    }

    CreateJobQueueRequest request = CreateJobQueueRequest.builder()
        .jobQueueName(jobQueueName)
        .priority(1)
        .computeEnvironmentOrder(ComputeEnvironmentOrder.builder()
            .computeEnvironment(computeEnvironmentName)
            .order(1)
            .build())
        .build();

    CompletableFuture<CreateJobQueueResponse> response =
getAsyncClient().createJobQueue(request);
    response.whenComplete((resp, ex) -> {
        if (ex != null) {
```

```
        String errorMessage = "Unexpected error occurred: " +
    ex.getMessage();
        throw new RuntimeException(errorMessage, ex);
    }
});

return response.thenApply(CreateJobQueueResponse::jobQueueArn);
}

/**
 * Asynchronously lists the jobs in the specified job queue with the given job
status.
 *
 * @param jobQueue the name of the job queue to list jobs from
 * @return a List<JobSummary> that contains the jobs that succeeded
 */
public List<JobSummary> listJobsAsync(String jobQueue) {
    if (jobQueue == null || jobQueue.isEmpty()) {
        throw new IllegalArgumentException("Job queue cannot be null or empty");
    }

    ListJobsRequest listJobsRequest = ListJobsRequest.builder()
        .jobQueue(jobQueue)
        .jobStatus(JobStatus.SUCCEEDED) // Filter jobs by status.
        .build();

    List<JobSummary> jobSummaries = new ArrayList<>();
    ListJobsPublisher listJobsPaginator =
getAsyncClient().listJobsPaginator(listJobsRequest);
    CompletableFuture<Void> future = listJobsPaginator.subscribe(response -> {
        jobSummaries.addAll(response.jobSummaryList());
    });
    future.join();
    return jobSummaries;
}

/**
 * Registers a new job definition asynchronously in AWS Batch.
 * <p>
 * When using Fargate as the compute environment, it is crucial to set the
 * {@link NetworkConfiguration} with {@link AssignPublicIp#ENABLED} to
 * ensure proper networking configuration for the Fargate tasks. This
 * allows the tasks to communicate with external services, access the
 * internet, or communicate within a VPC.
 */
```

```
* @param jobDefinitionName the name of the job definition to be registered
* @param executionRoleARN the ARN (Amazon Resource Name) of the execution role
*                      that provides permissions for the containers in the
job
* @param cpuArch a value of either X86_64 or ARM64 required for the service
call
* @return a CompletableFuture that completes with the ARN of the registered
*         job definition upon successful execution, or completes exceptionally
with
*         an error if the registration fails
*/
public CompletableFuture<String> registerJobDefinitionAsync(String
jobDefinitionName, String executionRoleARN, String image, String cpuArch) {
    NetworkConfiguration networkConfiguration = NetworkConfiguration.builder()
        .assignPublicIp(AssignPublicIp.ENABLED)
        .build();

    ContainerProperties containerProperties = ContainerProperties.builder()
        .image(image)
        .executionRoleArn(executionRoleARN)
        .resourceRequirements(
            Arrays.asList(
                ResourceRequirement.builder()
                    .type(ResourceType.VCPU)
                    .value("1")
                    .build(),
                ResourceRequirement.builder()
                    .type(ResourceType.MEMORY)
                    .value("2048")
                    .build()
            )
        )
        .networkConfiguration(networkConfiguration)
        .runtimePlatform(b -> b
            .cpuArchitecture(cpuArch)
            .operatingSystemFamily("LINUX"))
        .build();

    RegisterJobDefinitionRequest request =
RegisterJobDefinitionRequest.builder()
        .jobDefinitionName(jobDefinitionName)
        .type(JobDefinitionType.CONTAINER)
        .containerProperties(containerProperties)
```

```
.platformCapabilities(PlatformCapability.FARGATE)
.build();

CompletableFuture<String> future = new CompletableFuture<>();
getAsyncClient().registerJobDefinition(request)
    .thenApply(RegisterJobDefinitionResponse::jobDefinitionArn)
    .whenComplete((result, ex) -> {
        if (ex != null) {
            future.completeExceptionally(ex);
        } else {
            future.complete(result);
        }
    });
}

return future;
}

/**
 * Deregisters a job definition asynchronously.
 *
 * @param jobDefinition the name of the job definition to be deregistered
 * @return a CompletableFuture that completes when the job definition has been
deregistered
 * or an exception has occurred
 */
public CompletableFuture<DeregisterJobDefinitionResponse>
deregisterJobDefinitionAsync(String jobDefinition) {
    DeregisterJobDefinitionRequest jobDefinitionRequest =
DeregisterJobDefinitionRequest.builder()
    .jobDefinition(jobDefinition)
    .build();

    CompletableFuture<DeregisterJobDefinitionResponse> responseFuture =
getAsyncClient().deregisterJobDefinition(jobDefinitionRequest);
    responseFuture.whenComplete((response, ex) -> {
        if (ex != null) {
            throw new RuntimeException("Unexpected error occurred: " +
ex.getMessage(), ex);
        }
    });
}

return responseFuture;
}
```

```
/**  
 * Disables the specified job queue asynchronously.  
 *  
 * @param jobQueueArn the Amazon Resource Name (ARN) of the job queue to be  
 disabled  
 * @return a {@link CompletableFuture} that completes when the job queue update  
 operation is complete,  
 *         or completes exceptionally if an error occurs during the operation  
 */  
public CompletableFuture<Void> disableJobQueueAsync(String jobQueueArn) {  
    UpdateJobQueueRequest updateRequest = UpdateJobQueueRequest.builder()  
        .jobQueue(jobQueueArn)  
        .state(JQState.DISABLED)  
        .build();  
  
    CompletableFuture<UpdateJobQueueResponse> responseFuture =  
getAsyncClient().updateJobQueue(updateRequest);  
    return responseFuture.whenComplete((updateResponse, ex) -> {  
        if (ex != null) {  
            throw new RuntimeException("Failed to update job queue: " +  
ex.getMessage(), ex);  
        }  
    }).thenApply(updateResponse -> null);  
}  
  
/**  
 * Deletes a Batch job queue asynchronously.  
 *  
 * @param jobQueueArn The Amazon Resource Name (ARN) of the job queue to delete.  
 * @return A CompletableFuture that represents the asynchronous deletion of the  
 job queue.  
 *         The future completes when the job queue has been successfully deleted  
 or if an error occurs.  
 *         If successful, the future will be completed with a {@code Void}  
 value.  
 *         If an error occurs, the future will be completed exceptionally with  
 the thrown exception.  
 */  
public CompletableFuture<Void> deleteJobQueueAsync(String jobQueueArn) {  
    DeleteJobQueueRequest deleteRequest = DeleteJobQueueRequest.builder()  
        .jobQueue(jobQueueArn)  
        .build();
```

```
        CompletableFuture<DeleteJobQueueResponse> responseFuture =
getAsyncClient().deleteJobQueue(deleteRequest);
        return responseFuture.whenComplete((deleteResponse, ex) -> {
            if (ex != null) {
                throw new RuntimeException("Failed to delete job queue: " +
ex.getMessage(), ex);
            }
        }).thenApply(deleteResponse -> null);
    }

    /**
     * Asynchronously describes the job queue associated with the specified compute
environment.
     *
     * @param computeEnvironmentName the name of the compute environment to find the
associated job queue for
     * @return a {@link CompletableFuture} that, when completed, contains the job
queue ARN associated with the specified compute environment
     * @throws RuntimeException if the job queue description fails
     */
    public CompletableFuture<String> describeJobQueueAsync(String
computeEnvironmentName) {
        DescribeJobQueuesRequest describeJobQueuesRequest =
DescribeJobQueuesRequest.builder()
        .build();

        CompletableFuture<DescribeJobQueuesResponse> responseFuture =
getAsyncClient().describeJobQueues(describeJobQueuesRequest);
        return responseFuture.whenComplete((describeJobQueuesResponse, ex) -> {
            if (describeJobQueuesResponse != null) {
                String jobQueueARN;
                for (JobQueueDetail jobQueueDetail :
describeJobQueuesResponse.jobQueues()) {
                    for (ComputeEnvironmentOrder computeEnvironmentOrder :
jobQueueDetail.computeEnvironmentOrder()) {
                        String computeEnvironment =
computeEnvironmentOrder.computeEnvironment();
                        String name = getComputeEnvironmentName(computeEnvironment);
                        if (name.equals(computeEnvironmentName)) {
                            jobQueueARN = jobQueueDetail.jobQueueArn();
                            logger.info("Job queue ARN associated with the compute
environment: " + jobQueueARN);
                        }
                }
            }
        });
    }
}
```

```
        }
    } else {
        throw new RuntimeException("Failed to describe job queue: " +
ex.getMessage(), ex);
    }
}).thenApply(describeJobQueuesResponse -> {
    String jobQueueARN = "";
    for (JobQueueDetail jobQueueDetail :
describeJobQueuesResponse.jobQueues()) {
        for (ComputeEnvironmentOrder computeEnvironmentOrder :
jobQueueDetail.computeEnvironmentOrder()) {
            String computeEnvironment =
computeEnvironmentOrder.computeEnvironment();
            String name = getComputeEnvironmentName(computeEnvironment);
            if (name.equals(computeEnvironmentName)) {
                jobQueueARN = jobQueueDetail.jobQueueArn();
            }
        }
    }
    return jobQueueARN;
});
}

/**
 * Disables the specified compute environment asynchronously.
 *
 * @param computeEnvironmentName the name of the compute environment to disable
 * @return a CompletableFuture that completes when the compute environment is
disabled
 */
public CompletableFuture<UpdateComputeEnvironmentResponse>
disableComputeEnvironmentAsync(String computeEnvironmentName) {
    UpdateComputeEnvironmentRequest updateRequest =
UpdateComputeEnvironmentRequest.builder()
        .computeEnvironment(computeEnvironmentName)
        .state(CEState.DISABLED)
        .build();

    CompletableFuture<UpdateComputeEnvironmentResponse> responseFuture =
getAsyncClient().updateComputeEnvironment(updateRequest);
    responseFuture.whenComplete((response, ex) -> {
        if (ex != null) {
            throw new RuntimeException("Failed to disable compute environment: " +
+ ex.getMessage(), ex);
    }
})
```

```
        }

    });

    return responseFuture;
}

/**
 * Submits a job asynchronously to the AWS Batch service.
 *
 * @param jobDefinitionName the name of the job definition to use
 * @param jobQueueName the name of the job queue to submit the job to
 * @param jobARN the Amazon Resource Name (ARN) of the job definition
 * @return a CompletableFuture that, when completed, contains the job ID of the
submitted job
*/
public CompletableFuture<String> submitJobAsync(String jobDefinitionName, String
jobQueueName, String jobARN) {
    SubmitJobRequest jobRequest = SubmitJobRequest.builder()
        .jobDefinition(jobARN)
        .jobName(jobDefinitionName)
        .jobQueue(jobQueueName)
        .build();

    CompletableFuture<SubmitJobResponse> responseFuture =
getAsyncClient().submitJob(jobRequest);
    responseFuture.whenComplete((response, ex) -> {
        if (ex != null) {
            throw new RuntimeException("Unexpected error occurred: " +
ex.getMessage(), ex);
        }
    });
}

return responseFuture.thenApply(SubmitJobResponse::jobId);
}

/**
 * Asynchronously retrieves the status of a specific job.
 *
 * @param jobId the ID of the job to retrieve the status for
 * @return a CompletableFuture that completes with the job status
*/
public CompletableFuture<String> describeJobAsync(String jobId) {
    DescribeJobsRequest describeJobsRequest = DescribeJobsRequest.builder()
        .jobs(jobId)
```

```
.build();

CompletableFuture<DescribeJobsResponse> responseFuture =
getAsyncClient().describeJobs(describeJobsRequest);
    return responseFuture.whenComplete((response, ex) -> {
        if (ex != null) {
            throw new RuntimeException("Unexpected error occurred: " +
ex.getMessage(), ex);
        }
    }).thenApply(response -> response.jobs().get(0).status().toString());
}

/**
 * Disables the specific job queue using the asynchronous Java client.
 *
 * @param jobQueueArn the Amazon Resource Name (ARN) of the job queue to wait
for
 * @return a {@link CompletableFuture} that completes when the job queue is
disabled
 */
public CompletableFuture<Void> waitForJobQueueToBeDisabledAsync(String
jobQueueArn) {
    AtomicBoolean isDisabled = new AtomicBoolean(false);
    return CompletableFuture.runAsync(() -> {
        while (!isDisabled.get()) {
            DescribeJobQueuesRequest describeRequest =
DescribeJobQueuesRequest.builder()
                .jobQueues(jobQueueArn)
                .build();

            CompletableFuture<DescribeJobQueuesResponse> responseFuture =
getAsyncClient().describeJobQueues(describeRequest);
            responseFuture.whenComplete((describeResponse, ex) -> {
                if (describeResponse != null) {
                    for (JobQueueDetail jobQueue : describeResponse.jobQueues())
{
                        if (jobQueue.jobQueueArn().equals(jobQueueArn) &&
jobQueue.state() == JQState.DISABLED) {
                            isDisabled.set(true);
                            break;
                        }
                    }
                } else {

```

```
        throw new RuntimeException("Error describing job queues",
ex);
    }
}).join();

    if (!isEnabled.get()) {
        try {
            logger.info("Waiting for job queue to be disabled...");
            Thread.sleep(5000);
        } catch (InterruptedException e) {
            Thread.currentThread().interrupt();
            throw new RuntimeException("Thread interrupted while waiting
for job queue to be disabled", e);
        }
    }
}).whenComplete((result, throwable) -> {
    if (throwable != null) {
        throw new RuntimeException("Error while waiting for job queue to be
disabled", throwable);
    }
});
}

public CompletableFuture<String> getJobQueueARN(String jobQueueName) {
    // Describe the job queue asynchronously
    CompletableFuture<DescribeJobQueuesResponse> describeJobQueuesFuture =
batchClient.describeJobQueues(
        DescribeJobQueuesRequest.builder()
            .jobQueues(jobQueueName)
            .build()
    );

    // Handle the asynchronous response and return the Job Queue ARN in the
    CompletableFuture<String>
    CompletableFuture<String> jobQueueArnFuture = new CompletableFuture<>();
    describeJobQueuesFuture.whenComplete((response, error) -> {
        if (error != null) {
            if (error instanceof BatchException) {
                logger.info("Batch error: " + ((BatchException)
error).awsErrorDetails().errorMessage());
            } else {
                logger.info("Error describing job queue: " +
error.getMessage());
            }
        }
    });
}
```

```
        }
        jobQueueArnFuture.completeExceptionally(new RuntimeException("Failed
to retrieve Job Queue ARN", error));
    } else {
        if (response.jobQueues().isEmpty()) {
            jobQueueArnFuture.completeExceptionally(new
RuntimeException("Job queue not found: " + jobQueueName));
        } else {
            // Assuming only one job queue is returned for the given name
            String jobQueueArn = response.jobQueues().get(0).jobQueueArn();
            jobQueueArnFuture.complete(jobQueueArn);
        }
    }
});

return jobQueueArnFuture;
}

private static String getComputeEnvironmentName(String computeEnvironment) {
    String[] parts = computeEnvironment.split("/");
    if (parts.length == 2) {
        return parts[1];
    }
    return null;
}

public CompletableFuture<String> getAccountId() {
    StsAsyncClient stsAsyncClient = StsAsyncClient.builder()
        .region(Region.US_EAST_1)
        .build();

    return stsAsyncClient.getCallerIdentity()
        .thenApply(GetCallerIdentityResponse::account);
}

}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.
 - [CreateComputeEnvironment](#)
 - [CreateJobQueue](#)

- [DeleteComputeEnvironment](#)
- [DeleteJobQueue](#)
- [DeregisterJobDefinition](#)
- [DescribeComputeEnvironments](#)
- [DescribeJobQueues](#)
- [DescribeJobs](#)
- [ListJobsPaginator](#)
- [RegisterJobDefinition](#)
- [SubmitJob](#)
- [UpdateComputeEnvironment](#)
- [UpdateJobQueue](#)

Amazon Bedrock examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon Bedrock.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)

Actions

GetFoundationModel

The following code example shows how to use GetFoundationModel.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Get details about a foundation model using the synchronous Amazon Bedrock client.

```
/**  
 * Get details about an Amazon Bedrock foundation model.  
 *  
 * @param bedrockClient The service client for accessing Amazon Bedrock.  
 * @param modelIdentifier The model identifier.  
 * @return An object containing the foundation model's details.  
 */  
public static FoundationModelDetails getFoundationModel(BedrockClient  
bedrockClient, String modelIdentifier) {  
    try {  
        GetFoundationModelResponse response = bedrockClient.getFoundationModel(  
            r -> r.modelIdentifier(modelIdentifier)  
        );  
  
        FoundationModelDetails model = response.modelDetails();  
  
        System.out.println(" Model ID: " + model.modelId());  
        System.out.println(" Model ARN: " +  
model.modelArn());  
        System.out.println(" Model Name: " +  
model.modelName());  
        System.out.println(" Provider Name: " +  
model.providerName());  
        System.out.println(" Lifecycle status: " +  
model.modelLifecycle().statusAsString());  
        System.out.println(" Input modalities: " +  
model.inputModalities());  
        System.out.println(" Output modalities: " +  
model.outputModalities());  
        System.out.println(" Supported customizations: " +  
model.customizationsSupported());  
        System.out.println(" Supported inference types: " +  
model.inferenceTypesSupported());
```

```
        System.out.println(" Response streaming supported: " +
model.responseStreamingSupported());

        return model;

    } catch (ValidationException e) {
        throw new IllegalArgumentException(e.getMessage());
    } catch (SdkException e) {
        System.err.println(e.getMessage());
        throw new RuntimeException(e);
    }
}
```

Get details about a foundation model using the asynchronous Amazon Bedrock client.

```
/**
 * Get details about an Amazon Bedrock foundation model.
 *
 * @param bedrockClient The async service client for accessing Amazon Bedrock.
 * @param modelIdentifier The model identifier.
 * @return An object containing the foundation model's details.
 */
public static FoundationModelDetails getFoundationModel(BedrockAsyncClient
bedrockClient, String modelIdentifier) {
    try {
        CompletableFuture<GetFoundationModelResponse> future =
bedrockClient.getFoundationModel(
            r -> r.modelIdentifier(modelIdentifier)
        );

        FoundationModelDetails model = future.get().modelDetails();

        System.out.println(" Model ID: " + model.modelId());
        System.out.println(" Model ARN: " +
model.modelArn());
        System.out.println(" Model Name: " +
model.modelName());
        System.out.println(" Provider Name: " +
model.providerName());
        System.out.println(" Lifecycle status: " +
model.lifecycle().statusAsString());
    }
}
```

```
        System.out.println(" Input modalities: " +
model.inputModalities());
        System.out.println(" Output modalities: " +
model.outputModalities());
        System.out.println(" Supported customizations: " +
model.customizationsSupported());
        System.out.println(" Supported inference types: " +
model.inferenceTypesSupported());
        System.out.println(" Response streaming supported: " +
model.responseStreamingSupported());

        return model;

    } catch (ExecutionException e) {
        if (e.getMessage().contains("ValidationException")) {
            throw new IllegalArgumentException(e.getMessage());
        } else {
            System.err.println(e.getMessage());
            throw new RuntimeException(e);
        }
    } catch (InterruptedException e) {
        Thread.currentThread().interrupt();
        System.err.println(e.getMessage());
        throw new RuntimeException(e);
    }
}
```

- For API details, see [GetFoundationModel](#) in *AWS SDK for Java 2.x API Reference*.

ListFoundationModels

The following code example shows how to use `ListFoundationModels`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

List the available Amazon Bedrock foundation models using the synchronous Amazon Bedrock client.

```
/**  
 * Lists Amazon Bedrock foundation models that you can use.  
 * You can filter the results with the request parameters.  
 *  
 * @param bedrockClient The service client for accessing Amazon Bedrock.  
 * @return A list of objects containing the foundation models' details  
 */  
public static List<FoundationModelSummary> listFoundationModels(BedrockClient  
bedrockClient) {  
  
    try {  
        ListFoundationModelsResponse response =  
bedrockClient.listFoundationModels(r -> {});  
  
        List<FoundationModelSummary> models = response.modelSummaries();  
  
        if (models.isEmpty()) {  
            System.out.println("No available foundation models in " +  
region.toString());  
        } else {  
            for (FoundationModelSummary model : models) {  
                System.out.println("Model ID: " + model.modelId());  
                System.out.println("Provider: " + model.providerName());  
                System.out.println("Name:      " + model.modelName());  
                System.out.println();  
            }  
        }  
  
        return models;  
    } catch (SdkClientException e) {  
        System.err.println(e.getMessage());  
        throw new RuntimeException(e);  
    }  
}
```

List the available Amazon Bedrock foundation models using the asynchronous Amazon Bedrock client.

```
/**  
 * Lists Amazon Bedrock foundation models that you can use.  
 * You can filter the results with the request parameters.  
 *  
 * @param bedrockClient The async service client for accessing Amazon Bedrock.  
 * @return A list of objects containing the foundation models' details  
 */  
public static List<FoundationModelSummary>  
listFoundationModels(BedrockAsyncClient bedrockClient) {  
    try {  
        CompletableFuture<ListFoundationModelsResponse> future =  
bedrockClient.listFoundationModels(r -> {});  
  
        List<FoundationModelSummary> models = future.get().modelSummaries();  
  
        if (models.isEmpty()) {  
            System.out.println("No available foundation models in " +  
region.toString());  
        } else {  
            for (FoundationModelSummary model : models) {  
                System.out.println("Model ID: " + model.modelId());  
                System.out.println("Provider: " + model.providerName());  
                System.out.println("Name: " + model.modelName());  
                System.out.println();  
            }  
        }  
  
        return models;  
    } catch (InterruptedException e) {  
        Thread.currentThread().interrupt();  
        System.err.println(e.getMessage());  
        throw new RuntimeException(e);  
    } catch (ExecutionException e) {  
        System.err.println(e.getMessage());  
        throw new RuntimeException(e);  
    }  
}
```

- For API details, see [ListFoundationModels](#) in *AWS SDK for Java 2.x API Reference*.

Amazon Bedrock Runtime examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon Bedrock Runtime.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Scenarios](#)
- [AI21 Labs Jurassic-2](#)
- [Amazon Titan Image Generator](#)
- [Amazon Titan Text](#)
- [Amazon Titan Text Embeddings](#)
- [Anthropic Claude](#)
- [Cohere Command](#)
- [Meta Llama](#)
- [Mistral AI](#)
- [Stable Diffusion](#)

Scenarios

Create a playground application to interact with Amazon Bedrock foundation models

The following code example shows how to create playgrounds to interact with Amazon Bedrock foundation models through different modalities.

SDK for Java 2.x

The Java Foundation Model (FM) Playground is a Spring Boot sample application that showcases how to use Amazon Bedrock with Java. This example shows how Java developers can use Amazon Bedrock to build generative AI-enabled applications. You can test and interact with Amazon Bedrock foundation models by using the following three playgrounds:

- A text playground.

- A chat playground.
- An image playground.

The example also lists and displays the foundation models you have access to, along with their characteristics. For source code and deployment instructions, see the project in [GitHub](#).

Services used in this example

- Amazon Bedrock Runtime

AI21 Labs Jurassic-2

Converse

The following code example shows how to send a text message to AI21 Labs Jurassic-2, using Bedrock's Converse API.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Send a text message to AI21 Labs Jurassic-2, using Bedrock's Converse API.

```
// Use the Converse API to send a text message to AI21 Labs Jurassic-2.

import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.core.exception.SdkClientException;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeClient;
import software.amazon.awssdk.services.bedrockruntime.model.ContentBlock;
import software.amazon.awssdk.services.bedrockruntime.model.ConversationRole;
import software.amazon.awssdk.services.bedrockruntime.model.ConverseResponse;
import software.amazon.awssdk.services.bedrockruntime.model.Message;

public class Converse {

    public static String converse() {
```

```
// Create a Bedrock Runtime client in the AWS Region you want to use.  
// Replace the DefaultCredentialsProvider with your preferred credentials  
provider.  
var client = BedrockRuntimeClient.builder()  
    .credentialsProvider(DefaultCredentialsProvider.create())  
    .region(Region.US_EAST_1)  
    .build();  
  
// Set the model ID, e.g., Jurassic-2 Mid.  
var modelId = "ai21.j2-mid-v1";  
  
// Create the input text and embed it in a message object with the user  
role.  
var inputText = "Describe the purpose of a 'hello world' program in one  
line.";  
var message = Message.builder()  
    .content(ContentBlock.fromText(inputText))  
    .role(ConversationRole.USER)  
    .build();  
  
try {  
    // Send the message with a basic inference configuration.  
    ConverseResponse response = client.converse(request -> request  
        .modelId(modelId)  
        .messages(message)  
        .inferenceConfig(config -> config  
            .maxTokens(512)  
            .temperature(0.5F)  
            .topP(0.9F)));  
  
    // Retrieve the generated text from Bedrock's response object.  
    var responseText = response.output().message().content().get(0).text();  
    System.out.println(responseText);  
  
    return responseText;  
}  
catch (SdkClientException e) {  
    System.err.printf("ERROR: Can't invoke '%s'. Reason: %s", modelId,  
        e.getMessage());  
    throw new RuntimeException(e);  
}  
}  
  
public static void main(String[] args) {
```

```
        converse();
    }
}
```

Send a text message to AI21 Labs Jurassic-2, using Bedrock's Converse API with the async Java client.

```
// Use the Converse API to send a text message to AI21 Labs Jurassic-2
// with the async Java client.

import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeAsyncClient;
import software.amazon.awssdk.services.bedrockruntime.model.ContentBlock;
import software.amazon.awssdk.services.bedrockruntime.model.ConversationRole;
import software.amazon.awssdk.services.bedrockruntime.model.Message;

import java.util.concurrent.CompletableFuture;
import java.util.concurrent.ExecutionException;

public class ConverseAsync {

    public static String converseAsync() {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
        provider.

        var client = BedrockRuntimeAsyncClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_EAST_1)
            .build();

        // Set the model ID, e.g., Jurassic-2 Mid.
        var modelId = "ai21.j2-mid-v1";

        // Create the input text and embed it in a message object with the user
        role.

        var inputText = "Describe the purpose of a 'hello world' program in one
line./";

        var message = Message.builder()
            .content(ContentBlock.fromText(inputText))
            .role(ConversationRole.USER)
```

```
.build();

// Send the message with a basic inference configuration.
var request = client.converse(params -> params
        .modelId(modelId)
        .messages(message)
        .inferenceConfig(config -> config
            .maxTokens(512)
            .temperature(0.5F)
            .topP(0.9F))
    );

// Prepare a future object to handle the asynchronous response.
CompletableFuture<String> future = new CompletableFuture<>();

// Handle the response or error using the future object.
request.whenComplete((response, error) -> {
    if (error == null) {
        // Extract the generated text from Bedrock's response object.
        String responseText =
response.output().message().content().get(0).text();
        future.complete(responseText);
    } else {
        future.completeExceptionally(error);
    }
});

try {
    // Wait for the future object to complete and retrieve the generated
text.
    String responseText = future.get();
    System.out.println(responseText);

    return responseText;
} catch (ExecutionException | InterruptedException e) {
    System.err.printf("Can't invoke '%s': %s", modelId, e.getMessage());
    throw new RuntimeException(e);
}
}

public static void main(String[] args) {
    converseAsync();
}
```

```
}
```

- For API details, see [Converse](#) in *AWS SDK for Java 2.x API Reference*.

InvokeModel

The following code example shows how to send a text message to AI21 Labs Jurassic-2, using the Invoke Model API.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Use the Invoke Model API to send a text message.

```
// Use the native inference API to send a text message to AI21 Labs Jurassic-2.

import org.json.JSONObject;
import org.json.JSONPointer;
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.core.exception.SdkClientException;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeClient;

public class InvokeModel {

    public static String invokeModel() {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
        provider.
        var client = BedrockRuntimeClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_EAST_1)
            .build();
    }
}
```

```
// Set the model ID, e.g., Jurassic-2 Mid.  
var modelId = "ai21.j2-mid-v1";  
  
// The InvokeModel API uses the model's native payload.  
// Learn more about the available inference parameters and response fields  
at:  
// https://docs.aws.amazon.com/bedrock/latest/userguide/model-parameters-  
jurassic2.html  
var nativeRequestTemplate = "{ \"prompt\": \"{{prompt}}\" }";  
  
// Define the prompt for the model.  
var prompt = "Describe the purpose of a 'hello world' program in one line.";  
  
// Embed the prompt in the model's native request payload.  
String nativeRequest = nativeRequestTemplate.replace("{{prompt}}", prompt);  
  
try {  
    // Encode and send the request to the Bedrock Runtime.  
    var response = client.invokeModel(request -> request  
        .body(SdkBytes.fromUtf8String(nativeRequest))  
        .modelId(modelId)  
    );  
  
    // Decode the response body.  
    var responseBody = new JSONObject(response.body().asUtf8String());  
  
    // Retrieve the generated text from the model's response.  
    var text = new JSONPointer("/completions/0/data/  
text").queryFrom(responseBody).toString();  
    System.out.println(text);  
  
    return text;  
}  
catch (SdkClientException e) {  
    System.err.printf("ERROR: Can't invoke '%s'. Reason: %s", modelId,  
e.getMessage());  
    throw new RuntimeException(e);  
}  
}  
  
public static void main(String[] args) {  
    invokeModel();  
}  
}
```

- For API details, see [InvokeModel](#) in *AWS SDK for Java 2.x API Reference*.

Amazon Titan Image Generator

InvokeModel

The following code example shows how to invoke Amazon Titan Image on Amazon Bedrock to generate an image.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Create an image with the Amazon Titan Image Generator.

```
// Create an image with the Amazon Titan Image Generator.

import org.json.JSONObject;
import org.json.JSONPointer;
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.core.exception.SdkClientException;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeClient;

import java.math.BigInteger;
import java.security.SecureRandom;

import static com.example.bedrockruntime.libs.ImageTools.displayImage;

public class InvokeModel {

    public static String invokeModel() {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
```

```
// Replace the DefaultCredentialsProvider with your preferred credentials provider.
var client = BedrockRuntimeClient.builder()
    .credentialsProvider(DefaultCredentialsProvider.create())
    .region(Region.US_EAST_1)
    .build();

// Set the model ID, e.g., Titan Image G1.
var modelId = "amazon.titan-image-generator-v1";

// The InvokeModel API uses the model's native payload.
// Learn more about the available inference parameters and response fields at:
// https://docs.aws.amazon.com/bedrock/latest/userguide/model-parameters-titan-image.html
var nativeRequestTemplate = """
{
    "taskType": "TEXT_IMAGE",
    "textToImageParams": { "text": "{{prompt}}" },
    "imageGenerationConfig": { "seed": {{seed}} }
}""";

// Define the prompt for the image generation.
var prompt = "A stylized picture of a cute old steampunk robot";

// Get a random 31-bit seed for the image generation (max. 2,147,483,647).
var seed = new BigInteger(31, new SecureRandom());

// Embed the prompt and seed in the model's native request payload.
var nativeRequest = nativeRequestTemplate
    .replace("{{prompt}}", prompt)
    .replace("{{seed}}", seed.toString());

try {
    // Encode and send the request to the Bedrock Runtime.
    var response = client.invokeModel(request -> request
        .body(SdkBytes.fromUtf8String(nativeRequest))
        .modelId(modelId)
    );

    // Decode the response body.
    var responseBody = new JSONObject(response.body().asUtf8String());

    // Retrieve the generated image data from the model's response.
}
```

```
        var base64ImageData = new JSONPointer("/images/0").queryFrom(responseBody).toString();

        return base64ImageData;

    } catch (SdkClientException e) {
        System.err.printf("ERROR: Can't invoke '%s'. Reason: %s", modelId,
e.getMessage());
        throw new RuntimeException(e);
    }
}

public static void main(String[] args) {
    System.out.println("Generating image. This may take a few seconds...");

    String base64ImageData = invokeModel();

    displayImage(base64ImageData);
}
}
```

- For API details, see [InvokeModel](#) in *AWS SDK for Java 2.x API Reference*.

Amazon Titan Text

Converse

The following code example shows how to send a text message to Amazon Titan Text, using Bedrock's Converse API.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Send a text message to Amazon Titan Text, using Bedrock's Converse API.

```
// Use the Converse API to send a text message to Amazon Titan Text.
```

```
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.core.exception.SdkClientException;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeClient;
import software.amazon.awssdk.services.bedrockruntime.model.ContentBlock;
import software.amazon.awssdk.services.bedrockruntime.model.ConversationRole;
import software.amazon.awssdk.services.bedrockruntime.model.ConverseResponse;
import software.amazon.awssdk.services.bedrockruntime.model.Message;

public class Converse {

    public static String converse() {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
        provider.

        var client = BedrockRuntimeClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_EAST_1)
            .build();

        // Set the model ID, e.g., Titan Text Premier.
        var modelId = "amazon.titan-text-premier-v1:0";

        // Create the input text and embed it in a message object with the user
        role.

        var inputText = "Describe the purpose of a 'hello world' program in one
line.';

        var message = Message.builder()
            .content(ContentBlock.fromText(inputText))
            .role(ConversationRole.USER)
            .build();

        try {
            // Send the message with a basic inference configuration.
            ConverseResponse response = client.converse(request -> request
                .modelId(modelId)
                .messages(message)
                .inferenceConfig(config -> config
                    .maxTokens(512)
                    .temperature(0.5F)
                    .topP(0.9F)));
        }
    }
}
```

```
// Retrieve the generated text from Bedrock's response object.  
var responseText = response.output().message().content().get(0).text();  
System.out.println(responseText);  
  
return responseText;  
  
} catch (SdkClientException e) {  
    System.err.printf("ERROR: Can't invoke '%s'. Reason: %s", modelId,  
e.getMessage());  
    throw new RuntimeException(e);  
}  
}  
  
public static void main(String[] args) {  
    converse();  
}  
}
```

Send a text message to Amazon Titan Text, using Bedrock's Converse API with the async Java client.

```
// Use the Converse API to send a text message to Amazon Titan Text  
// with the async Java client.  
  
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;  
import software.amazon.awssdk.regions.Region;  
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeAsyncClient;  
import software.amazon.awssdk.services.bedrockruntime.model.ContentBlock;  
import software.amazon.awssdk.services.bedrockruntime.model.ConversationRole;  
import software.amazon.awssdk.services.bedrockruntime.model.Message;  
  
import java.util.concurrent.CompletableFuture;  
import java.util.concurrent.ExecutionException;  
  
public class ConverseAsync {  
  
    public static String converseAsync() {  
  
        // Create a Bedrock Runtime client in the AWS Region you want to use.
```

```
// Replace the DefaultCredentialsProvider with your preferred credentials provider.
var client = BedrockRuntimeAsyncClient.builder()
    .credentialsProvider(DefaultCredentialsProvider.create())
    .region(Region.US_EAST_1)
    .build();

// Set the model ID, e.g., Titan Text Premier.
var modelId = "amazon.titan-text-premier-v1:0";

// Create the input text and embed it in a message object with the user role.
var inputText = "Describe the purpose of a 'hello world' program in one line.";
var message = Message.builder()
    .content(ContentBlock.fromText(inputText))
    .role(ConversationRole.USER)
    .build();

// Send the message with a basic inference configuration.
var request = client.converse(params -> params
    .modelId(modelId)
    .messages(message)
    .inferenceConfig(config -> config
        .maxTokens(512)
        .temperature(0.5F)
        .topP(0.9F))
);

// Prepare a future object to handle the asynchronous response.
CompletableFuture<String> future = new CompletableFuture<>();

// Handle the response or error using the future object.
request.whenComplete((response, error) -> {
    if (error == null) {
        // Extract the generated text from Bedrock's response object.
        String responseText =
response.output().message().content().get(0).text();
        future.complete(responseText);
    } else {
        future.completeExceptionally(error);
    }
});
```

```
try {
    // Wait for the future object to complete and retrieve the generated
    text.
    String responseText = future.get();
    System.out.println(responseText);

    return responseText;

} catch (ExecutionException | InterruptedException e) {
    System.err.printf("Can't invoke '%s': %s", modelId, e.getMessage());
    throw new RuntimeException(e);
}
}

public static void main(String[] args) {
    converseAsync();
}
}
```

- For API details, see [Converse](#) in *AWS SDK for Java 2.x API Reference*.

ConverseStream

The following code example shows how to send a text message to Amazon Titan Text, using Bedrock's Converse API and process the response stream in real-time.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Send a text message to Amazon Titan Text, using Bedrock's Converse API and process the response stream in real-time.

```
// Use the Converse API to send a text message to Amazon Titan Text
// and print the response stream.

import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
```

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeAsyncClient;
import software.amazon.awssdk.services.bedrockruntime.model.ContentBlock;
import software.amazon.awssdk.services.bedrockruntime.model.ConversationRole;
import
software.amazon.awssdk.services.bedrockruntime.model.ConverseStreamResponseHandler;
import software.amazon.awssdk.services.bedrockruntime.model.Message;

import java.util.concurrent.ExecutionException;

public class ConverseStream {

    public static void main(String[] args) {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
        provider.

        var client = BedrockRuntimeAsyncClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_EAST_1)
            .build();

        // Set the model ID, e.g., Titan Text Premier.
        var modelId = "amazon.titan-text-premier-v1:0";

        // Create the input text and embed it in a message object with the user
        role.

        var inputText = "Describe the purpose of a 'hello world' program in one
line.';

        var message = Message.builder()
            .content(ContentBlock.fromText(inputText))
            .role(ConversationRole.USER)
            .build();

        // Create a handler to extract and print the response text in real-time.
        var responseStreamHandler = ConverseStreamResponseHandler.builder()
            .subscriber(ConverseStreamResponseHandler.Visitor.builder()
                .onContentBlockDelta(chunk -> {
                    String responseText = chunk.delta().text();
                    System.out.print(responseText);
                }).build()
            ).onError(err ->
                System.err.printf("Can't invoke '%s': %s", modelId,
err.getMessage())
    }
}
```

```
        ).build();

    try {
        // Send the message with a basic inference configuration and attach the
        handler.
        client.converseStream(request -> request
            .modelId(modelId)
            .messages(message)
            .inferenceConfig(config -> config
                .maxTokens(512)
                .temperature(0.5F)
                .topP(0.9F)
            ), responseStreamHandler).get();

    } catch (ExecutionException | InterruptedException e) {
        System.err.printf("Can't invoke '%s': %s", modelId,
        e.getCause().getMessage());
    }
}
```

- For API details, see [ConverseStream](#) in *AWS SDK for Java 2.x API Reference*.

InvokeModel

The following code example shows how to send a text message to Amazon Titan Text, using the Invoke Model API.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Use the Invoke Model API to send a text message.

```
// Use the native inference API to send a text message to Amazon Titan Text.

import org.json.JSONObject;
```

```
import org.json.JSONPointer;
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.core.exception.SdkClientException;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeClient;

public class InvokeModel {

    public static String invokeModel() {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
        // provider.
        var client = BedrockRuntimeClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_EAST_1)
            .build();

        // Set the model ID, e.g., Titan Text Premier.
        var modelId = "amazon.titan-text-premier-v1:0";

        // The InvokeModel API uses the model's native payload.
        // Learn more about the available inference parameters and response fields
        // at:
        // https://docs.aws.amazon.com/bedrock/latest/userguide/model-parameters-
        // titan-text.html
        var nativeRequestTemplate = "{ \"inputText\": \"{{prompt}}\" }";

        // Define the prompt for the model.
        var prompt = "Describe the purpose of a 'hello world' program in one line.";

        // Embed the prompt in the model's native request payload.
        String nativeRequest = nativeRequestTemplate.replace("{{prompt}}", prompt);

        try {
            // Encode and send the request to the Bedrock Runtime.
            var response = client.invokeModel(request -> request
                .body(SdkBytes.fromUtf8String(nativeRequest))
                .modelId(modelId)
            );

            // Decode the response body.
            var responseBody = new JSONObject(response.body().asUtf8String());
        }
    }
}
```

```
// Retrieve the generated text from the model's response.  
var text = new JSONPointer("/results/0/  
outputText").queryFrom(responseBody).toString();  
System.out.println(text);  
  
return text;  
  
} catch (SdkClientException e) {  
    System.err.printf("ERROR: Can't invoke '%s'. Reason: %s", modelId,  
e.getMessage());  
    throw new RuntimeException(e);  
}  
}  
  
}  
  
public static void main(String[] args) {  
    invokeModel();  
}  
}
```

- For API details, see [InvokeModel](#) in *AWS SDK for Java 2.x API Reference*.

InvokeModelWithResponseStream

The following code example shows how to send a text message to Amazon Titan Text models, using the Invoke Model API, and print the response stream.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Use the Invoke Model API to send a text message and process the response stream in real-time.

```
// Use the native inference API to send a text message to Amazon Titan Text  
// and print the response stream.  
  
import org.json.JSONObject;
```

```
import org.json.JSONPointer;
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeAsyncClient;
import
software.amazon.awssdk.services.bedrockruntime.model.InvokeModelWithResponseStreamRequest;
import
software.amazon.awssdk.services.bedrockruntime.model.InvokeModelWithResponseStreamResponse

import java.util.concurrent.ExecutionException;

import static
software.amazon.awssdk.services.bedrockruntime.model.InvokeModelWithResponseStreamResponse

public class InvokeModelWithResponseStream {

    public static String invokeModelWithResponseStream() throws ExecutionException,
InterruptedException {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
provider.

        var client = BedrockRuntimeAsyncClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_EAST_1)
            .build();

        // Set the model ID, e.g., Titan Text Premier.
        var modelId = "amazon.titan-text-premier-v1:0";

        // The InvokeModelWithResponseStream API uses the model's native payload.
        // Learn more about the available inference parameters and response fields
at:

        // https://docs.aws.amazon.com/bedrock/latest/userguide/model-parameters-
titan-text.html
        var nativeRequestTemplate = "{ \"inputText\": \"{{prompt}}\" }";

        // Define the prompt for the model.
        var prompt = "Describe the purpose of a 'hello world' program in one line./";

        // Embed the prompt in the model's native request payload.
        String nativeRequest = nativeRequestTemplate.replace("{{prompt}}", prompt);
```

```
// Create a request with the model ID and the model's native request payload.
var request = InvokeModelWithResponseStreamRequest.builder()
    .body(SdkBytes.fromUtf8String(nativeRequest))
    .modelId(modelId)
    .build();

// Prepare a buffer to accumulate the generated response text.
var completeResponseTextBuffer = new StringBuilder();

// Prepare a handler to extract, accumulate, and print the response text in real-time.
var responseStreamHandler =
InvokeModelWithResponseStreamResponseHandler.builder()
    .subscriber(Visitor.builder().onChunk(chunk -> {
        // Extract and print the text from the model's native response.
        var response = new JSONObject(chunk.bytes().asUtf8String());
        var text = new JSONPointer("/outputText").queryFrom(response);
        System.out.print(text);

        // Append the text to the response text buffer.
        completeResponseTextBuffer.append(text);
    }).build()).build();

try {
    // Send the request and wait for the handler to process the response.
    client.invokeModelWithResponseStream(request,
responseStreamHandler).get();

    // Return the complete response text.
    return completeResponseTextBuffer.toString();
}

} catch (ExecutionException | InterruptedException e) {
    System.err.printf("Can't invoke '%s': %s", modelId,
e.getCause().getMessage());
    throw new RuntimeException(e);
}
}

public static void main(String[] args) throws ExecutionException,
InterruptedException {
    invokeModelWithResponseStream();
}
}
```

- For API details, see [InvokeModelWithResponseStream](#) in *AWS SDK for Java 2.x API Reference*.

Amazon Titan Text Embeddings

InvokeModel

The following code example shows how to:

- Get started creating your first embedding.
- Create embeddings configuring the number of dimensions and normalization (V2 only).

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Create your first embedding with Titan Text Embeddings V2.

```
// Generate and print an embedding with Amazon Titan Text Embeddings.

import org.json.JSONObject;
import org.json.JSONPointer;
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.core.exception.SdkClientException;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeClient;

public class InvokeModel {

    public static String invokeModel() {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
        provider.
```

```
var client = BedrockRuntimeClient.builder()
    .credentialsProvider(DefaultCredentialsProvider.create())
    .region(Region.US_EAST_1)
    .build();

// Set the model ID, e.g., Titan Text Embeddings V2.
var modelId = "amazon.titan-embed-text-v2:0";

// The InvokeModel API uses the model's native payload.
// Learn more about the available inference parameters and response fields
at:
// https://docs.aws.amazon.com/bedrock/latest/userguide/model-parameters-
titan-embed-text.html
var nativeRequestTemplate = "{ \"inputText\": \"{{inputText}}\" }";

// The text to convert into an embedding.
var inputText = "Please recommend books with a theme similar to the movie
'Inception'.';

// Embed the prompt in the model's native request payload.
String nativeRequest = nativeRequestTemplate.replace("{{inputText}}",
inputText);

try {
    // Encode and send the request to the Bedrock Runtime.
    var response = client.invokeModel(request -> request
        .body(SdkBytes.fromUtf8String(nativeRequest))
        .modelId(modelId)
    );

    // Decode the response body.
    var responseBody = new JSONObject(response.body().asUtf8String());

    // Retrieve the generated text from the model's response.
    var text = new JSONPointer("/")
embedding").queryFrom(responseBody).toString();
    System.out.println(text);

    return text;

} catch (SdkClientException e) {
    System.err.printf("ERROR: Can't invoke '%s'. Reason: %s",
e.getMessage());
    throw new RuntimeException(e);
}
```

```
        }
    }

    public static void main(String[] args) {
        invokeModel();
    }
}
```

Invoke Titan Text Embeddings V2 configuring the number of dimensions and normalization.

```
/**
 * Invoke Amazon Titan Text Embeddings V2 with additional inference parameters.
 *
 * @param inputText - The text to convert to an embedding.
 * @param dimensions - The number of dimensions the output embeddings should
have.
 *                      Values accepted by the model: 256, 512, 1024.
 * @param normalize - A flag indicating whether or not to normalize the output
embeddings.
 * @return The {@link JSONObject} representing the model's response.
 */
public static JSONObject invokeModel(String inputText, int dimensions, boolean
normalize) {

    // Create a Bedrock Runtime client in the AWS Region of your choice.
    var client = BedrockRuntimeClient.builder()
        .region(Region.US_WEST_2)
        .build();

    // Set the model ID, e.g., Titan Embed Text v2.0.
    var modelId = "amazon.titan-embed-text-v2:0";

    // Create the request for the model.
    var nativeRequest = """
        {
            "inputText": "%s",
            "dimensions": %d,
            "normalize": %b
        }
        """.formatted(inputText, dimensions, normalize);
```

```
// Encode and send the request.  
var response = client.invokeModel(request -> {  
    request.body(SdkBytes.fromUtf8String(nativeRequest));  
    request.modelId(modelId);  
});  
  
// Decode the model's response.  
var modelResponse = new JSONObject(response.body().asUtf8String());  
  
// Extract and print the generated embedding and the input text token count.  
var embedding = modelResponse.getJSONArray("embedding");  
var inputTokenCount = modelResponse.getBigInteger("inputTextTokenCount");  
System.out.println("Embedding: " + embedding);  
System.out.println("\nInput token count: " + inputTokenCount);  
  
// Return the model's native response.  
return modelResponse;  
}
```

- For API details, see [InvokeModel](#) in *AWS SDK for Java 2.x API Reference*.

Anthropic Claude

Converse

The following code example shows how to send a text message to Anthropic Claude, using Bedrock's Converse API.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Send a text message to Anthropic Claude, using Bedrock's Converse API.

```
// Use the Converse API to send a text message to Anthropic Claude.  
  
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
```

```
import software.amazon.awssdk.core.exception.SdkClientException;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeClient;
import software.amazon.awssdk.services.bedrockruntime.model.ContentBlock;
import software.amazon.awssdk.services.bedrockruntime.model.ConversationRole;
import software.amazon.awssdk.services.bedrockruntime.model.ConverseResponse;
import software.amazon.awssdk.services.bedrockruntime.model.Message;

public class Converse {

    public static String converse() {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
        provider.

        var client = BedrockRuntimeClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_EAST_1)
            .build();

        // Set the model ID, e.g., Claude 3 Haiku.
        var modelId = "anthropic.claude-3-haiku-20240307-v1:0";

        // Create the input text and embed it in a message object with the user
        role.

        var inputText = "Describe the purpose of a 'hello world' program in one
line./";

        var message = Message.builder()
            .content(ContentBlock.fromText(inputText))
            .role(ConversationRole.USER)
            .build();

        try {
            // Send the message with a basic inference configuration.
            ConverseResponse response = client.converse(request -> request
                .modelId(modelId)
                .messages(message)
                .inferenceConfig(config -> config
                    .maxTokens(512)
                    .temperature(0.5F)
                    .topP(0.9F)));
        }

        // Retrieve the generated text from Bedrock's response object.
    }
}
```

```
        var responseText = response.output().message().content().get(0).text();
        System.out.println(responseText);

        return responseText;

    } catch (SdkClientException e) {
        System.err.printf("ERROR: Can't invoke '%s'. Reason: %s", modelId,
e.getMessage());
        throw new RuntimeException(e);
    }
}

public static void main(String[] args) {
    converse();
}
}
```

Send a text message to Anthropic Claude, using Bedrock's Converse API with the async Java client.

```
// Use the Converse API to send a text message to Anthropic Claude
// with the async Java client.

import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeAsyncClient;
import software.amazon.awssdk.services.bedrockruntime.model.ContentBlock;
import software.amazon.awssdk.services.bedrockruntime.model.ConversationRole;
import software.amazon.awssdk.services.bedrockruntime.model.Message;

import java.util.concurrent.CompletableFuture;
import java.util.concurrent.ExecutionException;

public class ConverseAsync {

    public static String converseAsync() {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
        provider.
        var client = BedrockRuntimeAsyncClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
```

```
.region(Region.US_EAST_1)
.build();

// Set the model ID, e.g., Claude 3 Haiku.
var modelId = "anthropic.claude-3-haiku-20240307-v1:0";

// Create the input text and embed it in a message object with the user
role.
var inputText = "Describe the purpose of a 'hello world' program in one
line.";
var message = Message.builder()
    .content(ContentBlock.fromText(inputText))
    .role(ConversationRole.USER)
    .build();

// Send the message with a basic inference configuration.
var request = client.converse(params -> params
    .modelId(modelId)
    .messages(message)
    .inferenceConfig(config -> config
        .maxTokens(512)
        .temperature(0.5F)
        .topP(0.9F))
);

// Prepare a future object to handle the asynchronous response.
CompletableFuture<String> future = new CompletableFuture<>();

// Handle the response or error using the future object.
request.whenComplete((response, error) -> {
    if (error == null) {
        // Extract the generated text from Bedrock's response object.
        String responseText =
response.output().message().content().get(0).text();
        future.complete(responseText);
    } else {
        future.completeExceptionally(error);
    }
});

try {
    // Wait for the future object to complete and retrieve the generated
text.
    String responseText = future.get();
```

```
        System.out.println(responseText);

        return responseText;

    } catch (ExecutionException | InterruptedException e) {
        System.err.printf("Can't invoke '%s': %s", modelId, e.getMessage());
        throw new RuntimeException(e);
    }
}

public static void main(String[] args) {
    converseAsync();
}
}
```

- For API details, see [Converse](#) in *AWS SDK for Java 2.x API Reference*.

ConverseStream

The following code example shows how to send a text message to Anthropic Claude, using Bedrock's Converse API and process the response stream in real-time.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Send a text message to Anthropic Claude, using Bedrock's Converse API and process the response stream in real-time.

```
// Use the Converse API to send a text message to Anthropic Claude
// and print the response stream.

import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeAsyncClient;
import software.amazon.awssdk.services.bedrockruntime.model.ContentBlock;
import software.amazon.awssdk.services.bedrockruntime.model.ConversationRole;
```

```
import
software.amazon.awssdk.services.bedrockruntime.model.ConverseStreamResponseHandler;
import software.amazon.awssdk.services.bedrockruntime.model.Message;

import java.util.concurrent.ExecutionException;

public class ConverseStream {

    public static void main(String[] args) {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
        provider.

        var client = BedrockRuntimeAsyncClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_EAST_1)
            .build();

        // Set the model ID, e.g., Claude 3 Haiku.
        var modelId = "anthropic.claude-3-haiku-20240307-v1:0";

        // Create the input text and embed it in a message object with the user
        role.

        var inputText = "Describe the purpose of a 'hello world' program in one
line.';

        var message = Message.builder()
            .content(ContentBlock.fromText(inputText))
            .role(ConversationRole.USER)
            .build();

        // Create a handler to extract and print the response text in real-time.
        var responseStreamHandler = ConverseStreamResponseHandler.builder()
            .subscriber(ConverseStreamResponseHandler.Visitor.builder()
                .onContentBlockDelta(chunk -> {
                    String responseText = chunk.delta().text();
                    System.out.print(responseText);
                }).build()
            ).onError(err ->
                System.err.printf("Can't invoke '%s': %s", modelId,
err.getMessage())
            ).build();

        try {
```

```
// Send the message with a basic inference configuration and attach the
handler.

    client.converseStream(request -> request.modelId(modelId)
        .messages(message)
        .inferenceConfig(config -> config
            .maxTokens(512)
            .temperature(0.5F)
            .topP(0.9F)
        ), responseStreamHandler).get();

} catch (ExecutionException | InterruptedException e) {
    System.err.printf("Can't invoke '%s': %s", modelId,
        e.getCause().getMessage());
}
}
```

- For API details, see [ConverseStream](#) in *AWS SDK for Java 2.x API Reference*.

InvokeModel

The following code example shows how to send a text message to Anthropic Claude, using the Invoke Model API.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Use the Invoke Model API to send a text message.

```
// Use the native inference API to send a text message to Anthropic Claude.

import org.json.JSONObject;
import org.json.JSONPointer;
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.core.exception.SdkClientException;
```

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeClient;

public class InvokeModel {

    public static String invokeModel() {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
        provider.
        var client = BedrockRuntimeClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_EAST_1)
            .build();

        // Set the model ID, e.g., Claude 3 Haiku.
        var modelId = "anthropic.claude-3-haiku-20240307-v1:0";

        // The InvokeModel API uses the model's native payload.
        // Learn more about the available inference parameters and response fields
        at:
        // https://docs.aws.amazon.com/bedrock/latest/userguide/model-parameters-
        anthropic-claude-messages.html
        var nativeRequestTemplate = """
            {
                "anthropic_version": "bedrock-2023-05-31",
                "max_tokens": 512,
                "temperature": 0.5,
                "messages": [
                    {
                        "role": "user",
                        "content": "{{prompt}}"
                    ]
                }
            }""";

        // Define the prompt for the model.
        var prompt = "Describe the purpose of a 'hello world' program in one line.";

        // Embed the prompt in the model's native request payload.
        String nativeRequest = nativeRequestTemplate.replace("{{prompt}}", prompt);

        try {
            // Encode and send the request to the Bedrock Runtime.
            var response = client.invokeModel(request -> request
                .body(SdkBytes.fromUtf8String(nativeRequest))

```

```
        .modelId(modelId)
    );

    // Decode the response body.
    var responseBody = new JSONObject(response.body().asUtf8String());

    // Retrieve the generated text from the model's response.
    var text = new JSONPointer("/content/0/
text").queryFrom(responseBody).toString();
    System.out.println(text);

    return text;

} catch (SdkClientException e) {
    System.err.printf("ERROR: Can't invoke '%s'. Reason: %s", modelId,
e.getMessage());
    throw new RuntimeException(e);
}
}

public static void main(String[] args) {
    invokeModel();
}
}
```

- For API details, see [InvokeModel](#) in *AWS SDK for Java 2.x API Reference*.

InvokeModelWithResponseStream

The following code example shows how to send a text message to Anthropic Claude models, using the Invoke Model API, and print the response stream.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Use the Invoke Model API to send a text message and process the response stream in real-time.

```
// Use the native inference API to send a text message to Anthropic Claude
// and print the response stream.

import org.json.JSONObject;
import org.json.JSONPointer;
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeAsyncClient;
import
software.amazon.awssdk.services.bedrockruntime.model.InvokeModelWithResponseStreamRequest;
import
software.amazon.awssdk.services.bedrockruntime.model.InvokeModelWithResponseStreamResponseH

import java.util.Objects;
import java.util.concurrent.ExecutionException;

import static
software.amazon.awssdk.services.bedrockruntime.model.InvokeModelWithResponseStreamResponseH

public class InvokeModelWithResponseStream {

    public static String invokeModelWithResponseStream() throws ExecutionException,
InterruptedException {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
provider.

        var client = BedrockRuntimeAsyncClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_EAST_1)
            .build();

        // Set the model ID, e.g., Claude 3 Haiku.
        var modelId = "anthropic.claude-3-haiku-20240307-v1:0";

        // The InvokeModelWithResponseStream API uses the model's native payload.
        // Learn more about the available inference parameters and response fields
at:

        // https://docs.aws.amazon.com/bedrock/latest/userguide/model-parameters-
anthropic-claude-messages.html
        var nativeRequestTemplate = """
            {

```

```
        "anthropic_version": "bedrock-2023-05-31",
        "max_tokens": 512,
        "temperature": 0.5,
        "messages": [
            {
                "role": "user",
                "content": "{{prompt}}"
            }
        ]""";
    }

    // Define the prompt for the model.
    var prompt = "Describe the purpose of a 'hello world' program in one line.";

    // Embed the prompt in the model's native request payload.
    String nativeRequest = nativeRequestTemplate.replace("{{prompt}}", prompt);

    // Create a request with the model ID and the model's native request
    payload.
    var request = InvokeModelWithResponseStreamRequest.builder()
        .body(SdkBytes.fromUtf8String(nativeRequest))
        .modelId(modelId)
        .build();

    // Prepare a buffer to accumulate the generated response text.
    var completeResponseTextBuffer = new StringBuilder();

    // Prepare a handler to extract, accumulate, and print the response text in
    real-time.
    var responseStreamHandler =
    InvokeModelWithResponseStreamResponseHandler.builder()
        .subscriber(Visitor.builder().onChunk(chunk -> {
            var response = new JSONObject(chunk.bytes().asUtf8String());

            // Extract and print the text from the content blocks.
            if (Objects.equals(response.getString("type"),
"content_block_delta")) {
                var text = new JSONPointer("/delta/
text").queryFrom(response);
                System.out.print(text);

                // Append the text to the response text buffer.
                completeResponseTextBuffer.append(text);
            }
        }).build()).build();
```

```
try {
    // Send the request and wait for the handler to process the response.
    client.invokeModelWithResponseStream(request,
responseStreamHandler).get();

    // Return the complete response text.
    return completeResponseTextBuffer.toString();

} catch (ExecutionException | InterruptedException e) {
    System.err.printf("Can't invoke '%s': %s", modelId,
e.getCause().getMessage());
    throw new RuntimeException(e);
}
}

public static void main(String[] args) throws ExecutionException,
InterruptedException {
    invokeModelWithResponseStream();
}
}
```

- For API details, see [InvokeModelWithResponseStream](#) in *AWS SDK for Java 2.x API Reference*.

Cohere Command

Converse

The following code example shows how to send a text message to Cohere Command, using Bedrock's Converse API.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Send a text message to Cohere Command, using Bedrock's Converse API.

```
// Use the Converse API to send a text message to Cohere Command.
```

```
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.core.exception.SdkClientException;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeClient;
import software.amazon.awssdk.services.bedrockruntime.model.ContentBlock;
import software.amazon.awssdk.services.bedrockruntime.model.ConversationRole;
import software.amazon.awssdk.services.bedrockruntime.model.ConverseResponse;
import software.amazon.awssdk.services.bedrockruntime.model.Message;

public class Converse {

    public static String converse() {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
        provider.

        var client = BedrockRuntimeClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_EAST_1)
            .build();

        // Set the model ID, e.g., Command R.
        var modelId = "cohere.command-r-v1:0";

        // Create the input text and embed it in a message object with the user
        role.

        var inputText = "Describe the purpose of a 'hello world' program in one
        line.';

        var message = Message.builder()
            .content(ContentBlock.fromText(inputText))
            .role(ConversationRole.USER)
            .build();

        try {
            // Send the message with a basic inference configuration.
            ConverseResponse response = client.converse(request -> request
                .modelId(modelId)
                .messages(message)
                .inferenceConfig(config -> config
                    .maxTokens(512)
                    .temperature(0.5F)
                    .topP(0.9F)));
        }
    }
}
```

```
// Retrieve the generated text from Bedrock's response object.  
var responseText = response.output().message().content().get(0).text();  
System.out.println(responseText);  
  
return responseText;  
  
} catch (SdkClientException e) {  
    System.err.printf("ERROR: Can't invoke '%s'. Reason: %s", modelId,  
e.getMessage());  
    throw new RuntimeException(e);  
}  
}  
  
public static void main(String[] args) {  
    converse();  
}  
}
```

Send a text message to Cohere Command, using Bedrock's Converse API with the `async` Java client.

```
// Use the Converse API to send a text message to Cohere Command  
// with the async Java client.  
  
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;  
import software.amazon.awssdk.regions.Region;  
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeAsyncClient;  
import software.amazon.awssdk.services.bedrockruntime.model.ContentBlock;  
import software.amazon.awssdk.services.bedrockruntime.model.ConversationRole;  
import software.amazon.awssdk.services.bedrockruntime.model.Message;  
  
import java.util.concurrent.CompletableFuture;  
import java.util.concurrent.ExecutionException;  
  
public class ConverseAsync {  
  
    public static String converseAsync() {  
  
        // Create a Bedrock Runtime client in the AWS Region you want to use.  
        // Replace the DefaultCredentialsProvider with your preferred credentials  
provider.
```

```
var client = BedrockRuntimeAsyncClient.builder()
    .credentialsProvider(DefaultCredentialsProvider.create())
    .region(Region.US_EAST_1)
    .build();

// Set the model ID, e.g., Command R.
var modelId = "cohere.command-r-v1:0";

// Create the input text and embed it in a message object with the user
role.
var inputText = "Describe the purpose of a 'hello world' program in one
line.";
var message = Message.builder()
    .content(ContentBlock.fromText(inputText))
    .role(ConversationRole.USER)
    .build();

// Send the message with a basic inference configuration.
var request = client.converse(params -> params
    .modelId(modelId)
    .messages(message)
    .inferenceConfig(config -> config
        .maxTokens(512)
        .temperature(0.5F)
        .topP(0.9F))
);

// Prepare a future object to handle the asynchronous response.
CompletableFuture<String> future = new CompletableFuture<>();

// Handle the response or error using the future object.
request.whenComplete((response, error) -> {
    if (error == null) {
        // Extract the generated text from Bedrock's response object.
        String responseText =
response.output().message().content().get(0).text();
        future.complete(responseText);
    } else {
        future.completeExceptionally(error);
    }
});

try {
```

```
// Wait for the future object to complete and retrieve the generated
text.

String responseText = future.get();
System.out.println(responseText);

return responseText;

} catch (ExecutionException | InterruptedException e) {
    System.err.printf("Can't invoke '%s': %s", modelId, e.getMessage());
    throw new RuntimeException(e);
}
}

public static void main(String[] args) {
    converseAsync();
}
}
```

- For API details, see [Converse](#) in *AWS SDK for Java 2.x API Reference*.

ConverseStream

The following code example shows how to send a text message to Cohere Command, using Bedrock's Converse API and process the response stream in real-time.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Send a text message to Cohere Command, using Bedrock's Converse API and process the response stream in real-time.

```
// Use the Converse API to send a text message to Cohere Command
// and print the response stream.

import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.regions.Region;
```

```
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeAsyncClient;
import software.amazon.awssdk.services.bedrockruntime.model.ContentBlock;
import software.amazon.awssdk.services.bedrockruntime.model.ConversationRole;
import
software.amazon.awssdk.services.bedrockruntime.model.ConverseStreamResponseHandler;
import software.amazon.awssdk.services.bedrockruntime.model.Message;

import java.util.concurrent.ExecutionException;

public class ConverseStream {

    public static void main(String[] args) {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
        provider.

        var client = BedrockRuntimeAsyncClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_EAST_1)
            .build();

        // Set the model ID, e.g., Command R.
        var modelId = "cohere.command-r-v1:0";

        // Create the input text and embed it in a message object with the user
        role.

        var inputText = "Describe the purpose of a 'hello world' program in one
line.';

        var message = Message.builder()
            .content(ContentBlock.fromText(inputText))
            .role(ConversationRole.USER)
            .build();

        // Create a handler to extract and print the response text in real-time.
        var responseStreamHandler = ConverseStreamResponseHandler.builder()
            .subscriber(ConverseStreamResponseHandler.Visitor.builder()
                .onContentBlockDelta(chunk -> {
                    String responseText = chunk.delta().text();
                    System.out.print(responseText);
                }).build()
            ).onError(err ->
                System.err.printf("Can't invoke '%s': %s", modelId,
err.getMessage())
            ).build();
    }
}
```

```
try {
    // Send the message with a basic inference configuration and attach the
    handler.
    client.converseStream(request -> request.modelId(modelId)
        .messages(message)
        .inferenceConfig(config -> config
            .maxTokens(512)
            .temperature(0.5F)
            .topP(0.9F)
        ), responseStreamHandler).get();

} catch (ExecutionException | InterruptedException e) {
    System.err.printf("Can't invoke '%s': %s", modelId,
        e.getCause().getMessage());
}
}
```

- For API details, see [ConverseStream](#) in *AWS SDK for Java 2.x API Reference*.

InvokeModel: Command R and R+

The following code example shows how to send a text message to Cohere Command R and R+, using the Invoke Model API.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Use the Invoke Model API to send a text message.

```
// Use the native inference API to send a text message to Cohere Command R.

import org.json.JSONObject;
import org.json.JSONPointer;
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
```

```
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.core.exception.SdkClientException;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeClient;

public class Command_R_InvokeModel {

    public static String invokeModel() {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
        provider.

        var client = BedrockRuntimeClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_EAST_1)
            .build();

        // Set the model ID, e.g., Command R.
        var modelId = "cohere.command-r-v1:0";

        // The InvokeModel API uses the model's native payload.
        // Learn more about the available inference parameters and response fields
        at:
        // https://docs.aws.amazon.com/bedrock/latest/userguide/model-parameters-
        cohere-command-r-plus.html
        var nativeRequestTemplate = "{ \"message\": \"{{prompt}}\" }";

        // Define the prompt for the model.
        var prompt = "Describe the purpose of a 'hello world' program in one line.";

        // Embed the prompt in the model's native request payload.
        String nativeRequest = nativeRequestTemplate.replace("{{prompt}}", prompt);

        try {
            // Encode and send the request to the Bedrock Runtime.
            var response = client.invokeModel(request -> request
                .body(SdkBytes.fromUtf8String(nativeRequest))
                .modelId(modelId)
            );

            // Decode the response body.
            var responseBody = new JSONObject(response.body().asUtf8String());

            // Retrieve the generated text from the model's response.
        }
    }
}
```

```
        var text = new JSONPointer("/text").queryFrom(responseBody).toString();
        System.out.println(text);

        return text;

    } catch (SdkClientException e) {
        System.err.printf("ERROR: Can't invoke '%s'. Reason: %s", modelId,
        e.getMessage());
        throw new RuntimeException(e);
    }
}

public static void main(String[] args) {
    invokeModel();
}
}
```

- For API details, see [InvokeModel](#) in *AWS SDK for Java 2.x API Reference*.

InvokeModel: Command and Command Light

The following code example shows how to send a text message to Cohere Command, using the Invoke Model API.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Use the Invoke Model API to send a text message.

```
// Use the native inference API to send a text message to Cohere Command.

import org.json.JSONObject;
import org.json.JSONPointer;
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.core.exception.SdkClientException;
```

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeClient;

public class Command_InvokeModel {

    public static String invokeModel() {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
        provider.
        var client = BedrockRuntimeClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_EAST_1)
            .build();

        // Set the model ID, e.g., Command Light.
        var modelId = "cohere.command-light-text-v14";

        // The InvokeModel API uses the model's native payload.
        // Learn more about the available inference parameters and response fields
        at:
        // https://docs.aws.amazon.com/bedrock/latest/userguide/model-parameters-
        cohere-command.html
        var nativeRequestTemplate = "{ \"prompt\": \"{{prompt}}\" }";

        // Define the prompt for the model.
        var prompt = "Describe the purpose of a 'hello world' program in one line.";

        // Embed the prompt in the model's native request payload.
        String nativeRequest = nativeRequestTemplate.replace("{{prompt}}", prompt);

        try {
            // Encode and send the request to the Bedrock Runtime.
            var response = client.invokeModel(request -> request
                .body(SdkBytes.fromUtf8String(nativeRequest))
                .modelId(modelId)
            );

            // Decode the response body.
            var responseBody = new JSONObject(response.body().asUtf8String());

            // Retrieve the generated text from the model's response.
            var text = new JSONPointer("/generations/0/
text").queryFrom(responseBody).toString();
        }
    }
}
```

```
        System.out.println(text);

        return text;

    } catch (SdkClientException e) {
        System.err.printf("ERROR: Can't invoke '%s'. Reason: %s", modelId,
e.getMessage());
        throw new RuntimeException(e);
    }
}

public static void main(String[] args) {
    invokeModel();
}
}
```

- For API details, see [InvokeModel](#) in *AWS SDK for Java 2.x API Reference*.

InvokeModelWithResponseStream: Command R and R+

The following code example shows how to send a text message to Cohere Command, using the Invoke Model API with a response stream.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Use the Invoke Model API to send a text message and process the response stream in real-time.

```
// Use the native inference API to send a text message to Cohere Command R
// and print the response stream.

import org.json.JSONObject;
import org.json.JSONPointer;
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.regions.Region;
```

```
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeAsyncClient;
import
software.amazon.awssdk.services.bedrockruntime.model.InvokeModelWithResponseStreamRequest;
import
software.amazon.awssdk.services.bedrockruntime.model.InvokeModelWithResponseStreamResponse;

import java.util.concurrent.ExecutionException;

import static
software.amazon.awssdk.services.bedrockruntime.model.InvokeModelWithResponseStreamResponseH

public class Command_R_InvokeModelWithResponseStream {

    public static String invokeModelWithResponseStream() throws ExecutionException,
InterruptedException {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
provider.

        var client = BedrockRuntimeAsyncClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_EAST_1)
            .build();

        // Set the model ID, e.g., Command R.
        var modelId = "cohere.command-r-v1:0";

        // The InvokeModelWithResponseStream API uses the model's native payload.
        // Learn more about the available inference parameters and response fields
at:
        // https://docs.aws.amazon.com/bedrock/latest/userguide/model-parameters-
cohere-command-r-plus.html
        var nativeRequestTemplate = "{ \"message\": \"{{prompt}}\" }";

        // Define the prompt for the model.
        var prompt = "Describe the purpose of a 'hello world' program in one line.";

        // Embed the prompt in the model's native request payload.
        String nativeRequest = nativeRequestTemplate.replace("{{prompt}}", prompt);

        // Create a request with the model ID and the model's native request
payload.
        var request = InvokeModelWithResponseStreamRequest.builder()
            .body(SdkBytes.fromUtf8String(nativeRequest))
```

```
.modelId(modelId)
.build();

// Prepare a buffer to accumulate the generated response text.
var completeResponseTextBuffer = new StringBuilder();

// Prepare a handler to extract, accumulate, and print the response text in
real-time.
var responseStreamHandler =
InvokeModelWithResponseStreamResponseHandler.builder()
    .subscriber(Visitor.builder().onChunk(chunk -> {
        // Extract and print the text from the model's native response.
        var response = new JSONObject(chunk.bytes()).asUtf8String();
        var text = new JSONPointer("/text").queryFrom(response);
        System.out.print(text);

        // Append the text to the response text buffer.
        completeResponseTextBuffer.append(text);
    }).build()).build();

try {
    // Send the request and wait for the handler to process the response.
    client.invokeModelWithResponseStream(request,
responseStreamHandler).get();

    // Return the complete response text.
    return completeResponseTextBuffer.toString();

} catch (ExecutionException | InterruptedException e) {
    System.err.printf("Can't invoke '%s': %s", modelId,
e.getCause().getMessage());
    throw new RuntimeException(e);
}
}

public static void main(String[] args) throws ExecutionException,
InterruptedException {
    invokeModelWithResponseStream();
}
}
```

- For API details, see [InvokeModel](#) in *AWS SDK for Java 2.x API Reference*.

InvokeModelWithResponseStream: Command and Command Light

The following code example shows how to send a text message to Cohere Command, using the Invoke Model API with a response stream.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Use the Invoke Model API to send a text message and process the response stream in real-time.

```
// Use the native inference API to send a text message to Cohere Command
// and print the response stream.

import org.json.JSONObject;
import org.json.JSONPointer;
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeAsyncClient;
import
software.amazon.awssdk.services.bedrockruntime.model.InvokeModelWithResponseStreamRequest;
import
software.amazon.awssdk.services.bedrockruntime.model.InvokeModelWithResponseStreamResponse;

import java.util.concurrent.ExecutionException;

import static
software.amazon.awssdk.services.bedrockruntime.model.InvokeModelWithResponseStreamResponseH

public class Command_InvokeModelWithResponseStream {

    public static String invokeModelWithResponseStream() throws ExecutionException,
InterruptedException {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
        provider.
        var client = BedrockRuntimeAsyncClient.builder()
```

```
.credentialsProvider(DefaultCredentialsProvider.create())
.region(Region.US_EAST_1)
.build();

// Set the model ID, e.g., Command Light.
var modelId = "cohere.command-light-text-v14";

// The InvokeModelWithResponseStream API uses the model's native payload.
// Learn more about the available inference parameters and response fields
at:
// https://docs.aws.amazon.com/bedrock/latest/userguide/model-parameters-
cohere-command.html
var nativeRequestTemplate = "{ \"prompt\": \"{{prompt}}\" }";

// Define the prompt for the model.
var prompt = "Describe the purpose of a 'hello world' program in one line.";

// Embed the prompt in the model's native request payload.
String nativeRequest = nativeRequestTemplate.replace("{{prompt}}", prompt);

// Create a request with the model ID and the model's native request
payload.
var request = InvokeModelWithResponseStreamRequest.builder()
    .body(SdkBytes.fromUtf8String(nativeRequest))
    .modelId(modelId)
    .build();

// Prepare a buffer to accumulate the generated response text.
var completeResponseTextBuffer = new StringBuilder();

// Prepare a handler to extract, accumulate, and print the response text in
real-time.
var responseStreamHandler =
InvokeModelWithResponseStreamResponseHandler.builder()
    .subscriber(Visitor.builder().onChunk(chunk -> {
        // Extract and print the text from the model's native response.
        var response = new JSONObject(chunk.bytes().asUtf8String());
        var text = new JSONPointer("/generations/0/
text").queryFrom(response);
        System.out.print(text);

        // Append the text to the response text buffer.
        completeResponseTextBuffer.append(text);
    }).build()).build();
```

```
try {
    // Send the request and wait for the handler to process the response.
    client.invokeModelWithResponseStream(request,
responseStreamHandler).get();

    // Return the complete response text.
    return completeResponseTextBuffer.toString();

} catch (ExecutionException | InterruptedException e) {
    System.err.printf("Can't invoke '%s': %s", modelId,
e.getCause().getMessage());
    throw new RuntimeException(e);
}
}

public static void main(String[] args) throws ExecutionException,
InterruptedException {
    invokeModelWithResponseStream();
}
}
```

- For API details, see [InvokeModel](#) in *AWS SDK for Java 2.x API Reference*.

Meta Llama

Converse

The following code example shows how to send a text message to Meta Llama, using Bedrock's Converse API.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Send a text message to Meta Llama, using Bedrock's Converse API.

```
// Use the Converse API to send a text message to Meta Llama.

import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.core.exception.SdkClientException;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeClient;
import software.amazon.awssdk.services.bedrockruntime.model.ContentBlock;
import software.amazon.awssdk.services.bedrockruntime.model.ConversationRole;
import software.amazon.awssdk.services.bedrockruntime.model.ConverseResponse;
import software.amazon.awssdk.services.bedrockruntime.model.Message;

public class Converse {

    public static String converse() {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
        provider.

        var client = BedrockRuntimeClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_EAST_1)
            .build();

        // Set the model ID, e.g., Llama 3 8b Instruct.
        var modelId = "meta.llama3-8b-instruct-v1:0";

        // Create the input text and embed it in a message object with the user
        role.

        var inputText = "Describe the purpose of a 'hello world' program in one
line./";

        var message = Message.builder()
            .content(ContentBlock.fromText(inputText))
            .role(ConversationRole.USER)
            .build();

        try {
            // Send the message with a basic inference configuration.
            ConverseResponse response = client.converse(request -> request
                .modelId(modelId)
                .messages(message)
                .inferenceConfig(config -> config
                    .maxTokens(512)
```

```
        .temperature(0.5F)
        .topP(0.9F)));

    // Retrieve the generated text from Bedrock's response object.
    var responseText = response.output().message().content().get(0).text();
    System.out.println(responseText);

    return responseText;

} catch (SdkClientException e) {
    System.err.printf("ERROR: Can't invoke '%s'. Reason: %s",
        modelId,
        e.getMessage());
    throw new RuntimeException(e);
}
}

public static void main(String[] args) {
    converse();
}
}
```

Send a text message to Meta Llama, using Bedrock's Converse API with the async Java client.

```
// Use the Converse API to send a text message to Meta Llama
// with the async Java client.

import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeAsyncClient;
import software.amazon.awssdk.services.bedrockruntime.model.ContentBlock;
import software.amazon.awssdk.services.bedrockruntime.model.ConversationRole;
import software.amazon.awssdk.services.bedrockruntime.model.Message;

import java.util.concurrent.CompletableFuture;
import java.util.concurrent.ExecutionException;

public class ConverseAsync {

    public static String converseAsync() {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
```

```
// Replace the DefaultCredentialsProvider with your preferred credentials provider.
var client = BedrockRuntimeAsyncClient.builder()
    .credentialsProvider(DefaultCredentialsProvider.create())
    .region(Region.US_EAST_1)
    .build();

// Set the model ID, e.g., Llama 3 8b Instruct.
var modelId = "meta.llama3-8b-instruct-v1:0";

// Create the input text and embed it in a message object with the user role.
var inputText = "Describe the purpose of a 'hello world' program in one line.";
var message = Message.builder()
    .content(ContentBlock.fromText(inputText))
    .role(ConversationRole.USER)
    .build();

// Send the message with a basic inference configuration.
var request = client.converse(params -> params
    .modelId(modelId)
    .messages(message)
    .inferenceConfig(config -> config
        .maxTokens(512)
        .temperature(0.5F)
        .topP(0.9F))
);

// Prepare a future object to handle the asynchronous response.
CompletableFuture<String> future = new CompletableFuture<>();

// Handle the response or error using the future object.
request.whenComplete((response, error) -> {
    if (error == null) {
        // Extract the generated text from Bedrock's response object.
        String responseText =
response.output().message().content().get(0).text();
        future.complete(responseText);
    } else {
        future.completeExceptionally(error);
    }
});
```

```
try {
    // Wait for the future object to complete and retrieve the generated
    text.
    String responseText = future.get();
    System.out.println(responseText);

    return responseText;

} catch (ExecutionException | InterruptedException e) {
    System.err.printf("Can't invoke '%s': %s", modelId, e.getMessage());
    throw new RuntimeException(e);
}
}

public static void main(String[] args) {
    converseAsync();
}
}
```

- For API details, see [Converse](#) in *AWS SDK for Java 2.x API Reference*.

ConverseStream

The following code example shows how to send a text message to Meta Llama, using Bedrock's Converse API and process the response stream in real-time.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Send a text message to Meta Llama, using Bedrock's Converse API and process the response stream in real-time.

```
// Use the Converse API to send a text message to Meta Llama
// and print the response stream.

import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
```

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeAsyncClient;
import software.amazon.awssdk.services.bedrockruntime.model.ContentBlock;
import software.amazon.awssdk.services.bedrockruntime.model.ConversationRole;
import
software.amazon.awssdk.services.bedrockruntime.model.ConverseStreamResponseHandler;
import software.amazon.awssdk.services.bedrockruntime.model.Message;

import java.util.concurrent.ExecutionException;

public class ConverseStream {

    public static void main(String[] args) {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
        provider.

        var client = BedrockRuntimeAsyncClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_EAST_1)
            .build();

        // Set the model ID, e.g., Llama 3 8b Instruct.
        var modelId = "meta.llama3-8b-instruct-v1:0";

        // Create the input text and embed it in a message object with the user
        role.

        var inputText = "Describe the purpose of a 'hello world' program in one
line./";

        var message = Message.builder()
            .content(ContentBlock.fromText(inputText))
            .role(ConversationRole.USER)
            .build();

        // Create a handler to extract and print the response text in real-time.
        var responseStreamHandler = ConverseStreamResponseHandler.builder()
            .subscriber(ConverseStreamResponseHandler.Visitor.builder()
                .onContentBlockDelta(chunk -> {
                    String responseText = chunk.delta().text();
                    System.out.print(responseText);
                }).build()
            ).onError(err ->
                System.err.printf("Can't invoke '%s': %s", modelId,
err.getMessage())
    }
}
```

```
        ).build();

    try {
        // Send the message with a basic inference configuration and attach the
        handler.
        client.converseStream(request -> request
            .modelId(modelId)
            .messages(message)
            .inferenceConfig(config -> config
                .maxTokens(512)
                .temperature(0.5F)
                .topP(0.9F)
            ), responseStreamHandler).get();

    } catch (ExecutionException | InterruptedException e) {
        System.err.printf("Can't invoke '%s': %s", modelId,
        e.getCause().getMessage());
    }
}
```

- For API details, see [ConverseStream](#) in *AWS SDK for Java 2.x API Reference*.

InvokeModel: Llama 3

The following code example shows how to send a text message to Meta Llama 3, using the Invoke Model API.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Use the Invoke Model API to send a text message.

```
// Use the native inference API to send a text message to Meta Llama 3.

import org.json.JSONObject;
```

```
import org.json.JSONPointer;
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.core.exception.SdkClientException;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeClient;

public class Llama3_InvokeModel {

    public static String invokeModel() {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
        provider.

        var client = BedrockRuntimeClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_WEST_2)
            .build();

        // Set the model ID, e.g., Llama 3 70b Instruct.
        var modelId = "meta.llama3-70b-instruct-v1:0";

        // The InvokeModel API uses the model's native payload.
        // Learn more about the available inference parameters and response fields
        at:
        // https://docs.aws.amazon.com/bedrock/latest/userguide/model-parameters-
        meta.html
        var nativeRequestTemplate = "{ \"prompt\": \"{{instruction}}\" }";

        // Define the prompt for the model.
        var prompt = "Describe the purpose of a 'hello world' program in one line.";

        // Embed the prompt in Llama 3's instruction format.
        var instruction = (
            "<|begin_of_text|><|start_header_id|>user<|end_header_id|>\\n" +
            "{{prompt}} <|eot_id|>\\n" +
            "<|start_header_id|>assistant<|end_header_id|>\\n"
        ).replace("{{prompt}}", prompt);

        // Embed the instruction in the the native request payload.
        var nativeRequest = nativeRequestTemplate.replace("{{instruction}}",
        instruction);

        try {
```

```
// Encode and send the request to the Bedrock Runtime.  
var response = client.invokeModel(request -> request  
    .body(SdkBytes.fromUtf8String(nativeRequest))  
    .modelId(modelId)  
);  
  
// Decode the response body.  
var responseBody = new JSONObject(response.body().asUtf8String());  
  
// Retrieve the generated text from the model's response.  
var text = new JSONPointer("/")  
generation").queryFrom(responseBody).toString();  
System.out.println(text);  
  
return text;  
  
} catch (SdkClientException e) {  
    System.err.printf("ERROR: Can't invoke '%s'. Reason: %s", modelId,  
e.getMessage());  
    throw new RuntimeException(e);  
}  
}  
  
}  
  
public static void main(String[] args) {  
    invokeModel();  
}  
}
```

- For API details, see [InvokeModel](#) in *AWS SDK for Java 2.x API Reference*.

InvokeModelWithResponseStream: Llama 3

The following code example shows how to send a text message to Meta Llama 3, using the Invoke Model API, and print the response stream.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Use the Invoke Model API to send a text message and process the response stream in real-time.

```
// Use the native inference API to send a text message to Meta Llama 3
// and print the response stream.

import org.json.JSONObject;
import org.json.JSONPointer;
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeAsyncClient;
import
software.amazon.awssdk.services.bedrockruntime.model.InvokeModelWithResponseStreamRequest;
import
software.amazon.awssdk.services.bedrockruntime.model.InvokeModelWithResponseStreamResponseH

import java.util.concurrent.ExecutionException;

import static
software.amazon.awssdk.services.bedrockruntime.model.InvokeModelWithResponseStreamResponseH

public class Llama3_InvokeModelWithResponseStream {

    public static String invokeModelWithResponseStream() {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
        provider.

        var client = BedrockRuntimeAsyncClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_WEST_2)
            .build();

        // Set the model ID, e.g., Llama 3 70b Instruct.
        var modelId = "meta.llama3-70b-instruct-v1:0";
    }
}
```

```
// The InvokeModelWithResponseStream API uses the model's native payload.  
// Learn more about the available inference parameters and response fields  
at:  
// https://docs.aws.amazon.com/bedrock/latest/userguide/model-parameters-  
meta.html  
var nativeRequestTemplate = "{ \"prompt\": \"{{instruction}}\" }";  
  
// Define the prompt for the model.  
var prompt = "Describe the purpose of a 'hello world' program in one line."  
  
// Embed the prompt in Llama 3's instruction format.  
var instruction = (  
    "<|begin_of_text|><|start_header_id|>user<|end_header_id|>\\n" +  
    "{{prompt}} <|eot_id|>\\n" +  
    "<|start_header_id|>assistant<|end_header_id|>\\n"  
).replace("{{prompt}}", prompt);  
  
// Embed the instruction in the the native request payload.  
var nativeRequest = nativeRequestTemplate.replace("{{instruction}}",  
instruction);  
  
// Create a request with the model ID and the model's native request  
payload.  
var request = InvokeModelWithResponseStreamRequest.builder()  
    .body(SdkBytes.fromUtf8String(nativeRequest))  
    .modelId(modelId)  
    .build();  
  
// Prepare a buffer to accumulate the generated response text.  
var completeResponseTextBuffer = new StringBuilder();  
  
// Prepare a handler to extract, accumulate, and print the response text in  
real-time.  
var responseStreamHandler =  
InvokeModelWithResponseStreamResponseHandler.builder()  
    .subscriber(Visitor.builder().onChunk(chunk -> {  
        // Extract and print the text from the model's native response.  
        var response = new JSONObject(chunk.bytes().asUtf8String());  
        var text = new JSONPointer("/generation").queryFrom(response);  
        System.out.print(text);  
  
        // Append the text to the response text buffer.  
        completeResponseTextBuffer.append(text);
```

```
        }).build()).build();  
  
    try {  
        // Send the request and wait for the handler to process the response.  
        client.invokeModelWithResponseStream(request,  
responseStreamHandler).get();  
  
        // Return the complete response text.  
        return completeResponseTextBuffer.toString();  
  
    } catch (ExecutionException | InterruptedException e) {  
        System.err.printf("Can't invoke '%s': %s", modelId,  
e.getCause().getMessage());  
        throw new RuntimeException(e);  
    }  
}  
  
public static void main(String[] args) throws ExecutionException,  
InterruptedException {  
    invokeModelWithResponseStream();  
}  
}
```

- For API details, see [InvokeModelWithResponseStream](#) in *AWS SDK for Java 2.x API Reference*.

Mistral AI

Converse

The following code example shows how to send a text message to Mistral, using Bedrock's Converse API.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Send a text message to Mistral, using Bedrock's Converse API.

```
// Use the Converse API to send a text message to Mistral.

import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.core.exception.SdkClientException;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeClient;
import software.amazon.awssdk.services.bedrockruntime.model.ContentBlock;
import software.amazon.awssdk.services.bedrockruntime.model.ConversationRole;
import software.amazon.awssdk.services.bedrockruntime.model.ConverseResponse;
import software.amazon.awssdk.services.bedrockruntime.model.Message;

public class Converse {

    public static String converse() {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
        provider.

        var client = BedrockRuntimeClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_EAST_1)
            .build();

        // Set the model ID, e.g., Mistral Large.
        var modelId = "mistral.mistral-large-2402-v1:0";

        // Create the input text and embed it in a message object with the user
        role.

        var inputText = "Describe the purpose of a 'hello world' program in one
line./";

        var message = Message.builder()
            .content(ContentBlock.fromText(inputText))
            .role(ConversationRole.USER)
            .build();

        try {
            // Send the message with a basic inference configuration.
            ConverseResponse response = client.converse(request -> request
                .modelId(modelId)
                .messages(message)
                .inferenceConfig(config -> config
                    .maxTokens(512)
```

```
        .temperature(0.5F)
        .topP(0.9F)));

    // Retrieve the generated text from Bedrock's response object.
    var responseText = response.output().message().content().get(0).text();
    System.out.println(responseText);

    return responseText;

} catch (SdkClientException e) {
    System.err.printf("ERROR: Can't invoke '%s'. Reason: %s",
        e.getMessage());
    throw new RuntimeException(e);
}

}

public static void main(String[] args) {
    converse();
}
}
```

Send a text message to Mistral, using Bedrock's Converse API with the async Java client.

```
// Use the Converse API to send a text message to Mistral
// with the async Java client.

import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeAsyncClient;
import software.amazon.awssdk.services.bedrockruntime.model.ContentBlock;
import software.amazon.awssdk.services.bedrockruntime.model.ConversationRole;
import software.amazon.awssdk.services.bedrockruntime.model.Message;

import java.util.concurrent.CompletableFuture;
import java.util.concurrent.ExecutionException;

public class ConverseAsync {

    public static String converseAsync() {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
```

```
// Replace the DefaultCredentialsProvider with your preferred credentials provider.
var client = BedrockRuntimeAsyncClient.builder()
    .credentialsProvider(DefaultCredentialsProvider.create())
    .region(Region.US_EAST_1)
    .build();

// Set the model ID, e.g., Mistral Large.
var modelId = "mistral.mistral-large-2402-v1:0";

// Create the input text and embed it in a message object with the user role.
var inputText = "Describe the purpose of a 'hello world' program in one line.";
var message = Message.builder()
    .content(ContentBlock.fromText(inputText))
    .role(ConversationRole.USER)
    .build();

// Send the message with a basic inference configuration.
var request = client.converse(params -> params
    .modelId(modelId)
    .messages(message)
    .inferenceConfig(config -> config
        .maxTokens(512)
        .temperature(0.5F)
        .topP(0.9F))
);

// Prepare a future object to handle the asynchronous response.
CompletableFuture<String> future = new CompletableFuture<>();

// Handle the response or error using the future object.
request.whenComplete((response, error) -> {
    if (error == null) {
        // Extract the generated text from Bedrock's response object.
        String responseText =
response.output().message().content().get(0).text();
        future.complete(responseText);
    } else {
        future.completeExceptionally(error);
    }
});
```

```
try {
    // Wait for the future object to complete and retrieve the generated
    text.

    String responseText = future.get();
    System.out.println(responseText);

    return responseText;

} catch (ExecutionException | InterruptedException e) {
    System.err.printf("Can't invoke '%s': %s", modelId, e.getMessage());
    throw new RuntimeException(e);
}
}

public static void main(String[] args) {
    converseAsync();
}
}
```

- For API details, see [Converse](#) in *AWS SDK for Java 2.x API Reference*.

ConverseStream

The following code example shows how to send a text message to Mistral, using Bedrock's Converse API and process the response stream in real-time.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Send a text message to Mistral, using Bedrock's Converse API and process the response stream in real-time.

```
// Use the Converse API to send a text message to Mistral
// and print the response stream.

import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
```

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeAsyncClient;
import software.amazon.awssdk.services.bedrockruntime.model.ContentBlock;
import software.amazon.awssdk.services.bedrockruntime.model.ConversationRole;
import
software.amazon.awssdk.services.bedrockruntime.model.ConverseStreamResponseHandler;
import software.amazon.awssdk.services.bedrockruntime.model.Message;

import java.util.concurrent.ExecutionException;

public class ConverseStream {

    public static void main(String[] args) {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
        provider.

        var client = BedrockRuntimeAsyncClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_EAST_1)
            .build();

        // Set the model ID, e.g., Mistral Large.
        var modelId = "mistral.mistral-large-2402-v1:0";

        // Create the input text and embed it in a message object with the user
        role.

        var inputText = "Describe the purpose of a 'hello world' program in one
line./";

        var message = Message.builder()
            .content(ContentBlock.fromText(inputText))
            .role(ConversationRole.USER)
            .build();

        // Create a handler to extract and print the response text in real-time.
        var responseStreamHandler = ConverseStreamResponseHandler.builder()
            .subscriber(ConverseStreamResponseHandler.Visitor.builder()
                .onContentBlockDelta(chunk -> {
                    String responseText = chunk.delta().text();
                    System.out.print(responseText);
                }).build()
            ).onError(err ->
                System.err.printf("Can't invoke '%s': %s", modelId,
err.getMessage())
    }
}
```

```
        ).build();

    try {
        // Send the message with a basic inference configuration and attach the
        handler.
        client.converseStream(request -> request.modelId(modelId)
            .messages(message)
            .inferenceConfig(config -> config
                .maxTokens(512)
                .temperature(0.5F)
                .topP(0.9F)
            ), responseStreamHandler).get();

    } catch (ExecutionException | InterruptedException e) {
        System.err.printf("Can't invoke '%s': %s", modelId,
        e.getCause().getMessage());
    }
}
```

- For API details, see [ConverseStream](#) in *AWS SDK for Java 2.x API Reference*.

InvokeModel

The following code example shows how to send a text message to Mistral models, using the Invoke Model API.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Use the Invoke Model API to send a text message.

```
// Use the native inference API to send a text message to Mistral.

import org.json.JSONObject;
import org.json.JSONPointer;
```

```
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.core.exception.SdkClientException;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeClient;

public class InvokeModel {

    public static String invokeModel() {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
        provider.

        var client = BedrockRuntimeClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_EAST_1)
            .build();

        // Set the model ID, e.g., Mistral Large.
        var modelId = "mistral.mistral-large-2402-v1:0";

        // The InvokeModel API uses the model's native payload.
        // Learn more about the available inference parameters and response fields
        at:
        // https://docs.aws.amazon.com/bedrock/latest/userguide/model-parameters-
        mistral-text-completion.html
        var nativeRequestTemplate = "{ \"prompt\": \"{{instruction}}\" }";

        // Define the prompt for the model.
        var prompt = "Describe the purpose of a 'hello world' program in one line.";

        // Embed the prompt in Mistral's instruction format.
        var instruction = "<s>[INST] {{prompt}} [/INST]\n".replace("{{prompt}}",
        prompt);

        // Embed the instruction in the the native request payload.
        var nativeRequest = nativeRequestTemplate.replace("{{instruction}}",
        instruction);

        try {
            // Encode and send the request to the Bedrock Runtime.
            var response = client.invokeModel(request -> request
                .body(SdkBytes.fromUtf8String(nativeRequest))
                .modelId(modelId)
```

```
    );  
  
    // Decode the response body.  
    var responseBody = new JSONObject(response.body().asUtf8String());  
  
    // Retrieve the generated text from the model's response.  
    var text = new JSONPointer("/outputs/0/  
text").queryFrom(responseBody).toString();  
    System.out.println(text);  
  
    return text;  
  
} catch (SdkClientException e) {  
    System.err.printf("ERROR: Can't invoke '%s'. Reason: %s", modelId,  
e.getMessage());  
    throw new RuntimeException(e);  
}  
}  
  
public static void main(String[] args) {  
    invokeModel();  
}  
}
```

- For API details, see [InvokeModel](#) in *AWS SDK for Java 2.x API Reference*.

InvokeModelWithResponseStream

The following code example shows how to send a text message to Mistral AI models, using the Invoke Model API, and print the response stream.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Use the Invoke Model API to send a text message and process the response stream in real-time.

```
// Use the native inference API to send a text message to Mistral
// and print the response stream.

import org.json.JSONObject;
import org.json.JSONPointer;
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeAsyncClient;
import
software.amazon.awssdk.services.bedrockruntime.model.InvokeModelWithResponseStreamRequest;
import
software.amazon.awssdk.services.bedrockruntime.model.InvokeModelWithResponseStreamResponseH

import java.util.concurrent.ExecutionException;

import static
software.amazon.awssdk.services.bedrockruntime.model.InvokeModelWithResponseStreamResponseH

public class InvokeModelWithResponseStream {

    public static String invokeModelWithResponseStream() throws ExecutionException,
InterruptedException {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
provider.

        var client = BedrockRuntimeAsyncClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_EAST_1)
            .build();

        // Set the model ID, e.g., Mistral Large.
        var modelId = "mistral.mistral-large-2402-v1:0";

        // The InvokeModelWithResponseStream API uses the model's native payload.
        // Learn more about the available inference parameters and response fields
at:

        // https://docs.aws.amazon.com/bedrock/latest/userguide/model-parameters-
mistral-text-completion.html
        var nativeRequestTemplate = "{ \"prompt\": \"{{instruction}}\" }";

        // Define the prompt for the model.
```

```
var prompt = "Describe the purpose of a 'hello world' program in one line.";

// Embed the prompt in Mistral's instruction format.
var instruction = "<s>[INST] {{prompt}} [/INST]\n".replace("{{prompt}}",
prompt);

// Embed the instruction in the native request payload.
var nativeRequest = nativeRequestTemplate.replace("{{instruction}}",
instruction);

// Create a request with the model ID and the model's native request
payload.
var request = InvokeModelWithResponseStreamRequest.builder()
    .body(SdkBytes.fromUtf8String(nativeRequest))
    .modelId(modelId)
    .build();

// Prepare a buffer to accumulate the generated response text.
var completeResponseTextBuffer = new StringBuilder();

// Prepare a handler to extract, accumulate, and print the response text in
real-time.
var responseStreamHandler =
InvokeModelWithResponseStreamResponseHandler.builder()
    .subscriber(Visitor.builder().onChunk(chunk -> {
        // Extract and print the text from the model's native response.
        var response = new JSONObject(chunk.bytes().asUtf8String());
        var text = new JSONPointer("/outputs/0/
text").queryFrom(response);
        System.out.print(text);

        // Append the text to the response text buffer.
        completeResponseTextBuffer.append(text);
    }).build()).build();

try {
    // Send the request and wait for the handler to process the response.
    client.invokeModelWithResponseStream(request,
responseStreamHandler).get();

    // Return the complete response text.
    return completeResponseTextBuffer.toString();
} catch (ExecutionException | InterruptedException e) {
```

```
        System.err.printf("Can't invoke '%s': %s", modelId,
e.getCause().getMessage());
        throw new RuntimeException(e);
    }
}

public static void main(String[] args) throws ExecutionException,
InterruptedException {
    invokeModelWithResponseStream();
}
}
```

- For API details, see [InvokeModelWithResponseStream](#) in *AWS SDK for Java 2.x API Reference*.

Stable Diffusion

InvokeModel

The following code example shows how to invoke Stability.ai Stable Diffusion XL on Amazon Bedrock to generate an image.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Create an image with Stable Diffusion.

```
// Create an image with Stable Diffusion.

import org.json.JSONObject;
import org.json.JSONPointer;
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.core.exception.SdkClientException;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.bedrockruntime.BedrockRuntimeClient;
```

```
import java.math.BigInteger;
import java.security.SecureRandom;

import static com.example.bedrockruntime.libs.ImageTools.displayImage;

public class InvokeModel {

    public static String invokeModel() {

        // Create a Bedrock Runtime client in the AWS Region you want to use.
        // Replace the DefaultCredentialsProvider with your preferred credentials
        provider.

        var client = BedrockRuntimeClient.builder()
            .credentialsProvider(DefaultCredentialsProvider.create())
            .region(Region.US_EAST_1)
            .build();

        // Set the model ID, e.g., Stable Diffusion XL v1.
        var modelId = "stability.stable-diffusion-xl-v1";

        // The InvokeModel API uses the model's native payload.
        // Learn more about the available inference parameters and response fields
        at:

        // https://docs.aws.amazon.com/bedrock/latest/userguide/model-parameters-
        diffusion-1-0-text-image.html
        var nativeRequestTemplate = """
            {
                "text_prompts": [{"text": "{{prompt}}"}],
                "style_preset": "{{style}}",
                "seed": {{seed}}
            }""";

        // Define the prompt for the image generation.
        var prompt = "A stylized picture of a cute old steampunk robot";

        // Get a random 32-bit seed for the image generation (max. 4,294,967,295).
        var seed = new BigInteger(31, new SecureRandom());

        // Choose a style preset.
        var style = "cinematic";

        // Embed the prompt, seed, and style in the model's native request payload.
        String nativeRequest = nativeRequestTemplate
            .replace("{{prompt}}", prompt)
```

```
        .replace("{{seed}}", seed.toString())
        .replace("{{style}}", style);

    try {
        // Encode and send the request to the Bedrock Runtime.
        var response = client.invokeModel(request -> request
            .body(SdkBytes.fromUtf8String(nativeRequest))
            .modelId(modelId)
        );

        // Decode the response body.
        var responseBody = new JSONObject(response.body().asUtf8String());

        // Retrieve the generated image data from the model's response.
        var base64ImageData = new JSONPointer("/artifacts/0/base64")
            .queryFrom(responseBody)
            .toString();

        return base64ImageData;
    } catch (SdkClientException e) {
        System.err.printf("ERROR: Can't invoke '%s'. Reason: %s", modelId,
e.getMessage());
        throw new RuntimeException(e);
    }
}

public static void main(String[] args) {
    System.out.println("Generating image. This may take a few seconds...");

    String base64ImageData = invokeModel();

    displayImage(base64ImageData);
}
```

}

- For API details, see [InvokeModel](#) in *AWS SDK for Java 2.x API Reference*.

CloudFront examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with CloudFront.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)
- [Scenarios](#)

Actions

CreateDistribution

The following code example shows how to use CreateDistribution.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

The following example uses an Amazon Simple Storage Service (Amazon S3) bucket as a content origin.

After creating the distribution, the code creates a [CloudFrontWaiter](#) to wait until the distribution is deployed before returning the distribution.

```
import org.slf4j.Logger;
```

```
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.core.internal.waiters.ResponseOrException;
import software.amazon.awssdk.services.cloudfront.CloudFrontClient;
import software.amazon.awssdk.services.cloudfront.model.CreateDistributionResponse;
import software.amazon.awssdk.services.cloudfront.model.Distribution;
import software.amazon.awssdk.services.cloudfront.model.GetDistributionResponse;
import software.amazon.awssdk.services.cloudfront.model.ItemSelection;
import software.amazon.awssdk.services.cloudfront.model.Method;
import software.amazon.awssdk.services.cloudfront.model.ViewerProtocolPolicy;
import software.amazon.awssdk.services.cloudfront.waiters.CloudFrontWaiter;
import software.amazon.awssdk.services.s3.S3Client;

import java.time.Instant;

public class CreateDistribution {

    private static final Logger logger =
LoggerFactory.getLogger(CreateDistribution.class);

    public static Distribution createDistribution(CloudFrontClient
cloudFrontClient, S3Client s3Client,
                                                final String bucketName, final String keyGroupId, final
String originAccessControlId) {

        final String region = s3Client.headBucket(b ->
b.bucket(bucketName)).sdkHttpResponse().headers()
                .get("x-amz-bucket-region").get(0);
        final String originDomain = bucketName + ".s3." + region +
".amazonaws.com";
        String originId = originDomain; // Use the originDomain value for
the originId.

        // The service API requires some deprecated methods, such as
        // DefaultCacheBehavior.Builder#minTTL and #forwardedValue.
        CreateDistributionResponse createDistResponse =
cloudFrontClient.createDistribution(builder -> builder
                .distributionConfig(b1 -> b1
                    .origins(b2 -> b2
                        .quantity(1)
                        .items(b3 -> b3

                .domainName(originDomain)

                .id(originId)
```

```
.s3OriginConfig(builder4 -> builder4

    .originAccessIdentity(
        ""))
    .originAccessControlId(
        originAccessControlId)))
    .defaultCacheBehavior(b2 -> b2

.viewerProtocolPolicy(ViewerProtocolPolicy.ALLOW_ALL)

.targetOriginId(originId)
    .minTTL(200L)
    .forwardedValues(b5
-> b5

.cookies(cp -> cp

    .forward(ItemSelection.NONE))

.QueryString(true))
    .trustedKeyGroups(b3
-> b3

.quantity(1)

.items(keyGroupId)

.enabled(true))
    .allowedMethods(b4 -
> b4

.quantity(2)

.items(Method.HEAD, Method.GET)

.cachedMethods(b5 -> b5

    .quantity(2)

.items(Method.HEAD,
```

```
        Method.GET))))
.cacheBehaviors(b -> b
                    .quantity(1)
                    .items(b2 -> b2

.pathPattern("/index.html")

.viewerProtocolPolicy(
    ViewerProtocolPolicy.ALLOW_ALL)

.targetOriginId(originId)

.trustedKeyGroups(b3 -> b3
    .quantity(1)
    .items(keyGroupId)
    .enabled(true))

.minTTL(200L)

.forwardedValues(b4 -> b4
    .cookies(cp -> cp
        .forward(ItemSelection.NONE))
    .queryString(true))

.allowedMethods(b5 -> b5.quantity(2)
    .items(Method.HEAD,
        Method.GET)

.cachedMethods(b6 -> b6
    .quantity(2)
    .items(Method.HEAD,
```

```
        Method.GET()))))
        .enabled(true)
        .comment("Distribution built with
java"))

.callerReference(Instant.now().toString()));

    final Distribution distribution = createDistResponse.distribution();
    logger.info("Distribution created. DomainName: [{}] Id: [{}]",
distribution.domainName(),
                distribution.id());
    logger.info("Waiting for distribution to be deployed ...");
    try (CloudFrontWaiter cfWaiter =
CloudFrontWaiter.builder().client(cloudFrontClient).build()) {
        ResponseOrException<GetDistributionResponse>
responseOrException = cfWaiter
                .waitForDistributionDeployed(builder ->
builder.id(distribution.id()))
                .matched();
        responseOrException.response()
                .orElseThrow(() -> new
RuntimeException("Distribution not created"));
        logger.info("Distribution deployed. DomainName: [{}]
Id: [{}]", distribution.domainName(),
                distribution.id());
    }
    return distribution;
}
}
```

- For API details, see [CreateDistribution](#) in *AWS SDK for Java 2.x API Reference*.

CreateFunction

The following code example shows how to use CreateFunction.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.cloudfront.CloudFrontClient;
import software.amazon.awssdk.services.cloudfront.model.CloudFrontException;
import software.amazon.awssdk.services.cloudfront.model.CreateFunctionRequest;
import software.amazon.awssdk.services.cloudfront.model.CreateFunctionResponse;
import software.amazon.awssdk.services.cloudfront.model.FunctionConfig;
import software.amazon.awssdk.services.cloudfront.model.FunctionRuntime;
import java.io.InputStream;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class CreateFunction {

    public static void main(String[] args) {
        final String usage = """

            Usage:
                <functionName> <filePath>

            Where:
                functionName - The name of the function to create.\s
                filePath - The path to a file that contains the application
logic for the function.\s
                """;

        if (args.length != 2) {
            System.out.println(usage);
        }
    }
}
```

```
        System.exit(1);
    }

    String functionName = args[0];
    String filePath = args[1];
    CloudFrontClient cloudFrontClient = CloudFrontClient.builder()
        .region(Region.AWS_GLOBAL)
        .build();

    String funArn = createNewFunction(cloudFrontClient, functionName, filePath);
    System.out.println("The function ARN is " + funArn);
    cloudFrontClient.close();
}

public static String createNewFunction(CloudFrontClient cloudFrontClient, String
functionName, String filePath) {
    try {
        InputStream fileIs =
CreateFunction.class.getClassLoader().getResourceAsStream(filePath);
        SdkBytes functionCode = SdkBytes.fromInputStream(fileIs);

        FunctionConfig config = FunctionConfig.builder()
            .comment("Created by using the CloudFront Java API")
            .runtime(FunctionRuntime.CLOUDFRONT_JS_1_0)
            .build();

        CreateFunctionRequest functionRequest = CreateFunctionRequest.builder()
            .name(functionName)
            .functionCode(functionCode)
            .functionConfig(config)
            .build();

        CreateFunctionResponse response =
cloudFrontClient.createFunction(functionRequest);
        return response.functionSummary().functionMetadata().functionARN();

    } catch (CloudFrontException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
    return "";
}
}
```

- For API details, see [CreateFunction](#) in *AWS SDK for Java 2.x API Reference*.

CreateKeyGroup

The following code example shows how to use CreateKeyGroup.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

A key group requires at least one public key that is used to verify signed URLs or cookies.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.services.cloudfront.CloudFrontClient;

import java.util.UUID;

public class CreateKeyGroup {
    private static final Logger logger =
        LoggerFactory.getLogger(CreateKeyGroup.class);

    public static String createKeyGroup(CloudFrontClient cloudFrontClient, String
publicKeyId) {
        String keyGroupId = cloudFrontClient.createKeyGroup(b -> b.keyGroupConfig(c
-> c
            .items(publicKeyId)
            .name("JavaKeyGroup" + UUID.randomUUID()))
            .keyGroup().id());
        logger.info("KeyGroup created with ID: [{}]", keyGroupId);
        return keyGroupId;
    }
}
```

- For API details, see [CreateKeyGroup](#) in *AWS SDK for Java 2.x API Reference*.

CreatePublicKey

The following code example shows how to use CreatePublicKey.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

The following code example reads in a public key and uploads it to Amazon CloudFront.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.services.cloudfront.CloudFrontClient;
import software.amazon.awssdk.services.cloudfront.model.CreatePublicKeyResponse;
import software.amazon.awssdk.utils.IoUtils;

import java.io.IOException;
import java.io.InputStream;
import java.util.UUID;

public class CreatePublicKey {
    private static final Logger logger =
        LoggerFactory.getLogger(CreatePublicKey.class);

    public static String createPublicKey(CloudFrontClient cloudFrontClient, String
        publicKeyFileName) {
        try (InputStream is =
CreatePublicKey.class.getClassLoader().getResourceAsStream(publicKeyFileName)) {
            String publicKeyString = IoUtils.toUtf8String(is);
            CreatePublicKeyResponse createPublicKeyResponse = cloudFrontClient
                .createPublicKey(b -> b.publicKeyConfig(c -> c
                    .name("JavaCreatedPublicKey" + UUID.randomUUID())
                    .encodedKey(publicKeyString)
                    .callerReference(UUID.randomUUID().toString())));
            String createdPublicKeyId = createPublicKeyResponse.publicKey().id();
            logger.info("Public key created with id: {}", createdPublicKeyId);
            return createdPublicKeyId;
        } catch (IOException e) {
```

```
        throw new RuntimeException(e);
    }
}
```

- For API details, see [CreatePublicKey](#) in *AWS SDK for Java 2.x API Reference*.

DeleteDistribution

The following code example shows how to use DeleteDistribution.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

The following code example updates a distribution to *disabled*, uses a waiter that waits for the change to be deployed, then deletes the distribution.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.core.internal.waiters.ResponseOrException;
import software.amazon.awssdk.services.cloudfront.CloudFrontClient;
import software.amazon.awssdk.services.cloudfront.model.DeleteDistributionResponse;
import software.amazon.awssdk.services.cloudfront.model.DistributionConfig;
import software.amazon.awssdk.services.cloudfront.model.GetDistributionResponse;
import software.amazon.awssdk.services.cloudfront.waiters.CloudFrontWaiter;

public class DeleteDistribution {
    private static final Logger logger =
    LoggerFactory.getLogger(DeleteDistribution.class);

    public static void deleteDistribution(final CloudFrontClient
cloudFrontClient, final String distributionId) {
        // First, disable the distribution by updating it.
        GetDistributionResponse response =
    cloudFrontClient.getDistribution(b -> b
        .id(distributionId));
```

```
        String etag = response.eTag();
        DistributionConfig distConfig =
response.distribution().distributionConfig();

        cloudFrontClient.updateDistribution(builder -> builder
                .id(distributionId)
                .distributionConfig(builder1 -> builder1

.cacheBehaviors(distConfig.cacheBehaviors())

.defaultCacheBehavior(distConfig.defaultCacheBehavior())
        .enabled(false)
        .origins(distConfig.origins())
        .comment(distConfig.comment())

.callerReference(distConfig.callerReference())

.defaultCacheBehavior(distConfig.defaultCacheBehavior())
        .priceClass(distConfig.priceClass())
        .aliases(distConfig.aliases())
        .logging(distConfig.logging())

.defaultRootObject(distConfig.defaultRootObject())

.customErrorResponses(distConfig.customErrorResponses())

.httpVersion(distConfig.httpVersion())

.isIPV6Enabled(distConfig.isIPV6Enabled())

.restrictions(distConfig.restrictions())

.viewerCertificate(distConfig.viewerCertificate())
        .webACLId(distConfig.webACLId())

.originGroups(distConfig.originGroups())
        .ifMatch(etag);

        logger.info("Distribution [{}] is DISABLED, waiting for deployment
before deleting ...",
                distributionId);
        GetDistributionResponse distributionResponse;
        try (CloudFrontWaiter cfWaiter =
CloudFrontWaiter.builder().client(cloudFrontClient).build()) {
```

```
                    ResponseOrException<GetDistributionResponse>
responseOrException = cfWaiter
                        .waitUntilDistributionDeployed(builder ->
builder.id(distributionId)).matched();
                        distributionResponse = responseOrException.response()
                        .orElseThrow(() -> new
RuntimeException("Could not disable distribution"));
                }

DeleteDistributionResponse deleteDistributionResponse =
cloudFrontClient
                        .deleteDistribution(builder -> builder
                        .id(distributionId)

.ifMatch(distributionResponse.eTag()));
        if (deleteDistributionResponse.sdkHttpResponse().isSuccessful()) {
            logger.info("Distribution [{}] DELETED", distributionId);
        }
    }
}
```

- For API details, see [DeleteDistribution](#) in *AWS SDK for Java 2.x API Reference*.

UpdateDistribution

The following code example shows how to use `UpdateDistribution`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.cloudfront.CloudFrontClient;
import software.amazon.awssdk.services.cloudfront.model.GetDistributionRequest;
import software.amazon.awssdk.services.cloudfront.model.GetDistributionResponse;
import software.amazon.awssdk.services.cloudfront.model.Distribution;
import software.amazon.awssdk.services.cloudfront.model.DistributionConfig;
```

```
import software.amazon.awssdk.services.cloudfront.model.UpdateDistributionRequest;
import software.amazon.awssdk.services.cloudfront.model.CloudFrontException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ModifyDistribution {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <id>\s

            Where:
            id - the id value of the distribution.\s
            """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String id = args[0];
        CloudFrontClient cloudFrontClient = CloudFrontClient.builder()
            .region(Region.AWS_GLOBAL)
            .build();

        modDistribution(cloudFrontClient, id);
        cloudFrontClient.close();
    }

    public static void modDistribution(CloudFrontClient cloudFrontClient, String idVal) {
        try {
            // Get the Distribution to modify.
            GetDistributionRequest disRequest = GetDistributionRequest.builder()
                .id(idVal)
                .build();
        }
    }
}
```

```
        GetDistributionResponse response =
cloudFrontClient.getDistribution(disRequest);
        Distribution disObject = response.distribution();
        DistributionConfig config = disObject.distributionConfig();

        // Create a new DistributionConfig object and add new values to comment
and
        // aliases
        DistributionConfig config1 = DistributionConfig.builder()
            .aliases(config.aliases()) // You can pass in new values here
            .comment("New Comment")
            .cacheBehaviors(config.cacheBehaviors())
            .priceClass(config.priceClass())
            .defaultCacheBehavior(config.defaultCacheBehavior())
            .enabled(config.enabled())
            .callerReference(config.callerReference())
            .logging(config.logging())
            .originGroups(config.originGroups())
            .origins(config.origins())
            .restrictions(config.restrictions())
            .defaultRootObject(config.defaultRootObject())
            .webACLId(config.webACLId())
            .httpVersion(config.httpVersion())
            .viewerCertificate(config.viewerCertificate())
            .customErrorResponses(config.customErrorResponses())
            .build();

        UpdateDistributionRequest updateDistributionRequest =
UpdateDistributionRequest.builder()
            .distributionConfig(config1)
            .id(disObject.id())
            .ifMatch(response.eTag())
            .build();

        cloudFrontClient.updateDistribution(updateDistributionRequest);

    } catch (CloudFrontException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [UpdateDistribution](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Delete signing resources

The following code example shows how to delete resources that are used to gain access to restricted content in an Amazon Simple Storage Service (Amazon S3) bucket.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.services.cloudfront.CloudFrontClient;
import software.amazon.awssdk.services.cloudfront.model.DeleteKeyGroupResponse;
import
software.amazon.awssdk.services.cloudfront.model.DeleteOriginAccessControlResponse;
import software.amazon.awssdk.services.cloudfront.model.DeletePublicKeyResponse;
import software.amazon.awssdk.services.cloudfront.model.GetKeyGroupResponse;
import
software.amazon.awssdk.services.cloudfront.model.GetOriginAccessControlResponse;
import software.amazon.awssdk.services.cloudfront.model.GetPublicKeyResponse;

public class DeleteSigningResources {
    private static final Logger logger =
LoggerFactory.getLogger(DeleteSigningResources.class);

    public static void deleteOriginAccessControl(final CloudFrontClient
cloudFrontClient,
        final String originAccessControlId) {
        GetOriginAccessControlResponse getResponse = cloudFrontClient
            .getOriginAccessControl(b -> b.id(originAccessControlId));
        DeleteOriginAccessControlResponse deleteResponse =
cloudFrontClient.deleteOriginAccessControl(builder -> builder
            .id(originAccessControlId)
```

```
        .ifMatch(getResponse.eTag()));

    if (deleteResponse.sdkHttpResponse().isSuccessful()) {
        logger.info("Successfully deleted Origin Access Control [{}]",
originAccessControlId);
    }
}

public static void deleteKeyGroup(final CloudFrontClient cloudFrontClient, final
String keyGroupId) {

    GetKeyGroupResponse getResponse = cloudFrontClient.getKeyGroup(b ->
b.id(keyGroupId));
    DeleteKeyGroupResponse deleteResponse =
cloudFrontClient.deleteKeyGroup(builder -> builder
        .id(keyGroupId)
        .ifMatch(getResponse.eTag()));
    if (deleteResponse.sdkHttpResponse().isSuccessful()) {
        logger.info("Successfully deleted Key Group [{}]", keyGroupId);
    }
}

public static void deletePublicKey(final CloudFrontClient cloudFrontClient,
final String publicKeyId) {
    GetPublicKeyResponse getResponse = cloudFrontClient.getPublicKey(b ->
b.id(publicKeyId));

    DeletePublicKeyResponse deleteResponse =
cloudFrontClient.deletePublicKey(builder -> builder
        .id(publicKeyId)
        .ifMatch(getResponse.eTag()));

    if (deleteResponse.sdkHttpResponse().isSuccessful()) {
        logger.info("Successfully deleted Public Key [{}]", publicKeyId);
    }
}
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [DeleteKeyGroup](#)
- [DeleteOriginAccessControl](#)
- [DeletePublicKey](#)

Sign URLs and cookies

The following code example shows how to create signed URLs and cookies that allow access to restricted resources.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Use the [CannedSignerRequest](#) class to sign URLs or cookies with a *canned* policy.

```
import software.amazon.awssdk.services.cloudfront.model.CannedSignerRequest;

import java.net.URL;
import java.nio.file.Path;
import java.nio.file.Paths;
import java.time.Instant;
import java.time.temporal.ChronoUnit;

public class CreateCannedPolicyRequest {

    public static CannedSignerRequest createRequestForCannedPolicy(String
distributionDomainName,
            String fileNameToUpload,
            String privateKeyFullPath, String publicKeyId) throws Exception {
        String protocol = "https";
        String resourcePath = "/" + fileNameToUpload;

        String cloudFrontUrl = new URL(protocol, distributionDomainName,
resourcePath).toString();
        Instant expirationDate = Instant.now().plus(7, ChronoUnit.DAYS);
        Path path = Paths.get(privateKeyFullPath);

        return CannedSignerRequest.builder()
                .resourceUrl(cloudFrontUrl)
                .privateKey(path)
                .keyPairId(publicKeyId)
                .expirationDate(expirationDate)
                .build();
    }
}
```

```
    }  
}
```

Use the [CustomSignerRequest](#) class to sign URLs or cookies with a *custom* policy. The `activeDate` and `ipRange` are optional methods.

```
import software.amazon.awssdk.services.cloudfront.model.CustomSignerRequest;  
  
import java.net.URL;  
import java.nio.file.Path;  
import java.nio.file.Paths;  
import java.time.Instant;  
import java.time.temporal.ChronoUnit;  
  
public class CreateCustomPolicyRequest {  
  
    public static CustomSignerRequest createRequestForCustomPolicy(String  
distributionDomainName,  
                      String fileNameToUpload,  
                      String privateKeyFullPath, String publicKeyId) throws Exception {  
        String protocol = "https";  
        String resourcePath = "/" + fileNameToUpload;  
  
        String cloudFrontUrl = new URL(protocol, distributionDomainName,  
resourcePath).toString();  
        Instant expireDate = Instant.now().plus(7, ChronoUnit.DAYS);  
        // URL will be accessible tomorrow using the signed URL.  
        Instant activeDate = Instant.now().plus(1, ChronoUnit.DAYS);  
        Path path = Paths.get(privateKeyFullPath);  
  
        return CustomSignerRequest.builder()  
            .resourceUrl(cloudFrontUrl)  
            .privateKey(path)  
            .keyPairId(publicKeyId)  
            .expirationDate(expireDate)  
            .activeDate(activeDate) // Optional.  
            // .ipRange("192.168.0.1/24") // Optional.  
            .build();  
    }  
}
```

The following example demonstrates the use of the [CloudFrontUtilities](#) class to produce signed cookies and URLs. [View](#) this code example on GitHub.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.services.cloudfront.CloudFrontUtilities;
import software.amazon.awssdk.services.cloudfront.cookie.CookiesForCannedPolicy;
import software.amazon.awssdk.services.cloudfront.cookie.CookiesForCustomPolicy;
import software.amazon.awssdk.services.cloudfront.model.CannedSignerRequest;
import software.amazon.awssdk.services.cloudfront.model.CustomSignerRequest;
import software.amazon.awssdk.services.cloudfront.url.SignedUrl;

public class SigningUtilities {
    private static final Logger logger =
    LoggerFactory.getLogger(SigningUtilities.class);
    private static final CloudFrontUtilities cloudFrontUtilities =
    CloudFrontUtilities.create();

    public static SignedUrl signUrlForCannedPolicy(CannedSignerRequest
cannedSignerRequest) {
        SignedUrl signedUrl =
    cloudFrontUtilities.getSignedUrlWithCannedPolicy(cannedSignerRequest);
        logger.info("Signed URL: {}", signedUrl.url());
        return signedUrl;
    }

    public static SignedUrl signUrlForCustomPolicy(CustomSignerRequest
customSignerRequest) {
        SignedUrl signedUrl =
    cloudFrontUtilities.getSignedUrlWithCustomPolicy(customSignerRequest);
        logger.info("Signed URL: {}", signedUrl.url());
        return signedUrl;
    }

    public static CookiesForCannedPolicy
getCookiesForCannedPolicy(CannedSignerRequest cannedSignerRequest) {
        CookiesForCannedPolicy cookiesForCannedPolicy = cloudFrontUtilities
            .getCookiesForCannedPolicy(cannedSignerRequest);
        logger.info("Cookie EXPIRES header {}",
cookiesForCannedPolicy.expiresHeaderValue());
        logger.info("Cookie KEYPAIR header {}",
cookiesForCannedPolicy.keyPairIdHeaderValue());
```

```
        logger.info("Cookie SIGNATURE header [{}]",  
cookiesForCannedPolicy.signatureHeaderValue());  
        return cookiesForCannedPolicy;  
    }  
  
    public static CookiesForCustomPolicy  
getCookiesForCustomPolicy(CustomSignerRequest customSignerRequest) {  
    CookiesForCustomPolicy cookiesForCustomPolicy = cloudFrontUtilities  
        .getCookiesForCustomPolicy(customSignerRequest);  
    logger.info("Cookie POLICY header [{}]",  
cookiesForCustomPolicy.policyHeaderValue());  
    logger.info("Cookie KEYPAIR header [{}]",  
cookiesForCustomPolicy.keyPairIdHeaderValue());  
    logger.info("Cookie SIGNATURE header [{}]",  
cookiesForCustomPolicy.signatureHeaderValue());  
    return cookiesForCustomPolicy;  
}  
}
```

- For API details, see [CloudFrontUtilities](#) in *AWS SDK for Java 2.x API Reference*.

CloudWatch examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with CloudWatch.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello CloudWatch

The following code examples show how to get started using CloudWatch.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.cloudwatch.CloudWatchClient;
import software.amazon.awssdk.services.cloudwatch.model.CloudWatchException;
import software.amazon.awssdk.services.cloudwatch.model.ListMetricsRequest;
import software.amazon.awssdk.services.cloudwatch.paginators.ListMetricsIterable;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class HelloService {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <namespace>\s

            Where:
            namespace - The namespace to filter against (for example, AWS/
EC2).\s
            """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String namespace = args[0];
        Region region = Region.US_EAST_1;
        CloudWatchClient cw = CloudWatchClient.builder()
```

```
        .region(region)
        .build();

    listMets(cw, namespace);
    cw.close();
}

public static void listMets(CloudWatchClient cw, String namespace) {
    try {
        ListMetricsRequest request = ListMetricsRequest.builder()
            .namespace(namespace)
            .build();

        ListMetricsIterable listRes = cw.listMetricsPaginator(request);
        listRes.stream()
            .flatMap(r -> r.metrics().stream())
            .forEach(metrics -> System.out.println(" Retrieved metric is: "
+ metrics.metricName()));

    } catch (CloudWatchException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [ListMetrics](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Basics](#)
- [Actions](#)
- [Scenarios](#)

Basics

Learn the basics

The following code example shows how to:

- List CloudWatch namespaces and metrics.

- Get statistics for a metric and for estimated billing.
- Create and update a dashboard.
- Create and add data to a metric.
- Create and trigger an alarm, then view alarm history.
- Add an anomaly detector.
- Get a metric image, then clean up resources.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Run an interactive scenario demonstrating CloudWatch features.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.services.cloudwatch.model.CloudWatchException;
import
software.amazon.awssdk.services.cloudwatch.model.DashboardInvalidInputErrorException;
import software.amazon.awssdk.services.cloudwatch.model.DeleteAlarmsResponse;
import
software.amazon.awssdk.services.cloudwatch.model.DeleteAnomalyDetectorResponse;
import software.amazon.awssdk.services.cloudwatch.model.DeleteDashboardsResponse;
import software.amazon.awssdk.services.cloudwatch.model.Dimension;
import software.amazon.awssdk.services.cloudwatch.model.GetMetricStatisticsResponse;
import software.amazon.awssdk.services.cloudwatch.model.LimitExceededException;
import software.amazon.awssdk.services.cloudwatch.model.PutDashboardResponse;
import software.amazon.awssdk.services.cloudwatch.model.PutMetricDataResponse;
import java.io.IOException;
import java.util.ArrayList;
import java.util.Scanner;
import java.util.concurrent.CompletableFuture;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
```

```
* For more information, see the following documentation topic:  
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*  
* To enable billing metrics and statistics for this example, make sure billing  
* alerts are enabled for your account:  
* https://docs.aws.amazon.com/AmazonCloudWatch/latest/monitoring/monitor\_estimated\_charges\_with\_cloudwatch.html#turning\_on\_billing\_metrics  
*  
* This Java code example performs the following tasks:  
*  
* 1. List available namespaces from Amazon CloudWatch.  
* 2. List available metrics within the selected Namespace.  
* 3. Get statistics for the selected metric over the last day.  
* 4. Get CloudWatch estimated billing for the last week.  
* 5. Create a new CloudWatch dashboard with metrics.  
* 6. List dashboards using a paginator.  
* 7. Create a new custom metric by adding data for it.  
* 8. Add the custom metric to the dashboard.  
* 9. Create an alarm for the custom metric.  
* 10. Describe current alarms.  
* 11. Get current data for the new custom metric.  
* 12. Push data into the custom metric to trigger the alarm.  
* 13. Check the alarm state using the action DescribeAlarmsForMetric.  
* 14. Get alarm history for the new alarm.  
* 15. Add an anomaly detector for the custom metric.  
* 16. Describe current anomaly detectors.  
* 17. Get a metric image for the custom metric.  
* 18. Clean up the Amazon CloudWatch resources.  
*/  
  
public class CloudWatchScenario {  
    public static final String DASHES = new String(new char[80]).replace("\0", "-");  
  
    static CloudWatchActions cwActions = new CloudWatchActions();  
  
    private static final Logger logger =  
        LoggerFactory.getLogger(CloudWatchScenario.class);  
    static Scanner scanner = new Scanner(System.in);  
    public static void main(String[] args) throws Throwable {  
  
        final String usage = """  
  
        Usage:
```

```
<myDate> <costDateWeek> <dashboardName> <dashboardJson> <dashboardAdd>
<settings> <metricImage> \s

Where:
    myDate - The start date to use to get metric statistics. (For example,
2023-01-11T18:35:24.00Z.)\s
        costDateWeek - The start date to use to get AWS/Billing statistics.
(For example, 2023-01-11T18:35:24.00Z.)\s
        dashboardName - The name of the dashboard to create.\s
        dashboardJson - The location of a JSON file to use to create a
dashboard. (See jsonWidgets.json in javav2/example_code/cloudwatch.)\s
        dashboardAdd - The location of a JSON file to use to update a
dashboard. (See CloudDashboard.json in javav2/example_code/cloudwatch.)\s
        settings - The location of a JSON file from which various values are
read. (See settings.json in javav2/example_code/cloudwatch.)\s
        metricImage - The location of a BMP file that is used to create a
graph.\s
        """;\s

    if (args.length != 7) {
        logger.info(usage);
        return;
    }
    String myDate = args[0];
    String costDateWeek = args[1];
    String dashboardName = args[2];
    String dashboardJson = args[3];
    String dashboardAdd = args[4];
    String settings = args[5];
    String metricImage = args[6];

    logger.info(DASHES);
    logger.info("Welcome to the Amazon CloudWatch Basics scenario.");
    logger.info("""
        Amazon CloudWatch is a comprehensive monitoring and observability
service
            provided by Amazon Web Services (AWS). It is designed to help you
monitor your
                AWS resources, applications, and services, as well as on-premises
resources,
                    in real-time.

        CloudWatch collects and tracks various types of data, including
metrics,
```

logs, and events, from your AWS and on-premises resources. It allows you to set alarms and automatically respond to changes in your environment, enabling you to quickly identify and address issues before they impact your applications or services.

With CloudWatch, you can gain visibility into your entire infrastructure, from the cloud

to the edge, and use this information to make informed decisions and optimize your resource utilization.

This scenario guides you through how to perform Amazon CloudWatch tasks by using the

```
AWS SDK for Java v2. Let's get started...
""");
waitForInputToContinue(scanner);

try {
    runScenario(myDate, costDateWeek, dashboardName, dashboardJson,
dashboardAdd, settings, metricImage);
} catch (RuntimeException e) {
    e.printStackTrace();
}
logger.info(DASHES);
}

private static void runScenario(String myDate, String costDateWeek, String
dashboardName, String dashboardJson, String dashboardAdd, String settings, String
metricImage ) throws Throwable {
    Double dataPoint = Double.parseDouble("10.0");
    logger.info(DASHES);
    logger.info("""
1. List at least five available unique namespaces from Amazon CloudWatch.
Select one from the list.
""");
    String selectedNamespace;
    String selectedMetrics;
    int num;
    try {
        CompletableFuture<ArrayList<String>> future =
cwActions.listNameSpacesAsync();
        ArrayList<String> list = future.join();
```

```
        for (int z = 0; z < 5; z++) {
            int index = z + 1;
            logger.info("    " + index + ". {}", list.get(z));
        }

        num = Integer.parseInt(scanner.nextLine());
        if (1 <= num && num <= 5) {
            selectedNamespace = list.get(num - 1);
        } else {
            logger.info("You did not select a valid option.");
            return;
        }
        logger.info("You selected {}", selectedNamespace);

    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof CloudWatchException cwEx) {
            logger.info("CloudWatch error occurred: Error message: {}, Error code {}",
                    cwEx.getMessage(), cwEx.awsErrorDetails().errorCode());
        } else {
            logger.info("An unexpected error occurred: " + rt.getMessage());
        }
        throw cause;
    }
    waitForInputToContinue(scanner);
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("2. List available metrics within the selected namespace.");
    logger.info(""""

        A metric is a measure of the performance or health of your AWS
resources,
        applications, or custom resources. Metrics are the basic building blocks
of CloudWatch
        and provide data points that represent a specific aspect of your system
or application over time.

    Select a metric from the list.
    """);

    Dimension myDimension = null;
    try {
        CompletableFuture<ArrayList<String>> future =
cwActions.listMetsAsync(selectedNamespace);
```

```
        ArrayList<String> metList = future.join();
        logger.info("Metrics successfully retrieved. Total metrics: {}",
metList.size());
        for (int z = 0; z < 5; z++) {
            int index = z + 1;
            logger.info("    " + index + ". " + metList.get(z));
        }
        num = Integer.parseInt(scanner.nextLine());
        if (1 <= num && num <= 5) {
            selectedMetrics = metList.get(num - 1);
        } else {
            logger.info("You did not select a valid option.");
            return;
        }
        logger.info("You selected {}", selectedMetrics);

    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof CloudWatchException cwEx) {
            logger.info("CloudWatch error occurred: Error message: {}, Error
code {}", cwEx.getMessage(), cwEx.awsErrorDetails().errorCode());
        } else {
            logger.info("An unexpected error occurred: {}", rt.getMessage());
        }
        throw cause;
    }

    try {
        myDimension = cwActions.getSpecificMetAsync(selectedNamespace).join();
        logger.info("Metric statistics successfully retrieved and displayed.");
    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof CloudWatchException cwEx) {
            logger.info("CloudWatch error occurred: Error message: {}, Error
code {}", cwEx.getMessage(), cwEx.awsErrorDetails().errorCode());
        } else {
            logger.info("An unexpected error occurred: {}", rt.getMessage());
        }
        throw cause;
    }

    waitForInputToContinue(scanner);
    logger.info(DASHES);
```

```
        logger.info(DASHES);
        logger.info("3. Get statistics for the selected metric over the last day.");
        logger.info("");
            Statistics refer to the various mathematical calculations that can be
performed on the
            collected metrics to derive meaningful insights. Statistics provide a
way to summarize and
            analyze the data collected for a specific metric over a specified time
period.
        """);
        waitForInputToContinue(scanner);
        String metricOption = "";
        ArrayList<String> statTypes = new ArrayList<>();
        statTypes.add("SampleCount");
        statTypes.add("Average");
        statTypes.add("Sum");
        statTypes.add("Minimum");
        statTypes.add("Maximum");

        for (int t = 0; t < 5; t++) {
            logger.info("    " + (t + 1) + ". {}", statTypes.get(t));
        }
        logger.info("Select a metric statistic by entering a number from the
preceding list:");
        num = Integer.parseInt(scanner.nextLine());
        if (1 <= num && num <= 5) {
            metricOption = statTypes.get(num - 1);
        } else {
            logger.info("You did not select a valid option.");
            return;
        }
        logger.info("You selected " + metricOption);
        waitForInputToContinue(scanner);
        try {
            CompletableFuture<GetMetricStatisticsResponse> future =
cwActions.getAndDisplayMetricStatisticsAsync(selectedNamespace, selectedMetrics,
metricOption, myDate, myDimension);
            future.join();
            logger.info("Metric statistics retrieved successfully.");
        } catch (RuntimeException rt) {
            Throwable cause = rt.getCause();
            if (cause instanceof CloudWatchException cwEx) {
```

```
        logger.info("CloudWatch error occurred: Error message: {}, Error
code {}", cwEx.getMessage(), cwEx.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: {}", rt.getMessage());
    }
    throw cause;
}
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("4. Get CloudWatch estimated billing for the last week.");
waitForInputToContinue(scanner);
try {
    CompletableFuture<GetMetricStatisticsResponse> future =
cwActions.getMetricStatisticsAsync(costDateWeek);
    future.join();

    logger.info("Metric statistics successfully retrieved and displayed.");
} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof CloudWatchException cwEx) {
        logger.info("CloudWatch error occurred: Error message: {}, Error
code {}", cwEx.getMessage(), cwEx.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: {}", rt.getMessage());
    }
    throw cause;
}
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("5. Create a new CloudWatch dashboard with metrics.");
waitForInputToContinue(scanner);
try {
    CompletableFuture<PutDashboardResponse> future =
cwActions.createDashboardWithMetricsAsync(dashboardName, dashboardJson);
    future.join();

} catch (RuntimeException | IOException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof DashboardInvalidInputErrorException cwEx) {
```

```
        logger.info("Invalid CloudWatch data. Error message: {}, Error code
        {}", cwEx.getMessage(), cwEx.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: {}", rt.getMessage());
    }
    throw cause;
}
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("6. List dashboards using a paginator.");
waitForInputToContinue(scanner);
try {
    CompletableFuture<Void> future = cwActions.listDashboardsAsync();
    future.join();

} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof CloudWatchException cwEx) {
        logger.info("CloudWatch error occurred: Error message: {}, Error
code {}", cwEx.getMessage(), cwEx.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: {}", rt.getMessage());
    }
    throw cause;
}
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("7. Create a new custom metric by adding data to it.");
logger.info(""""

The primary benefit of using a custom metric in Amazon CloudWatch is the
ability to
    monitor and collect data that is specific to your application or
infrastructure.
"""
""");
waitForInputToContinue(scanner);
try {
    CompletableFuture<PutMetricDataResponse> future =
cwActions.createNewCustomMetricAsync(dataPoint);
    future.join();
```

```
        } catch (RuntimeException rt) {
            Throwable cause = rt.getCause();
            if (cause instanceof CloudWatchException cwEx) {
                logger.info("CloudWatch error occurred: Error message: {}, Error code {}", cwEx.getMessage(), cwEx.awsErrorDetails().errorCode());
            } else {
                logger.info("An unexpected error occurred: {}", rt.getMessage());
            }
            throw cause;
        }
        waitForInputToContinue(scanner);
        logger.info(DASHES);

        logger.info(DASHES);
        logger.info("8. Add an additional metric to the dashboard.");
        waitForInputToContinue(scanner);
        try {
            CompletableFuture<PutDashboardResponse> future =
cwActions.addMetricToDashboardAsync(dashboardAdd, dashboardName);
            future.join();

        } catch (RuntimeException rt) {
            Throwable cause = rt.getCause();
            if (cause instanceof DashboardInvalidInputErrorException cwEx) {
                logger.info("Invalid CloudWatch data. Error message: {}, Error code {}", cwEx.getMessage(), cwEx.awsErrorDetails().errorCode());
            } else {
                logger.info("An unexpected error occurred: {}", rt.getMessage());
            }
            throw cause;
        }
        logger.info(DASHES);

        logger.info(DASHES);
        logger.info("9. Create an alarm for the custom metric.");
        waitForInputToContinue(scanner);
        String alarmName = "" ;
        try {
            CompletableFuture<String> future = cwActions.createAlarmAsync(settings);
            alarmName = future.join();

        } catch (RuntimeException rt) {
            Throwable cause = rt.getCause();
            if (cause instanceof LimitExceededException cwEx) {
```

```
        logger.info("The quota for alarms has been reached: Error message: {}, Error code {}", cwEx.getMessage(), cwEx.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: {}", rt.getMessage());
    }
    throw cause;
}

waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("10. Describe ten current alarms.");
waitForInputToContinue(scanner);
try {
    CompletableFuture<Void> future = cwActions.describeAlarmsAsync();
    future.join();

} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof CloudWatchException cwEx) {
        logger.info("CloudWatch error occurred: Error message: {}, Error code {}", cwEx.getMessage(), cwEx.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: {}", rt.getMessage());
    }
    throw cause;
}
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("11. Get current data for new custom metric.");
try {
    CompletableFuture<Void> future =
cwActions.getCustomMetricDataAsync(settings);
    future.join();

} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof CloudWatchException cwEx) {
        logger.info("CloudWatch error occurred: Error message: {}, Error code {}", cwEx.getMessage(), cwEx.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: {}", rt.getMessage());
```

```
        }
        throw cause;
    }
    waitForInputToContinue(scanner);
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("12. Push data into the custom metric to trigger the alarm.");
    waitForInputToContinue(scanner);
    try {
        CompletableFuture<PutMetricDataResponse> future =
cwActions.addMetricDataForAlarmAsync(settings);
        future.join();

    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof CloudWatchException cwEx) {
            logger.info("CloudWatch error occurred: Error message: {}, Error
code {}", cwEx.getMessage(), cwEx.awsErrorDetails().errorCode());
        } else {
            logger.info("An unexpected error occurred: {}", rt.getMessage());
        }
        throw cause;
    }
    waitForInputToContinue(scanner);
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("13. Check the alarm state using the action
DescribeAlarmsForMetric.");
    waitForInputToContinue(scanner);
    try {
        CompletableFuture<Void> future =
cwActions.checkForMetricAlarmAsync(settings);
        future.join();

    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof CloudWatchException cwEx) {
            logger.info("CloudWatch error occurred: Error message: {}, Error
code {}", cwEx.getMessage(), cwEx.awsErrorDetails().errorCode());
        } else {
            logger.info("An unexpected error occurred: {}", rt.getMessage());
        }
    }
}
```

```
        throw cause;
    }
    waitForInputToContinue(scanner);
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("14. Get alarm history for the new alarm.");
    waitForInputToContinue(scanner);
    try {
        CompletableFuture<Void> future =
cwActions.getAlarmHistoryAsync(settings, myDate);
        future.join();

    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof CloudWatchException cwEx) {
            logger.info("CloudWatch error occurred: Error message: {}, Error code {}", cwEx.getMessage(), cwEx.awsErrorDetails().errorCode());
        } else {
            logger.info("An unexpected error occurred: {}", rt.getMessage());
        }
        throw cause;
    }
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("15. Add an anomaly detector for the custom metric.");
    logger.info("""
        An anomaly detector is a feature that automatically detects unusual patterns or deviations in your monitored metrics. It uses machine learning algorithms to analyze the historical behavior of your metrics and establish a baseline.

        The anomaly detector then compares the current metric values against this baseline and identifies any anomalies or outliers that may indicate potential issues or unexpected changes in your system's performance or behavior.

        """);
    waitForInputToContinue(scanner);
    try {
```

```
        CompletableFuture<Void> future =
cwActions.addAnomalyDetectorAsync(settings);
        future.join();

    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof CloudWatchException cwEx) {
            logger.info("CloudWatch error occurred: Error message: {}, Error
code {}", cwEx.getMessage(), cwEx.awsErrorDetails().errorCode());
        } else {
            logger.info("An unexpected error occurred: {}", rt.getMessage());
        }
        throw cause;
    }
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("16. Describe current anomaly detectors.");
waitForInputToContinue(scanner);
try {
    CompletableFuture<Void> future =
cwActions.describeAnomalyDetectorsAsync(settings);
    future.join();

} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof CloudWatchException cwEx) {
        logger.info("CloudWatch error occurred: Error message: {}, Error
code {}", cwEx.getMessage(), cwEx.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: {}", rt.getMessage());
    }
    throw cause;
}
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("17. Get a metric image for the custom metric.");
try {
    CompletableFuture<Void> future =
cwActions.downloadAndSaveMetricImageAsync(metricImage);
    future.join();
```

```
        } catch (RuntimeException rt) {
            Throwable cause = rt.getCause();
            if (cause instanceof CloudWatchException cwEx) {
                logger.info("CloudWatch error occurred: Error message: {}, Error code {}", cwEx.getMessage(), cwEx.awsErrorDetails().errorCode());
            } else {
                logger.info("An unexpected error occurred: {}", rt.getMessage());
            }
            throw cause;
        }
        logger.info(DASHES);

        logger.info(DASHES);
        logger.info("18. Clean up the Amazon CloudWatch resources.");

        try {
            logger.info(". Delete the Dashboard.");
            waitForInputToContinue(scanner);
            CompletableFuture<DeleteDashboardsResponse> future =
cwActions.deleteDashboardAsync(dashboardName);
            future.join();

        } catch (RuntimeException rt) {
            Throwable cause = rt.getCause();
            if (cause instanceof CloudWatchException cwEx) {
                logger.info("CloudWatch error occurred: Error message: {}, Error code {}", cwEx.getMessage(), cwEx.awsErrorDetails().errorCode());
            } else {
                logger.info("An unexpected error occurred: {}", rt.getMessage());
            }
            throw cause;
        }

        try {
            logger.info("Delete the alarm.");
            waitForInputToContinue(scanner);
            CompletableFuture<DeleteAlarmsResponse> future =
cwActions.deleteCWAAlarmAsync(alarmName);
            future.join();

        } catch (RuntimeException rt) {
            Throwable cause = rt.getCause();
            if (cause instanceof CloudWatchException cwEx) {
```

```
        logger.info("CloudWatch error occurred: Error message: {}, Error
code {}", cwEx.getMessage(), cwEx.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: {}", rt.getMessage());
    }
    throw cause;
}

try {
    logger.info("Delete the anomaly detector.");
    waitForInputToContinue(scanner);
    CompletableFuture<DeleteAnomalyDetectorResponse> future =
cwActions.deleteAnomalyDetectorAsync(settings);
    future.join();

} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof CloudWatchException cwEx) {
        logger.info("CloudWatch error occurred: Error message: {}, Error
code {}", cwEx.getMessage(), cwEx.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: {}", rt.getMessage());
    }
    throw cause;
}
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("The Amazon CloudWatch example scenario is complete.");
logger.info(DASHES);
}

private static void waitForInputToContinue(Scanner scanner) {
    while (true) {
        logger.info("");
        logger.info("Enter 'c' followed by <ENTER> to continue:");
        String input = scanner.nextLine();
        if (input.trim().equalsIgnoreCase("c")) {
            logger.info("Continuing with the program...");
            logger.info("");
            break;
        } else {
            // Handle invalid input.
        }
    }
}
```

```
        logger.info("Invalid input. Please try again.");
    }
}
}
```

A wrapper class for CloudWatch SDK methods.

```
public class CloudWatchActions {

    private static CloudWatchAsyncClient cloudWatchAsyncClient;

    private static final Logger logger =
LoggerFactory.getLogger(CloudWatchActions.class);

    /**
     * Retrieves an asynchronous CloudWatch client instance.
     *
     * <p>
     * This method ensures that the CloudWatch client is initialized with the
     following configurations:
     * <ul>
     *   <li>Maximum concurrency: 100</li>
     *   <li>Connection timeout: 60 seconds</li>
     *   <li>Read timeout: 60 seconds</li>
     *   <li>Write timeout: 60 seconds</li>
     *   <li>API call timeout: 2 minutes</li>
     *   <li>API call attempt timeout: 90 seconds</li>
     *   <li>Retry strategy: STANDARD</li>
     * </ul>
     * </p>
     *
     * @return the asynchronous CloudWatch client instance
     */
    private static CloudWatchAsyncClient getAsyncClient() {
        if (cloudWatchAsyncClient == null) {
            SdkAsyncHttpClient httpClient = NettyNioAsyncHttpClient.builder()
                .maxConcurrency(100)
                .connectionTimeout(Duration.ofSeconds(60))
                .readTimeout(Duration.ofSeconds(60))
                .writeTimeout(Duration.ofSeconds(60))
                .build();
        }
    }
}
```

```
        ClientOverrideConfiguration overrideConfig =
ClientOverrideConfiguration.builder()
    .apiCallTimeout(Duration.ofMinutes(2))
    .apiCallAttemptTimeout(Duration.ofSeconds(90))
    .retryStrategy(RetryMode.STANDARD)
    .build();

    cloudWatchAsyncClient = CloudWatchAsyncClient.builder()
        .httpClient(httpClient)
        .overrideConfiguration(overrideConfig)
        .build();
    }

    return cloudWatchAsyncClient;
}

/**
 * Deletes an Anomaly Detector.
 *
 * @param fileName the name of the file containing the Anomaly Detector
 * configuration
 * @return a CompletableFuture that represents the asynchronous deletion of the
 * Anomaly Detector
 */
public CompletableFuture<DeleteAnomalyDetectorResponse>
deleteAnomalyDetectorAsync(String fileName) {
    CompletableFuture<JsonNode> readFileFuture =
CompletableFuture.supplyAsync(() -> {
        try {
            JsonParser parser = new JsonFactory().createParser(new
File(fileName));
                return new ObjectMapper().readTree(parser); // Return the root node
        } catch (IOException e) {
            throw new RuntimeException("Failed to read or parse the file", e);
        }
    });

    return readFileFuture.thenCompose(rootNode -> {
        String customMetricNamespace =
rootNode.findValue("customMetricNamespace").asText();
        String customMetricName =
rootNode.findValue("customMetricName").asText();
    });
}
```

```
        SingleMetricAnomalyDetector singleMetricAnomalyDetector =
SingleMetricAnomalyDetector.builder()
        .metricName(customMetricName)
        .namespace(customMetricNamespace)
        .stat("Maximum")
        .build();

        DeleteAnomalyDetectorRequest request =
DeleteAnomalyDetectorRequest.builder()
        .singleMetricAnomalyDetector(singleMetricAnomalyDetector)
        .build();

        return getAsyncClient().deleteAnomalyDetector(request);
}).whenComplete((result, exception) -> {
    if (exception != null) {
        throw new RuntimeException("Failed to delete the Anomaly Detector",
exception);
    } else {
        logger.info("Successfully deleted the Anomaly Detector.");
    }
});

}

/**
 * Deletes a CloudWatch alarm.
 *
 * @param alarmName the name of the alarm to be deleted
 * @return a {@link CompletableFuture} representing the asynchronous operation
to delete the alarm
 * the {@link DeleteAlarmsResponse} is returned when the operation completes
successfully,
 * or a {@link RuntimeException} is thrown if the operation fails
 */
public CompletableFuture<DeleteAlarmsResponse> deleteCWAAlarmAsync(String
alarmName) {
    DeleteAlarmsRequest request = DeleteAlarmsRequest.builder()
        .alarmNames(alarmName)
        .build();

    return getAsyncClient().deleteAlarms(request)
        .whenComplete((response, exception) -> {
            if (exception != null) {
                throw new RuntimeException("Failed to delete the alarm:{} " +
alarmName, exception);
        }
    });
}
```

```
        } else {
            logger.info("Successfully deleted alarm {} ", alarmName);
        }
    });

}

/**
 * Deletes the specified dashboard.
 *
 * @param dashboardName the name of the dashboard to be deleted
 * @return a {@link CompletableFuture} representing the asynchronous operation
 * of deleting the dashboard
 * @throws RuntimeException if the dashboard deletion fails
 */
public CompletableFuture<DeleteDashboardsResponse> deleteDashboardAsync(String
dashboardName) {
    DeleteDashboardsRequest dashboardsRequest =
DeleteDashboardsRequest.builder()
    .dashboardNames(dashboardName)
    .build();

    return getAsyncClient().deleteDashboards(dashboardsRequest)
        .whenComplete((response, exception) -> {
            if (exception != null) {
                throw new RuntimeException("Failed to delete the dashboard: " +
dashboardName, exception);
            } else {
                logger.info("{} was successfully deleted.", dashboardName);
            }
        });
}

/**
 * Retrieves and saves a custom metric image to a file.
 *
 * @param fileName the name of the file to save the metric image to
 * @return a {@link CompletableFuture} that completes when the image has been
 * saved to the file
 */
public CompletableFuture<Void> downloadAndSaveMetricImageAsync(String fileName)
{
    logger.info("Getting Image data for custom metric.");
    String myJSON = """"
```

```
{  
    "title": "Example Metric Graph",  
    "view": "timeSeries",  
    "stacked": false,  
    "period": 10,  
    "width": 1400,  
    "height": 600,  
    "metrics": [  
        [  
            "AWS/Billing",  
            "EstimatedCharges",  
            "Currency",  
            "USD"  
        ]  
    ]  
}  
""";  
  
GetMetricWidgetImageRequest imageRequest =  
GetMetricWidgetImageRequest.builder()  
    .metricWidget(myJSON)  
    .build();  
  
return getAsyncClient().getMetricWidgetImage(imageRequest)  
    .thenCompose(response -> {  
        SdkBytes sdkBytes = response.metricWidgetImage();  
        byte[] bytes = sdkBytes.asByteArray();  
        return CompletableFuture.runAsync(() -> {  
            try {  
                File outputFile = new File(fileName);  
                try (FileOutputStream outputStream = new  
FileOutputStream(outputFile)) {  
                    outputStream.write(bytes);  
                }  
            } catch (IOException e) {  
                throw new RuntimeException("Failed to write image to file",  
e);  
            }  
        });  
    })  
.whenComplete((result, exception) -> {  
    if (exception != null) {  
        throw new RuntimeException("Error getting and saving metric  
image", exception);  
    }  
});
```

```
        } else {
            logger.info("Image data saved successfully to {}", fileName);
        }
    });

}

/**
 * Describes the anomaly detectors based on the specified JSON file.
 *
 * @param fileName the name of the JSON file containing the custom metric
 * namespace and name
 * @return a {@link CompletableFuture} that completes when the anomaly detectors
 * have been described
 * @throws RuntimeException if there is a failure during the operation, such as
 * when reading or parsing the JSON file,
 *                      or when describing the anomaly detectors
 */
public CompletableFuture<Void> describeAnomalyDetectorsAsync(String fileName) {
    CompletableFuture<JsonNode> readFileFuture =
    CompletableFuture.supplyAsync(() -> {
        try {
            JsonParser parser = new JsonFactory().createParser(new
File(fileName));
            return new ObjectMapper().readTree(parser);
        } catch (IOException e) {
            throw new RuntimeException("Failed to read or parse the file", e);
        }
    });

    return readFileFuture.thenCompose(rootNode -> {
        try {
            String customMetricNamespace =
rootNode.findValue("customMetricNamespace").asText();
            String customMetricName =
rootNode.findValue("customMetricName").asText();

            DescribeAnomalyDetectorsRequest detectorsRequest =
DescribeAnomalyDetectorsRequest.builder()
                .maxResults(10)
                .metricName(customMetricName)
                .namespace(customMetricNamespace)
                .build();
        }
    });
}
```

```
        return
getAsyncClient().describeAnomalyDetectors(detectorsRequest).thenAccept(response ->
{
    List<AnomalyDetector> anomalyDetectorList =
response.anomalyDetectors();
    for (AnomalyDetector detector : anomalyDetectorList) {
        logger.info("Metric name: {} ",
detector.singleMetricAnomalyDetector().metricName());
        logger.info("State: {} ", detector.stateValue());
    }
});
} catch (RuntimeException e) {
    throw new RuntimeException("Failed to describe anomaly detectors",
e);
}
}).whenComplete((result, exception) -> {
    if (exception != null) {
        throw new RuntimeException("Error describing anomaly detectors",
exception);
    }
});
}

/**
 * Adds an anomaly detector for the given file.
 *
 * @param fileName the name of the file containing the anomaly detector
 * configuration
 * @return a {@link CompletableFuture} that completes when the anomaly detector
 * has been added
 */
public CompletableFuture<Void> addAnomalyDetectorAsync(String fileName) {
    CompletableFuture<JsonNode> readFileFuture =
CompletableFuture.supplyAsync(() -> {
        try {
            JsonParser parser = new JsonFactory().createParser(new
File(fileName));
            return new ObjectMapper().readTree(parser); // Return the root node
        } catch (IOException e) {
            throw new RuntimeException("Failed to read or parse the file", e);
        }
    });
}
```

```
        return readFileFuture.thenCompose(rootNode -> {
            try {
                String customMetricNamespace =
rootNode.findValue("customMetricNamespace").asText();
                String customMetricName =
rootNode.findValue("customMetricName").asText();

                SingleMetricAnomalyDetector singleMetricAnomalyDetector =
SingleMetricAnomalyDetector.builder()
                    .metricName(customMetricName)
                    .namespace(customMetricNamespace)
                    .stat("Maximum")
                    .build();

                PutAnomalyDetectorRequest anomalyDetectorRequest =
PutAnomalyDetectorRequest.builder()
                    .singleMetricAnomalyDetector(singleMetricAnomalyDetector)
                    .build();

                return
getAsyncClient().putAnomalyDetector(anomalyDetectorRequest).thenAccept(response ->
{
                logger.info("Added anomaly detector for metric {}",

customMetricName);
            });
        } catch (Exception e) {
            throw new RuntimeException("Failed to create anomaly detector", e);
        }
    }).whenComplete((result, exception) -> {
        if (exception != null) {
            throw new RuntimeException("Error adding anomaly detector",
exception);
        }
    });
}

/***
 * Retrieves the alarm history for a given alarm name and date range.
 *
 * @param fileName the path to the JSON file containing the alarm name
 * @param date      the date to start the alarm history search (in the format
"yyyy-MM-dd'T'HH:mm:ss'Z'")
 */
```

```
* @return a {@code CompletableFuture<Void>} that completes when the alarm
history has been retrieved and processed
*/
public CompletableFuture<Void> getAlarmHistoryAsync(String fileName, String
date) {
    CompletableFuture<String> readFileFuture = CompletableFuture.supplyAsync(() -> {
        try {
            JsonParser parser = new JsonFactory().createParser(new
File(fileName));
            com.fasterxml.jackson.databind.JsonNode rootNode = new
ObjectMapper().readTree(parser);
            return rootNode.findValue("exampleAlarmName").asText(); // Return
alarmName from the JSON file
        } catch (IOException e) {
            throw new RuntimeException("Failed to read or parse the file", e);
        }
    });
}

// Use the alarm name to describe alarm history with a paginator.
return readFileFuture.thenCompose(alarmName -> {
    try {
        Instant start = Instant.parse(date);
        Instant endDate = Instant.now();
        DescribeAlarmHistoryRequest historyRequest =
DescribeAlarmHistoryRequest.builder()
        .startDate(start)
        .endDate(endDate)
        .alarmName(alarmName)
        .historyItemType(HistoryItemType.ACTION)
        .build();

        // Use the paginator to paginate through alarm history pages.
        DescribeAlarmHistoryPublisher historyPublisher =
getAsyncClient().describeAlarmHistoryPaginator(historyRequest);
        CompletableFuture<Void> future = historyPublisher
        .subscribe(response -> response.alarmHistoryItems().forEach(item -> {
            logger.info("History summary: {}", item.historySummary());
            logger.info("Timestamp: {}", item.timestamp());
        })
        .whenComplete((result, exception) -> {
            if (exception != null) {
```

```
                logger.error("Error occurred while getting alarm
history: " + exception.getMessage(), exception);
            } else {
                logger.info("Successfully retrieved all alarm
history.");
            }
        });

        // Return the future to the calling code for further handling
        return future;
    } catch (Exception e) {
        throw new RuntimeException("Failed to process alarm history", e);
    }
}).whenComplete((result, exception) -> {
    if (exception != null) {
        throw new RuntimeException("Error completing alarm history
processing", exception);
    }
});
}

/**
 * Checks for a metric alarm in AWS CloudWatch.
 *
 * @param fileName the name of the file containing the JSON configuration for
the custom metric
 * @return a {@link CompletableFuture} that completes when the check for the
metric alarm is complete
 */
public CompletableFuture<Void> checkForMetricAlarmAsync(String fileName) {
    CompletableFuture<String> readFileFuture = CompletableFuture.supplyAsync(() -> {
        try {
            JsonParser parser = new JsonFactory().createParser(new
File(fileName));
            com.fasterxml.jackson.databind.JsonNode rootNode = new
ObjectMapper().readTree(parser);
            return rootNode.toString(); // Return JSON as a string for further
processing
        } catch (IOException e) {
            throw new RuntimeException("Failed to read file", e);
        }
    });
}
```

```
});

    return readFileFuture.thenCompose(jsonContent -> {
        try {
            com.fasterxml.jackson.databind.JsonNode rootNode = new
ObjectMapper().readTree(jsonContent);
            String customMetricNamespace =
rootNode.findValue("customMetricNamespace").asText();
            String customMetricName =
rootNode.findValue("customMetricName").asText();

            DescribeAlarmsForMetricRequest metricRequest =
DescribeAlarmsForMetricRequest.builder()
                .metricName(customMetricName)
                .namespace(customMetricNamespace)
                .build();

            return checkForAlarmAsync(metricRequest, customMetricName, 10);

        } catch (IOException e) {
            throw new RuntimeException("Failed to parse JSON content", e);
        }
    }).whenComplete((result, exception) -> {
        if (exception != null) {
            throw new RuntimeException("Error checking metric alarm",
exception);
        }
    });
}

// Recursive method to check for the alarm.

/**
 * Checks for the existence of an alarm asynchronously for the specified metric.
 *
 * @param metricRequest the request to describe the alarms for the specified metric
 * @param customMetricName the name of the custom metric to check for an alarm
 * @param retries the number of retries to perform if no alarm is found
 * @return a {@link CompletableFuture} that completes when an alarm is found or
the maximum number of retries has been reached
 */
}
```

```
    private static CompletableFuture<Void>
checkForAlarmAsync(DescribeAlarmsForMetricRequest metricRequest, String
customMetricName, int retries) {
    if (retries == 0) {
        return CompletableFuture.completedFuture(null).thenRun(() ->
            logger.info("No Alarm state found for {} after 10 retries.",
customMetricName)
    );
}

    return
(getAsyncClient().describeAlarmsForMetric(metricRequest).thenCompose(response -> {
    if (response.hasMetricAlarms()) {
        logger.info("Alarm state found for {}", customMetricName);
        return CompletableFuture.completedFuture(null); // Alarm found,
complete the future
    } else {
        return CompletableFuture.runAsync(() -> {
            try {
                Thread.sleep(20000);
                logger.info(".");
            } catch (InterruptedException e) {
                throw new RuntimeException("Interrupted while waiting to
retry", e);
            }
        }).thenCompose(v -> checkForAlarmAsync(metricRequest,
customMetricName, retries - 1)); // Recursive call
    }
})));
}

/***
 * Adds metric data for an alarm asynchronously.
 *
 * @param fileName the name of the JSON file containing the metric data
 * @return a CompletableFuture that asynchronously returns the
PutMetricDataResponse
 */
public CompletableFuture<PutMetricDataResponse>
addMetricDataForAlarmAsync(String fileName) {
    CompletableFuture<String> readFileFuture = CompletableFuture.supplyAsync(() -> {
        try {

```

```
        JsonParser parser = new JsonFactory().createParser(new
File(fileName));
            com.fasterxml.jackson.databind.JsonNode rootNode = new
ObjectMapper().readTree(parser);
            return rootNode.toString(); // Return JSON as a string for further
processing
        } catch (IOException e) {
            throw new RuntimeException("Failed to read file", e);
        }
    });

    return readFileFuture.thenCompose(jsonContent -> {
        try {
            com.fasterxml.jackson.databind.JsonNode rootNode = new
ObjectMapper().readTree(jsonContent);
            String customMetricNamespace =
rootNode.findValue("customMetricNamespace").asText();
            String customMetricName =
rootNode.findValue("customMetricName").asText();
            Instant instant = Instant.now();

            // Create MetricDatum objects.
            MetricDatum datum1 = MetricDatum.builder()
                .metricName(customMetricName)
                .unit(StandardUnit.NONE)
                .value(1001.00)
                .timestamp(instant)
                .build();

            MetricDatum datum2 = MetricDatum.builder()
                .metricName(customMetricName)
                .unit(StandardUnit.NONE)
                .value(1002.00)
                .timestamp(instant)
                .build();

            List<MetricDatum> metricDataList = new ArrayList<>();
            metricDataList.add(datum1);
            metricDataList.add(datum2);

            // Build the PutMetricData request.
            PutMetricDataRequest request = PutMetricDataRequest.builder()
                .namespace(customMetricNamespace)
                .metricData(metricDataList)
```

```
        .build();

        // Send the request asynchronously.
        return getAsyncClient().putMetricData(request);

    } catch (IOException e) {
        CompletableFuture<PutMetricDataResponse> failedFuture = new
CompletableFuture<>();
        failedFuture.completeExceptionally(new RuntimeException("Failed to
parse JSON content", e));
        return failedFuture;
    }
}).whenComplete((response, exception) -> {
    if (exception != null) {
        logger.error("Failed to put metric data: " + exception.getMessage(),
exception);
    } else {
        logger.info("Added metric values for metric.");
    }
});
}

/**
 * Retrieves custom metric data from the AWS CloudWatch service.
 *
 * @param fileName the name of the file containing the custom metric information
 * @return a {@link CompletableFuture} that completes when the metric data has
been retrieved
 */
public CompletableFuture<Void> getCustomMetricDataAsync(String fileName) {
    CompletableFuture<String> readFileFuture = CompletableFuture.supplyAsync(() -> {
        try {
            // Read values from the JSON file.
            JsonParser parser = new JsonFactory().createParser(new
File(fileName));
            com.fasterxml.jackson.databind.JsonNode rootNode = new
ObjectMapper().readTree(parser);
            return rootNode.toString(); // Return JSON as a string for further
processing
        } catch (IOException e) {
            throw new RuntimeException("Failed to read file", e);
        }
    });
}
```

```
});

return readFileFuture.thenCompose(jsonContent -> {
    try {
        // Parse the JSON string to extract relevant values.
        com.fasterxml.jackson.databind.JsonNode rootNode = new
ObjectMapper().readTree(jsonContent);
        String customMetricNamespace =
rootNode.findValue("customMetricNamespace").asText();
        String customMetricName =
rootNode.findValue("customMetricName").asText();

        // Set the current time and date range for metric query.
        Instant nowDate = Instant.now();
        long hours = 1;
        long minutes = 30;
        Instant endTime = nowDate.plus(hours,
ChronoUnit.HOURS).plus(minutes, ChronoUnit.MINUTES);

        Metric met = Metric.builder()
            .metricName(customMetricName)
            .namespace(customMetricNamespace)
            .build();

        MetricStat metStat = MetricStat.builder()
            .stat("Maximum")
            .period(60) // Assuming period in seconds
            .metric(met)
            .build();

        MetricDataQuery dataQuery = MetricDataQuery.builder()
            .metricStat(metStat)
            .id("foo2")
            .returnData(true)
            .build();

        List<MetricDataQuery> dq = new ArrayList<>();
        dq.add(dataQuery);

        GetMetricDataRequest getMetricDataRequest =
GetMetricDataRequest.builder()
            .maxDatapoints(10)
            .scanBy(ScanBy.TIMESTAMP_DESCENDING)
            .startTime(nowDate)
```

```
        .endTime(endTime)
        .metricDataQueries(dq)
        .build();

        // Call the async method for CloudWatch data retrieval.
        return getAsyncClient().getMetricData(getMetricDataRequest);

    } catch (IOException e) {
        throw new RuntimeException("Failed to parse JSON content", e);
    }
}).thenAccept(response -> {
    List<MetricDataResult> data = response.metricDataResults();
    for (MetricDataResult item : data) {
        logger.info("The label is: {}", item.label());
        logger.info("The status code is: {}", item.statusCode().toString());
    }
}).exceptionally(exception -> {
    throw new RuntimeException("Failed to get metric data", exception);
});
}

/**
 * Describes the CloudWatch alarms of the 'METRIC_ALARM' type.
 *
 * @return a {@link CompletableFuture} that represents the asynchronous
 * operation
 * of describing the CloudWatch alarms. The future completes when the
 * operation is finished, either successfully or with an error.
 */
public CompletableFuture<Void> describeAlarmsAsync() {
    List<AlarmType> typeList = new ArrayList<>();
    typeList.add(AlarmType.METRIC_ALARM);
    DescribeAlarmsRequest alarmsRequest = DescribeAlarmsRequest.builder()
        .alarmTypes(typeList)
        .maxRecords(10)
        .build();

    return getAsyncClient().describeAlarms(alarmsRequest)
        .thenAccept(response -> {
            List<MetricAlarm> alarmList = response.metricAlarms();
            for (MetricAlarm alarm : alarmList) {
                logger.info("Alarm name: {}", alarm.alarmName());
                logger.info("Alarm description: {} ", alarm.alarmDescription());
            }
        });
}
```

```
        }
    })
    .whenComplete((response, ex) -> {
        if (ex != null) {
            logger.info("Failed to describe alarms: {}", ex.getMessage());
        } else {
            logger.info("Successfully described alarms.");
        }
    });
}

/**
 * Creates an alarm based on the configuration provided in a JSON file.
 *
 * @param fileName the name of the JSON file containing the alarm configuration
 * @return a CompletableFuture that represents the asynchronous operation of
 * creating the alarm
 * @throws RuntimeException if an exception occurs while reading the JSON file
 * or creating the alarm
 */
public CompletableFuture<String> createAlarmAsync(String fileName) {
    com.fasterxml.jackson.databind.JsonNode rootNode;
    try {
        JsonParser parser = new JsonFactory().createParser(new File(fileName));
        rootNode = new ObjectMapper().readTree(parser);
    } catch (IOException e) {
        throw new RuntimeException("Failed to read the alarm configuration
file", e);
    }

    // Extract values from the JSON node.
    String customMetricNamespace =
rootNode.findValue("customMetricNamespace").asText();
    String customMetricName = rootNode.findValue("customMetricName").asText();
    String alarmName = rootNode.findValue("exampleAlarmName").asText();
    String emailTopic = rootNode.findValue("emailTopic").asText();
    String accountId = rootNode.findValue("accountId").asText();
    String region = rootNode.findValue("region").asText();

    // Create a List for alarm actions.
    List<String> alarmActions = new ArrayList<>();
    alarmActions.add("arn:aws:sns:" + region + ":" + accountId + ":" +
emailTopic);
```

```
PutMetricAlarmRequest alarmRequest = PutMetricAlarmRequest.builder()
    .alarmActions(alarmActions)
    .alarmDescription("Example metric alarm")
    .alarmName(alarmName)

    .comparisonOperator(ComparisonOperator.GREATER_THAN_OR_EQUAL_TO_THRESHOLD)
    .threshold(100.00)
    .metricName(customMetricName)
    .namespace(customMetricNamespace)
    .evaluationPeriods(1)
    .period(10)
    .statistic("Maximum")
    .datapointsToAlarm(1)
    .treatMissingData("ignore")
    .build();

// Call the putMetricAlarm asynchronously and handle the result.
return getAsyncClient().putMetricAlarm(alarmRequest)
    .handle((response, ex) -> {
        if (ex != null) {
            logger.info("Failed to create alarm: {}", ex.getMessage());
            throw new RuntimeException("Failed to create alarm", ex);
        } else {
            logger.info("{} was successfully created!", alarmName);
            return alarmName;
        }
    });
}

/**
 * Adds a metric to a dashboard asynchronously.
 *
 * @param fileName      the name of the file containing the dashboard content
 * @param dashboardName the name of the dashboard to be updated
 * @return a {@link CompletableFuture} representing the asynchronous operation,
 * which will complete with a
 * {@link PutDashboardResponse} when the dashboard is successfully updated
 */
public CompletableFuture<PutDashboardResponse> addMetricToDashboardAsync(String
fileName, String dashboardName) {
    String dashboardBody;
    try {
        dashboardBody = readFileAsString(fileName);
    } catch (IOException e) {
```

```
        throw new RuntimeException("Failed to read the dashboard file", e);
    }

    PutDashboardRequest dashboardRequest = PutDashboardRequest.builder()
        .dashboardName(dashboardName)
        .dashboardBody(dashboardBody)
        .build();

    return getAsyncClient().putDashboard(dashboardRequest)
        .handle((response, ex) -> {
            if (ex != null) {
                logger.info("Failed to update dashboard: {}", ex.getMessage());
                throw new RuntimeException("Error updating dashboard", ex);
            } else {
                logger.info("{} was successfully updated.", dashboardName);
                return response;
            }
        });
}

/**
 * Creates a new custom metric.
 *
 * @param dataPoint the data point to be added to the custom metric
 * @return a {@link CompletableFuture} representing the asynchronous operation
 * of adding the custom metric
 */
public CompletableFuture<PutMetricDataResponse>
createNewCustomMetricAsync(Double dataPoint) {
    Dimension dimension = Dimension.builder()
        .name("UNIQUE_PAGES")
        .value("URLS")
        .build();

    // Set an Instant object for the current time in UTC.
    String time =
ZonedDateTime.now(ZoneOffset.UTC).format(DateTimeFormatter.ISO_INSTANT);
    Instant instant = Instant.parse(time);

    // Create the MetricDatum.
    MetricDatum datum = MetricDatum.builder()
        .metricName("PAGES_VISITED")
        .unit(StandardUnit.NONE)
        .value(dataPoint)
```

```
        .timestamp(instant)
        .dimensions(dimension)
        .build();

    PutMetricDataRequest request = PutMetricDataRequest.builder()
        .namespace("SITE/TRAFFIC")
        .metricData(datum)
        .build();

    return getAsyncClient().putMetricData(request)
        .whenComplete((response, ex) -> {
            if (ex != null) {
                throw new RuntimeException("Error adding custom metric", ex);
            } else {
                logger.info("Successfully added metric values for
PAGES_VISITED.");
            }
        });
}

/**
 * Lists the available dashboards.
 *
 * @return a {@link CompletableFuture} that completes when the operation is
finished.
 * The future will complete exceptionally if an error occurs while listing the
dashboards.
 */
public CompletableFuture<Void> listDashboardsAsync() {
    ListDashboardsRequest listDashboardsRequest =
ListDashboardsRequest.builder().build();
    ListDashboardsPublisher paginator =
getAsyncClient().listDashboardsPaginator(listDashboardsRequest);
    return paginator.subscribe(response -> {
        response.dashboardEntries().forEach(entry -> {
            logger.info("Dashboard name is: {}", entry.dashboardName());
            logger.info("Dashboard ARN is: {}", entry.dashboardArn());
        });
    }).exceptionally(ex -> {
        logger.info("Failed to list dashboards: {}", ex.getMessage());
        throw new RuntimeException("Error occurred while listing dashboards",
ex);
    });
}
```

```
/**  
 * Creates a new dashboard with the specified name and metrics from the given  
file.  
 *  
 * @param dashboardName the name of the dashboard to be created  
 * @param fileName      the name of the file containing the dashboard body  
 * @return a {@link CompletableFuture} representing the asynchronous operation  
of creating the dashboard  
 * @throws IOException if there is an error reading the dashboard body from the  
file  
 */  
public CompletableFuture<PutDashboardResponse>  
createDashboardWithMetricsAsync(String dashboardName, String fileName) throws  
IOException {  
    String dashboardBody = readFileSyncAsString(fileName);  
    PutDashboardRequest dashboardRequest = PutDashboardRequest.builder()  
        .dashboardName(dashboardName)  
        .dashboardBody(dashboardBody)  
        .build();  
  
    return getAsyncClient().putDashboard(dashboardRequest)  
        .handle((response, ex) -> {  
            if (ex != null) {  
                logger.info("Failed to create dashboard: {}", ex.getMessage());  
                throw new RuntimeException("Dashboard creation failed", ex);  
            } else {  
                // Handle the normal response case  
                logger.info("{} was successfully created.", dashboardName);  
                List<DashboardValidationMessage> messages =  
response.dashboardValidationMessages();  
                if (messages.isEmpty()) {  
                    logger.info("There are no messages in the new Dashboard.");  
                } else {  
                    for (DashboardValidationMessage message : messages) {  
                        logger.info("Message: {}", message.message());  
                    }  
                }  
                return response; // Return the response for further use  
            }  
        });  
}
```

```
/**  
 * Retrieves the metric statistics for the "EstimatedCharges" metric in the  
 "AWS/Billing" namespace.  
 *  
 * @param costDateWeek the start date for the metric statistics, in the format  
 of an ISO-8601 date string (e.g., "2023-04-05")  
 * @return a {@link CompletableFuture} that, when completed, contains the {@link  
 GetMetricStatisticsResponse} with the retrieved metric statistics  
 * @throws RuntimeException if the metric statistics cannot be retrieved  
 successfully  
 */  
public CompletableFuture<GetMetricStatisticsResponse>  
getMetricStatisticsAsync(String costDateWeek) {  
    Instant start = Instant.parse(costDateWeek);  
    Instant endDate = Instant.now();  
  
    // Define dimension  
    Dimension dimension = Dimension.builder()  
        .name("Currency")  
        .value("USD")  
        .build();  
  
    List<Dimension> dimensionList = new ArrayList<>();  
    dimensionList.add(dimension);  
  
    GetMetricStatisticsRequest statisticsRequest =  
GetMetricStatisticsRequest.builder()  
        .metricName("EstimatedCharges")  
        .namespace("AWS/Billing")  
        .dimensions(dimensionList)  
        .statistics(Statistic.MAXIMUM)  
        .startTime(start)  
        .endTime(endDate)  
        .period(86400) // One day period  
        .build();  
  
    return getAsyncClient().getMetricStatistics(statisticsRequest)  
        .whenComplete((response, exception) -> {  
            if (response != null) {  
                List<Datapoint> data = response.datapoints();  
                if (!data.isEmpty()) {  
                    for (Datapoint datapoint : data) {
```

```
        logger.info("Timestamp: {} Maximum value: {})",  
datapoint.timestamp(), datapoint.maximum());  
    }  
    } else {  
        logger.info("The returned data list is empty");  
    }  
} else {  
    throw new RuntimeException("Failed to get metric statistics: " +  
exception.getMessage(), exception);  
}  
});  
}  
  
/**  
 * Retrieves and displays metric statistics for the specified parameters.  
 *  
 * @param nameSpace      the namespace for the metric  
 * @param metVal         the name of the metric  
 * @param metricOption   the statistic to retrieve for the metric (e.g.,  
"Maximum", "Average")  
 * @param date           the date for which to retrieve the metric statistics, in  
the format "yyyy-MM-dd'T'HH:mm:ss'Z'"  
 * @param myDimension   the dimension(s) to filter the metric statistics by  
 * @return a {@link CompletableFuture} that completes when the metric statistics  
have been retrieved and displayed  
 */  
public CompletableFuture<GetMetricStatisticsResponse>  
getAndDisplayMetricStatisticsAsync(String nameSpace, String metVal,  
  
String metricOption, String date, Dimension myDimension) {  
  
Instant start = Instant.parse(date);  
Instant endDate = Instant.now();  
  
// Building the request for metric statistics.  
GetMetricStatisticsRequest statisticsRequest =  
GetMetricStatisticsRequest.builder()  
    .endTime(endDate)  
    .startTime(start)  
    .dimensions(myDimension)  
    .metricName(metVal)  
    .namespace(nameSpace)  
    .period(86400) // 1 day period
```

```
.statistics(Statistic.fromValue(metricOption))
.build();

return getAsyncClient().getMetricStatistics(statisticsRequest)
.whenComplete((response, exception) -> {
    if (response != null) {
        List<Datapoint> data = response.datapoints();
        if (!data.isEmpty()) {
            for (Datapoint datapoint : data) {
                logger.info("Timestamp: {} Maximum value: {}", datapoint.timestamp(), datapoint.maximum());
            }
        } else {
            logger.info("The returned data list is empty");
        }
    } else {
        logger.info("Failed to get metric statistics: {} ", exception.getMessage());
    }
})
.exceptionally(exception -> {
    throw new RuntimeException("Error while getting metric statistics: " +
+ exception.getMessage(), exception);
});
}

/**
 * Retrieves a list of metric names for the specified namespace.
 *
 * @param namespace the namespace for which to retrieve the metric names
 * @return a {@link CompletableFuture} that, when completed, contains an {@link
ArrayList} of
 * the metric names in the specified namespace
 * @throws RuntimeException if an error occurs while listing the metrics
 */
public CompletableFuture<ArrayList<String>> listMetsAsync(String namespace) {
    ListMetricsRequest request = ListMetricsRequest.builder()
        .namespace(namespace)
        .build();

    ListMetricsPublisher metricsPaginator =
getAsyncClient().listMetricsPaginator(request);
    Set<String> metSet = new HashSet<>();
```

```
CompletableFuture<Void> future = metricsPaginator.subscribe(response -> {
    response.metrics().forEach(metric -> {
        String metricName = metric.metricName();
        metSet.add(metricName);
    });
});

return future
    .thenApply(ignored -> new ArrayList<>(metSet))
    .exceptionally(exception -> {
        throw new RuntimeException("Failed to list metrics: " +
exception.getMessage(), exception);
    });
}

/**
 * Lists the available namespaces for the current AWS account.
 *
 * @return a {@link CompletableFuture} that, when completed, contains an {@link
ArrayList} of the available namespace names.
 * @throws RuntimeException if an error occurs while listing the namespaces.
 */
public CompletableFuture<ArrayList<String>> listNameSpacesAsync() {
    ArrayList<String> nameSpaceList = new ArrayList<>();
    ListMetricsRequest request = ListMetricsRequest.builder().build();

    ListMetricsPublisher metricsPaginator =
getAsyncClient().listMetricsPaginator(request);
    CompletableFuture<Void> future = metricsPaginator.subscribe(response -> {
        response.metrics().forEach(metric -> {
            String namespace = metric.namespace();
            if (!nameSpaceList.contains(namespace)) {
                nameSpaceList.add(namespace);
            }
        });
    });

    return future
        .thenApply(ignored -> nameSpaceList)
        .exceptionally(exception -> {
            throw new RuntimeException("Failed to list namespaces: " +
exception.getMessage(), exception);
        });
}
```

```
/**  
 * Retrieves the specific metric asynchronously.  
 *  
 * @param namespace the namespace of the metric to retrieve  
 * @return a CompletableFuture that completes with the first dimension of the  
 first metric found in the specified namespace,  
 * or throws a RuntimeException if an error occurs or no metrics or dimensions  
 are found  
 */  
public CompletableFuture<Dimension> getSpecificMetAsync(String namespace) {  
    ListMetricsRequest request = ListMetricsRequest.builder()  
        .namespace(namespace)  
        .build();  
  
    return getAsyncClient().listMetrics(request).handle((response, exception) ->  
{  
    if (exception != null) {  
        logger.info("Error occurred while listing metrics: {} ",  
exception.getMessage());  
        throw new RuntimeException("Failed to retrieve specific metric  
dimension", exception);  
    } else {  
        List<Metric> myList = response.metrics();  
        if (!myList.isEmpty()) {  
            Metric metric = myList.get(0);  
            if (!metric.dimensions().isEmpty()) {  
                return metric.dimensions().get(0); // Return the first  
dimension  
            }  
        }  
        throw new RuntimeException("No metrics or dimensions found");  
    }  
});  
}  
  
public static String readFileAsString(String file) throws IOException {  
    return new String(Files.readAllBytes(Paths.get(file)));  
}  
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.
 - [DeleteAlarms](#)

- [DeleteAnomalyDetector](#)
- [DeleteDashboards](#)
- [DescribeAlarmHistory](#)
- [DescribeAlarms](#)
- [DescribeAlarmsForMetric](#)
- [DescribeAnomalyDetectors](#)
- [GetMetricData](#)
- [GetMetricStatistics](#)
- [GetMetricWidgetImage](#)
- [ListMetrics](#)
- [PutAnomalyDetector](#)
- [PutDashboard](#)
- [PutMetricAlarm](#)
- [PutMetricData](#)

Actions

DeleteAlarms

The following code example shows how to use DeleteAlarms.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Deletes a CloudWatch alarm.  
 *  
 * @param alarmName the name of the alarm to be deleted  
 * @return a {@link CompletableFuture} representing the asynchronous operation  
 * to delete the alarm
```

```
* the {@link DeleteAlarmsResponse} is returned when the operation completes
successfully,
 * or a {@link RuntimeException} is thrown if the operation fails
 */
public CompletableFuture<DeleteAlarmsResponse> deleteCWAlarmAsync(String
alarmName) {
    DeleteAlarmsRequest request = DeleteAlarmsRequest.builder()
        .alarmNames(alarmName)
        .build();

    return getAsyncClient().deleteAlarms(request)
        .whenComplete((response, exception) -> {
            if (exception != null) {
                throw new RuntimeException("Failed to delete the alarm:{} " +
alarmName, exception);
            } else {
                logger.info("Successfully deleted alarm {} ", alarmName);
            }
        });
}
```

- For API details, see [DeleteAlarms](#) in *AWS SDK for Java 2.x API Reference*.

DeleteAnomalyDetector

The following code example shows how to use `DeleteAnomalyDetector`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Deletes an Anomaly Detector.
 *
 * @param fileName the name of the file containing the Anomaly Detector
 * configuration
```

```
* @return a CompletableFuture that represents the asynchronous deletion of the
Anomaly Detector
*/
public CompletableFuture<DeleteAnomalyDetectorResponse>
deleteAnomalyDetectorAsync(String fileName) {
    CompletableFuture<JsonNode> readFileFuture =
CompletableFuture.supplyAsync(() -> {
    try {
        JsonParser parser = new JsonFactory().createParser(new
File(fileName));
        return new ObjectMapper().readTree(parser); // Return the root node
    } catch (IOException e) {
        throw new RuntimeException("Failed to read or parse the file", e);
    }
});

    return readFileFuture.thenCompose(rootNode -> {
        String customMetricNamespace =
rootNode.findValue("customMetricNamespace").asText();
        String customMetricName =
rootNode.findValue("customMetricName").asText();

        SingleMetricAnomalyDetector singleMetricAnomalyDetector =
SingleMetricAnomalyDetector.builder()
            .metricName(customMetricName)
            .namespace(customMetricNamespace)
            .stat("Maximum")
            .build();

        DeleteAnomalyDetectorRequest request =
DeleteAnomalyDetectorRequest.builder()
            .singleMetricAnomalyDetector(singleMetricAnomalyDetector)
            .build();

        return getAsyncClient().deleteAnomalyDetector(request);
    }).whenComplete((result, exception) -> {
        if (exception != null) {
            throw new RuntimeException("Failed to delete the Anomaly Detector",
exception);
        } else {
            logger.info("Successfully deleted the Anomaly Detector.");
        }
    });
}
```

- For API details, see [DeleteAnomalyDetector](#) in *AWS SDK for Java 2.x API Reference*.

DeleteDashboards

The following code example shows how to use DeleteDashboards.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Deletes the specified dashboard.  
 *  
 * @param dashboardName the name of the dashboard to be deleted  
 * @return a {@link CompletableFuture} representing the asynchronous operation  
 * of deleting the dashboard  
 * @throws RuntimeException if the dashboard deletion fails  
 */  
public CompletableFuture<DeleteDashboardsResponse> deleteDashboardAsync(String  
dashboardName) {  
    DeleteDashboardsRequest dashboardsRequest =  
DeleteDashboardsRequest.builder()  
        .dashboardNames(dashboardName)  
        .build();  
  
    return getAsyncClient().deleteDashboards(dashboardsRequest)  
        .whenComplete((response, exception) -> {  
            if (exception != null) {  
                throw new RuntimeException("Failed to delete the dashboard: " +  
dashboardName, exception);  
            } else {  
                logger.info("{} was successfully deleted.", dashboardName);  
            }  
        });  
}
```

- For API details, see [DeleteDashboards](#) in *AWS SDK for Java 2.x API Reference*.

DescribeAlarmHistory

The following code example shows how to use `DescribeAlarmHistory`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Retrieves the alarm history for a given alarm name and date range.  
 *  
 * @param fileName the path to the JSON file containing the alarm name  
 * @param date      the date to start the alarm history search (in the format  
 * "yyyy-MM-dd'T'HH:mm:ss'Z'")  
 * @return a {@code CompletableFuture<Void>} that completes when the alarm  
 history has been retrieved and processed  
 */  
public CompletableFuture<Void> getAlarmHistoryAsync(String fileName, String  
date) {  
    CompletableFuture<String> readFileFuture = CompletableFuture.supplyAsync()  
-> {  
        try {  
            JsonParser parser = new JsonFactory().createParser(new  
File(fileName));  
            com.fasterxml.jackson.databind.JsonNode rootNode = new  
ObjectMapper().readTree(parser);  
            return rootNode.findValue("exampleAlarmName").asText(); // Return  
alarmName from the JSON file  
        } catch (IOException e) {  
            throw new RuntimeException("Failed to read or parse the file", e);  
        }  
    };  
}
```

```
// Use the alarm name to describe alarm history with a paginator.
return readFileFuture.thenCompose(alarmName -> {
    try {
        Instant start = Instant.parse(date);
        Instant endDate = Instant.now();
        DescribeAlarmHistoryRequest historyRequest =
DescribeAlarmHistoryRequest.builder()
            .startDate(start)
            .endDate(endDate)
            .alarmName(alarmName)
            .historyItemType(HistoryItemType.ACTION)
            .build();

        // Use the paginator to paginate through alarm history pages.
        DescribeAlarmHistoryPublisher historyPublisher =
getAsyncClient().describeAlarmHistoryPaginator(historyRequest);
        CompletableFuture<Void> future = historyPublisher
            .subscribe(response -> response.alarmHistoryItems().forEach(item
-> {
            logger.info("History summary: {}", item.historySummary());
            logger.info("Timestamp: {}", item.timestamp());
        }))
            .whenComplete((result, exception) -> {
                if (exception != null) {
                    logger.error("Error occurred while getting alarm
history: " + exception.getMessage(), exception);
                } else {
                    logger.info("Successfully retrieved all alarm
history.");
                }
            });
    });

    // Return the future to the calling code for further handling
    return future;
} catch (Exception e) {
    throw new RuntimeException("Failed to process alarm history", e);
}
}).whenComplete((result, exception) -> {
    if (exception != null) {
        throw new RuntimeException("Error completing alarm history
processing", exception);
    }
});
});
```

- For API details, see [DescribeAlarmHistory](#) in *AWS SDK for Java 2.x API Reference*.

DescribeAlarms

The following code example shows how to use `DescribeAlarms`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Describes the CloudWatch alarms of the 'METRIC_ALARM' type.  
 *  
 * @return a {@link CompletableFuture} that represents the asynchronous  
 * operation  
 * of describing the CloudWatch alarms. The future completes when the  
 * operation is finished, either successfully or with an error.  
 */  
public CompletableFuture<Void> describeAlarmsAsync() {  
    List<AlarmType> typeList = new ArrayList<>();  
    typeList.add(AlarmType.METRIC_ALARM);  
    DescribeAlarmsRequest alarmsRequest = DescribeAlarmsRequest.builder()  
        .alarmTypes(typeList)  
        .maxRecords(10)  
        .build();  
  
    return getAsyncClient().describeAlarms(alarmsRequest)  
        .thenAccept(response -> {  
            List<MetricAlarm> alarmList = response.metricAlarms();  
            for (MetricAlarm alarm : alarmList) {  
                logger.info("Alarm name: {}", alarm.alarmName());  
                logger.info("Alarm description: {} ", alarm.alarmDescription());  
            }  
        })  
}
```

```
        .whenComplete((response, ex) -> {
            if (ex != null) {
                logger.info("Failed to describe alarms: {}", ex.getMessage());
            } else {
                logger.info("Successfully described alarms.");
            }
        });
    }
}
```

- For API details, see [DescribeAlarms](#) in *AWS SDK for Java 2.x API Reference*.

DescribeAlarmsForMetric

The following code example shows how to use `DescribeAlarmsForMetric`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/** 
 * Checks for a metric alarm in AWS CloudWatch.
 *
 * @param fileName the name of the file containing the JSON configuration for
 * the custom metric
 * @return a {@link CompletableFuture} that completes when the check for the
 * metric alarm is complete
 */
public CompletableFuture<Void> checkForMetricAlarmAsync(String fileName) {
    CompletableFuture<String> readFileFuture = CompletableFuture.supplyAsync(() 
-> {
    try {
        JsonParser parser = new JsonFactory().createParser(new
File(fileName));
        com.fasterxml.jackson.databind.JsonNode rootNode = new
ObjectMapper().readTree(parser);
```

```
        return rootNode.toString(); // Return JSON as a string for further
processing
    } catch (IOException e) {
        throw new RuntimeException("Failed to read file", e);
    }
});

return readFileFuture.thenCompose(jsonContent -> {
    try {
        com.fasterxml.jackson.databind.JsonNode rootNode = new
ObjectMapper().readTree(jsonContent);
        String customMetricNamespace =
rootNode.findValue("customMetricNamespace").asText();
        String customMetricName =
rootNode.findValue("customMetricName").asText();

        DescribeAlarmsForMetricRequest metricRequest =
DescribeAlarmsForMetricRequest.builder()
            .metricName(customMetricName)
            .namespace(customMetricNamespace)
            .build();

        return checkForAlarmAsync(metricRequest, customMetricName, 10);

    } catch (IOException e) {
        throw new RuntimeException("Failed to parse JSON content", e);
    }
}).whenComplete((result, exception) -> {
    if (exception != null) {
        throw new RuntimeException("Error checking metric alarm",
exception);
    }
});
}

// Recursive method to check for the alarm.

/**
 * Checks for the existence of an alarm asynchronously for the specified metric.
 *
 * @param metricRequest the request to describe the alarms for the specified
metric
 * @param customMetricName the name of the custom metric to check for an alarm
 * @param retries the number of retries to perform if no alarm is found

```

```
* @return a {@link CompletableFuture} that completes when an alarm is found or
the maximum number of retries has been reached
*/
private static CompletableFuture<Void>
checkForAlarmAsync(DescribeAlarmsForMetricRequest metricRequest, String
customMetricName, int retries) {
    if (retries == 0) {
        return CompletableFuture.completedFuture(null).thenRun(() ->
            logger.info("No Alarm state found for {} after 10 retries.",
customMetricName)
    );
}

return
(getAsyncClient().describeAlarmsForMetric(metricRequest).thenCompose(response -> {
    if (response.hasMetricAlarms()) {
        logger.info("Alarm state found for {}", customMetricName);
        return CompletableFuture.completedFuture(null); // Alarm found,
complete the future
    } else {
        return CompletableFuture.runAsync(() -> {
            try {
                Thread.sleep(20000);
                logger.info(".");
            } catch (InterruptedException e) {
                throw new RuntimeException("Interrupted while waiting to
retry", e);
            }
        }).thenCompose(v -> checkForAlarmAsync(metricRequest,
customMetricName, retries - 1)); // Recursive call
    }
})));
}
```

- For API details, see [DescribeAlarmsForMetric](#) in *AWS SDK for Java 2.x API Reference*.

DescribeAnomalyDetectors

The following code example shows how to use `DescribeAnomalyDetectors`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Describes the anomaly detectors based on the specified JSON file.  
 *  
 * @param fileName the name of the JSON file containing the custom metric  
 namespace and name  
 * @return a {@link CompletableFuture} that completes when the anomaly detectors  
 have been described  
 * @throws RuntimeException if there is a failure during the operation, such as  
 when reading or parsing the JSON file,  
 * or when describing the anomaly detectors  
 */  
public CompletableFuture<Void> describeAnomalyDetectorsAsync(String fileName) {  
    CompletableFuture<JsonNode> readFileFuture =  
CompletableFuture.supplyAsync(() -> {  
    try {  
        JsonParser parser = new JsonFactory().createParser(new  
File(fileName));  
        return new ObjectMapper().readTree(parser);  
    } catch (IOException e) {  
        throw new RuntimeException("Failed to read or parse the file", e);  
    }  
});  
  
return readFileFuture.thenCompose(rootNode -> {  
    try {  
        String customMetricNamespace =  
rootNode.findValue("customMetricNamespace").asText();  
        String customMetricName =  
rootNode.findValue("customMetricName").asText();  
  
        DescribeAnomalyDetectorsRequest detectorsRequest =  
DescribeAnomalyDetectorsRequest.builder()  
            .maxResults(10)
```

```
        .metricName(customMetricName)
        .namespace(customMetricNamespace)
        .build();

    return
getAsyncClient().describeAnomalyDetectors(detectorsRequest).thenAccept(response ->
{
    List<AnomalyDetector> anomalyDetectorList =
response.anomalyDetectors();
    for (AnomalyDetector detector : anomalyDetectorList) {
        logger.info("Metric name: {} ", detector.singleMetricAnomalyDetector().metricName());
        logger.info("State: {} ", detector.stateValue());
    }
});
} catch (RuntimeException e) {
    throw new RuntimeException("Failed to describe anomaly detectors",
e);
}
}).whenComplete((result, exception) -> {
    if (exception != null) {
        throw new RuntimeException("Error describing anomaly detectors",
exception);
    }
});
}
```

- For API details, see [DescribeAnomalyDetectors](#) in *AWS SDK for Java 2.x API Reference*.

DisableAlarmActions

The following code example shows how to use `DisableAlarmActions`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.cloudwatch.CloudWatchClient;
import software.amazon.awssdk.services.cloudwatch.model.CloudWatchException;
import software.amazon.awssdk.services.cloudwatch.model.DisableAlarmActionsRequest;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DisableAlarmActions {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <alarmName>

            Where:
            alarmName - An alarm name to disable (for example, MyAlarm).
            """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String alarmName = args[0];
        Region region = Region.US_EAST_1;
        CloudWatchClient cw = CloudWatchClient.builder()
            .region(region)
            .build();

        disableActions(cw, alarmName);
        cw.close();
    }

    public static void disableActions(CloudWatchClient cw, String alarmName) {
        try {
            DisableAlarmActionsRequest request =
                DisableAlarmActionsRequest.builder()
```

```
        .alarmNames(alarmName)
        .build();

    cw.disableAlarmActions(request);
    System.out.printf("Successfully disabled actions on alarm %s",
alarmName);

} catch (CloudWatchException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

- For API details, see [DisableAlarmActions](#) in *AWS SDK for Java 2.x API Reference*.

EnableAlarmActions

The following code example shows how to use EnableAlarmActions.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.cloudwatch.CloudWatchClient;
import software.amazon.awssdk.services.cloudwatch.model.CloudWatchException;
import software.amazon.awssdk.services.cloudwatch.model.EnableAlarmActionsRequest;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
```

```
public class EnableAlarmActions {  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:  
            <alarmName>  
  
            Where:  
            alarmName - An alarm name to enable (for example, MyAlarm).  
            """;  
  
        if (args.length != 1) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String alarm = args[0];  
        Region region = Region.US_EAST_1;  
        CloudWatchClient cw = CloudWatchClient.builder()  
            .region(region)  
            .build();  
  
        enableActions(cw, alarm);  
        cw.close();  
    }  
  
    public static void enableActions(CloudWatchClient cw, String alarm) {  
        try {  
            EnableAlarmActionsRequest request = EnableAlarmActionsRequest.builder()  
                .alarmNames(alarm)  
                .build();  
  
            cw.enableAlarmActions(request);  
            System.out.printf("Successfully enabled actions on alarm %s", alarm);  
  
        } catch (CloudWatchException e) {  
            System.err.println(e.awsErrorDetails().errorMessage());  
            System.exit(1);  
        }  
    }  
}
```

- For API details, see [EnableAlarmActions](#) in *AWS SDK for Java 2.x API Reference*.

GetMetricData

The following code example shows how to use GetMetricData.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Retrieves custom metric data from the AWS CloudWatch service.  
 *  
 * @param fileName the name of the file containing the custom metric information  
 * @return a {@link CompletableFuture} that completes when the metric data has  
 been retrieved  
 */  
public CompletableFuture<Void> getCustomMetricDataAsync(String fileName) {  
    CompletableFuture<String> readFileFuture = CompletableFuture.supplyAsync()  
-> {  
        try {  
            // Read values from the JSON file.  
            JsonParser parser = new JsonFactory().createParser(new  
File(fileName));  
            com.fasterxml.jackson.databind.JsonNode rootNode = new  
ObjectMapper().readTree(parser);  
            return rootNode.toString(); // Return JSON as a string for further  
processing  
        } catch (IOException e) {  
            throw new RuntimeException("Failed to read file", e);  
        }  
    };  
  
    return readFileFuture.thenCompose(jsonContent -> {  
        try {  
            // Parse the JSON string to extract relevant values.  
            com.fasterxml.jackson.databind.JsonNode rootNode = new  
ObjectMapper().readTree(jsonContent);  
            String customMetricNamespace =  
rootNode.findValue("customMetricNamespace").asText();  
        } catch (IOException e) {  
            throw new RuntimeException("Failed to parse JSON", e);  
        }  
    });  
}
```

```
        String customMetricName =
rootNode.findValue("customMetricName").asText();

        // Set the current time and date range for metric query.
        Instant nowDate = Instant.now();
        long hours = 1;
        long minutes = 30;
        Instant endTime = nowDate.plus(hours,
ChronoUnit.HOURS).plus(minutes, ChronoUnit.MINUTES);

        Metric met = Metric.builder()
            .metricName(customMetricName)
            .namespace(customMetricNamespace)
            .build();

        MetricStat metStat = MetricStat.builder()
            .stat("Maximum")
            .period(60) // Assuming period in seconds
            .metric(met)
            .build();

        MetricDataQuery dataQuery = MetricDataQuery.builder()
            .metricStat(metStat)
            .id("foo2")
            .returnData(true)
            .build();

        List<MetricDataQuery> dq = new ArrayList<>();
        dq.add(dataQuery);

        GetMetricDataRequest getMetricDataRequest =
GetMetricDataRequest.builder()
            .maxDatapoints(10)
            .scanBy(ScanBy.TIMESTAMP_DESCENDING)
            .startTime(nowDate)
            .endTime(endTime)
            .metricDataQueries(dq)
            .build();

        // Call the async method for CloudWatch data retrieval.
        return getAsyncClient().getMetricData(getMetricDataRequest);

    } catch (IOException e) {
        throw new RuntimeException("Failed to parse JSON content", e);
    }
}
```

```
        }
    }).thenAccept(response -> {
        List<MetricDataResult> data = response.metricDataResults();
        for (MetricDataResult item : data) {
            logger.info("The label is: {}", item.label());
            logger.info("The status code is: {}", item.statusCode().toString());
        }
    }).exceptionally(exception -> {
        throw new RuntimeException("Failed to get metric data", exception);
    });
}
```

- For API details, see [GetMetricData](#) in *AWS SDK for Java 2.x API Reference*.

GetMetricStatistics

The following code example shows how to use GetMetricStatistics.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Retrieves and displays metric statistics for the specified parameters.
 *
 * @param nameSpace      the namespace for the metric
 * @param metVal         the name of the metric
 * @param metricOption   the statistic to retrieve for the metric (e.g.,
 * "Maximum", "Average")
 * @param date           the date for which to retrieve the metric statistics, in
 * the format "yyyy-MM-dd'T'HH:mm:ss'Z'"
 * @param myDimension   the dimension(s) to filter the metric statistics by
 * @return a {@link CompletableFuture} that completes when the metric statistics
 * have been retrieved and displayed
 */
public CompletableFuture<GetMetricStatisticsResponse>
getAndDisplayMetricStatisticsAsync(String nameSpace, String metVal,
```

```
String metricOption, String date, Dimension myDimension) {

    Instant start = Instant.parse(date);
    Instant endDate = Instant.now();

    // Building the request for metric statistics.
    GetMetricStatisticsRequest statisticsRequest =
GetMetricStatisticsRequest.builder()
    .endTime(endDate)
    .startTime(start)
    .dimensions(myDimension)
    .metricName(metVal)
    .namespace(nameSpace)
    .period(86400) // 1 day period
    .statistics(Statistic.fromValue(metricOption))
    .build();

    return getAsyncClient().getMetricStatistics(statisticsRequest)
        .whenComplete((response, exception) -> {
            if (response != null) {
                List<Datapoint> data = response.datapoints();
                if (!data.isEmpty()) {
                    for (Datapoint datapoint : data) {
                        logger.info("Timestamp: {} Maximum value: {}", datapoint.timestamp(), datapoint.maximum());
                    }
                } else {
                    logger.info("The returned data list is empty");
                }
            } else {
                logger.info("Failed to get metric statistics: {} ", exception.getMessage());
            }
        })
        .exceptionally(exception -> {
            throw new RuntimeException("Error while getting metric statistics: " + exception.getMessage(), exception);
        });
}
```

- For API details, see [GetMetricStatistics](#) in *AWS SDK for Java 2.x API Reference*.

GetMetricWidgetImage

The following code example shows how to use GetMetricWidgetImage.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Retrieves and saves a custom metric image to a file.  
 *  
 * @param fileName the name of the file to save the metric image to  
 * @return a {@link CompletableFuture} that completes when the image has been  
 saved to the file  
 */  
public CompletableFuture<Void> downloadAndSaveMetricImageAsync(String fileName)  
{  
    logger.info("Getting Image data for custom metric.");  
    String myJSON = """  
    {  
        "title": "Example Metric Graph",  
        "view": "timeSeries",  
        "stacked": false,  
        "period": 10,  
        "width": 1400,  
        "height": 600,  
        "metrics": [  
            [  
                "AWS/Billing",  
                "EstimatedCharges",  
                "Currency",  
                "USD"  
            ]  
        ]  
    }  
    """";
```

```
        GetMetricWidgetImageRequest imageRequest =
GetMetricWidgetImageRequest.builder()
    .metricWidget(myJSON)
    .build();

    return getAsyncClient().getMetricWidgetImage(imageRequest)
        .thenCompose(response -> {
            SdkBytes sdkBytes = response.metricWidgetImage();
            byte[] bytes = sdkBytes.asByteArray();
            return CompletableFuture.runAsync(() -> {
                try {
                    File outputFile = new File(fileName);
                    try (FileOutputStream outputStream = new
FileOutputStream(outputFile)) {
                        outputStream.write(bytes);
                    }
                } catch (IOException e) {
                    throw new RuntimeException("Failed to write image to file",
e);
                }
            });
        })
        .whenComplete((result, exception) -> {
            if (exception != null) {
                throw new RuntimeException("Error getting and saving metric
image", exception);
            } else {
                logger.info("Image data saved successfully to {}", fileName);
            }
        });
    }
}
```

- For API details, see [GetMetricWidgetImage](#) in *AWS SDK for Java 2.x API Reference*.

ListDashboards

The following code example shows how to use ListDashboards.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Lists the available dashboards.  
 *  
 * @return a {@link CompletableFuture} that completes when the operation is  
 * finished.  
 * The future will complete exceptionally if an error occurs while listing the  
 * dashboards.  
 */  
public CompletableFuture<Void> listDashboardsAsync() {  
    ListDashboardsRequest listDashboardsRequest =  
        ListDashboardsRequest.builder().build();  
    ListDashboardsPublisher paginator =  
        getAsyncClient().listDashboardsPaginator(listDashboardsRequest);  
    return paginator.subscribe(response -> {  
        response.dashboardEntries().forEach(entry -> {  
            logger.info("Dashboard name is: {}", entry.dashboardName());  
            logger.info("Dashboard ARN is: {}", entry.dashboardArn());  
        });  
    }).exceptionally(ex -> {  
        logger.info("Failed to list dashboards: {}", ex.getMessage());  
        throw new RuntimeException("Error occurred while listing dashboards",  
            ex);  
    });  
}
```

- For API details, see [ListDashboards](#) in *AWS SDK for Java 2.x API Reference*.

ListMetrics

The following code example shows how to use `ListMetrics`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Retrieves a list of metric names for the specified namespace.  
 *  
 * @param namespace the namespace for which to retrieve the metric names  
 * @return a {@link CompletableFuture} that, when completed, contains an {@link  
 * ArrayList} of  
 * the metric names in the specified namespace  
 * @throws RuntimeException if an error occurs while listing the metrics  
 */  
public CompletableFuture<ArrayList<String>> listMetsAsync(String namespace) {  
    ListMetricsRequest request = ListMetricsRequest.builder()  
        .namespace(namespace)  
        .build();  
  
    ListMetricsPublisher metricsPaginator =  
getAsyncClient().listMetricsPaginator(request);  
    Set<String> metSet = new HashSet<>();  
    CompletableFuture<Void> future = metricsPaginator.subscribe(response -> {  
        response.metrics().forEach(metric -> {  
            String metricName = metric.metricName();  
            metSet.add(metricName);  
        });  
    });  
  
    return future  
        .thenApply(ignored -> new ArrayList<>(metSet))  
        .exceptionally(exception -> {  
            throw new RuntimeException("Failed to list metrics: " +  
exception.getMessage(), exception);  
        });  
}
```

- For API details, see [ListMetrics](#) in *AWS SDK for Java 2.x API Reference*.

PutAnomalyDetector

The following code example shows how to use PutAnomalyDetector.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Adds an anomaly detector for the given file.  
 *  
 * @param fileName the name of the file containing the anomaly detector  
 * configuration  
 * @return a {@link CompletableFuture} that completes when the anomaly detector  
 * has been added  
 */  
public CompletableFuture<Void> addAnomalyDetectorAsync(String fileName) {  
    CompletableFuture<JsonNode> readFileFuture =  
    CompletableFuture.supplyAsync(() -> {  
        try {  
            JsonParser parser = new JsonFactory().createParser(new  
File(fileName));  
            return new ObjectMapper().readTree(parser); // Return the root node  
        } catch (IOException e) {  
            throw new RuntimeException("Failed to read or parse the file", e);  
        }  
    });  
  
    return readFileFuture.thenCompose(rootNode -> {  
        try {  
            String customMetricNamespace =  
rootNode.findValue("customMetricNamespace").asText();  
            String customMetricName =  
rootNode.findValue("customMetricName").asText();  
  
            SingleMetricAnomalyDetector singleMetricAnomalyDetector =  
SingleMetricAnomalyDetector.builder()  
                .metricName(customMetricName)  
        } catch (IOException e) {  
            throw new RuntimeException("Failed to read or parse the file", e);  
        }  
    });  
}
```

```
.namespace(customMetricNamespace)
.stat("Maximum")
.build();

PutAnomalyDetectorRequest anomalyDetectorRequest =
PutAnomalyDetectorRequest.builder()
.singleMetricAnomalyDetector(singleMetricAnomalyDetector)
.build();

return
getAsyncClient().putAnomalyDetector(anomalyDetectorRequest).thenAccept(response ->
{
    logger.info("Added anomaly detector for metric {}", customMetricName);
});
} catch (Exception e) {
    throw new RuntimeException("Failed to create anomaly detector", e);
}
.whenComplete((result, exception) -> {
    if (exception != null) {
        throw new RuntimeException("Error adding anomaly detector",
exception);
    }
});
}
```

- For API details, see [PutAnomalyDetector](#) in *AWS SDK for Java 2.x API Reference*.

PutDashboard

The following code example shows how to use PutDashboard.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Creates a new dashboard with the specified name and metrics from the given  
file.  
 *  
 * @param dashboardName the name of the dashboard to be created  
 * @param fileName      the name of the file containing the dashboard body  
 * @return a {@link CompletableFuture} representing the asynchronous operation  
of creating the dashboard  
 * @throws IOException if there is an error reading the dashboard body from the  
file  
 */  
public CompletableFuture<PutDashboardResponse>  
createDashboardWithMetricsAsync(String dashboardName, String fileName) throws  
IOException {  
    String dashboardBody = readFileSyncAsString(fileName);  
    PutDashboardRequest dashboardRequest = PutDashboardRequest.builder()  
        .dashboardName(dashboardName)  
        .dashboardBody(dashboardBody)  
        .build();  
  
    return getAsyncClient().putDashboard(dashboardRequest)  
        .handle((response, ex) -> {  
            if (ex != null) {  
                logger.info("Failed to create dashboard: {}", ex.getMessage());  
                throw new RuntimeException("Dashboard creation failed", ex);  
            } else {  
                // Handle the normal response case  
                logger.info("{} was successfully created.", dashboardName);  
                List<DashboardValidationMessage> messages =  
response.dashboardValidationMessages();  
                if (messages.isEmpty()) {  
                    logger.info("There are no messages in the new Dashboard.");  
                } else {  
                    for (DashboardValidationMessage message : messages) {  
                        logger.info("Message: {}", message.message());  
                    }  
                }  
                return response; // Return the response for further use  
            }  
        });  
}
```

- For API details, see [PutDashboard](#) in *AWS SDK for Java 2.x API Reference*.

PutMetricAlarm

The following code example shows how to use PutMetricAlarm.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Creates an alarm based on the configuration provided in a JSON file.  
 *  
 * @param fileName the name of the JSON file containing the alarm configuration  
 * @return a CompletableFuture that represents the asynchronous operation of  
 creating the alarm  
 * @throws RuntimeException if an exception occurs while reading the JSON file  
 or creating the alarm  
 */  
public CompletableFuture<String> createAlarmAsync(String fileName) {  
    com.fasterxml.jackson.databind.JsonNode rootNode;  
    try {  
        JsonParser parser = new JsonFactory().createParser(new File(fileName));  
        rootNode = new ObjectMapper().readTree(parser);  
    } catch (IOException e) {  
        throw new RuntimeException("Failed to read the alarm configuration  
file", e);  
    }  
  
    // Extract values from the JSON node.  
    String customMetricNamespace =  
rootNode.findValue("customMetricNamespace").asText();  
    String customMetricName = rootNode.findValue("customMetricName").asText();  
    String alarmName = rootNode.findValue("exampleAlarmName").asText();  
    String emailTopic = rootNode.findValue("emailTopic").asText();  
    String accountId = rootNode.findValue("accountId").asText();  
    String region = rootNode.findValue("region").asText();  
  
    // Create a List for alarm actions.  
    List<String> alarmActions = new ArrayList<>();
```

```
alarmActions.add("arn:aws:sns:" + region + ":" + accountId + ":" + emailTopic);

PutMetricAlarmRequest alarmRequest = PutMetricAlarmRequest.builder()
    .alarmActions(alarmActions)
    .alarmDescription("Example metric alarm")
    .alarmName(alarmName)

    .comparisonOperator(ComparisonOperator.GREATER_THAN_OR_EQUAL_TO_THRESHOLD)
    .threshold(100.00)
    .metricName(customMetricName)
    .namespace(customMetricNamespace)
    .evaluationPeriods(1)
    .period(10)
    .statistic("Maximum")
    .datapointsToAlarm(1)
    .treatMissingData("ignore")
    .build();

// Call the putMetricAlarm asynchronously and handle the result.
return getAsyncClient().putMetricAlarm(alarmRequest)
    .handle((response, ex) -> {
        if (ex != null) {
            logger.info("Failed to create alarm: {}", ex.getMessage());
            throw new RuntimeException("Failed to create alarm", ex);
        } else {
            logger.info("{} was successfully created!", alarmName);
            return alarmName;
        }
    });
}
```

- For API details, see [PutMetricAlarm](#) in *AWS SDK for Java 2.x API Reference*.

PutMetricData

The following code example shows how to use PutMetricData.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Adds metric data for an alarm asynchronously.  
 *  
 * @param fileName the name of the JSON file containing the metric data  
 * @return a CompletableFuture that asynchronously returns the  
PutMetricDataResponse  
 */  
public CompletableFuture<PutMetricDataResponse>  
addMetricDataForAlarmAsync(String fileName) {  
    CompletableFuture<String> readFileFuture = CompletableFuture.supplyAsync(()  
-> {  
        try {  
            JsonParser parser = new JsonFactory().createParser(new  
File(fileName));  
            com.fasterxml.jackson.databind.JsonNode rootNode = new  
ObjectMapper().readTree(parser);  
            return rootNode.toString(); // Return JSON as a string for further  
processing  
        } catch (IOException e) {  
            throw new RuntimeException("Failed to read file", e);  
        }  
    });  
  
    return readFileFuture.thenCompose(jsonContent -> {  
        try {  
            com.fasterxml.jackson.databind.JsonNode rootNode = new  
ObjectMapper().readTree(jsonContent);  
            String customMetricNamespace =  
rootNode.findValue("customMetricNamespace").asText();  
            String customMetricName =  
rootNode.findValue("customMetricName").asText();  
            Instant instant = Instant.now();  
        } catch (IOException e) {  
            throw new RuntimeException("Failed to parse JSON", e);  
        }  
    });  
}
```

```
// Create MetricDatum objects.  
MetricDatum datum1 = MetricDatum.builder()  
    .metricName(customMetricName)  
    .unit(StandardUnit.NONE)  
    .value(1001.00)  
    .timestamp(instant)  
    .build();  
  
MetricDatum datum2 = MetricDatum.builder()  
    .metricName(customMetricName)  
    .unit(StandardUnit.NONE)  
    .value(1002.00)  
    .timestamp(instant)  
    .build();  
  
List<MetricDatum> metricDataList = new ArrayList<>();  
metricDataList.add(datum1);  
metricDataList.add(datum2);  
  
// Build the PutMetricData request.  
PutMetricDataRequest request = PutMetricDataRequest.builder()  
    .namespace(customMetricNamespace)  
    .metricData(metricDataList)  
    .build();  
  
// Send the request asynchronously.  
return getAsyncClient().putMetricData(request);  
  
} catch (IOException e) {  
    CompletableFuture<PutMetricDataResponse> failedFuture = new  
CompletableFuture<>();  
    failedFuture.completeExceptionally(new RuntimeException("Failed to  
parse JSON content", e));  
    return failedFuture;  
}  
}).whenComplete((response, exception) -> {  
    if (exception != null) {  
        logger.error("Failed to put metric data: " + exception.getMessage(),  
exception);  
    } else {  
        logger.info("Added metric values for metric.");  
    }  
});  
}
```

- For API details, see [PutMetricData](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Monitor DynamoDB performance

The following code example shows how to configure an application's use of DynamoDB to monitor performance.

SDK for Java 2.x

This example shows how to configure a Java application to monitor the performance of DynamoDB. The application sends metric data to CloudWatch where you can monitor the performance.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- CloudWatch
- DynamoDB

CloudWatch Events examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with CloudWatch Events.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)

Actions

PutEvents

The following code example shows how to use PutEvents.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.cloudwatch.model.CloudWatchException;
import software.amazon.awssdk.services.cloudwatchevents.CloudWatchEventsClient;
import software.amazon.awssdk.services.cloudwatchevents.model.PutEventsRequest;
import software.amazon.awssdk.services.cloudwatchevents.model.PutEventsRequestEntry;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class PutEvents {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <resourceArn>

            Where:
            resourceArn - An Amazon Resource Name (ARN) related to the
            events.
            """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }
    }
}
```

```
}

String resourceArn = args[0];
CloudWatchEventsClient cwe = CloudWatchEventsClient.builder()
    .build();

putCWEVENTS(cwe, resourceArn);
cwe.close();
}

public static void putCWEVENTS(CloudWatchEventsClient cwe, String resourceArn) {
    try {
        final String EVENT_DETAILS = "{ \"key1\": \"value1\", \"key2\": \"value2\" }";

        PutEventsRequestEntry requestEntry = PutEventsRequestEntry.builder()
            .detail(EVENT_DETAILS)
            .detailType("sampleSubmitted")
            .resources(resourceArn)
            .source("aws-sdk-java-cloudwatch-example")
            .build();

        PutEventsRequest request = PutEventsRequest.builder()
            .entries(requestEntry)
            .build();

        cwe.putEvents(request);
        System.out.println("Successfully put CloudWatch event");

    } catch (CloudWatchException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [PutEvents](#) in *AWS SDK for Java 2.x API Reference*.

PutRule

The following code example shows how to use PutRule.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.cloudwatch.model.CloudWatchException;
import software.amazon.awssdk.services.cloudwatchevents.CloudWatchEventsClient;
import software.amazon.awssdk.services.cloudwatchevents.model.PutRuleRequest;
import software.amazon.awssdk.services.cloudwatchevents.model.PutRuleResponse;
import software.amazon.awssdk.services.cloudwatchevents.model.RuleState;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class PutRule {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <ruleName> <roleArn>\s

            Where:
            ruleName - A rule name (for example, myrule).
            roleArn - A role ARN value (for example,
            arn:aws:iam::xxxxxx047983:user/MyUser).
            """;

        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }

        String ruleName = args[0];
        String roleArn = args[1];
```

```
CloudWatchEventsClient cwe = CloudWatchEventsClient.builder()
    .build();

    putCWRule(cwe, ruleName, roleArn);
    cwe.close();
}

public static void putCWRule(CloudWatchEventsClient cwe, String ruleName, String
roleArn) {
    try {
        PutRuleRequest request = PutRuleRequest.builder()
            .name(ruleName)
            .roleArn(roleArn)
            .scheduleExpression("rate(5 minutes)")
            .state(RuleState.ENABLED)
            .build();

        PutRuleResponse response = cwe.putRule(request);
        System.out.printf(
            "Successfully created CloudWatch events rule %s with arn %s",
            roleArn, response.ruleArn());
    } catch (CloudWatchException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [PutRule](#) in *AWS SDK for Java 2.x API Reference*.

PutTargets

The following code example shows how to use PutTargets.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.cloudwatch.model.CloudWatchException;
import software.amazon.awssdk.services.cloudwatchevents.CloudWatchEventsClient;
import software.amazon.awssdk.services.cloudwatchevents.model.PutTargetsRequest;
import software.amazon.awssdk.services.cloudwatchevents.model.Target;

/**
 * To run this Java V2 code example, ensure that you have setup your development
 * environment, including your credentials.
 *
 * For information, see this documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class PutTargets {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <ruleName> <functionArn> <targetId>\s

            Where:
            ruleName - A rule name (for example, myrule).
            functionArn - An AWS Lambda function ARN (for example,
arn:aws:lambda:us-west-2:xxxxxx047983:function:lamda1).
            targetId - A target id value.
            """;

        if (args.length != 3) {
            System.out.println(usage);
            System.exit(1);
        }

        String ruleName = args[0];
        String functionArn = args[1];
        String targetId = args[2];
        CloudWatchEventsClient cwe = CloudWatchEventsClient.builder()
            .build();

        putCWTTargets(cwe, ruleName, functionArn, targetId);
        cwe.close();
    }
}
```

```
public static void putCWTTargets(CloudWatchEventsClient cwe, String ruleName,
String functionArn, String targetId) {
    try {
        Target target = Target.builder()
            .arn(functionArn)
            .id(targetId)
            .build();

        PutTargetsRequest request = PutTargetsRequest.builder()
            .targets(target)
            .rule(ruleName)
            .build();

        cwe.putTargets(request);
        System.out.printf(
            "Successfully created CloudWatch events target for rule %s",
            ruleName);

    } catch (CloudWatchException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [PutTargets](#) in *AWS SDK for Java 2.x API Reference*.

CloudWatch Logs examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with CloudWatch Logs.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)

Actions

DeleteSubscriptionFilter

The following code example shows how to use DeleteSubscriptionFilter.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.cloudwatch.model.CloudWatchException;
import software.amazon.awssdk.services.cloudwatchlogs.CloudWatchLogsClient;
import
software.amazon.awssdk.services.cloudwatchlogs.model.DeleteSubscriptionFilterRequest;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DeleteSubscriptionFilter {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <filter> <logGroup>
            Where:
            filter - The name of the subscription filter (for example,
MyFilter).
            logGroup - The name of the log group. (for example, testgroup).
            """;

        if (args.length != 2) {
            System.out.println(usage);
        }
    }
}
```

```
        System.exit(1);
    }

    String filter = args[0];
    String logGroup = args[1];
    CloudWatchLogsClient logs = CloudWatchLogsClient.builder()
        .build();

    deleteSubFilter(logs, filter, logGroup);
    logs.close();
}

public static void deleteSubFilter(CloudWatchLogsClient logs, String filter,
String logGroup) {
    try {
        DeleteSubscriptionFilterRequest request =
DeleteSubscriptionFilterRequest.builder()
            .filterName(filter)
            .logGroupName(logGroup)
            .build();

        logs.deleteSubscriptionFilter(request);
        System.out.printf("Successfully deleted CloudWatch logs subscription
filter %s", filter);

    } catch (CloudWatchException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [DeleteSubscriptionFilter](#) in *AWS SDK for Java 2.x API Reference*.

DescribeSubscriptionFilters

The following code example shows how to use `DescribeSubscriptionFilters`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.services.cloudwatch.model.CloudWatchException;
import software.amazon.awssdk.services.cloudwatchlogs.CloudWatchLogsClient;
import
software.amazon.awssdk.services.cloudwatchlogs.model.DescribeSubscriptionFiltersRequest;
import
software.amazon.awssdk.services.cloudwatchlogs.model.DescribeSubscriptionFiltersResponse;
import software.amazon.awssdk.services.cloudwatchlogs.model.SubscriptionFilter;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DescribeSubscriptionFilters {
    public static void main(String[] args) {

        final String usage = """

            Usage:
            <logGroup>

            Where:
            logGroup - A log group name (for example, myloggroup).
            """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }
    }
}
```

```
String logGroup = args[0];
CloudWatchLogsClient logs = CloudWatchLogsClient.builder()
    .credentialsProvider(ProfileCredentialsProvider.create())
    .build();

describeFilters(logs, logGroup);
logs.close();
}

public static void describeFilters(CloudWatchLogsClient logs, String logGroup) {
    try {
        boolean done = false;
        String newToken = null;

        while (!done) {
            DescribeSubscriptionFiltersResponse response;
            if (newToken == null) {
                DescribeSubscriptionFiltersRequest request =
DescribeSubscriptionFiltersRequest.builder()
                .logGroupName(logGroup)
                .limit(1).build();

                response = logs.describeSubscriptionFilters(request);
            } else {
                DescribeSubscriptionFiltersRequest request =
DescribeSubscriptionFiltersRequest.builder()
                    .nextToken(newToken)
                    .logGroupName(logGroup)
                    .limit(1).build();
                response = logs.describeSubscriptionFilters(request);
            }

            for (SubscriptionFilter filter : response.subscriptionFilters()) {
                System.out.printf("Retrieved filter with name %s, " + "pattern
%s " + "and destination arn %s",
                    filter.filterName(),
                    filter.filterPattern(),
                    filter.destinationArn());
            }
        }

        if (response.nextToken() == null) {
            done = true;
        } else {
            newToken = response.nextToken();
        }
    }
}
```

```
        }
    }

} catch (CloudWatchException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
System.out.printf("Done");
}

}
```

- For API details, see [DescribeSubscriptionFilters](#) in *AWS SDK for Java 2.x API Reference*.

PutSubscriptionFilter

The following code example shows how to use PutSubscriptionFilter.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.cloudwatchlogs.CloudWatchLogsClient;
import software.amazon.awssdk.services.cloudwatchlogs.model.CloudWatchLogsException;
import
software.amazon.awssdk.services.cloudwatchlogs.model.PutSubscriptionFilterRequest;

/**
 * Before running this code example, you need to grant permission to CloudWatch
 * Logs the right to execute your Lambda function.
 * To perform this task, you can use this CLI command:
 *
 * aws lambda add-permission --function-name "lamda1" --statement-id "lamda1"
 * --principal "logs.us-west-2.amazonaws.com" --action "lambda:InvokeFunction"
 * --source-arn "arn:aws:logs:us-west-2:111111111111:log-group:testgroup:)"
 * --source-account "111111111111"
 *
```

```
* Make sure you replace the function name with your function name and replace
* '111111111111' with your account details.
* For more information, see "Subscription Filters with AWS Lambda" in the
* Amazon CloudWatch Logs Guide.
*
*
* Also, before running this Java V2 code example, set up your development
* environment, including your credentials.
*
* For more information, see the following documentation topic:
*
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
*
*/
```

```
public class PutSubscriptionFilter {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <filter> <pattern> <logGroup> <functionArn>\s

            Where:
            filter - A filter name (for example, myfilter).
            pattern - A filter pattern (for example, ERROR).
            logGroup - A log group name (testgroup).
            functionArn - An AWS Lambda function ARN (for example,
arn:aws:lambda:us-west-2:111111111111:function:lambda1) .
            """;
        if (args.length != 4) {
            System.out.println(usage);
            System.exit(1);
        }

        String filter = args[0];
        String pattern = args[1];
        String logGroup = args[2];
        String functionArn = args[3];
        Region region = Region.US_WEST_2;
        CloudWatchLogsClient cwl = CloudWatchLogsClient.builder()
            .region(region)
            .build();
    }
}
```

```
        putSubFilters(cwl, filter, pattern, logGroup, functionArn);
        cwl.close();
    }

    public static void putSubFilters(CloudWatchLogsClient cwl,
        String filter,
        String pattern,
        String logGroup,
        String functionArn) {

        try {
            PutSubscriptionFilterRequest request =
PutSubscriptionFilterRequest.builder()
                .filterName(filter)
                .filterPattern(pattern)
                .logGroupName(logGroup)
                .destinationArn(functionArn)
                .build();

            cwl.putSubscriptionFilter(request);
            System.out.printf(
                "Successfully created CloudWatch logs subscription filter %s",
                filter);

        } catch (CloudWatchLogsException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
}
```

- For API details, see [PutSubscriptionFilter](#) in *AWS SDK for Java 2.x API Reference*.

StartLiveTail

The following code example shows how to use StartLiveTail.

SDK for Java 2.x

Include the required files.

```
import io.reactivex.FlowableSubscriber;
```

```
import io.reactivex.annotations.NonNull;
import org.reactivestreams.Subscription;
import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.services.cloudwatchlogs.CloudWatchLogsAsyncClient;
import software.amazon.awssdk.services.cloudwatchlogs.model.LiveTailSessionLogEvent;
import software.amazon.awssdk.services.cloudwatchlogs.model.LiveTailSessionStart;
import software.amazon.awssdk.services.cloudwatchlogs.model.LiveTailSessionUpdate;
import software.amazon.awssdk.services.cloudwatchlogs.model.StartLiveTailRequest;
import
software.amazon.awssdk.services.cloudwatchlogs.model.StartLiveTailResponseHandler;
import software.amazon.awssdk.services.cloudwatchlogs.model.CloudWatchLogsException;
import
software.amazon.awssdk.services.cloudwatchlogs.model.StartLiveTailResponseStream;

import java.util.Date;
import java.util.List;
import java.util.concurrent.atomic.AtomicReference;
```

Handle the events from the Live Tail session.

```
private static StartLiveTailResponseHandler
getStartLiveTailResponseStreamHandler(
    AtomicReference<Subscription> subscriptionAtomicReference) {
    return StartLiveTailResponseHandler.builder()
        .onResponse(r -> System.out.println("Received initial response"))
        .onError(throwable -> {
            CloudWatchLogsException e = (CloudWatchLogsException)
throwable.getCause();
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        })
        .subscriber(() -> new FlowableSubscriber<>() {
            @Override
            public void onSubscribe(@NonNull Subscription s) {
                subscriptionAtomicReference.set(s);
                s.request(Long.MAX_VALUE);
            }

            @Override
            public void onNext(StartLiveTailResponseStream event) {
                if (event instanceof LiveTailSessionStart) {
```

```
        LiveTailSessionStart sessionStart = (LiveTailSessionStart)
event;
        System.out.println(sessionStart);
    } else if (event instanceof LiveTailSessionUpdate) {
        LiveTailSessionUpdate sessionUpdate =
(LiveTailSessionUpdate) event;
        List<LiveTailSessionLogEvent> logEvents =
sessionUpdate.sessionResults();
        logEvents.forEach(e -> {
            long timestamp = e.timestamp();
            Date date = new Date(timestamp);
            System.out.println("[" + date + "] " + e.message());
        });
    } else {
        throw CloudWatchLogsException.builder().message("Unknown
event type").build();
    }
}

@Override
public void onError(Throwable throwable) {
    System.out.println(throwable.getMessage());
    System.exit(1);
}

@Override
public void onComplete() {
    System.out.println("Completed Streaming Session");
}
})
.build();
}
```

Start the Live Tail session.

```
CloudWatchLogsAsyncClient cloudWatchLogsAsyncClient =
    CloudWatchLogsAsyncClient.builder()
        .credentialsProvider(ProfileCredentialsProvider.create())
        .build();

StartLiveTailRequest request =
    StartLiveTailRequest.builder()
```

```
.logGroupIdentifiers(logGroupIdentifiers)
.logStreamNames(logStreamNames)
.logEventFilterPattern(logEventFilterPattern)
.build();

/* Create a reference to store the subscription */
final AtomicReference<Subscription> subscriptionAtomicReference = new
AtomicReference<>(null);

cloudWatchLogsAsyncClient.startLiveTail(request,
getStartLiveTailResponseStreamHandler(subscriptionAtomicReference));
```

Stop the Live Tail session after a period of time has elapsed.

```
/* Set a timeout for the session and cancel the subscription. This will:
 * 1). Close the stream
 * 2). Stop the Live Tail session
 */
try {
    Thread.sleep(10000);
} catch (InterruptedException e) {
    throw new RuntimeException(e);
}
if (subscriptionAtomicReference.get() != null) {
    subscriptionAtomicReference.get().cancel();
    System.out.println("Subscription to stream closed");
}
```

- For API details, see [StartLiveTail](#) in *AWS SDK for Java 2.x API Reference*.

Amazon Cognito Identity examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon Cognito Identity.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)

Actions

CreateIdentityPool

The following code example shows how to use CreateIdentityPool.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.cognitoidentity.CognitoIdentityClient;
import
software.amazon.awssdk.services.cognitoidentity.model.CreateIdentityPoolRequest;
import
software.amazon.awssdk.services.cognitoidentity.model.CreateIdentityPoolResponse;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.CognitoIdentityProviderExcept

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class CreateIdentityPool {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <identityPoolName>\s
        Where:
```

```
        identityPoolName - The name to give your identity pool.  
        """;  
  
    if (args.length != 1) {  
        System.out.println(usage);  
        System.exit(1);  
    }  
  
    String identityPoolName = args[0];  
    CognitoIdentityClient cognitoClient = CognitoIdentityClient.builder()  
        .region(Region.US_EAST_1)  
        .build();  
  
    String identityPoolId = createIdPool(cognitoClient, identityPoolName);  
    System.out.println("Unity pool ID " + identityPoolId);  
    cognitoClient.close();  
}  
  
public static String createIdPool(CognitoIdentityClient cognitoClient, String  
identityPoolName) {  
    try {  
        CreateIdentityPoolRequest poolRequest =  
CreateIdentityPoolRequest.builder()  
            .allowUnauthenticatedIdentities(false)  
            .identityPoolName(identityPoolName)  
            .build();  
  
        CreateIdentityPoolResponse response =  
cognitoClient.createIdentityPool(poolRequest);  
        return response.identityPoolId();  
  
    } catch (CognitoIdentityProviderException e) {  
        System.err.println(e.awsErrorDetails().errorMessage());  
        System.exit(1);  
    }  
    return "";  
}  
}
```

- For API details, see [CreateIdentityPool](#) in *AWS SDK for Java 2.x API Reference*.

DeleteIdentityPool

The following code example shows how to use DeleteIdentityPool.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.awscore.exception.AwsServiceException;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.cognitoidentity.CognitoIdentityClient;
import
software.amazon.awssdk.services.cognitoidentity.model.DeleteIdentityPoolRequest;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DeleteIdentityPool {

    public static void main(String[] args) {
        final String usage = """

            Usage:
            <identityPoolId>\s

            Where:
            identityPoolId - The Id value of your identity pool.
            """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }
    }
}
```

```
String identityPoold = args[0];
CognitoIdentityClient cognitoIdClient = CognitoIdentityClient.builder()
    .region(Region.US_EAST_1)
    .credentialsProvider(ProfileCredentialsProvider.create())
    .build();

deleteIdPool(cognitoIdClient, identityPoold);
cognitoIdClient.close();
}

public static void deleteIdPool(CognitoIdentityClient cognitoIdClient, String
identityPoold) {
    try {

        DeleteIdentityPoolRequest identityPoolRequest =
DeleteIdentityPoolRequest.builder()
            .identityPoolId(identityPoold)
            .build();

        cognitoIdClient.deleteIdentityPool(identityPoolRequest);
        System.out.println("Done");

    } catch (AwsServiceException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [DeleteIdentityPool](#) in *AWS SDK for Java 2.x API Reference*.

GetCredentialsForIdentity

The following code example shows how to use GetCredentialsForIdentity.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.cognitoidentity.CognitoIdentityClient;
import
software.amazon.awssdk.services.cognitoidentity.model.GetCredentialsForIdentityRequest;
import
software.amazon.awssdk.services.cognitoidentity.model.GetCredentialsForIdentityResponse;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.CognitoIdentityProviderExcept

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class GetIdentityCredentials {
    public static void main(String[] args) {

        final String usage = """

            Usage:
                <identityId>\s

            Where:
                identityId - The Id of an existing identity in the format
REGION:GUID.
                """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
    }
}
```

```
String identityId = args[0];
CognitoIdentityClient cognitoClient = CognitoIdentityClient.builder()
    .region(Region.US_EAST_1)
    .build();

getCredsForIdentity(cognitoClient, identityId);
cognitoClient.close();
}

public static void getCredsForIdentity(CognitoIdentityClient cognitoClient,
String identityId) {
    try {
        GetCredentialsForIdentityRequest getCredentialsForIdentityRequest =
GetCredentialsForIdentityRequest
        .builder()
        .identityId(identityId)
        .build();

        GetCredentialsForIdentityResponse response = cognitoClient
            .getCredentialsForIdentity(getCredentialsForIdentityRequest);
        System.out.println(
            "Identity ID " + response.identityId() + ", Access key ID " +
response.credentials().accessKeyId());

    } catch (CognitoIdentityProviderException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [GetCredentialsForIdentity](#) in *AWS SDK for Java 2.x API Reference*.

ListIdentityPools

The following code example shows how to use `ListIdentityPools`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.cognitoidentity.CognitoIdentityClient;
import
software.amazon.awssdk.services.cognitoidentity.model.ListIdentityPoolsRequest;
import
software.amazon.awssdk.services.cognitoidentity.model.ListIdentityPoolsResponse;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.CognitoIdentityProviderExcept
on;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ListIdentityPools {
    public static void main(String[] args) {
        CognitoIdentityClient cognitoClient = CognitoIdentityClient.builder()
            .region(Region.US_EAST_1)
            .build();

        listIdPools(cognitoClient);
        cognitoClient.close();
    }

    public static void listIdPools(CognitoIdentityClient cognitoClient) {
        try {
            ListIdentityPoolsRequest poolsRequest =
ListIdentityPoolsRequest.builder()
            .maxResults(15)
            .build();
```

```
        ListIdentityPoolsResponse response =
cognitoClient.listIdentityPools(poolsRequest);
        response.identityPools().forEach(pool -> {
            System.out.println("Pool ID: " + pool.identityPoolId());
            System.out.println("Pool name: " + pool.identityPoolName());
        });

    } catch (CognitoIdentityProviderException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [ListIdentityPools](#) in *AWS SDK for Java 2.x API Reference*.

Amazon Cognito Identity Provider examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon Cognito Identity Provider.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello Amazon Cognito

The following code examples show how to get started using Amazon Cognito.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import
software.amazon.awssdk.services.cognitoidentityprovider.CognitoIdentityProviderClient;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.CognitoIdentityProviderExcept
import
software.amazon.awssdk.services.cognitoidentityprovider.model.ListUserPoolsResponse;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.ListUserPoolsRequest;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ListUserPools {
    public static void main(String[] args) {
        CognitoIdentityProviderClient cognitoClient =
CognitoIdentityProviderClient.builder()
            .region(Region.US_EAST_1)
            .build();

        listAllUserPools(cognitoClient);
        cognitoClient.close();
    }

    public static void listAllUserPools(CognitoIdentityProviderClient cognitoClient)
    {
        try {
            ListUserPoolsRequest request = ListUserPoolsRequest.builder()
                .maxResults(10)
```

```
        .build();

    ListUserPoolsResponse response = cognitoClient.listUserPools(request);
    response.userPools().forEach(userpool -> {
        System.out.println("User pool " + userpool.name() + ", User ID " +
userpool.id());
    });

} catch (CognitoIdentityProviderException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

- For API details, see [ListUserPools](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Actions](#)
- [Scenarios](#)

Actions

Admin GetUser

The following code example shows how to use Admin GetUser.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void getAdminUser(CognitoIdentityProviderClient
identityProviderClient, String userName,
String poolId) {
```

```
try {
    Admin GetUserRequest userRequest = Admin GetUserRequest.builder()
        .username(userName)
        .userPoolId(poolId)
        .build();

    Admin GetUserResponse response =
identityProviderClient.admin GetUser(userRequest);
    System.out.println("User status " + response.userStatusAsString());

} catch (CognitoIdentityProviderException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

- For API details, see [Admin GetUser](#) in *AWS SDK for Java 2.x API Reference*.

AdminInitiateAuth

The following code example shows how to use AdminInitiateAuth.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static AdminInitiateAuthResponse
initiateAuth(CognitoIdentityProviderClient identityProviderClient,
    String clientId, String userName, String password, String userPoolId) {
try {
    Map<String, String> authParameters = new HashMap<>();
    authParameters.put("USERNAME", userName);
    authParameters.put("PASSWORD", password);

    AdminInitiateAuthRequest authRequest =
AdminInitiateAuthRequest.builder()
```

```
.clientId(clientId)
.userPoolId(userPoolId)
.authParameters(authParameters)
.authFlow(AuthFlowType.ADMIN_USER_PASSWORD_AUTH)
.build();

AdminInitiateAuthResponse response =
identityProviderClient.adminInitiateAuth(authRequest);
System.out.println("Result Challenge is : " + response.challengeName());
return response;

} catch (CognitoIdentityProviderException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}

return null;
}
```

- For API details, see [AdminInitiateAuth](#) in *AWS SDK for Java 2.x API Reference*.

AdminRespondToAuthChallenge

The following code example shows how to use AdminRespondToAuthChallenge.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
// Respond to an authentication challenge.
public static void adminRespondToAuthChallenge(CognitoIdentityProviderClient
identityProviderClient,
        String userName, String clientId, String mfaCode, String session) {
    System.out.println("SOFTWARE_TOKEN_MFA challenge is generated");
    Map<String, String> challengeResponses = new HashMap<>();

    challengeResponses.put("USERNAME", userName);
```

```
challengeResponses.put("SOFTWARE_TOKEN_MFA_CODE", mfaCode);

AdminRespondToAuthChallengeRequest respondToAuthChallengeRequest =
AdminRespondToAuthChallengeRequest.builder()
    .challengeName(ChallengeNameType.SOFTWARE_TOKEN_MFA)
    .clientId(clientId)
    .challengeResponses(challengeResponses)
    .session(session)
    .build();

AdminRespondToAuthChallengeResponse respondToAuthChallengeResult =
identityProviderClient
    .adminRespondToAuthChallenge(respondToAuthChallengeRequest);
System.out.println("respondToAuthChallengeResult.getAuthenticationResult()"
    + respondToAuthChallengeResult.authenticationResult());
}
```

- For API details, see [AdminRespondToAuthChallenge](#) in *AWS SDK for Java 2.x API Reference*.

AssociateSoftwareToken

The following code example shows how to use AssociateSoftwareToken.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String getSecretForAppMFA(CognitoIdentityProviderClient
identityProviderClient, String session) {
    AssociateSoftwareTokenRequest softwareTokenRequest =
AssociateSoftwareTokenRequest.builder()
    .session(session)
    .build();

    AssociateSoftwareTokenResponse tokenResponse = identityProviderClient
        .associateSoftwareToken(softwareTokenRequest);
    String secretCode = tokenResponse.secretCode();
```

```
        System.out.println("Enter this token into Google Authenticator");
        System.out.println(secretCode);
        return tokenResponse.session();
    }
```

- For API details, see [AssociateSoftwareToken](#) in *AWS SDK for Java 2.x API Reference*.

ConfirmSignUp

The following code example shows how to use ConfirmSignUp.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void confirmSignUp(CognitoIdentityProviderClient
identityProviderClient, String clientId, String code,
        String userName) {
    try {
        ConfirmSignUpRequest signUpRequest = ConfirmSignUpRequest.builder()
            .clientId(clientId)
            .confirmationCode(code)
            .username(userName)
            .build();

        identityProviderClient.confirmSignUp(signUpRequest);
        System.out.println(userName + " was confirmed");

    } catch (CognitoIdentityProviderException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [ConfirmSignUp](#) in *AWS SDK for Java 2.x API Reference*.

CreateUserPool

The following code example shows how to use `CreateUserPool`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import
software.amazon.awssdk.services.cognitoidentityprovider.CognitoIdentityProviderClient;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.CognitoIdentityProviderExcept
import
software.amazon.awssdk.services.cognitoidentityprovider.model.CreateUserPoolRequest;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.CreateUserPoolResponse;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class CreateUserPool {
    public static void main(String[] args) {

        final String usage = """

            Usage:
                <userPoolName>\s

            Where:
                userPoolName - The name to give your user pool when it's
created.
                """;
    }
}
```

```
if (args.length != 1) {
    System.out.println(usage);
    System.exit(1);
}

String userPoolName = args[0];
CognitoIdentityProviderClient cognitoClient =
CognitoIdentityProviderClient.builder()
    .region(Region.US_EAST_1)
    .build();

String id = createPool(cognitoClient, userPoolName);
System.out.println("User pool ID: " + id);
cognitoClient.close();
}

public static String createPool(CognitoIdentityProviderClient cognitoClient,
String userPoolName) {
    try {
        CreateUserPoolRequest request = CreateUserPoolRequest.builder()
            .poolName(userPoolName)
            .build();

        CreateUserPoolResponse response = cognitoClient.createUserPool(request);
        return response.userPool().id();
    } catch (CognitoIdentityProviderException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}
}
```

- For API details, see [CreateUserPool](#) in *AWS SDK for Java 2.x API Reference*.

CreateUserPoolClient

The following code example shows how to use `CreateUserPoolClient`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import
software.amazon.awssdk.services.cognitoidentityprovider.CognitoIdentityProviderClient;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.CognitoIdentityProviderExcept
import
software.amazon.awssdk.services.cognitoidentityprovider.model.CreateUserPoolClientRequest;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.CreateUserPoolClientResponse;

/**
 * A user pool client app is an application that authenticates with Amazon
 * Cognito user pools.
 * When you create a user pool, you can configure app clients that allow mobile
 * or web applications
 * to call API operations to authenticate users, manage user attributes and
 * profiles,
 * and implement sign-up and sign-in flows.
 *
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class CreateUserPoolClient {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <clientName> <userPoolId>\s
            Where:
            clientName - The name for the user pool client to create.
        """;
    }
}
```

```
        userPoolId - The ID for the user pool.  
        """;  
  
        if (args.length != 2) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String clientName = args[0];  
        String userPoolId = args[1];  
        CognitoIdentityProviderClient cognitoClient =  
CognitoIdentityProviderClient.builder()  
            .region(Region.US_EAST_1)  
            .build();  
  
        createPoolClient(cognitoClient, clientName, userPoolId);  
        cognitoClient.close();  
    }  
  
    public static void createPoolClient(CognitoIdentityProviderClient cognitoClient,  
String clientName,  
        String userPoolId) {  
        try {  
            CreateUserPoolClientRequest request =  
CreateUserPoolClientRequest.builder()  
                .clientName(clientName)  
                .userPoolId(userPoolId)  
                .build();  
  
            CreateUserPoolClientResponse response =  
cognitoClient.createUserPoolClient(request);  
            System.out.println("User pool " + response.userPoolClient().clientName()  
+ " created. ID: "  
                + response.userPoolClient().clientId());  
  
        } catch (CognitoIdentityProviderException e) {  
            System.err.println(e.awsErrorDetails().errorMessage());  
            System.exit(1);  
        }  
    }  
}
```

- For API details, see [CreateUserPoolClient](#) in *AWS SDK for Java 2.x API Reference*.

ListUserPools

The following code example shows how to use `ListUserPools`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import
software.amazon.awssdk.services.cognitoidentityprovider.CognitoIdentityProviderClient;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.CognitoIdentityProviderExcept
import
software.amazon.awssdk.services.cognitoidentityprovider.model.ListUserPoolsResponse;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.ListUserPoolsRequest;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ListUserPools {
    public static void main(String[] args) {
        CognitoIdentityProviderClient cognitoClient =
CognitoIdentityProviderClient.builder()
            .region(Region.US_EAST_1)
            .build();

        listAllUserPools(cognitoClient);
        cognitoClient.close();
    }

    public static void listAllUserPools(CognitoIdentityProviderClient cognitoClient)
{
```

```
try {
    ListUserPoolsRequest request = ListUserPoolsRequest.builder()
        .maxResults(10)
        .build();

    ListUserPoolsResponse response = cognitoClient.listUserPools(request);
    response.userPools().forEach(userpool -> {
        System.out.println("User pool " + userpool.name() + ", User ID " +
userpool.id());
    });

} catch (CognitoIdentityProviderException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

- For API details, see [ListUserPools](#) in *AWS SDK for Java 2.x API Reference*.

ListUsers

The following code example shows how to use ListUsers.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import
software.amazon.awssdk.services.cognitoidentityprovider.CognitoIdentityProviderClient;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.CognitoIdentityProviderExcept
import
software.amazon.awssdk.services.cognitoidentityprovider.model.ListUsersRequest;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.ListUsersResponse;
```

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
public class ListUsers {  
    public static void main(String[] args) {  
  
        final String usage = """  
  
            Usage:  
            <userPoolId>\s  
  
            Where:  
            userPoolId - The ID given to your user pool when it's created.  
            """;  
  
        if (args.length != 1) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String userPoolId = args[0];  
        CognitoIdentityProviderClient cognitoClient =  
CognitoIdentityProviderClient.builder()  
            .region(Region.US_EAST_1)  
            .build();  
  
        listAllUsers(cognitoClient, userPoolId);  
        listUsersFilter(cognitoClient, userPoolId);  
        cognitoClient.close();  
    }  
  
    public static void listAllUsers(CognitoIdentityProviderClient cognitoClient,  
String userPoolId) {  
        try {  
            ListUsersRequest usersRequest = ListUsersRequest.builder()  
                .userPoolId(userPoolId)  
                .build();
```

```
        ListUsersResponse response = cognitoClient.listUsers(usersRequest);
        response.users().forEach(user -> {
            System.out.println("User " + user.username() + " Status " +
user.userStatus() + " Created "
                    + user.userCreateDate());
        });

    } catch (CognitoIdentityProviderException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

// Shows how to list users by using a filter.
public static void listUsersFilter(CognitoIdentityProviderClient cognitoClient,
String userPoolId) {

    try {
        String filter = "email = \"tblue@noserver.com\"";
        ListUsersRequest usersRequest = ListUsersRequest.builder()
            .userPoolId(userPoolId)
            .filter(filter)
            .build();

        ListUsersResponse response = cognitoClient.listUsers(usersRequest);
        response.users().forEach(user -> {
            System.out.println("User with filter applied " + user.username() + " Status " + user.userStatus()
                    + " Created " + user.userCreateDate());
        });

    } catch (CognitoIdentityProviderException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [ListUsers](#) in *AWS SDK for Java 2.x API Reference*.

ResendConfirmationCode

The following code example shows how to use ResendConfirmationCode.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void resendConfirmationCode(CognitoIdentityProviderClient
identityProviderClient, String clientId,
    String userName) {
    try {
        ResendConfirmationCodeRequest codeRequest =
ResendConfirmationCodeRequest.builder()
            .clientId(clientId)
            .username(userName)
            .build();

        ResendConfirmationCodeResponse response =
identityProviderClient.resendConfirmationCode(codeRequest);
        System.out.println("Method of delivery is " +
response.codeDeliveryDetails().deliveryMediumAsString());

    } catch (CognitoIdentityProviderException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [ResendConfirmationCode](#) in *AWS SDK for Java 2.x API Reference*.

SignUp

The following code example shows how to use SignUp.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void signUp(CognitoIdentityProviderClient identityProviderClient,
String clientId, String userName,
    String password, String email) {
    AttributeType userAttrs = AttributeType.builder()
        .name("email")
        .value(email)
        .build();

    List<AttributeType> userAttrsList = new ArrayList<>();
    userAttrsList.add(userAttrs);
    try {
        SignUpRequest signUpRequest = SignUpRequest.builder()
            .userAttributes(userAttrsList)
            .username(userName)
            .clientId(clientId)
            .password(password)
            .build();

        identityProviderClient.signUp(signUpRequest);
        System.out.println("User has been signed up ");

    } catch (CognitoIdentityProviderException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [SignUp](#) in *AWS SDK for Java 2.x API Reference*.

VerifySoftwareToken

The following code example shows how to use VerifySoftwareToken.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
// Verify the TOTP and register for MFA.  
public static void verifyTOTP(CognitoIdentityProviderClient  
identityProviderClient, String session, String code) {  
    try {  
        VerifySoftwareTokenRequest tokenRequest =  
VerifySoftwareTokenRequest.builder()  
            .userCode(code)  
            .session(session)  
            .build();  
  
        VerifySoftwareTokenResponse verifyResponse =  
identityProviderClient.verifySoftwareToken(tokenRequest);  
        System.out.println("The status of the token is " +  
verifyResponse.statusAsString());  
  
    } catch (CognitoIdentityProviderException e) {  
        System.err.println(e.awsErrorDetails().errorMessage());  
        System.exit(1);  
    }  
}
```

- For API details, see [VerifySoftwareToken](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Sign up a user with a user pool that requires MFA

The following code example shows how to:

- Sign up and confirm a user with a username, password, and email address.
- Set up multi-factor authentication by associating an MFA application with the user.

- Sign in by using a password and an MFA code.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import
software.amazon.awssdk.services.cognitoidentityprovider.CognitoIdentityProviderClient;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.Admin GetUserRequest;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.Admin GetUserResponse;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.Admin InitiateAuthRequest;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.Admin InitiateAuthResponse;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.Admin RespondToAuthChallengeRequest;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.Admin RespondToAuthChallengeResponse;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.AssociateSoftwareTokenRequest;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.AssociateSoftwareTokenResponse;
import software.amazon.awssdk.services.cognitoidentityprovider.model.AttributeType;
import software.amazon.awssdk.services.cognitoidentityprovider.model.AuthFlowType;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.ChallengeNameType;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.CognitoIdentityProviderException;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.ConfirmSignUpRequest;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.ResendConfirmationCodeRequest;
import
software.amazon.awssdk.services.cognitoidentityprovider.model.ResendConfirmationCodeResponse;
import software.amazon.awssdk.services.cognitoidentityprovider.model.SignUpRequest;
```

```
import software.amazon.awssdk.services.cognitoidentityprovider.model.VerifySoftwareTokenRequest;
import software.amazon.awssdk.services.cognitoidentityprovider.model.VerifySoftwareTokenResponse;
import java.security.InvalidKeyException;
import java.security.NoSuchAlgorithmException;
import java.util.ArrayList;
import java.util.HashMap;
import java.util.List;
import java.util.Map;
import java.util.Scanner;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation:
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 *
 * TIP: To set up the required user pool, run the AWS Cloud Development Kit (AWS
 * CDK) script provided in this GitHub repo at
 * resources/cdk/cognito_scenario_user_pool_with_mfa.
 *
 * This code example performs the following operations:
 *
 * 1. Invokes the signUp method to sign up a user.
 * 2. Invokes the adminGetUser method to get the user's confirmation status.
 * 3. Invokes the ResendConfirmationCode method if the user requested another
 * code.
 * 4. Invokes the confirmSignUp method.
 * 5. Invokes the AdminInitiateAuth to sign in. This results in being prompted
 * to set up TOTP (time-based one-time password). (The response is
 * "ChallengeName": "MFA_SETUP").
 * 6. Invokes the AssociateSoftwareToken method to generate a TOTP MFA private
 * key. This can be used with Google Authenticator.
 * 7. Invokes the VerifySoftwareToken method to verify the TOTP and register for
 * MFA.
 * 8. Invokes the AdminInitiateAuth to sign in again. This results in being
 * prompted to submit a TOTP (Response: "ChallengeName": "SOFTWARE_TOKEN_MFA").
 * 9. Invokes the AdminRespondToAuthChallenge to get back a token.
 */

public class CognitoMVP {
```

```
public static final String DASHES = new String(new char[80]).replace("\0", "-");

public static void main(String[] args) throws NoSuchAlgorithmException,
InvalidKeyException {
    final String usage = """

    Usage:
        <clientId> <poolId>

    Where:
        clientId - The app client Id value that you can get from the AWS
CDK script.
        poolId - The pool Id that you can get from the AWS CDK script.\s
""";

    if (args.length != 2) {
        System.out.println(usage);
        System.exit(1);
    }

    String clientId = args[0];
    String poolId = args[1];
    CognitoIdentityProviderClient identityProviderClient =
CognitoIdentityProviderClient.builder()
        .region(Region.US_EAST_1)
        .build();

    System.out.println(DASHES);
    System.out.println("Welcome to the Amazon Cognito example scenario.");
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("*** Enter your user name");
    Scanner in = new Scanner(System.in);
    String userName = in.nextLine();

    System.out.println("*** Enter your password");
    String password = in.nextLine();

    System.out.println("*** Enter your email");
    String email = in.nextLine();

    System.out.println("1. Signing up " + userName);
    signUp(identityProviderClient, clientId, userName, password, email);
```

```
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("2. Getting " + userName + " in the user pool");
getAdminUser(identityProviderClient, userName, poolId);

System.out
    .println("**** Conformation code sent to " + userName + ". Would you
like to send a new code? (Yes/No)");
System.out.println(DASHES);

System.out.println(DASHES);
String ans = in.nextLine();

if (ans.compareTo("Yes") == 0) {
    resendConfirmationCode(identityProviderClient, clientId, userName);
    System.out.println("3. Sending a new confirmation code");
}
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("4. Enter confirmation code that was emailed");
String code = in.nextLine();
confirmSignUp(identityProviderClient, clientId, code, userName);
System.out.println("Rechecking the status of " + userName + " in the user
pool");
getAdminUser(identityProviderClient, userName, poolId);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("5. Invokes the initiateAuth to sign in");
AdminInitiateAuthResponse authResponse =
initiateAuth(identityProviderClient, clientId, userName, password,
            poolId);
String mySession = authResponse.session();
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("6. Invokes the AssociateSoftwareToken method to generate
a TOTP key");
String newSession = getSecretForAppMFA(identityProviderClient, mySession);
System.out.println(DASHES);

System.out.println(DASHES);
```

```
        System.out.println("**** Enter the 6-digit code displayed in Google  
Authenticator");  
        String myCode = in.nextLine();  
        System.out.println(DASHES);  
  
        System.out.println(DASHES);  
        System.out.println("7. Verify the TOTP and register for MFA");  
        verifyTOTP(identityProviderClient, newSession, myCode);  
        System.out.println(DASHES);  
  
        System.out.println(DASHES);  
        System.out.println("8. Re-enter a 6-digit code displayed in Google  
Authenticator");  
        String mfaCode = in.nextLine();  
        AdminInitiateAuthResponse authResponse1 =  
initiateAuth(identityProviderClient, clientId, userName, password,  
            poolId);  
        System.out.println(DASHES);  
  
        System.out.println(DASHES);  
        System.out.println("9. Invokes the AdminRespondToAuthChallenge");  
        String session2 = authResponse1.session();  
        adminRespondToAuthChallenge(identityProviderClient, userName, clientId,  
mfaCode, session2);  
        System.out.println(DASHES);  
  
        System.out.println(DASHES);  
        System.out.println("All Amazon Cognito operations were successfully  
performed");  
        System.out.println(DASHES);  
    }  
  
    // Respond to an authentication challenge.  
    public static void adminRespondToAuthChallenge(CognitoIdentityProviderClient  
identityProviderClient,  
        String userName, String clientId, String mfaCode, String session) {  
        System.out.println("SOFTWARE_TOKEN_MFA challenge is generated");  
        Map<String, String> challengeResponses = new HashMap<>();  
  
        challengeResponses.put("USERNAME", userName);  
        challengeResponses.put("SOFTWARE_TOKEN_MFA_CODE", mfaCode);  
  
        AdminRespondToAuthChallengeRequest respondToAuthChallengeRequest =  
AdminRespondToAuthChallengeRequest.builder()
```

```
.challengeName(ChallengeNameType.SOFTWARE_TOKEN_MFA)
.clientId(clientId)
.challengeResponses(challengeResponses)
.session(session)
.build();
```

```
AdminRespondToAuthChallengeResponse respondToAuthChallengeResult =
identityProviderClient
    .adminRespondToAuthChallenge(respondToAuthChallengeRequest);
System.out.println("respondToAuthChallengeResult.getAuthenticationResult()" +
    + respondToAuthChallengeResult.authenticationResult());
}
```

```
// Verify the TOTP and register for MFA.
public static void verifyTOTP(CognitoIdentityProviderClient
identityProviderClient, String session, String code) {
    try {
        VerifySoftwareTokenRequest tokenRequest =
VerifySoftwareTokenRequest.builder()
    .userCode(code)
    .session(session)
    .build();

        VerifySoftwareTokenResponse verifyResponse =
identityProviderClient.verifySoftwareToken(tokenRequest);
        System.out.println("The status of the token is " +
verifyResponse.statusAsString());

    } catch (CognitoIdentityProviderException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

```
public static AdminInitiateAuthResponse
initiateAuth(CognitoIdentityProviderClient identityProviderClient,
    String clientId, String userName, String password, String userPoolId) {
try {
    Map<String, String> authParameters = new HashMap<>();
    authParameters.put("USERNAME", userName);
    authParameters.put("PASSWORD", password);

    AdminInitiateAuthRequest authRequest =
AdminInitiateAuthRequest.builder()
```

```
        .clientId(clientId)
        .userPoolId(userPoolId)
        .authParameters(authParameters)
        .authFlow(AuthFlowType.ADMIN_USER_PASSWORD_AUTH)
        .build();

    AdminInitiateAuthResponse response =
identityProviderClient.adminInitiateAuth(authRequest);
    System.out.println("Result Challenge is : " + response.challengeName());
    return response;

} catch (CognitoIdentityProviderException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}

return null;
}

public static String getSecretForAppMFA(CognitoIdentityProviderClient
identityProviderClient, String session) {
    AssociateSoftwareTokenRequest softwareTokenRequest =
AssociateSoftwareTokenRequest.builder()
        .session(session)
        .build();

    AssociateSoftwareTokenResponse tokenResponse = identityProviderClient
        .associateSoftwareToken(softwareTokenRequest);
    String secretCode = tokenResponse.secretCode();
    System.out.println("Enter this token into Google Authenticator");
    System.out.println(secretCode);
    return tokenResponse.session();
}

public static void confirmSignUp(CognitoIdentityProviderClient
identityProviderClient, String clientId, String code,
        String userName) {
try {
    ConfirmSignUpRequest signUpRequest = ConfirmSignUpRequest.builder()
        .clientId(clientId)
        .confirmationCode(code)
        .username(userName)
        .build();
}
```

```
        identityProviderClient.confirmSignUp(signUpRequest);
        System.out.println(userName + " was confirmed");

    } catch (CognitoIdentityProviderException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

public static void resendConfirmationCode(CognitoIdentityProviderClient
identityProviderClient, String clientId,
String userName) {
try {
    ResendConfirmationCodeRequest codeRequest =
ResendConfirmationCodeRequest.builder()
    .clientId(clientId)
    .username(userName)
    .build();

    ResendConfirmationCodeResponse response =
identityProviderClient.resendConfirmationCode(codeRequest);
    System.out.println("Method of delivery is " +
response.codeDeliveryDetails().deliveryMediumAsString());

} catch (CognitoIdentityProviderException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}

public static void signUp(CognitoIdentityProviderClient identityProviderClient,
String clientId, String userName,
String password, String email) {
AttributeType userAttrs = AttributeType.builder()
    .name("email")
    .value(email)
    .build();

List<AttributeType> userAttrsList = new ArrayList<>();
userAttrsList.add(userAttrs);
try {
    SignUpRequest signUpRequest = SignUpRequest.builder()
        .userAttributes(userAttrsList)
        .username(userName)
```

```
        .clientId(clientId)
        .password(password)
        .build();

    identityProviderClient.signUp(signUpRequest);
    System.out.println("User has been signed up ");

} catch (CognitoIdentityProviderException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}

public static void getAdminUser(CognitoIdentityProviderClient
identityProviderClient, String userName,
        String poolId) {
    try {
        Admin GetUserRequest userRequest = Admin GetUserRequest.builder()
            .username(userName)
            .userPoolId(poolId)
            .build();

        Admin GetUserResponse response =
identityProviderClient.admin GetUser(userRequest);
        System.out.println("User status " + response.userStatusAsString());

    } catch (CognitoIdentityProviderException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [Admin GetUser](#)
- [Admin Initiate Auth](#)
- [Admin Respond To Auth Challenge](#)
- [Associate Software Token](#)
- [Confirm Device](#)
- [Confirm Sign Up](#)

- [InitiateAuth](#)
- [ListUsers](#)
- [ResendConfirmationCode](#)
- [RespondToAuthChallenge](#)
- [SignUp](#)
- [VerifySoftwareToken](#)

Amazon Comprehend examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon Comprehend.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)
- [Scenarios](#)

Actions

CreateDocumentClassifier

The following code example shows how to use `CreateDocumentClassifier`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.comprehend.ComprehendClient;
import software.amazon.awssdk.services.comprehend.model.ComprehendException;
import
software.amazon.awssdk.services.comprehend.model.CreateDocumentClassifierRequest;
import
software.amazon.awssdk.services.comprehend.model.CreateDocumentClassifierResponse;
import
software.amazon.awssdk.services.comprehend.model.DocumentClassifierInputDataConfig;

/**
 * Before running this code example, you can setup the necessary resources, such
 * as the CSV file and IAM Roles, by following this document:
 * https://aws.amazon.com/blogs/machine-learning/building-a-custom-classifier-using-amazon-comprehend/
 *
 * Also, set up your development environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */

public class DocumentClassifierDemo {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <dataAccessRoleArn> <s3Uri> <documentClassifierName>
            Where:
            dataAccessRoleArn - The ARN value of the role used for this
            operation.
            s3Uri - The Amazon S3 bucket that contains the CSV file.
            documentClassifierName - The name of the document classifier.
            """;
        if (args.length != 3) {
            System.out.println(usage);
            System.exit(1);
        }

        String dataAccessRoleArn = args[0];
        String s3Uri = args[1];
        String documentClassifierName = args[2];
    }
}
```

```
Region region = Region.US_EAST_1;
ComprehendClient comClient = ComprehendClient.builder()
    .region(region)
    .build();

createDocumentClassifier(comClient, dataAccessRoleArn, s3Uri,
documentClassifierName);
comClient.close();
}

public static void createDocumentClassifier(ComprehendClient comClient, String
dataAccessRoleArn, String s3Uri,
String documentClassifierName) {
try {
    DocumentClassifierInputDataConfig config =
DocumentClassifierInputDataConfig.builder()
        .s3Uri(s3Uri)
        .build();

    CreateDocumentClassifierRequest createDocumentClassifierRequest =
CreateDocumentClassifierRequest.builder()
        .documentClassifierName(documentClassifierName)
        .dataAccessRoleArn(dataAccessRoleArn)
        .languageCode("en")
        .inputDataConfig(config)
        .build();

    CreateDocumentClassifierResponse createDocumentClassifierResult =
comClient
        .createDocumentClassifier(createDocumentClassifierRequest);
    String documentClassifierArn =
createDocumentClassifierResult.documentClassifierArn();
    System.out.println("Document Classifier ARN: " + documentClassifierArn);

} catch (ComprehendException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

- For API details, see [CreateDocumentClassifier](#) in *AWS SDK for Java 2.x API Reference*.

DetectDominantLanguage

The following code example shows how to use DetectDominantLanguage.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.comprehend.ComprehendClient;
import software.amazon.awssdk.services.comprehend.model.ComprehendException;
import
software.amazon.awssdk.services.comprehend.model.DetectDominantLanguageRequest;
import
software.amazon.awssdk.services.comprehend.model.DetectDominantLanguageResponse;
import software.amazon.awssdk.services.comprehend.model.DominantLanguage;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DetectLanguage {
    public static void main(String[] args) {
        // Specify French text - "It is raining today in Seattle".
        String text = "Il pleut aujourd'hui à Seattle";
        Region region = Region.US_EAST_1;

        ComprehendClient comClient = ComprehendClient.builder()
            .region(region)
            .build();

        System.out.println("Calling DetectDominantLanguage");
        detectTheDominantLanguage(comClient, text);
        comClient.close();
    }
}
```

```
}

    public static void detectTheDominantLanguage(ComprehendClient comClient, String
text) {
    try {
        DetectDominantLanguageRequest request =
DetectDominantLanguageRequest.builder()
            .text(text)
            .build();

        DetectDominantLanguageResponse resp =
comClient.detectDominantLanguage(request);
        List<DominantLanguage> allLanList = resp.languages();
        for (DominantLanguage lang : allLanList) {
            System.out.println("Language is " + lang.languageCode());
        }
    } catch (ComprehendException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [DetectDominantLanguage](#) in *AWS SDK for Java 2.x API Reference*.

DetectEntities

The following code example shows how to use `DetectEntities`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.comprehend.ComprehendClient;
import software.amazon.awssdk.services.comprehend.model.DetectEntitiesRequest;
```

```
import software.amazon.awssdk.services.comprehend.model.DetectEntitiesResponse;
import software.amazon.awssdk.services.comprehend.model.Entity;
import software.amazon.awssdk.services.comprehend.model.ComprehendException;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DetectEntities {
    public static void main(String[] args) {
        String text = "Amazon.com, Inc. is located in Seattle, WA and was founded
July 5th, 1994 by Jeff Bezos, allowing customers to buy everything from books to
blenders. Seattle is north of Portland and south of Vancouver, BC. Other notable
Seattle - based companies are Starbucks and Boeing.";
        Region region = Region.US_EAST_1;
        ComprehendClient comClient = ComprehendClient.builder()
            .region(region)
            .build();

        System.out.println("Calling DetectEntities");
        detectAllEntities(comClient, text);
        comClient.close();
    }

    public static void detectAllEntities(ComprehendClient comClient, String text) {
        try {
            DetectEntitiesRequest detectEntitiesRequest =
DetectEntitiesRequest.builder()
                .text(text)
                .languageCode("en")
                .build();

            DetectEntitiesResponse detectEntitiesResult =
comClient.detectEntities(detectEntitiesRequest);
            List<Entity> entList = detectEntitiesResult.entities();
            for (Entity entity : entList) {
                System.out.println("Entity text is " + entity.text());
            }
        }
    }
}
```

```
        } catch (ComprehendException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
}
```

- For API details, see [DetectEntities](#) in *AWS SDK for Java 2.x API Reference*.

DetectKeyPhrases

The following code example shows how to use DetectKeyPhrases.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.comprehend.ComprehendClient;
import software.amazon.awssdk.services.comprehend.model.DetectKeyPhrasesRequest;
import software.amazon.awssdk.services.comprehend.model.DetectKeyPhrasesResponse;
import software.amazon.awssdk.services.comprehend.model.KeyPhrase;
import software.amazon.awssdk.services.comprehend.model.ComprehendException;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DetectKeyPhrases {
    public static void main(String[] args) {
        String text = "Amazon.com, Inc. is located in Seattle, WA and was founded
July 5th, 1994 by Jeff Bezos, allowing customers to buy everything from books to
```

```
blenders. Seattle is north of Portland and south of Vancouver, BC. Other notable
Seattle - based companies are Starbucks and Boeing.";

Region region = Region.US_EAST_1;
ComprehendClient comClient = ComprehendClient.builder()
    .region(region)
    .build();

System.out.println("Calling DetectKeyPhrases");
detectAllKeyPhrases(comClient, text);
comClient.close();
}

public static void detectAllKeyPhrases(ComprehendClient comClient, String text)
{
    try {
        DetectKeyPhrasesRequest detectKeyPhrasesRequest =
DetectKeyPhrasesRequest.builder()
            .text(text)
            .languageCode("en")
            .build();

        DetectKeyPhrasesResponse detectKeyPhrasesResult =
comClient.detectKeyPhrases(detectKeyPhrasesRequest);
        List<KeyPhrase> phraseList = detectKeyPhrasesResult.keyPhrases();
        for (KeyPhrase keyPhrase : phraseList) {
            System.out.println("Key phrase text is " + keyPhrase.text());
        }

    } catch (ComprehendException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [DetectKeyPhrases](#) in *AWS SDK for Java 2.x API Reference*.

DetectSentiment

The following code example shows how to use DetectSentiment.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.comprehend.ComprehendClient;
import software.amazon.awssdk.services.comprehend.model.ComprehendException;
import software.amazon.awssdk.services.comprehend.model.DetectSentimentRequest;
import software.amazon.awssdk.services.comprehend.model.DetectSentimentResponse;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DetectSentiment {
    public static void main(String[] args) {
        String text = "Amazon.com, Inc. is located in Seattle, WA and was founded
July 5th, 1994 by Jeff Bezos, allowing customers to buy everything from books to
blenders. Seattle is north of Portland and south of Vancouver, BC. Other notable
Seattle - based companies are Starbucks and Boeing.";
        Region region = Region.US_EAST_1;
        ComprehendClient comClient = ComprehendClient.builder()
            .region(region)
            .build();

        System.out.println("Calling DetectSentiment");
        detectSentiments(comClient, text);
        comClient.close();
    }

    public static void detectSentiments(ComprehendClient comClient, String text) {
        try {
            DetectSentimentRequest detectSentimentRequest =
                DetectSentimentRequest.builder()
```

```
        .text(text)
        .languageCode("en")
        .build();

    DetectSentimentResponse detectSentimentResult =
comClient.detectSentiment(detectSentimentRequest);
    System.out.println("The Neutral value is " +
detectSentimentResult.sentimentScore().neutral());

} catch (ComprehendException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

- For API details, see [DetectSentiment](#) in *AWS SDK for Java 2.x API Reference*.

DetectSyntax

The following code example shows how to use DetectSyntax.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.comprehend.ComprehendClient;
import software.amazon.awssdk.services.comprehend.model.ComprehendException;
import software.amazon.awssdk.services.comprehend.model.DetectSyntaxRequest;
import software.amazon.awssdk.services.comprehend.model.DetectSyntaxResponse;
import software.amazon.awssdk.services.comprehend.model.SyntaxToken;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.

```

```
*  
* For more information, see the following documentation topic:  
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
public class DetectSyntax {  
    public static void main(String[] args) {  
        String text = "Amazon.com, Inc. is located in Seattle, WA and was founded  
July 5th, 1994 by Jeff Bezos, allowing customers to buy everything from books to  
blenders. Seattle is north of Portland and south of Vancouver, BC. Other notable  
Seattle - based companies are Starbucks and Boeing.";  
        Region region = Region.US_EAST_1;  
        ComprehendClient comClient = ComprehendClient.builder()  
            .region(region)  
            .build();  
  
        System.out.println("Calling DetectSyntax");  
        detectAllSyntax(comClient, text);  
        comClient.close();  
    }  
  
    public static void detectAllSyntax(ComprehendClient comClient, String text) {  
        try {  
            DetectSyntaxRequest detectSyntaxRequest = DetectSyntaxRequest.builder()  
                .text(text)  
                .languageCode("en")  
                .build();  
  
            DetectSyntaxResponse detectSyntaxResult =  
comClient.detectSyntax(detectSyntaxRequest);  
            List<SyntaxToken> syntaxTokens = detectSyntaxResult.syntaxTokens();  
            for (SyntaxToken token : syntaxTokens) {  
                System.out.println("Language is " + token.text());  
                System.out.println("Part of speech is " +  
token.partOfSpeech().tagAsString());  
            }  
        } catch (ComprehendException e) {  
            System.err.println(e.awsErrorDetails().errorMessage());  
            System.exit(1);  
        }  
    }  
}
```

- For API details, see [DetectSyntax](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Building an Amazon Lex chatbot

The following code example shows how to create a chatbot to engage your website visitors.

SDK for Java 2.x

Shows how to use the Amazon Lex API to create a Chatbot within a web application to engage your web site visitors.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- Amazon Comprehend
- Amazon Lex
- Amazon Translate

Create a messaging application

The following code example shows how to create a messaging application by using Amazon SQS.

SDK for Java 2.x

Shows how to use the Amazon SQS API to develop a Spring REST API that sends and retrieves messages.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- Amazon Comprehend
- Amazon SQS

Create an application to analyze customer feedback

The following code example shows how to create an application that analyzes customer comment cards, translates them from their original language, determines their sentiment, and generates an audio file from the translated text.

SDK for Java 2.x

This example application analyzes and stores customer feedback cards. Specifically, it fulfills the need of a fictitious hotel in New York City. The hotel receives feedback from guests in various languages in the form of physical comment cards. That feedback is uploaded into the app through a web client. After an image of a comment card is uploaded, the following steps occur:

- Text is extracted from the image using Amazon Textract.
- Amazon Comprehend determines the sentiment of the extracted text and its language.
- The extracted text is translated to English using Amazon Translate.
- Amazon Polly synthesizes an audio file from the extracted text.

The full app can be deployed with the AWS CDK. For source code and deployment instructions, see the project in [GitHub](#).

Services used in this example

- Amazon Comprehend
- Lambda
- Amazon Polly
- Amazon Textract
- Amazon Translate

Firehose examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Firehose.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)
- [Scenarios](#)

Actions

PutRecord

The following code example shows how to use PutRecord.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Puts a record to the specified Amazon Kinesis Data Firehose delivery stream.  
 *  
 * @param record The record to be put to the delivery stream. The record must be  
 * a {@link Map} of String keys and Object values.  
 * @param deliveryStreamName The name of the Amazon Kinesis Data Firehose  
 * delivery stream to which the record should be put.  
 * @throws IllegalArgumentException if the input record or delivery stream name  
 * is null or empty.  
 * @throws RuntimeException if there is an error putting the record to the  
 * delivery stream.  
 */  
public static void putRecord(Map<String, Object> record, String  
deliveryStreamName) {  
    if (record == null || deliveryStreamName == null ||  
    deliveryStreamName.isEmpty()) {  
        throw new IllegalArgumentException("Invalid input: record or delivery  
        stream name cannot be null/empty");  
    }  
}
```

```
try {
    String jsonRecord = new ObjectMapper().writeValueAsString(record);
    Record firehoseRecord = Record.builder()

.data(SdkBytes.fromByteArray(jsonRecord.getBytes(StandardCharsets.UTF_8)))
.build();

    PutRecordRequest putRecordRequest = PutRecordRequest.builder()
.deliveryStreamName(deliveryStreamName)
.record(firehoseRecord)
.build();

    getFirehoseClient().putRecord(putRecordRequest);
    System.out.println("Record sent: " + jsonRecord);
} catch (Exception e) {
    throw new RuntimeException("Failed to put record: " + e.getMessage(),
e);
}
}
```

- For API details, see [PutRecord](#) in *AWS SDK for Java 2.x API Reference*.

PutRecordBatch

The following code example shows how to use PutRecordBatch.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Puts a batch of records to an Amazon Kinesis Data Firehose delivery stream.
 *
 * @param records          a list of maps representing the records to be sent
 * @param batchSize        the maximum number of records to include in each
batch
```

```
* @param deliveryStreamName the name of the Kinesis Data Firehose delivery stream
 * @throws IllegalArgumentException if the input parameters are invalid (null or empty)
 * @throws RuntimeException           if there is an error putting the record batch
 */
public static void putRecordBatch(List<Map<String, Object>> records, int batchSize, String deliveryStreamName) {
    if (records == null || records.isEmpty() || deliveryStreamName == null || deliveryStreamName.isEmpty()) {
        throw new IllegalArgumentException("Invalid input: records or delivery stream name cannot be null/empty");
    }
    ObjectMapper objectMapper = new ObjectMapper();

    try {
        for (int i = 0; i < records.size(); i += batchSize) {
            List<Map<String, Object>> batch = records.subList(i, Math.min(i + batchSize, records.size()));

            List<Record> batchRecords = batch.stream().map(record -> {
                try {
                    String jsonRecord = objectMapper.writeValueAsString(record);
                    return Record.builder()
                        .data(SdkBytes.fromByteArray(jsonRecord.getBytes(StandardCharsets.UTF_8)))
                        .build();
                } catch (Exception e) {
                    throw new RuntimeException("Error creating Firehose record", e);
                }
            }).collect(Collectors.toList());

            PutRecordBatchRequest request = PutRecordBatchRequest.builder()
                .deliveryStreamName(deliveryStreamName)
                .records(batchRecords)
                .build();

            PutRecordBatchResponse response =
                    getFirehoseClient().putRecordBatch(request);

            if (response.failedPutCount() > 0) {
                response.requestResponses().stream()

```

```
        .filter(r -> r.errorCode() != null)
        .forEach(r -> System.err.println("Failed record: " +
r.errorMessage()));
    }
    System.out.println("Batch sent with size: " + batchRecords.size());
}
} catch (Exception e) {
    throw new RuntimeException("Failed to put record batch: " +
e.getMessage(), e);
}
}
```

- For API details, see [PutRecordBatch](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Put records to Firehose

The following code example shows how to use Firehose to process individual and batch records.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

This example puts individual and batch records to Firehose.

```
/**
 * Amazon Firehose Scenario example using Java V2 SDK.
 *
 * Demonstrates individual and batch record processing,
 * and monitoring Firehose delivery stream metrics.
 */
public class FirehoseScenario {

    private static FirehoseClient firehoseClient;
    private static CloudWatchClient cloudWatchClient;
```

```
public static void main(String[] args) {
    final String usage = """
        Usage:
            <deliveryStreamName>
        Where:
            deliveryStreamName - The Firehose delivery stream name.
        """;

    if (args.length != 1) {
        System.out.println(usage);
        return;
    }

    String deliveryStreamName = args[0];

    try {
        // Read and parse sample data.
        String jsonContent = readJsonFile("sample_records.json");
        ObjectMapper objectMapper = new ObjectMapper();
        List<Map<String, Object>> sampleData =
objectMapper.readValue(jsonContent, new TypeReference<>() {});

        // Process individual records.
        System.out.println("Processing individual records...");
        sampleData.subList(0, 100).forEach(record -> {
            try {
                putRecord(record, deliveryStreamName);
            } catch (Exception e) {
                System.err.println("Error processing record: " +
e.getMessage());
            }
        });

        // Monitor metrics.
        monitorMetrics(deliveryStreamName);

        // Process batch records.
        System.out.println("Processing batch records...");
        putRecordBatch(sampleData.subList(100, sampleData.size()), 500,
deliveryStreamName);
        monitorMetrics(deliveryStreamName);

    } catch (Exception e) {
        System.err.println("Scenario failed: " + e.getMessage());
    }
}
```

```
        } finally {
            closeClients();
        }
    }

    private static FirehoseClient getFirehoseClient() {
        if (firehoseClient == null) {
            firehoseClient = FirehoseClient.create();
        }
        return firehoseClient;
    }

    private static CloudWatchClient getCloudWatchClient() {
        if (cloudWatchClient == null) {
            cloudWatchClient = CloudWatchClient.create();
        }
        return cloudWatchClient;
    }

    /**
     * Puts a record to the specified Amazon Kinesis Data Firehose delivery stream.
     *
     * @param record The record to be put to the delivery stream. The record must be
     * a {@link Map} of String keys and Object values.
     * @param deliveryStreamName The name of the Amazon Kinesis Data Firehose
     * delivery stream to which the record should be put.
     * @throws IllegalArgumentException if the input record or delivery stream name
     * is null or empty.
     * @throws RuntimeException if there is an error putting the record to the
     * delivery stream.
     */
    public static void putRecord(Map<String, Object> record, String
deliveryStreamName) {
        if (record == null || deliveryStreamName == null ||
deliveryStreamName.isEmpty()) {
            throw new IllegalArgumentException("Invalid input: record or delivery
stream name cannot be null/empty");
        }
        try {
            String jsonRecord = new ObjectMapper().writeValueAsString(record);
            Record firehoseRecord = Record.builder()

.data(SdkBytes.fromByteArray(jsonRecord.getBytes(StandardCharsets.UTF_8)))
.build();
    
```

```
        PutRecordRequest putRecordRequest = PutRecordRequest.builder()
            .deliveryStreamName(deliveryStreamName)
            .record(firehoseRecord)
            .build();

        getFirehoseClient().putRecord(putRecordRequest);
        System.out.println("Record sent: " + jsonRecord);
    } catch (Exception e) {
        throw new RuntimeException("Failed to put record: " + e.getMessage(),
e);
    }
}

/**
 * Puts a batch of records to an Amazon Kinesis Data Firehose delivery stream.
 *
 * @param records          a list of maps representing the records to be sent
 * @param batchSize         the maximum number of records to include in each
batch
 * @param deliveryStreamName the name of the Kinesis Data Firehose delivery
stream
 * @throws IllegalArgumentException if the input parameters are invalid (null or
empty)
 * @throws RuntimeException           if there is an error putting the record
batch
 */
public static void putRecordBatch(List<Map<String, Object>> records, int
batchSize, String deliveryStreamName) {
    if (records == null || records.isEmpty() || deliveryStreamName == null ||
deliveryStreamName.isEmpty()) {
        throw new IllegalArgumentException("Invalid input: records or delivery
stream name cannot be null/empty");
    }
    ObjectMapper objectMapper = new ObjectMapper();

    try {
        for (int i = 0; i < records.size(); i += batchSize) {
            List<Map<String, Object>> batch = records.subList(i, Math.min(i +
batchSize, records.size()));

            List<Record> batchRecords = batch.stream().map(record -> {
                try {
```

```
        String jsonRecord = objectMapper.writeValueAsString(record);
        return Record.builder()

.SdkBytes.fromByteArray(jsonRecord.getBytes(StandardCharsets.UTF_8)))
        .build();
    } catch (Exception e) {
        throw new RuntimeException("Error creating Firehose record",
e);
    }
}).collect(Collectors.toList());

PutRecordBatchRequest request = PutRecordBatchRequest.builder()
        .deliveryStreamName(deliveryStreamName)
        .records(batchRecords)
        .build();

PutRecordBatchResponse response =
getFirehoseClient().putRecordBatch(request);

if (response.failedPutCount() > 0) {
    response.requestResponses().stream()
        .filter(r -> r.errorCode() != null)
        .forEach(r -> System.err.println("Failed record: " +
r.errorMessage()));
}
System.out.println("Batch sent with size: " + batchRecords.size());
}

} catch (Exception e) {
    throw new RuntimeException("Failed to put record batch: " +
e.getMessage(), e);
}
}

public static void monitorMetrics(String deliveryStreamName) {
    Instant endTime = Instant.now();
    Instant startTime = endTime.minusSeconds(600);

    List<String> metrics = List.of("IncomingBytes", "IncomingRecords",
"FailedPutCount");
    metrics.forEach(metric -> monitorMetric(metric, startTime, endTime,
deliveryStreamName));
}
```

```
private static void monitorMetric(String metricName, Instant startTime, Instant
endTime, String deliveryStreamName) {
    try {
        GetMetricStatisticsRequest request =
GetMetricStatisticsRequest.builder()
            .namespace("AWS/Firehose")
            .metricName(metricName)

.dimensions(Dimension.builder().name("DeliveryStreamName").value(deliveryStreamName).build()
            .startTime(startTime)
            .endTime(endTime)
            .period(60)
            .statistics(Statistic.SUM)
            .build();

        GetMetricStatisticsResponse response =
getCloudWatchClient().getMetricStatistics(request);
        double totalSum =
response.datapoints().stream().mapToDouble(Datapoint::sum).sum();
        System.out.println(metricName + ":" + totalSum);
    } catch (Exception e) {
        System.err.println("Failed to monitor metric " + metricName + ":" + e.getMessage());
    }
}

public static String readJsonFile(String fileName) {
    try (InputStream inputStream =
FirehoseScenario.class.getClassLoader().getResourceAsStream(fileName);
        Scanner scanner = new Scanner(inputStream, StandardCharsets.UTF_8)) {
        return scanner.useDelimiter("\n").next();
    } catch (Exception e) {
        throw new RuntimeException("Error reading file: " + fileName, e);
    }
}

private static void closeClients() {
    try {
        if (firehoseClient != null) firehoseClient.close();
        if (cloudWatchClient != null) cloudWatchClient.close();
    } catch (Exception e) {
        System.err.println("Error closing clients: " + e.getMessage());
    }
}
```

```
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.
 - [PutRecord](#)
 - [PutRecordBatch](#)

Amazon DocumentDB examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon DocumentDB.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Serverless examples](#)

Serverless examples

Invoke a Lambda function from a Amazon DocumentDB trigger

The following code example shows how to implement a Lambda function that receives an event triggered by receiving records from a DocumentDB change stream. The function retrieves the DocumentDB payload and logs the record contents.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [Serverless examples](#) repository.

Consuming a Amazon DocumentDB event with Lambda using Java.

```
import java.util.List;
import java.util.Map;
```

```
import com.amazonaws.services.lambda.runtime.Context;
import com.amazonaws.services.lambda.runtime.RequestHandler;

public class Example implements RequestHandler<Map<String, Object>, String> {

    @SuppressWarnings("unchecked")
    @Override
    public String handleRequest(Map<String, Object> event, Context context) {
        List<Map<String, Object>> events = (List<Map<String, Object>>) event.get("events");
        for (Map<String, Object> record : events) {
            Map<String, Object> eventData = (Map<String, Object>) record.get("event");
            processEventData(eventData);
        }

        return "OK";
    }

    @SuppressWarnings("unchecked")
    private void processEventData(Map<String, Object> eventData) {
        String operationType = (String) eventData.get("operationType");
        System.out.println("operationType: %s".formatted(operationType));

        Map<String, Object> ns = (Map<String, Object>) eventData.get("ns");

        String db = (String) ns.get("db");
        System.out.println("db: %s".formatted(db));
        String coll = (String) ns.get("coll");
        System.out.println("coll: %s".formatted(coll));

        Map<String, Object> fullDocument = (Map<String, Object>) eventData.get("fullDocument");
        System.out.println("fullDocument: %s".formatted(fullDocument));
    }
}
```

DynamoDB examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with DynamoDB.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

AWS community contributions are examples that were created and are maintained by multiple teams across AWS. To provide feedback, use the mechanism provided in the linked repositories.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello DynamoDB

The following code examples show how to get started using DynamoDB.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.model.ListTablesRequest;
import software.amazon.awssdk.services.dynamodb.model.ListTablesResponse;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
```

```
* environment, including your credentials.  
*  
* For more information, see the following documentation topic:  
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
  
public class ListTables {  
    public static void main(String[] args) {  
        System.out.println("Listing your Amazon DynamoDB tables:\n");  
        Region region = Region.US_EAST_1;  
        DynamoDbClient ddb = DynamoDbClient.builder()  
            .region(region)  
            .build();  
        listAllTables(ddb);  
        ddb.close();  
    }  
  
    public static void listAllTables(DynamoDbClient ddb) {  
        boolean moreTables = true;  
        String lastName = null;  
  
        while (moreTables) {  
            try {  
                ListTablesResponse response = null;  
                if (lastName == null) {  
                    ListTablesRequest request = ListTablesRequest.builder().build();  
                    response = ddb.listTables(request);  
                } else {  
                    ListTablesRequest request = ListTablesRequest.builder()  
                        .exclusiveStartTableName(lastName).build();  
                    response = ddb.listTables(request);  
                }  
  
                List<String> tableNames = response.tableNames();  
                if (tableNames.size() > 0) {  
                    for (String curName : tableNames) {  
                        System.out.format("* %s\n", curName);  
                    }  
                } else {  
                    System.out.println("No tables found!");  
                    System.exit(0);  
                }  
  
                lastName = response.lastEvaluatedTableName();  
            } catch (AmazonServiceException e) {  
                System.out.println("Caught an exception: " + e.getMessage());  
                System.out.println("HTTP Status Code: " + e.getStatusCode());  
                System.out.println("Error Code: " + e.getErrorCode());  
                System.out.println("Request ID: " + e.getRequestId());  
            }  
        }  
    }  
}
```

```
        if (lastName == null) {
            moreTables = false;
        }

    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
System.out.println("\nDone!");
}
```

- For API details, see [ListTables](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Basics](#)
- [Actions](#)
- [Scenarios](#)
- [Serverless examples](#)
- [AWS community contributions](#)

Basics

Learn the basics

The following code example shows how to:

- Create a table that can hold movie data.
- Put, get, and update a single movie in the table.
- Write movie data to the table from a sample JSON file.
- Query for movies that were released in a given year.
- Scan for movies that were released in a range of years.
- Delete a movie from the table, then delete the table.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Create a DynamoDB table.

```
// Create a table with a Sort key.
public static void createTable(DynamoDbClient ddb, String tableName) {
    DynamoDbWaiter dbWaiter = ddb.waiter();
    ArrayList<AttributeDefinition> attributeDefinitions = new ArrayList<>();

    // Define attributes.
    attributeDefinitions.add(AttributeDefinition.builder()
        .attributeName("year")
        .attributeType("N")
        .build());

    attributeDefinitions.add(AttributeDefinition.builder()
        .attributeName("title")
        .attributeType("S")
        .build());

    ArrayList<KeySchemaElement> tableKey = new ArrayList<>();
    KeySchemaElement key = KeySchemaElement.builder()
        .attributeName("year")
        .keyType(KeyType.HASH)
        .build();

    KeySchemaElement key2 = KeySchemaElement.builder()
        .attributeName("title")
        .keyType(KeyType.RANGE)
        .build();

    // Add KeySchemaElement objects to the list.
    tableKey.add(key);
    tableKey.add(key2);

    CreateTableRequest request = CreateTableRequest.builder()
        .keySchema(tableKey)
```

```
.provisionedThroughput(ProvisionedThroughput.builder()
    .readCapacityUnits(10L)
    .writeCapacityUnits(10L)
    .build())
.attributeDefinitions(attributeDefinitions)
.tableName(tableName)
.build();

try {
    CreateTableResponse response = ddb.createTable(request);
    DescribeTableRequest tableRequest = DescribeTableRequest.builder()
        .tableName(tableName)
        .build();

    // Wait until the Amazon DynamoDB table is created.
    WaiterResponse<DescribeTableResponse> waiterResponse =
    dbWaiter.waitUntilTableExists(tableRequest);
    waiterResponse.matched().response().ifPresent(System.out::println);
    String newTable = response.tableDescription().tableName();
    System.out.println("The " + newTable + " was successfully created.");

} catch (DynamoDbException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
}
```

Create a helper function to download and extract the sample JSON file.

```
// Load data into the table.
public static void loadData(DynamoDbClient ddb, String tableName, String
fileName) throws IOException {
    DynamoDbEnhancedClient enhancedClient = DynamoDbEnhancedClient.builder()
        .dynamoDbClient(ddb)
        .build();

    DynamoDbTable<Movies> mappedTable = enhancedClient.table("Movies",
TableSchema.fromBean(Movies.class));
    JsonParser parser = new JsonFactory().createParser(new File(fileName));
    com.fasterxml.jackson.databind.JsonNode rootNode = new
ObjectMapper().readTree(parser);
    Iterator<JsonNode> iter = rootNode.iterator();
```

```
ObjectNode currentNode;
int t = 0;
while (iter.hasNext()) {
    // Only add 200 Movies to the table.
    if (t == 200)
        break;
    currentNode = (ObjectNode) iter.next();

    int year = currentNode.path("year").asInt();
    String title = currentNode.path("title").asText();
    String info = currentNode.path("info").toString();

    Movies movies = new Movies();
    movies.setYear(year);
    movies.setTitle(title);
    movies.setInfo(info);

    // Put the data into the Amazon DynamoDB Movie table.
    mappedTable.putItem(movies);
    t++;
}
}
```

Get an item from a table.

```
public static void getItem(DynamoDbClient ddb) {

    HashMap<String, AttributeValue> keyToGet = new HashMap<>();
    keyToGet.put("year", AttributeValue.builder()
        .n("1933")
        .build());

    keyToGet.put("title", AttributeValue.builder()
        .s("King Kong")
        .build());

    GetItemRequest request = GetItemRequest.builder()
        .key(keyToGet)
        .tableName("Movies")
        .build();

    try {
```

```
Map<String, AttributeValue> returnedItem = ddb.getItem(request).item();

if (returnedItem != null) {
    Set<String> keys = returnedItem.keySet();
    System.out.println("Amazon DynamoDB table attributes: \n");

    for (String key1 : keys) {
        System.out.format("%s: %s\n", key1,
returnedItem.get(key1).toString());
    }
} else {
    System.out.format("No item found with the key %s!\n", "year");
}

} catch (DynamoDbException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
}
```

Full example.

```
/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 *
 * This Java example performs these tasks:
 *
 * 1. Creates the Amazon DynamoDB Movie table with partition and sort key.
 * 2. Puts data into the Amazon DynamoDB table from a JSON document using the
 * Enhanced client.
 * 3. Gets data from the Movie table.
 * 4. Adds a new item.
 * 5. Updates an item.
 * 6. Uses a Scan to query items using the Enhanced client.
 * 7. Queries all items where the year is 2013 using the Enhanced Client.
 * 8. Deletes the table.
 */
```

```
public class Scenario {  
    public static final String DASHES = new String(new char[80]).replace("\0", "-");  
  
    public static void main(String[] args) throws IOException {  
        final String usage = """  
  
            Usage:  
                <fileName>  
  
            Where:  
                fileName - The path to the moviedata.json file that you can  
download from the Amazon DynamoDB Developer Guide.  
        """;  
  
        if (args.length != 1) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String tableName = "Movies";  
        String fileName = args[0];  
        Region region = Region.US_EAST_1;  
        DynamoDbClient ddb = DynamoDbClient.builder()  
            .region(region)  
            .build();  
  
        System.out.println(DASHES);  
        System.out.println("Welcome to the Amazon DynamoDB example scenario.");  
        System.out.println(DASHES);  
  
        System.out.println(DASHES);  
        System.out.println(  
            "1. Creating an Amazon DynamoDB table named Movies with a key named  
year and a sort key named title.");  
        createTable(ddb, tableName);  
        System.out.println(DASHES);  
  
        System.out.println(DASHES);  
        System.out.println("2. Loading data into the Amazon DynamoDB table.");  
        loadData(ddb, tableName, fileName);  
        System.out.println(DASHES);  
  
        System.out.println(DASHES);
```

```
        System.out.println("3. Getting data from the Movie table.");
        getItem(ddb);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("4. Putting a record into the Amazon DynamoDB table.");
        putRecord(ddb);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("5. Updating a record.");
        updateTableItem(ddb, tableName);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("6. Scanning the Amazon DynamoDB table.");
        scanMovies(ddb, tableName);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("7. Querying the Movies released in 2013.");
        queryTable(ddb);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("8. Deleting the Amazon DynamoDB table.");
        deleteDynamoDBTable(ddb, tableName);
        System.out.println(DASHES);

        ddb.close();
    }

    // Create a table with a Sort key.
    public static void createTable(DynamoDbClient ddb, String tableName) {
        DynamoDbWaiter dbWaiter = ddb.waiter();
        ArrayList<AttributeDefinition> attributeDefinitions = new ArrayList<>();

        // Define attributes.
        attributeDefinitions.add(AttributeDefinition.builder()
            .attributeName("year")
            .attributeType("N")
            .build());

        attributeDefinitions.add(AttributeDefinition.builder()
```

```
.attributeName("title")
.attributeType("S")
.build());
```

```
ArrayList<KeySchemaElement> tableKey = new ArrayList<>();
KeySchemaElement key = KeySchemaElement.builder()
    .attributeName("year")
    .keyType(KeyType.HASH)
    .build();
```

```
KeySchemaElement key2 = KeySchemaElement.builder()
    .attributeName("title")
    .keyType(KeyType.RANGE)
    .build();
```

```
// Add KeySchemaElement objects to the list.
tableKey.add(key);
tableKey.add(key2);
```

```
CreateTableRequest request = CreateTableRequest.builder()
    .keySchema(tableKey)
    .provisionedThroughput(ProvisionedThroughput.builder()
        .readCapacityUnits(10L)
        .writeCapacityUnits(10L)
        .build())
    .attributeDefinitions(attributeDefinitions)
    .tableName(tableName)
    .build();
```

```
try {
    CreateTableResponse response = ddb.createTable(request);
    DescribeTableRequest tableRequest = DescribeTableRequest.builder()
        .tableName(tableName)
        .build();

    // Wait until the Amazon DynamoDB table is created.
    WaiterResponse<DescribeTableResponse> waiterResponse =
    dbWaiter.waitUntilTableExists(tableRequest);
    waiterResponse.matched().response().ifPresent(System.out::println);
    String newTable = response.tableDescription().tableName();
    System.out.println("The " + newTable + " was successfully created.");

} catch (DynamoDbException e) {
    System.err.println(e.getMessage());
```

```
        System.exit(1);
    }
}

// Query the table.
public static void queryTable(DynamoDbClient ddb) {
    try {
        DynamoDbEnhancedClient enhancedClient = DynamoDbEnhancedClient.builder()
            .dynamoDbClient(ddb)
            .build();

        DynamoDbTable<Movies> custTable = enhancedClient.table("Movies",
TableSchema.fromBean(Movies.class));
        QueryConditional queryConditional = QueryConditional
            .keyEqualTo(Key.builder()
                .partitionValue(2013)
                .build()));

        // Get items in the table and write out the ID value.
        Iterator<Movies> results =
custTable.query(queryConditional).items().iterator();
        String result = "";

        while (results.hasNext()) {
            Movies rec = results.next();
            System.out.println("The title of the movie is " + rec.getTitle());
            System.out.println("The movie information is " + rec.getInfo());
        }
    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}

// Scan the table.
public static void scanMovies(DynamoDbClient ddb, String tableName) {
    System.out.println("***** Scanning all movies.\n");
    try {
        DynamoDbEnhancedClient enhancedClient = DynamoDbEnhancedClient.builder()
            .dynamoDbClient(ddb)
            .build();
```

```
DynamoDbTable<Movies> custTable = enhancedClient.table("Movies",
TableSchema.fromBean(Movies.class));
Iterator<Movies> results = custTable.scan().items().iterator();
while (results.hasNext()) {
    Movies rec = results.next();
    System.out.println("The movie title is " + rec.getTitle());
    System.out.println("The movie year is " + rec.getYear());
}

} catch (DynamoDbException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
}

// Load data into the table.
public static void loadData(DynamoDbClient ddb, String tableName, String
fileName) throws IOException {
DynamoDbEnhancedClient enhancedClient = DynamoDbEnhancedClient.builder()
    .dynamoDbClient(ddb)
    .build();

DynamoDbTable<Movies> mappedTable = enhancedClient.table("Movies",
TableSchema.fromBean(Movies.class));
JsonParser parser = new JsonFactory().createParser(new File(fileName));
com.fasterxml.jackson.databind.JsonNode rootNode = new
ObjectMapper().readTree(parser);
Iterator<JsonNode> iter = rootNode.iterator();
ObjectNode currentNode;
int t = 0;
while (iter.hasNext()) {
    // Only add 200 Movies to the table.
    if (t == 200)
        break;
    currentNode = (ObjectNode) iter.next();

    int year = currentNode.path("year").asInt();
    String title = currentNode.path("title").asText();
    String info = currentNode.path("info").toString();

    Movies movies = new Movies();
    movies.setYear(year);
    movies.setTitle(title);
    movies.setInfo(info);
}
```

```
// Put the data into the Amazon DynamoDB Movie table.
mappedTable.putItem(movies);
t++;
}
}

// Update the record to include show only directors.
public static void updateTableItem(DynamoDbClient ddb, String tableName) {
    HashMap<String, AttributeValue> itemKey = new HashMap<>();
    itemKey.put("year", AttributeValue.builder().n("1933").build());
    itemKey.put("title", AttributeValue.builder().s("King Kong").build());

    HashMap<String, AttributeValueUpdate> updatedValues = new HashMap<>();
    updatedValues.put("info", AttributeValueUpdate.builder()
        .value(AttributeValue.builder().s("{\"directors\":[\"Merian C.
Cooper\",\"Ernest B. Schoedsack\"]}")
        .build())
        .action(AttributeAction.PUT)
        .build());

    UpdateItemRequest request = UpdateItemRequest.builder()
        .tableName(tableName)
        .key(itemKey)
        .attributeUpdates(updatedValues)
        .build();

    try {
        ddb.updateItem(request);
    } catch (ResourceNotFoundException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }

    System.out.println("Item was updated!");
}

public static void deleteDynamoDBTable(DynamoDbClient ddb, String tableName) {
    DeleteTableRequest request = DeleteTableRequest.builder()
        .tableName(tableName)
        .build();
```

```
try {
    ddb.deleteTable(request);

} catch (DynamoDbException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
System.out.println(tableName + " was successfully deleted!");
}

public static void putRecord(DynamoDbClient ddb) {
    try {
        DynamoDbEnhancedClient enhancedClient = DynamoDbEnhancedClient.builder()
            .dynamoDbClient(ddb)
            .build();

        DynamoDbTable<Movies> table = enhancedClient.table("Movies",
TableSchema.fromBean(Movies.class));

        // Populate the Table.
        Movies record = new Movies();
        record.setYear(2020);
        record.setTitle("My Movie2");
        record.setInfo("no info");
        table.putItem(record);

    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
    System.out.println("Added a new movie to the table.");
}

public static void getItem(DynamoDbClient ddb) {

    HashMap<String, AttributeValue> keyToGet = new HashMap<>();
    keyToGet.put("year", AttributeValue.builder()
        .n("1933")
        .build());

    keyToGet.put("title", AttributeValue.builder()
        .s("King Kong")
        .build());
}
```

```
GetItemRequest request = GetItemRequest.builder()
    .key(keyToGet)
    .tableName("Movies")
    .build();

try {
    Map<String, AttributeValue> returnedItem = ddb.getItem(request).item();

    if (returnedItem != null) {
        Set<String> keys = returnedItem.keySet();
        System.out.println("Amazon DynamoDB table attributes: \n");

        for (String key1 : keys) {
            System.out.format("%s: %s\n", key1,
returnedItem.get(key1).toString());
        }
    } else {
        System.out.format("No item found with the key %s!\n", "year");
    }

} catch (DynamoDbException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [BatchWriteItem](#)
- [CreateTable](#)
- [DeleteItem](#)
- [DeleteTable](#)
- [DescribeTable](#)
- [.GetItem](#)
- [PutItem](#)
- [Query](#)
- [Scan](#)

- [UpdateItem](#)

Actions

BatchGetItem

The following code example shows how to use BatchGetItem.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Shows how to get batch items using the service client.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.AttributeValue;
import software.amazon.awssdk.services.dynamodb.model.BatchGetItemRequest;
import software.amazon.awssdk.services.dynamodb.model.BatchGetItemResponse;
import software.amazon.awssdk.services.dynamodb.model.KeysAndAttributes;
import java.util.HashMap;
import java.util.List;
import java.util.Map;

/**
 * Before running this Java V2 code example, set up your development environment,
 * including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class BatchReadItems {
    public static void main(String[] args){
        final String usage = """
            Usage:
            <tableName>
        """

        System.out.println(usage);
    }
}
```

```
Where:  
    tableName - The Amazon DynamoDB table (for example, Music).\s  
    """;  
  
String tableName = "Music";  
Region region = Region.US_EAST_1;  
DynamoDbClient dynamoDbClient = DynamoDbClient.builder()  
    .region(region)  
    .build();  
  
    getBatchItems(dynamoDbClient, tableName);  
}  
  
public static void getBatchItems(DynamoDbClient dynamoDbClient, String  
tableName) {  
    // Define the primary key values for the items you want to retrieve.  
    Map<String, AttributeValue> key1 = new HashMap<>();  
    key1.put("Artist", AttributeValue.builder().s("Artist1").build());  
  
    Map<String, AttributeValue> key2 = new HashMap<>();  
    key2.put("Artist", AttributeValue.builder().s("Artist2").build());  
  
    // Construct the batchGetItem request.  
    Map<String, KeysAndAttributes> requestItems = new HashMap<>();  
    requestItems.put(tableName, KeysAndAttributes.builder()  
        .keys(List.of(key1, key2))  
        .projectionExpression("Artist, SongTitle")  
        .build());  
  
    BatchGetItemRequest batchGetItemRequest = BatchGetItemRequest.builder()  
        .requestItems(requestItems)  
        .build();  
  
    // Make the batchGetItem request.  
    BatchGetItemResponse batchGetItemResponse =  
dynamoDbClient.batchGetItem(batchGetItemRequest);  
  
    // Extract and print the retrieved items.  
    Map<String, List<Map<String, AttributeValue>>> responses =  
batchGetItemResponse.responses();  
    if (responses.containsKey(tableName)) {  
        List<Map<String, AttributeValue>> musicItems = responses.get(tableName);  
        for (Map<String, AttributeValue> item : musicItems) {
```

```
        System.out.println("Artist: " + item.get("Artist").s() +
                           ", SongTitle: " + item.get("SongTitle").s());
    }
} else {
    System.out.println("No items retrieved.");
}
}
}
```

Shows how to get batch items using the service client and a paginator.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.AttributeValue;
import software.amazon.awssdk.services.dynamodb.model.BatchGetItemRequest;
import software.amazon.awssdk.services.dynamodb.model.KeysAndAttributes;
import java.util.Collections;
import java.util.HashMap;
import java.util.List;
import java.util.Map;

public class BatchGetItemsPaginator {

    public static void main(String[] args){
        final String usage = """

            Usage:
                <tableName>

            Where:
                tableName - The Amazon DynamoDB table (for example, Music).\n"""
                .trim();

        String tableName = "Music";
        Region region = Region.US_EAST_1;
        DynamoDbClient dynamoDbClient = DynamoDbClient.builder()
            .region(region)
            .build();

        getBatchItemsPaginator(dynamoDbClient, tableName) ;
    }
}
```

```
public static void getBatchItemsPaginator(DynamoDbClient dynamoDbClient, String tableName) {
    // Define the primary key values for the items you want to retrieve.
    Map<String, AttributeValue> key1 = new HashMap<>();
    key1.put("Artist", AttributeValue.builder().s("Artist1").build());

    Map<String, AttributeValue> key2 = new HashMap<>();
    key2.put("Artist", AttributeValue.builder().s("Artist2").build());

    // Construct the batchGetItem request.
    Map<String, KeysAndAttributes> requestItems = new HashMap<>();
    requestItems.put(tableName, KeysAndAttributes.builder()
        .keys(List.of(key1, key2))
        .projectionExpression("Artist, SongTitle")
        .build());

    BatchGetItemRequest batchGetItemRequest = BatchGetItemRequest.builder()
        .requestItems(requestItems)
        .build();

    // Use batchGetItemPaginator for paginated requests.
    dynamoDbClient.batchGetItemPaginator(batchGetItemRequest).stream()
        .flatMap(response -> response.responses().getOrDefault(tableName,
    Collections.emptyList()).stream())
        .forEach(item -> {
            System.out.println("Artist: " + item.get("Artist").s() +
                ", SongTitle: " + item.get("SongTitle").s());
        });
    }
}
```

- For API details, see [BatchGetItem](#) in *AWS SDK for Java 2.x API Reference*.

BatchWriteItem

The following code example shows how to use `BatchWriteItem`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Inserts many items into a table by using the service client.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.AttributeValue;
import software.amazon.awssdk.services.dynamodb.model.BatchWriteItemRequest;
import software.amazon.awssdk.services.dynamodb.model.BatchWriteItemResponse;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.model.PutRequest;
import software.amazon.awssdk.services.dynamodb.model.WriteRequest;
import java.util.ArrayList;
import java.util.HashMap;
import java.util.List;
import java.util.Map;

/**
 * Before running this Java V2 code example, set up your development environment,
 * including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class BatchWriteItems {
    public static void main(String[] args){
        final String usage = """
            Usage:
            <tableName>
            Where:
            tableName - The Amazon DynamoDB table (for example, Music).\s
            """;

        String tableName = "Music";
```

```
Region region = Region.US_EAST_1;
DynamoDbClient dynamoDbClient = DynamoDbClient.builder()
    .region(region)
    .build();

addBatchItems(dynamoDbClient, tableName);
}

public static void addBatchItems(DynamoDbClient dynamoDbClient, String
tableName) {
    // Specify the updates you want to perform.
    List<WriteRequest> writeRequests = new ArrayList<>();

    // Set item 1.
    Map<String, AttributeValue> item1Attributes = new HashMap<>();
    item1Attributes.put("Artist",
AttributeValue.builder().s("Artist1").build());
    item1Attributes.put("Rating", AttributeValue.builder().s("5").build());
    item1Attributes.put("Comments", AttributeValue.builder().s("Great
song!").build());
    item1Attributes.put("SongTitle",
AttributeValue.builder().s("SongTitle1").build());

    writeRequests.add(WriteRequest.builder().putRequest(PutRequest.builder().item(item1Attribut

    // Set item 2.
    Map<String, AttributeValue> item2Attributes = new HashMap<>();
    item2Attributes.put("Artist",
AttributeValue.builder().s("Artist2").build());
    item2Attributes.put("Rating", AttributeValue.builder().s("4").build());
    item2Attributes.put("Comments", AttributeValue.builder().s("Nice
melody.").build());
    item2Attributes.put("SongTitle",
AttributeValue.builder().s("SongTitle2").build());

    writeRequests.add(WriteRequest.builder().putRequest(PutRequest.builder().item(item2Attribut

    try {
        // Create the BatchWriteItemRequest.
        BatchWriteItemRequest batchWriteItemRequest =
BatchWriteItemRequest.builder()
            .requestItems(Map.of(tableName, writeRequests))
            .build();
    }
}
```

```
// Execute the BatchWriteItem operation.  
BatchWriteItemResponse batchWriteItemResponse =  
dynamoDbClient.batchWriteItem(batchWriteItemRequest);  
  
// Process the response.  
System.out.println("Batch write successful: " + batchWriteItemResponse);  
  
} catch (DynamoDbException e) {  
    System.err.println(e.getMessage());  
    System.exit(1);  
}  
}  
}
```

Inserts many items into a table by using the enhanced client.

```
import com.example.dynamodb.Customer;  
import com.example.dynamodb.Music;  
import software.amazon.awssdk.enhanced.dynamodb.DynamoDbEnhancedClient;  
import software.amazon.awssdk.enhanced.dynamodb.DynamoDbType;  
import software.amazon.awssdk.enhanced.dynamodb.Key;  
import software.amazon.awssdk.enhanced.dynamodb.TableSchema;  
import software.amazon.awssdk.enhanced.dynamodb.model.BatchWriteItemEnhancedRequest;  
import software.amazon.awssdk.enhanced.dynamodb.model.WriteBatch;  
import software.amazon.awssdk.regions.Region;  
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;  
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;  
import java.time.Instant;  
import java.time.LocalDate;  
import java.time.LocalDateTime;  
import java.time.ZoneOffset;  
  
/*  
 * Before running this code example, create an Amazon DynamoDB table named Customer  
with these columns:  
 * - id - the id of the record that is the key  
 * - custName - the customer name  
 * - email - the email value  
 * - registrationDate - an instant value when the item was added to the table  
 *  
 * Also, ensure that you have set up your development environment, including your  
credentials.  
*/
```

```
*  
* For information, see this documentation topic:  
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
public class EnhancedBatchWriteItems {  
    public static void main(String[] args) {  
        Region region = Region.US_EAST_1;  
        DynamoDbClient ddb = DynamoDbClient.builder()  
            .region(region)  
            .build();  
        DynamoDbEnhancedClient enhancedClient =  
DynamoDbEnhancedClient.builder()  
            .dynamoDbClient(ddb)  
            .build();  
        putBatchRecords(enhancedClient);  
        ddb.close();  
    }  
  
    public static void putBatchRecords(DynamoDbEnhancedClient enhancedClient) {  
        try {  
            DynamoDbTable<Customer> customerMappedTable =  
enhancedClient.table("Customer",  
                TableSchema.fromBean(Customer.class));  
            DynamoDbTable<Music> musicMappedTable =  
enhancedClient.table("Music",  
                TableSchema.fromBean(Music.class));  
            LocalDate localDate = LocalDate.parse("2020-04-07");  
            LocalDateTime localDateTime = localDate.atStartOfDay();  
            Instant instant = localDateTime.toInstant(ZoneOffset.UTC);  
  
            Customer record2 = new Customer();  
            record2.setCustName("Fred Pink");  
            record2.setId("id110");  
            record2.setEmail("fredp@noserver.com");  
            record2.setRegistrationDate(instant);  
  
            Customer record3 = new Customer();  
            record3.setCustName("Susan Pink");  
            record3.setId("id120");  
            record3.setEmail("spink@noserver.com");  
            record3.setRegistrationDate(instant);  
  
            Customer record4 = new Customer();
```

```
        record4.setCustName("Jerry orange");
        record4.setId("id101");
        record4.setEmail("jorange@noserver.com");
        record4.setRegistrationDate(instant);

        BatchWriteItemEnhancedRequest batchWriteItemEnhancedRequest
= BatchWriteItemEnhancedRequest
                .builder()
                .writeBatches(
                    WriteBatch.builder(Customer.class) // add items to the Customer
                    // table
                    .mappedTableResource(customerMappedTable)
                    .addPutItem(builder -> builder.item(record2))
                    .addPutItem(builder -> builder.item(record3))
                    .addPutItem(builder -> builder.item(record4))
                .build(),

        WriteBatch.builder(Music.class) // delete an item from the Music
        // table
        .mappedTableResource(musicMappedTable)
        .addDeleteItem(builder -> builder.key(
            Key.builder().partitionValue(
                "Famous Band")
                .build()))
                .build())
                .build();
        // Add three items to the Customer table and delete one item
from the Music
        // table.

enhancedClient.batchWriteItem(batchWriteItemEnhancedRequest);
```

```
        System.out.println("done");

    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

- For API details, see [BatchWriteItem](#) in *AWS SDK for Java 2.x API Reference*.

CreateTable

The following code example shows how to use CreateTable.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.core.waiters.WaiterResponse;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.AttributeDefinition;
import software.amazon.awssdk.services.dynamodb.model.CreateTableRequest;
import software.amazon.awssdk.services.dynamodb.model.CreateTableResponse;
import software.amazon.awssdk.services.dynamodb.model.DescribeTableRequest;
import software.amazon.awssdk.services.dynamodb.model.DescribeTableResponse;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.model.KeySchemaElement;
import software.amazon.awssdk.services.dynamodb.model.KeyType;
import software.amazon.awssdk.services.dynamodb.model.ProvisionedThroughput;
import software.amazon.awssdk.services.dynamodb.model.ScalarAttributeType;
import software.amazon.awssdk.services.dynamodb.waiters.DynamoDbWaiter;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 */
```

```
*  
* For more information, see the following documentation topic:  
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
public class CreateTable {  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:  
            <tableName> <key>  
  
            Where:  
            tableName - The Amazon DynamoDB table to create (for example,  
Music3).  
            key - The key for the Amazon DynamoDB table (for example,  
Artist).  
            """;  
  
        if (args.length != 2) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String tableName = args[0];  
        String key = args[1];  
        System.out.println("Creating an Amazon DynamoDB table " + tableName + " with  
a simple primary key: " + key);  
        Region region = Region.US_EAST_1;  
        DynamoDbClient ddb = DynamoDbClient.builder()  
            .region(region)  
            .build();  
  
        String result = createTable(ddb, tableName, key);  
        System.out.println("New table is " + result);  
        ddb.close();  
    }  
  
    public static String createTable(DynamoDbClient ddb, String tableName, String  
key) {  
        DynamoDbWaiter dbWaiter = ddb.waiter();  
        CreateTableRequest request = CreateTableRequest.builder()  
            .attributeDefinitions(AttributeDefinition.builder()  
                .attributeName(key)
```

```
        .attributeType(ScalarAttributeType.S)
        .build())
    .keySchema(KeySchemaElement.builder()
        .attributeName(key)
        .keyType(KeyType.HASH)
        .build())
    .provisionedThroughput(ProvisionedThroughput.builder()
        .readCapacityUnits(10L)
        .writeCapacityUnits(10L)
        .build())
    .tableName(tableName)
    .build();

String newTable;
try {
    CreateTableResponse response = ddb.createTable(request);
    DescribeTableRequest tableRequest = DescribeTableRequest.builder()
        .tableName(tableName)
        .build();

    // Wait until the Amazon DynamoDB table is created.
    WaiterResponse<DescribeTableResponse> waiterResponse =
    dbWaiter.waitUntilTableExists(tableRequest);
    waiterResponse.matched().response().ifPresent(System.out::println);
    newTable = response.tableDescription().tableName();
    return newTable;

} catch (DynamoDbException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
return "";
}
```

- For API details, see [CreateTable](#) in *AWS SDK for Java 2.x API Reference*.

DeleteItem

The following code example shows how to use DeleteItem.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.AttributeValue;
import software.amazon.awssdk.services.dynamodb.model.DeleteItemRequest;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import java.util.HashMap;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DeleteItem {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <tableName> <key> <keyval>
            Where:
            tableName - The Amazon DynamoDB table to delete the item from
            (for example, Music3).
            key - The key used in the Amazon DynamoDB table (for example,
            Artist).\s
            keyval - The key value that represents the item to delete (for
            example, Famous Band).
            """;
        if (args.length != 3) {
            System.out.println(usage);
            System.exit(1);
        }
        Region region = Region.US_EAST_1;
        DynamoDbClient client = DynamoDbClient.builder()
            .region(region)
            .build();
        DeleteItemRequest request = DeleteItemRequest.builder()
            .tableName("Music3")
            .key("Artist", "Famous Band")
            .build();
        client.deleteItem(request);
    }
}
```

```
}

String tableName = args[0];
String key = args[1];
String keyVal = args[2];
System.out.format("Deleting item \"%s\" from %s\n", keyVal, tableName);
Region region = Region.US_EAST_1;
DynamoDbClient ddb = DynamoDbClient.builder()
    .region(region)
    .build();

deleteDynamoDBItem(ddb, tableName, key, keyVal);
ddb.close();
}

public static void deleteDynamoDBItem(DynamoDbClient ddb, String tableName,
String key, String keyVal) {
    HashMap<String, AttributeValue> keyToGet = new HashMap<>();
    keyToGet.put(key, AttributeValue.builder()
        .s(keyVal)
        .build());

    DeleteItemRequest deleteReq = DeleteItemRequest.builder()
        .tableName(tableName)
        .key(keyToGet)
        .build();

    try {
        ddb.deleteItem(deleteReq);
    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [DeleteItem](#) in *AWS SDK for Java 2.x API Reference*.

DeleteTable

The following code example shows how to use DeleteTable.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.DeleteTableRequest;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */

public class DeleteTable {
    public static void main(String[] args) {
        final String usage = """

            Usage:
            <tableName>

            Where:
            tableName - The Amazon DynamoDB table to delete (for example,
Music3).

            **Warning** This program will delete the table that you specify!
            """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String tableName = args[0];
```

```
System.out.format("Deleting the Amazon DynamoDB table %s...\n", tableName);
Region region = Region.US_EAST_1;
DynamoDbClient ddb = DynamoDbClient.builder()
    .region(region)
    .build();

deleteDynamoDBTable(ddb, tableName);
ddb.close();
}

public static void deleteDynamoDBTable(DynamoDbClient ddb, String tableName) {
    DeleteTableRequest request = DeleteTableRequest.builder()
        .tableName(tableName)
        .build();

    try {
        ddb.deleteTable(request);

    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
    System.out.println(tableName + " was successfully deleted!");
}
}
```

- For API details, see [DeleteTable](#) in *AWS SDK for Java 2.x API Reference*.

DescribeTable

The following code example shows how to use `DescribeTable`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
```

```
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.AttributeDefinition;
import software.amazon.awssdk.services.dynamodb.model.DescribeTableRequest;
import software.amazon.awssdk.services.dynamodb.model.ProvisionedThroughputDescription;
import software.amazon.awssdk.services.dynamodb.model.TableDescription;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DescribeTable {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <tableName>

            Where:
            tableName - The Amazon DynamoDB table to get information about
            (for example, Music3).
            """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String tableName = args[0];
        System.out.format("Getting description for %s\n", tableName);
        Region region = Region.US_EAST_1;
        DynamoDbClient ddb = DynamoDbClient.builder()
            .region(region)
            .build();

        describeDynamoDBTable(ddb, tableName);
        ddb.close();
    }
}
```

```
public static void describeDynamoDBTable(DynamoDbClient ddb, String tableName) {  
    DescribeTableRequest request = DescribeTableRequest.builder()  
        .tableName(tableName)  
        .build();  
  
    try {  
        TableDescription tableInfo = ddb.describeTable(request).table();  
        if (tableInfo != null) {  
            System.out.format("Table name : %s\n", tableInfo.tableName());  
            System.out.format("Table ARN : %s\n", tableInfo.tableArn());  
            System.out.format("Status : %s\n", tableInfo.tableStatus());  
            System.out.format("Item count : %d\n", tableInfo.itemCount());  
            System.out.format("Size (bytes): %d\n", tableInfo.tableSizeBytes());  
  
            ProvisionedThroughputDescription throughputInfo =  
                tableInfo.provisionedThroughput();  
            System.out.println("Throughput");  
            System.out.format(" Read Capacity : %d\n",  
                throughputInfo.readCapacityUnits());  
            System.out.format(" Write Capacity: %d\n",  
                throughputInfo.writeCapacityUnits());  
  
            List<AttributeDefinition> attributes =  
                tableInfo.attributeDefinitions();  
            System.out.println("Attributes");  
            for (AttributeDefinition a : attributes) {  
                System.out.format(" %s (%s)\n", a.attributeName(),  
                    a.attributeType());  
            }  
        }  
    } catch (DynamoDbException e) {  
        System.err.println(e.getMessage());  
        System.exit(1);  
    }  
    System.out.println("\nDone!");  
}
```

- For API details, see [DescribeTable](#) in *AWS SDK for Java 2.x API Reference*.

DescribeTimeToLive

The following code example shows how to use `DescribeTimeToLive`.

SDK for Java 2.x

Describe TTL configuration on an existing DynamoDB table.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.DescribeTimeToLiveRequest;
import software.amazon.awssdk.services.dynamodb.model.DescribeTimeToLiveResponse;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.model.ResourceNotFoundException;

import java.util.Optional;

    final DescribeTimeToLiveRequest request =
DescribeTimeToLiveRequest.builder()
        .tableName(tableName)
        .build();
    try (DynamoDbClient ddb = DynamoDbClient.builder()
        .region(region)
        .build()) {
        final DescribeTimeToLiveResponse response =
ddb.describeTimeToLive(request);
        System.out.println(tableName + " description of time to live is "
            + response.toString());
    } catch (ResourceNotFoundException e) {
        System.err.format("Error: The Amazon DynamoDB table \"%s\" can't be
found.\n", tableName);
        System.exit(1);
    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
    System.exit(0);
```

- For API details, see [DescribeTimeToLive](#) in *AWS SDK for Java 2.x API Reference*.

GetItem

The following code example shows how to use GetItem.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Gets an item from a table by using the DynamoDbClient.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.AttributeValue;
import software.amazon.awssdk.services.dynamodb.model.GetItemRequest;
import java.util.HashMap;
import java.util.Map;
import java.util.Set;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 *
 * To get an item from an Amazon DynamoDB table using the AWS SDK for Java V2,
 * its better practice to use the
 * Enhanced Client, see the EnhancedGetItem example.
 */
public class GetItem {
    public static void main(String[] args) {
        final String usage = """
Usage:
        <tableName> <key> <keyVal>
Where:
```

```
        tableName - The Amazon DynamoDB table from which an item is
retrieved (for example, Music3).\s
        key - The key used in the Amazon DynamoDB table (for example,
Artist).\s
        keyval - The key value that represents the item to get (for
example, Famous Band).
        """;

    if (args.length != 3) {
        System.out.println(usage);
        System.exit(1);
    }

    String tableName = args[0];
    String key = args[1];
    String keyVal = args[2];
    System.out.format("Retrieving item \"%s\" from \"%s\"\n", keyVal,
tableName);
    Region region = Region.US_EAST_1;
    DynamoDbClient ddb = DynamoDbClient.builder()
        .region(region)
        .build();

    getDynamoDBItem(ddb, tableName, key, keyVal);
    ddb.close();
}

public static void getDynamoDBItem(DynamoDbClient ddb, String tableName, String
key, String keyVal) {
    HashMap<String, AttributeValue> keyToGet = new HashMap<>();
    keyToGet.put(key, AttributeValue.builder()
        .s(keyVal)
        .build());

    GetItemRequest request = GetItemRequest.builder()
        .key(keyToGet)
        .tableName(tableName)
        .build();

    try {
        // If there is no matching item, GetItem does not return any data.
        Map<String, AttributeValue> returnedItem = ddb.getItem(request).item();
        if (returnedItem.isEmpty())
            System.out.format("No item found with the key %s!\n", key);
    }
}
```

```
        else {
            Set<String> keys = returnedItem.keySet();
            System.out.println("Amazon DynamoDB table attributes: \n");
            for (String key1 : keys) {
                System.out.format("%s: %s\n", key1,
returnedItem.get(key1).toString());
            }
        }

    } catch (DynamoDbException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
}

}
```

- For API details, see [GetItem](#) in *AWS SDK for Java 2.x API Reference*.

ListTables

The following code example shows how to use ListTables.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.model.ListTablesRequest;
import software.amazon.awssdk.services.dynamodb.model.ListTablesResponse;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
```

```
* For more information, see the following documentation topic:  
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
  
public class ListTables {  
    public static void main(String[] args) {  
        System.out.println("Listing your Amazon DynamoDB tables:\n");  
        Region region = Region.US_EAST_1;  
        DynamoDbClient ddb = DynamoDbClient.builder()  
            .region(region)  
            .build();  
        listAllTables(ddb);  
        ddb.close();  
    }  
  
    public static void listAllTables(DynamoDbClient ddb) {  
        boolean moreTables = true;  
        String lastName = null;  
  
        while (moreTables) {  
            try {  
                ListTablesResponse response = null;  
                if (lastName == null) {  
                    ListTablesRequest request = ListTablesRequest.builder().build();  
                    response = ddb.listTables(request);  
                } else {  
                    ListTablesRequest request = ListTablesRequest.builder()  
                        .exclusiveStartTableName(lastName).build();  
                    response = ddb.listTables(request);  
                }  
  
                List<String> tableNames = response.tableNames();  
                if (tableNames.size() > 0) {  
                    for (String curName : tableNames) {  
                        System.out.format("* %s\n", curName);  
                    }  
                } else {  
                    System.out.println("No tables found!");  
                    System.exit(0);  
                }  
  
                lastName = response.lastEvaluatedTableName();  
                if (lastName == null) {  
                    moreTables = false;  
                }  
            } catch (AmazonServiceException ase) {  
                System.out.println("Caught an AmazonServiceException, which " +  
                    "means your request failed to reach the server." +  
                    "This exception has been wrapped by the Java API  
                    for convenience. The underlying AWS ServiceException  
                    message was: " + ase.getMessage());  
            } catch (AmazonClientException ace) {  
                System.out.println("Caught an AmazonClientException, which " +  
                    "means the client encountered an error while " +  
                    "communicating with Amazon." +  
                    "This exception has been wrapped by the Java API  
                    for convenience. The underlying Java Exception  
                    message was: " + ace.getMessage());  
            }  
        }  
    }  
}
```

```
        }

    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
System.out.println("\nDone!");
}

}
```

- For API details, see [ListTables](#) in *AWS SDK for Java 2.x API Reference*.

PutItem

The following code example shows how to use PutItem.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Puts an item into a table using [DynamoDbClient](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.AttributeValue;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.model.PutItemRequest;
import software.amazon.awssdk.services.dynamodb.model.PutItemResponse;
import software.amazon.awssdk.services.dynamodb.model.ResourceNotFoundException;
import java.util.HashMap;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
```

```
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*  
* To place items into an Amazon DynamoDB table using the AWS SDK for Java V2,  
* its better practice to use the  
* Enhanced Client. See the EnhancedPutItem example.  
*/  
public class PutItem {  
    public static void main(String[] args) {  
        final String usage = """  
  
        Usage:  
            <tableName> <key> <keyVal> <albumtitle> <albumtitleval> <awards>  
<awardsval> <Songtitle> <songtitleval>  
  
        Where:  
            tableName - The Amazon DynamoDB table in which an item is placed  
(for example, Music3).  
            key - The key used in the Amazon DynamoDB table (for example,  
Artist).  
            keyval - The key value that represents the item to get (for  
example, Famous Band).  
            albumTitle - The Album title (for example, AlbumTitle).  
            AlbumTitleValue - The name of the album (for example, Songs  
About Life ).  
            Awards - The awards column (for example, Awards).  
            AwardVal - The value of the awards (for example, 10).  
            SongTitle - The song title (for example, SongTitle).  
            SongTitleVal - The value of the song title (for example, Happy  
Day).  
            **Warning** This program will place an item that you specify into a  
table!  
        """;  
  
        if (args.length != 9) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String tableName = args[0];  
        String key = args[1];  
        String keyVal = args[2];  
        String albumTitle = args[3];  
        String albumTitleValue = args[4];
```

```
String awards = args[5];
String awardVal = args[6];
String songTitle = args[7];
String songTitleVal = args[8];

Region region = Region.US_EAST_1;
DynamoDbClient ddb = DynamoDbClient.builder()
    .region(region)
    .build();

putItemInTable(ddb, tableName, key, keyVal, albumTitle, albumTitleValue,
awards, awardVal, songTitle,
    songTitleVal);
System.out.println("Done!");
ddb.close();
}

public static void putItemInTable(DynamoDbClient ddb,
    String tableName,
    String key,
    String keyVal,
    String albumTitle,
    String albumTitleValue,
    String awards,
    String awardVal,
    String songTitle,
    String songTitleVal) {

    HashMap<String, AttributeValue> itemValues = new HashMap<>();
    itemValues.put(key, AttributeValue.builder().s(keyVal).build());
    itemValues.put(songTitle, AttributeValue.builder().s(songTitleVal).build());
    itemValues.put(albumTitle,
AttributeValue.builder().s(albumTitleValue).build());
    itemValues.put(awards, AttributeValue.builder().s(awardVal).build());

    PutItemRequest request = PutItemRequest.builder()
        .tableName(tableName)
        .item(itemValues)
        .build();

    try {
        PutItemResponse response = ddb.putItem(request);
        System.out.println(tableName + " was successfully updated. The request
id is "
    }
}
```

```
+ response.responseMetadata().requestId());  
  
} catch (ResourceNotFoundException e) {  
    System.err.format("Error: The Amazon DynamoDB table \"%s\" can't be  
found.\n", tableName);  
    System.err.println("Be sure that it exists and that you've typed its  
name correctly!");  
    System.exit(1);  
} catch (DynamoDbException e) {  
    System.err.println(e.getMessage());  
    System.exit(1);  
}  
}  
}  
}
```

- For API details, see [PutItem](#) in *AWS SDK for Java 2.x API Reference*.

Query

The following code example shows how to use Query.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Queries a table by using [DynamoDbClient](#).

```
import software.amazon.awssdk.regions.Region;  
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;  
import software.amazon.awssdk.services.dynamodb.model.AttributeValue;  
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;  
import software.amazon.awssdk.services.dynamodb.model.QueryRequest;  
import software.amazon.awssdk.services.dynamodb.model.QueryResponse;  
import java.util.HashMap;  
  
/**  
 * Before running this Java V2 code example, set up your development
```

```
* environment, including your credentials.  
*  
* For more information, see the following documentation topic:  
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*  
* To query items from an Amazon DynamoDB table using the AWS SDK for Java V2,  
* its better practice to use the  
* Enhanced Client. See the EnhancedQueryRecords example.  
*/  
  
public class Query {  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:  
                <tableName> <partitionKeyName> <partitionKeyVal>  
  
            Where:  
                tableName - The Amazon DynamoDB table to put the item in (for  
example, Music3).  
                partitionKeyName - The partition key name of the Amazon DynamoDB  
table (for example, Artist).  
                partitionKeyVal - The value of the partition key that should  
match (for example, Famous Band).  
        """;  
  
        if (args.length != 3) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String tableName = args[0];  
        String partitionKeyName = args[1];  
        String partitionKeyVal = args[2];  
  
        // For more information about an alias, see:  
        // https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/Expressions.ExpressionAttributeNames.html  
        String partitionAlias = "#a";  
  
        System.out.format("Querying %s", tableName);  
        System.out.println("");  
        Region region = Region.US_EAST_1;  
        DynamoDbClient ddb = DynamoDbClient.builder()
```

```
        .region(region)
        .build();

    int count = queryTable(ddb, tableName, partitionKeyName, partitionKeyVal,
partitionAlias);
    System.out.println("There were " + count + " record(s) returned");
    ddb.close();
}

public static int queryTable(DynamoDbClient ddb, String tableName, String
partitionKeyName, String partitionKeyVal,
    String partitionAlias) {
// Set up an alias for the partition key name in case it's a reserved word.
HashMap<String, String> attrNameAlias = new HashMap<String, String>();
attrNameAlias.put(partitionAlias, partitionKeyName);

// Set up mapping of the partition name with the value.
HashMap<String, AttributeValue> attrValues = new HashMap<>();
attrValues.put ":" + partitionKeyName, AttributeValue.builder()
    .s(partitionKeyVal)
    .build());

QueryRequest queryReq = QueryRequest.builder()
    .tableName(tableName)
    .keyConditionExpression(partitionAlias + " = :" + partitionKeyName)
    .expressionAttributeNames(attrNameAlias)
    .expressionAttributeValues(attrValues)
    .build();

try {
    QueryResponse response = ddb.query(queryReq);
    return response.count();

} catch (DynamoDbException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
return -1;
}
}
```

Queries a table by using DynamoDbClient and a secondary index.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.AttributeValue;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.model.QueryRequest;
import software.amazon.awssdk.services.dynamodb.model.QueryResponse;
import java.util.HashMap;
import java.util.Map;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 *
 * Create the Movies table by running the Scenario example and loading the Movie
 * data from the JSON file. Next create a secondary
 * index for the Movies table that uses only the year column. Name the index
 * **year-index**. For more information, see:
 *
 * https://docs.aws.amazon.com/amazondynamodb/latest/developerguide/GSI.html
 */
public class QueryItemsUsingIndex {
    public static void main(String[] args) {
        String tableName = "Movies";
        Region region = Region.US_EAST_1;
        DynamoDbClient ddb = DynamoDbClient.builder()
            .region(region)
            .build();

        queryIndex(ddb, tableName);
        ddb.close();
    }

    public static void queryIndex(DynamoDbClient ddb, String tableName) {
        try {
            Map<String, String> expressionAttributesNames = new HashMap<>();
            expressionAttributesNames.put("#year", "year");
            Map<String, AttributeValue> expressionAttributeValues = new HashMap<>();
            expressionAttributeValues.put(":yearValue",
                AttributeValue.builder().n("2013").build());
        }
    }
}
```

```
QueryRequest request = QueryRequest.builder()
    .tableName(tableName)
    .indexName("year-index")
    .keyConditionExpression("#year = :yearValue")
    .expressionAttributeNames(expressionAttributeNames)
    .expressionAttributeValues(expressionAttributeValues)
    .build();

System.out.println("==== Movie Titles ====");
QueryResponse response = ddb.query(request);
response.items()
    .forEach(movie -> System.out.println(movie.get("title").s()));

} catch (DynamoDbException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
}
```

- For API details, see [Query](#) in *AWS SDK for Java 2.x API Reference*.

Scan

The following code example shows how to use Scan.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Scans an Amazon DynamoDB table using [DynamoDbClient](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.AttributeValue;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
```

```
import software.amazon.awssdk.services.dynamodb.model.ScanRequest;
import software.amazon.awssdk.services.dynamodb.model.ScanResponse;
import java.util.Map;
import java.util.Set;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 *
 * To scan items from an Amazon DynamoDB table using the AWS SDK for Java V2,
 * its better practice to use the
 * Enhanced Client, See the EnhancedScanRecords example.
 */

public class DynamoDBScanItems {
    public static void main(String[] args) {

        final String usage = """

            Usage:
                <tableName>

            Where:
                tableName - The Amazon DynamoDB table to get information from
                (for example, Music3).
                """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String tableName = args[0];
        Region region = Region.US_EAST_1;
        DynamoDbClient ddb = DynamoDbClient.builder()
            .region(region)
            .build();

        scanItems(ddb, tableName);
        ddb.close();
    }
}
```

```
}

public static void scanItems(DynamoDbClient ddb, String tableName) {
    try {
        ScanRequest scanRequest = ScanRequest.builder()
            .tableName(tableName)
            .build();

        ScanResponse response = ddb.scan(scanRequest);
        for (Map<String, AttributeValue> item : response.items()) {
            Set<String> keys = item.keySet();
            for (String key : keys) {
                System.out.println("The key name is " + key + "\n");
                System.out.println("The value is " + item.get(key).s());
            }
        }
    } catch (DynamoDbException e) {
        e.printStackTrace();
        System.exit(1);
    }
}
```

- For API details, see [Scan](#) in *AWS SDK for Java 2.x API Reference*.

UpdateItem

The following code example shows how to use `UpdateItem`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Updates an item in a table using [DynamoDbClient](#).

```
import software.amazon.awssdk.regions.Region;
```

```
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.model.AttributeAction;
import software.amazon.awssdk.services.dynamodb.model.AttributeValue;
import software.amazon.awssdk.services.dynamodb.model.AttributeValueUpdate;
import software.amazon.awssdk.services.dynamodb.model.UpdateItemRequest;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import java.util.HashMap;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 *
 * To update an Amazon DynamoDB table using the AWS SDK for Java V2, its better
 * practice to use the
 * Enhanced Client, See the EnhancedModifyItem example.
 */
public class UpdateItem {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <tableName> <key> <keyVal> <name> <updateVal>
            Where:
            tableName - The Amazon DynamoDB table (for example, Music3).
            key - The name of the key in the table (for example, Artist).
            keyVal - The value of the key (for example, Famous Band).
            name - The name of the column where the value is updated (for
example, Awards).
            updateVal - The value used to update an item (for example, 14).
            Example:
            UpdateItem Music3 Artist Famous Band Awards 14
            """;
        if (args.length != 5) {
            System.out.println(usage);
            System.exit(1);
        }
        String tableName = args[0];
```

```
String key = args[1];
String keyVal = args[2];
String name = args[3];
String updateVal = args[4];

Region region = Region.US_EAST_1;
DynamoDbClient ddb = DynamoDbClient.builder()
    .region(region)
    .build();
updateTableItem(ddb, tableName, key, keyVal, name, updateVal);
ddb.close();
}

public static void updateTableItem(DynamoDbClient ddb,
    String tableName,
    String key,
    String keyVal,
    String name,
    String updateVal) {

    HashMap<String, AttributeValue> itemKey = new HashMap<>();
    itemKey.put(key, AttributeValue.builder()
        .s(keyVal)
        .build());

    HashMap<String,AttributeValueUpdate> updatedValues = new HashMap<>();
    updatedValues.put(name, AttributeValueUpdate.builder()
        .value(AttributeValue.builder().s(updateVal).build())
        .action(AttributeAction.PUT)
        .build());

    UpdateItemRequest request = UpdateItemRequest.builder()
        .tableName(tableName)
        .key(itemKey)
        .attributeUpdates(updatedValues)
        .build();

    try {
        ddb.updateItem(request);
    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
    System.out.println("The Amazon DynamoDB table was updated!");
}
```

```
    }  
}
```

- For API details, see [UpdateItem](#) in *AWS SDK for Java 2.x API Reference*.

UpdateTimeToLive

The following code example shows how to use `UpdateTimeToLive`.

SDK for Java 2.x

Enable TTL on an existing DynamoDB table.

```
import software.amazon.awssdk.regions.Region;  
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;  
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;  
import software.amazon.awssdk.services.dynamodb.model.ResourceNotFoundException;  
import software.amazon.awssdk.services.dynamodb.model.TimeToLiveSpecification;  
import software.amazon.awssdk.services.dynamodb.model.UpdateTimeToLiveRequest;  
import software.amazon.awssdk.services.dynamodb.model.UpdateTimeToLiveResponse;  
  
import java.util.Optional;  
  
    final TimeToLiveSpecification ttlSpecification =  
TimeToLiveSpecification.builder()  
        .attributeName(ttlAttributeName)  
        .enabled(true)  
        .build();  
    final UpdateTimeToLiveRequest request = UpdateTimeToLiveRequest.builder()  
        .tableName(tableName)  
        .timeToLiveSpecification(ttlSpecification)  
        .build();  
    try (DynamoDbClient ddb = DynamoDbClient.builder()  
        .region(region)  
        .build()) {  
        final UpdateTimeToLiveResponse response =  
ddb.updateTimeToLive(request);  
        System.out.println(tableName + " had its TTL successfully updated.  
The request id is "  
            + response.responseMetadata().requestId());  
    } catch (ResourceNotFoundException e) {
```

```
        System.err.format("Error: The Amazon DynamoDB table \"%s\" can't be
found.\n", tableName);
        System.exit(1);
    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
System.out.println("Done!");
```

Disable TTL on an existing DynamoDB table.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.model.ResourceNotFoundException;
import software.amazon.awssdk.services.dynamodb.model.TimeToLiveSpecification;
import software.amazon.awssdk.services.dynamodb.model.UpdateTimeToLiveRequest;
import software.amazon.awssdk.services.dynamodb.model.UpdateTimeToLiveResponse;

import java.util.Optional;

    final Region region = Optional.ofNullable(args[2]).isEmpty() ?
Region.US_EAST_1 : Region.of(args[2]);
    final TimeToLiveSpecification ttlSpecification =
TimeToLiveSpecification.builder()
        .attributeName(ttlAttributeName)
        .enabled(false)
        .build();
    final UpdateTimeToLiveRequest request = UpdateTimeToLiveRequest.builder()
        .tableName(tableName)
        .timeToLiveSpecification(ttlSpecification)
        .build();
    try (DynamoDbClient ddb = DynamoDbClient.builder()
        .region(region)
        .build()) {
        final UpdateTimeToLiveResponse response = ddb.updateTimeToLive(request);
        System.out.println(tableName + " had its TTL successfully updated. The
request id is "
            + response.responseMetadata().requestId());
    } catch (ResourceNotFoundException e) {
        System.err.format("Error: The Amazon DynamoDB table \"%s\" can't be
found.\n", tableName);
```

```
        System.exit(1);
    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
    System.out.println("Done!");
```

- For API details, see [UpdateTimeToLive](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Build an app to submit data to a DynamoDB table

The following code example shows how to build an application that submits data to an Amazon DynamoDB table and notifies you when a user updates the table.

SDK for Java 2.x

Shows how to create a dynamic web application that submits data using the Amazon DynamoDB Java API and sends a text message using the Amazon Simple Notification Service Java API.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- DynamoDB
- Amazon SNS

Conditionally update an item's TTL

The following code example shows how to conditionally update an item's TTL.

SDK for Java 2.x

```
package com.amazon.samplelib.ttl;

import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.AttributeValue;
```

```
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.model.ResourceNotFoundException;
import software.amazon.awssdk.services.dynamodb.model.UpdateItemRequest;
import software.amazon.awssdk.services.dynamodb.model.UpdateItemResponse;
import software.amazon.awssdk.utils.ImmutableMap;

import java.util.Map;
import java.util.Optional;

public class UpdateTTLConditional {
    public static void main(String[] args) {
        final String usage = """
            Usage:
                <tableName> <primaryKey> <sortKey> <newTtlAttribute> <region>
            Where:
                tableName - The Amazon DynamoDB table being queried.
                primaryKey - The name of the primary key. Also known as the hash
or partition key.
                sortKey - The name of the sort key. Also known as the range
attribute.
                newTtlAttribute - New attribute name (as part of the update
command)
                region (optional) - The AWS region that the Amazon DynamoDB
table is located in. (Default: us-east-1)
"""
        // Optional "region" parameter - if args list length is NOT 3 or 4, short-
circuit exit.
        if (!(args.length == 4 || args.length == 5)) {
            System.out.println(usage);
            System.exit(1);
        }
        final String tableName = args[0];
        final String primaryKey = args[1];
        final String sortKey = args[2];
        final String newTtlAttribute = args[3];
        Region region = Optional.ofNullable(args[4]).isEmpty() ? Region.US_EAST_1 :
Region.of(args[4]);

        // Get current time in epoch second format
        final long currentTime = System.currentTimeMillis() / 1000;
        // Calculate expiration time 90 days from now in epoch second format
        final long expireDate = currentTime + (90 * 24 * 60 * 60);
        // An expression that defines one or more attributes to be updated, the
action to be performed on them, and new values for them.
```

```
        final String updateExpression = "SET newTtlAttribute = :val1";
        // A condition that must be satisfied in order for a conditional update to
        succeed.
        final String conditionExpression = "expireAt > :val2";

        final ImmutableMap<String, AttributeValue> keyMap =
            ImmutableMap.of("primaryKey", AttributeValue.fromS(primaryKey),
                           "sortKey", AttributeValue.fromS(sortKey));
        final Map<String, AttributeValue> expressionAttributeValues =
        ImmutableMap.of(
            ":val1", AttributeValue.builder().s(newTtlAttribute).build(),
            ":val2",
        AttributeValue.builder().s(String.valueOf(expireDate)).build()
    );

        final UpdateItemRequest request = UpdateItemRequest.builder()
            .tableName(tableName)
            .key(keyMap)
            .updateExpression(updateExpression)
            .conditionExpression(conditionExpression)
            .expressionAttributeValues(expressionAttributeValues)
            .build();
    try (DynamoDbClient ddb = DynamoDbClient.builder()
        .region(region)
        .build()) {
        final UpdateItemResponse response = ddb.updateItem(request);
        System.out.println(tableName + " UpdateItem operation with conditional
TTL successful. Request id is "
            + response.responseMetadata().requestId());
    } catch (ResourceNotFoundException e) {
        System.err.format("Error: The Amazon DynamoDB table \'%s\' can't be
found.\n", tableName);
        System.exit(1);
    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
    System.exit(0);
}
}
```

- For API details, see [UpdateItem](#) in *AWS SDK for Java 2.x API Reference*.

Create a serverless application to manage photos

The following code example shows how to create a serverless application that lets users manage photos using labels.

SDK for Java 2.x

Shows how to develop a photo asset management application that detects labels in images using Amazon Rekognition and stores them for later retrieval.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

For a deep dive into the origin of this example see the post on [AWS Community](#).

Services used in this example

- API Gateway
- DynamoDB
- Lambda
- Amazon Rekognition
- Amazon S3
- Amazon SNS

Create a table with warm throughput enabled

The following code example shows how to create a table with warm throughput enabled.

SDK for Java 2.x

Create DynamoDB table with warm throughput setting.

```
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.AttributeDefinition;
import software.amazon.awssdk.services.dynamodb.model.CreateTableRequest;
import software.amazon.awssdk.services.dynamodb.model.CreateTableResponse;
import software.amazon.awssdk.services.dynamodb.model.GlobalSecondaryIndex;
import software.amazon.awssdk.services.dynamodb.model.KeySchemaElement;
import software.amazon.awssdk.services.dynamodb.model.KeyType;
import software.amazon.awssdk.services.dynamodb.model.Projection;
import software.amazon.awssdk.services.dynamodb.model.ProjectionType;
import software.amazon.awssdk.services.dynamodb.model.ProvisionedThroughput;
```

```
import software.amazon.awssdk.services.dynamodb.model.ScalarAttributeType;
import software.amazon.awssdk.services.dynamodb.model.WarmThroughput;

    public static WarmThroughput buildWarmThroughput(final Long readUnitsPerSecond,
                                                       final Long writeUnitsPerSecond)
    {
        return WarmThroughput.builder()
            .readUnitsPerSecond(readUnitsPerSecond)
            .writeUnitsPerSecond(writeUnitsPerSecond)
            .build();
    }
    public static ProvisionedThroughput buildProvisionedThroughput(final Long
readCapacityUnits,
                                                               final Long
writeCapacityUnits) {
        return ProvisionedThroughput.builder()
            .readCapacityUnits(readCapacityUnits)
            .writeCapacityUnits(writeCapacityUnits)
            .build();
    }
    private static AttributeDefinition buildAttributeDefinition(final String
attributeName,
                                                               final
ScalarAttributeType scalarAttributeType) {
        return AttributeDefinition.builder()
            .attributeName(attributeName)
            .attributeType(scalarAttributeType)
            .build();
    }
    private static KeySchemaElement buildKeySchemaElement(final String
attributeName,
                                                               final KeyType keyType) {
        return KeySchemaElement.builder()
            .attributeName(attributeName)
            .keyType(keyType)
            .build();
    }
    public static void createDynamoDBTable(DynamoDbClient ddb,
                                           String tableName,
                                           String partitionKey,
                                           String sortKey,
                                           String miscellaneousKeyAttribute,
                                           String nonKeyAttribute,
                                           Long tableReadCapacityUnits,
```

```
        Long tableWriteCapacityUnits,
        Long tableWarmReadUnitsPerSecond,
        Long tableWarmWriteUnitsPerSecond,
        String globalSecondaryIndexName,
        Long
    globalSecondaryIndexReadCapacityUnits,
        Long
    globalSecondaryIndexWriteCapacityUnits,
        Long
    globalSecondaryIndexWarmReadUnitsPerSecond,
        Long
    globalSecondaryIndexWarmWriteUnitsPerSecond) {

        // Define the table attributes
        final AttributeDefinition partitionKeyAttribute =
buildAttributeDefinition(partitionKey, ScalarAttributeType.S);
        final AttributeDefinition sortKeyAttribute =
buildAttributeDefinition(sortKey, ScalarAttributeType.S);
        final AttributeDefinition miscellaneousKeyAttributeDefinition =
buildAttributeDefinition(miscellaneousKeyAttribute, ScalarAttributeType.N);
        final AttributeDefinition[] attributeDefinitions = {partitionKeyAttribute,
sortKeyAttribute, miscellaneousKeyAttributeDefinition};

        // Define the table key schema
        final KeySchemaElement partitionKeyElement =
buildKeySchemaElement(partitionKey, KeyType.HASH);
        final KeySchemaElement sortKeyElement = buildKeySchemaElement(sortKey,
KeyType.RANGE);
        final KeySchemaElement[] keySchema = {partitionKeyElement, sortKeyElement};

        // Define the provisioned throughput for the table
        final ProvisionedThroughput provisionedThroughput =
buildProvisionedThroughput(tableReadCapacityUnits, tableWriteCapacityUnits);

        // Define the Global Secondary Index (GSI)
        final KeySchemaElement globalSecondaryIndexPartitionKeyElement =
buildKeySchemaElement(sortKey, KeyType.HASH);
        final KeySchemaElement globalSecondaryIndexSortKeyElement =
buildKeySchemaElement(miscellaneousKeyAttribute, KeyType.RANGE);
        final KeySchemaElement[] gsiKeySchema =
{globalSecondaryIndexPartitionKeyElement, globalSecondaryIndexSortKeyElement};

        final Projection gsiProjection = Projection.builder()
            .projectionType(String.valueOf(ProjectionType.INCLUDE))
```

```
        .nonKeyAttributes(nonKeyAttribute)
        .build();

    final ProvisionedThroughput gsiProvisionedThroughput =
        buildProvisionedThroughput(globalSecondaryIndexReadCapacityUnits,
globalSecondaryIndexWriteCapacityUnits);
    // Define the warm throughput for the Global Secondary Index (GSI)
    final WarmThroughput gsiWarmThroughput =
buildWarmThroughput(globalSecondaryIndexWarmReadUnitsPerSecond,
globalSecondaryIndexWarmWriteUnitsPerSecond);
    final GlobalSecondaryIndex globalSecondaryIndex =
GlobalSecondaryIndex.builder()
        .indexName(globalSecondaryIndexName)
        .keySchema(gsiKeySchema)
        .projection(gsiProjection)
        .provisionedThroughput(gsiProvisionedThroughput)
        .warmThroughput(gsiWarmThroughput)
        .build();

    // Define the warm throughput for the table
    final WarmThroughput tableWarmThroughput =
buildWarmThroughput(tableWarmReadUnitsPerSecond, tableWarmWriteUnitsPerSecond);

    final CreateTableRequest request = CreateTableRequest.builder()
        .tableName(tableName)
        .attributeDefinitions(attributeDefinitions)
        .keySchema(keySchema)
        .provisionedThroughput(provisionedThroughput)
        .globalSecondaryIndexes(globalSecondaryIndex)
        .warmThroughput(tableWarmThroughput)
        .build();

    CreateTableResponse response = ddb.createTable(request);
    System.out.println(response);
}
```

- For API details, see [CreateTable](#) in *AWS SDK for Java 2.x API Reference*.

Create a web application to track DynamoDB data

The following code example shows how to create a web application that tracks work items in an Amazon DynamoDB table and uses Amazon Simple Email Service (Amazon SES) to send reports.

SDK for Java 2.x

Shows how to use the Amazon DynamoDB API to create a dynamic web application that tracks DynamoDB work data.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- DynamoDB
- Amazon SES

Create an item with a TTL

The following code example shows how to create an item with TTL.

SDK for Java 2.x

```
package com.amazon.samplelib.ttl;

import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.AttributeValue;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.model.PutItemRequest;
import software.amazon.awssdk.services.dynamodb.model.PutItemResponse;
import software.amazon.awssdk.services.dynamodb.model.ResourceNotFoundException;
import software.amazon.awssdk.utils.ImmutableMap;

import java.io.Serializable;
import java.util.Map;
import java.util.Optional;

public class CreateTTL {
    public static void main(String[] args) {
        final String usage = """
            Usage:
                <tableName> <primaryKey> <sortKey> <region>
            Where:
                tableName - The Amazon DynamoDB table being queried.
        """;
    }
}
```

```
primaryKey - The name of the primary key. Also known as the hash
or partition key.

sortKey - The name of the sort key. Also known as the range
attribute.

region (optional) - The AWS region that the Amazon DynamoDB
table is located in. (Default: us-east-1)

    """;

// Optional "region" parameter - if args list length is NOT 3 or 4, short-
circuit exit.

if (!(args.length == 3 || args.length == 4)) {
    System.out.println(usage);
    System.exit(1);
}

String tableName = args[0];
String primaryKey = args[1];
String sortKey = args[2];
Region region = Optional.ofNullable(args[3]).isEmpty() ? Region.US_EAST_1 :
Region.of(args[3]);

// Get current time in epoch second format
final long createDate = System.currentTimeMillis() / 1000;

// Calculate expiration time 90 days from now in epoch second format
final long expireDate = createDate + (90 * 24 * 60 * 60);

final ImmutableMap<String, ? extends Serializable> itemMap =
    ImmutableMap.of("primaryKey", primaryKey,
    "sortKey", sortKey,
    "creationDate", createDate,
    "expireAt", expireDate);
final PutItemRequest request = PutItemRequest.builder()
    .tableName(tableName)
    .item((Map<String, AttributeValue>) itemMap)
    .build();
try (DynamoDbClient ddb = DynamoDbClient.builder()
    .region(region)
    .build()) {
    final PutItemResponse response = ddb.putItem(request);
    System.out.println(tableName + " PutItem operation with TTL successful.
Request id is "
        + response.responseMetadata().requestId());
} catch (ResourceNotFoundException e) {
```

```
        System.err.format("Error: The Amazon DynamoDB table \"%s\" can't be
found.\n", tableName);
        System.exit(1);
    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
    System.exit(0);
}
}
```

- For API details, see [PutItem](#) in *AWS SDK for Java 2.x API Reference*.

Detect PPE in images

The following code example shows how to build an app that uses Amazon Rekognition to detect Personal Protective Equipment (PPE) in images.

SDK for Java 2.x

Shows how to create an AWS Lambda function that detects images with Personal Protective Equipment.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- DynamoDB
- Amazon Rekognition
- Amazon S3
- Amazon SES

Monitor DynamoDB performance

The following code example shows how to configure an application's use of DynamoDB to monitor performance.

SDK for Java 2.x

This example shows how to configure a Java application to monitor the performance of DynamoDB. The application sends metric data to CloudWatch where you can monitor the performance.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- CloudWatch
- DynamoDB

Query a table by using batches of PartiQL statements

The following code example shows how to:

- Get a batch of items by running multiple SELECT statements.
- Add a batch of items by running multiple INSERT statements.
- Update a batch of items by running multiple UPDATE statements.
- Delete a batch of items by running multiple DELETE statements.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public class ScenarioPartiQLBatch {  
    public static void main(String[] args) throws IOException {  
        String tableName = "MoviesPartiQBatch";  
        Region region = Region.US_EAST_1;  
        DynamoDbClient ddb = DynamoDbClient.builder()  
            .region(region)  
            .build();  
  
        System.out.println("Creating an Amazon DynamoDB table named " + tableName
```

```
        + " with a key named year and a sort key named title.");
createTable(ddb, tableName);

System.out.println("Adding multiple records into the " + tableName
        + " table using a batch command.");
putRecordBatch(ddb);

// Update multiple movies by using the BatchExecute statement.
String title1 = "Star Wars";
int year1 = 1977;
String title2 = "Wizard of Oz";
int year2 = 1939;

System.out.println("Query two movies.");
getBatch(ddb, tableName, title1, title2, year1, year2);

System.out.println("Updating multiple records using a batch command.");
updateTableItemBatch(ddb);

System.out.println("Deleting multiple records using a batch command.");
deleteItemBatch(ddb);

System.out.println("Deleting the Amazon DynamoDB table.");
deleteDynamoDBTable(ddb, tableName);
ddb.close();
}

public static boolean getBatch(DynamoDbClient ddb, String tableName, String
title1, String title2, int year1, int year2) {
    String getBatch = "SELECT * FROM " + tableName + " WHERE title = ? AND year
= ?";

    List<BatchStatementRequest> statements = new ArrayList<>();
    statements.add(BatchStatementRequest.builder()
        .statement(getBatch)
        .parameters(AttributeValue.builder().s(title1).build(),
            AttributeValue.builder().n(String.valueOf(year1)).build())
        .build());
    statements.add(BatchStatementRequest.builder()
        .statement(getBatch)
        .parameters(AttributeValue.builder().s(title2).build(),
            AttributeValue.builder().n(String.valueOf(year2)).build())
        .build());
}
```

```
BatchExecuteStatementRequest batchExecuteStatementRequest =
BatchExecuteStatementRequest.builder()
    .statements(statements)
    .build();

try {
    BatchExecuteStatementResponse response =
ddb.batchExecuteStatement(batchExecuteStatementRequest);
    if (!response.responses().isEmpty()) {
        response.responses().forEach(r -> {
            System.out.println(r.item().get("title") + "\t" +
r.item().get("year"));
        });
        return true;
    } else {
        System.out.println("Couldn't find either " + title1 + " or " +
title2 + ".");
        return false;
    }
} catch (DynamoDbException e) {
    System.err.println(e.getMessage());
    return false;
}
}

public static void createTable(DynamoDbClient ddb, String tableName) {
    DynamoDbWaiter dbWaiter = ddb.waiter();
    ArrayList<AttributeDefinition> attributeDefinitions = new ArrayList<>();

    // Define attributes.
    attributeDefinitions.add(AttributeDefinition.builder()
        .attributeName("year")
        .attributeType("N")
        .build());

    attributeDefinitions.add(AttributeDefinition.builder()
        .attributeName("title")
        .attributeType("S")
        .build());

    ArrayList<KeySchemaElement> tableKey = new ArrayList<>();
    KeySchemaElement key = KeySchemaElement.builder()
        .attributeName("year")
        .keyType(KeyType.HASH)
```

```
.build();

KeySchemaElement key2 = KeySchemaElement.builder()
    .attributeName("title")
    .keyType(KeyType.RANGE) // Sort
    .build();

// Add KeySchemaElement objects to the list.
tableKey.add(key);
tableKey.add(key2);

CreateTableRequest request = CreateTableRequest.builder()
    .keySchema(tableKey)
    .provisionedThroughput(ProvisionedThroughput.builder()
        .readCapacityUnits(10L)
        .writeCapacityUnits(10L)
        .build())
    .attributeDefinitions(attributeDefinitions)
    .tableName(tableName)
    .build();

try {
    CreateTableResponse response = ddb.createTable(request);
    DescribeTableRequest tableRequest = DescribeTableRequest.builder()
        .tableName(tableName)
        .build();

    // Wait until the Amazon DynamoDB table is created.
    WaiterResponse<DescribeTableResponse> waiterResponse = dbWaiter
        .waitUntilTableExists(tableRequest);
    waiterResponse.matched().response().ifPresent(System.out::println);
    String newTable = response.tableDescription().tableName();
    System.out.println("The " + newTable + " was successfully created.");

} catch (DynamoDbException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}

public static void putRecordBatch(DynamoDbClient ddb) {
    String sqlStatement = "INSERT INTO MoviesPartiQBatch VALUE {'year':?:",
    'title' : ?, 'info' : ?}";
    try {
```

```
// Create three movies to add to the Amazon DynamoDB table.  
// Set data for Movie 1.  
List<AttributeValue> parameters = new ArrayList<>();  
  
AttributeValue att1 = AttributeValue.builder()  
    .n("1977")  
    .build();  
  
AttributeValue att2 = AttributeValue.builder()  
    .s("Star Wars")  
    .build();  
  
AttributeValue att3 = AttributeValue.builder()  
    .s("No Information")  
    .build();  
  
parameters.add(att1);  
parameters.add(att2);  
parameters.add(att3);  
  
BatchStatementRequest statementRequestMovie1 =  
BatchStatementRequest.builder()  
    .statement(sqlStatement)  
    .parameters(parameters)  
    .build();  
  
// Set data for Movie 2.  
List<AttributeValue> parametersMovie2 = new ArrayList<>();  
AttributeValue attMovie2 = AttributeValue.builder()  
    .n("1939")  
    .build();  
  
AttributeValue attMovie2A = AttributeValue.builder()  
    .s("Wizard of Oz")  
    .build();  
  
AttributeValue attMovie2B = AttributeValue.builder()  
    .s("No Information")  
    .build();  
  
parametersMovie2.add(attMovie2);  
parametersMovie2.add(attMovie2A);  
parametersMovie2.add(attMovie2B);
```

```
        BatchStatementRequest statementRequestMovie2 =
BatchStatementRequest.builder()
    .statement(sqlStatement)
    .parameters(parametersMovie2)
    .build();

    // Set data for Movie 3.
List<AttributeValue> parametersMovie3 = new ArrayList<>();
AttributeValue attMovie3 = AttributeValue.builder()
    .n(String.valueOf("2022"))
    .build();

AttributeValue attMovie3A = AttributeValue.builder()
    .s("My Movie 3")
    .build();

AttributeValue attMovie3B = AttributeValue.builder()
    .s("No Information")
    .build();

parametersMovie3.add(attMovie3);
parametersMovie3.add(attMovie3A);
parametersMovie3.add(attMovie3B);

        BatchStatementRequest statementRequestMovie3 =
BatchStatementRequest.builder()
    .statement(sqlStatement)
    .parameters(parametersMovie3)
    .build();

    // Add all three movies to the list.
List<BatchStatementRequest> myBatchStatementList = new ArrayList<>();
myBatchStatementList.add(statementRequestMovie1);
myBatchStatementList.add(statementRequestMovie2);
myBatchStatementList.add(statementRequestMovie3);

        BatchExecuteStatementRequest batchRequest =
BatchExecuteStatementRequest.builder()
    .statements(myBatchStatementList)
    .build();

        BatchExecuteStatementResponse response =
ddb.batchExecuteStatement(batchRequest);
```

```
        System.out.println("ExecuteStatement successful: " +
response.toString());
        System.out.println("Added new movies using a batch command.");

    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}

public static void updateTableItemBatch(DynamoDbClient ddb) {
    String sqlStatement = "UPDATE MoviesPartiQBatch SET info = 'directors\'":
[\"Merian C. Cooper\", \"Ernest B. Schoedsack\" where year=? and title=?";
    List<AttributeValue> parametersRec1 = new ArrayList<>();

    // Update three records.
    AttributeValue att1 = AttributeValue.builder()
        .n(String.valueOf("2022"))
        .build();

    AttributeValue att2 = AttributeValue.builder()
        .s("My Movie 1")
        .build();

    parametersRec1.add(att1);
    parametersRec1.add(att2);

    BatchStatementRequest statementRequestRec1 = BatchStatementRequest.builder()
        .statement(sqlStatement)
        .parameters(parametersRec1)
        .build();

    // Update record 2.
    List<AttributeValue> parametersRec2 = new ArrayList<>();
    AttributeValue attRec2 = AttributeValue.builder()
        .n(String.valueOf("2022"))
        .build();

    AttributeValue attRec2a = AttributeValue.builder()
        .s("My Movie 2")
        .build();

    parametersRec2.add(attRec2);
    parametersRec2.add(attRec2a);
```

```
BatchStatementRequest statementRequestRec2 = BatchStatementRequest.builder()
    .statement(sqlStatement)
    .parameters(parametersRec2)
    .build();

// Update record 3.
List<AttributeValue> parametersRec3 = new ArrayList<>();
AttributeValue attRec3 = AttributeValue.builder()
    .n(String.valueOf("2022"))
    .build();

AttributeValue attRec3a = AttributeValue.builder()
    .s("My Movie 3")
    .build();

parametersRec3.add(attRec3);
parametersRec3.add(attRec3a);
BatchStatementRequest statementRequestRec3 = BatchStatementRequest.builder()
    .statement(sqlStatement)
    .parameters(parametersRec3)
    .build();

// Add all three movies to the list.
List<BatchStatementRequest> myBatchStatementList = new ArrayList<>();
myBatchStatementList.add(statementRequestRec1);
myBatchStatementList.add(statementRequestRec2);
myBatchStatementList.add(statementRequestRec3);

BatchExecuteStatementRequest batchRequest =
BatchExecuteStatementRequest.builder()
    .statements(myBatchStatementList)
    .build();

try {
    BatchExecuteStatementResponse response =
ddb.batchExecuteStatement(batchRequest);
    System.out.println("ExecuteStatement successful: " +
response.toString());
    System.out.println("Updated three movies using a batch command.");

} catch (DynamoDbException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
```

```
        System.out.println("Item was updated!");
    }

    public static void deleteItemBatch(DynamoDbClient ddb) {
        String sqlStatement = "DELETE FROM MoviesPartiQBatch WHERE year = ? and title=?";
        List<AttributeValue> parametersRec1 = new ArrayList<>();

        // Specify three records to delete.
        AttributeValue att1 = AttributeValue.builder()
            .n(String.valueOf("2022"))
            .build();

        AttributeValue att2 = AttributeValue.builder()
            .s("My Movie 1")
            .build();

        parametersRec1.add(att1);
        parametersRec1.add(att2);

        BatchStatementRequest statementRequestRec1 = BatchStatementRequest.builder()
            .statement(sqlStatement)
            .parameters(parametersRec1)
            .build();

        // Specify record 2.
        List<AttributeValue> parametersRec2 = new ArrayList<>();
        AttributeValue attRec2 = AttributeValue.builder()
            .n(String.valueOf("2022"))
            .build();

        AttributeValue attRec2a = AttributeValue.builder()
            .s("My Movie 2")
            .build();

        parametersRec2.add(attRec2);
        parametersRec2.add(attRec2a);
        BatchStatementRequest statementRequestRec2 = BatchStatementRequest.builder()
            .statement(sqlStatement)
            .parameters(parametersRec2)
            .build();

        // Specify record 3.
        List<AttributeValue> parametersRec3 = new ArrayList<>();
```

```
AttributeValue attRec3 = AttributeValue.builder()
    .n(String.valueOf("2022"))
    .build();

AttributeValue attRec3a = AttributeValue.builder()
    .s("My Movie 3")
    .build();

parametersRec3.add(attRec3);
parametersRec3.add(attRec3a);

BatchStatementRequest statementRequestRec3 = BatchStatementRequest.builder()
    .statement(sqlStatement)
    .parameters(parametersRec3)
    .build();

// Add all three movies to the list.
List<BatchStatementRequest> myBatchStatementList = new ArrayList<>();
myBatchStatementList.add(statementRequestRec1);
myBatchStatementList.add(statementRequestRec2);
myBatchStatementList.add(statementRequestRec3);

BatchExecuteStatementRequest batchRequest =
BatchExecuteStatementRequest.builder()
    .statements(myBatchStatementList)
    .build();

try {
    ddb.batchExecuteStatement(batchRequest);
    System.out.println("Deleted three movies using a batch command.");

} catch (DynamoDbException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
}

public static void deleteDynamoDBTable(DynamoDbClient ddb, String tableName) {
    DeleteTableRequest request = DeleteTableRequest.builder()
        .tableName(tableName)
        .build();

    try {
        ddb.deleteTable(request);
    }
}
```

```
        } catch (DynamoDbException e) {
            System.err.println(e.getMessage());
            System.exit(1);
        }
        System.out.println(tableName + " was successfully deleted!");
    }

    private static ExecuteStatementResponse executeStatementRequest(DynamoDbClient ddb, String statement,
            List<AttributeValue> parameters) {
        ExecuteStatementRequest request = ExecuteStatementRequest.builder()
            .statement(statement)
            .parameters(parameters)
            .build();

        return ddb.executeStatement(request);
    }
}
```

- For API details, see [BatchExecuteStatement](#) in *AWS SDK for Java 2.x API Reference*.

Query a table using PartiQL

The following code example shows how to:

- Get an item by running a SELECT statement.
- Add an item by running an INSERT statement.
- Update an item by running an UPDATE statement.
- Delete an item by running a DELETE statement.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public class ScenarioPartiQ {  
    public static void main(String[] args) throws IOException {  
        final String usage = """  
  
        Usage:  
            <fileName>  
  
        Where:  
            fileName - The path to the moviedata.json file that you can  
download from the Amazon DynamoDB Developer Guide.  
        """;  
  
        if (args.length != 1) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String fileName = args[0];  
        String tableName = "MoviesPartiQ";  
        Region region = Region.US_EAST_1;  
        DynamoDbClient ddb = DynamoDbClient.builder()  
            .region(region)  
            .build();  
  
        System.out.println(  
            "***** Creating an Amazon DynamoDB table named MoviesPartiQ with a  
key named year and a sort key named title.");  
        createTable(ddb, tableName);  
  
        System.out.println("Loading data into the MoviesPartiQ table.");  
        loadData(ddb, fileName);  
  
        System.out.println("Getting data from the MoviesPartiQ table.");  
        getItem(ddb);  
  
        System.out.println("Putting a record into the MoviesPartiQ table.");  
        putRecord(ddb);  
  
        System.out.println("Updating a record.");  
        updateTableItem(ddb);  
  
        System.out.println("Querying the movies released in 2013.");  
        queryTable(ddb);  
    }  
}
```

```
System.out.println("Deleting the Amazon DynamoDB table.");
deleteDynamoDBTable(ddb, tableName);
ddb.close();
}

public static void createTable(DynamoDbClient ddb, String tableName) {
    DynamoDbWaiter dbWaiter = ddb.waiter();
    ArrayList<AttributeDefinition> attributeDefinitions = new ArrayList<>();

    // Define attributes.
    attributeDefinitions.add(AttributeDefinition.builder()
        .attributeName("year")
        .attributeType("N")
        .build());

    attributeDefinitions.add(AttributeDefinition.builder()
        .attributeName("title")
        .attributeType("S")
        .build());

    ArrayList<KeySchemaElement> tableKey = new ArrayList<>();
    KeySchemaElement key = KeySchemaElement.builder()
        .attributeName("year")
        .keyType(KeyType.HASH)
        .build();

    KeySchemaElement key2 = KeySchemaElement.builder()
        .attributeName("title")
        .keyType(KeyType.RANGE) // Sort
        .build();

    // Add KeySchemaElement objects to the list.
    tableKey.add(key);
    tableKey.add(key2);

    CreateTableRequest request = CreateTableRequest.builder()
        .keySchema(tableKey)
        .provisionedThroughput(ProvisionedThroughput.builder()
            .readCapacityUnits(new Long(10))
            .writeCapacityUnits(new Long(10))
            .build())
        .attributeDefinitions(attributeDefinitions)
        .tableName(tableName)
```

```
        .build();

    try {
        CreateTableResponse response = ddb.createTable(request);
        DescribeTableRequest tableRequest = DescribeTableRequest.builder()
            .tableName(tableName)
            .build();

        // Wait until the Amazon DynamoDB table is created.
        WaiterResponse<DescribeTableResponse> waiterResponse =
        dbWaiter.waitUntilTableExists(tableRequest);
        waiterResponse.matched().response().ifPresent(System.out::println);
        String newTable = response.tableDescription().tableName();
        System.out.println("The " + newTable + " was successfully created.");

    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}

// Load data into the table.
public static void loadData(DynamoDbClient ddb, String fileName) throws
IOException {

    String sqlStatement = "INSERT INTO MoviesPartiQ VALUE {'year':?:,
'title' : ?, 'info' : ?}";
    JsonParser parser = new JsonFactory().createParser(new File(fileName));
    com.fasterxml.jackson.databind.JsonNode rootNode = new
ObjectMapper().readTree(parser);
    Iterator<JsonNode> iter = rootNode.iterator();
    ObjectNode currentNode;
    int t = 0;
    List<AttributeValue> parameters = new ArrayList<>();
    while (iter.hasNext()) {

        // Add 200 movies to the table.
        if (t == 200)
            break;
        currentNode = (ObjectNode) iter.next();

        int year = currentNode.path("year").asInt();
        String title = currentNode.path("title").asText();
        String info = currentNode.path("info").toString();
    }
}
```

```
        AttributeValue att1 = AttributeValue.builder()
            .n(String.valueOf(year))
            .build();

        AttributeValue att2 = AttributeValue.builder()
            .s(title)
            .build();

        AttributeValue att3 = AttributeValue.builder()
            .s(info)
            .build();

        parameters.add(att1);
        parameters.add(att2);
        parameters.add(att3);

        // Insert the movie into the Amazon DynamoDB table.
        executeStatementRequest(ddb, sqlStatement, parameters);
        System.out.println("Added Movie " + title);

        parameters.remove(att1);
        parameters.remove(att2);
        parameters.remove(att3);
        t++;
    }
}

public static void getItem(DynamoDbClient ddb) {

    String sqlStatement = "SELECT * FROM MoviesPartiQ where year=? and title=?";
    List<AttributeValue> parameters = new ArrayList<>();
    AttributeValue att1 = AttributeValue.builder()
        .n("2012")
        .build();

    AttributeValue att2 = AttributeValue.builder()
        .s("The Perks of Being a Wallflower")
        .build();

    parameters.add(att1);
    parameters.add(att2);

    try {
```

```
        ExecuteStatementResponse response = executeStatementRequest(ddb,
sqlStatement, parameters);
        System.out.println("ExecuteStatement successful: " +
response.toString());

    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}

public static void putRecord(DynamoDbClient ddb) {

    String sqlStatement = "INSERT INTO MoviesPartiQ VALUE {'year':?:,
'title' : ?, 'info' : ?}";
    try {
        List<AttributeValue> parameters = new ArrayList<>();

        AttributeValue att1 = AttributeValue.builder()
            .n(String.valueOf("2020"))
            .build();

        AttributeValue att2 = AttributeValue.builder()
            .s("My Movie")
            .build();

        AttributeValue att3 = AttributeValue.builder()
            .s("No Information")
            .build();

        parameters.add(att1);
        parameters.add(att2);
        parameters.add(att3);

        executeStatementRequest(ddb, sqlStatement, parameters);
        System.out.println("Added new movie.");
    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}

public static void updateTableItem(DynamoDbClient ddb) {
```

```
String sqlStatement = "UPDATE MoviesPartiQ SET info = 'directors\":[\"Merian C. Cooper\", \"Ernest B. Schoedsack\"] WHERE year=? AND title=?";
List<AttributeValue> parameters = new ArrayList<>();
AttributeValue att1 = AttributeValue.builder()
    .n(String.valueOf("2013"))
    .build();

AttributeValue att2 = AttributeValue.builder()
    .s("The East")
    .build();

parameters.add(att1);
parameters.add(att2);

try {
    executeStatementRequest(ddb, sqlStatement, parameters);

} catch (DynamoDbException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
System.out.println("Item was updated!");
}

// Query the table where the year is 2013.
public static void queryTable(DynamoDbClient ddb) {
    String sqlStatement = "SELECT * FROM MoviesPartiQ WHERE year = ? ORDER BY year";
    try {

        List<AttributeValue> parameters = new ArrayList<>();
        AttributeValue att1 = AttributeValue.builder()
            .n(String.valueOf("2013"))
            .build();
        parameters.add(att1);

        // Get items in the table and write out the ID value.
        ExecuteStatementResponse response = executeStatementRequest(ddb,
sqlStatement, parameters);
        System.out.println("ExecuteStatement successful: " +
response.toString());

    } catch (DynamoDbException e) {
```

```
        System.err.println(e.getMessage());
        System.exit(1);
    }

    public static void deleteDynamoDBTable(DynamoDbClient ddb, String tableName) {

        DeleteTableRequest request = DeleteTableRequest.builder()
            .tableName(tableName)
            .build();

        try {
            ddb.deleteTable(request);

        } catch (DynamoDbException e) {
            System.err.println(e.getMessage());
            System.exit(1);
        }
        System.out.println(tableName + " was successfully deleted!");
    }

    private static ExecuteStatementResponse executeStatementRequest(DynamoDbClient
ddb, String statement,
        List<AttributeValue> parameters) {
        ExecuteStatementRequest request = ExecuteStatementRequest.builder()
            .statement(statement)
            .parameters(parameters)
            .build();

        return ddb.executeStatement(request);
    }

    private static void processResults(ExecuteStatementResponse
executeStatementResult) {
        System.out.println("ExecuteStatement successful: " +
executeStatementResult.toString());
    }
}
```

- For API details, see [ExecuteStatement](#) in *AWS SDK for Java 2.x API Reference*.

Query for TTL items

The following code example shows how to query for TTL items.

SDK for Java 2.x

Query Filtered Expression to gather TTL items in a DynamoDB table.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.AttributeValue;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.model.QueryRequest;
import software.amazon.awssdk.services.dynamodb.model.QueryResponse;
import software.amazon.awssdk.services.dynamodb.model.ResourceNotFoundException;
import software.amazon.awssdk.utils.ImmutableMap;

import java.util.Map;
import java.util.Optional;

    // Get current time in epoch second format (comparing against expiry
attribute)
    final long currentTime = System.currentTimeMillis() / 1000;

    // A string that contains conditions that DynamoDB applies after the Query
operation, but before the data is returned to you.
    final String keyConditionExpression = "#pk = :pk";

    // The condition that specifies the key values for items to be retrieved by
the Query action.
    final String filterExpression = "#ea > :ea";
    final Map<String, String> expressionAttributeNames = ImmutableMap.of(
        "#pk", "primaryKey",
        "#ea", "expireAt");
    final Map<String, AttributeValue> expressionAttributeValues =
ImmutableMap.of(
        ":pk", AttributeValue.builder().s(primaryKey).build(),
        ":ea",
        AttributeValue.builder().s(String.valueOf(currentTime)).build()
    );

    final QueryRequest request = QueryRequest.builder()
        .tableName(tableName)
        .keyConditionExpression(keyConditionExpression)
```

```
.filterExpression(filterExpression)
.expressionAttributeNames(expressionAttributeNames)
.expressionAttributeValues(expressionAttributeValues)
.build();

try (DynamoDbClient ddb = DynamoDbClient.builder()
    .region(region)
    .build()) {
    final QueryResponse response = ddb.query(request);
    System.out.println(tableName + " Query operation with TTL successful.

Request id is "
    + response.responseMetadata().requestId());
    // Print the items that are not expired
    for (Map<String, AttributeValue> item : response.items()) {
        System.out.println(item.toString());
    }
} catch (ResourceNotFoundException e) {
    System.err.format("Error: The Amazon DynamoDB table \"%s\" can't be
found.\n", tableName);
    System.exit(1);
} catch (DynamoDbException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
System.exit(0);
```

- For API details, see [Query](#) in *AWS SDK for Java 2.x API Reference*.

Update a table's warm throughput setting

The following code example shows how to update a table's warm throughput setting.

SDK for Java 2.x

Update warm throughput setting on an existing DynamoDB table.

```
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.model.GlobalSecondaryIndexUpdate;
import
software.amazon.awssdk.services.dynamodb.model.UpdateGlobalSecondaryIndexAction;
import software.amazon.awssdk.services.dynamodb.model.UpdateTableRequest;
import software.amazon.awssdk.services.dynamodb.model.WarmThroughput;
```

```
public static WarmThroughput buildWarmThroughput(final Long readUnitsPerSecond,
                                                final Long writeUnitsPerSecond)
{
    return WarmThroughput.builder()
        .readUnitsPerSecond(readUnitsPerSecond)
        .writeUnitsPerSecond(writeUnitsPerSecond)
        .build();
}
public static void updateDynamoDBTable(DynamoDbClient ddb,
                                         String tableName,
                                         Long tableReadUnitsPerSecond,
                                         Long tableWriteUnitsPerSecond,
                                         String globalSecondaryIndexName,
                                         Long
                                         globalSecondaryIndexReadUnitsPerSecond,
                                         Long
                                         globalSecondaryIndexWriteUnitsPerSecond) {

    final WarmThroughput tableWarmThroughput =
buildWarmThroughput(tableReadUnitsPerSecond, tableWriteUnitsPerSecond);
    final WarmThroughput gsiWarmThroughput =
buildWarmThroughput(globalSecondaryIndexReadUnitsPerSecond,
globalSecondaryIndexWriteUnitsPerSecond);

    final GlobalSecondaryIndexUpdate globalSecondaryIndexUpdate =
GlobalSecondaryIndexUpdate.builder()
    .update(UpdateGlobalSecondaryIndexAction.builder()
        .indexName(globalSecondaryIndexName)
        .warmThroughput(gsiWarmThroughput)
        .build())
    .build();

    final UpdateTableRequest request = UpdateTableRequest.builder()
        .tableName(tableName)
        .globalSecondaryIndexUpdates(globalSecondaryIndexUpdate)
        .warmThroughput(tableWarmThroughput)
        .build();

    try {
        ddb.updateTable(request);
    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

```
    }

    System.out.println("Done!");
}
```

- For API details, see [UpdateTable](#) in *AWS SDK for Java 2.x API Reference*.

Update an item's TTL

The following code example shows how to update an item's TTL.

SDK for Java 2.x

Update TTL on an existing DynamoDB item in a table.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.dynamodb.DynamoDbClient;
import software.amazon.awssdk.services.dynamodb.model.AttributeValue;
import software.amazon.awssdk.services.dynamodb.model.DynamoDbException;
import software.amazon.awssdk.services.dynamodb.model.ResourceNotFoundException;
import software.amazon.awssdk.services.dynamodb.model.UpdateItemRequest;
import software.amazon.awssdk.services.dynamodb.model.UpdateItemResponse;
import software.amazon.awssdk.utils.ImmutableMap;

import java.util.Map;
import java.util.Optional;

    // Get current time in epoch second format
    final long currentTime = System.currentTimeMillis() / 1000;
    // Calculate expiration time 90 days from now in epoch second format
    final long expireDate = currentTime + (90 * 24 * 60 * 60);
    // An expression that defines one or more attributes to be updated, the
    action to be performed on them, and new values for them.
    final String updateExpression = "SET updatedAt=:c, expireAt=:e";

    final ImmutableMap<String, AttributeValue> keyMap =
        ImmutableMap.of("primaryKey", AttributeValue.fromS(primaryKey),
                      "sortKey", AttributeValue.fromS(sortKey));
    final Map<String, AttributeValue> expressionAttributeValues =
    ImmutableMap.of(
        ":c",
        AttributeValue.builder().s(String.valueOf(currentTime)).build(),
```

```
        ":e", AttributeValue.builder().s(String.valueOf(expireDate)).build()
    );

    final UpdateItemRequest request = UpdateItemRequest.builder()
        .tableName(tableName)
        .key(keyMap)
        .updateExpression(updateExpression)
        .expressionAttributeValues(expressionAttributeValues)
        .build();
    try (DynamoDbClient ddb = DynamoDbClient.builder()
        .region(region)
        .build()) {
        final UpdateItemResponse response = ddb.updateItem(request);
        System.out.println(tableName + " UpdateItem operation with TTL
successful. Request id is "
        + response.responseMetadata().requestId());
    } catch (ResourceNotFoundException e) {
        System.err.format("Error: The Amazon DynamoDB table \"%s\" can't be
found.\n", tableName);
        System.exit(1);
    } catch (DynamoDbException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
    System.exit(0);
}
```

- For API details, see [UpdateItem](#) in *AWS SDK for Java 2.x API Reference*.

Use Step Functions to invoke Lambda functions

The following code example shows how to create an AWS Step Functions state machine that invokes AWS Lambda functions in sequence.

SDK for Java 2.x

Shows how to create an AWS serverless workflow by using AWS Step Functions and the AWS SDK for Java 2.x. Each workflow step is implemented using an AWS Lambda function.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- DynamoDB
- Lambda
- Amazon SES
- Step Functions

Serverless examples

Invoke a Lambda function from a DynamoDB trigger

The following code example shows how to implement a Lambda function that receives an event triggered by receiving records from a DynamoDB stream. The function retrieves the DynamoDB payload and logs the record contents.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [Serverless examples](#) repository.

Consuming a DynamoDB event with Lambda using Java.

```
import com.amazonaws.services.lambda.runtime.Context;
import com.amazonaws.services.lambda.runtime.RequestHandler;
import com.amazonaws.services.lambda.runtime.events.DynamodbEvent;
import
com.amazonaws.services.lambda.runtime.events.DynamodbEvent.DynamodbStreamRecord;
import com.google.gson.Gson;
import com.google.gson.GsonBuilder;

public class example implements RequestHandler<DynamodbEvent, Void> {

    private static final Gson GSON = new GsonBuilder().setPrettyPrinting().create();

    @Override
    public Void handleRequest(DynamodbEvent event, Context context) {
        System.out.println(GSON.toJson(event));
        event.getRecords().forEach(this::logDynamoDBRecord);
    }
}
```

```
        return null;
    }

    private void logDynamoDBRecord(DynamodbStreamRecord record) {
        System.out.println(record.getEventID());
        System.out.println(record.geteventName());
        System.out.println("DynamoDB Record: " + GSON.toJson(record.getDynamodb()));
    }
}
```

Reporting batch item failures for Lambda functions with a DynamoDB trigger

The following code example shows how to implement partial batch response for Lambda functions that receive events from a DynamoDB stream. The function reports the batch item failures in the response, signaling to Lambda to retry those messages later.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [Serverless examples](#) repository.

Reporting DynamoDB batch item failures with Lambda using Java.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
import com.amazonaws.services.lambda.runtime.Context;
import com.amazonaws.services.lambda.runtime.RequestHandler;
import com.amazonaws.services.lambda.runtime.events.DynamodbEvent;
import com.amazonaws.services.lambda.runtime.events.StreamsEventResponse;
import com.amazonaws.services.lambda.runtime.events.dynamodb.StreamRecord;

import java.io.Serializable;
import java.util.ArrayList;
import java.util.List;

public class ProcessDynamodbRecords implements RequestHandler<DynamodbEvent,
    Serializable> {
```

```
    @Override
    public StreamsEventResponse handleRequest(DynamodbEvent input, Context context)
    {

        List<StreamsEventResponse.BatchItemFailure> batchItemFailures = new
        ArrayList<>();
        String curRecordSequenceNumber = "";

        for (DynamodbEvent.DynamodbStreamRecord dynamodbStreamRecord :
        input.getRecords()) {
            try {
                //Process your record
                StreamRecord dynamodbRecord = dynamodbStreamRecord.getDynamodb();
                curRecordSequenceNumber = dynamodbRecord.getSequenceNumber();

            } catch (Exception e) {
                /* Since we are working with streams, we can return the failed item
                immediately.
                    Lambda will immediately begin to retry processing from this
                failed item onwards. */
                batchItemFailures.add(new
                StreamsEventResponse.BatchItemFailure(curRecordSequenceNumber));
            }
            return new StreamsEventResponse(batchItemFailures);
        }

        return new StreamsEventResponse();
    }
}
```

AWS community contributions

Build and test a serverless application

The following code example shows how to build and test a serverless application using API Gateway with Lambda and DynamoDB

SDK for Java 2.x

Shows how to build and test a serverless application that consists of an API Gateway with Lambda and DynamoDB using the Java SDK.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- API Gateway
- DynamoDB
- Lambda

Amazon EC2 examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon EC2.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello Amazon EC2

The following code examples show how to get started using Amazon EC2.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
```

```
* Asynchronously describes the security groups for the specified group ID.  
*  
* @param groupName the name of the security group to describe  
* @return a {@link CompletableFuture} that represents the asynchronous  
operation  
*      of describing the security groups. The future will complete with a  
*      {@link DescribeSecurityGroupsResponse} object that contains the  
*      security group information.  
*/  
public CompletableFuture<String> describeSecurityGroupArnByNameAsync(String  
groupName) {  
    DescribeSecurityGroupsRequest request =  
DescribeSecurityGroupsRequest.builder()  
        .groupNames(groupName)  
        .build();  
  
    DescribeSecurityGroupsPublisher paginator =  
getAsyncClient().describeSecurityGroupsPaginator(request);  
    AtomicReference<String> groupIdRef = new AtomicReference<>();  
    return paginator.subscribe(response -> {  
        response.securityGroups().stream()  
            .filter(securityGroup ->  
securityGroup.groupName().equals(groupName))  
                .findFirst()  
                .ifPresent(securityGroup ->  
groupIdRef.set(securityGroup.groupId()));  
    }).thenApply(v -> {  
        String groupId = groupIdRef.get();  
        if (groupId == null) {  
            throw new RuntimeException("No security group found with the name: "  
+ groupName);  
        }  
        return groupId;  
    }).exceptionally(ex -> {  
        logger.info("Failed to describe security group: " + ex.getMessage());  
        throw new RuntimeException("Failed to describe security group", ex);  
    });  
}
```

- For API details, see [DescribeSecurityGroups](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Basics](#)
- [Actions](#)
- [Scenarios](#)

Basics

Learn the basics

The following code example shows how to:

- Create a key pair and security group.
- Select an Amazon Machine Image (AMI) and compatible instance type, then create an instance.
- Stop and restart the instance.
- Associate an Elastic IP address with your instance.
- Connect to your instance with SSH, then clean up resources.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Run a scenario at a command prompt.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.services.ec2.model.CreateKeyPairResponse;
import software.amazon.awssdk.services.ec2.model.DeleteKeyPairResponse;
import software.amazon.awssdk.services.ec2.model.DescribeKeyPairsResponse;
import software.amazon.awssdk.services.ec2.model.DisassociateAddressResponse;
import software.amazon.awssdk.services.ec2.model.Ec2Exception;
import software.amazon.awssdk.services.ec2.model.ReleaseAddressResponse;
import software.amazon.awssdk.services.ssm.model.GetParametersByPathResponse;
import software.amazon.awssdk.services.ssm.model.Parameter;

import java.net.InetAddress;
```

```
import java.net.UnknownHostException;
import java.util.List;
import java.util.Scanner;
import java.util.concurrent.CompletableFuture;
import java.util.concurrent.CompletionException;

/**
 * Before running this Java (v2) code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 *
 * This Java example performs the following tasks:
 *
 * 1. Creates an RSA key pair and saves the private key data as a .pem file.
 * 2. Lists key pairs.
 * 3. Creates a security group for the default VPC.
 * 4. Displays security group information.
 * 5. Gets a list of Amazon Linux 2 AMIs and selects one.
 * 6. Gets additional information about the image.
 * 7. Gets a list of instance types that are compatible with the selected AMI's
 * architecture.
 * 8. Creates an instance with the key pair, security group, AMI, and an
 * instance type.
 * 9. Displays information about the instance.
 * 10. Stops the instance and waits for it to stop.
 * 11. Starts the instance and waits for it to start.
 * 12. Allocates an Elastic IP address and associates it with the instance.
 * 13. Displays SSH connection info for the instance.
 * 14. Disassociates and deletes the Elastic IP address.
 * 15. Terminates the instance and waits for it to terminate.
 * 16. Deletes the security group.
 * 17. Deletes the key pair.
 */
public class EC2Scenario {

    public static final String DASHES = new String(new char[80]).replace("\0", "-");
    private static final Logger logger = LoggerFactory.getLogger(EC2Scenario.class);
    public static void main(String[] args) throws InterruptedException,
UnknownHostException {
        logger.info(""""


```

Usage:

```
<keyName> <fileName> <groupName> <groupDesc>
```

Where:

```
keyName - A key pair name (for example, TestKeyPair).\s
fileName - A file name where the key information is written to.\s
groupName - The name of the security group.\s
groupDesc - The description of the security group.\s
""");
```

```
Scanner scanner = new Scanner(System.in);
EC2Actions ec2Actions = new EC2Actions();

String keyName = "TestKeyPair7" ;
String fileName = "ec2Key.pem";
String groupName = "TestSecGroup7" ;
String groupDesc = "Test Group" ;
String vpcId = ec2Actions.describeFirstEC2VpcAsync().join().vpcId();
InetAddress localAddress = InetAddress.getLocalHost();
String myIpAddress = localAddress.getHostAddress();

logger.info("""
    Amazon Elastic Compute Cloud (EC2) is a web service that provides
secure, resizable compute
    capacity in the cloud. It allows developers and organizations to easily
launch and manage
    virtual server instances, known as EC2 instances, to run their
applications.
```

EC2 provides a wide range of instance types, each with different compute, memory,
and storage capabilities, to meet the diverse needs of various workloads. Developers
can choose the appropriate instance type based on their application's requirements,
such as high-performance computing, memory-intensive tasks, or GPU-accelerated workloads.

The `Ec2AsyncClient` interface in the AWS SDK for Java 2.x provides a set of methods to programmatically interact with the Amazon EC2 service. This allows developers to automate the provisioning, management, and monitoring of EC2 instances as part of their

application deployment pipelines. With EC2, teams can focus on building and deploying their applications without having to worry about the underlying infrastructure required to host and manage physical servers.

This scenario walks you through how to perform key operations for this service.

Let's get started...

""");

```
waitForInputToContinue(scanner);
```

```
logger.info(DASHES);
```

```
logger.info(DASHES);
```

logger.info("1. Create an RSA key pair and save the private key material as a .pem file.");

```
logger.info("")
```

An RSA key pair for Amazon EC2 is a security mechanism used to authenticate and secure

access to your EC2 instances. It consists of a public key and a private key,

which are generated as a pair.

```
""");
```

```
waitForInputToContinue(scanner);
```

```
try {
```

```
CompletableFuture<CreateKeyPairResponse> future =  
ec2Actions.createKeyPairAsync(keyName, fileName);
```

```
CreateKeyPairResponse response = future.join();
```

```
logger.info("Key Pair successfully created. Key Fingerprint: " +  
response.keyFingerprint());
```

```
} catch (RuntimeException rt) {
```

```
Throwable cause = rt.getCause();
```

```
if (cause instanceof Ec2Exception ec2Ex) {
```

```
if (ec2Ex.getMessage().contains("already exists")) {
```

```
// Key pair already exists.
```

```
logger.info("The key pair '" + keyName + "' already exists.  
Moving on...");
```

```
} else {
```

```
logger.info("EC2 error occurred: Error message: {}, Error code  
{})", ec2Ex.getMessage(), ec2Ex.awsErrorDetails().errorCode());
```

```
return;
```

```
}
```

```
        } else {
            logger.info("An unexpected error occurred: " + (rt.getMessage()));
            return;
        }
    }
    waitForInputToContinue(scanner);
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("2. List key pairs.");
    waitForInputToContinue(scanner);
    try {
        CompletableFuture<DescribeKeyPairsResponse> future =
ec2Actions.describeKeysAsync();
        DescribeKeyPairsResponse keyPairsResponse = future.join();
        keyPairsResponse.keyPairs().forEach(keyPair -> logger.info(
            "Found key pair with name {} and fingerprint {}",
            keyPair.keyName(),
            keyPair.keyFingerprint()));

    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof Ec2Exception ec2Ex) {
            logger.info("EC2 error occurred: Error message: {}, Error code {}",
ec2Ex.getMessage(), ec2Ex.awsErrorDetails().errorCode());
            return;
        } else {
            logger.info("An unexpected error occurred: {}", (cause != null ?
cause.getMessage() : rt.getMessage()));
            return;
        }
    }
    waitForInputToContinue(scanner);
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("3. Create a security group.");
    logger.info("""
        An AWS EC2 Security Group is a virtual firewall that controls the
        inbound and outbound traffic to an EC2 instance. It acts as a first
line
        of defense for your EC2 instances, allowing you to specify the rules
that
        govern the network traffic entering and leaving your instances.
```

```
        """);
    waitForInputToContinue(scanner);
    String groupId = "";
    try {
        CompletableFuture<String> future =
ec2Actions.createSecurityGroupAsync(groupName, groupDesc, vpcId, myIpAddress);
        future.join();
        logger.info("Created security group") ;

    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof Ec2Exception ec2Ex) {
            if (ec2Ex.awsErrorDetails().errorMessage().contains("already
exists")) {
                logger.info("The Security Group already exists. Moving on...");
            } else {
                logger.error("An unexpected error occurred: {}",

ec2Ex.awsErrorDetails().errorMessage());
                return;
            }
        } else {
            logger.error("An unexpected error occurred: {}",

cause.getMessage());
            return;
        }
    }
    waitForInputToContinue(scanner);
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("4. Display security group information for the new security
group.");
    waitForInputToContinue(scanner);
    try {
        CompletableFuture<String> future =
ec2Actions.describeSecurityGroupArnByNameAsync(groupName);
        groupId = future.join();
        logger.info("The security group Id is "+groupId);

    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof Ec2Exception ec2Ex) {
            String errorCode = ec2Ex.awsErrorDetails().errorCode();
            if ("InvalidGroup.NotFound".equals(errorCode)) {
```

```
        logger.info("Security group '{}' does not exist. Error Code: {}",
        groupName, errorCode);
    } else {
        logger.info("EC2 error occurred: Message {}, Error Code: {}",
        ec2Ex.getMessage(), errorCode);
    }
} else {
    logger.info("An unexpected error occurred: {}", cause.getMessage());
}
}

waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("5. Get a list of Amazon Linux 2 AMIs and select one with amzn2
in the name.");
logger.info(""""

An Amazon EC2 AMI (Amazon Machine Image) is a pre-configured virtual
machine image that
    serves as a template for launching EC2 instances. It contains all the
necessary software and
    configurations required to run an application or operating system on an
EC2 instance.

""");
waitForInputToContinue(scanner);
String instanceAMI="";
try {
    CompletableFuture<GetParametersByPathResponse> future =
ec2Actions.getParaValuesAsync();
    GetParametersByPathResponse pathResponse = future.join();
    List<Parameter> parameterList = pathResponse.parameters();
    for (Parameter para : parameterList) {
        if (filterName(para.name())) {
            instanceAMI = para.value();
            break;
        }
    }
} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof Ec2Exception ec2Ex) {
        logger.info("EC2 error occurred: Message {}, Error Code:{}", 
        ec2Ex.getMessage(), ec2Ex.awsErrorDetails().errorCode());
        return;
    } else {
```

```
        logger.info("An unexpected error occurred: {}", cause.getMessage());
        return;
    }
}

logger.info("The AMI value with amzn2 is: {}", instanceAMI);
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("6. Get the (Amazon Machine Image) AMI value from the amzn2
image.");
logger.info(""""
    An AMI value represents a specific version of a virtual machine (VM) or
server image.
    It uniquely identifies a particular version of an EC2 instance, including
its operating system,
    pre-installed software, and any custom configurations. This allows you to
consistently deploy the same
    VM image across your infrastructure.

""");
waitForInputToContinue(scanner);
String amiValue;
try {
    CompletableFuture<String> future =
ec2Actions.describeImageAsync(instanceAMI);
    amiValue = future.join();

} catch (CompletionException ce) {
    Throwable cause = ce.getCause();
    if (cause instanceof Ec2Exception) {
        Ec2Exception ec2Ex = (Ec2Exception) cause;
        logger.info("EC2 error occurred: Message {}, Error Code:{}",
ec2Ex.getMessage(), ec2Ex.awsErrorDetails().errorCode());
        return;
    } else {
        logger.info("An unexpected error occurred: {}", cause.getMessage());
        return;
    }
}
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
```

```
        logger.info("7. Retrieves an instance type available in the current AWS
region.");
        waitForInputToContinue(scanner);
        String instanceType;
        try {
            CompletableFuture<String> future = ec2Actions.getInstanceTypesAsync();
            instanceType = future.join();
            if (!instanceType.isEmpty()) {
                logger.info("Found instance type: " + instanceType);
            } else {
                logger.info("Desired instance type not found.");
            }
        } catch (RuntimeException rt) {
            Throwable cause = rt.getCause();
            if (cause instanceof Ec2Exception ec2Ex) {
                logger.info("EC2 error occurred: Message {}, Error Code:{}",
ec2Ex.getMessage(), ec2Ex.awsErrorDetails().errorCode());
                return;
            } else {
                logger.info("An unexpected error occurred: {}", cause.getMessage());
                return;
            }
        }
        waitForInputToContinue(scanner);
        logger.info(DASHES);

        logger.info(DASHES);
        logger.info("8. Create an Amazon EC2 instance using the key pair, the
instance type, the security group, and the EC2 AMI value.");
        logger.info("Once the EC2 instance is created, it is placed into a running
state.");
        waitForInputToContinue(scanner);
        String newInstanceId;
        try {
            CompletableFuture<String> future =
ec2Actions.runInstanceAsync(instanceType, keyName, groupName, amiValue);
            newInstanceId = future.join();
        } catch (RuntimeException rt) {
            Throwable cause = rt.getCause();
            if (cause instanceof Ec2Exception) {
                Ec2Exception ec2Ex = (Ec2Exception) cause;
                switch (ec2Ex.awsErrorDetails().errorCode()) {
                    case "InvalidParameterValue":
```

```
        logger.info("EC2 error occurred: Message {}, Error Code:{}",
ec2Ex.getMessage(), ec2Ex.awsErrorDetails().errorCode());
        break;
    case "InsufficientInstanceCapacity":
        // Handle insufficient instance capacity.
        logger.info("Insufficient instance capacity: {}, {}",
ec2Ex.getMessage(), ec2Ex.awsErrorDetails().errorCode());
        break;
    case "InvalidGroup.NotFound":
        // Handle security group not found.
        logger.info("Security group not found: {}, {}",
ec2Ex.getMessage(), ec2Ex.awsErrorDetails().errorCode());
        break;
    default:
        logger.info("EC2 error occurred: {} (Code: {}",
ec2Ex.getMessage(), ec2Ex.awsErrorDetails().errorCode());
        break;
    }
    return;
} else {
    logger.info("An unexpected error occurred: {}", (cause != null ?
cause.getMessage() : rt.getMessage()));
    return;
}
}
logger.info("The instance Id is " + newInstanceId);
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("9. Display information about the running instance. ");

waitForInputToContinue(scanner);
String publicIp;
try {
    CompletableFuture<String> future =
ec2Actions.describeEC2InstancesAsync(newInstanceId);
    publicIp = future.join();
    logger.info("EC2 instance public IP {}", publicIp);
} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof Ec2Exception ec2Ex) {
        logger.info("EC2 error occurred: Message {}, Error Code:{}",
ec2Ex.getMessage(), ec2Ex.awsErrorDetails().errorCode());
```

```
        return;
    } else {
        logger.info("An unexpected error occurred: {}", cause.getMessage());
        return;
    }

}

logger.info("You can SSH to the instance using this command:");
logger.info("ssh -i " + fileName + " ec2-user@" + publicIp);
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("10. Stop the instance using a waiter (this may take a few
mins).");
// Remove the 2nd one
waitForInputToContinue(scanner);
try {
    CompletableFuture<Void> future =
ec2Actions.stopInstanceAsync(newInstanceId);
    future.join();

} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof Ec2Exception ec2Ex) {
        logger.info("EC2 error occurred: Message {}, Error Code:{}",
ec2Ex.getMessage(), ec2Ex.awsErrorDetails().errorCode());
        return;
    } else {
        logger.info("An unexpected error occurred: {}", cause.getMessage());
        return;
    }
}
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("11. Start the instance using a waiter (this may take a few
mins).");
try {
    CompletableFuture<Void> future =
ec2Actions.startInstanceAsync(newInstanceId);
    future.join();
```

```
        } catch (RuntimeException rt) {
            Throwable cause = rt.getCause();
            if (cause instanceof Ec2Exception ec2Ex) {
                // Handle EC2 exceptions.
                logger.info("EC2 error occurred: Message {}, Error Code:{}",
                           ec2Ex.getMessage(), ec2Ex.awsErrorDetails().errorCode());
                return;
            } else {
                logger.info("An unexpected error occurred: {}", cause.getMessage());
                return;
            }
        }
    }
    waitForInputToContinue(scanner);
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("12. Allocate an Elastic IP address and associate it with the
instance.");
    logger.info(""""
        An Elastic IP address is a static public IP address that you can
associate with your EC2 instance.
        This allows you to have a fixed, predictable IP address that remains the
same even if your instance
        is stopped, terminated, or replaced.
        This is particularly useful for applications or services that need to be
accessed consistently from a
        known IP address.

        An EC2 Allocation ID (also known as a Reserved Instance Allocation
ID) is a unique identifier associated with a Reserved Instance (RI) that you have
purchased in AWS.

        When you purchase a Reserved Instance, AWS assigns a unique Allocation
ID to it.
        This Allocation ID is used to track and identify the specific RI you
have purchased,
        and it is important for managing and monitoring your Reserved Instances.

        """);
    waitForInputToContinue(scanner);
    String allocationId;
    try {
        CompletableFuture<String> future = ec2Actions.allocateAddressAsync();
```

```
        allocationId = future.join();
        logger.info("Successfully allocated address with ID: " +allocationId);
    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof Ec2Exception ec2Ex) {
            logger.info("EC2 error occurred: Message {}, Error Code:{}",
ec2Ex.getMessage(), ec2Ex.awsErrorDetails().errorCode());
            return;
        } else {
            logger.info("An unexpected error occurred: {}", cause.getMessage());
            return;
        }
    }
    logger.info("The allocation Id value is " + allocationId);
    waitForInputToContinue(scanner);
    String associationId;
    try {
        CompletableFuture<String> future =
ec2Actions.associateAddressAsync(newInstanceId, allocationId);
        associationId = future.join();
        logger.info("Successfully associated address with ID: " +associationId);
    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof Ec2Exception ec2Ex) {
            logger.info("EC2 error occurred: Message {}, Error Code:{}",
ec2Ex.getMessage(), ec2Ex.awsErrorDetails().errorCode());
            return;
        } else {
            logger.info("An unexpected error occurred: {}", cause.getMessage());
            return;
        }
    }
    waitForInputToContinue(scanner);
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("13. Describe the instance again. Note that the public IP
address has changed");
    waitForInputToContinue(scanner);
    try {
        CompletableFuture<String> future =
ec2Actions.describeEC2InstancesAsync(newInstanceId);
        publicIp = future.join();
        logger.info("EC2 instance public IP: " + publicIp);
```

```
        logger.info("You can SSH to the instance using this command:");
        logger.info("ssh -i " + fileName + " ec2-user@" + publicIp);
    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof Ec2Exception ec2Ex) {
            logger.info("EC2 error occurred: Message {}, Error Code:{}",
ec2Ex.getMessage(), ec2Ex.awsErrorDetails().errorCode());
            return;
        } else {
            logger.info("An unexpected error occurred: {}", cause.getMessage());
            return;
        }
    }
    waitForInputToContinue(scanner);
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("14. Disassociate and release the Elastic IP address.");
    waitForInputToContinue(scanner);
    try {
        CompletableFuture<DisassociateAddressResponse> future =
ec2Actions.disassociateAddressAsync(associationId);
        future.join();
        logger.info("Address successfully disassociated.");
    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof Ec2Exception ec2Ex) {
            // Handle EC2 exceptions.
            logger.info("EC2 error occurred: Message {}, Error Code:{}",
ec2Ex.getMessage(), ec2Ex.awsErrorDetails().errorCode());
            return;
        } else {
            logger.info("An unexpected error occurred: {}", cause.getMessage());
            return;
        }
    }
    waitForInputToContinue(scanner);
    try {
        CompletableFuture<ReleaseAddressResponse> future =
ec2Actions.releaseEC2AddressAsync(allocationId);
        future.join(); // Wait for the operation to complete
        logger.info("Elastic IP address successfully released.");
    } catch (RuntimeException rte) {
        logger.info("An unexpected error occurred: {}", rte.getMessage());
```

```
        return;
    }
    waitForInputToContinue(scanner);
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("15. Terminate the instance and use a waiter (this may take a
few mins).");
    waitForInputToContinue(scanner);
    try {
        CompletableFuture<Object> future =
ec2Actions.terminateEC2Async(newInstanceId);
        future.join();
        logger.info("EC2 instance successfully terminated.");
    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof Ec2Exception ec2Ex) {
            // Handle EC2 exceptions.
            logger.info("EC2 error occurred: Message {}, Error Code:{}",
ec2Ex.getMessage(), ec2Ex.awsErrorDetails().errorCode());
            return;
        } else {
            logger.info("An unexpected error occurred: {}", cause.getMessage());
            return;
        }
    }
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("16. Delete the security group.");
    waitForInputToContinue(scanner);
    try {
        CompletableFuture<Void> future =
ec2Actions.deleteEC2SecGroupAsync(groupId);
        future.join();
        logger.info("Security group successfully deleted.");
    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof Ec2Exception ec2Ex) {
            logger.info("EC2 error occurred: Message {}, Error Code:{}",
ec2Ex.getMessage(), ec2Ex.awsErrorDetails().errorCode());
            return;
        } else {
            logger.info("An unexpected error occurred: {}", cause.getMessage());
        }
    }
}
```

```
        return;
    }
}

waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("17. Delete the key.");
waitForInputToContinue(scanner);
try {
    CompletableFuture<DeleteKeyPairResponse> future =
ec2Actions.deleteKeysAsync(keyName);
    future.join();
    logger.info("Successfully deleted key pair named " + keyName);
} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof Ec2Exception ec2Ex) {
        logger.info("EC2 error occurred: Message {}, Error Code:{}",
ec2Ex.getMessage(), ec2Ex.awsErrorDetails().errorCode());
        return;
    } else {
        logger.info("An unexpected error occurred: {}", cause.getMessage());
        return;
    }
}
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("You successfully completed the Amazon EC2 scenario.");
logger.info(DASHES);
}

public static boolean filterName(String name) {
    String[] parts = name.split("/");
    String myValue = parts[4];
    return myValue.contains("amzn2");
}

private static void waitForInputToContinue(Scanner scanner) {
    while (true) {
        logger.info("");
        logger.info("Enter 'c' followed by <ENTER> to continue:");
        String input = scanner.nextLine();
```

```
        if (input.trim().equalsIgnoreCase("c")) {
            logger.info("Continuing with the program...");
            logger.info("");
            break;
        } else {
            // Handle invalid input.
            logger.info("Invalid input. Please try again.");
        }
    }
}
```

Define a class that wraps EC2 actions.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.core.client.config.ClientOverrideConfiguration;
import software.amazon.awssdk.http.async.SdkAsyncHttpClient;
import software.amazon.awssdk.http.nio.netty.NettyNioAsyncHttpClient;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ec2.Ec2AsyncClient;
import software.amazon.awssdk.services.ec2.model.AllocateAddressRequest;
import software.amazon.awssdk.services.ec2.model.AllocateAddressResponse;
import software.amazon.awssdk.services.ec2.model.AssociateAddressRequest;
import software.amazon.awssdk.services.ec2.model.AssociateAddressResponse;
import
software.amazon.awssdk.services.ec2.model.AuthorizeSecurityGroupIngressRequest;
import software.amazon.awssdk.services.ec2.model.CreateKeyPairRequest;
import software.amazon.awssdk.services.ec2.model.CreateKeyPairResponse;
import software.amazon.awssdk.services.ec2.model.CreateSecurityGroupRequest;
import software.amazon.awssdk.services.ec2.model.DeleteKeyPairRequest;
import software.amazon.awssdk.services.ec2.model.DeleteKeyPairResponse;
import software.amazon.awssdk.services.ec2.model.DeleteSecurityGroupRequest;
import software.amazon.awssdk.services.ec2.model.DeleteSecurityGroupResponse;
import software.amazon.awssdk.services.ec2.model.DescribeImagesRequest;
import software.amazon.awssdk.services.ec2.model.DescribeInstanceTypesRequest;
import software.amazon.awssdk.services.ec2.model.DescribeInstanceTypesResponse;
import software.amazon.awssdk.services.ec2.model.DescribeInstancesRequest;
import software.amazon.awssdk.services.ec2.model.DescribeKeyPairsResponse;
import software.amazon.awssdk.services.ec2.model.DescribeSecurityGroupsRequest;
import software.amazon.awssdk.services.ec2.model.DescribeSecurityGroupsResponse;
import software.amazon.awssdk.services.ec2.model.DescribeVpcsRequest;
```

```
import software.amazon.awssdk.services.ec2.model.DisassociateAddressRequest;
import software.amazon.awssdk.services.ec2.model.DisassociateAddressResponse;
import software.amazon.awssdk.services.ec2.model.DomainType;
import software.amazon.awssdk.services.ec2.model.Ec2Exception;
import software.amazon.awssdk.services.ec2.model.Filter;
import software.amazon.awssdk.services.ec2.model.InstanceTypeInfo;
import software.amazon.awssdk.services.ec2.model.IpPermission;
import software.amazon.awssdk.services.ec2.model.IpRange;
import software.amazon.awssdk.services.ec2.model.ReleaseAddressRequest;
import software.amazon.awssdk.services.ec2.model.ReleaseAddressResponse;
import software.amazon.awssdk.services.ec2.model.RunInstancesRequest;
import software.amazon.awssdk.services.ec2.model.RunInstancesResponse;
import software.amazon.awssdk.services.ec2.model.StopInstancesRequest;
import software.amazon.awssdk.services.ec2.model.StartInstancesRequest;
import software.amazon.awssdk.services.ec2.model.TerminateInstancesRequest;
import software.amazon.awssdk.services.ec2.model.Vpc;
import software.amazon.awssdk.services.ec2.paginators.DescribeImagesPublisher;
import software.amazon.awssdk.services.ec2.paginators.DescribeInstancesPublisher;
import
software.amazon.awssdk.services.ec2.paginators.DescribeSecurityGroupsPublisher;
import software.amazon.awssdk.services.ec2.paginators.DescribeVpcsPublisher;
import software.amazon.awssdk.services.ec2.waiters.Ec2AsyncWaiter;
import software.amazon.awssdk.services.ssm.SsmAsyncClient;
import software.amazon.awssdk.services.ssm.model.GetParametersByPathRequest;
import software.amazon.awssdk.services.ssm.model.GetParametersByPathResponse;
import software.amazon.awssdk.services.ec2.model.TerminateInstancesResponse;
import java.io.BufferedWriter;
import java.io.FileWriter;
import java.io.IOException;
import java.time.Duration;
import java.util.List;
import java.util.concurrent.CompletableFuture;
import java.util.concurrent.CompletionException;
import java.util.concurrent.atomic.AtomicReference;

public class EC2Actions {
    private static final Logger logger = LoggerFactory.getLogger(EC2Actions.class);
    private static Ec2AsyncClient ec2AsyncClient;

    /**
     * Retrieves an asynchronous Amazon Elastic Container Registry (ECR) client.
     *
     * @return the configured ECR asynchronous client.
     */
}
```

```
private static Ec2AsyncClient getAsyncClient() {
    if (ec2AsyncClient == null) {
        /*
         * The `NettyNioAsyncHttpClient` class is part of the AWS SDK for Java,
         * version 2,
         * and it is designed to provide a high-performance, asynchronous HTTP
         * client for interacting with AWS services.
         *
         * It uses the Netty framework to handle the underlying network
         * communication and the Java NIO API to
         * provide a non-blocking, event-driven approach to HTTP requests and
         * responses.
        */
        SdkAsyncHttpClient httpClient = NettyNioAsyncHttpClient.builder()
            .maxConcurrency(50) // Adjust as needed.
            .connectionTimeout(Duration.ofSeconds(60)) // Set the connection
            timeout.
            .readTimeout(Duration.ofSeconds(60)) // Set the read timeout.
            .writeTimeout(Duration.ofSeconds(60)) // Set the write timeout.
            .build();

        ClientOverrideConfiguration overrideConfig =
        ClientOverrideConfiguration.builder()
            .apiCallTimeout(Duration.ofMinutes(2)) // Set the overall API call
            timeout.
            .apiCallAttemptTimeout(Duration.ofSeconds(90)) // Set the
            individual call attempt timeout.
            .build();

        ec2AsyncClient = Ec2AsyncClient.builder()
            .region(Region.US_EAST_1)
            .httpClient(httpClient)
            .overrideConfiguration(overrideConfig)
            .build();
    }
    return ec2AsyncClient;
}

/**
 * Deletes a key pair asynchronously.
 *
 * @param keyPair the name of the key pair to delete
 * @return a {@link CompletableFuture} that represents the result of the
 * asynchronous operation.
*/
```

```
*           The {@link CompletableFuture} will complete with a {@link
DeleteKeyPairResponse} object
*
*           that provides the result of the key pair deletion operation.
*/
public CompletableFuture<DeleteKeyPairResponse> deleteKeysAsync(String keyPair)
{
    DeleteKeyPairRequest request = DeleteKeyPairRequest.builder()
        .keyName(keyPair)
        .build();

    // Initiate the asynchronous request to delete the key pair.
    CompletableFuture<DeleteKeyPairResponse> response =
getAsyncClient().deleteKeyPair(request);
    return response.whenComplete((resp, ex) -> {
        if (ex != null) {
            throw new RuntimeException("Failed to delete key pair: " + keyPair,
ex);
        } else if (resp == null) {
            throw new RuntimeException("No response received for deleting key
pair: " + keyPair);
        }
    });
}

/**
 * Deletes an EC2 security group asynchronously.
 *
 * @param groupId the ID of the security group to delete
 * @return a CompletableFuture that completes when the security group is deleted
 */
public CompletableFuture<Void> deleteEC2SecGroupAsync(String groupId) {
    DeleteSecurityGroupRequest request = DeleteSecurityGroupRequest.builder()
        .groupId(groupId)
        .build();

    CompletableFuture<DeleteSecurityGroupResponse> response =
getAsyncClient().deleteSecurityGroup(request);
    return response.whenComplete((resp, ex) -> {
        if (ex != null) {
            throw new RuntimeException("Failed to delete security group with Id
" + groupId, ex);
        } else if (resp == null) {
            throw new RuntimeException("No response received for deleting
security group with Id " + groupId);
    });
}
```

```
        }
    }).thenApply(resp -> null);
}

/**
 * Terminates an EC2 instance asynchronously and waits for it to reach the
terminated state.
*
 * @param instanceId the ID of the EC2 instance to terminate
 * @return a {@link CompletableFuture} that completes when the instance has been
terminated
 * @throws RuntimeException if there is no response from the AWS SDK or if there
is a failure during the termination process
*/
public CompletableFuture<Object> terminateEC2Async(String instanceId) {
    TerminateInstancesRequest terminateRequest =
TerminateInstancesRequest.builder()
    .instanceIds(instanceId)
    .build();

    CompletableFuture<TerminateInstancesResponse> responseFuture =
getAsyncClient().terminateInstances(terminateRequest);
    return responseFuture.thenCompose(terminateResponse -> {
        if (terminateResponse == null) {
            throw new RuntimeException("No response received for terminating
instance " + instanceId);
        }
        System.out.println("Going to terminate an EC2 instance and use a waiter
to wait for it to be in terminated state");
        return getAsyncClient().waiter()
            .waitUntilInstanceTerminated(r -> r.instanceIds(instanceId))
            .thenApply(waiterResponse -> null);
    }).exceptionally(throwable -> {
        // Handle any exceptions that occurred during the async call
        throw new RuntimeException("Failed to terminate EC2 instance: " +
throwable.getMessage(), throwable);
    });
}

/**
 * Releases an Elastic IP address asynchronously.
*
 * @param allocId the allocation ID of the Elastic IP address to be released
```

```
* @return a {@link CompletableFuture} representing the asynchronous operation
of releasing the Elastic IP address
*/
public CompletableFuture<ReleaseAddressResponse> releaseEC2AddressAsync(String
allocId) {
    ReleaseAddressRequest request = ReleaseAddressRequest.builder()
        .allocationId(allocId)
        .build();

    CompletableFuture<ReleaseAddressResponse> response =
getAsyncClient().releaseAddress(request);
    response.whenComplete((resp, ex) -> {
        if (ex != null) {
            throw new RuntimeException("Failed to release Elastic IP address",
ex);
        }
    });

    return response;
}

/**
 * Disassociates an Elastic IP address from an instance asynchronously.
 *
 * @param associationId The ID of the association you want to disassociate.
 * @return a {@link CompletableFuture} representing the asynchronous operation
of disassociating the address. The
 *         {@link CompletableFuture} will complete with a {@link
DisassociateAddressResponse} when the operation is
 *         finished.
 * @throws RuntimeException if the disassociation of the address fails.
 */
public CompletableFuture<DisassociateAddressResponse>
disassociateAddressAsync(String associationId) {
    Ec2AsyncClient ec2 = getAsyncClient();
    DisassociateAddressRequest addressRequest =
DisassociateAddressRequest.builder()
        .associationId(associationId)
        .build();

    // Disassociate the address asynchronously.
    CompletableFuture<DisassociateAddressResponse> response =
ec2.disassociateAddress(addressRequest);
    response.whenComplete((resp, ex) -> {
```

```
        if (ex != null) {
            throw new RuntimeException("Failed to disassociate address", ex);
        }
    });

    return response;
}

/**
 * Associates an Elastic IP address with an EC2 instance asynchronously.
 *
 * @param instanceId      the ID of the EC2 instance to associate the Elastic IP
 * address with
 * @param allocationId   the allocation ID of the Elastic IP address to associate
 * @return a {@link CompletableFuture} that completes with the association ID
 * when the operation is successful,
 *         or throws a {@link RuntimeException} if the operation fails
 */
public CompletableFuture<String> associateAddressAsync(String instanceId, String
allocationId) {
    AssociateAddressRequest associateRequest = AssociateAddressRequest.builder()
        .instanceId(instanceId)
        .allocationId(allocationId)
        .build();

    CompletableFuture<AssociateAddressResponse> responseFuture =
getAsyncClient().associateAddress(associateRequest);
    return responseFuture.thenApply(response -> {
        if (response.associationId() != null) {
            return response.associationId();
        } else {
            throw new RuntimeException("Association ID is null after associating
address.");
        }
    }).whenComplete((result, ex) -> {
        if (ex != null) {
            throw new RuntimeException("Failed to associate address", ex);
        }
    });
}

/**
 * Allocates an Elastic IP address asynchronously in the VPC domain.
 *
```

```
* @return a {@link CompletableFuture} containing the allocation ID of the
allocated Elastic IP address
*/
public CompletableFuture<String> allocateAddressAsync() {
    AllocateAddressRequest allocateRequest = AllocateAddressRequest.builder()
        .domain(DomainType.VPC)
        .build();

    CompletableFuture<AllocateAddressResponse> responseFuture =
getAsyncClient().allocateAddress(allocateRequest);
    return
responseFuture.thenApply(AllocateAddressResponse::allocationId).whenComplete((result,
ex) -> {
        if (ex != null) {
            throw new RuntimeException("Failed to allocate address", ex);
        }
    });
}

/**
 * Asynchronously describes the state of an EC2 instance.
 * The paginator helps you iterate over multiple pages of results.
 *
 * @param newInstanceId the ID of the EC2 instance to describe
 * @return a {@link CompletableFuture} that, when completed, contains a string
describing the state of the EC2 instance
 */
public CompletableFuture<String> describeEC2InstancesAsync(String newInstanceId)
{
    DescribeInstancesRequest request = DescribeInstancesRequest.builder()
        .instanceIds(newInstanceId)
        .build();

    DescribeInstancesPublisher paginator =
getAsyncClient().describeInstancesPaginator(request);
    AtomicReference<String> publicIpAddressRef = new AtomicReference<>();
    return paginator.subscribe(response -> {
        response.reservations().stream()
            .flatMap(reservation -> reservation.instances().stream())
            .filter(instance -> instance.instanceId().equals(newInstanceId))
            .findFirst()
            .ifPresent(instance ->
publicIpAddressRef.set(instance.publicIpAddress()));
    }).thenApply(v -> {
```

```
        String publicIpAddress = publicIpAddressRef.get();
        if (publicIpAddress == null) {
            throw new RuntimeException("Instance with ID " + newInstanceId + " not found.");
        }
        return publicIpAddress;
    }).exceptionally(ex -> {
        logger.info("Failed to describe instances: " + ex.getMessage());
        throw new RuntimeException("Failed to describe instances", ex);
    });
}

/**
 * Runs an EC2 instance asynchronously.
 *
 * @param instanceType The instance type to use for the EC2 instance.
 * @param keyName The name of the key pair to associate with the EC2 instance.
 * @param groupName The name of the security group to associate with the EC2 instance.
 * @param amiId The ID of the Amazon Machine Image (AMI) to use for the EC2 instance.
 * @return A {@link CompletableFuture} that completes with the ID of the started EC2 instance.
 * @throws RuntimeException If there is an error running the EC2 instance.
 */
public CompletableFuture<String> runInstancesAsync(String instanceType, String keyName, String groupName, String amiId) {
    RunInstancesRequest runRequest = RunInstancesRequest.builder()
        .instanceType(instanceType)
        .keyName(keyName)
        .securityGroups(groupName)
        .maxCount(1)
        .minCount(1)
        .imageId(amiId)
        .build();

    CompletableFuture<RunInstancesResponse> responseFuture =
    getAsyncClient().runInstances(runRequest);
    return responseFuture.thenCompose(response -> {
        String instanceIdVal = response.instances().get(0).instanceId();
        System.out.println("Going to start an EC2 instance and use a waiter to wait for it to be in running state");
        return getAsyncClient().waiter()
            .waitUntilInstanceState(r -> r.instanceIds(instanceIdVal))
    });
}
```

```
        .thenCompose(waitResponse -> getAsyncClient().waiter()
            .waitUntilInstanceRunning(r -> r.instanceIds(instanceIdVal))
            .thenApply(runningResponse -> instanceIdVal));
    }).exceptionally(throwable -> {
    // Handle any exceptions that occurred during the async call
    throw new RuntimeException("Failed to run EC2 instance: " +
throwable.getMessage(), throwable);
});

}

/***
 * Asynchronously retrieves the instance types available in the current AWS
region.
 * <p>
 * This method uses the AWS SDK's asynchronous API to fetch the available
instance types
 * and then processes the response. It logs the memory information, network
information,
 * and instance type for each instance type returned. Additionally, it returns a
 * {@link CompletableFuture} that resolves to the instance type string for the
"t2.2xlarge"
 * instance type, if it is found in the response. If the "t2.2xlarge" instance
type is not
 * found, an empty string is returned.
 * </p>
 *
 * @return a {@link CompletableFuture} that resolves to the instance type string
for the
 * "t2.2xlarge" instance type, or an empty string if the instance type is not
found
 */
public CompletableFuture<String> getInstanceTypesAsync() {
    DescribeInstanceTypesRequest typesRequest =
DescribeInstanceTypesRequest.builder()
    .maxResults(10)
    .build();

    CompletableFuture<DescribeInstanceTypesResponse> response =
getAsyncClient().describeInstanceTypes(typesRequest);
    response.whenComplete((resp, ex) -> {
        if (resp != null) {
            List<InstanceTypeInfo> instanceTypes = resp.instanceTypes();
            for (InstanceTypeInfo type : instanceTypes) {
```

```
        logger.info("The memory information of this type is " +
type.memoryInfo().sizeInMiB());
        logger.info("Network information is " +
type.networkInfo().toString());
        logger.info("Instance type is " +
type.instanceType().toString());
    }
} else {
    throw (RuntimeException) ex;
}
});

return response.thenApply(resp -> {
    for (InstanceTypeInfo type : resp.instanceTypes()) {
        String instanceType = type.instanceType().toString();
        if (instanceType.equals("t2.2xlarge")) {
            return instanceType;
        }
    }
    return "";
});
}

/**
 * Asynchronously describes an AWS EC2 image with the specified image ID.
 *
 * @param imageId the ID of the image to be described
 * @return a {@link CompletableFuture} that, when completed, contains the ID of
the described image
 * @throws RuntimeException if no images are found with the provided image ID,
or if an error occurs during the AWS API call
 */
public CompletableFuture<String> describeImageAsync(String imageId) {
    DescribeImagesRequest imagesRequest = DescribeImagesRequest.builder()
        .imageIds(imageId)
        .build();

    AtomicReference<String> imageIdRef = new AtomicReference<>();
    DescribeImagesPublisher paginator =
getAsyncClient().describeImagesPaginator(imagesRequest);
    return paginator.subscribe(response -> {
        response.images().stream()
            .filter(image -> image.imageId().equals(imageId))
            .findFirst()
```

```
        .ifPresent(image -> {
            logger.info("The description of the image is " +
image.description());
            logger.info("The name of the image is " + image.name());
            imageIdRef.set(image.imageId());
        });
    }).thenApply(v -> {
    String id = imageIdRef.get();
    if (id == null) {
        throw new RuntimeException("No images found with the provided image
ID.");
    }
    return id;
}).exceptionally(ex -> {
    logger.info("Failed to describe image: " + ex.getMessage());
    throw new RuntimeException("Failed to describe image", ex);
});
}

/**
 * Retrieves the parameter values asynchronously using the AWS Systems Manager
 * (SSM) API.
 *
 * @return a {@link CompletableFuture} that holds the response from the SSM API
 * call to get parameters by path
 */
public CompletableFuture<GetParametersByPathResponse> getParaValuesAsync() {
    SsmAsyncClient ssmClient = SsmAsyncClient.builder()
        .region(Region.US_EAST_1)
        .build();

    GetParametersByPathRequest parameterRequest =
GetParametersByPathRequest.builder()
        .path("/aws/service/ami-amazon-linux-latest")
        .build();

    // Create a CompletableFuture to hold the final result.
    CompletableFuture<GetParametersByPathResponse> responseFuture = new
CompletableFuture<>();
    ssmClient.getParametersByPath(parameterRequest)
        .whenComplete((response, exception) -> {
            if (exception != null) {
                responseFuture.completeExceptionally(new
RuntimeException("Failed to get parameters by path", exception));
            }
        });
}
```

```
        } else {
            responseFuture.complete(response);
        }
    });

    return responseFuture;
}

/**
 * Asynchronously describes the security groups for the specified group ID.
 *
 * @param groupName the name of the security group to describe
 * @return a {@link CompletableFuture} that represents the asynchronous
 * operation
 *
 *      of describing the security groups. The future will complete with a
 *      {@link DescribeSecurityGroupsResponse} object that contains the
 *      security group information.
 */
public CompletableFuture<String> describeSecurityGroupArnByNameAsync(String
groupName) {
    DescribeSecurityGroupsRequest request =
DescribeSecurityGroupsRequest.builder()
    .groupNames(groupName)
    .build();

    DescribeSecurityGroupsPublisher paginator =
getAsyncClient().describeSecurityGroupsPaginator(request);
    AtomicReference<String> groupIdRef = new AtomicReference<>();
    return paginator.subscribe(response -> {
        response.securityGroups().stream()
            .filter(securityGroup ->
securityGroup.groupName().equals(groupName))
            .findFirst()
            .ifPresent(securityGroup ->
groupIdRef.set(securityGroup.groupId()));
    }).thenApply(v -> {
        String groupId = groupIdRef.get();
        if (groupId == null) {
            throw new RuntimeException("No security group found with the name: "
+ groupName);
        }
        return groupId;
    }).exceptionally(ex -> {
```

```
        logger.info("Failed to describe security group: " + ex.getMessage());
        throw new RuntimeException("Failed to describe security group", ex);
    });

/***
 * Creates a new security group asynchronously with the specified group name,
description, and VPC ID. It also
 * authorizes inbound traffic on ports 80 and 22 from the specified IP address.
 *
 * @param groupName      the name of the security group to create
 * @param groupDesc      the description of the security group
 * @param vpcId          the ID of the VPC in which to create the security group
 * @param myIpAddress    the IP address from which to allow inbound traffic (e.g.,
"192.168.1.1/0" to allow traffic from
 *
 *                               any IP address in the 192.168.1.0/24 subnet)
 * @return a CompletableFuture that, when completed, returns the ID of the
created security group
 * @throws RuntimeException if there was a failure creating the security group
or authorizing the inbound traffic
 */
public CompletableFuture<String> createSecurityGroupAsync(String groupName,
String groupDesc, String vpcId, String myIpAddress) {
    CreateSecurityGroupRequest createRequest =
CreateSecurityGroupRequest.builder()
    .groupName(groupName)
    .description(groupDesc)
    .vpcId(vpcId)
    .build();

    return getAsyncClient().createSecurityGroup(createRequest)
    .thenCompose(createResponse -> {
        String groupId = createResponse.groupId();
        IpRange ipRange = IpRange.builder()
            .cidrIp(myIpAddress + "/32")
            .build();

        IpPermission ipPerm = IpPermission.builder()
            .ipProtocol("tcp")
            .toPort(80)
            .fromPort(80)
            .ipRanges(ipRange)
            .build();
    });
}
```

```
        IpPermission ipPerm2 = IpPermission.builder()
            .ipProtocol("tcp")
            .toPort(22)
            .fromPort(22)
            .ipRanges(ipRange)
            .build();

        AuthorizeSecurityGroupIngressRequest authRequest =
    AuthorizeSecurityGroupIngressRequest.builder()
        .groupName(groupName)
        .ipPermissions(ipPerm, ipPerm2)
        .build();

        return getAsyncClient().authorizeSecurityGroupIngress(authRequest)
            .thenApply(authResponse -> groupId);
    })
    .whenComplete((result, exception) -> {
        if (exception != null) {
            if (exception instanceof CompletionException &&
exception.getCause() instanceof Ec2Exception) {
                throw (Ec2Exception) exception.getCause();
            } else {
                throw new RuntimeException("Failed to create security group:
" + exception.getMessage(), exception);
            }
        }
    });
}

/**
 * Asynchronously describes the key pairs associated with the current AWS
account.
 *
 * @return a {@link CompletableFuture} containing the {@link
DescribeKeyPairsResponse} object, which provides
 * information about the key pairs.
 */
public CompletableFuture<DescribeKeyPairsResponse> describeKeysAsync() {
    CompletableFuture<DescribeKeyPairsResponse> responseFuture =
getAsyncClient().describeKeyPairs();
    responseFuture.whenComplete((response, exception) -> {
        if (exception != null) {
            throw new RuntimeException("Failed to describe key pairs: " +
exception.getMessage(), exception);
    }
})
```

```
        }

    });

    return responseFuture;
}

/***
 * Creates a new key pair asynchronously.
 *
 * @param keyName the name of the key pair to create
 * @param fileName the name of the file to write the key material to
 * @return a {@link CompletableFuture} that represents the asynchronous
operation
 *         of creating the key pair and writing the key material to a file
 */
public CompletableFuture<CreateKeyPairResponse> createKeyPairAsync(String
keyName, String fileName) {
    CreateKeyPairRequest request = CreateKeyPairRequest.builder()
        .keyName(keyName)
        .build();

    CompletableFuture<CreateKeyPairResponse> responseFuture =
getAsyncClient().createKeyPair(request);
    responseFuture.whenComplete((response, exception) -> {
        if (response != null) {
            try {
                BufferedWriter writer = new BufferedWriter(new
FileWriter(fileName));
                    writer.write(response.keyMaterial());
                    writer.close();
            } catch (IOException e) {
                throw new RuntimeException("Failed to write key material to
file: " + e.getMessage(), e);
            }
        } else {
            throw new RuntimeException("Failed to create key pair: " +
exception.getMessage(), exception);
        }
    });
}

return responseFuture;
}

/***
```

```
* Describes the first default VPC asynchronously and using a paginator.  
*  
* @return a {@link CompletableFuture} that, when completed, contains the first  
default VPC found.\n */  
public CompletableFuture<Vpc> describeFirstEC2VpcAsync() {  
    Filter myFilter = Filter.builder()  
        .name("is-default")  
        .values("true")  
        .build();  
  
    DescribeVpcsRequest request = DescribeVpcsRequest.builder()  
        .filters(myFilter)  
        .build();  
  
    DescribeVpcsPublisher paginator =  
getAsyncClient().describeVpcsPaginator(request);  
    AtomicReference<Vpc> vpcRef = new AtomicReference<>();  
    return paginator.subscribe(response -> {  
        response.vpcs().stream()  
            .findFirst()  
            .ifPresent(vpcRef::set);  
    }).thenApply(v -> {  
        Vpc vpc = vpcRef.get();  
        if (vpc == null) {  
            throw new RuntimeException("Default VPC not found");  
        }  
        return vpc;  
    }).exceptionally(ex -> {  
        logger.info("Failed to describe VPCs: " + ex.getMessage());  
        throw new RuntimeException("Failed to describe VPCs", ex);  
    });  
}  
  
/**  
 * Stops the EC2 instance with the specified ID asynchronously and waits for the  
instance to stop.  
*  
* @param instanceId the ID of the EC2 instance to stop  
* @return a {@link CompletableFuture} that completes when the instance has been  
stopped, or exceptionally if an error occurs  
*/  
public CompletableFuture<Void> stopInstanceAsync(String instanceId) {  
    StopInstancesRequest stopRequest = StopInstancesRequest.builder()
```

```
.instanceIds(instanceId)
.build();

DescribeInstancesRequest describeRequest =
DescribeInstancesRequest.builder()
    .instanceIds(instanceId)
    .build();

Ec2AsyncWaiter ec2Waiter = Ec2AsyncWaiter.builder()
    .client(getAsyncClient())
    .build();

CompletableFuture<Void> resultFuture = new CompletableFuture<>();
logger.info("Stopping instance " + instanceId + " and waiting for it to
stop.");
getAsyncClient().stopInstances(stopRequest)
    .thenCompose(response -> {
        if (response.stoppingInstances().isEmpty()) {
            return CompletableFuture.failedFuture(new RuntimeException("No
instances were stopped. Please check the instance ID: " + instanceId));
        }
        return ec2Waiter.waitUntilInstanceStopped(describeRequest);
    })
    .thenAccept(waiterResponse -> {
        logger.info("Successfully stopped instance " + instanceId);
        resultFuture.complete(null);
    })
    .exceptionally(throwable -> {
        logger.error("Failed to stop instance " + instanceId + ": " +
throwable.getMessage(), throwable);
        resultFuture.completeExceptionally(new RuntimeException("Failed to
stop instance: " + throwable.getMessage(), throwable));
        return null;
    });
}

return resultFuture;
}

/**
 * Starts an Amazon EC2 instance asynchronously and waits until it is in the
"running" state.
*
* @param instanceId the ID of the instance to start

```

```
* @return a {@link CompletableFuture} that completes when the instance has been
started and is in the "running" state, or exceptionally if an error occurs
*/
public CompletableFuture<Void> startInstanceAsync(String instanceId) {
    StartInstancesRequest startRequest = StartInstancesRequest.builder()
        .instanceIds(instanceId)
        .build();

    Ec2AsyncWaiter ec2Waiter = Ec2AsyncWaiter.builder()
        .client(getAsyncClient())
        .build();

    DescribeInstancesRequest describeRequest =
DescribeInstancesRequest.builder()
    .instanceIds(instanceId)
    .build();

    logger.info("Starting instance " + instanceId + " and waiting for it to
run.");
    CompletableFuture<Void> resultFuture = new CompletableFuture<>();
    return getAsyncClient().startInstances(startRequest)
        .thenCompose(response ->
            ec2Waiter.waitUntilInstanceRunning(describeRequest)
        )
        .thenAccept(waiterResponse -> {
            logger.info("Successfully started instance " + instanceId);
            resultFuture.complete(null);
        })
        .exceptionally(throwable -> {
            resultFuture.completeExceptionally(new RuntimeException("Failed to
start instance: " + throwable.getMessage(), throwable));
            return null;
        });
}
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.
 - [AllocateAddress](#)
 - [AssociateAddress](#)
 - [AuthorizeSecurityGroupIngress](#)

- [CreateKeyPair](#)
- [CreateSecurityGroup](#)
- [DeleteKeyPair](#)
- [DeleteSecurityGroup](#)
- [DescribeImages](#)
- [DescribeInstanceTypes](#)
- [DescribeInstances](#)
- [DescribeKeyPairs](#)
- [DescribeSecurityGroups](#)
- [DisassociateAddress](#)
- [ReleaseAddress](#)
- [RunInstances](#)
- [StartInstances](#)
- [StopInstances](#)
- [TerminateInstances](#)
- [UnmonitorInstances](#)

Actions

AllocateAddress

The following code example shows how to use `AllocateAddress`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Allocates an Elastic IP address asynchronously in the VPC domain.  
 */
```

```
* @return a {@link CompletableFuture} containing the allocation ID of the
allocated Elastic IP address
*/
public CompletableFuture<String> allocateAddressAsync() {
    AllocateAddressRequest allocateRequest = AllocateAddressRequest.builder()
        .domain(DomainType.VPC)
        .build();

    CompletableFuture<AllocateAddressResponse> responseFuture =
getAsyncClient().allocateAddress(allocateRequest);
    return
responseFuture.thenApply(AllocateAddressResponse::allocationId).whenComplete((result,
ex) -> {
        if (ex != null) {
            throw new RuntimeException("Failed to allocate address", ex);
        }
    });
}
```

- For API details, see [AllocateAddress](#) in *AWS SDK for Java 2.x API Reference*.

AssociateAddress

The following code example shows how to use AssociateAddress.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Associates an Elastic IP address with an EC2 instance asynchronously.
 *
 * @param instanceId      the ID of the EC2 instance to associate the Elastic IP
address with
 * @param allocationId   the allocation ID of the Elastic IP address to associate
 * @return a {@link CompletableFuture} that completes with the association ID
when the operation is successful,
```

```
*      or throws a {@link RuntimeException} if the operation fails
*/
public CompletableFuture<String> associateAddressAsync(String instanceId, String
allocationId) {
    AssociateAddressRequest associateRequest = AssociateAddressRequest.builder()
        .instanceId(instanceId)
        .allocationId(allocationId)
        .build();

    CompletableFuture<AssociateAddressResponse> responseFuture =
getAsyncClient().associateAddress(associateRequest);
    return responseFuture.thenApply(response -> {
        if (response.associationId() != null) {
            return response.associationId();
        } else {
            throw new RuntimeException("Association ID is null after associating
address.");
        }
    }).whenComplete((result, ex) -> {
        if (ex != null) {
            throw new RuntimeException("Failed to associate address", ex);
        }
    });
}
```

- For API details, see [AssociateAddress](#) in *AWS SDK for Java 2.x API Reference*.

AuthorizeSecurityGroupIngress

The following code example shows how to use `AuthorizeSecurityGroupIngress`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
```

```
* Creates a new security group asynchronously with the specified group name,
description, and VPC ID. It also
* authorizes inbound traffic on ports 80 and 22 from the specified IP address.
*
* @param groupName      the name of the security group to create
* @param groupDesc      the description of the security group
* @param vpcId          the ID of the VPC in which to create the security group
* @param myIpAddress    the IP address from which to allow inbound traffic (e.g.,
"192.168.1.1/0" to allow traffic from
*                      any IP address in the 192.168.1.0/24 subnet)
* @return a CompletableFuture<String> that, when completed, returns the ID of the
created security group
* @throws RuntimeException if there was a failure creating the security group
or authorizing the inbound traffic
*/
public CompletableFuture<String> createSecurityGroupAsync(String groupName,
String groupDesc, String vpcId, String myIpAddress) {
    CreateSecurityGroupRequest createRequest =
CreateSecurityGroupRequest.builder()
    .groupName(groupName)
    .description(groupDesc)
    .vpcId(vpcId)
    .build();

    return getAsyncClient().createSecurityGroup(createRequest)
        .thenCompose(createResponse -> {
            String groupId = createResponse.groupId();
            IpRange ipRange = IpRange.builder()
                .cidrIp(myIpAddress + "/32")
                .build();

            IpPermission ipPerm = IpPermission.builder()
                .ipProtocol("tcp")
                .toPort(80)
                .fromPort(80)
                .ipRanges(ipRange)
                .build();

            IpPermission ipPerm2 = IpPermission.builder()
                .ipProtocol("tcp")
                .toPort(22)
                .fromPort(22)
                .ipRanges(ipRange)
                .build();
        });
}
```

```
        AuthorizeSecurityGroupIngressRequest authRequest =
    AuthorizeSecurityGroupIngressRequest.builder()
        .groupName(groupName)
        .ipPermissions(ipPerm, ipPerm2)
        .build();

        return getAsyncClient().authorizeSecurityGroupIngress(authRequest)
            .thenApply(authResponse -> groupId);
    })
    .whenComplete((result, exception) -> {
        if (exception != null) {
            if (exception instanceof CompletionException &&
exception.getCause() instanceof Ec2Exception) {
                throw (Ec2Exception) exception.getCause();
            } else {
                throw new RuntimeException("Failed to create security group:
" + exception.getMessage(), exception);
            }
        }
    });
}
```

- For API details, see [AuthorizeSecurityGroupIngress](#) in *AWS SDK for Java 2.x API Reference*.

CreateKeyPair

The following code example shows how to use `CreateKeyPair`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Creates a new key pair asynchronously.
 *
```

```
* @param keyName the name of the key pair to create
* @param fileName the name of the file to write the key material to
* @return a {@link CompletableFuture} that represents the asynchronous
operation
*         of creating the key pair and writing the key material to a file
*/
public CompletableFuture<CreateKeyPairResponse> createKeyPairAsync(String
keyName, String fileName) {
    CreateKeyPairRequest request = CreateKeyPairRequest.builder()
        .keyName(keyName)
        .build();

    CompletableFuture<CreateKeyPairResponse> responseFuture =
getAsyncClient().createKeyPair(request);
    responseFuture.whenComplete((response, exception) -> {
        if (response != null) {
            try {
                BufferedWriter writer = new BufferedWriter(new
FileWriter(fileName));
                writer.write(response.keyMaterial());
                writer.close();
            } catch (IOException e) {
                throw new RuntimeException("Failed to write key material to
file: " + e.getMessage(), e);
            }
        } else {
            throw new RuntimeException("Failed to create key pair: " +
exception.getMessage(), exception);
        }
    });
}

return responseFuture;
}
```

- For API details, see [CreateKeyPair](#) in *AWS SDK for Java 2.x API Reference*.

CreateSecurityGroup

The following code example shows how to use `CreateSecurityGroup`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Creates a new security group asynchronously with the specified group name,  
description, and VPC ID. It also  
* authorizes inbound traffic on ports 80 and 22 from the specified IP address.  
*  
* @param groupName      the name of the security group to create  
* @param groupDesc       the description of the security group  
* @param vpcId           the ID of the VPC in which to create the security group  
* @param myIpAddress    the IP address from which to allow inbound traffic (e.g.,  
"192.168.1.1/0" to allow traffic from  
*                      any IP address in the 192.168.1.0/24 subnet)  
* @return a CompletableFuture that, when completed, returns the ID of the  
created security group  
* @throws RuntimeException if there was a failure creating the security group  
or authorizing the inbound traffic  
*/  
public CompletableFuture<String> createSecurityGroupAsync(String groupName,  
String groupDesc, String vpcId, String myIpAddress) {  
    CreateSecurityGroupRequest createRequest =  
CreateSecurityGroupRequest.builder()  
    .groupName(groupName)  
    .description(groupDesc)  
    .vpcId(vpcId)  
    .build();  
  
    return getAsyncClient().createSecurityGroup(createRequest)  
    .thenCompose(createResponse -> {  
        String groupId = createResponse.groupId();  
        IpRange ipRange = IpRange.builder()  
        .cidrIp(myIpAddress + "/32")  
        .build();  
  
        IpPermission ipPerm = IpPermission.builder()  
        .ipProtocol("tcp")  
    });  
}
```

```
        .toPort(80)
        .fromPort(80)
        .ipRanges(ipRange)
        .build();

        IpPermission ipPerm2 = IpPermission.builder()
            .ipProtocol("tcp")
            .toPort(22)
            .fromPort(22)
            .ipRanges(ipRange)
            .build();

        AuthorizeSecurityGroupIngressRequest authRequest =
    AuthorizeSecurityGroupIngressRequest.builder()
        .groupName(groupName)
        .ipPermissions(ipPerm, ipPerm2)
        .build();

        return getAsyncClient().authorizeSecurityGroupIngress(authRequest)
            .thenApply(authResponse -> groupId);
    })
    .whenComplete((result, exception) -> {
        if (exception != null) {
            if (exception instanceof CompletionException &&
exception.getCause() instanceof Ec2Exception) {
                throw (Ec2Exception) exception.getCause();
            } else {
                throw new RuntimeException("Failed to create security group:
" + exception.getMessage(), exception);
            }
        }
    });
}
```

- For API details, see [CreateSecurityGroup](#) in *AWS SDK for Java 2.x API Reference*.

DeleteKeyPair

The following code example shows how to use DeleteKeyPair.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Deletes a key pair asynchronously.  
 *  
 * @param keyPair the name of the key pair to delete  
 * @return a {@link CompletableFuture} that represents the result of the  
 asynchronous operation.  
 *         The {@link CompletableFuture} will complete with a {@link  
 DeleteKeyPairResponse} object  
 *         that provides the result of the key pair deletion operation.  
 */  
public CompletableFuture<DeleteKeyPairResponse> deleteKeysAsync(String keyPair)  
{  
    DeleteKeyPairRequest request = DeleteKeyPairRequest.builder()  
        .keyName(keyPair)  
        .build();  
  
    // Initiate the asynchronous request to delete the key pair.  
    CompletableFuture<DeleteKeyPairResponse> response =  
    getAsyncClient().deleteKeyPair(request);  
    return response.whenComplete((resp, ex) -> {  
        if (ex != null) {  
            throw new RuntimeException("Failed to delete key pair: " + keyPair,  
ex);  
        } else if (resp == null) {  
            throw new RuntimeException("No response received for deleting key  
pair: " + keyPair);  
        }  
    });  
}
```

- For API details, see [DeleteKeyPair](#) in *AWS SDK for Java 2.x API Reference*.

DeleteSecurityGroup

The following code example shows how to use DeleteSecurityGroup.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Deletes an EC2 security group asynchronously.  
 *  
 * @param groupId the ID of the security group to delete  
 * @return a CompletableFuture that completes when the security group is deleted  
 */  
public CompletableFuture<Void> deleteEC2SecGroupAsync(String groupId) {  
    DeleteSecurityGroupRequest request = DeleteSecurityGroupRequest.builder()  
        .groupId(groupId)  
        .build();  
  
    CompletableFuture<DeleteSecurityGroupResponse> response =  
    getAsyncClient().deleteSecurityGroup(request);  
    return response.whenComplete((resp, ex) -> {  
        if (ex != null) {  
            throw new RuntimeException("Failed to delete security group with Id  
" + groupId, ex);  
        } else if (resp == null) {  
            throw new RuntimeException("No response received for deleting  
security group with Id " + groupId);  
        }  
    }).thenApply(resp -> null);  
}
```

- For API details, see [DeleteSecurityGroup](#) in *AWS SDK for Java 2.x API Reference*.

DescribeInstanceTypes

The following code example shows how to use DescribeInstanceTypes.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Asynchronously retrieves the instance types available in the current AWS  
region.  
 * <p>  
 * This method uses the AWS SDK's asynchronous API to fetch the available  
instance types  
 * and then processes the response. It logs the memory information, network  
information,  
 * and instance type for each instance type returned. Additionally, it returns a  
* {@link CompletableFuture} that resolves to the instance type string for the  
"t2.2xlarge"  
* instance type, if it is found in the response. If the "t2.2xlarge" instance  
type is not  
* found, an empty string is returned.  
* </p>  
*  
* @return a {@link CompletableFuture} that resolves to the instance type string  
for the  
* "t2.2xlarge" instance type, or an empty string if the instance type is not  
found  
*/  
public CompletableFuture<String> getInstanceTypesAsync() {  
    DescribeInstanceTypesRequest typesRequest =  
DescribeInstanceTypesRequest.builder()  
        .maxResults(10)  
        .build();  
  
    CompletableFuture<DescribeInstanceTypesResponse> response =  
getAsyncClient().describeInstanceTypes(typesRequest);  
    response.whenComplete((resp, ex) -> {  
        if (resp != null) {  
            List<InstanceTypeInfo> instanceTypes = resp.instanceTypes();  
            for (InstanceTypeInfo type : instanceTypes) {
```

```
        logger.info("The memory information of this type is " +
type.memoryInfo().sizeInMiB());
        logger.info("Network information is " +
type.networkInfo().toString());
        logger.info("Instance type is " +
type.instanceType().toString());
    }
} else {
    throw (RuntimeException) ex;
}
});

return response.thenApply(resp -> {
    for (InstanceTypeInfo type : resp.instanceTypes()) {
        String instanceType = type.instanceType().toString();
        if (instanceType.equals("t2.2xlarge")) {
            return instanceType;
        }
    }
    return "";
});
}
```

- For API details, see [DescribeInstanceTypes](#) in *AWS SDK for Java 2.x API Reference*.

DescribeInstances

The following code example shows how to use `DescribeInstances`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Asynchronously describes an AWS EC2 image with the specified image ID.
 *
```

```
* @param imageId the ID of the image to be described
 * @return a {@link CompletableFuture} that, when completed, contains the ID of
the described image
 * @throws RuntimeException if no images are found with the provided image ID,
or if an error occurs during the AWS API call
 */
public CompletableFuture<String> describeImageAsync(String imageId) {
    DescribeImagesRequest imagesRequest = DescribeImagesRequest.builder()
        .imageIds(imageId)
        .build();

    AtomicReference<String> imageIdRef = new AtomicReference<>();
    DescribeImagesPublisher paginator =
getAsyncClient().describeImagesPaginator(imagesRequest);
    return paginator.subscribe(response -> {
        response.images().stream()
            .filter(image -> image.imageId().equals(imageId))
            .findFirst()
            .ifPresent(image -> {
                logger.info("The description of the image is " +
image.description());
                logger.info("The name of the image is " + image.name());
                imageIdRef.set(image.imageId());
            });
    }).thenApply(v -> {
        String id = imageIdRef.get();
        if (id == null) {
            throw new RuntimeException("No images found with the provided image
ID.");
        }
        return id;
    }).exceptionally(ex -> {
        logger.info("Failed to describe image: " + ex.getMessage());
        throw new RuntimeException("Failed to describe image", ex);
    });
}
```

- For API details, see [DescribeInstances](#) in *AWS SDK for Java 2.x API Reference*.

DescribeKeyPairs

The following code example shows how to use `DescribeKeyPairs`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Asynchronously describes the key pairs associated with the current AWS  
account.  
 *  
 * @return a {@link CompletableFuture<DescribeKeyPairsResponse>} containing the {@link  
DescribeKeyPairsResponse} object, which provides  
 * information about the key pairs.  
 */  
public CompletableFuture<DescribeKeyPairsResponse> describeKeysAsync() {  
    CompletableFuture<DescribeKeyPairsResponse> responseFuture =  
getAsyncClient().describeKeyPairs();  
    responseFuture.whenComplete((response, exception) -> {  
        if (exception != null) {  
            throw new RuntimeException("Failed to describe key pairs: " +  
exception.getMessage(), exception);  
        }  
    });  
  
    return responseFuture;  
}
```

- For API details, see [DescribeKeyPairs](#) in *AWS SDK for Java 2.x API Reference*.

DescribeSecurityGroups

The following code example shows how to use `DescribeSecurityGroups`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Asynchronously describes the security groups for the specified group ID.  
 *  
 * @param groupName the name of the security group to describe  
 * @return a {@link CompletableFuture} that represents the asynchronous  
 * operation  
 *         of describing the security groups. The future will complete with a  
 *         {@link DescribeSecurityGroupsResponse} object that contains the  
 *         security group information.  
 */  
public CompletableFuture<String> describeSecurityGroupArnByNameAsync(String  
groupName) {  
    DescribeSecurityGroupsRequest request =  
DescribeSecurityGroupsRequest.builder()  
        .groupNames(groupName)  
        .build();  
  
    DescribeSecurityGroupsPublisher paginator =  
getAsyncClient().describeSecurityGroupsPaginator(request);  
    AtomicReference<String> groupIdRef = new AtomicReference<>();  
    return paginator.subscribe(response -> {  
        response.securityGroups().stream()  
            .filter(securityGroup ->  
securityGroup.groupName().equals(groupName))  
                .findFirst()  
                .ifPresent(securityGroup ->  
groupIdRef.set(securityGroup.groupId()));  
    }).thenApply(v -> {  
        String groupId = groupIdRef.get();  
        if (groupId == null) {  
            throw new RuntimeException("No security group found with the name: "  
+ groupName);  
        }  
    })
```

```
        return groupId;
    }).exceptionally(ex -> {
    logger.info("Failed to describe security group: " + ex.getMessage());
    throw new RuntimeException("Failed to describe security group", ex);
});
}
```

- For API details, see [DescribeSecurityGroups](#) in *AWS SDK for Java 2.x API Reference*.

DisassociateAddress

The following code example shows how to use DisassociateAddress.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Disassociates an Elastic IP address from an instance asynchronously.
 *
 * @param associationId The ID of the association you want to disassociate.
 * @return a {@link CompletableFuture} representing the asynchronous operation
 * of disassociating the address. The
 *         {@link CompletableFuture} will complete with a {@link
 * DisassociateAddressResponse} when the operation is
 *         finished.
 * @throws RuntimeException if the disassociation of the address fails.
 */
public CompletableFuture<DisassociateAddressResponse>
disassociateAddressAsync(String associationId) {
    Ec2AsyncClient ec2 = getAsyncClient();
    DisassociateAddressRequest addressRequest =
        DisassociateAddressRequest.builder()
            .associationId(associationId)
            .build();

    // Disassociate the address asynchronously.
```

```
        CompletableFuture<DisassociateAddressResponse> response =
ec2.disassociateAddress(addressRequest);
    response.whenComplete((resp, ex) -> {
        if (ex != null) {
            throw new RuntimeException("Failed to disassociate address", ex);
        }
    });

    return response;
}
```

- For API details, see [DisassociateAddress](#) in *AWS SDK for Java 2.x API Reference*.

GetPasswordData

The following code example shows how to use GetPasswordData.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ec2.Ec2AsyncClient;
import software.amazon.awssdk.services.ec2.model.*;
import java.util.concurrent.CompletableFuture;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class GetPasswordData {

    public static void main(String[] args) {
```

```
final String usage = """\n\n    Usage:\n        <instanceId>\n\n    Where:\n        instanceId - An instance id value that you can obtain from the\n        AWS Management Console.\n\n        """;\n\n    if (args.length != 1) {\n        System.out.println(usage);\n        System.exit(1);\n    }\n    String instanceId = args[0];\n    Ec2AsyncClient ec2AsyncClient = Ec2AsyncClient.builder()\n        .region(Region.US_EAST_1)\n        .build();\n\n    try {\n        CompletableFuture<Void> future = getPasswordDataAsync(ec2AsyncClient,\ninstanceId);\n        future.join();\n    } catch (RuntimeException rte) {\n        System.err.println("An exception occurred: " + (rte.getCause() != null ?\n        rte.getCause().getMessage() : rte.getMessage()));\n    }\n}\n\n/**\n * Fetches the password data for the specified EC2 instance asynchronously.\n *\n * @param ec2AsyncClient the EC2 asynchronous client to use for the request\n * @param instanceId instanceId the ID of the EC2 instance for which you want to\n * fetch the password data\n *\n * @return a {@link CompletableFuture} that completes when the password data has\n * been fetched\n *\n * @throws RuntimeException if there was a failure in fetching the password data\n */\npublic static CompletableFuture<Void> getPasswordDataAsync(Ec2AsyncClient\nec2AsyncClient, String instanceId) {\n    GetPasswordDataRequest getPasswordDataRequest =\n    GetPasswordDataRequest.builder()\n        .instanceId(instanceId)
```

```
        .build();

        CompletableFuture<GetPasswordDataResponse> response =
ec2AsyncClient.getPasswordData(getPasswordDataRequest);
        response.whenComplete((getPasswordDataResponse, ex) -> {
            if (ex != null) {
                throw new RuntimeException("Failed to get password data for
instance: " + instanceId, ex);
            } else if (getPasswordDataResponse == null ||

getPasswordDataResponse.passwordData().isEmpty()) {
                throw new RuntimeException("No password data found for instance: " +
instanceId);
            } else {
                String encryptedPasswordData =
getPasswordDataResponse.passwordData();
                System.out.println("Encrypted Password Data: " +
encryptedPasswordData);
            }
        });

        return response.thenApply(resp -> null);
    }
}
```

- For API details, see [GetPasswordData](#) in *AWS SDK for Java 2.x API Reference*.

ReleaseAddress

The following code example shows how to use ReleaseAddress.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
```

```
* Releases an Elastic IP address asynchronously.  
*  
* @param allocId the allocation ID of the Elastic IP address to be released  
* @return a {@link CompletableFuture} representing the asynchronous operation  
of releasing the Elastic IP address  
*/  
public CompletableFuture<ReleaseAddressResponse> releaseEC2AddressAsync(String  
allocId) {  
    ReleaseAddressRequest request = ReleaseAddressRequest.builder()  
        .allocationId(allocId)  
        .build();  
  
    CompletableFuture<ReleaseAddressResponse> response =  
getAsyncClient().releaseAddress(request);  
    response.whenComplete((resp, ex) -> {  
        if (ex != null) {  
            throw new RuntimeException("Failed to release Elastic IP address",  
ex);  
        }  
    });  
  
    return response;  
}
```

- For API details, see [ReleaseAddress](#) in *AWS SDK for Java 2.x API Reference*.

RunInstances

The following code example shows how to use RunInstances.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Runs an EC2 instance asynchronously.
```

```
*  
 * @param instanceType The instance type to use for the EC2 instance.  
 * @param keyName The name of the key pair to associate with the EC2 instance.  
 * @param groupName The name of the security group to associate with the EC2  
 instance.  
 * @param amiId The ID of the Amazon Machine Image (AMI) to use for the EC2  
 instance.  
 * @return A {@link CompletableFuture} that completes with the ID of the started  
 EC2 instance.  
 * @throws RuntimeException If there is an error running the EC2 instance.  
 */  
 public CompletableFuture<String> runInstanceAsync(String instanceType, String  
 keyName, String groupName, String amiId) {  
     RunInstancesRequest runRequest = RunInstancesRequest.builder()  
         .instanceType(instanceType)  
         .keyName(keyName)  
         .securityGroups(groupName)  
         .maxCount(1)  
         .minCount(1)  
         .imageId(amiId)  
         .build();  
  
     CompletableFuture<RunInstancesResponse> responseFuture =  
     getAsyncClient().runInstances(runRequest);  
     return responseFuture.thenCompose(response -> {  
         String instanceIdVal = response.instances().get(0).instanceId();  
         System.out.println("Going to start an EC2 instance and use a waiter to  
 wait for it to be in running state");  
         return getAsyncClient().waiter()  
             .waitForInstanceExists(r -> r.instanceIds(instanceIdVal))  
             .thenCompose(waitResponse -> getAsyncClient().waiter()  
                 .waitForInstanceRunning(r -> r.instanceIds(instanceIdVal))  
                 .thenApply(runningResponse -> instanceIdVal));  
     }).exceptionally(throwable -> {  
         // Handle any exceptions that occurred during the async call  
         throw new RuntimeException("Failed to run EC2 instance: " +  
             throwable.getMessage(), throwable);  
     });  
 }
```

- For API details, see [RunInstances](#) in *AWS SDK for Java 2.x API Reference*.

StartInstances

The following code example shows how to use StartInstances.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Starts an Amazon EC2 instance asynchronously and waits until it is in the  
"running" state.  
 *  
 * @param instanceId the ID of the instance to start  
 * @return a {@link CompletableFuture} that completes when the instance has been  
started and is in the "running" state, or exceptionally if an error occurs  
 */  
public CompletableFuture<Void> startInstanceAsync(String instanceId) {  
    StartInstancesRequest startRequest = StartInstancesRequest.builder()  
        .instanceIds(instanceId)  
        .build();  
  
    Ec2AsyncWaiter ec2Waiter = Ec2AsyncWaiter.builder()  
        .client(getAsyncClient())  
        .build();  
  
    DescribeInstancesRequest describeRequest =  
DescribeInstancesRequest.builder()  
        .instanceIds(instanceId)  
        .build();  
  
    logger.info("Starting instance " + instanceId + " and waiting for it to  
run.");  
    CompletableFuture<Void> resultFuture = new CompletableFuture<>();  
    return getAsyncClient().startInstances(startRequest)  
        .thenCompose(response ->  
            ec2Waiter.waitUntilInstanceRunning(describeRequest)  
        )  
        .thenAccept(waiterResponse -> {  
            logger.info("Successfully started instance " + instanceId);  
        });  
}
```

```
        resultFuture.complete(null);
    })
.exceptionally(throwable -> {
    resultFuture.completeExceptionally(new RuntimeException("Failed to
start instance: " + throwable.getMessage(), throwable));
    return null;
});
}
```

- For API details, see [StartInstances](#) in *AWS SDK for Java 2.x API Reference*.

StopInstances

The following code example shows how to use StopInstances.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Stops the EC2 instance with the specified ID asynchronously and waits for the
instance to stop.
 *
 * @param instanceId the ID of the EC2 instance to stop
 * @return a {@link CompletableFuture} that completes when the instance has been
stopped, or exceptionally if an error occurs
 */
public CompletableFuture<Void> stopInstanceAsync(String instanceId) {
    StopInstancesRequest stopRequest = StopInstancesRequest.builder()
        .instanceIds(instanceId)
        .build();

    DescribeInstancesRequest describeRequest =
DescribeInstancesRequest.builder()
        .instanceIds(instanceId)
        .build();
```

```
Ec2AsyncWaiter ec2Waiter = Ec2AsyncWaiter.builder()
    .client(getAsyncClient())
    .build();

CompletableFuture<Void> resultFuture = new CompletableFuture<>();
logger.info("Stopping instance " + instanceId + " and waiting for it to
stop.");
getAsyncClient().stopInstances(stopRequest)
    .thenCompose(response -> {
        if (response.stoppingInstances().isEmpty()) {
            return CompletableFuture.failedFuture(new RuntimeException("No
instances were stopped. Please check the instance ID: " + instanceId));
        }
        return ec2Waiter.waitUntilInstanceStopped(describeRequest);
    })
    .thenAccept(waiterResponse -> {
        logger.info("Successfully stopped instance " + instanceId);
        resultFuture.complete(null);
    })
    .exceptionally(throwable -> {
        logger.error("Failed to stop instance " + instanceId + ": " +
throwable.getMessage(), throwable);
        resultFuture.completeExceptionally(new RuntimeException("Failed to
stop instance: " + throwable.getMessage(), throwable));
        return null;
    });
}

return resultFuture;
}
```

- For API details, see [StopInstances](#) in *AWS SDK for Java 2.x API Reference*.

TerminateInstances

The following code example shows how to use `TerminateInstances`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Terminates an EC2 instance asynchronously and waits for it to reach the  
 terminated state.  
 *  
 * @param instanceId the ID of the EC2 instance to terminate  
 * @return a {@link CompletableFuture} that completes when the instance has been  
 terminated  
 * @throws RuntimeException if there is no response from the AWS SDK or if there  
 is a failure during the termination process  
 */  
public CompletableFuture<Object> terminateEC2Async(String instanceId) {  
    TerminateInstancesRequest terminateRequest =  
    TerminateInstancesRequest.builder()  
        .instanceIds(instanceId)  
        .build();  
  
    CompletableFuture<TerminateInstancesResponse> responseFuture =  
    getAsyncClient().terminateInstances(terminateRequest);  
    return responseFuture.thenCompose(terminateResponse -> {  
        if (terminateResponse == null) {  
            throw new RuntimeException("No response received for terminating  
instance " + instanceId);  
        }  
        System.out.println("Going to terminate an EC2 instance and use a waiter  
to wait for it to be in terminated state");  
        return getAsyncClient().waiter()  
            .waitUntilInstanceTerminated(r -> r.instanceIds(instanceId))  
            .thenApply(waiterResponse -> null);  
    }).exceptionally(throwable -> {  
        // Handle any exceptions that occurred during the async call  
        throw new RuntimeException("Failed to terminate EC2 instance: " +  
        throwable.getMessage(), throwable);  
    });  
}
```

- For API details, see [TerminateInstances](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Build and manage a resilient service

The following code example shows how to create a load-balanced web service that returns book, movie, and song recommendations. The example shows how the service responds to failures, and how to restructure the service for more resilience when failures occur.

- Use an Amazon EC2 Auto Scaling group to create Amazon Elastic Compute Cloud (Amazon EC2) instances based on a launch template and to keep the number of instances in a specified range.
- Handle and distribute HTTP requests with Elastic Load Balancing.
- Monitor the health of instances in an Auto Scaling group and forward requests only to healthy instances.
- Run a Python web server on each EC2 instance to handle HTTP requests. The web server responds with recommendations and health checks.
- Simulate a recommendation service with an Amazon DynamoDB table.
- Control web server response to requests and health checks by updating AWS Systems Manager parameters.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Run the interactive scenario at a command prompt.

```
public class Main {  
  
    public static final String fileName = "C:\\AWS\\reswokflow\\  
\\recommendations.json"; // Modify file location.  
    public static final String tableName = "doc-example-recommendation-service";
```

```
public static final String startScript = "C:\\\\AWS\\\\resworkflow\\\n\\server_startup_script.sh"; // Modify file location.\npublic static final String policyFile = "C:\\\\AWS\\\\resworkflow\\\n\\instance_policy.json"; // Modify file location.\npublic static final String ssmJSON = "C:\\\\AWS\\\\resworkflow\\\n\\ssm_only_policy.json"; // Modify file location.\npublic static final String failureResponse = "doc-example-resilient-\narchitecture-failure-response";\npublic static final String healthCheck = "doc-example-resilient-architecture-\nhealth-check";\npublic static final String templateName = "doc-example-resilience-template";\npublic static final String roleName = "doc-example-resilience-role";\npublic static final String policyName = "doc-example-resilience-pol";\npublic static final String profileName = "doc-example-resilience-prof";\n\npublic static final String badCredsProfileName = "doc-example-resilience-prof-\nbc";\n\npublic static final String targetGroupName = "doc-example-resilience-tg";\npublic static final String autoScalingGroupName = "doc-example-resilience-\ngroup";\npublic static final String lbName = "doc-example-resilience-lb";\npublic static final String protocol = "HTTP";\npublic static final int port = 80;\n\npublic static final String DASHES = new String(new char[80]).replace("\0", "-");\n\npublic static void main(String[] args) throws IOException, InterruptedException\n{\n    Scanner in = new Scanner(System.in);\n    Database database = new Database();\n    AutoScaler autoScaler = new AutoScaler();\n    LoadBalancer loadBalancer = new LoadBalancer();\n\n    System.out.println(DASHES);\n    System.out.println("Welcome to the demonstration of How to Build and Manage\na Resilient Service!");\n    System.out.println(DASHES);\n\n    System.out.println(DASHES);\n    System.out.println("A - SETUP THE RESOURCES");\n    System.out.println("Press Enter when you're ready to start deploying\nresources.");\n    in.nextLine();\n}
```

```
deploy(loadBalancer);
System.out.println(DASHES);
System.out.println(DASHES);
System.out.println("B - DEMO THE RESILIENCE FUNCTIONALITY");
System.out.println("Press Enter when you're ready.");
in.nextLine();
demo(loadBalancer);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("C - DELETE THE RESOURCES");
System.out.println(""""

    This concludes the demo of how to build and manage a resilient
service.

    To keep things tidy and to avoid unwanted charges on your account,
we can clean up all AWS resources
        that were created for this demo.
""");

System.out.println("\n Do you want to delete the resources (y/n)? ");
String userInput = in.nextLine().trim().toLowerCase(); // Capture user input

if (userInput.equals("y")) {
    // Delete resources here
    deleteResources(loadBalancer, autoScaler, database);
    System.out.println("Resources deleted.");
} else {
    System.out.println(""""

        Okay, we'll leave the resources intact.
        Don't forget to delete them when you're done with them or you
might incur unexpected charges.
""");
}
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("The example has completed. ");
System.out.println("\n Thanks for watching!");
System.out.println(DASHES);
}

// Deletes the AWS resources used in this example.
private static void deleteResources(LoadBalancer loadBalancer, AutoScaler
autoScaler, Database database)
```

```
        throws IOException, InterruptedException {
    loadBalancer.deleteLoadBalancer(lbName);
    System.out.println("*** Wait 30 secs for resource to be deleted");
    TimeUnit.SECONDS.sleep(30);
    loadBalancer.deleteTargetGroup(targetGroupName);
    autoScaler.deleteAutoScaleGroup(autoScalingGroupName);
    autoScaler.deleteRolesPolicies(policyName, roleName, profileName);
    autoScaler.deleteTemplate(templateName);
    database.deleteTable(tableName);
}

private static void deploy(LoadBalancer loadBalancer) throws
InterruptedException, IOException {
    Scanner in = new Scanner(System.in);
    System.out.println(
        """
            For this demo, we'll use the AWS SDK for Java (v2) to create
several AWS resources
            to set up a load-balanced web service endpoint and explore
some ways to make it resilient
            against various kinds of failures.

            Some of the resources create by this demo are:
            \t* A DynamoDB table that the web service depends on to
provide book, movie, and song recommendations.
            \t* An EC2 launch template that defines EC2 instances that
each contain a Python web server.
            \t* An EC2 Auto Scaling group that manages EC2 instances
across several Availability Zones.
            \t* An Elastic Load Balancing (ELB) load balancer that
targets the Auto Scaling group to distribute requests.
        """);

    System.out.println("Press Enter when you're ready.");
    in.nextLine();
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("Creating and populating a DynamoDB table named " +
tableName);
    Database database = new Database();
    database.createTable(tableName, fileName);
    System.out.println(DASHES);
```

```
System.out.println(DASHES);
System.out.println(""""
    Creating an EC2 launch template that runs '{startup_script}' when an
instance starts.

    This script starts a Python web server defined in the `server.py`  

script. The web server
    listens to HTTP requests on port 80 and responds to requests to '/'  

and to '/healthcheck'.

    For demo purposes, this server is run as the root user. In  

production, the best practice is to
        run a web server, such as Apache, with least-privileged credentials.

    The template also defines an IAM policy that each instance uses to  

assume a role that grants
    permissions to access the DynamoDB recommendation table and Systems  

Manager parameters
    that control the flow of the demo.

""");

LaunchTemplateCreator templateCreator = new LaunchTemplateCreator();
templateCreator.createTemplate(policyFile, policyName, profileName,
startScript, templateName, roleName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println(
    "Creating an EC2 Auto Scaling group that maintains three EC2
instances, each in a different Availability Zone.");
System.out.println("*** Wait 30 secs for the VPC to be created");
TimeUnit.SECONDS.sleep(30);
AutoScaler autoScaler = new AutoScaler();
String[] zones = autoScaler.createGroup(3, templateName,
autoScalingGroupName);

System.out.println("""
    At this point, you have EC2 instances created. Once each instance
starts, it listens for
    HTTP requests. You can see these instances in the console or
continue with the demo.

    Press Enter when you're ready to continue.

""");

in.nextLine();
System.out.println(DASHES);
```

```
System.out.println(DASHES);
System.out.println("Creating variables that control the flow of the demo.");
ParameterHelper paramHelper = new ParameterHelper();
paramHelper.reset();
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("""
    Creating an Elastic Load Balancing target group and load balancer.

The target group
    defines how the load balancer connects to instances. The load
balancer provides a
    single endpoint where clients connect and dispatches requests to
instances in the group.
""");

String vpcId = autoScaler.getDefaultVPC();
List<Subnet> subnets = autoScaler.getSubnets(vpcId, zones);
System.out.println("You have retrieved a list with " + subnets.size() + " "
subnets);
String targetGroupArn = loadBalancer.createTargetGroup(protocol, port,
vpcId, targetGroupName);
String elbDnsName = loadBalancer.createLoadBalancer(subnets, targetGroupArn,
lbName, port, protocol);
autoScaler.attachLoadBalancerTargetGroup(autoScalingGroupName,
targetGroupArn);
System.out.println("Verifying access to the load balancer endpoint...");
boolean wasSuccessful = loadBalancer.verifyLoadBalancerEndpoint(elbDnsName);
if (!wasSuccessful) {
    System.out.println("Couldn't connect to the load balancer, verifying
that the port is open...");
    CloseableHttpClient httpClient = HttpClients.createDefault();

    // Create an HTTP GET request to "http://checkip.amazonaws.com"
    HttpGet httpGet = new HttpGet("http://checkip.amazonaws.com");
    try {
        // Execute the request and get the response
        HttpResponse response = httpClient.execute(httpGet);

        // Read the response content.
        String ipAddress =
IOUtils.toString(response.getEntity().getContent(), StandardCharsets.UTF_8).trim();
    }
}
```

```
// Print the public IP address.  
System.out.println("Public IP Address: " + ipAddress);  
GroupInfo groupInfo = autoScaler.verifyInboundPort(vpcId, port,  
ipAddress);  
if (!groupInfo.isPortOpen()) {  
    System.out.println("")  
        For this example to work, the default security group for  
your default VPC must  
        allow access from this computer. You can either add it  
automatically from this  
        example or add it yourself using the AWS Management  
Console.  
    "");  
  
    System.out.println(  
        "Do you want to add a rule to security group " +  
groupInfo.getGroupName() + " to allow");  
    System.out.println("inbound traffic on port " + port + " from  
your computer's IP address (y/n) ");  
    String ans = in.nextLine();  
    if ("y".equalsIgnoreCase(ans)) {  
        autoScaler.openInboundPort(groupInfo.getGroupName(),  
String.valueOf(port), ipAddress);  
        System.out.println("Security group rule added.");  
    } else {  
        System.out.println("No security group rule added.");  
    }  
}  
  
} catch (AutoScalingException e) {  
    e.printStackTrace();  
}  
} else if (wasSuccessful) {  
    System.out.println("Your load balancer is ready. You can access it by  
browsing to:");  
    System.out.println("\t http://" + elbDnsName);  
} else {  
    System.out.println("Couldn't get a successful response from the load  
balancer endpoint. Troubleshoot by");  
    System.out.println("manually verifying that your VPC and security group  
are configured correctly and that");  
    System.out.println("you can successfully make a GET request to the load  
balancer.");  
}
```

```
        System.out.println("Press Enter when you're ready to continue with the
demo.");
        in.nextLine();
    }

// A method that controls the demo part of the Java program.
public static void demo(LoadBalancer loadBalancer) throws IOException,
InterruptedException {
    ParameterHelper paramHelper = new ParameterHelper();
    System.out.println("Read the ssm_only_policy.json file");
    String ssmOnlyPolicy = readFileAsString(ssmJSON);

    System.out.println("Resetting parameters to starting values for demo.");
    paramHelper.reset();

    System.out.println(
        """
            This part of the demonstration shows how to toggle
different parts of the system
            to create situations where the web service fails, and shows
how using a resilient
            architecture can keep the web service running in spite of
these failures.

            At the start, the load balancer endpoint returns
recommendations and reports that all targets are healthy.
        """);
    demoChoices(loadBalancer);

    System.out.println(
        """
            The web service running on the EC2 instances gets
recommendations by querying a DynamoDB table.
            The table name is contained in a Systems Manager parameter
named self.param_helper.table.
            To simulate a failure of the recommendation service, let's
set this parameter to name a non-existent table.
        """);
    paramHelper.put(paramHelper.tableName, "this-is-not-a-table");

    System.out.println(
        """
```

```
\nNow, sending a GET request to the load balancer endpoint
returns a failure code. But, the service reports as
    healthy to the load balancer because shallow health checks
don't check for failure of the recommendation service.

        """);
    demoChoices(loadBalancer);

System.out.println(
    """
Instead of failing when the recommendation service fails,
the web service can return a static response.

While this is not a perfect solution, it presents the
customer with a somewhat better experience than failure.

        """);
paramHelper.put(paramHelper.failureResponse, "static");

System.out.println("""
Now, sending a GET request to the load balancer endpoint returns a
static response.

The service still reports as healthy because health checks are still
shallow.

        """);
    demoChoices(loadBalancer);

System.out.println("Let's reinstate the recommendation service.");
paramHelper.put(paramHelper.tableName, paramHelper.dyntable);

System.out.println("""
Let's also substitute bad credentials for one of the instances in
the target group so that it can't
    access the DynamoDB recommendation table. We will get an instance id
value.

        """);

LaunchTemplateCreator templateCreator = new LaunchTemplateCreator();
AutoScaler autoScaler = new AutoScaler();

// Create a new instance profile based on badCredsProfileName.
templateCreator.createInstanceProfile(policyFile, policyName,
badCredsProfileName, roleName);
String badInstanceId = autoScaler.getBadInstance(autoScalingGroupName);
System.out.println("The bad instance id values used for this demo is " +
badInstanceId);
```

```
String profileAssociationId = autoScaler.getInstanceProfile(badInstanceId);
System.out.println("The association Id value is " + profileAssociationId);
System.out.println("Replacing the profile for instance " + badInstanceId
    + " with a profile that contains bad credentials");
autoScaler.replaceInstanceProfile(badInstanceId, badCredsProfileName,
profileAssociationId);

System.out.println(
    """
        Now, sending a GET request to the load balancer endpoint
returns either a recommendation or a static response,
        depending on which instance is selected by the load
balancer.
    """);

demoChoices(loadBalancer);

System.out.println("""
    Let's implement a deep health check. For this demo, a deep health
check tests whether
        the web service can access the DynamoDB table that it depends on for
recommendations. Note that
        the deep health check is only for ELB routing and not for Auto
Scaling instance health.
    This kind of deep health check is not recommended for Auto Scaling
instance health, because it
        risks accidental termination of all instances in the Auto Scaling
group when a dependent service fails.
    """);

System.out.println("""
    By implementing deep health checks, the load balancer can detect
when one of the instances is failing
        and take that instance out of rotation.
    """);

paramHelper.put(paramHelper.healthCheck, "deep");

System.out.println("""
    Now, checking target health indicates that the instance with bad
credentials
        is unhealthy. Note that it might take a minute or two for the load
balancer to detect the unhealthy
```

```
        instance. Sending a GET request to the load balancer endpoint always
returns a recommendation, because
            the load balancer takes unhealthy instances out of its rotation.
        """");

    demoChoices(loadBalancer);

    System.out.println(
        """
            Because the instances in this demo are controlled by an auto
scaler, the simplest way to fix an unhealthy
                instance is to terminate it and let the auto scaler start a
new instance to replace it.
        """);
    autoScaler.terminateInstance(badInstanceId);

    System.out.println("""
        Even while the instance is terminating and the new instance is
starting, sending a GET
            request to the web service continues to get a successful
recommendation response because
            the load balancer routes requests to the healthy instances. After
the replacement instance
            starts and reports as healthy, it is included in the load balancing
rotation.
        Note that terminating and replacing an instance typically takes
several minutes, during which time you
            can see the changing health check status until the new instance is
running and healthy.
    """);

    demoChoices(loadBalancer);
    System.out.println(
        "If the recommendation service fails now, deep health checks mean
all instances report as unhealthy.");
    paramHelper.put(paramHelper.tableName, "this-is-not-a-table");

    demoChoices(loadBalancer);
    paramHelper.reset();
}

public static void demoChoices(LoadBalancer loadBalancer) throws IOException,
InterruptedException {
    String[] actions = {
```

```
        "Send a GET request to the load balancer endpoint.",
        "Check the health of load balancer targets.",
        "Go to the next part of the demo."
    };
    Scanner scanner = new Scanner(System.in);

    while (true) {
        System.out.println("-".repeat(88));
        System.out.println("See the current state of the service by selecting
one of the following choices:");
        for (int i = 0; i < actions.length; i++) {
            System.out.println(i + ": " + actions[i]);
        }

        try {
            System.out.print("\nWhich action would you like to take? ");
            int choice = scanner.nextInt();
            System.out.println("-".repeat(88));

            switch (choice) {
                case 0 -> {
                    System.out.println("Request:\n");
                    System.out.println("GET http://" +
loadBalancer.getEndpoint(lbName));
                    CloseableHttpClient httpClient =
HttpClients.createDefault();

                    // Create an HTTP GET request to the ELB.
                    HttpGet httpGet = new HttpGet("http://" +
loadBalancer.getEndpoint(lbName));

                    // Execute the request and get the response.
                    HttpResponse response = httpClient.execute(httpGet);
                    int statusCode = response.getStatusLine().getStatusCode();
                    System.out.println("HTTP Status Code: " + statusCode);

                    // Display the JSON response
                    BufferedReader reader = new BufferedReader(
                        new
InputStreamReader(response.getEntity().getContent()));
                    StringBuilder jsonResponse = new StringBuilder();
                    String line;
                    while ((line = reader.readLine()) != null) {
                        jsonResponse.append(line);

```

```
        }

        reader.close();

        // Print the formatted JSON response.
        System.out.println("Full Response:\n");
        System.out.println(jsonResponse.toString());

        // Close the HTTP client.
        httpClient.close();

    }

    case 1 -> {
        System.out.println("\nChecking the health of load balancer
targets:\n");
        List<TargetHealthDescription> health =
loadBalancer.checkTargetHealth(targetGroupName);
        for (TargetHealthDescription target : health) {
            System.out.printf("\tTarget %s on port %d is %s%n",
target.target().id(),
                                target.target().port(),
target.targetHealth().stateAsString());
        }
        System.out.println("""
Note that it can take a minute or two for the health
check to update
after changes are made.
""");
    }

    case 2 -> {
        System.out.println("\nOkay, let's move on.");
        System.out.println("-".repeat(88));
        return; // Exit the method when choice is 2
    }

    default -> System.out.println("You must choose a value between
0-2. Please select again.");
}

} catch (java.util.InputMismatchException e) {
    System.out.println("Invalid input. Please select again.");
    scanner.nextLine(); // Clear the input buffer.
}
}
```

```
public static String readFileAsString(String filePath) throws IOException {
    byte[] bytes = Files.readAllBytes(Paths.get(filePath));
    return new String(bytes);
}
```

Create a class that wraps Auto Scaling and Amazon EC2 actions.

```
public class AutoScaler {

    private static Ec2Client ec2Client;
    private static AutoScalingClient autoScalingClient;
    private static IamClient iamClient;

    private static SsmClient ssmClient;

    private IamClient getIAMClient() {
        if (iamClient == null) {
            iamClient = IamClient.builder()
                .region(Region.US_EAST_1)
                .build();
        }
        return iamClient;
    }

    private SsmClient getSSMClient() {
        if (ssmClient == null) {
            ssmClient = SsmClient.builder()
                .region(Region.US_EAST_1)
                .build();
        }
        return ssmClient;
    }

    private Ec2Client getEc2Client() {
        if (ec2Client == null) {
            ec2Client = Ec2Client.builder()
                .region(Region.US_EAST_1)
                .build();
        }
        return ec2Client;
    }
}
```

```
private AutoScalingClient getAutoScalingClient() {
    if (autoScalingClient == null) {
        autoScalingClient = AutoScalingClient.builder()
            .region(Region.US_EAST_1)
            .build();
    }
    return autoScalingClient;
}

/**
 * Terminates and instances in an EC2 Auto Scaling group. After an instance is
 * terminated, it can no longer be accessed.
 */
public void terminateInstance(String instanceId) {
    TerminateInstanceInAutoScalingGroupRequest terminateInstanceRequest =
TerminateInstanceInAutoScalingGroupRequest
    .builder()
    .instanceId(instanceId)
    .shouldDecrementDesiredCapacity(false)
    .build();

getAutoScalingClient().terminateInstanceInAutoScalingGroup(terminateInstanceRequest);
    System.out.format("Terminated instance %s.", instanceId);
}

/**
 * Replaces the profile associated with a running instance. After the profile is
 * replaced, the instance is rebooted to ensure that it uses the new profile.
 * When
 * the instance is ready, Systems Manager is used to restart the Python web
 * server.
 */
public void replaceInstanceProfile(String instanceId, String
newInstanceProfileName, String profileAssociationId)
    throws InterruptedException {
    // Create an IAM instance profile specification.
    software.amazon.awssdk.services.ec2.model.IamInstanceProfileSpecification
iamInstanceProfile =
software.amazon.awssdk.services.ec2.model.IamInstanceProfileSpecification
    .builder()
    .name(newInstanceProfileName) // Make sure 'newInstanceProfileName'
is a valid IAM Instance Profile
```

```
// name.  
.build();  
  
// Replace the IAM instance profile association for the EC2 instance.  
ReplaceIamInstanceProfileAssociationRequest replaceRequest =  
ReplaceIamInstanceProfileAssociationRequest  
.builder()  
.iamInstanceProfile(iamInstanceProfile)  
.associationId(profileAssociationId) // Make sure  
'profileAssociationId' is a valid association ID.  
.build();  
  
try {  
    getEc2Client().replaceIamInstanceProfileAssociation(replaceRequest);  

```

```
        List<InstanceInformation> instanceInformationList =
informationResponse.instanceInformationList();
        for (InstanceInformation info : instanceInformationList) {
            if (info.instanceId().equals(instanceId)) {
                instReady = true;
                break;
            }
        }
    }

    SendCommandRequest sendCommandRequest = SendCommandRequest.builder()
        .instanceIds(instanceId)
        .documentName("AWS-RunShellScript")
        .parameters(Collections.singletonMap("commands",
            Collections.singletonList("cd / && sudo python3 server.py
80")))
        .build();

    getSSMClient().sendCommand(sendCommandRequest);
    System.out.println("Restarted the Python web server on instance " +
instanceId + ".");
}

public void openInboundPort(String secGroupId, String port, String ipAddress) {
    AuthorizeSecurityGroupIngressRequest ingressRequest =
AuthorizeSecurityGroupIngressRequest.builder()
    .groupName(secGroupId)
    .cidrIp(ipAddress)
    .fromPort(Integer.parseInt(port))
    .build();

    getEc2Client().authorizeSecurityGroupIngress(ingressRequest);
    System.out.format("Authorized ingress to %s on port %s from %s.",
secGroupId, port, ipAddress);
}

/**
 * Detaches a role from an instance profile, detaches policies from the role,
 * and deletes all the resources.
 */
public void deleteInstanceProfile(String roleName, String profileName) {
    try {
```

```
software.amazon.awssdk.services.iam.model.GetInstanceProfileRequest  
getInstanceProfileRequest =  
software.amazon.awssdk.services.iam.model.GetInstanceProfileRequest  
    .builder()  
    .instanceProfileName(profileName)  
    .build();  
  
GetInstanceProfileResponse response =  
getIAMClient().getInstanceProfile(getInstanceProfileRequest);  
String name = response.instanceProfile().instanceProfileName();  
System.out.println(name);  
  
RemoveRoleFromInstanceProfileRequest profileRequest =  
RemoveRoleFromInstanceProfileRequest.builder()  
    .instanceProfileName(profileName)  
    .roleName(roleName)  
    .build();  
  
getIAMClient().removeRoleFromInstanceProfile(profileRequest);  
DeleteInstanceProfileRequest deleteInstanceProfileRequest =  
DeleteInstanceProfileRequest.builder()  
    .instanceProfileName(profileName)  
    .build();  
  
getIAMClient().deleteInstanceProfile(deleteInstanceProfileRequest);  
System.out.println("Deleted instance profile " + profileName);  
  
DeleteRoleRequest deleteRoleRequest = DeleteRoleRequest.builder()  
    .roleName(roleName)  
    .build();  
  
// List attached role policies.  
ListAttachedRolePoliciesResponse rolesResponse = getIAMClient()  
    .listAttachedRolePolicies(role -> role.roleName(roleName));  
List<AttachedPolicy> attachedPolicies =  
rolesResponse.attachedPolicies();  
for (AttachedPolicy attachedPolicy : attachedPolicies) {  
    DetachRolePolicyRequest request = DetachRolePolicyRequest.builder()  
        .roleName(roleName)  
        .policyArn(attachedPolicy.policyArn())  
        .build();  
  
    getIAMClient().detachRolePolicy(request);
```

```
        System.out.println("Detached and deleted policy " +
attachedPolicy.policyName());
    }

    getIAMClient().deleteRole(deleteRoleRequest);
    System.out.println("Instance profile and role deleted.");

} catch (IamException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}

public void deleteTemplate(String templateName) {
    getEc2Client().deleteLaunchTemplate(name ->
name.launchTemplateName(templateName));
    System.out.format(templateName + " was deleted.");
}

public void deleteAutoScaleGroup(String groupName) {
    DeleteAutoScalingGroupRequest deleteAutoScalingGroupRequest =
DeleteAutoScalingGroupRequest.builder()
        .autoScalingGroupName(groupName)
        .forceDelete(true)
        .build();

getAutoScalingClient().deleteAutoScalingGroup(deleteAutoScalingGroupRequest);
    System.out.println(groupName + " was deleted.");
}

/*
 * Verify the default security group of the specified VPC allows ingress from
 * this
 * computer. This can be done by allowing ingress from this computer's IP
 * address. In some situations, such as connecting from a corporate network, you
 * must instead specify a prefix list ID. You can also temporarily open the port
 * to
 * any IP address while running this example. If you do, be sure to remove
 * public
 * access when you're done.
 *
 */
public GroupInfo verifyInboundPort(String VPC, int port, String ipAddress) {
```

```
boolean portIsOpen = false;
GroupInfo groupInfo = new GroupInfo();
try {
    Filter filter = Filter.builder()
        .name("group-name")
        .values("default")
        .build();

    Filter filter1 = Filter.builder()
        .name("vpc-id")
        .values(VPC)
        .build();

    DescribeSecurityGroupsRequest securityGroupsRequest =
DescribeSecurityGroupsRequest.builder()
    .filters(filter, filter1)
    .build();

    DescribeSecurityGroupsResponse securityGroupsResponse = getEc2Client()
        .describeSecurityGroups(securityGroupsRequest);
    String securityGroup =
securityGroupsResponse.securityGroups().get(0).groupName();
    groupInfo.setGroupName(securityGroup);

    for (SecurityGroup secGroup : securityGroupsResponse.securityGroups()) {
        System.out.println("Found security group: " + secGroup.groupId());

        for (IpPermission ipPermission : secGroup.ipPermissions()) {
            if (ipPermission.fromPort() == port) {
                System.out.println("Found inbound rule: " + ipPermission);
                for (IpRange ipRange : ipPermission.ipRanges()) {
                    String cidrIp = ipRange.cidrIp();
                    if (cidrIp.startsWith(ipAddress) ||
cidrIp.equals("0.0.0.0/0")) {
                        System.out.println(cidrIp + " is applicable");
                        portIsOpen = true;
                    }
                }
            }

            if (!ipPermission.prefixListIds().isEmpty()) {
                System.out.println("Prefix lList is applicable");
                portIsOpen = true;
            }
        }
    }
}
```

```
        if (!portIsOpen) {
            System.out
                .println("The inbound rule does not appear to be
open to either this computer's IP,"
                     + " all IP addresses (0.0.0.0/0), or to
a prefix list ID.");
        } else {
            break;
        }
    }
}

} catch (AutoScalingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
}

groupInfo.setPortOpen(portIsOpen);
return groupInfo;
}

/*
 * Attaches an Elastic Load Balancing (ELB) target group to this EC2 Auto
 * Scaling group.
 * The target group specifies how the load balancer forward requests to the
 * instances
 * in the group.
 */
public void attachLoadBalancerTargetGroup(String asGroupName, String
targetGroupARN) {
    try {
        AttachLoadBalancerTargetGroupsRequest targetGroupsRequest =
AttachLoadBalancerTargetGroupsRequest.builder()
        .autoScalingGroupName(asGroupName)
        .targetGroupARNS(targetGroupARN)
        .build();

getAutoScalingClient().attachLoadBalancerTargetGroups(targetGroupsRequest);
        System.out.println("Attached load balancer to " + asGroupName);

    } catch (AutoScalingException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

```
        }

    }

    // Creates an EC2 Auto Scaling group with the specified size.
    public String[] createGroup(int groupSize, String templateName, String
autoScalingGroupName) {

        // Get availability zones.
        software.amazon.awssdk.services.ec2.model.DescribeAvailabilityZonesRequest
zonesRequest =
software.amazon.awssdk.services.ec2.model.DescribeAvailabilityZonesRequest
        .builder()
        .build();

        DescribeAvailabilityZonesResponse zonesResponse =
getEc2Client().describeAvailabilityZones(zonesRequest);
        List<String> availabilityZoneNames =
zonesResponse.availabilityZones().stream()

        .map(software.amazon.awssdk.services.ec2.model.AvailabilityZone::zoneName)
        .collect(Collectors.toList());

        String availabilityZones = String.join(",", availabilityZoneNames);
        LaunchTemplateSpecification specification =
LaunchTemplateSpecification.builder()
        .launchTemplateName(templateName)
        .version("$Default")
        .build();

        String[] zones = availabilityZones.split(",");
        CreateAutoScalingGroupRequest groupRequest =
CreateAutoScalingGroupRequest.builder()
        .launchTemplate(specification)
        .availabilityZones(zones)
        .maxSize(groupSize)
        .minSize(groupSize)
        .autoScalingGroupName(autoScalingGroupName)
        .build();

    try {
        getAutoScalingClient().createAutoScalingGroup(groupRequest);

    } catch (AutoScalingException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
    }
}
```

```
        System.exit(1);
    }
    System.out.println("Created an EC2 Auto Scaling group named " +
autoScalingGroupName);
    return zones;
}

public String getDefaultVPC() {
    // Define the filter.
    Filter defaultFilter = Filter.builder()
        .name("is-default")
        .values("true")
        .build();

    software.amazon.awssdk.services.ec2.model.DescribeVpcsRequest request =
software.amazon.awssdk.services.ec2.model.DescribeVpcsRequest
        .builder()
        .filters(defaultFilter)
        .build();

    DescribeVpcsResponse response = getEc2Client().describeVpcs(request);
    return response.vpcs().get(0).vpcId();
}

// Gets the default subnets in a VPC for a specified list of Availability Zones.
public List<Subnet> getSubnets(String vpcId, String[] availabilityZones) {
    List<Subnet> subnets = null;
    Filter vpcFilter = Filter.builder()
        .name("vpc-id")
        .values(vpcId)
        .build();

    Filter azFilter = Filter.builder()
        .name("availability-zone")
        .values(availabilityZones)
        .build();

    Filter defaultForAZ = Filter.builder()
        .name("default-for-az")
        .values("true")
        .build();

    DescribeSubnetsRequest request = DescribeSubnetsRequest.builder()
        .filters(vpcFilter, azFilter, defaultForAZ)
```

```
        .build();

    DescribeSubnetsResponse response = getEc2Client().describeSubnets(request);
    subnets = response.subnets();
    return subnets;
}

// Gets data about the instances in the EC2 Auto Scaling group.
public String getBadInstance(String groupName) {
    DescribeAutoScalingGroupsRequest request =
DescribeAutoScalingGroupsRequest.builder()
        .autoScalingGroupNames(groupName)
        .build();

    DescribeAutoScalingGroupsResponse response =
getAutoScalingClient().describeAutoScalingGroups(request);
    AutoScalingGroup autoScalingGroup = response.autoScalingGroups().get(0);
    List<String> instanceIds = autoScalingGroup.instances().stream()
        .map(instance -> instance.instanceId())
        .collect(Collectors.toList());

    String[] instanceIdArray = instanceIds.toArray(new String[0]);
    for (String instanceId : instanceIdArray) {
        System.out.println("Instance ID: " + instanceId);
        return instanceId;
    }
    return "";
}

// Gets data about the profile associated with an instance.
public String getInstanceProfile(String instanceId) {
    Filter filter = Filter.builder()
        .name("instance-id")
        .values(instanceId)
        .build();

    DescribeIamInstanceProfileAssociationsRequest associationsRequest =
DescribeIamInstanceProfileAssociationsRequest
        .builder()
        .filters(filter)
        .build();

    DescribeIamInstanceProfileAssociationsResponse response = getEc2Client()
        .describeIamInstanceProfileAssociations(associationsRequest);
```

```
        return response.iamInstanceProfileAssociations().get(0).associationId();
    }

    public void deleteRolesPolicies(String policyName, String roleName, String
InstanceProfile) {
    ListPoliciesRequest listPoliciesRequest =
ListPoliciesRequest.builder().build();
    ListPoliciesResponse listPoliciesResponse =
getIAMClient().listPolicies(listPoliciesRequest);
    for (Policy policy : listPoliciesResponse.policies()) {
        if (policy.policyName().equals(policyName)) {
            // List the entities (users, groups, roles) that are attached to the
policy.

software.amazon.awssdk.services.iam.model.ListEntitiesForPolicyRequest
listEntitiesRequest =
software.amazon.awssdk.services.iam.model.ListEntitiesForPolicyRequest
        .builder()
        .policyArn(policy.arn())
        .build();
    ListEntitiesForPolicyResponse listEntitiesResponse = iamClient
        .listEntitiesForPolicy(listEntitiesRequest);
    if (!listEntitiesResponse.policyGroups().isEmpty() || !
listEntitiesResponse.policyUsers().isEmpty()
        || !listEntitiesResponse.policyRoles().isEmpty()) {
        // Detach the policy from any entities it is attached to.
        DetachRolePolicyRequest detachPolicyRequest =
DetachRolePolicyRequest.builder()
        .policyArn(policy.arn())
        .roleName(roleName) // Specify the name of the IAM role
        .build();

        getIAMClient().detachRolePolicy(detachPolicyRequest);
        System.out.println("Policy detached from entities.");
    }

    // Now, you can delete the policy.
    DeletePolicyRequest deletePolicyRequest =
DeletePolicyRequest.builder()
        .policyArn(policy.arn())
        .build();

    getIAMClient().deletePolicy(deletePolicyRequest);
    System.out.println("Policy deleted successfully.");
}
```

```
        break;
    }
}

// List the roles associated with the instance profile
ListInstanceProfilesForRoleRequest listRolesRequest =
ListInstanceProfilesForRoleRequest.builder()
    .roleName(roleName)
    .build();

// Detach the roles from the instance profile
ListInstanceProfilesForRoleResponse listRolesResponse =
iamClient.listInstanceProfilesForRole(listRolesRequest);
for (software.amazon.awssdk.services.iam.model.InstanceProfile profile :
listRolesResponse.instanceProfiles()) {
    RemoveRoleFromInstanceProfileRequest removeRoleRequest =
RemoveRoleFromInstanceProfileRequest.builder()
    .instanceProfileName(InstanceProfile)
    .roleName(roleName) // Remove the extra dot here
    .build();

    getIAMClient().removeRoleFromInstanceProfile(removeRoleRequest);
    System.out.println("Role " + roleName + " removed from instance profile
" + InstanceProfile);
}

// Delete the instance profile after removing all roles
DeleteInstanceProfileRequest deleteInstanceProfileRequest =
DeleteInstanceProfileRequest.builder()
    .instanceProfileName(InstanceProfile)
    .build();

getIAMClient().deleteInstanceProfile(r ->
r.instanceProfileName(InstanceProfile));
System.out.println(InstanceProfile + " Deleted");
System.out.println("All roles and policies are deleted.");
}
}
```

Create a class that wraps Elastic Load Balancing actions.

```
public class LoadBalancer {
```

```
public ElasticLoadBalancingV2Client elasticLoadBalancingV2Client;

public ElasticLoadBalancingV2Client getLoadBalancerClient() {
    if (elasticLoadBalancingV2Client == null) {
        elasticLoadBalancingV2Client = ElasticLoadBalancingV2Client.builder()
            .region(Region.US_EAST_1)
            .build();
    }

    return elasticLoadBalancingV2Client;
}

// Checks the health of the instances in the target group.
public List<TargetHealthDescription> checkTargetHealth(String targetGroupName) {
    DescribeTargetGroupsRequest targetGroupsRequest =
DescribeTargetGroupsRequest.builder()
    .names(targetGroupName)
    .build();

    DescribeTargetGroupsResponse tgResponse =
getLoadBalancerClient().describeTargetGroups(targetGroupsRequest);

    DescribeTargetHealthRequest healthRequest =
DescribeTargetHealthRequest.builder()
    .targetGroupArn(tgResponse.targetGroups().get(0).targetGroupArn())
    .build();

    DescribeTargetHealthResponse healthResponse =
getLoadBalancerClient().describeTargetHealth(healthRequest);
    return healthResponse.targetHealthDescriptions();
}

// Gets the HTTP endpoint of the load balancer.
public String getEndpoint(String lbName) {
    DescribeLoadBalancersResponse res = getLoadBalancerClient()
        .describeLoadBalancers(describe -> describe.names(lbName));
    return res.loadBalancers().get(0).dnsName();
}

// Deletes a load balancer.
public void deleteLoadBalancer(String lbName) {
    try {
        // Use a waiter to delete the Load Balancer.
        DescribeLoadBalancersResponse res = getLoadBalancerClient()
```

```
        .describeLoadBalancers(describe -> describe.names(lbName));
    ElasticLoadBalancingV2Waiter loadBalancerWaiter =
getLoadBalancerClient().waiter();
    DescribeLoadBalancersRequest request =
DescribeLoadBalancersRequest.builder()
        .loadBalancerArns(res.loadBalancers().get(0).loadBalancerArn())
        .build();

    getLoadBalancerClient().deleteLoadBalancer(
        builder ->
builder.loadBalancerArn(res.loadBalancers().get(0).loadBalancerArn()));
    WaiterResponse<DescribeLoadBalancersResponse> waiterResponse =
loadBalancerWaiter
        .waitUntilLoadBalancersDeleted(request);
    waiterResponse.matched().response().ifPresent(System.out::println);

} catch (ElasticLoadBalancingV2Exception e) {
    System.err.println(e.awsErrorDetails().errorMessage());
}
System.out.println(lbName + " was deleted.");
}

// Deletes the target group.
public void deleteTargetGroup(String targetGroupName) {
    try {
        DescribeTargetGroupsResponse res = getLoadBalancerClient()
            .describeTargetGroups(describe ->
describe.names(targetGroupName));
        getLoadBalancerClient()
            .deleteTargetGroup(builder ->
builder.targetGroupArn(res.targetGroups().get(0).targetGroupArn()));
    } catch (ElasticLoadBalancingV2Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
    }
    System.out.println(targetGroupName + " was deleted.");
}

// Verify this computer can successfully send a GET request to the load balancer
// endpoint.
public boolean verifyLoadBalancerEndpoint(String elbDnsName) throws IOException,
InterruptedException {
    boolean success = false;
    int retries = 3;
    CloseableHttpClient httpClient = HttpClients.createDefault();
```

```
// Create an HTTP GET request to the ELB.
HttpGet httpGet = new HttpGet("http://" + elbDnsName);
try {
    while ((!success) && (retries > 0)) {
        // Execute the request and get the response.
        HttpResponse response = httpClient.execute(httpGet);
        int statusCode = response.getStatusLine().getStatusCode();
        System.out.println("HTTP Status Code: " + statusCode);
        if (statusCode == 200) {
            success = true;
        } else {
            retries--;
            System.out.println("Got connection error from load balancer
endpoint, retrying...");  
            TimeUnit.SECONDS.sleep(15);
        }
    }

} catch (org.apache.http.conn.HttpHostConnectException e) {
    System.out.println(e.getMessage());
}

System.out.println("Status.." + success);
return success;
}

/*
 * Creates an Elastic Load Balancing target group. The target group specifies
 * how
 * the load balancer forward requests to instances in the group and how instance
 * health is checked.
 */
public String createTargetGroup(String protocol, int port, String vpcId, String
targetGroupName) {
    CreateTargetGroupRequest targetGroupRequest =
CreateTargetGroupRequest.builder()
    .healthCheckPath("/healthcheck")
    .healthCheckTimeoutSeconds(5)
    .port(port)
    .vpcId(vpcId)
    .name(targetGroupName)
    .protocol(protocol)
    .build();
```

```
    CreateTargetGroupResponse targetGroupResponse =
getLoadBalancerClient().createTargetGroup(targetGroupRequest);
    String targetGroupArn =
targetGroupResponse.targetGroups().get(0).targetGroupArn();
    String targetGroup =
targetGroupResponse.targetGroups().get(0).targetGroupName();
    System.out.println("The " + targetGroup + " was created with ARN" +
targetGroupArn);
    return targetGroupArn;
}

/*
 * Creates an Elastic Load Balancing load balancer that uses the specified
 * subnets
 * and forwards requests to the specified target group.
 */
public String createLoadBalancer(List<Subnet> subnetIds, String targetGroupARN,
String lbName, int port,
        String protocol) {
try {
    List<String> subnetIdStrings = subnetIds.stream()
        .map(Subnet::subnetId)
        .collect(Collectors.toList());

    CreateLoadBalancerRequest balancerRequest =
CreateLoadBalancerRequest.builder()
        .subnets(subnetIdStrings)
        .name(lbName)
        .scheme("internet-facing")
        .build();

    // Create and wait for the load balancer to become available.
    CreateLoadBalancerResponse lsResponse =
getLoadBalancerClient().createLoadBalancer(balancerRequest);
    String lbARN = lsResponse.loadBalancers().get(0).loadBalancerArn();

    ElasticLoadBalancingV2Waiter loadBalancerWaiter =
getLoadBalancerClient().waiter();
    DescribeLoadBalancersRequest request =
DescribeLoadBalancersRequest.builder()
        .loadBalancerArns(lbARN)
        .build();
}
```

```
        System.out.println("Waiting for Load Balancer " + lbName + " to become available.");
        WaiterResponse<DescribeLoadBalancersResponse> waiterResponse =
loadBalancerWaiter
            .waitUntilLoadBalancerAvailable(request);
        waiterResponse.matched().response().ifPresent(System.out::println);
        System.out.println("Load Balancer " + lbName + " is available.");

        // Get the DNS name (endpoint) of the load balancer.
        String lbDNSName = lsResponse.loadBalancers().get(0).dnsName();
        System.out.println("*** Load Balancer DNS Name: " + lbDNSName);

        // Create a listener for the load balance.
        Action action = Action.builder()
            .targetGroupArn(targetGroupARN)
            .type("forward")
            .build();

        CreateListenerRequest listenerRequest = CreateListenerRequest.builder()

.loadBalancerArn(lsResponse.loadBalancers().get(0).loadBalancerArn())
            .defaultActions(action)
            .port(port)
            .protocol(protocol)
            .defaultActions(action)
            .build();

        getLoadBalancerClient().createListener(listenerRequest);
        System.out.println("Created listener to forward traffic from load
balancer " + lbName + " to target group "
+ targetGroupARN);

        // Return the load balancer DNS name.
        return lbDNSName;

    } catch (ElasticLoadBalancingV2Exception e) {
        e.printStackTrace();
    }
    return "";
}
}
```

Create a class that uses DynamoDB to simulate a recommendation service.

```
public class Database {

    private static DynamoDbClient dynamoDbClient;

    public static DynamoDbClient getDynamoDbClient() {
        if (dynamoDbClient == null) {
            dynamoDbClient = DynamoDbClient.builder()
                .region(Region.US_EAST_1)
                .build();
        }
        return dynamoDbClient;
    }

    // Checks to see if the Amazon DynamoDB table exists.
    private boolean doesTableExist(String tableName) {
        try {
            // Describe the table and catch any exceptions.
            DescribeTableRequest describeTableRequest =
DescribeTableRequest.builder()
                .tableName(tableName)
                .build();

            getDynamoDbClient().describeTable(describeTableRequest);
            System.out.println("Table '" + tableName + "' exists.");
            return true;
        } catch (ResourceNotFoundException e) {
            System.out.println("Table '" + tableName + "' does not exist.");
        } catch (DynamoDbException e) {
            System.err.println("Error checking table existence: " + e.getMessage());
        }
        return false;
    }

    /*
     * Creates a DynamoDB table to use a recommendation service. The table has a
     * hash key named 'MediaType' that defines the type of media recommended, such
     * as
     * Book or Movie, and a range key named 'ItemId' that, combined with the
     * MediaType,
     * forms a unique identifier for the recommended item.
     */
}
```

```
public void createTable(String tableName, String fileName) throws IOException {
    // First check to see if the table exists.
    boolean doesExist = doesTableExist(tableName);
    if (!doesExist) {
        DynamoDbWaiter dbWaiter = getDynamoDbClient().waiter();
        CreateTableRequest createTableRequest = CreateTableRequest.builder()
            .tableName(tableName)
            .attributeDefinitions(
                AttributeDefinition.builder()
                    .attributeName("MediaType")
                    .attributeType(ScalarAttributeType.S)
                    .build(),
                AttributeDefinition.builder()
                    .attributeName("ItemId")
                    .attributeType(ScalarAttributeType.N)
                    .build())
            .keySchema(
                KeySchemaElement.builder()
                    .attributeName("MediaType")
                    .keyType(KeyType.HASH)
                    .build(),
                KeySchemaElement.builder()
                    .attributeName("ItemId")
                    .keyType(KeyType.RANGE)
                    .build())
            .provisionedThroughput(
                ProvisionedThroughput.builder()
                    .readCapacityUnits(5L)
                    .writeCapacityUnits(5L)
                    .build())
            .build();

        getDynamoDbClient().createTable(createTableRequest);
        System.out.println("Creating table " + tableName + "...");

        // Wait until the Amazon DynamoDB table is created.
        DescribeTableRequest tableRequest = DescribeTableRequest.builder()
            .tableName(tableName)
            .build();

        WaiterResponse<DescribeTableResponse> waiterResponse =
        dbWaiter.waitUntilTableExists(tableRequest);
        waiterResponse.matched().response().ifPresent(System.out::println);
        System.out.println("Table " + tableName + " created.");
    }
}
```

```
// Add records to the table.
populateTable(fileName, tableName);
}

}

public void deleteTable(String tableName) {
    getDynamoDbClient().deleteTable(table -> table.tableName(tableName));
    System.out.println("Table " + tableName + " deleted.");
}

// Populates the table with data located in a JSON file using the DynamoDB
// enhanced client.
public void populateTable(String fileName, String tableName) throws IOException
{
    DynamoDbEnhancedClient enhancedClient = DynamoDbEnhancedClient.builder()
        .dynamoDbClient(getDynamoDbClient())
        .build();

    ObjectMapper objectMapper = new ObjectMapper();
    File jsonFile = new File(fileName);
    JsonNode rootNode = objectMapper.readTree(jsonFile);

    DynamoDbTable<Recommendation> mappedTable = enhancedClient.table(tableName,
        TableSchema.fromBean(Recommendation.class));
    for (JsonNode currentNode : rootNode) {
        String mediaType = currentNode.path("MediaType").path("S").asText();
        int itemId = currentNode.path("ItemId").path("N").asInt();
        String title = currentNode.path("Title").path("S").asText();
        String creator = currentNode.path("Creator").path("S").asText();

        // Create a Recommendation object and set its properties.
        Recommendation rec = new Recommendation();
        rec.setMediaType(mediaType);
        rec.setItemId(itemId);
        rec.setTitle(title);
        rec.setCreator(creator);

        // Put the item into the DynamoDB table.
        mappedTable.putItem(rec); // Add the Recommendation to the list.
    }
    System.out.println("Added all records to the " + tableName);
}
}
```

Create a class that wraps Systems Manager actions.

```
public class ParameterHelper {  
  
    String tableName = "doc-example-resilient-architecture-table";  
    String dyntable = "doc-example-recommendation-service";  
    String failureResponse = "doc-example-resilient-architecture-failure-response";  
    String healthCheck = "doc-example-resilient-architecture-health-check";  
  
    public void reset() {  
        put(dyntable, tableName);  
        put(failureResponse, "none");  
        put(healthCheck, "shallow");  
    }  
  
    public void put(String name, String value) {  
        SsmClient ssmClient = SsmClient.builder()  
            .region(Region.US_EAST_1)  
            .build();  
  
        PutParameterRequest parameterRequest = PutParameterRequest.builder()  
            .name(name)  
            .value(value)  
            .overwrite(true)  
            .type("String")  
            .build();  
  
        ssmClient.putParameter(parameterRequest);  
        System.out.printf("Setting demo parameter %s to '%s'.", name, value);  
    }  
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [AttachLoadBalancerTargetGroups](#)
- [CreateAutoScalingGroup](#)
- [CreateInstanceProfile](#)
- [CreateLaunchTemplate](#)
- [CreateListener](#)

- [CreateLoadBalancer](#)
- [CreateTargetGroup](#)
- [DeleteAutoScalingGroup](#)
- [DeleteInstanceProfile](#)
- [DeleteLaunchTemplate](#)
- [DeleteLoadBalancer](#)
- [DeleteTargetGroup](#)
- [DescribeAutoScalingGroups](#)
- [DescribeAvailabilityZones](#)
- [DescribelamInstanceProfileAssociations](#)
- [DescribelInstances](#)
- [DescribeLoadBalancers](#)
- [DescribeSubnets](#)
- [DescribeTargetGroups](#)
- [DescribeTargetHealth](#)
- [DescribeVpcs](#)
- [RebootInstances](#)
- [ReplacelamInstanceProfileAssociation](#)
- [TerminateInstanceInAutoScalingGroup](#)
- [UpdateAutoScalingGroup](#)

Amazon ECR examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon ECR.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello Amazon ECR

The following code examples show how to get started using Amazon ECR.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ecr.EcrClient;
import software.amazon.awssdk.services.ecr.model.EcrException;
import software.amazon.awssdk.services.ecr.model.ListImagesRequest;
import software.amazon.awssdk.services.ecr.paginators.ListImagesIterable;

public class HelloECR {

    public static void main(String[] args) {
        final String usage = """
            Usage: <repositoryName>

            Where:
            repositoryName - The name of the Amazon ECR repository.
            """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String repoName = args[0];
        EcrClient ecrClient = EcrClient.builder()
            .region(Region.US_EAST_1)
            .build();

        listImageTags(ecrClient, repoName);
    }
}
```

```
public static void listImageTags(EcrClient ecrClient, String repoName){  
    ListImagesRequest listImagesPaginator = ListImagesRequest.builder()  
        .repositoryName(repoName)  
        .build();  
  
    ListImagesIterable imagesIterable =  
    ecrClient.listImagesPaginator(listImagesPaginator);  
    imagesIterable.stream()  
        .flatMap(r -> r.imageIds().stream())  
        .forEach(image -> System.out.println("The docker image tag is: "  
+image.imageTag()));  
}
```

- For API details, see [listImages](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Basics](#)
- [Actions](#)

Basics

Learn the basics

The following code example shows how to:

- Create an Amazon ECR repository.
- Set repository policies.
- Retrieve repository URIs.
- Get Amazon ECR authorization tokens.
- Set lifecycle policies for Amazon ECR repositories.
- Push a Docker image to an Amazon ECR repository.
- Verify the existence of an image in an Amazon ECR repository.
- List Amazon ECR repositories for your account and get details about them.
- Delete Amazon ECR repositories.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Run an interactive scenario demonstrating Amazon ECR features.

```
import software.amazon.awssdk.services.ecr.model.EcrException;
import software.amazon.awssdk.services.ecr.model.RepositoryPolicyNotFoundException;

import java.util.Scanner;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 *
 * This Java code example requires an IAM Role that has permissions to interact with
 * the Amazon ECR service.
 *
 * To create an IAM role, see:
 *
 * https://docs.aws.amazon.com/IAM/latest/UserGuide/id\_roles\_create.html
 *
 * This Java scenario example requires a local docker image named echo-text. Without
 * a local image,
 * this Java program will not successfully run. For more information including how
 * to create the local
 * image, see:
 *
 * /getting_started_scenarios/ecr_scenario/README
 *
 */

public class ECRScenario {
    public static final String DASHES = new String(new char[80]).replace("\0", "-");
    public static void main(String[] args) {
        final String usage = """
```

```
Usage: <iamRoleARN> <accountId>
```

Where:

iamRoleARN - The IAM role ARN that has the necessary permissions to access and manage the Amazon ECR repository.

accountId - Your AWS account number.

""";

```
if (args.length != 2) {  
    System.out.println(usage);  
    return;  
}
```

```
ECRActions ecrActions = new ECRActions();  
String iamRole = args[0];  
String accountId = args[1];  
String localImageName;
```

```
Scanner scanner = new Scanner(System.in);  
System.out.println("""
```

The Amazon Elastic Container Registry (ECR) is a fully-managed Docker container registry

service provided by AWS. It allows developers and organizations to securely

store, manage, and deploy Docker container images.

ECR provides a simple and scalable way to manage container images throughout their lifecycle,

from building and testing to production deployment.\s

The `EcrAsyncClient` interface in the AWS SDK for Java 2.x provides a set of methods to

programmatically interact with the Amazon ECR service. This allows developers to

automate the storage, retrieval, and management of container images as part of their application

deployment pipelines. With ECR, teams can focus on building and deploying their

applications without having to worry about the underlying infrastructure required to

host and manage a container registry.

This scenario walks you through how to perform key operations for this service.

Let's get started...

```
You have two choices:  
1 - Run the entire program.  
2 - Delete an existing Amazon ECR repository named echo-text (created  
from a previous execution of  
this program that did not complete).  
"""");  
  
while (true) {  
    String input = scanner.nextLine();  
    if (input.trim().equalsIgnoreCase("1")) {  
        System.out.println("Continuing with the program...");  
        System.out.println("");  
        break;  
    } else if (input.trim().equalsIgnoreCase("2")) {  
        String repoName = "echo-text";  
        ecrActions.deleteECRRepository(repoName);  
        return;  
    } else {  
        // Handle invalid input.  
        System.out.println("Invalid input. Please try again.");  
    }  
}  
  
waitForInputToContinue(scanner);  
System.out.println(DASHES);  
  
System.out.println("")  
1. Create an ECR repository.  
  
The first task is to ensure we have a local Docker image named echo-  
text.  
If this image exists, then an Amazon ECR repository is created.  
  
An ECR repository is a private Docker container repository provided  
by Amazon Web Services (AWS). It is a managed service that makes it easy  
to store, manage, and deploy Docker container images.\s  
""" );  
  
// Ensure that a local docker image named echo-text exists.  
boolean doesExist = ecrActions.isEchoTextImagePresent();  
String repoName;  
if (!doesExist){  
    System.out.println("The local image named echo-text does not exist");
```

```
        return;
    } else {
        localImageName = "echo-text";
        repoName = "echo-text";
    }

    try {
        String repoArn = ecrActions.createECRRepository(repoName);
        System.out.println("The ARN of the ECR repository is " + repoArn);

    } catch (IllegalArgumentException e) {
        System.err.println("Invalid repository name: " + e.getMessage());
        return;
    } catch (RuntimeException e) {
        System.err.println("An error occurred while creating the ECR repository:
" + e.getMessage());
        e.printStackTrace();
        return;
    }
    waitForInputToContinue(scanner);

    System.out.println(DASHES);
    System.out.println("""
2. Set an ECR repository policy.
```

Setting an ECR repository policy using the `setRepositoryPolicy` function is crucial for maintaining

the security and integrity of your container images. The repository policy allows you to

define specific rules and restrictions for accessing and managing the images stored within your ECR

repository.

""");

waitForInputToContinue(scanner);

try {

ecrActions.setRepoPolicy(repoName, iamRole);

} catch (RepositoryPolicyNotFoundException e) {

System.err.println("Invalid repository name: " + e.getMessage());

return;

} catch (EcrException e) {

System.err.println("An ECR exception occurred: " + e.getMessage());

return;

} catch (RuntimeException e) {

```
        System.err.println("An error occurred while creating the ECR repository:  
" + e.getMessage());  
        return;  
    }  
    waitForInputToContinue(scanner);  
  
    System.out.println(DASHES);  
    System.out.println("")  
3. Display ECR repository policy.  
  
Now we will retrieve the ECR policy to ensure it was successfully set.  
""");  
waitForInputToContinue(scanner);  
try {  
    String policyText = ecrActions.getRepoPolicy(repoName);  
    System.out.println("Policy Text:");  
    System.out.println(policyText);  
  
} catch (EcrException e) {  
    System.err.println("An ECR exception occurred: " + e.getMessage());  
    return;  
} catch (RuntimeException e) {  
    System.err.println("An error occurred while creating the ECR repository:  
" + e.getMessage());  
    return;  
}  
  
waitForInputToContinue(scanner);  
  
System.out.println(DASHES);  
System.out.println("")  
4. Retrieve an ECR authorization token.  
  
You need an authorization token to securely access and interact with the  
Amazon ECR registry.  
The `getAuthorizationToken` method of the `EcrAsyncClient` is responsible  
for securely accessing  
and interacting with an Amazon ECR repository. This operation is responsible  
for obtaining a  
valid authorization token, which is required to authenticate your requests  
to the ECR service.  
  
Without a valid authorization token, you would not be able to perform any  
operations on the
```

```
ECR repository, such as pushing, pulling, or managing your Docker images.

""");
waitForInputToContinue(scanner);
try {
    ecrActions.getAuthToken();

} catch (EcrException e) {
    System.err.println("An ECR exception occurred: " + e.getMessage());
    return;
} catch (RuntimeException e) {
    System.err.println("An error occurred while retrieving the authorization
token: " + e.getMessage());
    return;
}
waitForInputToContinue(scanner);

System.out.println(DASHES);
System.out.println("""
5. Get the ECR Repository URI.

The URI of an Amazon ECR repository is important. When you want to deploy a
container image to
    a container orchestration platform like Amazon Elastic Kubernetes Service
(EKS)
    or Amazon Elastic Container Service (ECS), you need to specify the full
image URI,
    which includes the ECR repository URI. This allows the container runtime to
pull the
    correct container image from the ECR repository.
""");
waitForInputToContinue(scanner);

try {
    ecrActions.getRepositoryURI(repoName);

} catch (EcrException e) {
    System.err.println("An ECR exception occurred: " + e.getMessage());
    return;
} catch (RuntimeException e) {
    System.err.println("An error occurred while retrieving the URI: " +
e.getMessage());
    return;
}
```

```
}

waitForInputToContinue(scanner);

System.out.println(DASHES);
System.out.println("""
    6. Set an ECR Lifecycle Policy.
```

An ECR Lifecycle Policy is used to manage the lifecycle of Docker images stored in your ECR repositories.

These policies allow you to automatically remove old or unused Docker images from your repositories, freeing up storage space and reducing costs.

This example policy helps to maintain the size and efficiency of the container registry

by automatically removing older and potentially unused images, ensuring that the

```
storage is optimized and the registry remains up-to-date.

""");
```

```
waitForInputToContinue(scanner);
```

```
try {
```

```
    ecrActions.setLifeCyclePolicy(repoName);
```

```
} catch (RuntimeException e) {
```

```
    System.err.println("An error occurred while setting the lifecycle
policy: " + e.getMessage());
    e.printStackTrace();
    return;
}
```

```
}
```

```
waitForInputToContinue(scanner);

System.out.println(DASHES);
System.out.println("""
    7. Push a docker image to the Amazon ECR Repository.
```

The `pushImageCmd()` method pushes a local Docker image to an Amazon ECR repository.

It sets up the Docker client by connecting to the local Docker host using the default port.

It then retrieves the authorization token for the ECR repository by making a call to the AWS SDK.

The method uses the authorization token to create an `AuthConfig` object, which is used to authenticate

```
the Docker client when pushing the image. Finally, the method tags the
Docker image with the specified
repository name and image tag, and then pushes the image to the ECR
repository using the Docker client.

If the push operation is successful, the method prints a message indicating
that the image was pushed to ECR.

    """);
    waitForInputToContinue(scanner);

    try {
        ecrActions.pushDockerImage(repoName, localImageName);

    } catch (RuntimeException e) {
        System.err.println("An error occurred while pushing a local Docker image
to Amazon ECR: " + e.getMessage());
        e.printStackTrace();
        return;
    }
    waitForInputToContinue(scanner);

    System.out.println(DASHES);
    System.out.println("8. Verify if the image is in the ECR Repository.");
    waitForInputToContinue(scanner);
    try {
        ecrActions.verifyImage(repoName, localImageName);

    } catch (EcrException e) {
        System.err.println("An ECR exception occurred: " + e.getMessage());
        return;
    } catch (RuntimeException e) {
        System.err.println("An error occurred " + e.getMessage());
        e.printStackTrace();
        return;
    }
    waitForInputToContinue(scanner);

    System.out.println(DASHES);
    System.out.println("9. As an optional step, you can interact with the image
in Amazon ECR by using the CLI.");
    System.out.println("Would you like to view instructions on how to use the
CLI to run the image? (y/n)");
    String ans = scanner.nextLine().trim();
    if (ans.equalsIgnoreCase("y")) {
        String instructions = """"

```

1. Authenticate with ECR - Before you can pull the image from Amazon ECR, you need to authenticate with the registry. You can do this using the AWS CLI:

```
aws ecr get-login-password --region us-east-1 | docker login --username AWS --password-stdin %s.dkr.ecr.us-east-1.amazonaws.com
```

2. Describe the image using this command:

```
aws ecr describe-images --repository-name %s --image-ids imageTag=%s
```

3. Run the Docker container and view the output using this command:

```
docker run --rm %s.dkr.ecr.us-east-1.amazonaws.com/%s:%s
""";
```

```
instructions = String.format(instructions, accountId, repoName,
localImageName, accountId, repoName, localImageName);
```

```
System.out.println(instructions);
```

```
}
```

```
waitForInputToContinue(scanner);
```

```
System.out.println(DASHES);
```

```
System.out.println("10. Delete the ECR Repository.");
```

```
System.out.println(
""";
```

If the repository isn't empty, you must either delete the contents of the repository

or use the force option (used in this scenario) to delete the repository and have Amazon ECR delete all of its contents

```
on your behalf.
```

```
""");
```

```
System.out.println("Would you like to delete the Amazon ECR Repository? (y/n)");
```

```
String delAns = scanner.nextLine().trim();
```

```
if (delAns.equalsIgnoreCase("y")) {
```

```
    System.out.println("You selected to delete the AWS ECR resources.");
```

```
try {
```

```
    ecrActions.deleteECRRepository(repoName);
```

```
} catch (EcrException e) {
```

```
    System.err.println("An ECR exception occurred: " + e.getMessage());
    return;
```

```
} catch (RuntimeException e) {
```

```
        System.err.println("An error occurred while deleting the Docker
image: " + e.getMessage());
        e.printStackTrace();
        return;
    }
}

System.out.println(DASHES);
System.out.println("This concludes the Amazon ECR SDK scenario");
System.out.println(DASHES);
}

private static void waitForInputToContinue(Scanner scanner) {
    while (true) {
        System.out.println("");
        System.out.println("Enter 'c' followed by <ENTER> to continue:");
        String input = scanner.nextLine();

        if (input.trim().equalsIgnoreCase("c")) {
            System.out.println("Continuing with the program...");
            System.out.println("");
            break;
        } else {
            // Handle invalid input.
            System.out.println("Invalid input. Please try again.");
        }
    }
}
}
```

A wrapper class for Amazon ECR SDK methods.

```
import com.github.dockerjava.api.DockerClient;
import com.github.dockerjava.api.exception.DockerClientException;
import com.github.dockerjava.api.model.AuthConfig;
import com.github.dockerjava.api.model.Image;
import com.github.dockerjava.core.DockerClientBuilder;
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.core.client.config.ClientOverrideConfiguration;
import software.amazon.awssdk.http.async.SdkAsyncHttpClient;
import software.amazon.awssdk.http.nio.netty.NettyNioAsyncHttpClient;
```

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ecr.EcrAsyncClient;
import software.amazon.awssdk.services.ecr.model.AuthorizationData;
import software.amazon.awssdk.services.ecr.model.CreateRepositoryRequest;
import software.amazon.awssdk.services.ecr.model.CreateRepositoryResponse;
import software.amazon.awssdk.services.ecr.model.DeleteRepositoryRequest;
import software.amazon.awssdk.services.ecr.model.DeleteRepositoryResponse;
import software.amazon.awssdk.services.ecr.model.DescribeImagesRequest;
import software.amazon.awssdk.services.ecr.model.DescribeImagesResponse;
import software.amazon.awssdk.services.ecr.model.DescribeRepositoriesRequest;
import software.amazon.awssdk.services.ecr.model.DescribeRepositoriesResponse;
import software.amazon.awssdk.services.ecr.model.EcrException;
import software.amazon.awssdk.services.ecr.model.GetAuthorizationTokenResponse;
import software.amazon.awssdk.services.ecr.model.GetRepositoryPolicyRequest;
import software.amazon.awssdk.services.ecr.model.GetRepositoryPolicyResponse;
import software.amazon.awssdk.services.ecr.model.ImageIdentifier;
import software.amazon.awssdk.services.ecr.model.Repository;
import software.amazon.awssdk.services.ecr.model.RepositoryPolicyNotFoundException;
import software.amazon.awssdk.services.ecr.model.SetRepositoryPolicyRequest;
import software.amazon.awssdk.services.ecr.model.SetRepositoryPolicyResponse;
import software.amazon.awssdk.services.ecr.model.StartLifecyclePolicyPreviewRequest;
import
software.amazon.awssdk.services.ecr.model.StartLifecyclePolicyPreviewResponse;
import com.github.dockerjava.api.command.DockerCmdExecFactory;
import com.github.dockerjava.netty.NettyDockerCmdExecFactory;
import java.time.Duration;
import java.util.Base64;
import java.util.List;
import java.util.concurrent.CompletableFuture;
import java.util.concurrent.CompletionException;

public class ECRActions {
    private static EcrAsyncClient ecrClient;

    private static DockerClient dockerClient;

    private static Logger logger = LoggerFactory.getLogger(ECRActions.class);

    /**
     * Creates an Amazon Elastic Container Registry (Amazon ECR) repository.
     *
     * @param repoName the name of the repository to create.
     * @return the Amazon Resource Name (ARN) of the created repository, or an empty
     * string if the operation failed.
    
```

```
* @throws IllegalArgumentException      If repository name is invalid.
* @throws RuntimeException          if an error occurs while creating the
repository.
*/
public String createECRRepository(String repoName) {
    if (repoName == null || repoName.isEmpty()) {
        throw new IllegalArgumentException("Repository name cannot be null or
empty");
    }

    CreateRepositoryRequest request = CreateRepositoryRequest.builder()
        .repositoryName(repoName)
        .build();

    CompletableFuture<CreateRepositoryResponse> response =
getAsyncClient().createRepository(request);
    try {
        CreateRepositoryResponse result = response.join();
        if (result != null) {
            System.out.println("The " + repoName + " repository was created
successfully.");
            return result.repository().repositoryArn();
        } else {
            throw new RuntimeException("Unexpected response type");
        }
    } catch (CompletionException e) {
        Throwable cause = e.getCause();
        if (cause instanceof EcrException ex) {
            if
("RepositoryAlreadyExistsException".equals(ex.awsErrorDetails().errorCode())) {
                System.out.println("The Amazon ECR repository already exists,
moving on...");
                DescribeRepositoriesRequest describeRequest =
DescribeRepositoriesRequest.builder()
                    .repositoryNames(repoName)
                    .build();
                DescribeRepositoriesResponse describeResponse =
getAsyncClient().describeRepositories(describeRequest).join();
                return describeResponse.repositories().get(0).repositoryArn();
            } else {
                throw new RuntimeException(ex);
            }
        } else {
            throw new RuntimeException(e);
        }
    }
}
```

```
        }

    }

}

/***
 * Deletes an ECR (Elastic Container Registry) repository.
 *
 * @param repoName the name of the repository to delete.
 * @throws IllegalArgumentException if the repository name is null or empty.
 * @throws EcrException if there is an error deleting the repository.
 * @throws RuntimeException if an unexpected error occurs during the deletion
process.
 */
public void deleteECRRepository(String repoName) {
    if (repoName == null || repoName.isEmpty()) {
        throw new IllegalArgumentException("Repository name cannot be null or
empty");
    }

    DeleteRepositoryRequest repositoryRequest =
DeleteRepositoryRequest.builder()
        .force(true)
        .repositoryName(repoName)
        .build();

    CompletableFuture<DeleteRepositoryResponse> response =
getAsyncClient().deleteRepository(repositoryRequest);
    response.whenComplete((deleteRepositoryResponse, ex) -> {
        if (deleteRepositoryResponse != null) {
            System.out.println("You have successfully deleted the " + repoName +
" repository");
        } else {
            Throwable cause = ex.getCause();
            if (cause instanceof EcrException) {
                throw (EcrException) cause;
            } else {
                throw new RuntimeException("Unexpected error: " +
cause.getMessage(), cause);
            }
        }
    });
}

// Wait for the CompletableFuture to complete
response.join();
```

```
}

private static DockerClient getDockerClient() {
    String osName = System.getProperty("os.name");
    if (osName.startsWith("Windows")) {
        // Make sure Docker Desktop is running.
        String dockerHost = "tcp://localhost:2375"; // Use the Docker Desktop
default port.
        DockerCmdExecFactory dockerCmdExecFactory = new
NettyDockerCmdExecFactory().withReadTimeout(20000).withConnectTimeout(20000);
        dockerClient =
DockerClientBuilder.getInstance(dockerHost).withDockerCmdExecFactory(dockerCmdExecFactory).
    } else {
        dockerClient = DockerClientBuilder.getInstance().build();
    }
    return dockerClient;
}

/**
 * Retrieves an asynchronous Amazon Elastic Container Registry (ECR) client.
 *
 * @return the configured ECR asynchronous client.
 */
private static EcrAsyncClient getAsyncClient() {

    /*
     * The `NettyNioAsyncHttpClient` class is part of the AWS SDK for Java,
     * version 2,
     * and it is designed to provide a high-performance, asynchronous HTTP client
     * for interacting with AWS services.
     * It uses the Netty framework to handle the underlying network communication
     * and the Java NIO API to
     * provide a non-blocking, event-driven approach to HTTP requests and
     * responses.
     */
    SdkAsyncHttpClient httpClient = NettyNioAsyncHttpClient.builder()
        .maxConcurrency(50) // Adjust as needed.
        .connectionTimeout(Duration.ofSeconds(60)) // Set the connection
timeout.
        .readTimeout(Duration.ofSeconds(60)) // Set the read timeout.
        .writeTimeout(Duration.ofSeconds(60)) // Set the write timeout.
        .build();
}
```

```
ClientOverrideConfiguration overrideConfig =
ClientOverrideConfiguration.builder()
    .apiCallTimeout(Duration.ofMinutes(2)) // Set the overall API call
timeout.
    .apiCallAttemptTimeout(Duration.ofSeconds(90)) // Set the individual
call attempt timeout.
    .build();

if (ecrClient == null) {
    ecrClient = EcrAsyncClient.builder()
        .region(Region.US_EAST_1)
        .httpClient(httpClient)
        .overrideConfiguration(overrideConfig)
        .build();
}
return ecrClient;
}

/**
 * Sets the lifecycle policy for the specified repository.
 *
 * @param repoName the name of the repository for which to set the lifecycle
policy.
 */
public void setLifeCyclePolicy(String repoName) {
    /*
        This policy helps to maintain the size and efficiency of the container
registry
        by automatically removing older and potentially unused images,
        ensuring that the storage is optimized and the registry remains up-to-
date.
    */
    String polText = """
        {
            "rules": [
                {
                    "rulePriority": 1,
                    "description": "Expire images older than 14 days",
                    "selection": {
                        "tagStatus": "any",
                        "countType": "sinceImagePushed",
                        "countUnit": "days",
                        "countNumber": 14
                }
            ]
        }
    """
    ecrClient.setLifecyclePolicy(repoName, polText);
}
```

```
        },
        "action": {
            "type": "expire"
        }
    ]
}
""";  
  
StartLifecyclePolicyPreviewRequest lifecyclePolicyPreviewRequest =
StartLifecyclePolicyPreviewRequest.builder()
    .lifecyclePolicyText(polText)
    .repositoryName(repoName)
    .build();  
  
CompletableFuture<StartLifecyclePolicyPreviewResponse> response =
getAsyncClient().startLifecyclePolicyPreview(lifecyclePolicyPreviewRequest);
response.whenComplete((lifecyclePolicyPreviewResponse, ex) -> {
    if (lifecyclePolicyPreviewResponse != null) {
        System.out.println("Lifecycle policy preview started
successfully.");
    } else {
        if (ex.getCause() instanceof EcrException) {
            throw (EcrException) ex.getCause();
        } else {
            String errorMessage = "Unexpected error occurred: " +
ex.getMessage();
            throw new RuntimeException(errorMessage, ex);
        }
    }
});  
// Wait for the CompletableFuture to complete.
response.join();
}  
  
/**  
 * Verifies the existence of an image in an Amazon Elastic Container Registry  
(Amazon ECR) repository asynchronously.  
 *  
 * @param repositoryName The name of the Amazon ECR repository.  
 * @param imageTag The tag of the image to verify.  
 * @throws EcrException if there is an error retrieving the image  
information from Amazon ECR.
```

```
* @throws CompletionException      if the asynchronous operation completes
exceptionally.
*/
public void verifyImage(String repositoryName, String imageTag) {
    DescribeImagesRequest request = DescribeImagesRequest.builder()
        .repositoryName(repositoryName)
        .imageIds(ImageIdentifier.builder().imageTag(imageTag).build())
        .build();

    CompletableFuture<DescribeImagesResponse> response =
getAsyncClient().describeImages(request);
    response.whenComplete((describeImagesResponse, ex) -> {
        if (ex != null) {
            if (ex instanceof CompletionException) {
                Throwable cause = ex.getCause();
                if (cause instanceof EcrException) {
                    throw (EcrException) cause;
                } else {
                    throw new RuntimeException("Unexpected error: " +
cause.getMessage(), cause);
                }
            } else {
                throw new RuntimeException("Unexpected error: " +
ex.getCause());
            }
        } else if (describeImagesResponse != null && !
describeImagesResponse.imageDetails().isEmpty()) {
            System.out.println("Image is present in the repository.");
        } else {
            System.out.println("Image is not present in the repository.");
        }
    });
}

// Wait for the CompletableFuture to complete.
response.join();
}

/**
 * Retrieves the repository URI for the specified repository name.
 *
 * @param repoName the name of the repository to retrieve the URI for.
 * @return the repository URI for the specified repository name.
 * @throws EcrException      if there is an error retrieving the repository
information.
```

```
* @throws CompletionException if the asynchronous operation completes
exceptionally.
*/
public void getRepositoryURI(String repoName) {
    DescribeRepositoriesRequest request = DescribeRepositoriesRequest.builder()
        .repositoryNames(repoName)
        .build();

    CompletableFuture<DescribeRepositoriesResponse> response =
getAsyncClient().describeRepositories(request);
    response.whenComplete((describeRepositoriesResponse, ex) -> {
        if (ex != null) {
            Throwable cause = ex.getCause();
            if (cause instanceof InterruptedException) {
                Thread.currentThread().interrupt();
                String errorMessage = "Thread interrupted while waiting for
asynchronous operation: " + cause.getMessage();
                throw new RuntimeException(errorMessage, cause);
            } else if (cause instanceof EcrException) {
                throw (EcrException) cause;
            } else {
                String errorMessage = "Unexpected error: " + cause.getMessage();
                throw new RuntimeException(errorMessage, cause);
            }
        } else {
            if (describeRepositoriesResponse != null) {
                if (!describeRepositoriesResponse.repositories().isEmpty()) {
                    String repositoryUri =
describeRepositoriesResponse.repositories().get(0).repositoryUri();
                    System.out.println("Repository URI found: " +
repositoryUri);
                } else {
                    System.out.println("No repositories found for the given
name.");
                }
            } else {
                System.err.println("No response received from
describeRepositories.");
            }
        }
    });
    response.join();
}
```

```
/**  
 * Retrieves the authorization token for Amazon Elastic Container Registry  
(ECR).  
 * This method makes an asynchronous call to the ECR client to retrieve the  
authorization token.  
 * If the operation is successful, the method prints the token to the console.  
 * If an exception occurs, the method handles the exception and prints the error  
message.  
 *  
 * @throws EcrException      if there is an error retrieving the authorization  
token from ECR.  
 * @throws RuntimeException if there is an unexpected error during the  
operation.  
 */  
public void getAuthToken() {  
    CompletableFuture<GetAuthorizationTokenResponse> response =  
getAsyncClient().getAuthorizationToken();  
    response.whenComplete((authorizationTokenResponse, ex) -> {  
        if (authorizationTokenResponse != null) {  
            AuthorizationData authorizationData =  
authorizationTokenResponse.authorizationData().get(0);  
            String token = authorizationData.authorizationToken();  
            if (!token.isEmpty()) {  
                System.out.println("The token was successfully retrieved.");  
            }  
        } else {  
            if (ex.getCause() instanceof EcrException) {  
                throw (EcrException) ex.getCause();  
            } else {  
                String errorMessage = "Unexpected error occurred: " +  
ex.getMessage();  
                throw new RuntimeException(errorMessage, ex); // Rethrow the  
exception  
            }  
        }  
    });  
    response.join();  
}  
  
/**  
 * Gets the repository policy for the specified repository.  
 *  
 * @param repoName the name of the repository.
```

```
* @throws EcrException if an AWS error occurs while getting the repository
policy.
*/
public String getRepoPolicy(String repoName) {
    if (repoName == null || repoName.isEmpty()) {
        throw new IllegalArgumentException("Repository name cannot be null or
empty");
    }

    GetRepositoryPolicyRequest getRepositoryPolicyRequest =
GetRepositoryPolicyRequest.builder()
    .repositoryName(repoName)
    .build();

    CompletableFuture<GetRepositoryPolicyResponse> response =
getAsyncClient().getRepositoryPolicy(getRepositoryPolicyRequest);
    response.whenComplete((resp, ex) -> {
        if (resp != null) {
            System.out.println("Repository policy retrieved successfully.");
        } else {
            if (ex.getCause() instanceof EcrException) {
                throw (EcrException) ex.getCause();
            } else {
                String errorMessage = "Unexpected error occurred: " +
ex.getMessage();
                throw new RuntimeException(errorMessage, ex);
            }
        }
    });
}

GetRepositoryPolicyResponse result = response.join();
return result != null ? result.policyText() : null;
}

/**
 * Sets the repository policy for the specified ECR repository.
 *
 * @param repoName the name of the ECR repository.
 * @param iamRole the IAM role to be granted access to the repository.
 * @throws RepositoryPolicyNotFoundException if the repository policy does not
exist.
 * @throws EcrException if there is an unexpected error
setting the repository policy.
*/
```

```
public void setRepoPolicy(String repoName, String iamRole) {  
    /*  
     * This example policy document grants the specified AWS principal the  
     * permission to perform the  
     * `ecr:BatchGetImage` action. This policy is designed to allow the specified  
     * principal  
     * to retrieve Docker images from the ECR repository.  
     */  
    String policyDocumentTemplate = """"  
    {  
        "Version" : "2012-10-17",  
        "Statement" : [ {  
            "Sid" : "new statement",  
            "Effect" : "Allow",  
            "Principal" : {  
                "AWS" : "%s"  
            },  
            "Action" : "ecr:BatchGetImage"  
        } ]  
    }  
    """";  
  
    String policyDocument = String.format(policyDocumentTemplate, iamRole);  
    SetRepositoryPolicyRequest setRepositoryPolicyRequest =  
SetRepositoryPolicyRequest.builder()  
        .repositoryName(repoName)  
        .policyText(policyDocument)  
        .build();  
  
    CompletableFuture<SetRepositoryPolicyResponse> response =  
getAsyncClient().setRepositoryPolicy(setRepositoryPolicyRequest);  
    response.whenComplete((resp, ex) -> {  
        if (resp != null) {  
            System.out.println("Repository policy set successfully.");  
        } else {  
            Throwable cause = ex.getCause();  
            if (cause instanceof RepositoryPolicyNotFoundException) {  
                throw (RepositoryPolicyNotFoundException) cause;  
            } else if (cause instanceof EcrException) {  
                throw (EcrException) cause;  
            } else {  
                String errorMessage = "Unexpected error: " + cause.getMessage();  
                throw new RuntimeException(errorMessage, cause);  
            }  
        }  
    }  
}
```

```
        }
    });
    response.join();
}

/**
 * Pushes a Docker image to an Amazon Elastic Container Registry (ECR)
repository.
*
 * @param repoName the name of the ECR repository to push the image to.
 * @param imageName the name of the Docker image.
 */
public void pushDockerImage(String repoName, String imageName) {
    System.out.println("Pushing " + imageName + " to Amazon ECR will take a few
seconds.");
    CompletableFuture<AuthConfig> authResponseFuture =
getAsyncClient().getAuthorizationToken()
        .thenApply(response -> {
            String token =
response.authorizationData().get(0).authorizationToken();
            String decodedToken = new String(Base64.getDecoder().decode(token));
            String password = decodedToken.substring(4);

            DescribeRepositoriesResponse descrRepoResponse =
getAsyncClient().describeRepositories(b -> b.repositoryNames(repoName)).join();
            Repository repoData =
descrRepoResponse.repositories().stream().filter(r ->
r.repositoryName().equals(repoName)).findFirst().orElse(null);
            assert repoData != null;
            String registryURL = repoData.repositoryUri().split("/")[0];

            AuthConfig authConfig = new AuthConfig()
                .withUsername("AWS")
                .withPassword(password)
                .withRegistryAddress(registryURL);
            return authConfig;
        })
        .thenCompose(authConfig -> {
            DescribeRepositoriesResponse descrRepoResponse =
getAsyncClient().describeRepositories(b -> b.repositoryNames(repoName)).join();
            Repository repoData =
descrRepoResponse.repositories().stream().filter(r ->
r.repositoryName().equals(repoName)).findFirst().orElse(null);
        })
}
```

```
        getDockerClient().tagImageCmd(imageName + ":latest",
repoData.repositoryUri() + ":latest", imageName).exec();
        try {

getDockerClient().pushImageCmd(repoData.repositoryUri()).withTag("echo-
text").withAuthConfig(authConfig).start().awaitCompletion();
        System.out.println("The " + imageName + " was pushed to ECR");

    } catch (InterruptedException e) {
        throw (RuntimeException) e.getCause();
    }
    return CompletableFuture.completedFuture(authConfig);
});

authResponseFuture.join();
}

// Make sure local image echo-text exists.
public boolean isEchoTextImagePresent() {
try {
    List<Image> images = getDockerClient().listImagesCmd().exec();
    boolean helloWorldFound = false;
    for (Image image : images) {
        String[] repoTags = image.getRepoTags();
        if (repoTags != null) {
            for (String tag : repoTags) {
                if (tag.startsWith("echo-text")) {
                    System.out.println(tag);
                    helloWorldFound = true;
                }
            }
        }
    }
    if (helloWorldFound) {
        System.out.println("The local image named echo-text exists.");
        return true;
    } else {
        System.out.println("The local image named echo-text does not
exist.");
        return false;
    }
} catch (DockerClientException ex) {
    logger.error("ERROR: " + ex.getMessage());
    return false;
}
```

```
        }
    }
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [CreateRepository](#)
- [DeleteRepository](#)
- [DescribeImages](#)
- [DescribeRepositories](#)
- [GetAuthorizationToken](#)
- [GetRepositoryPolicy](#)
- [SetRepositoryPolicy](#)
- [StartLifecyclePolicyPreview](#)

Actions

CreateRepository

The following code example shows how to use CreateRepository.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Creates an Amazon Elastic Container Registry (Amazon ECR) repository.
 *
 * @param repoName the name of the repository to create.
 * @return the Amazon Resource Name (ARN) of the created repository, or an empty
 *         string if the operation failed.
 * @throws IllegalArgumentException      If repository name is invalid.
 * @throws RuntimeException           if an error occurs while creating the
 *         repository.
```

```
/*
public String createECRRepository(String repoName) {
    if (repoName == null || repoName.isEmpty()) {
        throw new IllegalArgumentException("Repository name cannot be null or
empty");
    }

    CreateRepositoryRequest request = CreateRepositoryRequest.builder()
        .repositoryName(repoName)
        .build();

    CompletableFuture<CreateRepositoryResponse> response =
getAsyncClient().createRepository(request);
    try {
        CreateRepositoryResponse result = response.join();
        if (result != null) {
            System.out.println("The " + repoName + " repository was created
successfully.");
            return result.repository().repositoryArn();
        } else {
            throw new RuntimeException("Unexpected response type");
        }
    } catch (CompletionException e) {
        Throwable cause = e.getCause();
        if (cause instanceof EcrException ex) {
            if
("RepositoryAlreadyExistsException".equals(ex.awsErrorDetails().errorCode())) {
                System.out.println("The Amazon ECR repository already exists,
moving on...");
                DescribeRepositoriesRequest describeRequest =
DescribeRepositoriesRequest.builder()
                    .repositoryNames(repoName)
                    .build();
                DescribeRepositoriesResponse describeResponse =
getAsyncClient().describeRepositories(describeRequest).join();
                return describeResponse.repositories().get(0).repositoryArn();
            } else {
                throw new RuntimeException(ex);
            }
        } else {
            throw new RuntimeException(e);
        }
    }
}
```

- For API details, see [CreateRepository](#) in *AWS SDK for Java 2.x API Reference*.

DeleteRepository

The following code example shows how to use DeleteRepository.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Deletes an ECR (Elastic Container Registry) repository.  
 *  
 * @param repoName the name of the repository to delete.  
 * @throws IllegalArgumentException if the repository name is null or empty.  
 * @throws EcrException if there is an error deleting the repository.  
 * @throws RuntimeException if an unexpected error occurs during the deletion  
 process.  
 */  
public void deleteECRRepository(String repoName) {  
    if (repoName == null || repoName.isEmpty()) {  
        throw new IllegalArgumentException("Repository name cannot be null or  
empty");  
    }  
  
    DeleteRepositoryRequest repositoryRequest =  
DeleteRepositoryRequest.builder()  
        .force(true)  
        .repositoryName(repoName)  
        .build();  
  
    CompletableFuture<DeleteRepositoryResponse> response =  
getAsyncClient().deleteRepository(repositoryRequest);  
    response.whenComplete((deleteRepositoryResponse, ex) -> {  
        if (deleteRepositoryResponse != null) {
```

```
        System.out.println("You have successfully deleted the " + repoName +
" repository");
    } else {
        Throwable cause = ex.getCause();
        if (cause instanceof EcrException) {
            throw (EcrException) cause;
        } else {
            throw new RuntimeException("Unexpected error: " +
cause.getMessage(), cause);
        }
    });
}

// Wait for the CompletableFuture to complete
response.join();
}
```

- For API details, see [DeleteRepository](#) in *AWS SDK for Java 2.x API Reference*.

DescribeImages

The following code example shows how to use `DescribeImages`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Verifies the existence of an image in an Amazon Elastic Container Registry
 * (Amazon ECR) repository asynchronously.
 *
 * @param repositoryName The name of the Amazon ECR repository.
 * @param imageTag        The tag of the image to verify.
 * @throws EcrException      if there is an error retrieving the image
 * information from Amazon ECR.
 * @throws CompletionException if the asynchronous operation completes
 * exceptionally.
```

```
*/  
public void verifyImage(String repositoryName, String imageTag) {  
    DescribeImagesRequest request = DescribeImagesRequest.builder()  
        .repositoryName(repositoryName)  
        .imageIds(ImageIdentifier.builder().imageTag(imageTag).build())  
        .build();  
  
    CompletableFuture<DescribeImagesResponse> response =  
    getAsyncClient().describeImages(request);  
    response.whenComplete((describeImagesResponse, ex) -> {  
        if (ex != null) {  
            if (ex instanceof CompletionException) {  
                Throwable cause = ex.getCause();  
                if (cause instanceof EcrException) {  
                    throw (EcrException) cause;  
                } else {  
                    throw new RuntimeException("Unexpected error: " +  
                        cause.getMessage(), cause);  
                }  
            } else {  
                throw new RuntimeException("Unexpected error: " +  
                    ex.getCause());  
            }  
        } else if (describeImagesResponse != null && !  
        describeImagesResponse.imageDetails().isEmpty()) {  
            System.out.println("Image is present in the repository.");  
        } else {  
            System.out.println("Image is not present in the repository.");  
        }  
    });  
  
    // Wait for the CompletableFuture to complete.  
    response.join();  
}
```

- For API details, see [DescribeImages](#) in *AWS SDK for Java 2.x API Reference*.

DescribeRepositories

The following code example shows how to use `DescribeRepositories`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Retrieves the repository URI for the specified repository name.  
 *  
 * @param repoName the name of the repository to retrieve the URI for.  
 * @return the repository URI for the specified repository name.  
 * @throws EcrException if there is an error retrieving the repository  
 information.  
 * @throws CompletionException if the asynchronous operation completes  
 exceptionally.  
 */  
public void getRepositoryURI(String repoName) {  
    DescribeRepositoriesRequest request = DescribeRepositoriesRequest.builder()  
        .repositoryNames(repoName)  
        .build();  
  
    CompletableFuture<DescribeRepositoriesResponse> response =  
    getAsyncClient().describeRepositories(request);  
    response.whenComplete((describeRepositoriesResponse, ex) -> {  
        if (ex != null) {  
            Throwable cause = ex.getCause();  
            if (cause instanceof InterruptedException) {  
                Thread.currentThread().interrupt();  
                String errorMessage = "Thread interrupted while waiting for  
asynchronous operation: " + cause.getMessage();  
                throw new RuntimeException(errorMessage, cause);  
            } else if (cause instanceof EcrException) {  
                throw (EcrException) cause;  
            } else {  
                String errorMessage = "Unexpected error: " + cause.getMessage();  
                throw new RuntimeException(errorMessage, cause);  
            }  
        } else {  
            if (describeRepositoriesResponse != null) {  
                if (!describeRepositoriesResponse.repositories().isEmpty()) {  
                    // Process the repositories  
                } else {  
                    // No repositories found  
                }  
            } else {  
                // No response received  
            }  
        }  
    });  
}
```

```
        String repositoryUri =
describeRepositoriesResponse.repositories().get(0).repositoryUri();
        System.out.println("Repository URI found: " +
repositoryUri);
    } else {
        System.out.println("No repositories found for the given
name.");
    }
} else {
    System.err.println("No response received from
describeRepositories.");
}
}
});
response.join();
}
```

- For API details, see [DescribeRepositories](#) in *AWS SDK for Java 2.x API Reference*.

GetAuthorizationToken

The following code example shows how to use GetAuthorizationToken.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Retrieves the authorization token for Amazon Elastic Container Registry
(ECR).
 * This method makes an asynchronous call to the ECR client to retrieve the
authorization token.
 * If the operation is successful, the method prints the token to the console.
 * If an exception occurs, the method handles the exception and prints the error
message.
 *
```

```
* @throws EcrException      if there is an error retrieving the authorization
token from ECR.
* @throws RuntimeException if there is an unexpected error during the
operation.
*/
public void getAuthToken() {
    CompletableFuture<GetAuthorizationTokenResponse> response =
getAsyncClient().getAuthorizationToken();
    response.whenComplete((authorizationTokenResponse, ex) -> {
        if (authorizationTokenResponse != null) {
            AuthorizationData authorizationData =
authorizationTokenResponse.authorizationData().get(0);
            String token = authorizationData.authorizationToken();
            if (!token.isEmpty()) {
                System.out.println("The token was successfully retrieved.");
            }
        } else {
            if (ex.getCause() instanceof EcrException) {
                throw (EcrException) ex.getCause();
            } else {
                String errorMessage = "Unexpected error occurred: " +
ex.getMessage();
                throw new RuntimeException(errorMessage, ex); // Rethrow the
exception
            }
        }
    });
    response.join();
}
```

- For API details, see [GetAuthorizationToken](#) in *AWS SDK for Java 2.x API Reference*.

GetRepositoryPolicy

The following code example shows how to use GetRepositoryPolicy.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Gets the repository policy for the specified repository.  
 *  
 * @param repoName the name of the repository.  
 * @throws EcrException if an AWS error occurs while getting the repository  
 * policy.  
 */  
public String getRepoPolicy(String repoName) {  
    if (repoName == null || repoName.isEmpty()) {  
        throw new IllegalArgumentException("Repository name cannot be null or  
empty");  
    }  
  
    GetRepositoryPolicyRequest getRepositoryPolicyRequest =  
GetRepositoryPolicyRequest.builder()  
        .repositoryName(repoName)  
        .build();  
  
    CompletableFuture<GetRepositoryPolicyResponse> response =  
getAsyncClient().getRepositoryPolicy(getRepositoryPolicyRequest);  
    response.whenComplete((resp, ex) -> {  
        if (resp != null) {  
            System.out.println("Repository policy retrieved successfully.");  
        } else {  
            if (ex.getCause() instanceof EcrException) {  
                throw (EcrException) ex.getCause();  
            } else {  
                String errorMessage = "Unexpected error occurred: " +  
ex.getMessage();  
                throw new RuntimeException(errorMessage, ex);  
            }  
        }  
    });  
}
```

```
        GetRepositoryPolicyResponse result = response.join();
        return result != null ? result.policyText() : null;
    }
```

- For API details, see [GetRepositoryPolicy](#) in *AWS SDK for Java 2.x API Reference*.

PushImageCmd

The following code example shows how to use PushImageCmd.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Pushes a Docker image to an Amazon Elastic Container Registry (ECR)
repository.
 *
 * @param repoName  the name of the ECR repository to push the image to.
 * @param imageName the name of the Docker image.
 */
public void pushDockerImage(String repoName, String imageName) {
    System.out.println("Pushing " + imageName + " to Amazon ECR will take a few
seconds.");
    CompletableFuture<AuthConfig> authResponseFuture =
getAsyncClient().getAuthorizationToken()
        .thenApply(response -> {
            String token =
response.authorizationData().get(0).authorizationToken();
            String decodedToken = new String(Base64.getDecoder().decode(token));
            String password = decodedToken.substring(4);

            DescribeRepositoriesResponse descrRepoResponse =
getAsyncClient().describeRepositories(b -> b.repositoryNames(repoName)).join();
            Repository repoData =
descrRepoResponse.repositories().stream().filter(r ->
r.repositoryName().equals(repoName)).findFirst().orElse(null);
    }
}
```

```
        assert repoData != null;
        String registryURL = repoData.repositoryUri().split("/")[0];

        AuthConfig authConfig = new AuthConfig()
            .withUsername("AWS")
            .withPassword(password)
            .withRegistryAddress(registryURL);
        return authConfig;
    })
    .thenCompose(authConfig -> {
        DescribeRepositoriesResponse descrRepoResponse =
getAsyncClient().describeRepositories(b -> b.repositoryNames(repoName)).join();
        Repository repoData =
descrRepoResponse.repositories().stream().filter(r ->
r.repositoryName().equals(repoName)).findFirst().orElse(null);
        getDockerClient().tagImageCmd(imageName + ":latest",
repoData.repositoryUri() + ":latest", imageName).exec();
        try {

            getDockerClient().pushImageCmd(repoData.repositoryUri()).withTag("echo-
text").withAuthConfig(authConfig).start().awaitCompletion();
            System.out.println("The " + imageName + " was pushed to ECR");

        } catch (InterruptedException e) {
            throw (RuntimeException) e.getCause();
        }
        return CompletableFuture.completedFuture(authConfig);
    });

    authResponseFuture.join();
}
```

- For API details, see [PushImageCmd](#) in *AWS SDK for Java 2.x API Reference*.

SetRepositoryPolicy

The following code example shows how to use SetRepositoryPolicy.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Sets the repository policy for the specified ECR repository.  
 *  
 * @param repoName the name of the ECR repository.  
 * @param iamRole the IAM role to be granted access to the repository.  
 * @throws RepositoryPolicyNotFoundException if the repository policy does not  
exist.  
 * @throws EcrException if there is an unexpected error  
setting the repository policy.  
 */  
public void setRepoPolicy(String repoName, String iamRole) {  
    /*  
     * This example policy document grants the specified AWS principal the  
     * permission to perform the  
     * `ecr:BatchGetImage` action. This policy is designed to allow the specified  
     * principal  
     * to retrieve Docker images from the ECR repository.  
     */  
    String policyDocumentTemplate = """  
    {  
        "Version" : "2012-10-17",  
        "Statement" : [ {  
            "Sid" : "new statement",  
            "Effect" : "Allow",  
            "Principal" : {  
                "AWS" : "%s"  
            },  
            "Action" : "ecr:BatchGetImage"  
        } ]  
    }  
    """;  
  
    String policyDocument = String.format(policyDocumentTemplate, iamRole);
```

```
SetRepositoryPolicyRequest setRepositoryPolicyRequest =
SetRepositoryPolicyRequest.builder()
    .repositoryName(repoName)
    .policyText(policyDocument)
    .build();

CompletableFuture<SetRepositoryPolicyResponse> response =
getAsyncClient().setRepositoryPolicy(setRepositoryPolicyRequest);
response.whenComplete((resp, ex) -> {
    if (resp != null) {
        System.out.println("Repository policy set successfully.");
    } else {
        Throwable cause = ex.getCause();
        if (cause instanceof RepositoryPolicyNotFoundException) {
            throw (RepositoryPolicyNotFoundException) cause;
        } else if (cause instanceof EcrException) {
            throw (EcrException) cause;
        } else {
            String errorMessage = "Unexpected error: " + cause.getMessage();
            throw new RuntimeException(errorMessage, cause);
        }
    }
});
response.join();
}
```

- For API details, see [SetRepositoryPolicy](#) in *AWS SDK for Java 2.x API Reference*.

StartLifecyclePolicyPreview

The following code example shows how to use `StartLifecyclePolicyPreview`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
```

```
* Verifies the existence of an image in an Amazon Elastic Container Registry  
(Amazon ECR) repository asynchronously.  
*  
* @param repositoryName The name of the Amazon ECR repository.  
* @param imageTag The tag of the image to verify.  
* @throws EcrException if there is an error retrieving the image  
information from Amazon ECR.  
* @throws CompletionException if the asynchronous operation completes  
exceptionally.  
*/  
public void verifyImage(String repositoryName, String imageTag) {  
    DescribeImagesRequest request = DescribeImagesRequest.builder()  
        .repositoryName(repositoryName)  
        .imageIds(ImageIdentifier.builder().imageTag(imageTag).build())  
        .build();  
  
    CompletableFuture<DescribeImagesResponse> response =  
getAsyncClient().describeImages(request);  
    response.whenComplete((describeImagesResponse, ex) -> {  
        if (ex != null) {  
            if (ex instanceof CompletionException) {  
                Throwable cause = ex.getCause();  
                if (cause instanceof EcrException) {  
                    throw (EcrException) cause;  
                } else {  
                    throw new RuntimeException("Unexpected error: " +  
cause.getMessage(), cause);  
                }  
            } else {  
                throw new RuntimeException("Unexpected error: " +  
ex.getCause());  
            }  
        } else if (describeImagesResponse != null && !  
describeImagesResponse.imageDetails().isEmpty()) {  
            System.out.println("Image is present in the repository.");  
        } else {  
            System.out.println("Image is not present in the repository.");  
        }  
    });  
  
    // Wait for the CompletableFuture to complete.  
    response.join();  
}
```

- For API details, see [StartLifecyclePolicyPreview](#) in *AWS SDK for Java 2.x API Reference*.

Amazon ECS examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon ECS.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)

Actions

CreateCluster

The following code example shows how to use `CreateCluster`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ecs.EcsClient;
import software.amazon.awssdk.services.ecs.model.ExecuteCommandConfiguration;
import software.amazon.awssdk.services.ecs.model.ExecuteCommandLogging;
import software.amazon.awssdk.services.ecs.model.ClusterConfiguration;
import software.amazon.awssdk.services.ecs.model.CreateClusterResponse;
import software.amazon.awssdk.services.ecs.model.EcsException;
```

```
import software.amazon.awssdk.services.ecs.model.CreateClusterRequest;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class CreateCluster {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <clusterName>\s

            Where:
            clusterName - The name of the ECS cluster to create.
            """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String clusterName = args[0];
        Region region = Region.US_EAST_1;
        EcsClient ecsClient = EcsClient.builder()
            .region(region)
            .build();

        String clusterArn = createGivenCluster(ecsClient, clusterName);
        System.out.println("The cluster ARN is " + clusterArn);
        ecsClient.close();
    }

    public static String createGivenCluster(EcsClient ecsClient, String clusterName)
    {
        try {
            ExecuteCommandConfiguration commandConfiguration =
            ExecuteCommandConfiguration.builder()
                .logging(ExecuteCommandLogging.DEFAULT)
                .build();
        }
    }
}
```

```
ClusterConfiguration clusterConfiguration =
ClusterConfiguration.builder()
    .executeCommandConfiguration(commandConfiguration)
    .build();

CreateClusterRequest clusterRequest = CreateClusterRequest.builder()
    .clusterName(clusterName)
    .configuration(clusterConfiguration)
    .build();

CreateClusterResponse response =
ecsClient.createCluster(clusterRequest);
return response.cluster().clusterArn();

} catch (EcsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
return "";
}

}
```

- For API details, see [CreateCluster](#) in *AWS SDK for Java 2.x API Reference*.

CreateService

The following code example shows how to use CreateService.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ecs.EcsClient;
import software.amazon.awssdk.services.ecs.model.AwsVpcConfiguration;
import software.amazon.awssdk.services.ecs.model.NetworkConfiguration;
```

```
import software.amazon.awssdk.services.ecs.model.CreateServiceRequest;
import software.amazon.awssdk.services.ecs.model.LaunchType;
import software.amazon.awssdk.services.ecs.model.CreateServiceResponse;
import software.amazon.awssdk.services.ecs.model.EcsException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class CreateService {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <clusterName> <serviceName> <securityGroups>
            <subnets> <taskDefinition>

            Where:
            clusterName - The name of the ECS cluster.
            serviceName - The name of the ECS service to
            create.
            securityGroups - The name of the security group.
            subnets - The name of the subnet.
            taskDefinition - The name of the task definition.
            """;

        if (args.length != 5) {
            System.out.println(usage);
            System.exit(1);
        }

        String clusterName = args[0];
        String serviceName = args[1];
        String securityGroups = args[2];
        String subnets = args[3];
        String taskDefinition = args[4];
        Region region = Region.US_EAST_1;
        EcsClient ecsClient = EcsClient.builder()
            .region(region)
            .build();
    }
}
```

```
        String serviceArn = createNewService(ecsClient, clusterName,
serviceName, securityGroups, subnets,
                    taskDefinition);
        System.out.println("The ARN of the service is " + serviceArn);
        ecsClient.close();
    }

    public static String createNewService(EcsClient ecsClient,
                                         String clusterName,
                                         String serviceName,
                                         String securityGroups,
                                         String subnets,
                                         String taskDefinition) {

        try {
            AwsVpcConfiguration vpcConfiguration =
AwsVpcConfiguration.builder()
                    .securityGroups(securityGroups)
                    .subnets(subnets)
                    .build();

            NetworkConfiguration configuration =
NetworkConfiguration.builder()
                    .awsVpcConfiguration(vpcConfiguration)
                    .build();

            CreateServiceRequest serviceRequest =
CreateServiceRequest.builder()
                    .cluster(clusterName)
                    .networkConfiguration(configuration)
                    .desiredCount(1)
                    .launchType(LaunchType.FARGATE)
                    .serviceName(serviceName)
                    .taskDefinition(taskDefinition)
                    .build();

            CreateServiceResponse response =
ecsClient.createService(serviceRequest);
            return response.service().serviceArn();

        } catch (EcsException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
}
```

```
        }
        return "";
    }
}
```

- For API details, see [CreateService](#) in *AWS SDK for Java 2.x API Reference*.

DeleteService

The following code example shows how to use DeleteService.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ecs.EcsClient;
import software.amazon.awssdk.services.ecs.model.DeleteServiceRequest;
import software.amazon.awssdk.services.ecs.model.EcsException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */

public class DeleteService {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <clusterName> <serviceArn>\s
        """;
    }
}
```

Where:

```
clusterName - The name of the ECS cluster.  
serviceArn - The ARN of the ECS service.  
""";  
  
if (args.length != 2) {  
    System.out.println(usage);  
    System.exit(1);  
}  
  
String clusterName = args[0];  
String serviceArn = args[1];  
Region region = Region.US_EAST_1;  
EcsClient ecsClient = EcsClient.builder()  
    .region(region)  
    .build();  
  
deleteSpecificService(ecsClient, clusterName, serviceArn);  
ecsClient.close();  
}  
  
public static void deleteSpecificService(EcsClient ecsClient, String  
clusterName, String serviceArn) {  
    try {  
        DeleteServiceRequest serviceRequest = DeleteServiceRequest.builder()  
            .cluster(clusterName)  
            .service(serviceArn)  
            .build();  
  
        ecsClient.deleteService(serviceRequest);  
        System.out.println("The Service was successfully deleted");  
    } catch (EcsException e) {  
        System.err.println(e.awsErrorDetails().errorMessage());  
        System.exit(1);  
    }  
}
```

- For API details, see [DeleteService](#) in *AWS SDK for Java 2.x API Reference*.

DescribeClusters

The following code example shows how to use `DescribeClusters`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ecs.EcsClient;
import software.amazon.awssdk.services.ecs.model.DescribeClustersRequest;
import software.amazon.awssdk.services.ecs.model.DescribeClustersResponse;
import software.amazon.awssdk.services.ecs.model.Cluster;
import software.amazon.awssdk.services.ecs.model.EcsException;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DescribeClusters {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <clusterArn> \s

            Where:
            clusterArn - The ARN of the ECS cluster to describe.
            """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }
    }
}
```

```
String clusterArn = args[0];
Region region = Region.US_EAST_1;
EcsClient ecsClient = EcsClient.builder()
    .region(region)
    .build();

descCluster(ecsClient, clusterArn);
}

public static void descCluster(EcsClient ecsClient, String clusterArn) {
    try {
        DescribeClustersRequest clustersRequest =
DescribeClustersRequest.builder()
    .clusters(clusterArn)
    .build();

        DescribeClustersResponse response =
ecsClient.describeClusters(clustersRequest);
        List<Cluster> clusters = response.clusters();
        for (Cluster cluster : clusters) {
            System.out.println("The cluster name is " + cluster.clusterName());
        }

    } catch (EcsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [DescribeClusters](#) in *AWS SDK for Java 2.x API Reference*.

DescribeTasks

The following code example shows how to use `DescribeTasks`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ecs.EcsClient;
import software.amazon.awssdk.services.ecs.model.DescribeTasksRequest;
import software.amazon.awssdk.services.ecs.model.DescribeTasksResponse;
import software.amazon.awssdk.services.ecs.model.EcsException;
import software.amazon.awssdk.services.ecs.model.Task;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ListTaskDefinitions {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <clusterArn> <taskId>\s

            Where:
            clusterArn - The ARN of an ECS cluster.
            taskId - The task Id value.
            """;

        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }

        String clusterArn = args[0];
```

```
String taskId = args[1];
Region region = Region.US_EAST_1;
EcsClient ecsClient = EcsClient.builder()
    .region(region)
    .build();

getAllTasks(ecsClient, clusterArn, taskId);
ecsClient.close();
}

public static void getAllTasks(EcsClient ecsClient, String clusterArn, String
taskId) {
    try {
        DescribeTasksRequest tasksRequest = DescribeTasksRequest.builder()
            .cluster(clusterArn)
            .tasks(taskId)
            .build();

        DescribeTasksResponse response = ecsClient.describeTasks(tasksRequest);
        List<Task> tasks = response.tasks();
        for (Task task : tasks) {
            System.out.println("The task ARN is " + task.taskDefinitionArn());
        }

    } catch (EcsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [DescribeTasks](#) in *AWS SDK for Java 2.x API Reference*.

ListClusters

The following code example shows how to use `ListClusters`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ecs.EcsClient;
import software.amazon.awssdk.services.ecs.model.ListClustersResponse;
import software.amazon.awssdk.services.ecs.model.EcsException;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */

public class ListClusters {
    public static void main(String[] args) {
        Region region = Region.US_EAST_1;
        EcsClient ecsClient = EcsClient.builder()
            .region(region)
            .build();

        listAllClusters(ecsClient);
        ecsClient.close();
    }

    public static void listAllClusters(EcsClient ecsClient) {
        try {
            ListClustersResponse response = ecsClient.listClusters();
            List<String> clusters = response.clusterArns();
            for (String cluster : clusters) {
                System.out.println("The cluster arn is " + cluster);
            }
        }
    }
}
```

```
        } catch (EcsException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
}
```

- For API details, see [ListClusters](#) in *AWS SDK for Java 2.x API Reference*.

UpdateService

The following code example shows how to use UpdateService.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ecs.EcsClient;
import software.amazon.awssdk.services.ecs.model.EcsException;
import software.amazon.awssdk.services.ecs.model.UpdateServiceRequest;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */

public class UpdateService {

    public static void main(String[] args) {

        final String usage = """
```

```
Usage:  
    <clusterName> <serviceArn>\s  
  
Where:  
    clusterName - The cluster name.  
    serviceArn - The service ARN value.  
""";  
  
if (args.length != 2) {  
    System.out.println(usage);  
    System.exit(1);  
}  
  
String clusterName = args[0];  
String serviceArn = args[1];  
Region region = Region.US_EAST_1;  
EcsClient ecsClient = EcsClient.builder()  
    .region(region)  
    .build();  
  
updateSpecificService(ecsClient, clusterName, serviceArn);  
ecsClient.close();  
}  
  
public static void updateSpecificService(EcsClient ecsClient, String  
clusterName, String serviceArn) {  
    try {  
        UpdateServiceRequest serviceRequest = UpdateServiceRequest.builder()  
            .cluster(clusterName)  
            .service(serviceArn)  
            .desiredCount(0)  
            .build();  
  
        ecsClient.updateService(serviceRequest);  
        System.out.println("The service was modified");  
  
    } catch (EcsException e) {  
        System.err.println(e.awsErrorDetails().errorMessage());  
        System.exit(1);  
    }  
}
```

- For API details, see [UpdateService](#) in *AWS SDK for Java 2.x API Reference*.

Elastic Load Balancing - Version 2 examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Elastic Load Balancing - Version 2.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello Elastic Load Balancing

The following code examples show how to get started using Elastic Load Balancing.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public class HelloLoadBalancer {  
  
    public static void main(String[] args) {  
        ElasticLoadBalancingV2Client loadBalancingV2Client =  
ElasticLoadBalancingV2Client.builder()  
            .region(Region.US_EAST_1)  
            .build();  
  
        DescribeLoadBalancersResponse loadBalancersResponse =  
loadBalancingV2Client
```

```
        .describeLoadBalancers(r -> r.pageSize(10));
    List<LoadBalancer> loadBalancerList =
loadBalancersResponse.loadBalancers();
    for (LoadBalancer lb : loadBalancerList)
        System.out.println("Load Balancer DNS name = " +
lb.dnsName());
    }
}
```

- For API details, see [DescribeLoadBalancers](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Actions](#)
- [Scenarios](#)

Actions

CreateListener

The following code example shows how to use CreateListener.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/*
 * Creates an Elastic Load Balancing load balancer that uses the specified
 * subnets
 * and forwards requests to the specified target group.
 */
public String createLoadBalancer(List<Subnet> subnetIds, String targetGroupARN,
String lbName, int port,
        String protocol) {
    try {
        List<String> subnetIdStrings = subnetIds.stream()
```

```
.map(Subnet::subnetId)
.collect(Collectors.toList());

CreateLoadBalancerRequest balancerRequest =
CreateLoadBalancerRequest.builder()
    .subnets(subnetIdStrings)
    .name(lbName)
    .scheme("internet-facing")
    .build();

// Create and wait for the load balancer to become available.
CreateLoadBalancerResponse lsResponse =
getLoadBalancerClient().createLoadBalancer(balancerRequest);
String lbARN = lsResponse.loadBalancers().get(0).loadBalancerArn();

ElasticLoadBalancingV2Waiter loadBalancerWaiter =
getLoadBalancerClient().waiter();
DescribeLoadBalancersRequest request =
DescribeLoadBalancersRequest.builder()
    .loadBalancerArns(lbARN)
    .build();

System.out.println("Waiting for Load Balancer " + lbName + " to become
available.");
WaiterResponse<DescribeLoadBalancersResponse> waiterResponse =
loadBalancerWaiter
    .waitUntilLoadBalancerAvailable(request);
waiterResponse.matched().response().ifPresent(System.out::println);
System.out.println("Load Balancer " + lbName + " is available.");

// Get the DNS name (endpoint) of the load balancer.
String lbDNSName = lsResponse.loadBalancers().get(0).dnsName();
System.out.println("**** Load Balancer DNS Name: " + lbDNSName);

// Create a listener for the load balance.
Action action = Action.builder()
    .targetGroupArn(targetGroupARN)
    .type("forward")
    .build();

CreateListenerRequest listenerRequest = CreateListenerRequest.builder()

.loadBalancerArn(lsResponse.loadBalancers().get(0).loadBalancerArn())
.defaultActions(action)
```

```
        .port(port)
        .protocol(protocol)
        .defaultActions(action)
        .build();

    getLoadBalancerClient().createListener(listenerRequest);
    System.out.println("Created listener to forward traffic from load
balancer " + lbName + " to target group "
                    + targetGroupARN);

    // Return the load balancer DNS name.
    return lbDNSName;

} catch (ElasticLoadBalancingV2Exception e) {
    e.printStackTrace();
}
return "";
}
```

- For API details, see [CreateListener](#) in *AWS SDK for Java 2.x API Reference*.

CreateLoadBalancer

The following code example shows how to use CreateLoadBalancer.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/*
 * Creates an Elastic Load Balancing load balancer that uses the specified
 * subnets
 * and forwards requests to the specified target group.
 */
public String createLoadBalancer(List<Subnet> subnetIds, String targetGroupARN,
String lbName, int port,
        String protocol) {
```

```
try {
    List<String> subnetIdStrings = subnetIds.stream()
        .map(Subnet::subnetId)
        .collect(Collectors.toList());

    CreateLoadBalancerRequest balancerRequest =
CreateLoadBalancerRequest.builder()
        .subnets(subnetIdStrings)
        .name(lbName)
        .scheme("internet-facing")
        .build();

    // Create and wait for the load balancer to become available.
    CreateLoadBalancerResponse lsResponse =
getLoadBalancerClient().createLoadBalancer(balancerRequest);
    String lbARN = lsResponse.loadBalancers().get(0).loadBalancerArn();

    ElasticLoadBalancingV2Waiter loadBalancerWaiter =
getLoadBalancerClient().waiter();
    DescribeLoadBalancersRequest request =
DescribeLoadBalancersRequest.builder()
        .loadBalancerArns(lbARN)
        .build();

    System.out.println("Waiting for Load Balancer " + lbName + " to become
available.");
    WaiterResponse<DescribeLoadBalancersResponse> waiterResponse =
loadBalancerWaiter
        .waitForLoadBalancerAvailable(request);
    waiterResponse.matched().response().ifPresent(System.out::println);
    System.out.println("Load Balancer " + lbName + " is available.");

    // Get the DNS name (endpoint) of the load balancer.
    String lbDNSName = lsResponse.loadBalancers().get(0).dnsName();
    System.out.println("*** Load Balancer DNS Name: " + lbDNSName);

    // Create a listener for the load balance.
    Action action = Action.builder()
        .targetGroupArn(targetGroupARN)
        .type("forward")
        .build();

    CreateListenerRequest listenerRequest = CreateListenerRequest.builder()
```

```
.loadBalancerArn(lsResponse.loadBalancers().get(0).loadBalancerArn())
    .defaultActions(action)
    .port(port)
    .protocol(protocol)
    .defaultActions(action)
    .build();

        getLoadBalancerClient().createListener(listenerRequest);
        System.out.println("Created listener to forward traffic from load
balancer " + lbName + " to target group "
        + targetGroupARN);

        // Return the load balancer DNS name.
        return lbDNSName;

    } catch (ElasticLoadBalancingV2Exception e) {
        e.printStackTrace();
    }
    return "";
}
```

- For API details, see [CreateLoadBalancer](#) in *AWS SDK for Java 2.x API Reference*.

CreateTargetGroup

The following code example shows how to use CreateTargetGroup.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/*
 * Creates an Elastic Load Balancing target group. The target group specifies
 * how
 * the load balancer forward requests to instances in the group and how instance
```

```
* health is checked.  
*/  
public String createTargetGroup(String protocol, int port, String vpcId, String  
targetGroupName) {  
    CreateTargetGroupRequest targetGroupRequest =  
CreateTargetGroupRequest.builder()  
        .healthCheckPath("/healthcheck")  
        .healthCheckTimeoutSeconds(5)  
        .port(port)  
        .vpcId(vpcId)  
        .name(targetGroupName)  
        .protocol(protocol)  
        .build();  
  
    CreateTargetGroupResponse targetGroupResponse =  
getLoadBalancerClient().createTargetGroup(targetGroupRequest);  
    String targetGroupArn =  
targetGroupResponse.targetGroups().get(0).targetGroupArn();  
    String targetGroup =  
targetGroupResponse.targetGroups().get(0).targetGroupName();  
    System.out.println("The " + targetGroup + " was created with ARN" +  
targetGroupArn);  
    return targetGroupArn;  
}
```

- For API details, see [CreateTargetGroup](#) in *AWS SDK for Java 2.x API Reference*.

DeleteLoadBalancer

The following code example shows how to use DeleteLoadBalancer.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
// Deletes a load balancer.
```

```
public void deleteLoadBalancer(String lbName) {
    try {
        // Use a waiter to delete the Load Balancer.
        DescribeLoadBalancersResponse res = getLoadBalancerClient()
            .describeLoadBalancers(describe -> describe.names(lbName));
        ElasticLoadBalancingV2Waiter loadBalancerWaiter =
getLoadBalancerClient().waiter();
        DescribeLoadBalancersRequest request =
DescribeLoadBalancersRequest.builder()
            .loadBalancerArns(res.loadBalancers().get(0).loadBalancerArn())
            .build();

        getLoadBalancerClient().deleteLoadBalancer(
            builder ->
builder.loadBalancerArn(res.loadBalancers().get(0).loadBalancerArn()));
        WaiterResponse<DescribeLoadBalancersResponse> waiterResponse =
loadBalancerWaiter
            .waitForDeleted();
        waiterResponse.matched().response().ifPresent(System.out::println);

    } catch (ElasticLoadBalancingV2Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
    }
    System.out.println(lbName + " was deleted.");
}
```

- For API details, see [DeleteLoadBalancer](#) in *AWS SDK for Java 2.x API Reference*.

DeleteTargetGroup

The following code example shows how to use DeleteTargetGroup.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
// Deletes the target group.
```

```
public void deleteTargetGroup(String targetGroupName) {  
    try {  
        DescribeTargetGroupsResponse res = getLoadBalancerClient()  
            .describeTargetGroups(describe ->  
describe.names(targetGroupName));  
        getLoadBalancerClient()  
            .deleteTargetGroup(builder ->  
builder.targetGroupArn(res.getTargetGroups().get(0).targetGroupArn()));  
    } catch (ElasticLoadBalancingV2Exception e) {  
        System.err.println(e.awsErrorDetails().errorMessage());  
    }  
    System.out.println(targetGroupName + " was deleted.");  
}
```

- For API details, see [DeleteTargetGroup](#) in *AWS SDK for Java 2.x API Reference*.

DescribeTargetHealth

The following code example shows how to use `DescribeTargetHealth`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
// Checks the health of the instances in the target group.  
public List<TargetHealthDescription> checkTargetHealth(String targetGroupName) {  
    DescribeTargetGroupsRequest targetGroupsRequest =  
DescribeTargetGroupsRequest.builder()  
    .names(targetGroupName)  
    .build();  
  
    DescribeTargetGroupsResponse tgResponse =  
getLoadBalancerClient().describeTargetGroups(targetGroupsRequest);  
  
    DescribeTargetHealthRequest healthRequest =  
DescribeTargetHealthRequest.builder()
```

```
.targetGroupArn(tgResponse.targetGroups().get(0).targetGroupArn())
.build();

DescribeTargetHealthResponse healthResponse =
getLoadBalancerClient().describeTargetHealth(healthRequest);
return healthResponse.targetHealthDescriptions();
}
```

- For API details, see [DescribeTargetHealth](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Build and manage a resilient service

The following code example shows how to create a load-balanced web service that returns book, movie, and song recommendations. The example shows how the service responds to failures, and how to restructure the service for more resilience when failures occur.

- Use an Amazon EC2 Auto Scaling group to create Amazon Elastic Compute Cloud (Amazon EC2) instances based on a launch template and to keep the number of instances in a specified range.
- Handle and distribute HTTP requests with Elastic Load Balancing.
- Monitor the health of instances in an Auto Scaling group and forward requests only to healthy instances.
- Run a Python web server on each EC2 instance to handle HTTP requests. The web server responds with recommendations and health checks.
- Simulate a recommendation service with an Amazon DynamoDB table.
- Control web server response to requests and health checks by updating AWS Systems Manager parameters.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Run the interactive scenario at a command prompt.

```
public class Main {

    public static final String fileName = "C:\\AWS\\resworkflow\\recommendations.json"; // Modify file location.
    public static final String tableName = "doc-example-recommendation-service";
    public static final String startScript = "C:\\AWS\\resworkflow\\server_startup_script.sh"; // Modify file location.
    public static final String policyFile = "C:\\AWS\\resworkflow\\instance_policy.json"; // Modify file location.
    public static final String ssmJSON = "C:\\AWS\\resworkflow\\ssm_only_policy.json"; // Modify file location.
    public static final String failureResponse = "doc-example-resilient-architecture-failure-response";
    public static final String healthCheck = "doc-example-resilient-architecture-health-check";
    public static final String templateName = "doc-example-resilience-template";
    public static final String roleName = "doc-example-resilience-role";
    public static final String policyName = "doc-example-resilience-pol";
    public static final String profileName = "doc-example-resilience-prof";

    public static final String badCredsProfileName = "doc-example-resilience-profile";
    public static final String targetGroupName = "doc-example-resilience-tg";
    public static final String autoScalingGroupName = "doc-example-resilience-group";
    public static final String lbName = "doc-example-resilience-lb";
    public static final String protocol = "HTTP";
    public static final int port = 80;

    public static final String DASHES = new String(new char[80]).replace("\0", "-");

    public static void main(String[] args) throws IOException, InterruptedException
    {
        Scanner in = new Scanner(System.in);
        Database database = new Database();
        AutoScaler autoScaler = new AutoScaler();
        LoadBalancer loadBalancer = new LoadBalancer();

        System.out.println(DASHES);
        System.out.println("Welcome to the demonstration of How to Build and Manage a Resilient Service!");
    }
}
```

```
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("A - SETUP THE RESOURCES");
System.out.println("Press Enter when you're ready to start deploying
resources.");
in.nextLine();
deploy(loadBalancer);
System.out.println(DASHES);
System.out.println(DASHES);
System.out.println("B - DEMO THE RESILIENCE FUNCTIONALITY");
System.out.println("Press Enter when you're ready.");
in.nextLine();
demo(loadBalancer);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("C - DELETE THE RESOURCES");
System.out.println(""""

    This concludes the demo of how to build and manage a resilient
service.

    To keep things tidy and to avoid unwanted charges on your account,
we can clean up all AWS resources
        that were created for this demo.
""");

System.out.println("\n Do you want to delete the resources (y/n)? ");
String userInput = in.nextLine().trim().toLowerCase(); // Capture user input

if (userInput.equals("y")) {
    // Delete resources here
    deleteResources(loadBalancer, autoScaler, database);
    System.out.println("Resources deleted.");
} else {
    System.out.println("""
        Okay, we'll leave the resources intact.
        Don't forget to delete them when you're done with them or you
might incur unexpected charges.
""");
}
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("The example has completed. ");
```

```
        System.out.println("\n Thanks for watching!");
        System.out.println(DASHES);
    }

    // Deletes the AWS resources used in this example.
    private static void deleteResources(LoadBalancer loadBalancer, AutoScaler
autoScaler, Database database)
        throws IOException, InterruptedException {
        loadBalancer.deleteLoadBalancer(lbName);
        System.out.println("**** Wait 30 secs for resource to be deleted");
        TimeUnit.SECONDS.sleep(30);
        loadBalancer.deleteTargetGroup(targetGroupName);
        autoScaler.deleteAutoScaleGroup(autoScalingGroupName);
        autoScaler.deleteRolesPolicies(policyName, roleName, profileName);
        autoScaler.deleteTemplate(templateName);
        database.deleteTable(tableName);
    }

    private static void deploy(LoadBalancer loadBalancer) throws
InterruptedException, IOException {
    Scanner in = new Scanner(System.in);
    System.out.println(
        """
            For this demo, we'll use the AWS SDK for Java (v2) to create
several AWS resources
            to set up a load-balanced web service endpoint and explore
some ways to make it resilient
            against various kinds of failures.

            Some of the resources create by this demo are:
            \t* A DynamoDB table that the web service depends on to
provide book, movie, and song recommendations.
            \t* An EC2 launch template that defines EC2 instances that
each contain a Python web server.
            \t* An EC2 Auto Scaling group that manages EC2 instances
across several Availability Zones.
            \t* An Elastic Load Balancing (ELB) load balancer that
targets the Auto Scaling group to distribute requests.
        """);

    System.out.println("Press Enter when you're ready.");
    in.nextLine();
    System.out.println(DASHES);
```

```
System.out.println(DASHES);
System.out.println("Creating and populating a DynamoDB table named " +
tableName);
Database database = new Database();
database.createTable(tableName, fileName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("""
    Creating an EC2 launch template that runs '{startup_script}' when an
instance starts.
    This script starts a Python web server defined in the `server.py`'
script. The web server
    listens to HTTP requests on port 80 and responds to requests to '/'
and to '/healthcheck'.
    For demo purposes, this server is run as the root user. In
production, the best practice is to
        run a web server, such as Apache, with least-privileged credentials.

    The template also defines an IAM policy that each instance uses to
assume a role that grants
        permissions to access the DynamoDB recommendation table and Systems
Manager parameters
        that control the flow of the demo.
""");

LaunchTemplateCreator templateCreator = new LaunchTemplateCreator();
templateCreator.createTemplate(policyFile, policyName, profileName,
startScript, templateName, roleName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println(
    "Creating an EC2 Auto Scaling group that maintains three EC2
instances, each in a different Availability Zone.");
System.out.println("*** Wait 30 secs for the VPC to be created");
TimeUnit.SECONDS.sleep(30);
AutoScaler autoScaler = new AutoScaler();
String[] zones = autoScaler.createGroup(3, templateName,
autoScalingGroupName);

System.out.println("""
    At this point, you have EC2 instances created. Once each instance
starts, it listens for
```

```
HTTP requests. You can see these instances in the console or
continue with the demo.

Press Enter when you're ready to continue.

""");

in.nextLine();
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("Creating variables that control the flow of the demo.");
ParameterHelper paramHelper = new ParameterHelper();
paramHelper.reset();
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("""
    Creating an Elastic Load Balancing target group and load balancer.

The target group
    defines how the load balancer connects to instances. The load
balancer provides a
    single endpoint where clients connect and dispatches requests to
instances in the group.
""");

String vpcId = autoScaler.getDefaultVPC();
List<Subnet> subnets = autoScaler.getSubnets(vpcId, zones);
System.out.println("You have retrieved a list with " + subnets.size() + " "
subnets);
String targetGroupArn = loadBalancer.createTargetGroup(protocol, port,
vpcId, targetGroupName);
String elbDnsName = loadBalancer.createLoadBalancer(subnets, targetGroupArn,
lbName, port, protocol);
autoScaler.attachLoadBalancerTargetGroup(autoScalingGroupName,
targetGroupArn);
System.out.println("Verifying access to the load balancer endpoint...");
boolean wasSuccessful = loadBalancer.verifyLoadBalancerEndpoint(elbDnsName);
if (!wasSuccessful) {
    System.out.println("Couldn't connect to the load balancer, verifying
that the port is open...");
    CloseableHttpClient httpClient = HttpClients.createDefault();

    // Create an HTTP GET request to "http://checkip.amazonaws.com"
    HttpGet httpGet = new HttpGet("http://checkip.amazonaws.com");
    try {
```

```
// Execute the request and get the response
HttpResponse response = httpClient.execute(httpGet);

// Read the response content.
String ipAddress =
IOUtils.toString(response.getEntity().getContent(), StandardCharsets.UTF_8).trim();

// Print the public IP address.
System.out.println("Public IP Address: " + ipAddress);
GroupInfo groupInfo = autoScaler.verifyInboundPort(vpcId, port,
ipAddress);
if (!groupInfo.isPortOpen()) {
    System.out.println(""""
        For this example to work, the default security group for
your default VPC must
        allow access from this computer. You can either add it
automatically from this
        example or add it yourself using the AWS Management
Console.
    """);

    System.out.println(
        "Do you want to add a rule to security group " +
groupInfo.getGroupName() + " to allow");
    System.out.println("inbound traffic on port " + port + " from
your computer's IP address (y/n)");
    String ans = in.nextLine();
    if ("y".equalsIgnoreCase(ans)) {
        autoScaler.openInboundPort(groupInfo.getGroupName(),
String.valueOf(port), ipAddress);
        System.out.println("Security group rule added.");
    } else {
        System.out.println("No security group rule added.");
    }
}

} catch (AutoScalingException e) {
    e.printStackTrace();
}
} else if (wasSuccessful) {
    System.out.println("Your load balancer is ready. You can access it by
browsing to:");
    System.out.println("\t http://" + elbDnsName);
} else {
```

```
        System.out.println("Couldn't get a successful response from the load
balancer endpoint. Troubleshoot by");
        System.out.println("manually verifying that your VPC and security group
are configured correctly and that");
        System.out.println("you can successfully make a GET request to the load
balancer.");
    }

    System.out.println("Press Enter when you're ready to continue with the
demo.");
    in.nextLine();
}

// A method that controls the demo part of the Java program.
public static void demo(LoadBalancer loadBalancer) throws IOException,
InterruptedException {
    ParameterHelper paramHelper = new ParameterHelper();
    System.out.println("Read the ssm_only_policy.json file");
    String ssmOnlyPolicy = readFileSync(ssmJSON);

    System.out.println("Resetting parameters to starting values for demo.");
    paramHelper.reset();

    System.out.println(
        """
            This part of the demonstration shows how to toggle
different parts of the system
            to create situations where the web service fails, and shows
how using a resilient
            architecture can keep the web service running in spite of
these failures.

            At the start, the load balancer endpoint returns
recommendations and reports that all targets are healthy.
        """);
    demoChoices(loadBalancer);

    System.out.println(
        """
            The web service running on the EC2 instances gets
recommendations by querying a DynamoDB table.
            The table name is contained in a Systems Manager parameter
named self.param_helper.table.
        """
    );
}
```

```
        To simulate a failure of the recommendation service, let's
set this parameter to name a non-existent table.

        """);
paramHelper.put(paramHelper.tableName, "this-is-not-a-table");

System.out.println(
    """
        \nNow, sending a GET request to the load balancer endpoint
returns a failure code. But, the service reports as
        healthy to the load balancer because shallow health checks
don't check for failure of the recommendation service.

        """);
demoChoices(loadBalancer);

System.out.println(
    """
        Instead of failing when the recommendation service fails,
the web service can return a static response.

        While this is not a perfect solution, it presents the
customer with a somewhat better experience than failure.

        """);
paramHelper.put(paramHelper.failureResponse, "static");

System.out.println("""
        Now, sending a GET request to the load balancer endpoint returns a
static response.

        The service still reports as healthy because health checks are still
shallow.

        """);
demoChoices(loadBalancer);

System.out.println("Let's reinstate the recommendation service.");
paramHelper.put(paramHelper.tableName, paramHelper.dyntable);

System.out.println("""
        Let's also substitute bad credentials for one of the instances in
the target group so that it can't
        access the DynamoDB recommendation table. We will get an instance id
value.

        """);

LaunchTemplateCreator templateCreator = new LaunchTemplateCreator();
AutoScaler autoScaler = new AutoScaler();
```

```
// Create a new instance profile based on badCredsProfileName.
templateCreator.createInstanceProfile(policyFile, policyName,
badCredsProfileName, roleName);
String badInstanceId = autoScaler.getBadInstance(autoScalingGroupName);
System.out.println("The bad instance id values used for this demo is " +
badInstanceId);

String profileAssociationId = autoScaler.getInstanceProfile(badInstanceId);
System.out.println("The association Id value is " + profileAssociationId);
System.out.println("Replacing the profile for instance " + badInstanceId
+ " with a profile that contains bad credentials");
autoScaler.replaceInstanceProfile(badInstanceId, badCredsProfileName,
profileAssociationId);

System.out.println(
"""
Now, sending a GET request to the load balancer endpoint
returns either a recommendation or a static response,
depending on which instance is selected by the load
balancer.
""");

demoChoices(loadBalancer);

System.out.println("""
Let's implement a deep health check. For this demo, a deep health
check tests whether
the web service can access the DynamoDB table that it depends on for
recommendations. Note that
the deep health check is only for ELB routing and not for Auto
Scaling instance health.
This kind of deep health check is not recommended for Auto Scaling
instance health, because it
risks accidental termination of all instances in the Auto Scaling
group when a dependent service fails.
""");

System.out.println("""
By implementing deep health checks, the load balancer can detect
when one of the instances is failing
and take that instance out of rotation.
""");

paramHelper.put(paramHelper.healthCheck, "deep");
```

```
System.out.println(""\");
    Now, checking target health indicates that the instance with bad
credentials
        is unhealthy. Note that it might take a minute or two for the load
balancer to detect the unhealthy
            instance. Sending a GET request to the load balancer endpoint always
returns a recommendation, because
                the load balancer takes unhealthy instances out of its rotation.
""");

demoChoices(loadBalancer);

System.out.println(
    """
        Because the instances in this demo are controlled by an auto
scaler, the simplest way to fix an unhealthy
            instance is to terminate it and let the auto scaler start a
new instance to replace it.
""");
autoScaler.terminateInstance(badInstanceId);

System.out.println(""\"
        Even while the instance is terminating and the new instance is
starting, sending a GET
            request to the web service continues to get a successful
recommendation response because
                the load balancer routes requests to the healthy instances. After
the replacement instance
                    starts and reports as healthy, it is included in the load balancing
rotation.

        Note that terminating and replacing an instance typically takes
several minutes, during which time you
            can see the changing health check status until the new instance is
running and healthy.
""");

demoChoices(loadBalancer);
System.out.println(
    "If the recommendation service fails now, deep health checks mean
all instances report as unhealthy.");
paramHelper.put(paramHelper.tableName, "this-is-not-a-table");

demoChoices(loadBalancer);
```

```
        paramHelper.reset();
    }

    public static void demoChoices(LoadBalancer loadBalancer) throws IOException,
InterruptedException {
    String[] actions = {
        "Send a GET request to the load balancer endpoint.",
        "Check the health of load balancer targets.",
        "Go to the next part of the demo."
    };
    Scanner scanner = new Scanner(System.in);

    while (true) {
        System.out.println("-".repeat(88));
        System.out.println("See the current state of the service by selecting
one of the following choices:");
        for (int i = 0; i < actions.length; i++) {
            System.out.println(i + ": " + actions[i]);
        }

        try {
            System.out.print("\nWhich action would you like to take? ");
            int choice = scanner.nextInt();
            System.out.println("-".repeat(88));

            switch (choice) {
                case 0 -> {
                    System.out.println("Request:\n");
                    System.out.println("GET http://" +
loadBalancer.getEndpoint(lbName));
                    CloseableHttpClient httpClient =
HttpClients.createDefault();

                    // Create an HTTP GET request to the ELB.
                    HttpGet httpGet = new HttpGet("http://" +
loadBalancer.getEndpoint(lbName));

                    // Execute the request and get the response.
                    HttpResponse response = httpClient.execute(httpGet);
                    int statusCode = response.getStatusLine().getStatusCode();
                    System.out.println("HTTP Status Code: " + statusCode);

                    // Display the JSON response
                    BufferedReader reader = new BufferedReader(

```

```
        new
InputStreamReader(response.getEntity().getContent()));
        StringBuilder jsonResponse = new StringBuilder();
        String line;
        while ((line = reader.readLine()) != null) {
            jsonResponse.append(line);
        }
        reader.close();

        // Print the formatted JSON response.
        System.out.println("Full Response:\n");
        System.out.println(jsonResponse.toString());

        // Close the HTTP client.
        httpClient.close();

    }

case 1 -> {
    System.out.println("\nChecking the health of load balancer
targets:\n");
    List<TargetHealthDescription> health =
loadBalancer.checkTargetHealth(targetGroupName);
    for (TargetHealthDescription target : health) {
        System.out.printf("\tTarget %s on port %d is %s%n",
target.target().id(),
                    target.target().port(),
target.targetHealth().stateAsString());
    }
    System.out.println("""
Note that it can take a minute or two for the health
check to update
after changes are made.
""");
}

case 2 -> {
    System.out.println("\nOkay, let's move on.");
    System.out.println("-".repeat(88));
    return; // Exit the method when choice is 2
}
default -> System.out.println("You must choose a value between
0-2. Please select again.");
}

} catch (java.util.InputMismatchException e) {
```

```
        System.out.println("Invalid input. Please select again.");
        scanner.nextLine(); // Clear the input buffer.
    }
}

public static String readFileAsString(String filePath) throws IOException {
    byte[] bytes = Files.readAllBytes(Paths.get(filePath));
    return new String(bytes);
}
}
```

Create a class that wraps Auto Scaling and Amazon EC2 actions.

```
public class AutoScaler {

    private static Ec2Client ec2Client;
    private static AutoScalingClient autoScalingClient;
    private static IamClient iamClient;

    private static SsmClient ssmClient;

    private IamClient getIAMClient() {
        if (iamClient == null) {
            iamClient = IamClient.builder()
                .region(Region.US_EAST_1)
                .build();
        }
        return iamClient;
    }

    private SsmClient getSSMClient() {
        if (ssmClient == null) {
            ssmClient = SsmClient.builder()
                .region(Region.US_EAST_1)
                .build();
        }
        return ssmClient;
    }

    private Ec2Client getEc2Client() {
        if (ec2Client == null) {
```

```
        ec2Client = Ec2Client.builder()
            .region(Region.US_EAST_1)
            .build();
    }
    return ec2Client;
}

private AutoScalingClient getAutoScalingClient() {
    if (autoScalingClient == null) {
        autoScalingClient = AutoScalingClient.builder()
            .region(Region.US_EAST_1)
            .build();
    }
    return autoScalingClient;
}

/**
 * Terminates and instances in an EC2 Auto Scaling group. After an instance is
 * terminated, it can no longer be accessed.
 */
public void terminateInstance(String instanceId) {
    TerminateInstanceInAutoScalingGroupRequest terminateInstanceRequest =
TerminateInstanceInAutoScalingGroupRequest
        .builder()
        .instanceId(instanceId)
        .shouldDecrementDesiredCapacity(false)
        .build();

getAutoScalingClient().terminateInstanceInAutoScalingGroup(terminateInstanceRequest);
    System.out.format("Terminated instance %s.", instanceId);
}

/**
 * Replaces the profile associated with a running instance. After the profile is
 * replaced, the instance is rebooted to ensure that it uses the new profile.
 * When
 * the instance is ready, Systems Manager is used to restart the Python web
 * server.
 */
public void replaceInstanceProfile(String instanceId, String
newInstanceProfileName, String profileAssociationId)
    throws InterruptedException {
    // Create an IAM instance profile specification.
```

```
software.amazon.awssdk.services.ec2.model.IamInstanceProfileSpecification
iamInstanceProfile =
software.amazon.awssdk.services.ec2.model.IamInstanceProfileSpecification
    .builder()
    .name(newInstanceProfileName) // Make sure 'newInstanceProfileName'
is a valid IAM Instance Profile
                                // name.
    .build();

// Replace the IAM instance profile association for the EC2 instance.
ReplaceIamInstanceProfileAssociationRequest replaceRequest =
ReplaceIamInstanceProfileAssociationRequest
    .builder()
    .iamInstanceProfile(iamInstanceProfile)
    .associationId(profileAssociationId) // Make sure
'profileAssociationId' is a valid association ID.
    .build();

try {
    getEc2Client().replaceIamInstanceProfileAssociation(replaceRequest);
    // Handle the response as needed.
} catch (Ec2Exception e) {
    // Handle exceptions, log, or report the error.
    System.err.println("Error: " + e.getMessage());
}
System.out.format("Replaced instance profile for association %s with profile
%s.", profileAssociationId,
                newInstanceProfileName);
TimeUnit.SECONDS.sleep(15);
boolean instReady = false;
int tries = 0;

// Reboot after 60 seconds
while (!instReady) {
    if (tries % 6 == 0) {
        getEc2Client().rebootInstances(RebootInstancesRequest.builder()
            .instanceIds(instanceId)
            .build());
        System.out.println("Rebooting instance " + instanceId + " and
waiting for it to be ready.");
    }
    tries++;
    try {
        TimeUnit.SECONDS.sleep(10);
    }
```

```
        } catch (InterruptedException e) {
            e.printStackTrace();
        }

        DescribeInstanceInformationResponse informationResponse =
getSSMClient().describeInstanceInformation();
        List<InstanceInformation> instanceInformationList =
informationResponse.instanceInformationList();
        for (InstanceInformation info : instanceInformationList) {
            if (info.instanceId().equals(instanceId)) {
                instReady = true;
                break;
            }
        }
    }

SendCommandRequest sendCommandRequest = SendCommandRequest.builder()
    .instanceIds(instanceId)
    .documentName("AWS-RunShellScript")
    .parameters(Collections.singletonMap("commands",
        Collections.singletonList("cd / && sudo python3 server.py
80")))
    .build();

getSSMClient().sendCommand(sendCommandRequest);
System.out.println("Restarted the Python web server on instance " +
instanceId + ".");
}

public void openInboundPort(String secGroupId, String port, String ipAddress) {
    AuthorizeSecurityGroupIngressRequest ingressRequest =
AuthorizeSecurityGroupIngressRequest.builder()
    .groupName(secGroupId)
    .cidrIp(ipAddress)
    .fromPort(Integer.parseInt(port))
    .build();

    getEc2Client().authorizeSecurityGroupIngress(ingressRequest);
    System.out.format("Authorized ingress to %s on port %s from %s.",
secGroupId, port, ipAddress);
}

/**
 * Detaches a role from an instance profile, detaches policies from the role,
```

```
* and deletes all the resources.  
*/  
public void deleteInstanceProfile(String roleName, String profileName) {  
    try {  
        software.amazon.awssdk.services.iam.model.GetInstanceProfileRequest  
getInstanceProfileRequest =  
software.amazon.awssdk.services.iam.model.GetInstanceProfileRequest  
            .builder()  
            .instanceProfileName(profileName)  
            .build();  
  
        GetInstanceProfileResponse response =  
getIAMClient().getInstanceProfile(getInstanceProfileRequest);  
        String name = response.instanceProfile().instanceProfileName();  
        System.out.println(name);  
  
        RemoveRoleFromInstanceProfileRequest profileRequest =  
RemoveRoleFromInstanceProfileRequest.builder()  
            .instanceProfileName(profileName)  
            .roleName(roleName)  
            .build();  
  
        getIAMClient().removeRoleFromInstanceProfile(profileRequest);  
        DeleteInstanceProfileRequest deleteInstanceProfileRequest =  
DeleteInstanceProfileRequest.builder()  
            .instanceProfileName(profileName)  
            .build();  
  
        getIAMClient().deleteInstanceProfile(deleteInstanceProfileRequest);  
        System.out.println("Deleted instance profile " + profileName);  
  
        DeleteRoleRequest deleteRoleRequest = DeleteRoleRequest.builder()  
            .roleName(roleName)  
            .build();  
  
        // List attached role policies.  
        ListAttachedRolePoliciesResponse rolesResponse = getIAMClient()  
            .listAttachedRolePolicies(role -> role.roleName(roleName));  
        List<AttachedPolicy> attachedPolicies =  
rolesResponse.attachedPolicies();  
        for (AttachedPolicy attachedPolicy : attachedPolicies) {  
            DetachRolePolicyRequest request = DetachRolePolicyRequest.builder()  
                .roleName(roleName)  
                .policyArn(attachedPolicy.policyArn())
```

```
        .build();

        getIAMClient().detachRolePolicy(request);
        System.out.println("Detached and deleted policy " +
attachedPolicy.policyName());
    }

    getIAMClient().deleteRole(deleteRoleRequest);
    System.out.println("Instance profile and role deleted.");

} catch (IamException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
}

public void deleteTemplate(String templateName) {
    getEc2Client().deleteLaunchTemplate(name ->
name.launchTemplateName(templateName));
    System.out.format(templateName + " was deleted.");
}

public void deleteAutoScaleGroup(String groupName) {
    DeleteAutoScalingGroupRequest deleteAutoScalingGroupRequest =
DeleteAutoScalingGroupRequest.builder()
        .autoScalingGroupName(groupName)
        .forceDelete(true)
        .build();

getAutoScalingClient().deleteAutoScalingGroup(deleteAutoScalingGroupRequest);
    System.out.println(groupName + " was deleted.");
}

/*
 * Verify the default security group of the specified VPC allows ingress from
 * this
 * computer. This can be done by allowing ingress from this computer's IP
 * address. In some situations, such as connecting from a corporate network, you
 * must instead specify a prefix list ID. You can also temporarily open the port
 * to
 * any IP address while running this example. If you do, be sure to remove
 * public
 * access when you're done.
*/
```

```
*  
*/  
  
public GroupInfo verifyInboundPort(String VPC, int port, String ipAddress) {  
    boolean portIsOpen = false;  
    GroupInfo groupInfo = new GroupInfo();  
    try {  
        Filter filter = Filter.builder()  
            .name("group-name")  
            .values("default")  
            .build();  
  
        Filter filter1 = Filter.builder()  
            .name("vpc-id")  
            .values(VPC)  
            .build();  
  
        DescribeSecurityGroupsRequest securityGroupsRequest =  
DescribeSecurityGroupsRequest.builder()  
            .filters(filter, filter1)  
            .build();  
  
        DescribeSecurityGroupsResponse securityGroupsResponse = getEc2Client()  
            .describeSecurityGroups(securityGroupsRequest);  
        String securityGroup =  
securityGroupsResponse.securityGroups().get(0).groupName();  
        groupInfo.setGroupName(securityGroup);  
  
        for (SecurityGroup secGroup : securityGroupsResponse.securityGroups()) {  
            System.out.println("Found security group: " + secGroup.groupId());  
  
            for (IpPermission ipPermission : secGroup.ipPermissions()) {  
                if (ipPermission.fromPort() == port) {  
                    System.out.println("Found inbound rule: " + ipPermission);  
                    for (IpRange ipRange : ipPermission.ipRanges()) {  
                        String cidrIp = ipRange.cidrIp();  
                        if (cidrIp.startsWith(ipAddress) ||  
cidrIp.equals("0.0.0.0/0")) {  
                            System.out.println(cidrIp + " is applicable");  
                            portIsOpen = true;  
                        }  
                    }  
                }  
  
                if (!ipPermission.prefixListIds().isEmpty()) {  
                    System.out.println("Prefix lList is applicable");  
                }  
            }  
        }  
    }  
}
```

```
        portIsOpen = true;
    }

    if (!portIsOpen) {
        System.out
            .println("The inbound rule does not appear to be
open to either this computer's IP,"
                     + " all IP addresses (0.0.0.0/0), or to
a prefix list ID.");
    } else {
        break;
    }
}

}

}

} catch (AutoScalingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
}

groupInfo.setPortOpen(portIsOpen);
return groupInfo;
}

/*
 * Attaches an Elastic Load Balancing (ELB) target group to this EC2 Auto
 * Scaling group.
 * The target group specifies how the load balancer forward requests to the
 * instances
 * in the group.
 */
public void attachLoadBalancerTargetGroup(String asGroupName, String
targetGroupARN) {
    try {
        AttachLoadBalancerTargetGroupsRequest targetGroupsRequest =
AttachLoadBalancerTargetGroupsRequest.builder()
            .autoScalingGroupName(asGroupName)
            .targetGroupARNs(targetGroupARN)
            .build();

getAutoScalingClient().attachLoadBalancerTargetGroups(targetGroupsRequest);
        System.out.println("Attached load balancer to " + asGroupName);
    }
}
```

```
        } catch (AutoScalingException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }

    // Creates an EC2 Auto Scaling group with the specified size.
    public String[] createGroup(int groupSize, String templateName, String
autoScalingGroupName) {

        // Get availability zones.
        software.amazon.awssdk.services.ec2.model.DescribeAvailabilityZonesRequest
zonesRequest =
software.amazon.awssdk.services.ec2.model.DescribeAvailabilityZonesRequest
        .builder()
        .build();

        DescribeAvailabilityZonesResponse zonesResponse =
getEc2Client().describeAvailabilityZones(zonesRequest);
        List<String> availabilityZoneNames =
zonesResponse.availabilityZones().stream()

        .map(software.amazon.awssdk.services.ec2.model.AvailabilityZone::zoneName)
        .collect(Collectors.toList());

        String availabilityZones = String.join(",", availabilityZoneNames);
        LaunchTemplateSpecification specification =
LaunchTemplateSpecification.builder()
        .launchTemplateName(templateName)
        .version("$Default")
        .build();

        String[] zones = availabilityZones.split(",");
        CreateAutoScalingGroupRequest groupRequest =
CreateAutoScalingGroupRequest.builder()
        .launchTemplate(specification)
        .availabilityZones(zones)
        .maxSize(groupSize)
        .minSize(groupSize)
        .autoScalingGroupName(autoScalingGroupName)
        .build();

    try {
        getAutoScalingClient().createAutoScalingGroup(groupRequest);
```

```
        } catch (AutoScalingException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
        System.out.println("Created an EC2 Auto Scaling group named " +
autoScalingGroupName);
        return zones;
    }

    public String getDefaultVPC() {
        // Define the filter.
        Filter defaultFilter = Filter.builder()
            .name("is-default")
            .values("true")
            .build();

        software.amazon.awssdk.services.ec2.model.DescribeVpcsRequest request =
software.amazon.awssdk.services.ec2.model.DescribeVpcsRequest
            .builder()
            .filters(defaultFilter)
            .build();

        DescribeVpcsResponse response = getEc2Client().describeVpcs(request);
        return response.vpcs().get(0).vpcId();
    }

    // Gets the default subnets in a VPC for a specified list of Availability Zones.
    public List<Subnet> getSubnets(String vpcId, String[] availabilityZones) {
        List<Subnet> subnets = null;
        Filter vpcFilter = Filter.builder()
            .name("vpc-id")
            .values(vpcId)
            .build();

        Filter azFilter = Filter.builder()
            .name("availability-zone")
            .values(availabilityZones)
            .build();

        Filter defaultForAZ = Filter.builder()
            .name("default-for-az")
            .values("true")
            .build();
    }
}
```

```
DescribeSubnetsRequest request = DescribeSubnetsRequest.builder()
    .filters(vpcFilter, azFilter, defaultForAZ)
    .build();

DescribeSubnetsResponse response = getEc2Client().describeSubnets(request);
subnets = response.subnets();
return subnets;
}

// Gets data about the instances in the EC2 Auto Scaling group.
public String getBadInstance(String groupName) {
    DescribeAutoScalingGroupsRequest request =
DescribeAutoScalingGroupsRequest.builder()
    .autoScalingGroupNames(groupName)
    .build();

    DescribeAutoScalingGroupsResponse response =
getAutoScalingClient().describeAutoScalingGroups(request);
    AutoScalingGroup autoScalingGroup = response.autoScalingGroups().get(0);
    List<String> instanceIds = autoScalingGroup.instances().stream()
        .map(instance -> instance.instanceId())
        .collect(Collectors.toList());

    String[] instanceIdArray = instanceIds.toArray(new String[0]);
    for (String instanceId : instanceIdArray) {
        System.out.println("Instance ID: " + instanceId);
        return instanceId;
    }
    return "";
}

// Gets data about the profile associated with an instance.
public String getInstanceProfile(String instanceId) {
    Filter filter = Filter.builder()
        .name("instance-id")
        .values(instanceId)
        .build();

    DescribeIamInstanceProfileAssociationsRequest associationsRequest =
DescribeIamInstanceProfileAssociationsRequest
    .builder()
    .filters(filter)
    .build();
```

```
DescribeIamInstanceProfileAssociationsResponse response = getEc2Client()
    .describeIamInstanceProfileAssociations(associationsRequest);
return response.iamInstanceProfileAssociations().get(0).associationId();
}

public void deleteRolesPolicies(String policyName, String roleName, String
InstanceProfile) {
    ListPoliciesRequest listPoliciesRequest =
ListPoliciesRequest.builder().build();
    ListPoliciesResponse listPoliciesResponse =
getIAMClient().listPolicies(listPoliciesRequest);
    for (Policy policy : listPoliciesResponse.policies()) {
        if (policy.policyName().equals(policyName)) {
            // List the entities (users, groups, roles) that are attached to the
policy.

software.amazon.awssdk.services.iam.model.ListEntitiesForPolicyRequest
listEntitiesRequest =
software.amazon.awssdk.services.iam.model.ListEntitiesForPolicyRequest
    .builder()
    .policyArn(policy.arn())
    .build();
ListEntitiesForPolicyResponse listEntitiesResponse = iamClient
    .listEntitiesForPolicy(listEntitiesRequest);
    if (!listEntitiesResponse.policyGroups().isEmpty() || !
listEntitiesResponse.policyUsers().isEmpty()
        || !listEntitiesResponse.policyRoles().isEmpty()) {
        // Detach the policy from any entities it is attached to.
        DetachRolePolicyRequest detachPolicyRequest =
DetachRolePolicyRequest.builder()
    .policyArn(policy.arn())
    .roleName(roleName) // Specify the name of the IAM role
    .build();

        getIAMClient().detachRolePolicy(detachPolicyRequest);
        System.out.println("Policy detached from entities.");
    }

    // Now, you can delete the policy.
    DeletePolicyRequest deletePolicyRequest =
DeletePolicyRequest.builder()
    .policyArn(policy.arn())
    .build();
```

```
        getIAMClient().deletePolicy(deletePolicyRequest);
        System.out.println("Policy deleted successfully.");
        break;
    }
}

// List the roles associated with the instance profile
ListInstanceProfilesForRoleRequest listRolesRequest =
ListInstanceProfilesForRoleRequest.builder()
    .roleName(roleName)
    .build();

// Detach the roles from the instance profile
ListInstanceProfilesForRoleResponse listRolesResponse =
iamClient.listInstanceProfilesForRole(listRolesRequest);
for (software.amazon.awssdk.services.iam.model.InstanceProfile profile :
listRolesResponse.instanceProfiles()) {
    RemoveRoleFromInstanceProfileRequest removeRoleRequest =
RemoveRoleFromInstanceProfileRequest.builder()
    .instanceProfileName(InstanceProfile)
    .roleName(roleName) // Remove the extra dot here
    .build();

    getIAMClient().removeRoleFromInstanceProfile(removeRoleRequest);
    System.out.println("Role " + roleName + " removed from instance profile
" + InstanceProfile);
}

// Delete the instance profile after removing all roles
DeleteInstanceProfileRequest deleteInstanceProfileRequest =
DeleteInstanceProfileRequest.builder()
    .instanceProfileName(InstanceProfile)
    .build();

getIAMClient().deleteInstanceProfile(r ->
r.instanceProfileName(InstanceProfile));
System.out.println(InstanceProfile + " Deleted");
System.out.println("All roles and policies are deleted.");
}
}
```

Create a class that wraps Elastic Load Balancing actions.

```
public class LoadBalancer {  
    public ElasticLoadBalancingV2Client elasticLoadBalancingV2Client;  
  
    public ElasticLoadBalancingV2Client getLoadBalancerClient() {  
        if (elasticLoadBalancingV2Client == null) {  
            elasticLoadBalancingV2Client = ElasticLoadBalancingV2Client.builder()  
                .region(Region.US_EAST_1)  
                .build();  
        }  
  
        return elasticLoadBalancingV2Client;  
    }  
  
    // Checks the health of the instances in the target group.  
    public List<TargetHealthDescription> checkTargetHealth(String targetGroupName) {  
        DescribeTargetGroupsRequest targetGroupsRequest =  
        DescribeTargetGroupsRequest.builder()  
            .names(targetGroupName)  
            .build();  
  
        DescribeTargetGroupsResponse tgResponse =  
        getLoadBalancerClient().describeTargetGroups(targetGroupsRequest);  
  
        DescribeTargetHealthRequest healthRequest =  
        DescribeTargetHealthRequest.builder()  
            .targetGroupArn(tgResponse.targetGroups().get(0).targetGroupArn())  
            .build();  
  
        DescribeTargetHealthResponse healthResponse =  
        getLoadBalancerClient().describeTargetHealth(healthRequest);  
        return healthResponse.targetHealthDescriptions();  
    }  
  
    // Gets the HTTP endpoint of the load balancer.  
    public String getEndpoint(String lbName) {  
        DescribeLoadBalancersResponse res = getLoadBalancerClient()  
            .describeLoadBalancers(describe -> describe.names(lbName));  
        return res.loadBalancers().get(0).dnsName();  
    }  
  
    // Deletes a load balancer.  
    public void deleteLoadBalancer(String lbName) {
```

```
try {
    // Use a waiter to delete the Load Balancer.
    DescribeLoadBalancersResponse res = getLoadBalancerClient()
        .describeLoadBalancers(describe -> describe.names(lbName));
    ElasticLoadBalancingV2Waiter loadBalancerWaiter =
getLoadBalancerClient().waiter();
    DescribeLoadBalancersRequest request =
DescribeLoadBalancersRequest.builder()
        .loadBalancerArns(res.loadBalancers().get(0).loadBalancerArn())
        .build();

    getLoadBalancerClient().deleteLoadBalancer(
        builder ->
builder.loadBalancerArn(res.loadBalancers().get(0).loadBalancerArn()));
    WaiterResponse<DescribeLoadBalancersResponse> waiterResponse =
loadBalancerWaiter
        .waitForLoadBalancersDeleted(request);
    waiterResponse.matched().response().ifPresent(System.out::println);

} catch (ElasticLoadBalancingV2Exception e) {
    System.err.println(e.awsErrorDetails().errorMessage());
}
System.out.println(lbName + " was deleted.");
}

// Deletes the target group.
public void deleteTargetGroup(String targetGroupName) {
    try {
        DescribeTargetGroupsResponse res = getLoadBalancerClient()
            .describeTargetGroups(describe ->
describe.names(targetGroupName));
        getLoadBalancerClient()
            .deleteTargetGroup(builder ->
builder.targetGroupArn(res.targetGroups().get(0).targetGroupArn()));
    } catch (ElasticLoadBalancingV2Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
    }
    System.out.println(targetGroupName + " was deleted.");
}

// Verify this computer can successfully send a GET request to the load balancer
// endpoint.
public boolean verifyLoadBalancerEndpoint(String elbDnsName) throws IOException,
InterruptedException {
```

```
boolean success = false;
int retries = 3;
CloseableHttpClient httpClient = HttpClients.createDefault();

// Create an HTTP GET request to the ELB.
HttpGet httpGet = new HttpGet("http://" + elbDnsName);
try {
    while ((!success) && (retries > 0)) {
        // Execute the request and get the response.
        HttpResponse response = httpClient.execute(httpGet);
        int statusCode = response.getStatusLine().getStatusCode();
        System.out.println("HTTP Status Code: " + statusCode);
        if (statusCode == 200) {
            success = true;
        } else {
            retries--;
            System.out.println("Got connection error from load balancer
endpoint, retrying...");  
            TimeUnit.SECONDS.sleep(15);
        }
    }
}

} catch (org.apache.http.conn.HttpHostConnectException e) {
    System.out.println(e.getMessage());
}

System.out.println("Status.." + success);
return success;
}

/*
 * Creates an Elastic Load Balancing target group. The target group specifies
 * how
 * the load balancer forward requests to instances in the group and how instance
 * health is checked.
 */
public String createTargetGroup(String protocol, int port, String vpcId, String
targetGroupName) {
    CreateTargetGroupRequest targetGroupRequest =
CreateTargetGroupRequest.builder()
    .healthCheckPath("/healthcheck")
    .healthCheckTimeoutSeconds(5)
    .port(port)
    .vpcId(vpcId)
```

```
.name(targetGroupName)
.protocol(protocol)
.build();

CreateTargetGroupResponse targetGroupResponse =
getLoadBalancerClient().createTargetGroup(targetGroupRequest);
String targetGroupArn =
targetGroupResponse.targetGroups().get(0).targetGroupArn();
String targetGroup =
targetGroupResponse.targetGroups().get(0).targetGroupName();
System.out.println("The " + targetGroup + " was created with ARN" +
targetGroupArn);
return targetGroupArn;
}

/*
 * Creates an Elastic Load Balancing load balancer that uses the specified
 * subnets
 * and forwards requests to the specified target group.
 */
public String createLoadBalancer(List<Subnet> subnetIds, String targetGroupARN,
String lbName, int port,
String protocol) {
try {
List<String> subnetIdStrings = subnetIds.stream()
.map(Subnet::subnetId)
.collect(Collectors.toList());

CreateLoadBalancerRequest balancerRequest =
CreateLoadBalancerRequest.builder()
.subnets(subnetIdStrings)
.name(lbName)
.scheme("internet-facing")
.build();

// Create and wait for the load balancer to become available.
CreateLoadBalancerResponse lsResponse =
getLoadBalancerClient().createLoadBalancer(balancerRequest);
String lbARN = lsResponse.loadBalancers().get(0).loadBalancerArn();

ElasticLoadBalancingV2Waiter loadBalancerWaiter =
getLoadBalancerClient().waiter();
DescribeLoadBalancersRequest request =
DescribeLoadBalancersRequest.builder()
```

```
.loadBalancerArns(lbARN)
.build();

System.out.println("Waiting for Load Balancer " + lbName + " to become
available.");
WaiterResponse<DescribeLoadBalancersResponse> waiterResponse =
loadBalancerWaiter
    .waitUntilLoadBalancerAvailable(request);
waiterResponse.matched().response().ifPresent(System.out::println);
System.out.println("Load Balancer " + lbName + " is available.");

// Get the DNS name (endpoint) of the load balancer.
String lbDNSName = lsResponse.loadBalancers().get(0).dnsName();
System.out.println("**** Load Balancer DNS Name: " + lbDNSName);

// Create a listener for the load balance.
Action action = Action.builder()
    .targetGroupArn(targetGroupARN)
    .type("forward")
    .build();

CreateListenerRequest listenerRequest = CreateListenerRequest.builder()

.loadBalancerArn(lsResponse.loadBalancers().get(0).loadBalancerArn())
    .defaultActions(action)
    .port(port)
    .protocol(protocol)
    .defaultActions(action)
    .build();

getLoadBalancerClient().createListener(listenerRequest);
System.out.println("Created listener to forward traffic from load
balancer " + lbName + " to target group "
+ targetGroupARN);

// Return the load balancer DNS name.
return lbDNSName;

} catch (ElasticLoadBalancingV2Exception e) {
    e.printStackTrace();
}
return "";
}
}
```

Create a class that uses DynamoDB to simulate a recommendation service.

```
public class Database {

    private static DynamoDbClient dynamoDbClient;

    public static DynamoDbClient getDynamoDbClient() {
        if (dynamoDbClient == null) {
            dynamoDbClient = DynamoDbClient.builder()
                .region(Region.US_EAST_1)
                .build();
        }
        return dynamoDbClient;
    }

    // Checks to see if the Amazon DynamoDB table exists.
    private boolean doesTableExist(String tableName) {
        try {
            // Describe the table and catch any exceptions.
            DescribeTableRequest describeTableRequest =
DescribeTableRequest.builder()
            .tableName(tableName)
            .build();

            getDynamoDbClient().describeTable(describeTableRequest);
            System.out.println("Table '" + tableName + "' exists.");
            return true;

        } catch (ResourceNotFoundException e) {
            System.out.println("Table '" + tableName + "' does not exist.");
        } catch (DynamoDbException e) {
            System.err.println("Error checking table existence: " + e.getMessage());
        }
        return false;
    }

    /*
     * Creates a DynamoDB table to use a recommendation service. The table has a
     * hash key named 'MediaType' that defines the type of media recommended, such
     * as
     * Book or Movie, and a range key named 'ItemId' that, combined with the
     */
}
```

```
* MediaType,  
* forms a unique identifier for the recommended item.  
*/  
public void createTable(String tableName, String fileName) throws IOException {  
    // First check to see if the table exists.  
    boolean doesExist = doesTableExist(tableName);  
    if (!doesExist) {  
        DynamoDbWaiter dbWaiter = getDynamoDbClient().waiter();  
        CreateTableRequest createTableRequest = CreateTableRequest.builder()  
            .tableName(tableName)  
            .attributeDefinitions(  
                AttributeDefinition.builder()  
                    .attributeName("MediaType")  
                    .attributeType(ScalarAttributeType.S)  
                    .build(),  
                AttributeDefinition.builder()  
                    .attributeName("ItemId")  
                    .attributeType(ScalarAttributeType.N)  
                    .build())  
            .keySchema(  
                KeySchemaElement.builder()  
                    .attributeName("MediaType")  
                    .keyType(KeyType.HASH)  
                    .build(),  
                KeySchemaElement.builder()  
                    .attributeName("ItemId")  
                    .keyType(KeyType.RANGE)  
                    .build())  
            .provisionedThroughput(  
                ProvisionedThroughput.builder()  
                    .readCapacityUnits(5L)  
                    .writeCapacityUnits(5L)  
                    .build())  
            .build());  
  
        getDynamoDbClient().createTable(createTableRequest);  
        System.out.println("Creating table " + tableName + "...");  
  
        // Wait until the Amazon DynamoDB table is created.  
        DescribeTableRequest tableRequest = DescribeTableRequest.builder()  
            .tableName(tableName)  
            .build();
```

```
        WaiterResponse<DescribeTableResponse> waiterResponse =
    dbWaiter.waitUntilTableExists(tableRequest);
    waiterResponse.matched().response().ifPresent(System.out::println);
    System.out.println("Table " + tableName + " created.");

    // Add records to the table.
    populateTable(fileName, tableName);
}
}

public void deleteTable(String tableName) {
    getDynamoDbClient().deleteTable(table -> table.tableName(tableName));
    System.out.println("Table " + tableName + " deleted.");
}

// Populates the table with data located in a JSON file using the DynamoDB
// enhanced client.
public void populateTable(String fileName, String tableName) throws IOException
{
    DynamoDbEnhancedClient enhancedClient = DynamoDbEnhancedClient.builder()
        .dynamoDbClient(getDynamoDbClient())
        .build();

    ObjectMapper objectMapper = new ObjectMapper();
    File jsonFile = new File(fileName);
    JsonNode rootNode = objectMapper.readTree(jsonFile);

    DynamoDbTable<Recommendation> mappedTable = enhancedClient.table(tableName,
        TableSchema.fromBean(Recommendation.class));
    for (JsonNode currentNode : rootNode) {
        String mediaType = currentNode.path("MediaType").path("S").asText();
        int itemId = currentNode.path("ItemId").path("N").asInt();
        String title = currentNode.path("Title").path("S").asText();
        String creator = currentNode.path("Creator").path("S").asText();

        // Create a Recommendation object and set its properties.
        Recommendation rec = new Recommendation();
        rec.setMediaType(mediaType);
        rec.setItemId(itemId);
        rec.setTitle(title);
        rec.setCreator(creator);

        // Put the item into the DynamoDB table.
        mappedTable.putItem(rec); // Add the Recommendation to the list.
    }
}
```

```
        System.out.println("Added all records to the " + tableName);
    }
}
```

Create a class that wraps Systems Manager actions.

```
public class ParameterHelper {

    String tableName = "doc-example-resilient-architecture-table";
    String dyntable = "doc-example-recommendation-service";
    String failureResponse = "doc-example-resilient-architecture-failure-response";
    String healthCheck = "doc-example-resilient-architecture-health-check";

    public void reset() {
        put(dyntable, tableName);
        put(failureResponse, "none");
        put(healthCheck, "shallow");
    }

    public void put(String name, String value) {
        SsmClient ssmClient = SsmClient.builder()
            .region(Region.US_EAST_1)
            .build();

        PutParameterRequest parameterRequest = PutParameterRequest.builder()
            .name(name)
            .value(value)
            .overwrite(true)
            .type("String")
            .build();

        ssmClient.putParameter(parameterRequest);
        System.out.printf("Setting demo parameter %s to '%s'.", name, value);
    }
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [AttachLoadBalancerTargetGroups](#)
- [CreateAutoScalingGroup](#)
- [CreateInstanceProfile](#)

- [CreateLaunchTemplate](#)
- [CreateListener](#)
- [CreateLoadBalancer](#)
- [CreateTargetGroup](#)
- [DeleteAutoScalingGroup](#)
- [DeleteInstanceProfile](#)
- [DeleteLaunchTemplate](#)
- [DeleteLoadBalancer](#)
- [DeleteTargetGroup](#)
- [DescribeAutoScalingGroups](#)
- [DescribeAvailabilityZones](#)
- [DescribeElbInstanceProfileAssociations](#)
- [DescribeInstances](#)
- [DescribeLoadBalancers](#)
- [DescribeSubnets](#)
- [DescribeTargetGroups](#)
- [DescribeTargetHealth](#)
- [DescribeVpcs](#)
- [RebootInstances](#)
- [ReplaceElbInstanceProfileAssociation](#)
- [TerminateInstanceInAutoScalingGroup](#)
- [UpdateAutoScalingGroup](#)

MediaStore examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with MediaStore.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)

Actions

CreateContainer

The following code example shows how to use CreateContainer.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.mediatore.MediaStoreClient;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.mediatore.model.CreateContainerRequest;
import software.amazon.awssdk.services.mediatore.model.CreateContainerResponse;
import software.amazon.awssdk.services.mediatore.model.MediaStoreException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class CreateContainer {
    public static long sleepTime = 10;

    public static void main(String[] args) {
        final String usage = """
            Usage:      <containerName>
            Where:
                containerName - The name of the container to create.
        """;
    }
}
```

```
""";  
  
    if (args.length != 1) {  
        System.out.println(usage);  
        System.exit(1);  
    }  
  
    String containerName = args[0];  
    Region region = Region.US_EAST_1;  
    MediaStoreClient mediaStoreClient = MediaStoreClient.builder()  
        .region(region)  
        .build();  
  
    createMediaContainer(mediaStoreClient, containerName);  
    mediaStoreClient.close();  
}  
  
public static void createMediaContainer(MediaStoreClient mediaStoreClient,  
String containerName) {  
    try {  
        CreateContainerRequest containerRequest =  
CreateContainerRequest.builder()  
            .containerName(containerName)  
            .build();  
  
        CreateContainerResponse containerResponse =  
mediaStoreClient.createContainer(containerRequest);  
        String status = containerResponse.container().status().toString();  
        while (!status.equalsIgnoreCase("Active")) {  
            status = DescribeContainer.checkContainer(mediaStoreClient,  
containerName);  
            System.out.println("Status - " + status);  
            Thread.sleep(sleepTime * 1000);  
        }  
  
        System.out.println("The container ARN value is " +  
containerResponse.container().arn());  
        System.out.println("Finished ");  
  
    } catch (MediaStoreException | InterruptedException e) {  
        System.err.println(e.getMessage());  
        System.exit(1);  
    }  
}
```

```
}
```

- For API details, see [CreateContainer](#) in *AWS SDK for Java 2.x API Reference*.

DeleteContainer

The following code example shows how to use DeleteContainer.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.mediatore.MediaStoreClient;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.mediatore.model.CreateContainerRequest;
import software.amazon.awssdk.services.mediatore.model.CreateContainerResponse;
import software.amazon.awssdk.services.mediatore.model.MediaStoreException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class CreateContainer {
    public static long sleepTime = 10;

    public static void main(String[] args) {
        final String usage = """
            Usage:      <containerName>
            Where:
                containerName - The name of the container to create.
            """;
    }
}
```

```
if (args.length != 1) {
    System.out.println(usage);
    System.exit(1);
}

String containerName = args[0];
Region region = Region.US_EAST_1;
MediaStoreClient mediaStoreClient = MediaStoreClient.builder()
    .region(region)
    .build();

createMediaContainer(mediaStoreClient, containerName);
mediaStoreClient.close();
}

public static void createMediaContainer(MediaStoreClient mediaStoreClient,
String containerName) {
    try {
        CreateContainerRequest containerRequest =
CreateContainerRequest.builder()
            .containerName(containerName)
            .build();

        CreateContainerResponse containerResponse =
mediaStoreClient.createContainer(containerRequest);
        String status = containerResponse.container().status().toString();
        while (!status.equalsIgnoreCase("Active")) {
            status = DescribeContainer.checkContainer(mediaStoreClient,
containerName);
            System.out.println("Status - " + status);
            Thread.sleep(sleepTime * 1000);
        }

        System.out.println("The container ARN value is " +
containerResponse.container().arn());
        System.out.println("Finished ");

    } catch (MediaStoreException | InterruptedException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

- For API details, see [DeleteContainer](#) in *AWS SDK for Java 2.x API Reference*.

DeleteObject

The following code example shows how to use DeleteObject.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.mediatorestore.MediaStoreClient;
import software.amazon.awssdk.services.mediatorestore.model.DescribeContainerRequest;
import software.amazon.awssdk.services.mediatorestore.model.DescribeContainerResponse;
import software.amazon.awssdk.services.mediatorestoredata.MediaStoreDataClient;
import software.amazon.awssdk.services.mediatorestoredata.model.DeleteObjectRequest;
import software.amazon.awssdk.services.mediatorestoredata.model.MediaStoreDataException;
import java.net.URI;
import java.net.URISyntaxException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DeleteObject {
    public static void main(String[] args) throws URISyntaxException {
        final String usage = """
            Usage:      <completePath> <containerName>
            Where:
        """

        System.out.println(usage);
    }
}
```

```
        completePath - The path (including the container) of the item to
delete.
        containerName - The name of the container.
""";
```

```
    if (args.length != 2) {
        System.out.println(usage);
        System.exit(1);
    }

    String completePath = args[0];
    String containerName = args[1];
    Region region = Region.US_EAST_1;
    URI uri = new URI(getEndpoint(containerName));

    MediaStoreDataClient mediaStoreData = MediaStoreDataClient.builder()
        .endpointOverride(uri)
        .region(region)
        .build();

    deleteMediaObject(mediaStoreData, completePath);
    mediaStoreData.close();
}

public static void deleteMediaObject(MediaStoreDataClient mediaStoreData, String
completePath) {
    try {
        DeleteObjectRequest deleteObjectRequest = DeleteObjectRequest.builder()
            .path(completePath)
            .build();

        mediaStoreData.deleteObject(deleteObjectRequest);

    } catch (MediaStoreDataException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

private static String getEndpoint(String containerName) {
    Region region = Region.US_EAST_1;
    MediaStoreClient mediaStoreClient = MediaStoreClient.builder()
        .region(region)
        .build();
```

```
    DescribeContainerRequest containerRequest =
DescribeContainerRequest.builder()
    .containerName(containerName)
    .build();

    DescribeContainerResponse response =
mediaStoreClient.describeContainer(containerRequest);
    mediaStoreClient.close();
    return response.container().endpoint();
}
}
```

- For API details, see [DeleteObject](#) in *AWS SDK for Java 2.x API Reference*.

DescribeContainer

The following code example shows how to use `DescribeContainer`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.mediatrue.MediaStoreClient;
import software.amazon.awssdk.services.mediatrue.model.DescribeContainerRequest;
import software.amazon.awssdk.services.mediatrue.model.DescribeContainerResponse;
import software.amazon.awssdk.services.mediatrue.model.MediaStoreException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
```

```
public class DescribeContainer {  
  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:      <containerName>  
  
            Where:  
                containerName - The name of the container to describe.  
            """;  
  
        if (args.length != 1) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String containerName = args[0];  
        Region region = Region.US_EAST_1;  
        MediaStoreClient mediaStoreClient = MediaStoreClient.builder()  
            .region(region)  
            .build();  
  
        System.out.println("Status is " + checkContainer(mediaStoreClient,  
            containerName));  
        mediaStoreClient.close();  
    }  
  
    public static String checkContainer(MediaStoreClient mediaStoreClient, String  
        containerName) {  
        try {  
            DescribeContainerRequest describeContainerRequest =  
DescribeContainerRequest.builder()  
                .containerName(containerName)  
                .build();  
  
            DescribeContainerResponse containerResponse =  
mediaStoreClient.describeContainer(describeContainerRequest);  
            System.out.println("The container name is " +  
containerResponse.container().name());  
            System.out.println("The container ARN is " +  
containerResponse.container().arn());  
            return containerResponse.container().status().toString();  
        } catch (MediaStoreException e) {  
    }
```

```
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}
}
```

- For API details, see [DescribeContainer](#) in *AWS SDK for Java 2.x API Reference*.

GetObject

The following code example shows how to use GetObject.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.core.ResponseInputStream;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.mediatorestore.MediaStoreClient;
import software.amazon.awssdk.services.mediatorestore.model.DescribeContainerRequest;
import software.amazon.awssdk.services.mediatorestore.model.DescribeContainerResponse;
import software.amazon.awssdk.services.mediatorestoredata.MediaStoreDataClient;
import software.amazon.awssdk.services.mediatorestoredata.model.GetObjectRequest;
import software.amazon.awssdk.services.mediatorestoredata.model.GetObjectResponse;
import software.amazon.awssdk.services.mediatorestoredata.model.MediaStoreDataException;
import java.io.File;
import java.io.FileOutputStream;
import java.io.IOException;
import java.io.OutputStream;
import java.net.URI;
import java.net.URISyntaxException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
```

```
* For more information, see the following documentation topic:  
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
  
public class GetObject {  
    public static void main(String[] args) throws URISyntaxException {  
        final String usage = """  
  
            Usage:      <completePath> <containerName> <savePath>  
  
            Where:  
                completePath - The path of the object in the container (for  
example, Videos5/sampleVideo.mp4).  
                containerName - The name of the container.  
                savePath - The path on the local drive where the file is saved,  
including the file name (for example, C:/AWS/myvid.mp4).  
        """;  
  
        if (args.length != 3) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String completePath = args[0];  
        String containerName = args[1];  
        String savePath = args[2];  
  
        Region region = Region.US_EAST_1;  
        URI uri = new URI(getEndpoint(containerName));  
        MediaStoreDataClient mediaStoreData = MediaStoreDataClient.builder()  
            .endpointOverride(uri)  
            .region(region)  
            .build();  
  
        getMediaObject(mediaStoreData, completePath, savePath);  
        mediaStoreData.close();  
    }  
  
    public static void getMediaObject(MediaStoreDataClient mediaStoreData, String  
completePath, String savePath) {  
  
        try {  
            GetObjectRequest objectRequest = GetObjectRequest.builder()  
                .path(completePath)
```

```
        .build();

        // Write out the data to a file.
        ResponseInputStream<GetObjectResponse> data =
mediaStoreData.getObject(objectRequest);
        byte[] buffer = new byte[data.available()];
        data.read(buffer);

        File targetFile = new File(savePath);
        OutputStream outStream = new FileOutputStream(targetFile);
        outStream.write(buffer);
        System.out.println("The data was written to " + savePath);

    } catch (MediaStoreDataException | IOException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}

private static String getEndpoint(String containerName) {
    Region region = Region.US_EAST_1;
    MediaStoreClient mediaStoreClient = MediaStoreClient.builder()
        .region(region)
        .build();

    DescribeContainerRequest containerRequest =
DescribeContainerRequest.builder()
        .containerName(containerName)
        .build();

    DescribeContainerResponse response =
mediaStoreClient.describeContainer(containerRequest);
    return response.container().endpoint();
}
}
```

- For API details, see [GetObject](#) in *AWS SDK for Java 2.x API Reference*.

ListContainers

The following code example shows how to use `ListContainers`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.mediatrue.MediaStoreClient;
import software.amazon.awssdk.services.mediatrue.model.Container;
import software.amazon.awssdk.services.mediatrue.model.ListContainersResponse;
import software.amazon.awssdk.services.mediatrue.model.MediaStoreException;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ListContainers {

    public static void main(String[] args) {

        Region region = Region.US_EAST_1;
        MediaStoreClient mediaStoreClient = MediaStoreClient.builder()
            .region(region)
            .build();

        listAllContainers(mediaStoreClient);
        mediaStoreClient.close();
    }

    public static void listAllContainers(MediaStoreClient mediaStoreClient) {
        try {
            ListContainersResponse containersResponse =
mediaStoreClient.listContainers();
            List<Container> containers = containersResponse.containers();
        }
    }
}
```

```
        for (Container container : containers) {
            System.out.println("Container name is " + container.name());
        }

    } catch (MediaStoreException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

- For API details, see [ListContainers](#) in *AWS SDK for Java 2.x API Reference*.

PutObject

The following code example shows how to use PutObject.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.mediatore.MediaStoreClient;
import software.amazon.awssdk.services.mediamstoredata.MediaStoreDataClient;
import software.amazon.awssdk.core.sync.RequestBody;
import software.amazon.awssdk.services.mediamstoredata.model.PutObjectRequest;
import software.amazon.awssdk.services.mediamstoredata.model.MediaStoreDataException;
import software.amazon.awssdk.services.mediamstoredata.model.PutObjectResponse;
import software.amazon.awssdk.services.mediatore.model.DescribeContainerRequest;
import software.amazon.awssdk.services.mediatore.model.DescribeContainerResponse;
import java.io.File;
import java.net.URI;
import java.net.URISyntaxException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.

```

```
*  
* For more information, see the following documentation topic:  
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
public class PutObject {  
    public static void main(String[] args) throws URISyntaxException {  
        final String USAGE = """  
  
            To run this example, supply the name of a container, a file location  
            to use, and path in the container\s  
  
            Ex: <containerName> <filePath> <completePath>  
            """;  
  
        if (args.length < 3) {  
            System.out.println(USAGE);  
            System.exit(1);  
        }  
  
        String containerName = args[0];  
        String filePath = args[1];  
        String completePath = args[2];  
  
        Region region = Region.US_EAST_1;  
        URI uri = new URI(getEndpoint(containerName));  
        MediaStoreDataClient mediaStoreData = MediaStoreDataClient.builder()  
            .endpointOverride(uri)  
            .region(region)  
            .build();  
  
        putMediaObject(mediaStoreData, filePath, completePath);  
        mediaStoreData.close();  
    }  
  
    public static void putMediaObject(MediaStoreDataClient mediaStoreData, String  
        filePath, String completePath) {  
        try {  
            File myFile = new File(filePath);  
            RequestBody requestBody = RequestBody.fromFile(myFile);  
  
            PutObjectRequest objectRequest = PutObjectRequest.builder()  
                .path(completePath)  
                .contentType("video/mp4")  
        }  
    }  
}
```

```
        .build();

    PutObjectResponse response = mediaStoreData.putObject(objectRequest,
requestBody);
    System.out.println("The saved object is " +
response.storageClass().toString());

} catch (MediaStoreDataException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}

public static String getEndpoint(String containerName) {

Region region = Region.US_EAST_1;
MediaStoreClient mediaStoreClient = MediaStoreClient.builder()
    .region(region)
    .build();

DescribeContainerRequest containerRequest =
DescribeContainerRequest.builder()
    .containerName(containerName)
    .build();

DescribeContainerResponse response =
mediaStoreClient.describeContainer(containerRequest);
    return response.container().endpoint();
}
}
```

- For API details, see [PutObject](#) in *AWS SDK for Java 2.x API Reference*.

OpenSearch Service examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with OpenSearch Service.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello OpenSearch Service

The following code example shows how to get started using OpenSearch Service.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.opensearch.OpenSearchAsyncClient;
import software.amazon.awssdk.services.opensearch.model.ListVersionsRequest;
import java.util.List;
import java.util.concurrent.CompletableFuture;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class HelloOpenSearch {
    public static void main(String[] args) {
        try {
            CompletableFuture<Void> future = listVersionsAsync();
            future.join();
            System.out.println("Versions listed successfully.");
        } catch (RuntimeException e) {
            System.err.println("Error occurred while listing versions: " +
e.getMessage());
        }
    }
}
```

```
}

private static OpenSearchAsyncClient getAsyncClient() {
    return OpenSearchAsyncClient.builder().build();
}

public static CompletableFuture<Void> listVersionsAsync() {
    ListVersionsRequest request = ListVersionsRequest.builder()
        .maxResults(10)
        .build();

    return getAsyncClient().listVersions(request).thenAccept(response -> {
        List<String> versionList = response.versions();
        for (String version : versionList) {
            System.out.println("Version info: " + version);
        }
    }).exceptionally(ex -> {
        // Handle the exception, or propagate it as a RuntimeException
        throw new RuntimeException("Failed to list versions", ex);
    });
}
}
```

- For API details, see [ListVersions](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Basics](#)
- [Actions](#)

Basics

Learn OpenSearch Service core operations

The following code example shows how to:

- Create an OpenSearch Service domain.
- Provides detailed information about a specific OpenSearch Service domain.
- Lists all the OpenSearch Service domains owned by the account.
- Waits until the OpenSearch Service domain's change status reaches a completed state.

- Modifies the configuration of an existing OpenSearch Service domain.
- Add a tag to the OpenSearch Service domain.
- Lists the tags associated with an OpenSearch Service domain.
- Removes tags from an OpenSearch Service domain.
- Deletes the OpenSearch Service domain.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Run an interactive scenario demonstrating OpenSearch Service features.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.services.opensearch.model.*;
import java.util.List;
import java.util.Scanner;
import java.util.concurrent.CompletableFuture;

public class OpenSearchScenario {

    public static final String DASHES = new String(new char[80]).replace("\0", "-");

    private static final Logger logger =
    LoggerFactory.getLogger(OpenSearchScenario.class);
    static Scanner scanner = new Scanner(System.in);

    static OpenSearchActions openSearchActions = new OpenSearchActions();

    public static void main(String[] args) throws Throwable {
        logger.info("""
            Welcome to the Amazon OpenSearch Service Basics Scenario.

            Use the Amazon OpenSearch Service API to create, configure, and manage
            OpenSearch Service domains.
        """);
    }
}
```

The operations exposed by the AWS OpenSearch Service client are focused on managing the OpenSearch Service domains

and their configurations, not the data within the domains (such as indexing or querying documents).

For document management, you typically interact directly with the OpenSearch REST API or use other libraries,

such as the OpenSearch Java client (<https://opensearch.org/docs/latest/> clients/java/).

```
    Let's get started...
    """);
    waitForInputToContinue(scanner);
    try {
        runScenario();
    } catch (RuntimeException e) {
        e.printStackTrace();
    }
}

private static void waitForInputToContinue(Scanner scanner) {
    while (true) {
        logger.info("");
        logger.info("Enter 'c' followed by <ENTER> to continue:");
        String input = scanner.nextLine();

        if (input.trim().equalsIgnoreCase("c")) {
            logger.info("Continuing with the program...");
            logger.info("");
            break;
        } else {
            logger.info("Invalid input. Please try again.");
        }
    }
}

private static void runScenario() throws Throwable {
    String currentTimestamp = String.valueOf(System.currentTimeMillis());
    String domainName = "test-domain-" + currentTimestamp;

    logger.info(DASHES);
    logger.info("1. Create an Amazon OpenSearch domain");
    logger.info("""
        An Amazon OpenSearch domain is a managed instance of the OpenSearch
        engine,
```

which is an open-source search and analytics engine derived from Elasticsearch.

An OpenSearch domain is essentially a cluster of compute resources and storage that hosts

one or more OpenSearch indexes, enabling you to perform full-text searches, data analysis, and visualizations.

In this step, we'll initiate the creation of the domain. We'll check on the progress in a later step.

```
""");
waitForInputToContinue(scanner);

try {
    CompletableFuture<String> future =
openSearchActions.createNewDomainAsync(domainName);
    String domainId = future.join();
    logger.info("Domain successfully created with ID: {}", domainId);
} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause != null) {
        if (cause instanceof OpenSearchException openSearchEx) {
            logger.error("OpenSearch error occurred: Error message: {}, Error code {}", openSearchEx.awsErrorDetails().errorMessage(),
openSearchEx.awsErrorDetails().errorCode());
        } else {
            logger.error("An unexpected error occurred: " +
cause.getMessage(), cause);
        }
    } else {
        logger.error("An unexpected error occurred: " + rt.getMessage());
    }
    throw cause;
}
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info("2. Describe the Amazon OpenSearch domain");
logger.info("In this step, we get back the Domain ARN which is used in an
upcoming step.");
waitForInputToContinue(scanner);

String arn = "";
try {
```

```
        CompletableFuture<String> future =
openSearchActions.describeDomainAsync(domainName);
    arn = future.join();
} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof OpenSearchException openSearchEx) {
        logger.info("OpenSearch error occurred: Error message:
{}, Error code {}", openSearchEx.awsErrorDetails().errorMessage(),
openSearchEx.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: " + rt.getMessage());
    }
    throw cause;
}
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info("3. List the domains in your account");
waitForInputToContinue(scanner);

try {
    CompletableFuture<List<DomainInfo>> future =
openSearchActions.listAllDomainsAsync();
    List<DomainInfo> domainInfoList = future.join();
    for (DomainInfo domain : domainInfoList) {
        logger.info("Domain name is: " + domain.domainName());
    }
} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    while (cause.getCause() != null && !(cause instanceof
OpenSearchException)) {
        cause = cause.getCause();
    }
    if (cause instanceof OpenSearchException openSearchEx) {
        logger.info("OpenSearch error occurred: Error message:
{}, Error code {}", openSearchEx.awsErrorDetails().errorMessage(),
openSearchEx.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: " + rt.getMessage());
    }
    throw cause;
}

waitForInputToContinue(scanner);
```

```
        logger.info(DASHES);

        logger.info("4. Wait until the domain's change status reaches a completed
state");
        logger.info(""""
        In this step, we check on the change status of the domain that we
initiated in Step 1.
        Until we reach a COMPLETED state, we stay in a loop by sending a
DescribeDomainChangeProgressRequest.

        The time it takes for a change to an OpenSearch domain to reach a
completed state can range
            from a few minutes to several hours. In this case the change is creating
a new domain that we initiated in Step 1.
        The time varies depending on the complexity of the change and the
current load on
            the OpenSearch service. In general, simple changes, such as scaling the
number of data nodes or
            updating the OpenSearch version, may take 10-30 minutes.

""");

        waitForInputToContinue(scanner);

        try {
            CompletableFuture<Void> future =
openSearchActions.domainChangeProgressAsync(domainName);
            future.join();
            logger.info("Domain change progress completed successfully.");
        } catch (RuntimeException rt) {
            Throwable cause = rt.getCause();
            while (cause.getCause() != null && !(cause instanceof
ResourceNotFoundException)) {
                cause = cause.getCause();
            }
            if (cause instanceof ResourceNotFoundException
resourceNotFoundException) {
                logger.info("The specific AWS resource was not found: Error message:
{}, Error code {}", resourceNotFoundException.awsErrorDetails().errorMessage(),
resourceNotFoundException.awsErrorDetails().errorCode());
            }

            if (cause instanceof OpenSearchException ex) {
                logger.info("An OpenSearch error occurred: Error message: " +
ex.getMessage());
            } else {
```

```
        logger.info("An unexpected error occurred: " + rt.getMessage());
    }
    throw cause;
}
}
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info("5. Modify the domain");
logger.info(" You can change your OpenSearch domain's settings, like the number of
instances, without starting over from scratch.
This makes it easy to adjust your domain as your needs change, allowing
you to scale up or
down quickly without recreating everything.

We modify the domain in this step by changing the number of instances.
""");

waitForInputToContinue(scanner);

try {
    CompletableFuture<UpdateDomainConfigResponse> future =
openSearchActions.updateSpecificDomainAsync(domainName);
    UpdateDomainConfigResponse updateResponse = future.join();
    logger.info("Domain update status: " +
updateResponse.domainConfig().changeProgressDetails().configChangeStatusAsString());
} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof OpenSearchException openSearchEx) {
        logger.info("OpenSearch error occurred: Error message:
{}, Error code {}", openSearchEx.awsErrorDetails().errorMessage(),
openSearchEx.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: " + rt.getMessage());
    }
    throw cause;
}
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info("6. Wait until the domain's change status reaches a completed
state");
logger.info("")
```

```
In this step, we poll the status until the domain's change status reaches a completed state.  
""");  
  
waitForInputToContinue(scanner);  
  
try {  
    CompletableFuture<Void> future =  
openSearchActions.domainChangeProgressAsync(domainName);  
    future.join();  
    logger.info("Domain change progress completed successfully.");  
} catch (RuntimeException rt) {  
    Throwable cause = rt.getCause();  
    if (cause instanceof OpenSearchException ex) {  
        logger.info("EC2 error occurred: Error message: " + ex.getMessage());  
    } else {  
        logger.info("An unexpected error occurred: " + rt.getMessage());  
    }  
    throw cause;  
}  
waitForInputToContinue(scanner);  
logger.info(DASHES);  
  
logger.info("7. Tag the Domain");  
logger.info("")  
    Tags let you assign arbitrary information to an Amazon OpenSearch Service domain so you can  
        categorize and filter on that information. A tag is a key-value pair that you define and  
        associate with an OpenSearch Service domain. You can use these tags to track costs by grouping expenses for similarly tagged resources.  
  
    In this scenario, we create tags with keys "service" and "instances".  
""");  
  
waitForInputToContinue(scanner);  
  
try {  
    CompletableFuture<AddTagsResponse> future =  
openSearchActions.addDomainTagsAsync(arn);  
    future.join();  
    logger.info("Domain tags added successfully.");  
} catch (RuntimeException rt) {
```

```
        Throwable cause = rt.getCause();
        while (cause.getCause() != null && !(cause instanceof
OpenSearchException)) {
            cause = cause.getCause();
        }
        if (cause instanceof OpenSearchException openSearchEx) {
            logger.info("OpenSearch error occurred: Error message:
{}, Error code {}", openSearchEx.awsErrorDetails().errorMessage(),
openSearchEx.awsErrorDetails().errorCode());
        } else {
            logger.info("An unexpected error occurred: " + rt.getMessage());
            if (cause != null) {
                if (cause instanceof OpenSearchException) {
                    logger.error("OpenSearch error occurred: Error message: " +
cause.getMessage(), cause);
                } else {
                    logger.error("An unexpected error occurred: " +
cause.getMessage(), cause);
                }
            } else {
                logger.error("An unexpected error occurred: " + rt.getMessage(),
rt);
            }
            throw cause;
        }
    }
    waitForInputToContinue(scanner);
    logger.info(DASHES);

    logger.info("8. List Domain tags");
    waitForInputToContinue(scanner);

    try {
        CompletableFuture<ListTagsResponse> future =
openSearchActions.listDomainTagsAsync(arn);
        ListTagsResponse listTagsResponse = future.join();
        listTagsResponse.tagList().forEach(tag -> logger.info("Tag Key: " +
tag.key() + ", Tag Value: " + tag.value()));
    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        while (cause.getCause() != null && !(cause instanceof
OpenSearchException)) {
            cause = cause.getCause();
        }
    }
}
```

```
        if (cause instanceof OpenSearchException openSearchEx) {
            logger.info("OpenSearch error occurred: Error message:
{}, Error code {}", openSearchEx.awsErrorDetails().errorMessage(),
openSearchEx.awsErrorDetails().errorCode());
        } else {
            logger.info("An unexpected error occurred: " + rt.getMessage());
        }
        throw cause;
    }

    waitForInputToContinue(scanner);
    logger.info(DASHES);

    logger.info("9. Delete the domain");
    logger.info(""""
        In this step, we'll delete the Amazon OpenSearch domain that we created
in Step 1.
        Deleting a domain will remove all data and configuration for that
domain.
""");

    waitForInputToContinue(scanner);

    try {
        CompletableFuture<DeleteDomainResponse> future =
openSearchActions.deleteSpecificDomainAsync(domainName);
        future.join();
        logger.info("Domain successfully deleted.");
    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        while (cause.getCause() != null && !(cause instanceof
OpenSearchException)) {
            cause = cause.getCause();
        }
        if (cause instanceof OpenSearchException openSearchEx) {
            logger.info("OpenSearch error occurred: Error message:
{}, Error code {}", openSearchEx.awsErrorDetails().errorMessage(),
openSearchEx.awsErrorDetails().errorCode());
        } else {
            logger.info("An unexpected error occurred: " + rt.getMessage());
        }
        throw cause;
    }
}
```

```
        }

        waitForInputToContinue(scanner);
        logger.info(DASHES);

        logger.info("Scenario complete!");
    }
}
```

A wrapper class for OpenSearch Service SDK methods.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.core.client.config.ClientOverrideConfiguration;
import software.amazon.awssdk.core.retry.RetryPolicy;
import software.amazon.awssdk.http.async.SdkAsyncHttpClient;
import software.amazon.awssdk.http.nio.netty.NettyNioAsyncHttpClient;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.opensearch.OpenSearchAsyncClient;
import software.amazon.awssdk.services.opensearch.model.AddTagsRequest;
import software.amazon.awssdk.services.opensearch.model.AddTagsResponse;
import software.amazon.awssdk.services.opensearch.model.ClusterConfig;
import software.amazon.awssdk.services.opensearch.model.CreateDomainRequest;
import software.amazon.awssdk.services.opensearch.model.DeleteDomainRequest;
import software.amazon.awssdk.services.opensearch.model.DeleteDomainResponse;
import
software.amazon.awssdk.services.opensearch.model.DescribeDomainChangeProgressRequest;
import
software.amazon.awssdk.services.opensearch.model.DescribeDomainChangeProgressResponse;
import software.amazon.awssdk.services.opensearch.model.DescribeDomainRequest;
import software.amazon.awssdk.services.opensearch.model.DomainInfo;
import software.amazon.awssdk.services.opensearch.model.DomainStatus;
import software.amazon.awssdk.services.opensearch.model.EBSOptions;
import software.amazon.awssdk.services.opensearch.model.ListDomainNamesRequest;
import software.amazon.awssdk.services.opensearch.model.ListTagsRequest;
import software.amazon.awssdk.services.opensearch.model.ListTagsResponse;
import software.amazon.awssdk.services.opensearch.model.NodeToNodeEncryptionOptions;
import software.amazon.awssdk.services.opensearch.model.Tag;
import software.amazon.awssdk.services.opensearch.model.UpdateDomainConfigRequest;
import software.amazon.awssdk.services.opensearch.model.UpdateDomainConfigResponse;
import software.amazon.awssdk.services.opensearch.model.VolumeType;
import java.time.Duration;
import java.util.ArrayList;
```

```
import java.util.List;
import java.util.concurrent.CompletableFuture;

public class OpenSearchActions {
    private static final Logger logger =
LoggerFactory.getLogger(OpenSearchActions.class);
    private static OpenSearchAsyncClient openSearchClientAsyncClient;
    private static OpenSearchAsyncClient getAsyncClient() {
        if (openSearchClientAsyncClient == null) {
            SdkAsyncHttpClient httpClient = NettyNioAsyncHttpClient.builder()
                .maxConcurrency(100)
                .connectionTimeout(Duration.ofSeconds(60))
                .readTimeout(Duration.ofSeconds(60))
                .writeTimeout(Duration.ofSeconds(60))
                .build();

            ClientOverrideConfiguration overrideConfig =
ClientOverrideConfiguration.builder()
                .apiCallTimeout(Duration.ofMinutes(2))
                .apiCallAttemptTimeout(Duration.ofSeconds(90))
                .retryPolicy(RetryPolicy.builder()
                    .numRetries(3)
                    .build())
                .build();
            .build();

            openSearchClientAsyncClient = OpenSearchAsyncClient.builder()
                .region(Region.US_EAST_1)
                .httpClient(httpClient)
                .overrideConfiguration(overrideConfig)
                .build();
        }
        return openSearchClientAsyncClient;
    }

    /**
     * Creates a new OpenSearch domain asynchronously.
     * @param domainName the name of the new OpenSearch domain to create
     * @return a {@link CompletableFuture} containing the domain ID of the newly
     * created domain
     */
    public CompletableFuture<String> createNewDomainAsync(String domainName) {
        ClusterConfig clusterConfig = ClusterConfig.builder()
            .dedicatedMasterEnabled(true)
            .dedicatedMasterCount(3)
```

```
        .dedicatedMasterType("t2.small.search")
        .instanceType("t2.small.search")
        .instanceCount(5)
        .build();

    EBSOptions ebsOptions = EBSOptions.builder()
        .ebsEnabled(true)
        .volumeSize(10)
        .volumeType(VolumeType.GP2)
        .build();

    NodeToNodeEncryptionOptions encryptionOptions =
NodeToNodeEncryptionOptions.builder()
        .enabled(true)
        .build();

CreateDomainRequest domainRequest = CreateDomainRequest.builder()
    .domainName(domainName)
    .engineVersion("OpenSearch_1.0")
    .clusterConfig(clusterConfig)
    .ebsOptions(ebsOptions)
    .nodeToNodeEncryptionOptions(encryptionOptions)
    .build();
logger.info("Sending domain creation request...");
return getAsyncClient().createDomain(domainRequest)
    .handle( (createResponse, throwable) -> {
        if (createResponse != null) {
            logger.info("Domain status is {}", createResponse.domainStatus().changeProgressDetails().configChangeStatusAsString());
            logger.info("Domain Id is {}", createResponse.domainStatus().domainId());
            return createResponse.domainStatus().domainId();
        }
        throw new RuntimeException("Failed to create domain",
throwable);
    });
}

/**
 * Deletes a specific domain asynchronously.
 * @param domainName the name of the domain to be deleted
 * @return a {@link CompletableFuture} that completes when the domain has been
deleted
 * or throws a {@link RuntimeException} if the deletion fails

```

```
/*
 public CompletableFuture<DeleteDomainResponse> deleteSpecificDomainAsync(String
domainName) {
    DeleteDomainRequest domainRequest = DeleteDomainRequest.builder()
        .domainName(domainName)
        .build();

    // Delete domain asynchronously
    return getAsyncClient().deleteDomain(domainRequest)
        .whenComplete((response, exception) -> {
            if (exception != null) {
                throw new RuntimeException("Failed to delete the domain: " +
domainName, exception);
            }
        });
}

/**
 * Describes the specified domain asynchronously.
 *
 * @param domainName the name of the domain to describe
 * @return a {@link CompletableFuture} that completes with the ARN of the domain
 * @throws RuntimeException if the domain description fails
 */
public CompletableFuture<String> describeDomainAsync(String domainName) {
    DescribeDomainRequest request = DescribeDomainRequest.builder()
        .domainName(domainName)
        .build();

    return getAsyncClient().describeDomain(request)
        .handle((response, exception) -> { // Handle both response and
exception
            if (exception != null) {
                throw new RuntimeException("Failed to describe domain",
exception);
            }
            DomainStatus domainStatus = response.domainStatus();
            String endpoint = domainStatus.endpoint();
            String arn = domainStatus.arn();
            String engineVersion = domainStatus.engineVersion();
            logger.info("Domain endpoint is: " + endpoint);
            logger.info("ARN: " + arn);
            System.out.println("Engine version: " + engineVersion);
        });
}
```

```
        return arn; // Return ARN when successful
    });

}

/**
 * Asynchronously lists all the domains in the current AWS account.
 * @return a {@link CompletableFuture} that, when completed, contains a list of
{@link DomainInfo} objects representing
 *         the domains in the account.
 * @throws RuntimeException if there was a failure while listing the domains.
 */
public CompletableFuture<List<DomainInfo>> listAllDomainsAsync() {
    ListDomainNamesRequest namesRequest = ListDomainNamesRequest.builder()
        .engineType("OpenSearch")
        .build();

    return getAsyncClient().listDomainNames(namesRequest)
        .handle((response, exception) -> {
            if (exception != null) {
                throw new RuntimeException("Failed to list all domains",
exception);
            }
            return response.domainNames(); // Return the list of domain names
on success
        });
}

/**
 * Updates the configuration of a specific domain asynchronously.
 * @param domainName the name of the domain to update
 * @return a {@link CompletableFuture} that represents the asynchronous
operation of updating the domain configuration
 */
public CompletableFuture<UpdateDomainConfigResponse>
updateSpecificDomainAsync(String domainName) {
    ClusterConfig clusterConfig = ClusterConfig.builder()
        .instanceCount(3)
        .build();

    UpdateDomainConfigRequest updateDomainConfigRequest =
UpdateDomainConfigRequest.builder()
        .domainName(domainName)
        .clusterConfig(clusterConfig)
        .build();
}
```

```
        return getAsyncClient().updateDomainConfig(updateDomainConfigRequest)
            .whenComplete((response, exception) -> {
                if (exception != null) {
                    throw new RuntimeException("Failed to update the domain
configuration", exception);
                }
                // Handle success if needed (e.g., logging or additional actions)
            });
    }

    /**
     * Asynchronously checks the progress of a domain change operation in Amazon
     OpenSearch Service.
     * @param domainName the name of the OpenSearch domain to check the progress for
     * @return a {@link CompletableFuture} that completes when the domain change
     operation is completed
     */
    public CompletableFuture<Void> domainChangeProgressAsync(String domainName) {
        DescribeDomainChangeProgressRequest request =
DescribeDomainChangeProgressRequest.builder()
        .domainName(domainName)
        .build();

        return CompletableFuture.runAsync(() -> {
            boolean isCompleted = false;
            long startTime = System.currentTimeMillis();

            while (!isCompleted) {
                try {
                    // Handle the async client call using `join` to block
                    synchronously for the result
                    DescribeDomainChangeProgressResponse response = getAsyncClient()
                        .describeDomainChangeProgress(request)
                        .handle((resp, ex) -> {
                            if (ex != null) {
                                throw new RuntimeException("Failed to check domain
progress", ex);
                            }
                            return resp;
                        }).join();

                    String state = response.changeProgressStatus().statusAsString();
                    // Get the status as string
                }
            }
        });
    }
}
```

```

        if ("COMPLETED".equals(state)) {
            logger.info("\nOpenSearch domain status: Completed");
            isCompleted = true;
        } else {
            for (int i = 0; i < 5; i++) {
                long elapsedTimeInSeconds = (System.currentTimeMillis()
- startTime) / 1000;
                String formattedTime = String.format("%02d:%02d",
elapsedTimeInSeconds / 60, elapsedTimeInSeconds % 60);
                System.out.print("\rOpenSearch domain state: " + state +
" | Time Elapsed: " + formattedTime + " ");
                System.out.flush();
                Thread.sleep(1_000);
            }
        }
    } catch (InterruptedException e) {
        Thread.currentThread().interrupt();
        throw new RuntimeException("Thread was interrupted", e);
    }
}
});

}

/**
 * Asynchronously adds tags to an Amazon OpenSearch Service domain.
 * @param domainARN the Amazon Resource Name (ARN) of the Amazon OpenSearch
Service domain to add tags to
 * @return a {@link CompletableFuture} that completes when the tags have been
successfully added to the domain,
 * or throws a {@link RuntimeException} if the operation fails
 */
public CompletableFuture<AddTagsResponse> addDomainTagsAsync(String domainARN) {
    Tag tag1 = Tag.builder()
        .key("service")
        .value("OpenSearch")
        .build();

    Tag tag2 = Tag.builder()
        .key("instances")
        .value("m3.2xlarge")
        .build();

    List<Tag> tagList = new ArrayList<>();

```

```
        tagList.add(tag1);
        tagList.add(tag2);

        AddTagsRequest addTagsRequest = AddTagsRequest.builder()
            .arn(domainARN)
            .tagList(tagList)
            .build();

        return getAsyncClient().addTags(addTagsRequest)
            .whenComplete((response, exception) -> {
                if (exception != null) {
                    throw new RuntimeException("Failed to add tags to the domain: " +
+ domainARN, exception);
                } else {
                    logger.info("Added Tags");
                }
            });
    }

    /**
     * Asynchronously lists the tags associated with the specified Amazon Resource Name (ARN).
     * @param arn the Amazon Resource Name (ARN) of the resource for which to list the tags
     * @return a {@link CompletableFuture} that, when completed, will contain a list of the tags associated with the specified ARN
     * @throws RuntimeException if there is an error listing the tags
     */
    public CompletableFuture<ListTagsResponse> listDomainTagsAsync(String arn) {
        ListTagsRequest tagsRequest = ListTagsRequest.builder()
            .arn(arn)
            .build();

        return getAsyncClient().listTags(tagsRequest)
            .whenComplete((response, exception) -> {
                if (exception != null) {
                    throw new RuntimeException("Failed to list domain tags",
exception);
                }

                List<Tag> tagList = response.tagList();
                for (Tag tag : tagList) {
```

```
        logger.info("Tag key is " + tag.key());
        logger.info("Tag value is " + tag.value());
    }
});
}
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [AddTags](#)
- [CreateDomain](#)
- [DeleteDomain](#)
- [DescribeDomain](#)
- [DescribeDomainChangeProgress](#)
- [ListDomainNames](#)
- [ListTags](#)
- [UpdateDomainConfig](#)

Actions

AddTags

The following code example shows how to use AddTags.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Asynchronously adds tags to an Amazon OpenSearch Service domain.
 * @param domainARN the Amazon Resource Name (ARN) of the Amazon OpenSearch
 * Service domain to add tags to
 * @return a {@link CompletableFuture} that completes when the tags have been
 * successfully added to the domain,
```

```
* or throws a {@link RuntimeException} if the operation fails
*/
public CompletableFuture<AddTagsResponse> addDomainTagsAsync(String domainARN) {
    Tag tag1 = Tag.builder()
        .key("service")
        .value("OpenSearch")
        .build();

    Tag tag2 = Tag.builder()
        .key("instances")
        .value("m3.2xlarge")
        .build();

    List<Tag> tagList = new ArrayList<>();
    tagList.add(tag1);
    tagList.add(tag2);

    AddTagsRequest addTagsRequest = AddTagsRequest.builder()
        .arn(domainARN)
        .tagList(tagList)
        .build();

    return getAsyncClient().addTags(addTagsRequest)
        .whenComplete((response, exception) -> {
            if (exception != null) {
                throw new RuntimeException("Failed to add tags to the domain: "
+ domainARN, exception);
            } else {
                logger.info("Added Tags");
            }
        });
}
```

- For API details, see [AddTags](#) in *AWS SDK for Java 2.x API Reference*.

ChangeProgress

The following code example shows how to use ChangeProgress.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Asynchronously checks the progress of a domain change operation in Amazon  
OpenSearch Service.  
 * @param domainName the name of the OpenSearch domain to check the progress for  
 * @return a {@link CompletableFuture} that completes when the domain change  
operation is completed  
 */  
public CompletableFuture<Void> domainChangeProgressAsync(String domainName) {  
    DescribeDomainChangeProgressRequest request =  
DescribeDomainChangeProgressRequest.builder()  
    .domainName(domainName)  
    .build();  
  
    return CompletableFuture.runAsync(() -> {  
        boolean isCompleted = false;  
        long startTime = System.currentTimeMillis();  
  
        while (!isCompleted) {  
            try {  
                // Handle the async client call using `join` to block  
synchronously for the result  
                DescribeDomainChangeProgressResponse response = getAsyncClient()  
                    .describeDomainChangeProgress(request)  
                    .handle((resp, ex) -> {  
                        if (ex != null) {  
                            throw new RuntimeException("Failed to check domain  
progress", ex);  
                        }  
                        return resp;  
                    }).join();  
  
                String state = response.changeProgressStatus().statusAsString();  
                // Get the status as string
```

```
        if ("COMPLETED".equals(state)) {
            logger.info("\nOpenSearch domain status: Completed");
            isCompleted = true;
        } else {
            for (int i = 0; i < 5; i++) {
                long elapsedTimeInSeconds = (System.currentTimeMillis()
- startTime) / 1000;
                String formattedTime = String.format("%02d:%02d",
elapsedTimeInSeconds / 60, elapsedTimeInSeconds % 60);
                System.out.print("\rOpenSearch domain state: " + state +
" | Time Elapsed: " + formattedTime + " ");
                System.out.flush();
                Thread.sleep(1_000);
            }
        }
    } catch (InterruptedException e) {
    Thread.currentThread().interrupt();
    throw new RuntimeException("Thread was interrupted", e);
}
});
}
```

- For API details, see [ChangeProgress](#) in *AWS SDK for Java 2.x API Reference*.

CreateDomain

The following code example shows how to use CreateDomain.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Creates a new OpenSearch domain asynchronously.
 * @param domainName the name of the new OpenSearch domain to create
```

```
* @return a {@link CompletableFuture} containing the domain ID of the newly
created domain
*/
public CompletableFuture<String> createNewDomainAsync(String domainName) {
    ClusterConfig clusterConfig = ClusterConfig.builder()
        .dedicatedMasterEnabled(true)
        .dedicatedMasterCount(3)
        .dedicatedMasterType("t2.small.search")
        .instanceType("t2.small.search")
        .instanceCount(5)
        .build();

    EBSOptions ebsOptions = EBSOptions.builder()
        .ebsEnabled(true)
        .volumeSize(10)
        .volumeType(VolumeType.GP2)
        .build();

    NodeToNodeEncryptionOptions encryptionOptions =
NodeToNodeEncryptionOptions.builder()
        .enabled(true)
        .build();

    CreateDomainRequest domainRequest = CreateDomainRequest.builder()
        .domainName(domainName)
        .engineVersion("OpenSearch_1.0")
        .clusterConfig(clusterConfig)
        .ebsOptions(ebsOptions)
        .nodeToNodeEncryptionOptions(encryptionOptions)
        .build();
    logger.info("Sending domain creation request...");
    return getAsyncClient().createDomain(domainRequest)
        .handle( (createResponse, throwable) -> {
            if (createResponse != null) {
                logger.info("Domain status is {}",
createResponse.domainStatus().changeProgressDetails().configChangeStatusAsString());
                logger.info("Domain Id is {}",
createResponse.domainStatus().domainId());
                return createResponse.domainStatus().domainId();
            }
            throw new RuntimeException("Failed to create domain",
throwable);
        });
}
```

- For API details, see [CreateDomain](#) in *AWS SDK for Java 2.x API Reference*.

DeleteDomain

The following code example shows how to use DeleteDomain.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Deletes a specific domain asynchronously.  
 * @param domainName the name of the domain to be deleted  
 * @return a {@link CompletableFuture} that completes when the domain has been  
 deleted  
 * or throws a {@link RuntimeException} if the deletion fails  
 */  
public CompletableFuture<DeleteDomainResponse> deleteSpecificDomainAsync(String  
domainName) {  
    DeleteDomainRequest domainRequest = DeleteDomainRequest.builder()  
        .domainName(domainName)  
        .build();  
  
    // Delete domain asynchronously  
    return getAsyncClient().deleteDomain(domainRequest)  
        .whenComplete((response, exception) -> {  
            if (exception != null) {  
                throw new RuntimeException("Failed to delete the domain: " +  
domainName, exception);  
            }  
        });  
}
```

- For API details, see [DeleteDomain](#) in *AWS SDK for Java 2.x API Reference*.

DescribeDomain

The following code example shows how to use `DescribeDomain`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Updates the configuration of a specific domain asynchronously.  
 * @param domainName the name of the domain to update  
 * @return a {@link CompletableFuture} that represents the asynchronous  
 * operation of updating the domain configuration  
 */  
public CompletableFuture<UpdateDomainConfigResponse>  
updateSpecificDomainAsync(String domainName) {  
    ClusterConfig clusterConfig = ClusterConfig.builder()  
        .instanceCount(3)  
        .build();  
  
    UpdateDomainConfigRequest updateDomainConfigRequest =  
    UpdateDomainConfigRequest.builder()  
        .domainName(domainName)  
        .clusterConfig(clusterConfig)  
        .build();  
  
    return getAsyncClient().updateDomainConfig(updateDomainConfigRequest)  
        .whenComplete((response, exception) -> {  
            if (exception != null) {  
                throw new RuntimeException("Failed to update the domain  
configuration", exception);  
            }  
            // Handle success if needed (e.g., logging or additional actions)  
        });  
}
```

- For API details, see [DescribeDomain](#) in *AWS SDK for Java 2.x API Reference*.

ListDomainNames

The following code example shows how to use ListDomainNames.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Asynchronously lists all the domains in the current AWS account.  
 * @return a {@link CompletableFuture} that, when completed, contains a list of  
 {@link DomainInfo} objects representing  
 *         the domains in the account.  
 * @throws RuntimeException if there was a failure while listing the domains.  
 */  
public CompletableFuture<List<DomainInfo>> listAllDomainsAsync() {  
    ListDomainNamesRequest namesRequest = ListDomainNamesRequest.builder()  
        .engineType("OpenSearch")  
        .build();  
  
    return getAsyncClient().listDomainNames(namesRequest)  
        .handle((response, exception) -> {  
            if (exception != null) {  
                throw new RuntimeException("Failed to list all domains",  
exception);  
            }  
            return response.domainNames(); // Return the list of domain names  
on success  
        });  
}
```

- For API details, see [ListDomainNames](#) in *AWS SDK for Java 2.x API Reference*.

ListTags

The following code example shows how to use ListTags.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Asynchronously adds tags to an Amazon OpenSearch Service domain.  
 * @param domainARN the Amazon Resource Name (ARN) of the Amazon OpenSearch  
Service domain to add tags to  
 * @return a {@link CompletableFuture} that completes when the tags have been  
successfully added to the domain,  
 * or throws a {@link RuntimeException} if the operation fails  
 */  
public CompletableFuture<AddTagsResponse> addDomainTagsAsync(String domainARN) {  
    Tag tag1 = Tag.builder()  
        .key("service")  
        .value("OpenSearch")  
        .build();  
  
    Tag tag2 = Tag.builder()  
        .key("instances")  
        .value("m3.2xlarge")  
        .build();  
  
    List<Tag> tagList = new ArrayList<>();  
    tagList.add(tag1);  
    tagList.add(tag2);  
  
    AddTagsRequest addTagsRequest = AddTagsRequest.builder()  
        .arn(domainARN)  
        .tagList(tagList)  
        .build();  
  
    return getAsyncClient().addTags(addTagsRequest)  
        .whenComplete((response, exception) -> {  
            if (exception != null) {  
                throw new RuntimeException("Failed to add tags to the domain: "  
+ domainARN, exception);  
            } else {  
                // Process response  
            }  
        });  
}
```

```
        logger.info("Added Tags");
    }
});
}
```

- For API details, see [ListTags](#) in *AWS SDK for Java 2.x API Reference*.

UpdateDomainConfig

The following code example shows how to use `UpdateDomainConfig`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Updates the configuration of a specific domain asynchronously.
 * @param domainName the name of the domain to update
 * @return a {@link CompletableFuture} that represents the asynchronous
operation of updating the domain configuration
 */
public CompletableFuture<UpdateDomainConfigResponse>
updateSpecificDomainAsync(String domainName) {
    ClusterConfig clusterConfig = ClusterConfig.builder()
        .instanceCount(3)
        .build();

    UpdateDomainConfigRequest updateDomainConfigRequest =
UpdateDomainConfigRequest.builder()
        .domainName(domainName)
        .clusterConfig(clusterConfig)
        .build();

    return getAsyncClient().updateDomainConfig(updateDomainConfigRequest)
        .whenComplete((response, exception) -> {
```

```
        if (exception != null) {
            throw new RuntimeException("Failed to update the domain
configuration", exception);
        }
        // Handle success if needed (e.g., logging or additional actions)
    });
}
```

- For API details, see [UpdateDomainConfig](#) in *AWS SDK for Java 2.x API Reference*.

EventBridge examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with EventBridge.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello EventBridge

The following code examples show how to get started using EventBridge.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
  
public class HelloEventBridge {  
    public static void main(String[] args) {  
        Region region = Region.US_WEST_2;  
        EventBridgeClient eventBrClient = EventBridgeClient.builder()  
            .region(region)  
            .build();  
  
        listBuses(eventBrClient);  
        eventBrClient.close();  
    }  
  
    public static void listBuses(EventBridgeClient eventBrClient) {  
        try {  
            ListEventBusesRequest busesRequest = ListEventBusesRequest.builder()  
                .limit(10)  
                .build();  
  
            ListEventBusesResponse response =  
eventBrClient.listEventBuses(busesRequest);  
            List<EventBus> buses = response.eventBuses();  
            for (EventBus bus : buses) {  
                System.out.println("The name of the event bus is: " + bus.name());  
                System.out.println("The ARN of the event bus is: " + bus.arn());  
            }  
  
        } catch (EventBridgeException e) {  
            System.err.println(e.awsErrorDetails().errorMessage());  
            System.exit(1);  
        }  
    }  
}
```

- For API details, see [ListEventBuses](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Basics](#)
- [Actions](#)
- [Scenarios](#)

Basics

Learn the basics

The following code example shows how to:

- Create a rule and add a target to it.
- Enable and disable rules.
- List and update rules and targets.
- Send events, then clean up resources.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 *  
 * This Java code example performs the following tasks:  
 *  
 * This Java V2 example performs the following tasks with Amazon EventBridge:  
 *  
 * 1. Creates an AWS Identity and Access Management (IAM) role to use with  
 * Amazon EventBridge.
```

```
* 2. Amazon Simple Storage Service (Amazon S3) bucket with EventBridge events
* enabled.
* 3. Creates a rule that triggers when an object is uploaded to Amazon S3.
* 4. Lists rules on the event bus.
* 5. Creates a new Amazon Simple Notification Service (Amazon SNS) topic and
* lets the user subscribe to it.
* 6. Adds a target to the rule that sends an email to the specified topic.
* 7. Creates an EventBridge event that sends an email when an Amazon S3 object
* is created.
* 8. Lists Targets.
* 9. Lists the rules for the same target.
* 10. Triggers the rule by uploading a file to the Amazon S3 bucket.
* 11. Disables a specific rule.
* 12. Checks and print the state of the rule.
* 13. Adds a transform to the rule to change the text of the email.
* 14. Enables a specific rule.
* 15. Triggers the updated rule by uploading a file to the Amazon S3 bucket.
* 16. Updates the rule to be a custom rule pattern.
* 17. Sending an event to trigger the rule.
* 18. Cleans up resources.
*
*/
public class EventbridgeMVP {
    public static final String DASHES = new String(new char[80]).replace("\0", "-");

    public static void main(String[] args) throws InterruptedException, IOException
    {
        final String usage = """

            Usage:
                <roleName> <bucketName> <topicName> <eventRuleName>

            Where:
                roleName - The name of the role to create.
                bucketName - The Amazon Simple Storage Service (Amazon S3)
                bucket name to create.
                topicName - The name of the Amazon Simple Notification Service
                (Amazon SNS) topic to create.
                eventRuleName - The Amazon EventBridge rule name to create.
                """;

        if (args.length != 5) {
            System.out.println(usage);
            System.exit(1);
        }
    }
}
```

```
}

String polJSON = "{" +
    "\"Version\": \"2012-10-17\", " +
    "\"Statement\": [{" +
        "\"Effect\": \"Allow\", " +
        "\"Principal\": {" +
            "\"Service\": \"events.amazonaws.com\"\" + " +
        "}, " +
        "\"Action\": \"sts:AssumeRole\"\" + " +
    "}]" +
"}";

Scanner sc = new Scanner(System.in);
String roleName = args[0];
String bucketName = args[1];
String topicName = args[2];
String eventRuleName = args[3];

Region region = Region.US_EAST_1;
EventBridgeClient eventBrClient = EventBridgeClient.builder()
    .region(region)
    .build();

S3Client s3Client = S3Client.builder()
    .region(region)
    .build();

Region regionGl = Region.AWS_GLOBAL;
IamClient iam = IamClient.builder()
    .region(regionGl)
    .build();

SnsClient snsClient = SnsClient.builder()
    .region(region)
    .build();

System.out.println(DASHES);
System.out.println("Welcome to the Amazon EventBridge example scenario.");
System.out.println(DASHES);

System.out.println(DASHES);
System.out
```

```
        .println("1. Create an AWS Identity and Access Management (IAM) role  
to use with Amazon EventBridge.");  
        String roleArn = createIAMRole(iam, roleName, polJSON);  
        System.out.println(DASHES);  
  
        System.out.println(DASHES);  
        System.out.println("2. Create an S3 bucket with EventBridge events  
enabled.");  
        if (checkBucket(s3Client, bucketName)) {  
            System.out.println("Bucket " + bucketName + " already exists. Ending  
this scenario.");  
            System.exit(1);  
        }  
  
        createBucket(s3Client, bucketName);  
        Thread.sleep(3000);  
        setBucketNotification(s3Client, bucketName);  
        System.out.println(DASHES);  
  
        System.out.println(DASHES);  
        System.out.println("3. Create a rule that triggers when an object is  
uploaded to Amazon S3.");  
        Thread.sleep(10000);  
        addEventRule(eventBrClient, roleArn, bucketName, eventRuleName);  
        System.out.println(DASHES);  
  
        System.out.println(DASHES);  
        System.out.println("4. List rules on the event bus.");  
        listRules(eventBrClient);  
        System.out.println(DASHES);  
  
        System.out.println(DASHES);  
        System.out.println("5. Create a new SNS topic for testing and let the user  
subscribe to the topic.");  
        String topicArn = createSnsTopic(snsClient, topicName);  
        System.out.println(DASHES);  
  
        System.out.println(DASHES);  
        System.out.println("6. Add a target to the rule that sends an email to the  
specified topic.");  
        System.out.println("Enter your email to subscribe to the Amazon SNS  
topic:");  
        String email = sc.nextLine();  
        subEmail(snsClient, topicArn, email);
```

```
System.out.println(
    "Use the link in the email you received to confirm your
subscription. Then, press Enter to continue.");
sc.nextLine();
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("7. Create an EventBridge event that sends an email when
an Amazon S3 object is created.");
addSnsEventRule(eventBrClient, eventRuleName, topicArn, topicName,
eventRuleName, bucketName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println(" 8. List Targets.");
listTargets(eventBrClient, eventRuleName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println(" 9. List the rules for the same target.");
listTargetRules(eventBrClient, topicArn);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println(" 10. Trigger the rule by uploading a file to the S3
bucket.");
System.out.println("Press Enter to continue.");
sc.nextLine();
uploadTextFiletoS3(s3Client, bucketName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("11. Disable a specific rule.");
changeRuleState(eventBrClient, eventRuleName, false);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("12. Check and print the state of the rule.");
checkRule(eventBrClient, eventRuleName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("13. Add a transform to the rule to change the text of
the email.");
```

```
updateSnsEventRule(eventBrClient, topicArn, eventRuleName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("14. Enable a specific rule.");
changeRuleState(eventBrClient, eventRuleName, true);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println(" 15. Trigger the updated rule by uploading a file to the
S3 bucket.");
System.out.println("Press Enter to continue.");
sc.nextLine();
uploadTextFiletoS3(s3Client, bucketName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println(" 16. Update the rule to be a custom rule pattern.");
updateToCustomRule(eventBrClient, eventRuleName);
System.out.println("Updated event rule " + eventRuleName + " to use a custom
pattern.");
updateCustomRuleTargetWithTransform(eventBrClient, topicArn, eventRuleName);
System.out.println("Updated event target " + topicArn + ".");
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("17. Sending an event to trigger the rule. This will
trigger a subscription email.");
triggerCustomRule(eventBrClient, email);
System.out.println("Events have been sent. Press Enter to continue.");
sc.nextLine();
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("18. Clean up resources.");
System.out.println("Do you want to clean up resources (y/n)");
String ans = sc.nextLine();
if (ans.compareTo("y") == 0) {
    cleanupResources(eventBrClient, snsClient, s3Client, iam, topicArn,
eventRuleName, bucketName, roleName);
} else {
    System.out.println("The resources will not be cleaned up. ");
}
System.out.println(DASHES);
```

```
        System.out.println(DASHES);
        System.out.println("The Amazon EventBridge example scenario has successfully
completed.");
        System.out.println(DASHES);
    }

    public static void cleanupResources(EventBridgeClient eventBrClient, SnsClient
snsClient, S3Client s3Client,
        IamClient iam, String topicArn, String eventRuleName, String bucketName,
String roleName) {
        System.out.println("Removing all targets from the event rule.");
        deleteTargetsFromRule(eventBrClient, eventRuleName);
        deleteRuleByName(eventBrClient, eventRuleName);
        deleteSNSTopic(snsClient, topicArn);
        deleteS3Bucket(s3Client, bucketName);
        deleteRole(iam, roleName);
    }

    public static void deleteRole(IamClient iam, String roleName) {
        String policyArn = "arn:aws:iam::aws:policy/AmazonEventBridgeFullAccess";
        DetachRolePolicyRequest policyRequest = DetachRolePolicyRequest.builder()
            .policyArn(policyArn)
            .roleName(roleName)
            .build();

        iam.detachRolePolicy(policyRequest);
        System.out.println("Successfully detached policy " + policyArn + " from role
" + roleName);

        // Delete the role.
        DeleteRoleRequest roleRequest = DeleteRoleRequest.builder()
            .roleName(roleName)
            .build();

        iam.deleteRole(roleRequest);
        System.out.println("**** Successfully deleted " + roleName);
    }

    public static void deleteS3Bucket(S3Client s3Client, String bucketName) {
        // Remove all the objects from the S3 bucket.
        ListObjectsRequest listObjects = ListObjectsRequest.builder()
            .bucket(bucketName)
            .build();
    }
}
```

```
ListObjectsResponse res = s3Client.listObjects(listObjects);
List<S3Object> objects = res.contents();
ArrayList<ObjectIdentifier> toDelete = new ArrayList<>();

for (S3Object myValue : objects) {
    toDelete.add(ObjectIdentifier.builder()
        .key(myValue.key())
        .build());
}

DeleteObjectsRequest dor = DeleteObjectsRequest.builder()
    .bucket(bucketName)
    .delete(Delete.builder()
        .objects(toDelete).build())
    .build();

s3Client.deleteObjects(dor);

// Delete the S3 bucket.
DeleteBucketRequest deleteBucketRequest = DeleteBucketRequest.builder()
    .bucket(bucketName)
    .build();

s3Client.deleteBucket(deleteBucketRequest);
System.out.println("You have deleted the bucket and the objects");
}

// Delete the SNS topic.
public static void deleteSNSTopic(SnsClient snsClient, String topicArn) {
    try {
        DeleteTopicRequest request = DeleteTopicRequest.builder()
            .topicArn(topicArn)
            .build();

        DeleteTopicResponse result = snsClient.deleteTopic(request);
        System.out.println("\n\nStatus was " +
result.sdkHttpResponse().statusCode());

    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

```
public static void deleteRuleByName(EventBridgeClient eventBrClient, String ruleName) {
    DeleteRuleRequest ruleRequest = DeleteRuleRequest.builder()
        .name(ruleName)
        .build();

    eventBrClient.deleteRule(ruleRequest);
    System.out.println("Successfully deleted the rule");
}

public static void deleteTargetsFromRule(EventBridgeClient eventBrClient, String eventRuleName) {
    // First, get all targets that will be deleted.
    ListTargetsByRuleRequest request = ListTargetsByRuleRequest.builder()
        .rule(eventRuleName)
        .build();

    ListTargetsByRuleResponse response =
eventBrClient.listTargetsByRule(request);
    List<Target> allTargets = response.targets();

    // Get all targets and delete them.
    for (Target myTarget : allTargets) {
        RemoveTargetsRequest removeTargetsRequest =
RemoveTargetsRequest.builder()
        .rule(eventRuleName)
        .ids(myTarget.id())
        .build();

        eventBrClient.removeTargets(removeTargetsRequest);
        System.out.println("Successfully removed the target");
    }
}

public static void triggerCustomRule(EventBridgeClient eventBrClient, String email) {
    String json = "{" +
        "\"UserEmail\": \"\" + email + "\", " +
        "\"Message\": \"This event was generated by example code.\", " +
        "\"UtcTime\": \"Now.\"" +
        "}";
}

PutEventsRequestEntry entry = PutEventsRequestEntry.builder()
```

```
.source("ExampleSource")
.detail(json)
.detailType("ExampleType")
.build();

PutEventsRequest eventsRequest = PutEventsRequest.builder()
    .entries(entry)
    .build();

eventBrClient.putEvents(eventsRequest);
}

public static void updateCustomRuleTargetWithTransform(EventBridgeClient eventBrClient, String topicArn,
    String ruleName) {
    String targetId = java.util.UUID.randomUUID().toString();
    InputTransformer inputTransformer = InputTransformer.builder()
        .inputTemplate("\\"Notification: sample event was received.\\"")
        .build();

    Target target = Target.builder()
        .id(targetId)
        .arn(topicArn)
        .inputTransformer(inputTransformer)
        .build();

    try {
        PutTargetsRequest targetsRequest = PutTargetsRequest.builder()
            .rule(ruleName)
            .targets(target)
            .eventBusName(null)
            .build();

        eventBrClient.putTargets(targetsRequest);
    } catch (EventBridgeException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

public static void updateToCustomRule(EventBridgeClient eventBrClient, String ruleName) {
    String customEventsPattern = "{" +
        "\"source\": [\"ExampleSource\"], " +
```

```
        "\"detail-type\": [\"ExampleType\"]" +
    "}";

    PutRuleRequest request = PutRuleRequest.builder()
        .name(ruleName)
        .description("Custom test rule")
        .eventPattern(customEventsPattern)
        .build();

    eventBrClient.putRule(request);
}

// Update an Amazon S3 object created rule with a transform on the target.
public static void updateSnsEventRule(EventBridgeClient eventBrClient, String
topicArn, String ruleName) {
    String targetId = java.util.UUID.randomUUID().toString();
    Map<String, String> myMap = new HashMap<>();
    myMap.put("bucket", ".$.detail.bucket.name");
    myMap.put("time", ".$.time");

    InputTransformer inputTransformer = InputTransformer.builder()
        .inputTemplate("\"Notification: an object was uploaded to bucket
<bucket> at <time>.\\\"")
        .inputPathsMap(myMap)
        .build();

    Target target = Target.builder()
        .id(targetId)
        .arn(topicArn)
        .inputTransformer(inputTransformer)
        .build();

    try {
        PutTargetsRequest targetsRequest = PutTargetsRequest.builder()
            .rule(ruleName)
            .targets(target)
            .eventBusName(null)
            .build();

        eventBrClient.putTargets(targetsRequest);

    } catch (EventBridgeException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

```
        }

    }

    public static void checkRule(EventBridgeClient eventBrClient, String eventRuleName) {
        try {
            DescribeRuleRequest ruleRequest = DescribeRuleRequest.builder()
                .name(eventRuleName)
                .build();

            DescribeRuleResponse response = eventBrClient.describeRule(ruleRequest);
            System.out.println("The state of the rule is " +
response.stateAsString());

        } catch (EventBridgeException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }

    public static void changeRuleState(EventBridgeClient eventBrClient, String eventRuleName, Boolean isEnabled) {
        try {
            if (!isEnabled) {
                System.out.println("Disabling the rule: " + eventRuleName);
                DisableRuleRequest ruleRequest = DisableRuleRequest.builder()
                    .name(eventRuleName)
                    .build();

                eventBrClient.disableRule(ruleRequest);
            } else {
                System.out.println("Enabling the rule: " + eventRuleName);
                EnableRuleRequest ruleRequest = EnableRuleRequest.builder()
                    .name(eventRuleName)
                    .build();
                eventBrClient.enableRule(ruleRequest);
            }
        } catch (EventBridgeException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
}
```

```
// Create and upload a file to an S3 bucket to trigger an event.
public static void uploadTextFiletoS3(S3Client s3Client, String bucketName)
throws IOException {
    // Create a unique file name.
    String fileSuffix = new SimpleDateFormat("yyyyMMddHHmmss").format(new Date());
    String fileName = "TextFile" + fileSuffix + ".txt";

    File myFile = new File(fileName);
    FileWriter fw = new FileWriter(myFile.getAbsoluteFile());
    BufferedWriter bw = new BufferedWriter(fw);
    bw.write("This is a sample file for testing uploads.");
    bw.close();

    try {
        PutObjectRequest put0b = PutObjectRequest.builder()
            .bucket(bucketName)
            .key(fileName)
            .build();

        s3Client.putObject(put0b, RequestBody.fromFile(myFile));

    } catch (S3Exception e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}

public static void listTargetRules(EventBridgeClient eventBrClient, String topicArn) {
    ListRuleNamesByTargetRequest ruleNamesByTargetRequest =
ListRuleNamesByTargetRequest.builder()
    .targetArn(topicArn)
    .build();

    ListRuleNamesByTargetResponse response =
eventBrClient.listRuleNamesByTarget(ruleNamesByTargetRequest);
    List<String> rules = response.ruleNames();
    for (String rule : rules) {
        System.out.println("The rule name is " + rule);
    }
}
```

```
public static void listTargets(EventBridgeClient eventBrClient, String ruleName)
{
    ListTargetsByRuleRequest ruleRequest = ListTargetsByRuleRequest.builder()
        .rule(ruleName)
        .build();

    ListTargetsByRuleResponse res =
eventBrClient.listTargetsByRule(ruleRequest);
    List<Target> targetsList = res.targets();
    for (Target target: targetsList) {
        System.out.println("Target ARN: "+target.arn());
    }
}

// Add a rule which triggers an SNS target when a file is uploaded to an S3
// bucket.
public static void addSnsEventRule(EventBridgeClient eventBrClient, String
ruleName, String topicArn,
        String topicName, String eventRuleName, String bucketName) {
    String targetID = java.util.UUID.randomUUID().toString();
    Target myTarget = Target.builder()
        .id(targetID)
        .arn(topicArn)
        .build();

    List<Target> targets = new ArrayList<>();
    targets.add(myTarget);
    PutTargetsRequest request = PutTargetsRequest.builder()
        .eventBusName(null)
        .targets(targets)
        .rule(ruleName)
        .build();

    eventBrClient.putTargets(request);
    System.out.println("Added event rule " + eventRuleName + " with Amazon SNS
target " + topicName + " for bucket "
        + bucketName + ".");
}

public static void subEmail(SnsClient snsClient, String topicArn, String email)
{
    try {
        SubscribeRequest request = SubscribeRequest.builder()
            .protocol("email")
```

```
        .endpoint(email)
        .returnSubscriptionArn(true)
        .topicArn(topicArn)
        .build();

    SubscribeResponse result = snsClient.subscribe(request);
    System.out.println("Subscription ARN: " + result.subscriptionArn() + "\n"
\n Status is "
    + result.sdkHttpResponse().statusCode());

} catch (SnsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}

public static void listRules(EventBridgeClient eventBrClient) {
    try {
        ListRulesRequest rulesRequest = ListRulesRequest.builder()
            .eventBusName("default")
            .limit(10)
            .build();

        ListRulesResponse response = eventBrClient.listRules(rulesRequest);
        List<Rule> rules = response.rules();
        for (Rule rule : rules) {
            System.out.println("The rule name is : " + rule.name());
            System.out.println("The rule description is : " +
rule.description());
            System.out.println("The rule state is : " + rule.stateAsString());
        }
    }

} catch (EventBridgeException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}

public static String createSnsTopic(SnsClient snsClient, String topicName) {
    String topicPolicy = "{" +
        "\"Version\": \"2012-10-17\", " +
        "\"Statement\": [{" +
            "\"Sid\": \"EventBridgePublishTopic\", " +
            "\"Effect\": \"Allow\", " +
```

```
        "\"Principal\": {" +
        "\"Service\": \"events.amazonaws.com\"\" + +
        "},\" + +
        "\"Resource\": \"*\",\" + +
        "\"Action\": \"sns:Publish\"\" +
        "}]\" +
        "}";

Map<String, String> topicAttributes = new HashMap<>();
topicAttributes.put("Policy", topicPolicy);
CreateTopicRequest topicRequest = CreateTopicRequest.builder()
    .name(topicName)
    .attributes(topicAttributes)
    .build();

CreateTopicResponse response = snsClient.createTopic(topicRequest);
System.out.println("Added topic " + topicName + " for email
subscriptions.");
return response.topicArn();
}

// Create a new event rule that triggers when an Amazon S3 object is created in
// a bucket.
public static void addEventRule(EventBridgeClient eventBrClient, String roleArn,
String bucketName,
    String eventRuleName) {
String pattern = "{\n" +
    "  \"source\": [\"aws.s3\"],\n" +
    "  \"detail-type\": [\"Object Created\"],\n" +
    "  \"detail\": {\n" +
    "    \"bucket\": {\n" +
    "      \"name\": [\"" + bucketName + "\"]\n" +
    "    }\n" +
    "  }\n" +
    "}";
try {
    PutRuleRequest ruleRequest = PutRuleRequest.builder()
        .description("Created by using the AWS SDK for Java v2")
        .name(eventRuleName)
        .eventPattern(pattern)
        .roleArn(roleArn)
        .build();
}
```

```
        PutRuleResponse ruleResponse = eventBrClient.putRule(ruleRequest);
        System.out.println("The ARN of the new rule is " +
ruleResponse.ruleArn());

    } catch (EventBridgeException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

// Determine if the S3 bucket exists.
public static Boolean checkBucket(S3Client s3Client, String bucketName) {
    try {
        HeadBucketRequest headBucketRequest = HeadBucketRequest.builder()
            .bucket(bucketName)
            .build();

        s3Client.headBucket(headBucketRequest);
        return true;
    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
    }
    return false;
}

// Set the S3 bucket notification configuration.
public static void setBucketNotification(S3Client s3Client, String bucketName) {
    try {
        EventBridgeConfiguration eventBridgeConfiguration =
EventBridgeConfiguration.builder()
            .build();

        NotificationConfiguration configuration =
NotificationConfiguration.builder()
            .eventBridgeConfiguration(eventBridgeConfiguration)
            .build();

        PutBucketNotificationConfigurationRequest configurationRequest =
PutBucketNotificationConfigurationRequest
            .builder()
            .bucket(bucketName)
            .notificationConfiguration(configuration)
            .skipDestinationValidation(true)
            .build();
    }
}
```

```
s3Client.putBucketNotificationConfiguration(configurationRequest);
System.out.println("Added bucket " + bucketName + " with EventBridge
events enabled.");

} catch (S3Exception e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}

}

public static void createBucket(S3Client s3Client, String bucketName) {
    try {
        S3Waiter s3Waiter = s3Client.waiter();
        CreateBucketRequest bucketRequest = CreateBucketRequest.builder()
            .bucket(bucketName)
            .build();

        s3Client.createBucket(bucketRequest);
        HeadBucketRequest bucketRequestWait = HeadBucketRequest.builder()
            .bucket(bucketName)
            .build();

        // Wait until the bucket is created and print out the response.
        WaiterResponse<HeadBucketResponse> waiterResponse =
s3Waiter.waitUntilBucketExists(bucketRequestWait);
        waiterResponse.matched().response().ifPresent(System.out::println);
        System.out.println(bucketName + " is ready");

    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

public static String createIAMRole(IamClient iam, String rolename, String
polJSON) {
    try {
        CreateRoleRequest request = CreateRoleRequest.builder()
            .roleName(rolename)
            .assumeRolePolicyDocument(polJSON)
            .description("Created using the AWS SDK for Java")
            .build();
    }
}
```

```
        CreateRoleResponse response = iam.createRole(request);
        AttachRolePolicyRequest rolePolicyRequest =
    AttachRolePolicyRequest.builder()
            .roleName(rolename)
            .policyArn("arn:aws:iam::aws:policy/
AmazonEventBridgeFullAccess")
            .build();

        iam.attachRolePolicy(rolePolicyRequest);
        return response.role().arn();

    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [DeleteRule](#)
- [DescribeRule](#)
- [DisableRule](#)
- [EnableRule](#)
- [ListRuleNamesByTarget](#)
- [ListRules](#)
- [ListTargetsByRule](#)
- [PutEvents](#)
- [PutRule](#)
- [PutTargets](#)

Actions

DeleteRule

The following code example shows how to use DeleteRule.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void deleteRuleByName(EventBridgeClient eventBrClient, String  
ruleName) {  
    DeleteRuleRequest ruleRequest = DeleteRuleRequest.builder()  
        .name(ruleName)  
        .build();  
  
    eventBrClient.deleteRule(ruleRequest);  
    System.out.println("Successfully deleted the rule");  
}
```

- For API details, see [DeleteRule](#) in *AWS SDK for Java 2.x API Reference*.

DescribeRule

The following code example shows how to use `DescribeRule`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void checkRule(EventBridgeClient eventBrClient, String  
eventRuleName) {  
    try {  
        DescribeRuleRequest ruleRequest = DescribeRuleRequest.builder()  
            .name(eventRuleName)  
            .build();
```

```
        DescribeRuleResponse response = eventBrClient.describeRule(ruleRequest);
        System.out.println("The state of the rule is " +
response.stateAsString());

    } catch (EventBridgeException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [DescribeRule](#) in *AWS SDK for Java 2.x API Reference*.

DisableRule

The following code example shows how to use `DisableRule`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Disable a rule by using its rule name.

```
public static void changeRuleState(EventBridgeClient eventBrClient, String
eventRuleName, Boolean isEnabled) {
    try {
        if (!isEnabled) {
            System.out.println("Disabling the rule: " + eventRuleName);
            DisableRuleRequest ruleRequest = DisableRuleRequest.builder()
                .name(eventRuleName)
                .build();

            eventBrClient.disableRule(ruleRequest);
        } else {
            System.out.println("Enabling the rule: " + eventRuleName);
            EnableRuleRequest ruleRequest = EnableRuleRequest.builder()
                .name(eventRuleName)
                .build();
        }
    }
}
```

```
        eventBrClient.enableRule(ruleRequest);
    }

} catch (EventBridgeException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

- For API details, see [DisableRule](#) in *AWS SDK for Java 2.x API Reference*.

EnableRule

The following code example shows how to use EnableRule.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Enable a rule by using its rule name.

```
public static void changeRuleState(EventBridgeClient eventBrClient, String
eventRuleName, Boolean isEnabled) {
    try {
        if (!isEnabled) {
            System.out.println("Disabling the rule: " + eventRuleName);
            DisableRuleRequest ruleRequest = DisableRuleRequest.builder()
                .name(eventRuleName)
                .build();

            eventBrClient.disableRule(ruleRequest);
        } else {
            System.out.println("Enabling the rule: " + eventRuleName);
            EnableRuleRequest ruleRequest = EnableRuleRequest.builder()
                .name(eventRuleName)
                .build();
            eventBrClient.enableRule(ruleRequest);
        }
    }
}
```

```
        }

    } catch (EventBridgeException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

- For API details, see [EnableRule](#) in *AWS SDK for Java 2.x API Reference*.

ListRuleNamesByTarget

The following code example shows how to use `ListRuleNamesByTarget`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

List all of the rule names by using the target.

```
public static void listTargetRules(EventBridgeClient eventBrClient, String
topicArn) {
    ListRuleNamesByTargetRequest ruleNamesByTargetRequest =
ListRuleNamesByTargetRequest.builder()
    .targetArn(topicArn)
    .build();

    ListRuleNamesByTargetResponse response =
eventBrClient.listRuleNamesByTarget(ruleNamesByTargetRequest);
    List<String> rules = response.ruleNames();
    for (String rule : rules) {
        System.out.println("The rule name is " + rule);
    }
}
```

- For API details, see [ListRuleNamesByTarget](#) in *AWS SDK for Java 2.x API Reference*.

ListRules

The following code example shows how to use `ListRules`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Enable a rule by using its rule name.

```
public static void listRules(EventBridgeClient eventBrClient) {
    try {
        ListRulesRequest rulesRequest = ListRulesRequest.builder()
            .eventBusName("default")
            .limit(10)
            .build();

        ListRulesResponse response = eventBrClient.listRules(rulesRequest);
        List<Rule> rules = response.rules();
        for (Rule rule : rules) {
            System.out.println("The rule name is : " + rule.name());
            System.out.println("The rule description is : " +
rule.description());
            System.out.println("The rule state is : " + rule.stateAsString());
        }
    } catch (EventBridgeException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [ListRules](#) in *AWS SDK for Java 2.x API Reference*.

ListTargetsByRule

The following code example shows how to use `ListTargetsByRule`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

List all of the targets for a rule by using the rule name.

```
public static void listTargets(EventBridgeClient eventBrClient, String ruleName) {
    ListTargetsByRuleRequest ruleRequest = ListTargetsByRuleRequest.builder()
        .rule(ruleName)
        .build();

    ListTargetsByRuleResponse res =
    eventBrClient.listTargetsByRule(ruleRequest);
    List<Target> targetsList = res.targets();
    for (Target target: targetsList) {
        System.out.println("Target ARN: "+target.arn());
    }
}
```

- For API details, see [ListTargetsByRule](#) in *AWS SDK for Java 2.x API Reference*.

PutEvents

The following code example shows how to use PutEvents.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void triggerCustomRule(EventBridgeClient eventBrClient, String
email) {
```

```
String json = "{" +
    "\"UserEmail\": \"\" + email + "\", " +
    "\"Message\": \"This event was generated by example code.\", " +
    "\"UtcTime\": \"Now.\"" +
    "}";

PutEventsRequestEntry entry = PutEventsRequestEntry.builder()
    .source("ExampleSource")
    .detail(json)
    .detailType("ExampleType")
    .build();

PutEventsRequest eventsRequest = PutEventsRequest.builder()
    .entries(entry)
    .build();

eventBrClient.putEvents(eventsRequest);
}
```

- For API details, see [PutEvents](#) in *AWS SDK for Java 2.x API Reference*.

PutRule

The following code example shows how to use PutRule.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Create a scheduled rule.

```
public static void createEBRule(EventBridgeClient eventBrClient, String
ruleName, String cronExpression) {
    try {
        PutRuleRequest ruleRequest = PutRuleRequest.builder()
            .name(ruleName)
            .eventBusName("default")
```

```
.scheduleExpression(cronExpression)
.state("ENABLED")
.description("A test rule that runs on a schedule created by the
Java API")
.build();

PutRuleResponse ruleResponse = eventBrClient.putRule(ruleRequest);
System.out.println("The ARN of the new rule is " +
ruleResponse.ruleArn());

} catch (EventBridgeException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

Create a rule that triggers when an object is added to an Amazon Simple Storage Service bucket.

```
// Create a new event rule that triggers when an Amazon S3 object is created in
// a bucket.
public static void addEventRule(EventBridgeClient eventBrClient, String roleArn,
String bucketName,
    String eventRuleName) {
    String pattern = "{\n" +
        "  \"source\": [\"aws.s3\"],\n" +
        "  \"detail-type\": [\"Object Created\"],\n" +
        "  \"detail\": {\n" +
        "    \"bucket\": {\n" +
        "      \"name\": [\"" + bucketName + "\"]\n" +
        "    }\n" +
        "  }\n" +
    "}";
try {
    PutRuleRequest ruleRequest = PutRuleRequest.builder()
        .description("Created by using the AWS SDK for Java v2")
        .name(eventRuleName)
        .eventPattern(pattern)
        .roleArn(roleArn)
        .build();
}
```

```
        PutRuleResponse ruleResponse = eventBrClient.putRule(ruleRequest);
        System.out.println("The ARN of the new rule is " +
ruleResponse.ruleArn());

    } catch (EventBridgeException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [PutRule](#) in *AWS SDK for Java 2.x API Reference*.

PutTargets

The following code example shows how to use PutTargets.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Add an Amazon SNS topic as a target for a rule.

```
// Add a rule which triggers an SNS target when a file is uploaded to an S3
// bucket.
public static void addSnsEventRule(EventBridgeClient eventBrClient, String
ruleName, String topicArn,
        String topicName, String eventRuleName, String bucketName) {
String targetID = java.util.UUID.randomUUID().toString();
Target myTarget = Target.builder()
        .id(targetID)
        .arn(topicArn)
        .build();

List<Target> targets = new ArrayList<>();
targets.add(myTarget);
PutTargetsRequest request = PutTargetsRequest.builder()
        .eventBusName(null)
```

```
        .targets(targets)
        .rule(ruleName)
        .build();

    eventBrClient.putTargets(request);
    System.out.println("Added event rule " + eventRuleName + " with Amazon SNS
target " + topicName + " for bucket "
                    + bucketName + ".");
}
```

Add an input transformer to a target for a rule.

```
public static void updateCustomRuleTargetWithTransform(EventBridgeClient
eventBrClient, String topicArn,
            String ruleName) {
    String targetId = java.util.UUID.randomUUID().toString();
    InputTransformer inputTransformer = InputTransformer.builder()
        .inputTemplate("\"Notification: sample event was received.\"")
        .build();

    Target target = Target.builder()
        .id(targetId)
        .arn(topicArn)
        .inputTransformer(inputTransformer)
        .build();

    try {
        PutTargetsRequest targetsRequest = PutTargetsRequest.builder()
            .rule(ruleName)
            .targets(target)
            .eventBusName(null)
            .build();

        eventBrClient.putTargets(targetsRequest);
    } catch (EventBridgeException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [PutTargets](#) in *AWS SDK for Java 2.x API Reference*.

RemoveTargets

The following code example shows how to use RemoveTargets.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Remove all of the targets for a rule by using the rule name.

```
public static void deleteTargetsFromRule(EventBridgeClient eventBrClient, String eventRuleName) {
    // First, get all targets that will be deleted.
    ListTargetsByRuleRequest request = ListTargetsByRuleRequest.builder()
        .rule(eventRuleName)
        .build();

    ListTargetsByRuleResponse response =
    eventBrClient.listTargetsByRule(request);
    List<Target> allTargets = response.targets();

    // Get all targets and delete them.
    for (Target myTarget : allTargets) {
        RemoveTargetsRequest removeTargetsRequest =
        RemoveTargetsRequest.builder()
            .rule(eventRuleName)
            .ids(myTarget.id())
            .build();

        eventBrClient.removeTargets(removeTargetsRequest);
        System.out.println("Successfully removed the target");
    }
}
```

- For API details, see [RemoveTargets](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Send event notifications to EventBridge

The following code example shows how to enable a bucket to send S3 event notifications to EventBridge and route notifications to an Amazon SNS topic and Amazon SQS queue.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/** This method configures a bucket to send events to AWS EventBridge and
creates a rule
 * to route the S3 object created events to a topic and a queue.
 *
 * @param bucketName Name of existing bucket
 * @param topicArn ARN of existing topic to receive S3 event notifications
 * @param queueArn ARN of existing queue to receive S3 event notifications
 *
 * An AWS CloudFormation stack sets up the bucket, queue, topic before the
method runs.
 */
public static String setBucketNotificationToEventBridge(String bucketName,
String topicArn, String queueArn) {
    try {
        // Enable bucket to emit S3 Event notifications to EventBridge.
        s3Client.putBucketNotificationConfiguration(b -> b
            .bucket(bucketName)
            .notificationConfiguration(b1 -> b1
                .eventBridgeConfiguration(
                    SdkBuilder::build)
            ).build()).join();

        // Create an EventBridge rule to route Object Created notifications.
        PutRuleRequest putRuleRequest = PutRuleRequest.builder()
            .name(RULE_NAME)
            .eventPattern(""""
            {

```

```
        "source": ["aws.s3"],
        "detail-type": ["Object Created"],
        "detail": {
            "bucket": {
                "name": ["%s"]
            }
        }
    }
    """.formatted(bucketName))
.build();

// Add the rule to the default event bus.
PutRuleResponse putRuleResponse =
eventBridgeClient.putRule(putRuleRequest)
    .whenComplete((r, t) -> {
        if (t != null) {
            logger.error("Error creating event bus rule: " +
t.getMessage(), t);
            throw new RuntimeException(t.getCause().getMessage(),
t);
        }
        logger.info("Event bus rule creation request sent
successfully. ARN is: {}", r.ruleArn());
    }).join();

// Add the existing SNS topic and SQS queue as targets to the rule.
eventBridgeClient.putTargets(b -> b
    .eventBusName("default")
    .rule(RULE_NAME)
    .targets(List.of(
        Target.builder()
            .arn(queueArn)
            .id("Queue")
            .build(),
        Target.builder()
            .arn(topicArn)
            .id("Topic")
            .build()
    )
).join());
return putRuleResponse.ruleArn();
} catch (S3Exception e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
```

```
    }
    return null;
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.
 - [PutBucketNotificationConfiguration](#)
 - [PutRule](#)
 - [PutTargets](#)

Use scheduled events to invoke a Lambda function

The following code example shows how to create an AWS Lambda function invoked by an Amazon EventBridge scheduled event.

SDK for Java 2.x

Shows how to create an Amazon EventBridge scheduled event that invokes an AWS Lambda function. Configure EventBridge to use a cron expression to schedule when the Lambda function is invoked. In this example, you create a Lambda function by using the Lambda Java runtime API. This example invokes different AWS services to perform a specific use case. This example demonstrates how to create an app that sends a mobile text message to your employees that congratulates them at the one year anniversary date.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- DynamoDB
- EventBridge
- Lambda
- Amazon SNS

EventBridge Scheduler examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with EventBridge Scheduler.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello EventBridge Scheduler

The following code examples show how to get started using EventBridge Scheduler.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.scheduler.SchedulerAsyncClient;
import software.amazon.awssdk.services.scheduler.model.ListSchedulesRequest;
import software.amazon.awssdk.services.scheduler.model.ScheduleSummary;
import software.amazon.awssdk.services.scheduler.paginators.ListSchedulesPublisher;
import java.util.ArrayList;
import java.util.List;
import java.util.concurrent.CompletableFuture;

public class HelloScheduler {

    public static void main(String [] args) {
        listSchedulesAsync();
    }

    /**
     * Lists all the schedules available.
     * <p>
     * This method uses the {@link SchedulerAsyncClient} to make an asynchronous
     * request to
}
```

```
* list all the schedules available. The method uses the {@link
ListSchedulesPublisher}
 * to fetch the schedules in a paginated manner, and then processes the
responses
 * asynchronously.
*/
public static void listSchedulesAsync() {
    SchedulerAsyncClient schedulerAsyncClient = SchedulerAsyncClient.create();

    // Build the request to list schedules
    ListSchedulesRequest listSchedulesRequest =
ListSchedulesRequest.builder().build();

    // Use the paginator to fetch all schedules asynchronously.
    ListSchedulesPublisher paginator =
schedulerAsyncClient.listSchedulesPaginator(listSchedulesRequest);
    List<ScheduleSummary> results = new ArrayList<>();

    // Subscribe to the paginator to process the response asynchronously
    CompletableFuture<Void> future = paginator.subscribe(response -> {
        response.schedules().forEach(schedule -> {
            results.add(schedule);
            System.out.printf("Schedule: %s%n", schedule.name());
        });
    });

    // Wait for the asynchronous operation to complete.
    future.join();

    // After all schedules are fetched, print the total count.
    System.out.printf("Total of %d schedule(s) available.%n", results.size());
}

}
```

- For API details, see [ListSchedules](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Actions](#)
- [Scenarios](#)

Actions

CreateSchedule

The following code example shows how to use CreateSchedule.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Creates a new schedule for a target task.  
 *  
 * @param name           the name of the schedule  
 * @param scheduleExpression The schedule expression that defines when the  
 * schedule should run.  
 * @param scheduleGroupName the name of the schedule group to which the  
 * schedule belongs  
 * @param targetArn       the Amazon Resource Name (ARN) of the target  
 * task  
 * @param roleArn         the ARN of the IAM role to be used for the  
 * schedule  
 * @param input            the input data for the target task  
 * @param deleteAfterCompletion whether to delete the schedule after it's  
 * executed  
 * @param useFlexibleTimeWindow whether to use a flexible time window for the  
 * schedule execution  
 * @return true if the schedule was successfully created, false otherwise  
 */  
public CompletableFuture<Boolean> createScheduleAsync(  
    String name,  
    String scheduleExpression,  
    String scheduleGroupName,  
    String targetArn,  
    String roleArn,  
    String input,  
    boolean deleteAfterCompletion,
```

```
boolean useFlexibleTimeWindow) {  
  
    int hoursToRun = 1;  
    int flexibleTimeWindowMinutes = 10;  
  
    Target target = Target.builder()  
        .arn(targetArn)  
        .roleArn(roleArn)  
        .input(input)  
        .build();  
  
    FlexibleTimeWindow flexibleTimeWindow = FlexibleTimeWindow.builder()  
        .mode(useFlexibleTimeWindow  
            ? FlexibleTimeWindowMode.FLEXIBLE  
            : FlexibleTimeWindowMode.OFF)  
        .maximumWindowInMinutes(useFlexibleTimeWindow  
            ? flexibleTimeWindowMinutes  
            : null)  
        .build();  
  
    Instant startDate = Instant.now();  
    Instant endDate = startDate.plus(Duration.ofHours(hoursToRun));  
  
    CreateScheduleRequest request = CreateScheduleRequest.builder()  
        .name(name)  
        .scheduleExpression(scheduleExpression)  
        .groupName(scheduleGroupName)  
        .target(target)  
        .actionAfterCompletion(deleteAfterCompletion  
            ? ActionAfterCompletion.DELETE  
            : ActionAfterCompletion.NONE)  
        .startDate(startDate)  
        .endDate(endDate)  
        .flexibleTimeWindow(flexibleTimeWindow)  
        .build();  
  
    return getAsyncClient().createSchedule(request)  
        .thenApply(response -> {  
            logger.info("Successfully created schedule {} in schedule group {},  
The ARN is {} ", name, scheduleGroupName, response.scheduleArn());  
            return true;  
        })  
        .whenComplete((result, ex) -> {  
            if (ex != null) {  
                logger.error("Error creating schedule: " + ex.getMessage());  
            }  
        });  
}
```

```
        if (ex instanceof ConflictException) {
            // Handle ConflictException
            logger.error("A conflict exception occurred while creating
the schedule: {}", ex.getMessage());
            throw new CompletionException("A conflict exception occurred
while creating the schedule: " + ex.getMessage(), ex);
        } else {
            throw new CompletionException("Error creating schedule: " +
ex.getMessage(), ex);
        }
    });
}
```

- For API details, see [CreateSchedule](#) in *AWS SDK for Java 2.x API Reference*.

CreateScheduleGroup

The following code example shows how to use CreateScheduleGroup.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Creates a new schedule group.
 *
 * @param name the name of the schedule group to be created
 * @return a {@link CompletableFuture} representing the asynchronous operation
of creating the schedule group
 */
public CompletableFuture<CreateScheduleGroupResponse> createScheduleGroup(String
name) {
    CreateScheduleGroupRequest request = CreateScheduleGroupRequest.builder()
        .name(name)
        .build();
```

```
logger.info("Initiating createScheduleGroup call for group: {}", name);
CompletableFuture<CreateScheduleGroupResponse> futureResponse =
getAsyncClient().createScheduleGroup(request);
futureResponse.whenComplete((response, ex) -> {
    if (ex != null) {
        if (ex instanceof CompletionException && ex.getCause() instanceof
ConflictException) {
            // Rethrow the ConflictException
            throw (ConflictException) ex.getCause();
        } else {
            throw new CompletionException("Failed to create schedule group:
" + name, ex);
        }
    } else if (response == null) {
        throw new RuntimeException("Failed to create schedule group:
response was null");
    } else {
        logger.info("Successfully created schedule group '{}': {}", name,
response.scheduleGroupArn());
    }
});

return futureResponse;
}
```

- For API details, see [CreateScheduleGroup](#) in *AWS SDK for Java 2.x API Reference*.

DeleteSchedule

The following code example shows how to use DeleteSchedule.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Deletes a schedule with the specified name and group name.  
 *  
 * @param name      the name of the schedule to be deleted  
 * @param groupName the group name of the schedule to be deleted  
 * @return a {@link CompletableFuture} that, when completed, indicates whether  
 the schedule was successfully deleted  
 * @throws CompletionException if an error occurs while deleting the schedule,  
 except for the case where the schedule is not found  
 */  
public CompletableFuture<Boolean> deleteScheduleAsync(String name, String  
groupName) {  
    DeleteScheduleRequest request = DeleteScheduleRequest.builder()  
        .name(name)  
        .groupName(groupName)  
        .build();  
  
    CompletableFuture<DeleteScheduleResponse> response =  
getAsyncClient().deleteSchedule(request);  
    return response.handle((result, ex) -> {  
        if (ex != null) {  
            if (ex instanceof ResourceNotFoundException) {  
                throw new CompletionException("Resource not found while deleting  
schedule with ID: " + name, ex);  
            } else {  
                throw new CompletionException("Failed to delete schedule.", ex);  
            }  
        }  
        logger.info("Successfully deleted schedule with name {}.", name);  
        return true;  
    });  
}
```

- For API details, see [DeleteSchedule](#) in *AWS SDK for Java 2.x API Reference*.

DeleteScheduleGroup

The following code example shows how to use DeleteScheduleGroup.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Deletes the specified schedule group.  
 *  
 * @param name the name of the schedule group to delete  
 * @return a {@link CompletableFuture} that completes when the schedule group  
 has been deleted  
 * @throws CompletionException if an error occurs while deleting the schedule  
 group  
 */  
public CompletableFuture<Void> deleteScheduleGroupAsync(String name) {  
    DeleteScheduleGroupRequest request = DeleteScheduleGroupRequest.builder()  
        .name(name)  
        .build();  
  
    return getAsyncClient().deleteScheduleGroup(request)  
        .thenRun(() -> {  
            logger.info("Successfully deleted schedule group {}", name);  
        })  
        .whenComplete((result, ex) -> {  
            if (ex != null) {  
                if (ex instanceof ResourceNotFoundException) {  
                    throw new CompletionException("The resource was not found: " +  
                        ex.getMessage(), ex);  
                } else {  
                    throw new CompletionException("Error deleting schedule  
group: " + ex.getMessage(), ex);  
                }  
            }  
        });  
}
```

- For API details, see [DeleteScheduleGroup](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Scheduled Events workflow

The following code example shows how to:

- Deploy a AWS CloudFormation stack with required resources.
- Create a EventBridge Scheduler schedule group.
- Create a one-time EventBridge Scheduler schedule with a flexible time window.
- Create a recurring EventBridge Scheduler schedule with a specified rate.
- Delete EventBridge Scheduler the schedule and schedule group.
- Clean up resources and delete the stack.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Run the workflow.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.services.scheduler.model.SchedulerException;
import javax.mail.internet.AddressException;
import javax.mail.internet.InternetAddress;
import java.time.LocalDateTime;
import java.time.format.DateTimeFormatter;
import java.util.Map;
import java.util.Scanner;
import java.util.concurrent.CompletableFuture;
import java.util.concurrent.CompletionException;

/**
 * This Java code example performs the following tasks for the Amazon EventBridge
 * Scheduler workflow:
 * <p>
 * 1. Prepare the Application:

```

```
* - Prompt the user for an email address to use for the subscription for the SNS topic subscription.  
* - Deploy the Cloud Formation template in resources/cfn_template.yaml for resource creation.  
* - Store the outputs of the stack into variables for use in the workflow.  
* - Create a schedule group for all workflow schedules.  
* <p>  
* 2. Create one-time Schedule:  
* - Create a one-time schedule to send an initial event.  
* - Use a Flexible Time Window and set the schedule to delete after completion.  
* - Wait for the user to receive the event email from SNS.  
* <p>  
* 3. Create a time-based schedule:  
* - Prompt the user for how many X times per Y hours a recurring event should be scheduled.  
* - Create the scheduled event for X times per hour for Y hours.  
* - Wait for the user to receive the event email from SNS.  
* - Delete the schedule when the user is finished.  
* <p>  
* 4. Clean up:  
* - Prompt the user for y/n answer if they want to destroy the stack and clean up all resources.  
* - Delete the schedule group.  
* - Destroy the Cloud Formation stack and wait until the stack has been removed.  
*/
```

```
public class EventbridgeSchedulerScenario {  
  
    private static final Logger logger =  
        LoggerFactory.getLogger(EventbridgeSchedulerScenario.class);  
    private static final Scanner scanner = new Scanner(System.in);  
    private static String STACK_NAME = "workflow-stack-name";  
    private static final String scheduleGroupName = "schedules-group";  
  
    private static String recurringScheduleName = "";  
  
    private static String oneTimeScheduleName = "";  
  
    private static final EventbridgeSchedulerActions eventbridgeActions = new  
        EventbridgeSchedulerActions();  
  
    public static final String DASHES = new String(new char[80]).replace("\0", "-");  
  
    public static String roleArn = "";
```

```
public static String snsTopicArn = "";

public static void main(String[] args) {
    logger.info(DASHES);
    logger.info("Welcome to the Amazon EventBridge Scheduler Workflow.");
    logger.info(""""

        Amazon EventBridge Scheduler is a fully managed service that helps you
schedule and execute
        a wide range of tasks and events in the cloud. It's designed to simplify
the process of
        scheduling and managing recurring or one-time events, making it easier
for developers and
        businesses to automate various workflows and processes.

        One of the key features of Amazon EventBridge Scheduler is its ability
to schedule events
        based on a variety of triggers, including time-based schedules, custom
event patterns, or
        even integration with other AWS services. For example, you can use
EventBridge Scheduler
        to schedule a report generation task to run every weekday at 9 AM, or to
trigger a
        Lambda function when a specific Amazon S3 object is created.

        This flexibility allows you to build complex and dynamic event-driven
architectures
        that adapt to your business needs.

        Lets get started...
        """);
    waitForInputToContinue();
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("1. Prepare the application.");
    waitForInputToContinue();
    try {
        boolean prepareSuccess = prepareApplication();
        logger.info(DASHES);

        if (prepareSuccess) {
            logger.info("2. Create one-time schedule.");
            logger.info("")""
```

A one-time schedule in Amazon EventBridge Scheduler is an event trigger that allows you to schedule a one-time event to run at a specific date and time. This is useful for executing a specific task or workflow at a predetermined time, without the need for recurring or complex scheduling.

```
""");  
waitForInputToContinue();  
createOneTimeSchedule();  
logger.info("Do you want to delete the schedule {} (y/n) ?",  
oneTimeScheduleName);  
String ans = scanner.nextLine().trim();  
if (ans.equalsIgnoreCase("y")) {  
  
eventbridgeActions.deleteScheduleAsync(oneTimeScheduleName, scheduleGroupName);  
}  
logger.info(DASHES);  
  
logger.info("3. Create a recurring schedule.");  
logger.info("")  
A recurring schedule is a feature that allows you to schedule and manage the execution of your serverless applications or workloads on a recurring basis. For example, with EventBridge Scheduler, you can create custom schedules for your AWS Lambda functions, AWS Step Functions, and other supported event sources, enabling you to automate tasks and workflows without the need for complex infrastructure management.
```

""");
waitForInputToContinue();
createRecurringSchedule();
logger.info("Do you want to delete the schedule {} (y/n) ?",
oneTimeScheduleName);
String ans2 = scanner.nextLine().trim();
if (ans2.equalsIgnoreCase("y")) {

eventbridgeActions.deleteScheduleAsync(recurringScheduleName, scheduleGroupName);
}
logger.info(DASHES);
}
} catch (Exception ex) {

```
        logger.info("There was a problem with the workflow {}, initiating cleanup...", ex.getMessage());
        cleanUp();
    }

    logger.info(DASHES);
    logger.info("4. Clean up the resources.");
    logger.info("Do you want to delete these AWS resources (y/n) ?");
    String delAns = scanner.nextLine().trim();
    if (delAns.equalsIgnoreCase("y")) {
        cleanUp();
    } else {
        logger.info("The AWS resources will not be deleted.");
    }
    logger.info("Amazon EventBridge Scheduler workflow completed.");
    logger.info(DASHES);
}

/**
 * Cleans up the resources associated with the EventBridge scheduler.
 * If any errors occur during the cleanup process, the corresponding error messages are logged.
 */
public static void cleanUp() {
    logger.info("First, delete the schedule group.");
    logger.info("When the schedule group is deleted, schedules that are part of that group are deleted.");
    waitForInputToContinue();
    try {
        eventbridgeActions.deleteScheduleGroupAsync(scheduleGroupName).join();

    } catch (CompletionException ce) {
        Throwable cause = ce.getCause();
        if (cause instanceof SchedulerException schedulerException) {
            logger.error("Scheduler error occurred: Error message: {}, Error code {}",
                        schedulerException.getMessage(),
                        schedulerException.awsErrorDetails().errorCode(), schedulerException);
        } else {
            logger.error("An unexpected error occurred: {}", cause.getMessage());
        }
        return;
    }
}
```

```
        logger.info("Destroy the CloudFormation stack");
        waitForInputToContinue();
        CloudFormationHelper.destroyCloudFormationStack(STACK_NAME);
    }

    /**
     * Prepares the application by creating resources in a CloudFormation stack,
     * including an SNS topic
     * that will be subscribed to the EventBridge Scheduler events. The user will
     * need to confirm the subscription
     * in order to receive event emails.
     *
     * @return true if the application preparation was successful, false otherwise
     */
    public static boolean prepareApplication() {
        logger.info(""""
            This example creates resources in a CloudFormation stack, including an
            SNS topic
            that will be subscribed to the EventBridge Scheduler events.
            You will need to confirm the subscription in order to receive event
            emails.
        """);
        String emailAddress = promptUserForEmail();
        logger.info("You entered {}", emailAddress);

        logger.info("Do you want to use a custom Stack name (y/n) ?");
        String ans = scanner.nextLine().trim();
        if (ans.equalsIgnoreCase("y")) {
            String newStackName = scanner.nextLine();
            logger.info("You entered {} for the new stack name", newStackName);
            waitForInputToContinue();
            STACK_NAME = newStackName;
        }

        logger.info("Get the roleArn and snsTopicArn values using a Cloudformation
template.");
        waitForInputToContinue();
        CloudFormationHelper.deployCloudFormationStack(STACK_NAME, emailAddress);
        Map<String, String> stackOutputs =
        CloudFormationHelper.getStackOutputs(STACK_NAME);
        roleArn = stackOutputs.get("RoleARN");
        snsTopicArn = stackOutputs.get("SNSTopicARN");
    }
}
```

```
logger.info("The roleARN is {}", roleArn);
logger.info("The snsTopicArn is {}", snsTopicArn);

try {
    eventbridgeActions.createScheduleGroup(scheduleGroupName).join();
    logger.info("createScheduleGroupAsync completed successfully.");
}

} catch (RuntimeException e) {
    logger.error("Error occurred: {} ", e.getMessage());
    return false;
}
logger.info("Application preparation complete.");
return true;
}

/**
 * Waits for the user to enter 'c' followed by <ENTER> to continue the program.
 * This method is used to pause the program execution and wait for user input
before
 * proceeding.
 */
private static void waitForInputToContinue() {
    while (true) {
        logger.info("");
        logger.info("Enter 'c' followed by <ENTER> to continue:");
        String input = scanner.nextLine();

        if (input.trim().equalsIgnoreCase("c")) {
            logger.info("Continuing with the program...");
            logger.info("");
            break;
        } else {
            // Handle invalid input.
            logger.info("Invalid input. Please try again.");
        }
    }
}

/**
 * Prompts the user to enter an email address and validates the input.
 * If the provided email address is invalid, the method will prompt the user to
try again.
 *
```

```
* @return the valid email address entered by the user
*/
private static String promptUserForEmail() {
    logger.info("Enter an email address to use for event subscriptions: ");
    String email = scanner.nextLine();
    if (!isValidEmail(email)) {
        logger.info("Invalid email address. Please try again.");
        return promptUserForEmail();
    }
    return email;
}

/**
 * Checks if the given email address is valid.
 *
 * @param email the email address to be validated
 * @return {@code true} if the email address is valid, {@code false} otherwise
 */
private static boolean isValidEmail(String email) {
    try {
        InternetAddress emailAddress = new InternetAddress(email);
        emailAddress.validate();
        return true;

    } catch (AddressException e) {
        return false;
    }
}

/**
 * Creates a one-time schedule to send an initial event in 1 minute with a
flexible time window.
 *
 * @return {@code true} if the schedule was created successfully, {@code false}
otherwise
 */
public static Boolean createOneTimeSchedule() {
    oneTimeScheduleName = promptUserForResourceName("Enter a name for the one-
time schedule:");
    logger.info("Creating a one-time schedule named {} to send an initial event
in 1 minute with a flexible time window...", oneTimeScheduleName);
    LocalDateTime scheduledTime = LocalDateTime.now();
    DateTimeFormatter formatter = DateTimeFormatter.ofPattern("yyyy-MM-
dd'T'HH:mm:ss");
}
```

```
String scheduleExpression = "at(" + scheduledTime.format(formatter) + ")";
return eventbridgeActions.createScheduleAsync(
    oneTimeScheduleName,
    scheduleExpression,
    scheduleGroupName,
    snsTopicArn,
    roleArn,
    "One time scheduled event test from schedule",
    true,
    true).join();
}

/**
 * Creates a recurring schedule to send events based on a specific time.
 *
 * @return A {@link CompletableFuture} that completes with a boolean value
 * indicating the success or failure of the operation.
 */
public static Boolean createRecurringSchedule() {
    logger.info("Creating a recurring schedule to send events for one hour...");
    recurringScheduleName = promptUserForResourceName("Enter a name for the
recurring schedule:");

    // Prompt the user for the schedule rate (in minutes).
    int scheduleRateInMinutes = promptUserForInteger("Enter the desired schedule
rate (in minutes): ");
    String scheduleExpression = "rate(" + scheduleRateInMinutes + " minutes)";
    return eventbridgeActions.createScheduleAsync(
        recurringScheduleName,
        scheduleExpression,
        scheduleGroupName,
        snsTopicArn,
        roleArn,
        "Recurrent event test from schedule " + recurringScheduleName,
        true,
        true).join();
}

/**
 * Prompts the user for a resource name and validates the input.
 *
```

```
* @param prompt the message to display to the user when prompting for the
resource name
 * @return the valid resource name entered by the user
 */
private static String promptUserForResourceName(String prompt) {
    logger.info(prompt);
    String resourceName = scanner.nextLine();
    String regex = "[0-9a-zA-Z_.]+";
    if (!resourceName.matches(regex)) {
        logger.info("Invalid resource name. Please use a name that matches the
pattern " + regex + ".");
        return promptUserForResourceName(prompt);
    }
    return resourceName;
}

/**
 * Prompts the user for an integer input and returns the integer value.
 *
 * @param prompt the message to be displayed to the user when prompting for
input
 * @return the integer value entered by the user
 */
private static int promptUserForInteger(String prompt) {
    logger.info(prompt);
    String stringResponse = scanner.nextLine();
    if (stringResponse == null || stringResponse.trim().isEmpty() || !
isInteger(stringResponse)) {
        logger.info("Invalid integer.");
        return promptUserForInteger(prompt);
    }
    return Integer.parseInt(stringResponse);
}

/**
 * Checks if the given string represents a valid integer.
 *
 * @param str the string to be checked
 * @return {@code true} if the string represents a valid integer, {@code false}
otherwise
 */
private static boolean isInteger(String str) {
    try {
        Integer.parseInt(str);
    }
}
```

```
        return true;
    } catch (NumberFormatException e) {
        return false;
    }
}
```

Wrapper for service operations.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.core.client.config.ClientOverrideConfiguration;
import software.amazon.awssdk.core.retry.RetryMode;
import software.amazon.awssdk.http.async.SdkAsyncHttpClient;
import software.amazon.awssdk.http.nio.netty.NettyNioAsyncHttpClient;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.scheduler.SchedulerAsyncClient;
import software.amazon.awssdk.services.scheduler.model.ActionAfterCompletion;
import software.amazon.awssdk.services.scheduler.model.ConflictException;
import software.amazon.awssdk.services.scheduler.model.CreateScheduleGroupRequest;
import software.amazon.awssdk.services.scheduler.model.CreateScheduleGroupResponse;
import software.amazon.awssdk.services.scheduler.model.CreateScheduleRequest;
import software.amazon.awssdk.services.scheduler.model.DeleteScheduleGroupRequest;
import software.amazon.awssdk.services.scheduler.model.DeleteScheduleRequest;
import software.amazon.awssdk.services.scheduler.model.DeleteScheduleResponse;
import software.amazon.awssdk.services.scheduler.model.FlexibleTimeWindow;
import software.amazon.awssdk.services.scheduler.model.FlexibleTimeWindowMode;
import software.amazon.awssdk.services.scheduler.model.ResourceNotFoundException;
import software.amazon.awssdk.services.scheduler.model.Target;

import java.time.Instant;
import java.util.concurrent.CompletableFuture;
import java.time.Duration;
import java.util.concurrent.CompletionException;

public class EventbridgeSchedulerActions {

    private static SchedulerAsyncClient schedulerClient;
    private static final Logger logger =
        LoggerFactory.getLogger(EventbridgeSchedulerActions.class);
```

```
public static SchedulerAsyncClient getAsyncClient() {
    if (schedulerClient == null) {
        /*
         * The `NettyNioAsyncHttpClient` class is part of the AWS SDK for Java,
         * version 2,
         * and it is designed to provide a high-performance, asynchronous HTTP
         * client for interacting with AWS services.
         *
         * It uses the Netty framework to handle the underlying network
         * communication and the Java NIO API to
         * provide a non-blocking, event-driven approach to HTTP requests and
         * responses.
        */
        SdkAsyncHttpClient httpClient = NettyNioAsyncHttpClient.builder()
            .maxConcurrency(50) // Adjust as needed.
            .connectionTimeout(Duration.ofSeconds(60)) // Set the connection
        timeout.
            .readTimeout(Duration.ofSeconds(60)) // Set the read timeout.
            .writeTimeout(Duration.ofSeconds(60)) // Set the write timeout.
            .build();

        ClientOverrideConfiguration overrideConfig =
        ClientOverrideConfiguration.builder()
            .apiCallTimeout(Duration.ofMinutes(2)) // Set the overall API call
        timeout.
            .apiCallAttemptTimeout(Duration.ofSeconds(90)) // Set the
        individual call attempt timeout.
            .retryStrategy(RetryMode.STANDARD)
            .build();

        schedulerClient = SchedulerAsyncClient.builder()
            .region(Region.US_EAST_1)
            .httpClient(httpClient)
            .overrideConfiguration(overrideConfig)
            .build();
    }
    return schedulerClient;
}

/**
 * Creates a new schedule group.
 *
 * @param name the name of the schedule group to be created
*/
```

```
* @return a {@link CompletableFuture} representing the asynchronous operation
of creating the schedule group
*/
public CompletableFuture<CreateScheduleGroupResponse> createScheduleGroup(String
name) {
    CreateScheduleGroupRequest request = CreateScheduleGroupRequest.builder()
        .name(name)
        .build();

    logger.info("Initiating createScheduleGroup call for group: {}", name);
    CompletableFuture<CreateScheduleGroupResponse> futureResponse =
getAsyncClient().createScheduleGroup(request);
    futureResponse.whenComplete((response, ex) -> {
        if (ex != null) {
            if (ex instanceof CompletionException && ex.getCause() instanceof
ConflictException) {
                // Rethrow the ConflictException
                throw (ConflictException) ex.getCause();
            } else {
                throw new CompletionException("Failed to create schedule group:
" + name, ex);
            }
        } else if (response == null) {
            throw new RuntimeException("Failed to create schedule group:
response was null");
        } else {
            logger.info("Successfully created schedule group '{}': {}", name,
response.scheduleGroupArn());
        }
    });

    return futureResponse;
}

/**
 * Creates a new schedule for a target task.
 *
 * @param name           the name of the schedule
 * @param scheduleExpression The schedule expression that defines when the
schedule should run.
 * @param scheduleGroupName the name of the schedule group to which the
schedule belongs

```

```
* @param targetArn           the Amazon Resource Name (ARN) of the target
task
* @param roleArn             the ARN of the IAM role to be used for the
schedule
* @param input                the input data for the target task
* @param deleteAfterCompletion whether to delete the schedule after it's
executed
* @param useFlexibleTimeWindow whether to use a flexible time window for the
schedule execution
* @return true if the schedule was successfully created, false otherwise
*/
public CompletableFuture<Boolean> createScheduleAsync(
    String name,
    String scheduleExpression,
    String scheduleGroupName,
    String targetArn,
    String roleArn,
    String input,
    boolean deleteAfterCompletion,
    boolean useFlexibleTimeWindow) {

    int hoursToRun = 1;
    int flexibleTimeWindowMinutes = 10;

    Target target = Target.builder()
        .arn(targetArn)
        .roleArn(roleArn)
        .input(input)
        .build();

    FlexibleTimeWindow flexibleTimeWindow = FlexibleTimeWindow.builder()
        .mode(useFlexibleTimeWindow
            ? FlexibleTimeWindowMode.FLEXIBLE
            : FlexibleTimeWindowMode.OFF)
        .maximumWindowInMinutes(useFlexibleTimeWindow
            ? flexibleTimeWindowMinutes
            : null)
        .build();

    Instant startDate = Instant.now();
    Instant endDate = startDate.plus(Duration.ofHours(hoursToRun));

    CreateScheduleRequest request = CreateScheduleRequest.builder()
        .name(name)
```

```
.scheduleExpression(scheduleExpression)
.groupName(scheduleGroupName)
.target(target)
.actionAfterCompletion(deleteAfterCompletion
    ? ActionAfterCompletion.DELETE
    : ActionAfterCompletion.NONE)
.startDate(startDate)
.endDate(endDate)
.flexibleTimeWindow(flexibleTimeWindow)
.build();

return getAsyncClient().createSchedule(request)
.thenApply(response -> {
    logger.info("Successfully created schedule {} in schedule group {}, The ARN is {} ", name, scheduleGroupName, response.scheduleArn());
    return true;
})
.whenComplete((result, ex) -> {
    if (ex != null) {
        if (ex instanceof ConflictException) {
            // Handle ConflictException
            logger.error("A conflict exception occurred while creating the schedule: {}", ex.getMessage());
            throw new CompletionException("A conflict exception occurred while creating the schedule: " + ex.getMessage(), ex);
        } else {
            throw new CompletionException("Error creating schedule: " + ex.getMessage(), ex);
        }
    }
});
}

/**
 * Deletes the specified schedule group.
 *
 * @param name the name of the schedule group to delete
 * @return a {@link CompletableFuture} that completes when the schedule group has been deleted
 * @throws CompletionException if an error occurs while deleting the schedule group
 */
public CompletableFuture<Void> deleteScheduleGroupAsync(String name) {
```

```
        DeleteScheduleGroupRequest request = DeleteScheduleGroupRequest.builder()
            .name(name)
            .build();

        return getAsyncClient().deleteScheduleGroup(request)
            .thenRun(() -> {
                logger.info("Successfully deleted schedule group {}", name);
            })
            .whenComplete((result, ex) -> {
                if (ex != null) {
                    if (ex instanceof ResourceNotFoundException) {
                        throw new CompletionException("The resource was not found: "
+ ex.getMessage(), ex);
                    } else {
                        throw new CompletionException("Error deleting schedule
group: " + ex.getMessage(), ex);
                    }
                }
            });
    }

    /**
     * Deletes a schedule with the specified name and group name.
     *
     * @param name      the name of the schedule to be deleted
     * @param groupName the group name of the schedule to be deleted
     * @return a {@link CompletableFuture} that, when completed, indicates whether
     * the schedule was successfully deleted
     * @throws CompletionException if an error occurs while deleting the schedule,
     * except for the case where the schedule is not found
     */
    public CompletableFuture<Boolean> deleteScheduleAsync(String name, String
groupName) {
        DeleteScheduleRequest request = DeleteScheduleRequest.builder()
            .name(name)
            .groupName(groupName)
            .build();

        CompletableFuture<DeleteScheduleResponse> response =
getAsyncClient().deleteSchedule(request);
        return response.handle((result, ex) -> {
            if (ex != null) {
                if (ex instanceof ResourceNotFoundException) {
```

```
        throw new CompletionException("Resource not found while deleting
schedule with ID: " + name, ex);
    } else {
        throw new CompletionException("Failed to delete schedule.", ex);
    }
}
logger.info("Successfully deleted schedule with name {}.", name);
return true;
});
}
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.
 - [CreateSchedule](#)
 - [CreateScheduleGroup](#)
 - [DeleteSchedule](#)
 - [DeleteScheduleGroups](#)

Forecast examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Forecast.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)

Actions

CreateDataset

The following code example shows how to use CreateDataset.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.forecast.ForecastClient;
import software.amazon.awssdk.services.forecast.model.CreateDatasetRequest;
import software.amazon.awssdk.services.forecast.model.Schema;
import software.amazon.awssdk.services.forecast.model.SchemaAttribute;
import software.amazon.awssdk.services.forecast.model.CreateDatasetResponse;
import software.amazon.awssdk.services.forecast.model.ForecastException;
import java.util.ArrayList;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class CreateDataSet {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <name>\s
            Where:
            name - The name of the data set.\s
            """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }
    }
}
```

```
String name = args[0];
Region region = Region.US_WEST_2;
ForecastClient forecast = ForecastClient.builder()
    .region(region)
    .build();

String myDataSetARN = createForecastDataSet(forecast, name);
System.out.println("The ARN of the new data set is " + myDataSetARN);
forecast.close();
}

public static String createForecastDataSet(ForecastClient forecast, String name)
{
    try {
        Schema schema = Schema.builder()
            .attributes(getSchema())
            .build();

        CreateDatasetRequest datasetRequest = CreateDatasetRequest.builder()
            .datasetName(name)
            .domain("CUSTOM")
            .datasetType("RELATED_TIME_SERIES")
            .dataFrequency("D")
            .schema(schema)
            .build();

        CreateDatasetResponse response = forecast.createDataset(datasetRequest);
        return response.datasetArn();
    } catch (ForecastException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }

    return "";
}

// Create a SchemaAttribute list required to create a data set.
private static List<SchemaAttribute> getSchema() {

    List<SchemaAttribute> schemaList = new ArrayList<>();
    SchemaAttribute att1 = SchemaAttribute.builder()
        .attributeName("item_id")
        .attributeType("string")
```

```
        .build();

    SchemaAttribute att2 = SchemaAttribute.builder()
        .attributeName("timestamp")
        .attributeType("timestamp")
        .build();

    SchemaAttribute att3 = SchemaAttribute.builder()
        .attributeName("target_value")
        .attributeType("float")
        .build();

    // Push the SchemaAttribute objects to the List.
    schemaList.add(att1);
    schemaList.add(att2);
    schemaList.add(att3);
    return schemaList;
}

}
```

- For API details, see [CreateDataset](#) in *AWS SDK for Java 2.x API Reference*.

CreateForecast

The following code example shows how to use CreateForecast.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.forecast.ForecastClient;
import software.amazon.awssdk.services.forecast.model.CreateForecastRequest;
import software.amazon.awssdk.services.forecast.model.CreateForecastResponse;
import software.amazon.awssdk.services.forecast.model.ForecastException;

/**
```

```
* Before running this Java V2 code example, set up your development
* environment, including your credentials.
*
* For more information, see the following documentation topic:
*
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
*/
public class CreateForecast {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <name> <predictorArn>\s
            Where:
            name - The name of the forecast.\s
            predictorArn - The arn of the predictor to use.\s
            """;

        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }

        String name = args[0];
        String predictorArn = args[1];
        Region region = Region.US_WEST_2;
        ForecastClient forecast = ForecastClient.builder()
            .region(region)
            .build();

        String forecastArn = createNewForecast(forecast, name, predictorArn);
        System.out.println("The ARN of the new forecast is " + forecastArn);
        forecast.close();
    }

    public static String createNewForecast(ForecastClient forecast, String name,
String predictorArn) {
        try {
            CreateForecastRequest forecastRequest = CreateForecastRequest.builder()
                .forecastName(name)
                .predictorArn(predictorArn)
                .build();
        }
    }
}
```

```
        CreateForecastResponse response =
forecast.createForecast(forecastRequest);
        return response.forecastArn();

    } catch (ForecastException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
return "";
}
```

- For API details, see [CreateForecast](#) in *AWS SDK for Java 2.x API Reference*.

DeleteDataset

The following code example shows how to use DeleteDataset.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.forecast.ForecastClient;
import software.amazon.awssdk.services.forecast.model.DeleteDatasetRequest;
import software.amazon.awssdk.services.forecast.model.ForecastException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DeleteDataset {
```

```
public static void main(String[] args) {
    final String usage = """
        Usage:
        <datasetARN>\s

        Where:
        datasetARN - The ARN of the data set to delete.\s
        """;

    if (args.length != 1) {
        System.out.println(usage);
        System.exit(1);
    }

    String datasetARN = args[0];
    Region region = Region.US_WEST_2;
    ForecastClient forecast = ForecastClient.builder()
        .region(region)
        .build();

    deleteForecastDataSet(forecast, datasetARN);
    forecast.close();
}

public static void deleteForecastDataSet(ForecastClient forecast, String myDataSetARN) {
    try {
        DeleteDatasetRequest deleteRequest = DeleteDatasetRequest.builder()
            .datasetArn(myDataSetARN)
            .build();

        forecast.deleteDataset(deleteRequest);
        System.out.println("The Data Set was deleted");

    } catch (ForecastException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [DeleteDataset](#) in *AWS SDK for Java 2.x API Reference*.

DeleteForecast

The following code example shows how to use DeleteForecast.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.forecast.ForecastClient;
import software.amazon.awssdk.services.forecast.model.DeleteDatasetRequest;
import software.amazon.awssdk.services.forecast.model.ForecastException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DeleteDataset {

    public static void main(String[] args) {
        final String usage = """

            Usage:
            <datasetARN>\s

            Where:
            datasetARN - The ARN of the data set to delete.\s
            """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }
    }
}
```

```
}

    String datasetARN = args[0];
    Region region = Region.US_WEST_2;
    ForecastClient forecast = ForecastClient.builder()
        .region(region)
        .build();

    deleteForecastDataSet(forecast, datasetARN);
    forecast.close();
}

public static void deleteForecastDataSet(ForecastClient forecast, String myDataSetARN) {
    try {
        DeleteDatasetRequest deleteRequest = DeleteDatasetRequest.builder()
            .datasetArn(myDataSetARN)
            .build();

        forecast.deleteDataset(deleteRequest);
        System.out.println("The Data Set was deleted");

    } catch (ForecastException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [DeleteForecast](#) in *AWS SDK for Java 2.x API Reference*.

DescribeForecast

The following code example shows how to use `DescribeForecast`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.forecast.ForecastClient;
import software.amazon.awssdk.services.forecast.model.DescribeForecastRequest;
import software.amazon.awssdk.services.forecast.model.DescribeForecastResponse;
import software.amazon.awssdk.services.forecast.model.ForecastException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DescribeForecast {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <forecastarn>\s

            Where:
            forecastarn - The arn of the forecast (for example,
            "arn:aws:forecast:us-west-2:xxxxx322:forecast/my_forecast")
            """;
        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String forecastarn = args[0];
        Region region = Region.US_WEST_2;
        ForecastClient forecast = ForecastClient.builder()
            .region(region)
            .build();

        describe(forecast, forecastarn);
        forecast.close();
    }

    public static void describe(ForecastClient forecast, String forecastarn) {
        try {
```

```
        DescribeForecastRequest request = DescribeForecastRequest.builder()
            .forecastArn(forecastarn)
            .build();

        DescribeForecastResponse response = forecast.describeForecast(request);
        System.out.println("The name of the forecast is " +
response.forecastName());

    } catch (ForecastException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [DescribeForecast](#) in *AWS SDK for Java 2.x API Reference*.

ListDatasetGroups

The following code example shows how to use `ListDatasetGroups`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.forecast.ForecastClient;
import software.amazon.awssdk.services.forecast.model.DatasetGroupSummary;
import software.amazon.awssdk.services.forecast.model.ListDatasetGroupsRequest;
import software.amazon.awssdk.services.forecast.model.ListDatasetGroupsResponse;
import software.amazon.awssdk.services.forecast.model.ForecastException;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
```

```
*  
* For more information, see the following documentation topic:  
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
public class ListDataSetGroups {  
    public static void main(String[] args) {  
        Region region = Region.US_WEST_2;  
        ForecastClient forecast = ForecastClient.builder()  
            .region(region)  
            .build();  
  
        listDataGroups(forecast);  
        forecast.close();  
    }  
  
    public static void listDataGroups(ForecastClient forecast) {  
        try {  
            ListDatasetGroupsRequest group = ListDatasetGroupsRequest.builder()  
                .maxResults(10)  
                .build();  
  
            ListDatasetGroupsResponse response = forecast.listDatasetGroups(group);  
            List<DatasetGroupSummary> groups = response.datasetGroups();  
            for (DatasetGroupSummary myGroup : groups) {  
                System.out.println("The Data Set name is " +  
myGroup.datasetGroupName());  
            }  
  
        } catch (ForecastException e) {  
            System.err.println(e.awsErrorDetails().errorMessage());  
            System.exit(1);  
        }  
    }  
}
```

- For API details, see [ListDatasetGroups](#) in *AWS SDK for Java 2.x API Reference*.

ListForecasts

The following code example shows how to use ListForecasts.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.forecast.ForecastClient;
import software.amazon.awssdk.services.forecast.model.ListForecastsResponse;
import software.amazon.awssdk.services.forecast.model.ListForecastsRequest;
import software.amazon.awssdk.services.forecast.model.ForecastSummary;
import software.amazon.awssdk.services.forecast.model.ForecastException;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ListForecasts {

    public static void main(String[] args) {
        Region region = Region.US_WEST_2;
        ForecastClient forecast = ForecastClient.builder()
            .region(region)
            .build();

        listAllForeCasts(forecast);
        forecast.close();
    }

    public static void listAllForeCasts(ForecastClient forecast) {
        try {
            ListForecastsRequest request = ListForecastsRequest.builder()
                .maxResults(10)
                .build();
        }
    }
}
```

```
        ListForecastsResponse response = forecast.listForecasts(request);
        List<ForecastSummary> forecasts = response.forecasts();
        for (ForecastSummary forecastSummary : forecasts) {
            System.out.println("The name of the forecast is " +
forecastSummary.forecastName());
        }

    } catch (ForecastException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [ListForecasts](#) in *AWS SDK for Java 2.x API Reference*.

AWS Glue examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with AWS Glue.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello AWS Glue

The following code examples show how to get started using AWS Glue.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
package com.example.glue;

import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.glue.GlueClient;
import software.amazon.awssdk.services.glue.model.ListJobsRequest;
import software.amazon.awssdk.services.glue.model.ListJobsResponse;
import java.util.List;

public class HelloGlue {
    public static void main(String[] args) {
        GlueClient glueClient = GlueClient.builder()
            .region(Region.US_EAST_1)
            .build();

        listJobs(glueClient);
    }

    public static void listJobs(GlueClient glueClient) {
        ListJobsRequest request = ListJobsRequest.builder()
            .maxResults(10)
            .build();
        ListJobsResponse response = glueClient.listJobs(request);
        List<String> jobList = response.jobNames();
        jobList.forEach(job -> {
            System.out.println("Job Name: " + job);
        });
    }
}
```

- For API details, see [ListJobs](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Basics](#)
- [Actions](#)

Basics

Learn the basics

The following code example shows how to:

- Create a crawler that crawls a public Amazon S3 bucket and generates a database of CSV-formatted metadata.
- List information about databases and tables in your AWS Glue Data Catalog.
- Create a job to extract CSV data from the S3 bucket, transform the data, and load JSON-formatted output into another S3 bucket.
- List information about job runs, view transformed data, and clean up resources.

For more information, see [Tutorial: Getting started with AWS Glue Studio](#).

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 * <p>  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 *  
 * To set up the resources, see this documentation topic:  
 *  
 * https://docs.aws.amazon.com/glue/latest/ug/tutorial-add-crawler.html  
 */
```

```
* This example performs the following tasks:  
*  
* 1. Create a database.  
* 2. Create a crawler.  
* 3. Get a crawler.  
* 4. Start a crawler.  
* 5. Get a database.  
* 6. Get tables.  
* 7. Create a job.  
* 8. Start a job run.  
* 9. List all jobs.  
* 10. Get job runs.  
* 11. Delete a job.  
* 12. Delete a database.  
* 13. Delete a crawler.  
*/  
  
public class GlueScenario {  
    public static final String DASHES = new String(new char[80]).replace("\0", "-");  
  
    public static void main(String[] args) throws InterruptedException {  
        final String usage = """  
  
            Usage:  
                <iام> <s3Path> <cron> <dbName> <crawlerName> <jobName>  
<scriptLocation> <locationUri> <bucketNameSc>\s  
  
            Where:  
                iam - The ARN of the IAM role that has AWS Glue and S3 permissions.  
\s  
                s3Path - The Amazon Simple Storage Service (Amazon S3) target that  
contains data (for example, s3://<bucket name>/read).  
                cron - A cron expression used to specify the schedule (i.e.,  
cron(15 12 * * ? *).  
                dbName - The database name.\s  
                crawlerName - The name of the crawler.\s  
                jobName - The name you assign to this job definition.  
                scriptLocation - The Amazon S3 path to a script that runs a job.  
                locationUri - The location of the database (you can find this file  
in resources folder).  
                bucketNameSc - The Amazon S3 bucket name used when creating a job  
""";  
  
        if (args.length != 9) {
```

```
        System.out.println(usage);
        return;
    }
    Scanner scanner = new Scanner(System.in);
    String iam = args[0];
    String s3Path = args[1];
    String cron = args[2];
    String dbName = args[3];
    String crawlerName = args[4];
    String jobName = args[5];
    String scriptLocation = args[6];
    String locationUri = args[7];
    String bucketNameSc = args[8];

    Region region = Region.US_EAST_1;
    GlueClient glueClient = GlueClient.builder()
        .region(region)
        .build();
    System.out.println(DASHES);
    System.out.println("Welcome to the AWS Glue scenario.");
    System.out.println(""""

        AWS Glue is a fully managed extract, transform, and load (ETL) service
provided by Amazon
        Web Services (AWS). It is designed to simplify the process of building,
running, and maintaining
        ETL pipelines, which are essential for data integration and data
warehousing tasks.

        One of the key features of AWS Glue is its ability to automatically
discover and catalog data
        stored in various sources, such as Amazon S3, Amazon RDS, Amazon
Redshift, and other databases.
        This cataloging process creates a central metadata repository, known as
the AWS Glue Data Catalog,
        which provides a unified view of an organization's data assets. This
metadata can then be used to
        create ETL jobs, which can be scheduled and run on-demand or on a
regular basis.

        Lets get started.

        """);
    waitForInputToContinue(scanner);
    System.out.println(DASHES);
```

```
System.out.println(DASHES);
System.out.println("1. Create a database.");
try {
    createDatabase(glueClient, dbName, locationUri);
} catch (GlueException e) {
    if (e.awsErrorDetails().errorMessage().equals("Database already
exists.")) {
        System.out.println("Database " + dbName + " already exists. Skipping
creation.");
    } else {
        System.err.println(e.awsErrorDetails().errorMessage());
        return;
    }
}

waitForInputToContinue(scanner);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("2. Create a crawler.");
try {
    createGlueCrawler(glueClient, iam, s3Path, cron, dbName, crawlerName);
} catch (GlueException e) {
    if (e.awsErrorDetails().errorMessage().contains("already exists")) {
        System.out.println("Crawler " + crawlerName + " already exists.
Skipping creation.");
    } else {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
waitForInputToContinue(scanner);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("3. Get a crawler.");
try {
    getSpecificCrawler(glueClient, crawlerName);
} catch (GlueException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    return;
}
waitForInputToContinue(scanner);
```

```
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("4. Start a crawler.");
try {
    startSpecificCrawler(glueClient, crawlerName);
} catch (GlueException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    return;
}
waitForInputToContinue(scanner);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("5. Get a database.");
try {
    getSpecificDatabase(glueClient, dbName);
} catch (GlueException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    return;
}
waitForInputToContinue(scanner);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("**** Wait 5 min for the tables to become available");
TimeUnit.MINUTES.sleep(5);
System.out.println("6. Get tables.");
String myTableName;
try {
    myTableName = getGlueTables(glueClient, dbName);
} catch (GlueException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    return;
}
waitForInputToContinue(scanner);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("7. Create a job.");
try {
    createJob(glueClient, jobName, iam, scriptLocation);
} catch (GlueException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
```

```
        return;
    }
    waitForInputToContinue(scanner);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("8. Start a Job run.");
    try {
        startJob(glueClient, jobName, dbName, myTableName, bucketNameSc);
    } catch (GlueException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        return;
    }
    waitForInputToContinue(scanner);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("9. List all jobs.");
    try {
        getAllJobs(glueClient);
    } catch (GlueException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        return;
    }
    waitForInputToContinue(scanner);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("10. Get job runs.");
    try {
        getJobRuns(glueClient, jobName);
    } catch (GlueException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        return;
    }
    waitForInputToContinue(scanner);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("11. Delete a job.");
    try {
        deleteJob(glueClient, jobName);
    } catch (GlueException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
```

```
        return;
    }
    System.out.println("*** Wait 5 MIN for the " + crawlerName + " to stop");
    TimeUnit.MINUTES.sleep(5);
    waitForInputToContinue(scanner);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("12. Delete a database.");
    try {
        deleteDatabase(glueClient, dbName);
    } catch (GlueException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        return;
    }
    waitForInputToContinue(scanner);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("Delete a crawler.");
    try {
        deleteSpecificCrawler(glueClient, crawlerName);
    } catch (GlueException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        return;
    }
    waitForInputToContinue(scanner);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("Successfully completed the AWS Glue Scenario");
    System.out.println(DASHES);
}

/**
 * Creates a Glue database with the specified name and location URI.
 *
 * @param glueClient The Glue client to use for the database creation.
 * @param dbName      The name of the database to create.
 * @param locationUri The location URI for the database.
 */
public static void createDatabase(GlueClient glueClient, String dbName, String
locationUri) {
```

```
try {
    DatabaseInput input = DatabaseInput.builder()
        .description("Built with the AWS SDK for Java V2")
        .name(dbName)
        .locationUri(locationUri)
        .build();

    CreateDatabaseRequest request = CreateDatabaseRequest.builder()
        .databaseInput(input)
        .build();

    glueClient.createDatabase(request);
    System.out.println(dbName + " was successfully created");

} catch (GlueException e) {
    throw e;
}
}

/**
 * Creates a new AWS Glue crawler using the AWS Glue Java API.
 *
 * @param glueClient the AWS Glue client used to interact with the AWS Glue
 * service
 * @param iam the IAM role that the crawler will use to access the data
 * source
 * @param s3Path the S3 path that the crawler will scan for data
 * @param cron the cron expression that defines the crawler's schedule
 * @param dbName the name of the AWS Glue database where the crawler will
 * store the metadata
 * @param crawlerName the name of the crawler to be created
 */
public static void createGlueCrawler(GlueClient glueClient,
                                      String iam,
                                      String s3Path,
                                      String cron,
                                      String dbName,
                                      String crawlerName) {

    try {
        S3Target s3Target = S3Target.builder()
            .path(s3Path)
            .build();
    }
}
```

```
        List<S3Target> targetList = new ArrayList<>();
        targetList.add(s3Target);
        CrawlerTargets targets = CrawlerTargets.builder()
            .s3Targets(targetList)
            .build();

        CreateCrawlerRequest crawlerRequest = CreateCrawlerRequest.builder()
            .databaseName(dbName)
            .name(crawlerName)
            .description("Created by the AWS Glue Java API")
            .targets(targets)
            .role(iam)
            .schedule(cron)
            .build();

        glueClient.createCrawler(crawlerRequest);
        System.out.println(crawlerName + " was successfully created");

    } catch (GlueException e) {
        throw e;
    }
}

/**
 * Retrieves a specific crawler from the AWS Glue service and waits for it to be
 * in the "READY" state.
 *
 * @param glueClient the AWS Glue client used to interact with the Glue service
 * @param crawlerName the name of the crawler to be retrieved
 */
public static void getSpecificCrawler(GlueClient glueClient, String crawlerName)
throws InterruptedException {
    try {
        GetCrawlerRequest crawlerRequest = GetCrawlerRequest.builder()
            .name(crawlerName)
            .build();

        boolean ready = false;
        while (!ready) {
            GetCrawlerResponse response = glueClient.getcrawler(crawlerRequest);
            String status = response.crawler().stateAsString();
            if (status.compareTo("READY") == 0) {
                ready = true;
            }
        }
    }
}
```

```
        }
        Thread.sleep(3000);
    }

    System.out.println("The crawler is now ready");

} catch (GlueException | InterruptedException e) {
    throw e;
}
}

/**
 * Starts a specific AWS Glue crawler.
 *
 * @param glueClient the AWS Glue client to use for the crawler operation
 * @param crawlerName the name of the crawler to start
 * @throws GlueException if there is an error starting the crawler
 */
public static void startSpecificCrawler(GlueClient glueClient, String
crawlerName) {
    try {
        StartCrawlerRequest crawlerRequest = StartCrawlerRequest.builder()
            .name(crawlerName)
            .build();

        glueClient.startCrawler(crawlerRequest);
        System.out.println(crawlerName + " was successfully started!");

    } catch (GlueException e) {
        throw e;
    }
}

/**
 * Retrieves the specific database from the AWS Glue service.
 *
 * @param glueClient an instance of the AWS Glue client used to interact with
the service
 * @param databaseName the name of the database to retrieve
 * @throws GlueException if there is an error retrieving the database from the
AWS Glue service
 */
public static void getSpecificDatabase(GlueClient glueClient, String
databaseName) {
```

```
try {
    GetDatabaseRequest databasesRequest = GetDatabaseRequest.builder()
        .name(databaseName)
        .build();

    GetDatabaseResponse response = glueClient.getDatabase(databasesRequest);
    Instant createDate = response.database().createTime();

    // Convert the Instant to readable date.
    DateTimeFormatter formatter =
    DateTimeFormatter.ofLocalizedDateTime(FormatStyle.SHORT)
        .withLocale(Locale.US)
        .withZone(ZoneId.systemDefault());

    formatter.format(createDate);
    System.out.println("The create date of the database is " + createDate);

} catch (GlueException e) {
    throw e;
}
}

/**
 * Retrieves the names of the tables in the specified Glue database.
 *
 * @param glueClient the Glue client to use for the operation
 * @param dbName      the name of the Glue database to retrieve the table names
 * from
 * @return the name of the first table retrieved, or an empty string if no
 * tables were found
 */
public static String getGlueTables(GlueClient glueClient, String dbName) {
    String myTableName = "";
    try {
        GetTablesRequest tableRequest = GetTablesRequest.builder()
            .databaseName(dbName)
            .build();

        GetTablesResponse response = glueClient.getTables(tableRequest);
        List<Table> tables = response.tableList();
        if (tables.isEmpty()) {
            System.out.println("No tables were returned");
        } else {
```

```
        for (Table table : tables) {
            myTableName = table.name();
            System.out.println("Table name is: " + myTableName);
        }
    }

} catch (GlueException e) {
    throw e;
}
return myTableName;
}

/***
 * Starts a job run in AWS Glue.
 *
 * @param glueClient the AWS Glue client to use for the job run
 * @param jobName the name of the Glue job to run
 * @param inputDatabase the name of the input database
 * @param inputTable the name of the input table
 * @param outBucket the URL of the output S3 bucket
 * @throws GlueException if there is an error starting the job run
 */
public static void startJob(GlueClient glueClient, String jobName, String
inputDatabase, String inputTable,
                           String outBucket) {
    try {
        Map<String, String> myMap = new HashMap<>();
        myMap.put("--input_database", inputDatabase);
        myMap.put("--input_table", inputTable);
        myMap.put("--output_bucket_url", outBucket);

        StartJobRunRequest runRequest = StartJobRunRequest.builder()
            .workerType(WorkerType.G_1_X)
            .numberOfWorkers(10)
            .arguments(myMap)
            .jobName(jobName)
            .build();

        StartJobRunResponse response = glueClient.startJobRun(runRequest);
        System.out.println("The request Id of the job is " +
response.responseMetadata().requestId());

    } catch (GlueException e) {
```

```
        throw e;
    }
}

/**
 * Creates a new AWS Glue job.
 *
 * @param glueClient      the AWS Glue client to use for the operation
 * @param jobName         the name of the job to create
 * @param iam             the IAM role to associate with the job
 * @param scriptLocation the location of the script to be used by the job
 * @throws GlueException if there is an error creating the job
 */
public static void createJob(GlueClient glueClient, String jobName, String iam,
String scriptLocation) {
    try {
        JobCommand command = JobCommand.builder()
            .pythonVersion("3")
            .name("glueetl")
            .scriptLocation(scriptLocation)
            .build();

        CreateJobRequest jobRequest = CreateJobRequest.builder()
            .description("A Job created by using the AWS SDK for Java V2")
            .glueVersion("2.0")
            .workerType(WorkerType.G_1_X)
            .numberOfWorkers(10)
            .name(jobName)
            .role(iam)
            .command(command)
            .build();

        glueClient.createJob(jobRequest);
        System.out.println(jobName + " was successfully created.");
    } catch (GlueException e) {
        throw e;
    }
}

/**
 * Retrieves and prints information about all the jobs in the Glue data catalog.

```

```
* @param glueClient the Glue client used to interact with the AWS Glue service */
public static void getAllJobs(GlueClient glueClient) {
    try {
        GetJobsRequest jobsRequest = GetJobsRequest.builder()
            .maxResults(10)
            .build();

        GetJobsResponse jobsResponse = glueClient.getJobs(jobsRequest);
        List<Job> jobs = jobsResponse.jobs();
        for (Job job : jobs) {
            System.out.println("Job name is : " + job.name());
            System.out.println("The job worker type is : " +
job.workerType().name());
        }
    } catch (GlueException e) {
        throw e;
    }
}

/**
 * Retrieves the job runs for a given Glue job and prints the status of the job
runs.
 *
 * @param glueClient the Glue client used to make API calls
 * @param jobName    the name of the Glue job to retrieve the job runs for
 */
public static void getJobRuns(GlueClient glueClient, String jobName) {
    try {
        GetJobRunsRequest runsRequest = GetJobRunsRequest.builder()
            .jobName(jobName)
            .maxResults(20)
            .build();

        boolean jobDone = false;
        while (!jobDone) {
            GetJobRunsResponse response = glueClient.getJobRuns(runsRequest);
            List<JobRun> jobRuns = response.jobRuns();
            for (JobRun jobRun : jobRuns) {
                String jobState = jobRun.jobRunState().name();
                if (jobState.compareTo("SUCCEEDED") == 0) {
                    System.out.println(jobName + " has succeeded");
                }
            }
        }
    }
}
```

```
        jobDone = true;

    } else if (jobState.compareTo("STOPPED") == 0) {
        System.out.println("Job run has stopped");
        jobDone = true;

    } else if (jobState.compareTo("FAILED") == 0) {
        System.out.println("Job run has failed");
        jobDone = true;

    } else if (jobState.compareTo("TIMEOUT") == 0) {
        System.out.println("Job run has timed out");
        jobDone = true;

    } else {
        System.out.println("*** Job run state is " +
jobRun.jobRunState().name());
        System.out.println("Job run Id is " + jobRun.id());
        System.out.println("The Glue version is " +
jobRun.glueVersion());
    }
}

    }

} catch (GlueException e) {
    throw e;
} catch (InterruptedException e) {
    throw new RuntimeException(e);
}
}

/***
 * Deletes a Glue job.
 *
 * @param glueClient the Glue client to use for the operation
 * @param jobName    the name of the job to be deleted
 * @throws GlueException if there is an error deleting the job
 */
public static void deleteJob(GlueClient glueClient, String jobName) {
    try {
        DeleteJobRequest jobRequest = DeleteJobRequest.builder()
            .jobName(jobName)
```

```
        .build();

        glueClient.deleteJob(jobRequest);
        System.out.println(jobName + " was successfully deleted");

    } catch (GlueException e) {
        throw e;
    }
}

/***
 * Deletes a AWS Glue Database.
 *
 * @param glueClient An instance of the AWS Glue client used to interact with
the AWS Glue service.
 * @param databaseName The name of the database to be deleted.
 * @throws GlueException If an error occurs while deleting the database.
 */
public static void deleteDatabase(GlueClient glueClient, String databaseName) {
    try {
        DeleteDatabaseRequest request = DeleteDatabaseRequest.builder()
            .name(databaseName)
            .build();

        glueClient.deleteDatabase(request);
        System.out.println(databaseName + " was successfully deleted");

    } catch (GlueException e) {
        throw e;
    }
}

/***
 * Deletes a specific AWS Glue crawler.
 *
 * @param glueClient the AWS Glue client object
 * @param crawlerName the name of the crawler to be deleted
 * @throws GlueException if an error occurs during the deletion process
 */
public static void deleteSpecificCrawler(GlueClient glueClient, String
crawlerName) {
    try {
```

```
        DeleteCrawlerRequest deleteCrawlerRequest =
DeleteCrawlerRequest.builder()
    .name(crawlerName)
    .build();

    glueClient.deleteCrawler(deleteCrawlerRequest);
    System.out.println(crawlerName + " was deleted");

} catch (GlueException e) {
    throw e;
}
}

private static void waitForInputToContinue(Scanner scanner) {
    while (true) {
        System.out.println("");
        System.out.println("Enter 'c' followed by <ENTER> to continue:");
        String input = scanner.nextLine();

        if (input.trim().equalsIgnoreCase("c")) {
            System.out.println("Continuing with the program...");
            System.out.println("");
            break;
        } else {
            // Handle invalid input.
            System.out.println("Invalid input. Please try again.");
        }
    }
}
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.
 - [CreateCrawler](#)
 - [CreateJob](#)
 - [DeleteCrawler](#)
 - [DeleteDatabase](#)
 - [DeleteJob](#)
 - [DeleteTable](#)
 - [GetCrawler](#)

- [GetDatabase](#)
- [GetDatabases](#)
- [GetJob](#)
- [GetJobRun](#)
- [GetJobRuns](#)
- [GetTables](#)
- [ListJobs](#)
- [StartCrawler](#)
- [StartJobRun](#)

Actions

CreateCrawler

The following code example shows how to use CreateCrawler.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Creates a new AWS Glue crawler using the AWS Glue Java API.  
 *  
 * @param glueClient the AWS Glue client used to interact with the AWS Glue  
 * service  
 * @param iam          the IAM role that the crawler will use to access the data  
 * source  
 * @param s3Path       the S3 path that the crawler will scan for data  
 * @param cron         the cron expression that defines the crawler's schedule  
 * @param dbName       the name of the AWS Glue database where the crawler will  
 * store the metadata  
 * @param crawlerName the name of the crawler to be created
```

```
/*
public static void createGlueCrawler(GlueClient glueClient,
                                      String iam,
                                      String s3Path,
                                      String cron,
                                      String dbName,
                                      String crawlerName) {

    try {
        S3Target s3Target = S3Target.builder()
            .path(s3Path)
            .build();

        List<S3Target> targetList = new ArrayList<>();
        targetList.add(s3Target);
        CrawlerTargets targets = CrawlerTargets.builder()
            .s3Targets(targetList)
            .build();

        CreateCrawlerRequest crawlerRequest = CreateCrawlerRequest.builder()
            .databaseName(dbName)
            .name(crawlerName)
            .description("Created by the AWS Glue Java API")
            .targets(targets)
            .role(iam)
            .schedule(cron)
            .build();

        glueClient.createCrawler(crawlerRequest);
        System.out.println(crawlerName + " was successfully created");

    } catch (GlueException e) {
        throw e;
    }
}
```

- For API details, see [CreateCrawler](#) in *AWS SDK for Java 2.x API Reference*.

CreateJob

The following code example shows how to use CreateJob.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Creates a new AWS Glue job.  
 *  
 * @param glueClient      the AWS Glue client to use for the operation  
 * @param jobName         the name of the job to create  
 * @param iam             the IAM role to associate with the job  
 * @param scriptLocation  the location of the script to be used by the job  
 * @throws GlueException if there is an error creating the job  
 */  
public static void createJob(GlueClient glueClient, String jobName, String iam,  
String scriptLocation) {  
    try {  
        JobCommand command = JobCommand.builder()  
            .pythonVersion("3")  
            .name("glueetl")  
            .scriptLocation(scriptLocation)  
            .build();  
  
        CreateJobRequest jobRequest = CreateJobRequest.builder()  
            .description("A Job created by using the AWS SDK for Java V2")  
            .glueVersion("2.0")  
            .workerType(WorkerType.G_1_X)  
            .numberOfWorkers(10)  
            .name(jobName)  
            .role(iam)  
            .command(command)  
            .build();  
  
        glueClient.createJob(jobRequest);  
        System.out.println(jobName + " was successfully created.");  
  
    } catch (GlueException e) {  
        throw e;  
    }  
}
```

```
    }  
}
```

- For API details, see [CreateJob](#) in *AWS SDK for Java 2.x API Reference*.

DeleteCrawler

The following code example shows how to use DeleteCrawler.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Deletes a specific AWS Glue crawler.  
 *  
 * @param glueClient the AWS Glue client object  
 * @param crawlerName the name of the crawler to be deleted  
 * @throws GlueException if an error occurs during the deletion process  
 */  
public static void deleteSpecificCrawler(GlueClient glueClient, String  
crawlerName) {  
    try {  
        DeleteCrawlerRequest deleteCrawlerRequest =  
DeleteCrawlerRequest.builder()  
            .name(crawlerName)  
            .build();  
  
        glueClient.deleteCrawler(deleteCrawlerRequest);  
        System.out.println(crawlerName + " was deleted");  
  
    } catch (GlueException e) {  
        throw e;  
    }  
}
```

- For API details, see [DeleteCrawler](#) in *AWS SDK for Java 2.x API Reference*.

DeleteDatabase

The following code example shows how to use DeleteDatabase.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Deletes a AWS Glue Database.  
 *  
 * @param glueClient An instance of the AWS Glue client used to interact with  
 * the AWS Glue service.  
 * @param databaseName The name of the database to be deleted.  
 * @throws GlueException If an error occurs while deleting the database.  
 */  
public static void deleteDatabase(GlueClient glueClient, String databaseName) {  
    try {  
        DeleteDatabaseRequest request = DeleteDatabaseRequest.builder()  
            .name(databaseName)  
            .build();  
  
        glueClient.deleteDatabase(request);  
        System.out.println(databaseName + " was successfully deleted");  
  
    } catch (GlueException e) {  
        throw e;  
    }  
}
```

- For API details, see [DeleteDatabase](#) in *AWS SDK for Java 2.x API Reference*.

DeleteJob

The following code example shows how to use DeleteJob.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Deletes a Glue job.  
 *  
 * @param glueClient the Glue client to use for the operation  
 * @param jobName    the name of the job to be deleted  
 * @throws GlueException if there is an error deleting the job  
 */  
public static void deleteJob(GlueClient glueClient, String jobName) {  
    try {  
        DeleteJobRequest jobRequest = DeleteJobRequest.builder()  
            .jobName(jobName)  
            .build();  
  
        glueClient.deleteJob(jobRequest);  
        System.out.println(jobName + " was successfully deleted");  
  
    } catch (GlueException e) {  
        throw e;  
    }  
}
```

- For API details, see [DeleteJob](#) in *AWS SDK for Java 2.x API Reference*.

GetCrawler

The following code example shows how to use GetCrawler.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Retrieves a specific crawler from the AWS Glue service and waits for it to be  
 * in the "READY" state.  
 *  
 * @param glueClient the AWS Glue client used to interact with the Glue service  
 * @param crawlerName the name of the crawler to be retrieved  
 */  
public static void getSpecificCrawler(GlueClient glueClient, String crawlerName)  
throws InterruptedException {  
    try {  
        GetCrawlerRequest crawlerRequest = GetCrawlerRequest.builder()  
            .name(crawlerName)  
            .build();  
  
        boolean ready = false;  
        while (!ready) {  
            GetCrawlerResponse response = glueClient.getcrawler(crawlerRequest);  
            String status = response.crawler().stateAsString();  
            if (status.compareTo("READY") == 0) {  
                ready = true;  
            }  
            Thread.sleep(3000);  
        }  
  
        System.out.println("The crawler is now ready");  
  
    } catch (GlueException | InterruptedException e) {  
        throw e;  
    }  
}
```

- For API details, see [GetCrawler](#) in *AWS SDK for Java 2.x API Reference*.

GetDatabase

The following code example shows how to use GetDatabase.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Retrieves the specific database from the AWS Glue service.  
 *  
 * @param glueClient an instance of the AWS Glue client used to interact with  
 * the service  
 * @param databaseName the name of the database to retrieve  
 * @throws GlueException if there is an error retrieving the database from the  
 * AWS Glue service  
 */  
public static void getSpecificDatabase(GlueClient glueClient, String  
databaseName) {  
    try {  
        GetDatabaseRequest databasesRequest = GetDatabaseRequest.builder()  
            .name(databaseName)  
            .build();  
  
        GetDatabaseResponse response = glueClient.getDatabase(databasesRequest);  
        Instant createDate = response.database().createTime();  
  
        // Convert the Instant to readable date.  
        DateTimeFormatter formatter =  
            DateTimeFormatter.ofLocalizedDateTime(FormatStyle.SHORT)  
                .withLocale(Locale.US)  
                .withZone(ZoneId.systemDefault());  
  
        formatter.format(createDate);  
        System.out.println("The create date of the database is " + createDate);  
  
    } catch (GlueException e) {  
        throw e;  
    }  
}
```

```
}
```

- For API details, see [GetDatabase](#) in *AWS SDK for Java 2.x API Reference*.

GetJobRuns

The following code example shows how to use GetJobRuns.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Retrieves the job runs for a given Glue job and prints the status of the job  
 * runs.  
 *  
 * @param glueClient the Glue client used to make API calls  
 * @param jobName    the name of the Glue job to retrieve the job runs for  
 */  
public static void getJobRuns(GlueClient glueClient, String jobName) {  
    try {  
        GetJobRunsRequest runsRequest = GetJobRunsRequest.builder()  
            .jobName(jobName)  
            .maxResults(20)  
            .build();  
  
        boolean jobDone = false;  
        while (!jobDone) {  
            GetJobRunsResponse response = glueClient.getJobRuns(runsRequest);  
            List<JobRun> jobRuns = response.jobRuns();  
            for (JobRun jobRun : jobRuns) {  
                String jobState = jobRun.jobRunState().name();  
                if (jobState.compareTo("SUCCEEDED") == 0) {  
                    System.out.println(jobName + " has succeeded");  
                    jobDone = true;  
                } else if (jobState.compareTo("STOPPED") == 0) {  
                    System.out.println(jobName + " has stopped");  
                    jobDone = true;  
                }  
            }  
        }  
    } catch (AmazonServiceException e) {  
        System.out.println(e.getMessage());  
    }  
}
```

```
        System.out.println("Job run has stopped");
        jobDone = true;

    } else if (jobState.compareTo("FAILED") == 0) {
        System.out.println("Job run has failed");
        jobDone = true;

    } else if (jobState.compareTo("TIMEOUT") == 0) {
        System.out.println("Job run has timed out");
        jobDone = true;

    } else {
        System.out.println("*** Job run state is " +
jobRun.jobRunState().name());
        System.out.println("Job run Id is " + jobRun.id());
        System.out.println("The Glue version is " +
jobRun.glueVersion());
    }
    TimeUnit.SECONDS.sleep(5);
}
}

} catch (GlueException e) {
    throw e;
} catch (InterruptedException e) {
    throw new RuntimeException(e);
}
}
```

- For API details, see [GetJobRuns](#) in *AWS SDK for Java 2.x API Reference*.

GetTables

The following code example shows how to use GetTables.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Retrieves the names of the tables in the specified Glue database.  
 *  
 * @param glueClient the Glue client to use for the operation  
 * @param dbName      the name of the Glue database to retrieve the table names  
 * from  
 * @return the name of the first table retrieved, or an empty string if no  
 * tables were found  
 */  
public static String getGlueTables(GlueClient glueClient, String dbName) {  
    String myTableName = "";  
    try {  
        GetTablesRequest tableRequest = GetTablesRequest.builder()  
            .databaseName(dbName)  
            .build();  
  
        GetTablesResponse response = glueClient.getTables(tableRequest);  
        List<Table> tables = response.tableList();  
        if (tables.isEmpty()) {  
            System.out.println("No tables were returned");  
        } else {  
            for (Table table : tables) {  
                myTableName = table.name();  
                System.out.println("Table name is: " + myTableName);  
            }  
        }  
    } catch (GlueException e) {  
        throw e;  
    }  
    return myTableName;  
}
```

- For API details, see [GetTables](#) in *AWS SDK for Java 2.x API Reference*.

StartCrawler

The following code example shows how to use StartCrawler.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Starts a specific AWS Glue crawler.  
 *  
 * @param glueClient the AWS Glue client to use for the crawler operation  
 * @param crawlerName the name of the crawler to start  
 * @throws GlueException if there is an error starting the crawler  
 */  
public static void startSpecificCrawler(GlueClient glueClient, String  
crawlerName) {  
    try {  
        StartCrawlerRequest crawlerRequest = StartCrawlerRequest.builder()  
            .name(crawlerName)  
            .build();  
  
        glueClient.startCrawler(crawlerRequest);  
        System.out.println(crawlerName + " was successfully started!");  
  
    } catch (GlueException e) {  
        throw e;  
    }  
}
```

- For API details, see [StartCrawler](#) in *AWS SDK for Java 2.x API Reference*.

StartJobRun

The following code example shows how to use StartJobRun.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Starts a job run in AWS Glue.  
 *  
 * @param glueClient the AWS Glue client to use for the job run  
 * @param jobName the name of the Glue job to run  
 * @param inputDatabase the name of the input database  
 * @param inputTable the name of the input table  
 * @param outBucket the URL of the output S3 bucket  
 * @throws GlueException if there is an error starting the job run  
 */  
public static void startJob(GlueClient glueClient, String jobName, String  
inputDatabase, String inputTable,  
                           String outBucket) {  
    try {  
        Map<String, String> myMap = new HashMap<>();  
        myMap.put("--input_database", inputDatabase);  
        myMap.put("--input_table", inputTable);  
        myMap.put("--output_bucket_url", outBucket);  
  
        StartJobRunRequest runRequest = StartJobRunRequest.builder()  
            .workerType(WorkerType.G_1_X)  
            .numberOfWorkers(10)  
            .arguments(myMap)  
            .jobName(jobName)  
            .build();  
  
        StartJobRunResponse response = glueClient.startJobRun(runRequest);  
        System.out.println("The request Id of the job is " +  
            response.responseMetadata().requestId());  
  
    } catch (GlueException e) {  
        throw e;  
    }  
}
```

```
}
```

- For API details, see [StartJobRun](#) in *AWS SDK for Java 2.x API Reference*.

HealthImaging examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with HealthImaging.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)
- [Scenarios](#)

Actions

CopyImageSet

The following code example shows how to use CopyImageSet.

SDK for Java 2.x

```
/**  
 * Copy an AWS HealthImaging image set.  
 *  
 * @param medicalImagingClient - The AWS HealthImaging client object.  
 * @param datastoreId - The datastore ID.  
 * @param imageSetId - The image set ID.  
 * @param latestVersionId - The version ID.
```

```
* @param destinationImageSetId - The optional destination image set ID, ignored if null.
* @param destinationVersionId - The optional destination version ID, ignored if null.
* @param force                  - The force flag.
* @param subsets                - The optional subsets to copy, ignored if null.
* @return                      - The image set ID of the copy.
* @throws MedicalImagingException - Base exception for all service exceptions thrown by AWS HealthImaging.
*/
public static String copyMedicalImageSet(MedicalImagingClient medicalImagingClient,
                                         String datastoreId,
                                         String imageSetId,
                                         String latestVersionId,
                                         String destinationImageSetId,
                                         String destinationVersionId,
                                         boolean force,
                                         Vector<String> subsets) {

    try {
        CopySourceImageSetInformation.Builder copySourceImageSetInformation =
CopySourceImageSetInformation.builder()
            .latestVersionId(latestVersionId);

        // Optionally copy a subset of image instances.
        if (subsets != null) {
            String subsetInstanceToCopy = getCopiableAttributesJSON(imageSetId,
subsets);
            copySourceImageSetInformation.dicomCopies(MetadataCopies.builder()
                .copiableAttributes(subsetInstanceToCopy)
                .build());
        }

        CopyImageSetInformation.Builder copyImageSetBuilder =
CopyImageSetInformation.builder()
            .sourceImageSet(copySourceImageSetInformation.build());

        // Optionally designate a destination image set.
        if (destinationImageSetId != null) {
            copyImageSetBuilder =
copyImageSetBuilder.destinationImageSet(CopyDestinationImageSet.builder()
                .imageSetId(destinationImageSetId)
                .latestVersionId(destinationVersionId)
```

```
        .build());
    }

    CopyImageSetRequest copyImageSetRequest = CopyImageSetRequest.builder()
        .datastoreId(datastoreId)
        .sourceImageSetId(imageSetId)
        .copyImageSetInformation(copyImageSetBuilder.build())
        .force(force)
        .build();

    CopyImageSetResponse response =
medicalImagingClient.copyImageSet(copyImageSetRequest);

    return response.destinationImageSetProperties().imageSetId();
} catch (MedicalImagingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    throw e;
}
}
```

Utility function to create copiable attributes.

```
/**
 * Create a JSON string of copiable image instances.
 *
 * @param imageSetId - The image set ID.
 * @param subsets    - The subsets to copy.
 * @return A JSON string of copiable image instances.
 */
private static String getCopiableAttributesJSON(String imageSetId,
Vector<String> subsets) {
    StringBuilder subsetInstanceToCopy = new StringBuilder(
        """
    {
        "SchemaVersion": 1.1,
        "Study": {
            "Series": {
                "
                """
    );
}
```

```
subsetInstanceToCopy.append(imageSetId);

subsetInstanceToCopy.append(
    """
        ": {
        "Instances": [
            """
        );
    }

for (String subset : subsets) {
    subsetInstanceToCopy.append('' + subset + "\": {},");
}
subsetInstanceToCopy.deleteCharAt(subsetInstanceToCopy.length() - 1);
subsetInstanceToCopy.append("""
    }
    """
)
}
"""
);
return subsetInstanceToCopy.toString();
}
```

- For API details, see [CopyImageSet](#) in *AWS SDK for Java 2.x API Reference*.

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

CreateDatastore

The following code example shows how to use CreateDatastore.

SDK for Java 2.x

```
public static String createMedicalImageDatastore(MedicalImagingClient
medicalImagingClient,
        String datastoreName) {
    try {
```

```
        CreateDatastoreRequest datastoreRequest =
CreateDatastoreRequest.builder()
    .datastoreName(datastoreName)
    .build();

        CreateDatastoreResponse response =
medicalImagingClient.createDatastore(datastoreRequest);
    return response.datastoreId();
} catch (MedicalImagingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}

return "";
}
```

- For API details, see [CreateDatastore](#) in *AWS SDK for Java 2.x API Reference*.

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

DeleteDatastore

The following code example shows how to use DeleteDatastore.

SDK for Java 2.x

```
public static void deleteMedicalImagingDatastore(MedicalImagingClient
medicalImagingClient,
    String datastoreID) {
try {
    DeleteDatastoreRequest datastoreRequest =
DeleteDatastoreRequest.builder()
    .datastoreId(datastoreId)
    .build();
    medicalImagingClient.deleteDatastore(datastoreRequest);
} catch (MedicalImagingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
```

```
    }  
}
```

- For API details, see [DeleteDatastore](#) in *AWS SDK for Java 2.x API Reference*.

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

DeleteImageSet

The following code example shows how to use DeleteImageSet.

SDK for Java 2.x

```
public static void deleteMedicalImageSet(MedicalImagingClient  
medicalImagingClient,  
    String datastoreId,  
    String imagesetId) {  
    try {  
        DeleteImageSetRequest deleteImageSetRequest =  
DeleteImageSetRequest.builder()  
            .datastoreId(datastoreId)  
            .imageSetId(imagesetId)  
            .build();  
  
        medicalImagingClient.deleteImageSet(deleteImageSetRequest);  
  
        System.out.println("The image set was deleted.");  
    } catch (MedicalImagingException e) {  
        System.err.println(e.awsErrorDetails().errorMessage());  
        System.exit(1);  
    }  
}
```

- For API details, see [DeleteImageSet](#) in *AWS SDK for Java 2.x API Reference*.

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

GetDICOMImportJob

The following code example shows how to use GetDICOMImportJob.

SDK for Java 2.x

```
public static DICOMImportJobProperties getDicomImportJob(MedicalImagingClient  
medicalImagingClient,  
    String datastoreId,  
    String jobId) {  
  
    try {  
        GetDicomImportJobRequest getDicomImportJobRequest =  
GetDicomImportJobRequest.builder()  
            .datastoreId(datastoreId)  
            .jobId(jobId)  
            .build();  
        GetDicomImportJobResponse response =  
medicalImagingClient.getDICOMImportJob(getDicomImportJobRequest);  
        return response.jobProperties();  
    } catch (MedicalImagingException e) {  
        System.err.println(e.awsErrorDetails().errorMessage());  
        System.exit(1);  
    }  
  
    return null;  
}
```

- For API details, see [GetDICOMImportJob](#) in *AWS SDK for Java 2.x API Reference*.

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

GetDatastore

The following code example shows how to use `GetDatastore`.

SDK for Java 2.x

```
public static DatastoreProperties getMedicalImageDatastore(MedicalImagingClient  
medicalImagingClient,  
    String datastoreID) {  
    try {  
        GetDatastoreRequest datastoreRequest = GetDatastoreRequest.builder()  
            .datastoreId(datastoreId)  
            .build();  
        GetDatastoreResponse response =  
medicalImagingClient.getDatastore(datastoreRequest);  
        return response.datastoreProperties();  
    } catch (MedicalImagingException e) {  
        System.err.println(e.awsErrorDetails().errorMessage());  
        System.exit(1);  
    }  
  
    return null;  
}
```

- For API details, see [GetDatastore](#) in *AWS SDK for Java 2.x API Reference*.

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

GetImageFrame

The following code example shows how to use `GetImageFrame`.

SDK for Java 2.x

```
public static void getMedicalImageSetFrame(MedicalImagingClient  
medicalImagingClient,  
    String destinationPath,
```

```
        String datastoreId,  
        String imagesetId,  
        String imageFrameId) {  
  
    try {  
        GetImageFrameRequest getImageSetMetadataRequest =  
GetImageFrameRequest.builder()  
            .datastoreId(datastoreId)  
            .imageSetId(imagesetId)  
  
.imageFrameInformation(ImageFrameInformation.builder()  
            .imageFrameId(imageFrameId)  
            .build())  
            .build();  
  
medicalImagingClient.getImageFrame(getImageSetMetadataRequest,  
  
FileSystems.getDefault().getPath(destinationPath));  
  
        System.out.println("Image frame downloaded to " +  
destinationPath);  
    } catch (MedicalImagingException e) {  
        System.err.println(e.awsErrorDetails().errorMessage());  
        System.exit(1);  
    }  
}
```

- For API details, see [GetImageFrame](#) in *AWS SDK for Java 2.x API Reference*.

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

GetImageSet

The following code example shows how to use GetImageSet.

SDK for Java 2.x

```
public static GetImageSetResponse getMedicalImageSet(MedicalImagingClient  
medicalImagingClient,  
        String datastoreId,  
        String imagesetId,  
        String versionId) {  
    try {  
        GetImageSetRequest.Builder getImageSetRequestBuilder =  
GetImageSetRequest.builder()  
            .datastoreId(datastoreId)  
            .imageSetId(imagesetId);  
  
        if (versionId != null) {  
            getImageSetRequestBuilder =  
getImageSetRequestBuilder.versionId(versionId);  
        }  
  
        return  
medicalImagingClient.getImageSet(getImageSetRequestBuilder.build());  
    } catch (MedicalImagingException e) {  
        System.err.println(e.awsErrorDetails().errorMessage());  
        System.exit(1);  
    }  
  
    return null;  
}
```

- For API details, see [GetImageSet](#) in *AWS SDK for Java 2.x API Reference*.

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

GetImageSetMetadata

The following code example shows how to use GetImageSetMetadata.

SDK for Java 2.x

```
public static void getMedicalImageSetMetadata(MedicalImagingClient  
medicalImagingClient,  
    String destinationPath,  
    String datastoreId,  
    String imagesetId,  
    String versionId) {  
  
    try {  
        GetImageSetMetadataRequest.Builder getImageSetMetadataRequestBuilder =  
GetImageSetMetadataRequest.builder()  
            .datastoreId(datastoreId)  
            .imagesetId(imagesetId);  
  
        if (versionId != null) {  
            getImageSetMetadataRequestBuilder =  
getImageSetMetadataRequestBuilder.versionId(versionId);  
        }  
  
        medicalImagingClient.getImageSetMetadata(getImageSetMetadataRequestBuilder.build(),  
            FileSystems.getDefault().getPath(destinationPath));  
  
        System.out.println("Metadata downloaded to " + destinationPath);  
    } catch (MedicalImagingException e) {  
        System.err.println(e.awsErrorDetails().errorMessage());  
        System.exit(1);  
    }  
}
```

- For API details, see [GetImageSetMetadata](#) in *AWS SDK for Java 2.x API Reference*.

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

ListDICOMImportJobs

The following code example shows how to use `ListDICOMImportJobs`.

SDK for Java 2.x

```
public static List<DICOMImportJobSummary>
listDicomImportJobs(MedicalImagingClient medicalImagingClient,
                    String datastoreId) {

    try {
        ListDicomImportJobsRequest listDicomImportJobsRequest =
ListDicomImportJobsRequest.builder()
            .datastoreId(datastoreId)
            .build();
        ListDicomImportJobsResponse response =
medicalImagingClient.listDICOMImportJobs(listDicomImportJobsRequest);
        return response.jobSummaries();
    } catch (MedicalImagingException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }

    return new ArrayList<>();
}
```

- For API details, see [ListDICOMImportJobs](#) in *AWS SDK for Java 2.x API Reference*.

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

ListDatastores

The following code example shows how to use `ListDatastores`.

SDK for Java 2.x

```
public static List<DatastoreSummary>
listMedicalImagingDatastores(MedicalImagingClient medicalImagingClient) {
    try {
        ListDatastoresRequest datastoreRequest = ListDatastoresRequest.builder()
            .build();
        ListDatastoresIterable responses =
medicalImagingClient.listDatastoresPaginator(datastoreRequest);
        List<DatastoreSummary> datastoreSummaries = new ArrayList<>();

        responses.stream().forEach(response ->
datastoreSummaries.addAll(response.datastoreSummaries()));

        return datastoreSummaries;
    } catch (MedicalImagingException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }

    return null;
}
```

- For API details, see [ListDatastores](#) in *AWS SDK for Java 2.x API Reference*.

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

ListImageSetVersions

The following code example shows how to use ListImageSetVersions.

SDK for Java 2.x

```
public static List<ImageSetProperties>
listMedicalImageSetVersions(MedicalImagingClient medicalImagingClient,
    String datastoreId,
    String imagesetId) {
```

```
try {
    ListImageSetVersionsRequest getImageSetRequest =
ListImageSetVersionsRequest.builder()
        .datastoreId(datastoreId)
        .imagesetId(imagesetId)
        .build();

    ListImageSetVersionsIterable responses = medicalImagingClient
        .listImageSetVersionsPaginator(getImageSetRequest);
    List<ImageSetProperties> imageSetProperties = new ArrayList<>();
    responses.stream().forEach(response ->
imageSetProperties.addAll(response.imageSetPropertiesList()));

    return imageSetProperties;
} catch (MedicalImagingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}

return null;
}
```

- For API details, see [ListImageSetVersions](#) in *AWS SDK for Java 2.x API Reference*.

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

ListTagsForResource

The following code example shows how to use `ListTagsForResource`.

SDK for Java 2.x

```
public static ListTagsForResourceResponse
listMedicalImagingResourceTags(MedicalImagingClient medicalImagingClient,
    String resourceArn) {
    try {
        ListTagsForResourceRequest listTagsForResourceRequest =
ListTagsForResourceRequest.builder()
```

```
        .resourceArn(resourceArn)
        .build();

    return
medicalImagingClient.listTagsForResource(listTagsForResourceRequest);
} catch (MedicalImagingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}

return null;
}
```

- For API details, see [ListTagsForResource](#) in *AWS SDK for Java 2.x API Reference*.

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

SearchImageSets

The following code example shows how to use SearchImageSets.

SDK for Java 2.x

The utility function for searching image sets.

```
public static List<ImageSetsMetadataSummary> searchMedicalImagingImageSets(
    MedicalImagingClient medicalImagingClient,
    String datastoreId, SearchCriteria searchCriteria) {
try {
    SearchImageSetsRequest datastoreRequest =
SearchImageSetsRequest.builder()
    .datastoreId(datastoreId)
    .searchCriteria(searchCriteria)
    .build();
    SearchImageSetsIterable responses = medicalImagingClient
        .searchImageSetsPaginator(datastoreRequest);
    List<ImageSetsMetadataSummary> imageSetsMetadataSummaries = new
ArrayList<>();
    }
```

```
responses.stream().forEach(response -> imageSetsMetadataSummaries
    .addAll(response.imageSetsMetadataSummaries()));

    return imageSetsMetadataSummaries;
} catch (MedicalImagingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}

return null;
}
```

Use case #1: EQUAL operator.

```
List<SearchFilter> searchFilters =
Collections.singletonList(SearchFilter.builder()
    .operator(Operator.EQUAL)
    .values(SearchByAttributeValue.builder()
        .dicomPatientId(patientId)
        .build()))
    .build());

SearchCriteria searchCriteria = SearchCriteria.builder()
    .filters(searchFilters)
    .build();

List<ImageSetsMetadataSummary> imageSetsMetadataSummaries =
searchMedicalImagingImageSets(
    medicalImagingClient,
    datastoreId, searchCriteria);
if (imageSetsMetadataSummaries != null) {
    System.out.println("The image sets for patient " + patientId + " are:\n"
        + imageSetsMetadataSummaries);
    System.out.println();
}
```

Use case #2: BETWEEN operator using DICOMStudyDate and DICOMStudyTime.

```
DateTimeFormatter formatter = DateTimeFormatter.ofPattern("yyyyMMdd");
searchFilters = Collections.singletonList(SearchFilter.builder()
```

```
.operator(Operator.BETWEEN)
.values(SearchByAttributeValue.builder())

.dicomStudyDateAndTime(DICOMStudyDateAndTime.builder()
                        .dicomStudyDate("19990101")
                        .dicomStudyTime("000000.000")
                        .build())
                        .build(),
SearchByAttributeValue.builder()

.dicomStudyDateAndTime(DICOMStudyDateAndTime.builder()
                        .dicomStudyDate((LocalDate.now()
                                         .format(formatter)))
                        .dicomStudyTime("000000.000")
                        .build())
                        .build())
                        .build());
.build();

searchCriteria = SearchCriteria.builder()
    .filters(searchFilters)
    .build();

imageSetsMetadataSummaries =
searchMedicalImagingImageSets(medicalImagingClient,
                               datastoreId, searchCriteria);
if (imageSetsMetadataSummaries != null) {
    System.out.println(
        "The image sets searched with BETWEEN operator using
DICOMStudyDate and DICOMStudyTime are:\n"
        +
        imageSetsMetadataSummaries);
    System.out.println();
}
```

Use case #3: BETWEEN operator using createdAt. Time studies were previously persisted.

```
searchFilters = Collections.singletonList(SearchFilter.builder()
    .operator(Operator.BETWEEN)
    .values(SearchByAttributeValue.builder()
            .createdAt(Instant.parse("1985-04-12T23:20:50.52Z"))
            .build(),
SearchByAttributeValue.builder())
```

```
        .createdAt(Instant.now())
        .build())
    .build());

searchCriteria = SearchCriteria.builder()
    .filters(searchFilters)
    .build();
imageSetsMetadataSummaries =
searchMedicalImagingImageSets(medicalImagingClient,
    datastoreId, searchCriteria);
if (imageSetsMetadataSummaries != null) {
    System.out.println("The image sets searched with BETWEEN operator using
createdAt are:\n" +
    + imageSetsMetadataSummaries);
    System.out.println();
}
```

Use case #4: EQUAL operator on DICOMSeriesInstanceUID and BETWEEN on updatedAt and sort response in ASC order on updatedAt field.

```
Instant startDate = Instant.parse("1985-04-12T23:20:50.52Z");
Instant endDate = Instant.now();

searchFilters = Arrays.asList(
    SearchFilter.builder()
        .operator(Operator.EQUAL)
        .values(SearchByAttributeValue.builder()
            .dicomSeriesInstanceUID(seriesInstanceUID)
            .build())
        .build(),
    SearchFilter.builder()
        .operator(Operator.BETWEEN)
        .values(
            SearchByAttributeValue.builder().updatedAt(startDate).build(),
            SearchByAttributeValue.builder().updatedAt(endDate).build()
                .build()));
Sort sort =
Sort.builder().sortOrder(SortOrder.ASC).sortField(SortField.UPDATED_AT).build();
```

```
searchCriteria = SearchCriteria.builder()
    .filters(searchFilters)
    .sort(sort)
    .build();

imageSetsMetadataSummaries =
searchMedicalImagingImageSets(medicalImagingClient,
    datastoreId, searchCriteria);
if (imageSetsMetadataSummaries != null) {
    System.out.println("The image sets searched with EQUAL operator on
DICOMSeriesInstanceUID and BETWEEN on updatedAt and sort response\n" +
        "in ASC order on updatedAt field are:\n" +
        + imageSetsMetadataSummaries);
    System.out.println();
}
```

- For API details, see [SearchImageSets](#) in *AWS SDK for Java 2.x API Reference*.

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

StartDICOMImportJob

The following code example shows how to use StartDICOMImportJob.

SDK for Java 2.x

```
public static String startDicomImportJob(MedicalImagingClient
medicalImagingClient,
    String jobName,
    String datastoreId,
    String dataAccessRoleArn,
    String inputS3Uri,
    String outputS3Uri) {

    try {
        StartDicomImportJobRequest startDicomImportJobRequest =
StartDicomImportJobRequest.builder()
```

```
.jobName(jobName)
.datastoreId(datastoreId)
.dataAccessRoleArn(dataAccessRoleArn)
.inputS3Uri(inputS3Uri)
.outputS3Uri(outputS3Uri)
.build();

StartDicomImportJobResponse response =
medicalImagingClient.startDICOMImportJob(startDicomImportJobRequest);
    return response.jobId();
} catch (MedicalImagingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}

return "";
}
```

- For API details, see [StartDICOMImportJob](#) in *AWS SDK for Java 2.x API Reference*.

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

TagResource

The following code example shows how to use TagResource.

SDK for Java 2.x

```
public static void tagMedicalImagingResource(MedicalImagingClient
medicalImagingClient,
    String resourceArn,
    Map<String, String> tags) {
try {
    TagResourceRequest tagResourceRequest = TagResourceRequest.builder()
        .resourceArn(resourceArn)
        .tags(tags)
        .build();
```

```
    medicalImagingClient.tagResource(tagResourceRequest);

    System.out.println("Tags have been added to the resource.");
} catch (MedicalImagingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

- For API details, see [TagResource](#) in *AWS SDK for Java 2.x API Reference*.

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

UntagResource

The following code example shows how to use UntagResource.

SDK for Java 2.x

```
public static void untagMedicalImagingResource(MedicalImagingClient
medicalImagingClient,
                                                String resourceArn,
                                                Collection<String> tagKeys) {
    try {
        UntagResourceRequest untagResourceRequest =
UntagResourceRequest.builder()
                    .resourceArn(resourceArn)
                    .tagKeys(tagKeys)
                    .build();

        medicalImagingClient.untagResource(untagResourceRequest);

        System.out.println("Tags have been removed from the resource.");
    } catch (MedicalImagingException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [UntagResource](#) in *AWS SDK for Java 2.x API Reference*.

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

UpdateImageSetMetadata

The following code example shows how to use `UpdateImageSetMetadata`.

SDK for Java 2.x

```
/**  
 * Update the metadata of an AWS HealthImaging image set.  
 *  
 * @param medicalImagingClient - The AWS HealthImaging client object.  
 * @param datastoreId           - The datastore ID.  
 * @param imageSetId            - The image set ID.  
 * @param versionId             - The version ID.  
 * @param metadataUpdates       - A MetadataUpdates object containing the  
 * updates.  
 * @param force                  - The force flag.  
 * @throws MedicalImagingException - Base exception for all service exceptions  
 * thrown by AWS HealthImaging.  
 */  
public static void updateMedicalImageSetMetadata(MedicalImagingClient  
medicalImagingClient,  
                                                String datastoreId,  
                                                String imageSetId,  
                                                String versionId,  
                                                MetadataUpdates  
metadataUpdates,  
                                                boolean force) {  
    try {  
        UpdateImageSetMetadataRequest updateImageSetMetadataRequest =  
UpdateImageSetMetadataRequest  
            .builder()  
            .datastoreId(datastoreId)
```

```
.imageSetId(imageSetId)
.latestVersionId(versionId)
.updateImageSetMetadataUpdates(metadataUpdates)
.force(force)
.build();

UpdateImageSetMetadataResponse response =
medicalImagingClient.updateImageSetMetadata(updateImageSetMetadataRequest);

System.out.println("The image set metadata was updated" + response);
} catch (MedicalImagingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    throw e;
}
}
```

Use case #1: Insert or update an attribute.

```
final String insertAttributes = """
{
    "SchemaVersion": 1.1,
    "Study": {
        "DICOM": {
            "StudyDescription": "CT CHEST"
        }
    }
""";
MetadataUpdates metadataInsertUpdates = MetadataUpdates.builder()
    .dicomUpdates(DICOMUpdates.builder()
        .updatableAttributes(SdkBytes.fromByteBuffer(
            ByteBuffer.wrap(insertAttributes
                .getBytes(StandardCharsets.UTF_8))))
        .build())
    .build();
updateMedicalImageSetMetadata(medicalImagingClient, datastoreId,
imagesetId,
versionid, metadataInsertUpdates, force);
```

Use case #2: Remove an attribute.

```
final String removeAttributes = """
{
    "SchemaVersion": 1.1,
    "Study": {
        "DICOM": {
            "StudyDescription": "CT CHEST"
        }
    }
"""
MetadataUpdates metadataRemoveUpdates = MetadataUpdates.builder()
    .dicomUpdates(DICOMUpdates.builder()
        .removableAttributes(SdkBytes.fromByteBuffer(
            ByteBuffer.wrap(removeAttributes
                .getBytes(StandardCharsets.UTF_8))))
        .build())
    .build();

updateMedicalImageSetMetadata(medicalImagingClient, datastoreId,
imagesetId,
versionid, metadataRemoveUpdates, force);
```

Use case #3: Remove an instance.

```
final String removeInstance = """
{
    "SchemaVersion": 1.1,
    "Study": {
        "Series": {
            "1.1.1.1.1.12345.123456789012.123.12345678901234.1": {
                "Instances": {
                    "1.1.1.1.1.12345.123456789012.123.12345678901234.1": {}
                }
            }
        }
    }
"""
MetadataUpdates metadataRemoveUpdates = MetadataUpdates.builder()
    .dicomUpdates(DICOMUpdates.builder()
```

```
        .removableAttributes(SdkBytes.fromByteBuffer(
            ByteBuffer.wrap(removeInstance
                .getBytes(StandardCharsets.UTF_8))))
        .build());
    .build();

    updateMedicalImageSetMetadata(medicalImagingClient, datastoreId,
imagesetId,
    versionid, metadataRemoveUpdates, force);
```

Use case #4: Revert to a previous version.

```
// In this case, revert to previous version.
String revertVersionId =
Integer.toString(Integer.parseInt(versionid) - 1);
MetadataUpdates metadataRemoveUpdates = MetadataUpdates.builder()
    .revertToVersionId(revertVersionId)
    .build();
updateMedicalImageSetMetadata(medicalImagingClient, datastoreId,
imagesetId,
versionid, metadataRemoveUpdates, force);
```

- For API details, see [UpdateImageSetMetadata](#) in *AWS SDK for Java 2.x API Reference*.

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Scenarios

Tagging a data store

The following code example shows how to tag a HealthImaging data store.

SDK for Java 2.x

To tag a data store.

```
final String datastoreArn = "arn:aws:medical-imaging:us-east-1:123456789012:datasource/12345678901234567890123456789012";  
  
TagResource.tagMedicalImagingResource(medicalImagingClient,  
datastoreArn,  
ImmutableMap.of("Deployment", "Development"));
```

The utility function for tagging a resource.

```
public static void tagMedicalImagingResource(MedicalImagingClient medicalImagingClient,  
String resourceArn,  
Map<String, String> tags) {  
try {  
    TagResourceRequest tagResourceRequest = TagResourceRequest.builder()  
        .resourceArn(resourceArn)  
        .tags(tags)  
        .build();  
  
    medicalImagingClient.tagResource(tagResourceRequest);  
  
    System.out.println("Tags have been added to the resource.");  
} catch (MedicalImagingException e) {  
    System.err.println(e.awsErrorDetails().errorMessage());  
    System.exit(1);  
}  
}
```

To list tags for a data store.

```
final String datastoreArn = "arn:aws:medical-imaging:us-east-1:123456789012:datasource/12345678901234567890123456789012";  
  
ListTagsForResourceResponse result =  
ListTagsForResource.listMedicalImagingResourceTags(  
    medicalImagingClient,  
    datastoreArn);  
if (result != null) {  
    System.out.println("Tags for resource: " + result.tags());  
}
```

The utility function for listing a resource's tags.

```
public static ListTagsForResourceResponse
listMedicalImagingResourceTags(MedicalImagingClient medicalImagingClient,
                               String resourceArn) {
    try {
        ListTagsForResourceRequest listTagsForResourceRequest =
ListTagsForResourceRequest.builder()
        .resourceArn(resourceArn)
        .build();

        return
medicalImagingClient.listTagsForResource(listTagsForResourceRequest);
    } catch (MedicalImagingException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }

    return null;
}
```

To untag a data store.

```
final String datastoreArn = "arn:aws:medical-imaging:us-
east-1:123456789012:datastore/12345678901234567890123456789012";

UntagResource.un>tagMedicalImagingResource(medicalImagingClient,
datastoreArn,
Collections.singletonList("Deployment"));
```

The utility function for untagging a resource.

```
public static void untagMedicalImagingResource(MedicalImagingClient
medicalImagingClient,
String resourceArn,
Collection<String> tagKeys) {
try {
```

```
UntagResourceRequest untagResourceRequest =
UntagResourceRequest.builder()
    .resourceArn(resourceArn)
    .tagKeys(tagKeys)
    .build();

medicalImagingClient.untagResource(untagResourceRequest);

System.out.println("Tags have been removed from the resource.");
} catch (MedicalImagingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [ListTagsForResource](#)
- [TagResource](#)
- [UntagResource](#)

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Tagging an image set

The following code example shows how to tag a HealthImaging image set.

SDK for Java 2.x

To tag an image set.

```
final String imageSetArn = "arn:aws:medical-imaging:us-
east-1:123456789012: datastore/12345678901234567890123456789012/
imageset/12345678901234567890123456789012";

TagResource.tagMedicalImagingResource(medicalImagingClient,
imageSetArn,
```

```
ImmutableMap.of("Deployment", "Development"));
```

The utility function for tagging a resource.

```
public static void tagMedicalImagingResource(MedicalImagingClient  
medicalImagingClient,  
        String resourceArn,  
        Map<String, String> tags) {  
    try {  
        TagResourceRequest tagResourceRequest = TagResourceRequest.builder()  
            .resourceArn(resourceArn)  
            .tags(tags)  
            .build();  
  
        medicalImagingClient.tagResource(tagResourceRequest);  
  
        System.out.println("Tags have been added to the resource.");  
    } catch (MedicalImagingException e) {  
        System.err.println(e.awsErrorDetails().errorMessage());  
        System.exit(1);  
    }  
}
```

To list tags for an image set.

```
final String imageSetArn = "arn:aws:medical-imaging:us-  
east-1:123456789012: datastore/12345678901234567890123456789012/  
imageset/12345678901234567890123456789012";  
  
ListTagsForResourceResponse result =  
ListTagsForResource.listMedicalImagingResourceTags(  
        medicalImagingClient,  
        imageSetArn);  
if (result != null) {  
    System.out.println("Tags for resource: " + result.tags());  
}
```

The utility function for listing a resource's tags.

```
public static ListTagsForResourceResponse
listMedicalImagingResourceTags(MedicalImagingClient medicalImagingClient,
    String resourceArn) {
    try {
        ListTagsForResourceRequest listTagsForResourceRequest =
ListTagsForResourceRequest.builder()
            .resourceArn(resourceArn)
            .build();

        return
medicalImagingClient.listTagsForResource(listTagsForResourceRequest);
    } catch (MedicalImagingException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }

    return null;
}
```

To untag an image set.

```
final String imageSetArn = "arn:aws:medical-imaging:us-
east-1:123456789012: datastore/12345678901234567890123456789012/
imageset/12345678901234567890123456789012";

UntagResource.un>tagMedicalImagingResource(medicalImagingClient,
imageSetArn,
Collections.singletonList("Deployment"));
```

The utility function for untagging a resource.

```
public static void untagMedicalImagingResource(MedicalImagingClient
medicalImagingClient,
    String resourceArn,
    Collection<String> tagKeys) {
    try {
        UntagResourceRequest untagResourceRequest =
UntagResourceRequest.builder()
            .resourceArn(resourceArn)
            .tagKeys(tagKeys)
```

```
        .build();

    medicalImagingClient.untagResource(untagResourceRequest);

    System.out.println("Tags have been removed from the resource.");
} catch (MedicalImagingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.
 - [ListTagsForResource](#)
 - [TagResource](#)
 - [UntagResource](#)

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

IAM examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with IAM.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello IAM

The following code examples show how to get started using IAM.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.ListPoliciesResponse;
import software.amazon.awssdk.services.iam.model.Policy;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class HelloIAM {
    public static void main(String[] args) {
        Region region = Region.AWS_GLOBAL;
        IamClient iam = IamClient.builder()
            .region(region)
            .build();

        listPolicies(iam);
    }

    public static void listPolicies(IamClient iam) {
        ListPoliciesResponse response = iam.listPolicies();
        List<Policy> polList = response.policies();
        polList.forEach(policy -> {
            System.out.println("Policy Name: " + policy.policyName());
        });
    }
}
```

```
}
```

- For API details, see [ListPolicies](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Basics](#)
- [Actions](#)
- [Scenarios](#)

Basics

Learn the basics

The following code example shows how to create a user and assume a role.

Warning

To avoid security risks, don't use IAM users for authentication when developing purpose-built software or working with real data. Instead, use federation with an identity provider such as [AWS IAM Identity Center](#).

- Create a user with no permissions.
- Create a role that grants permission to list Amazon S3 buckets for the account.
- Add a policy to let the user assume the role.
- Assume the role and list S3 buckets using temporary credentials, then clean up resources.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Create functions that wrap IAM user actions.

```
/*
 To run this Java V2 code example, set up your development environment, including
 your credentials.
```

For information, see this documentation topic:

<https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html>

This example performs these operations:

1. Creates a user that has no permissions.
2. Creates a role and policy that grants Amazon S3 permissions.
3. Creates a role.
4. Grants the user permissions.
5. Gets temporary credentials by assuming the role. Creates an Amazon S3 Service client object with the temporary credentials.
6. Deletes the resources.

```
*/
```

```
public class IAMScenario {  
    public static final String DASHES = new String(new char[80]).replace("\0", "-");  
    public static final String PolicyDocument = "{" +  
        "  \"Version\": \"2012-10-17\"," +  
        "  \"Statement\": [" +  
        "    {" +  
        "      \"Effect\": \"Allow\"," +  
        "      \"Action\": [" +  
        "        \"s3:*\""+  
        "      ]," +  
        "      \"Resource\": \"*\""+  
        "    }" +  
        "  ]" +  
    "};  
  
    public static String userArn;  
  
    public static void main(String[] args) throws Exception {  
  
        final String usage = """  
Usage:
```

```
<username> <policyName> <roleName> <roleSessionName>
<bucketName>\s

Where:
    username - The name of the IAM user to create.\s
    policyName - The name of the policy to create.\s
    roleName - The name of the role to create.\s
    roleSessionName - The name of the session required for the
assumeRole operation.\s
        bucketName - The name of the Amazon S3 bucket from which objects
are read.\s
        """;

if (args.length != 5) {
    System.out.println(usage);
    System.exit(1);
}

String userName = args[0];
String policyName = args[1];
String roleName = args[2];
String roleSessionName = args[3];
String bucketName = args[4];

Region region = Region.AWS_GLOBAL;
IamClient iam = IamClient.builder()
    .region(region)
    .build();

System.out.println(DASHES);
System.out.println("Welcome to the AWS IAM example scenario.");
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println(" 1. Create the IAM user.");
User createUser = createIAMUser(iam, userName);

System.out.println(DASHES);
userArn = createUser.arn();

AccessKey myKey = createIAMAccessKey(iam, userName);
String accessKeyId = myKey.accessKeyId();
String secretAccessKey = myKey.secretAccessKey();
String assumeRolePolicyDocument = "{" +
```

```
    "\"Version\": \"2012-10-17\", " +
    "\"Statement\": [{" +
        "\"Effect\": \"Allow\", " +
        "\"Principal\": {" +
            " \"AWS\": \"\" + userArn + \"\" + " +
        "}, " +
        "\"Action\": \"sts:AssumeRole\" + " +
    "}]" +
};

System.out.println(assumeRolePolicyDocument);
System.out.println(userName + " was successfully created.");
System.out.println(DASHES);
System.out.println("2. Creates a policy.");
String polArn = createIAMPolicy(iam, policyName);
System.out.println("The policy " + polArn + " was successfully created.");
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("3. Creates a role.");
TimeUnit.SECONDS.sleep(30);
String roleArn = createIAMRole(iam, roleName, assumeRolePolicyDocument);
System.out.println(roleArn + " was successfully created.");
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("4. Grants the user permissions.");
attachIAMRolePolicy(iam, roleName, polArn);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("**** Wait for 30 secs so the resource is available");
TimeUnit.SECONDS.sleep(30);
System.out.println("5. Gets temporary credentials by assuming the role.");
System.out.println("Perform an Amazon S3 Service operation using the
temporary credentials.");
assumeRole(roleArn, roleSessionName, bucketName, accessKey, secretKey);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("6 Getting ready to delete the AWS resources");
deleteKey(iam, userName, accessKey);
deleteRole(iam, roleName, polArn);
deleteIAMUser(iam, userName);
```

```
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("This IAM Scenario has successfully completed");
System.out.println(DASHES);
}

public static AccessKey createIAMAccessKey(IamClient iam, String user) {
    try {
        CreateAccessKeyRequest request = CreateAccessKeyRequest.builder()
            .userName(user)
            .build();

        CreateAccessKeyResponse response = iam.createAccessKey(request);
        return response.accessKey();

    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return null;
}

public static User createIAMUser(IamClient iam, String username) {
    try {
        // Create an IamWaiter object
        IamWaiter iamWaiter = iam.waiter();
        CreateUserRequest request = CreateUserRequest.builder()
            .userName(username)
            .build();

        // Wait until the user is created.
        CreateUserResponse response = iam.createUser(request);
        GetUserRequest userRequest = GetUserRequest.builder()
            .userName(response.user().userName())
            .build();

        WaiterResponse< GetUserResponse> waitUntilUserExists =
iamWaiter.waitUntilUserExists(userRequest);
        waitUntilUserExists.matched().response().ifPresent(System.out::println);
        return response.user();

    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
    }
}
```

```
        System.exit(1);
    }
    return null;
}

public static String createIAMRole(IamClient iam, String rolename, String json)
{

    try {
        CreateRoleRequest request = CreateRoleRequest.builder()
            .roleName(rolename)
            .assumeRolePolicyDocument(json)
            .description("Created using the AWS SDK for Java")
            .build();

        CreateRoleResponse response = iam.createRole(request);
        System.out.println("The ARN of the role is " + response.role().arn());
        return response.role().arn();
    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}

public static String createIAMPolicy(IamClient iam, String policyName) {
    try {
        // Create an IamWaiter object.
        IamWaiter iamWaiter = iam.waiter();
        CreatePolicyRequest request = CreatePolicyRequest.builder()
            .policyName(policyName)
            .policyDocument(PolicyDocument).build();

        CreatePolicyResponse response = iam.createPolicy(request);
        GetPolicyRequest polRequest = GetPolicyRequest.builder()
            .policyArn(response.policy().arn())
            .build();

        WaiterResponse<GetPolicyResponse> waitUntilPolicyExists =
        iamWaiter.waitUntilPolicyExists(polRequest);

        waitUntilPolicyExists.matched().response().ifPresent(System.out::println);
        return response.policy().arn();
    }
}
```

```
        } catch (IamException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
        return "";
    }

    public static void attachIAMRolePolicy(IamClient iam, String roleName, String policyArn) {
        try {
            ListAttachedRolePoliciesRequest request =
ListAttachedRolePoliciesRequest.builder()
                .roleName(roleName)
                .build();

            ListAttachedRolePoliciesResponse response =
iam.listAttachedRolePolicies(request);
            List<AttachedPolicy> attachedPolicies = response.attachedPolicies();
            String polArn;
            for (AttachedPolicy policy : attachedPolicies) {
                polArn = policy.policyArn();
                if (polArn.compareTo(policyArn) == 0) {
                    System.out.println(roleName + " policy is already attached to
this role.");
                    return;
                }
            }
        }

        AttachRolePolicyRequest attachRequest =
AttachRolePolicyRequest.builder()
            .roleName(roleName)
            .policyArn(policyArn)
            .build();

        iam.attachRolePolicy(attachRequest);
        System.out.println("Successfully attached policy " + policyArn + " to
role " + roleName);

    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

```
// Invoke an Amazon S3 operation using the Assumed Role.
public static void assumeRole(String roleArn, String roleSessionName, String
bucketName, String keyVal,
    String keySecret) {

    // Use the creds of the new IAM user that was created in this code example.
    AwsBasicCredentials credentials = AwsBasicCredentials.create(keyVal,
keySecret);
    StsClient stsClient = StsClient.builder()
        .region(Region.US_EAST_1)
        .credentialsProvider(StaticCredentialsProvider.create(credentials))
        .build();

    try {
        AssumeRoleRequest roleRequest = AssumeRoleRequest.builder()
            .roleArn(roleArn)
            .roleSessionName(roleSessionName)
            .build();

        AssumeRoleResponse roleResponse = stsClient.assumeRole(roleRequest);
        Credentials myCreds = roleResponse.credentials();
        String key = myCreds.accessKeyId();
        String secKey = myCreds.secretAccessKey();
        String secToken = myCreds.sessionToken();

        // List all objects in an Amazon S3 bucket using the temp creds
retrieved by
        // invoking assumeRole.
        Region region = Region.US_EAST_1;
        S3Client s3 = S3Client.builder()
            .credentialsProvider(
                StaticCredentialsProvider.create(AwsSessionCredentials.create(key, secKey,
secToken)))
            .region(region)
            .build();

        System.out.println("Created a S3Client using temp credentials.");
        System.out.println("Listing objects in " + bucketName);
        ListObjectsRequest listObjects = ListObjectsRequest.builder()
            .bucket(bucketName)
            .build();
    }
}
```

```
        ListObjectsResponse res = s3.listObjects(listObjects);
        List<S3Object> objects = res.contents();
        for (S3Object myValue : objects) {
            System.out.println("The name of the key is " + myValue.key());
            System.out.println("The owner is " + myValue.owner());
        }

    } catch (StsException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}

}

public static void deleteRole(IamClient iam, String roleName, String polArn) {

try {
    // First the policy needs to be detached.
    DetachRolePolicyRequest rolePolicyRequest =
DetachRolePolicyRequest.builder()
    .policyArn(polArn)
    .roleName(roleName)
    .build();

    iam.detachRolePolicy(rolePolicyRequest);

    // Delete the policy.
    DeletePolicyRequest request = DeletePolicyRequest.builder()
        .policyArn(polArn)
        .build();

    iam.deletePolicy(request);
    System.out.println("*** Successfully deleted " + polArn);

    // Delete the role.
    DeleteRoleRequest roleRequest = DeleteRoleRequest.builder()
        .roleName(roleName)
        .build();

    iam.deleteRole(roleRequest);
    System.out.println("*** Successfully deleted " + roleName);

} catch (IamException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
```

```
        }

    }

    public static void deleteKey(IamClient iam, String username, String accessKey) {
        try {
            DeleteAccessKeyRequest request = DeleteAccessKeyRequest.builder()
                .accessKeyId(accessKey)
                .userName(username)
                .build();

            iam.deleteAccessKey(request);
            System.out.println("Successfully deleted access key " + accessKey +
                " from user " + username);

        } catch (IamException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }

    public static void deleteIAMUser(IamClient iam, String userName) {
        try {
            DeleteUserRequest request = DeleteUserRequest.builder()
                .userName(userName)
                .build();

            iam.deleteUser(request);
            System.out.println("*** Successfully deleted " + userName);

        } catch (IamException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.
 - [AttachRolePolicy](#)
 - [CreateAccessKey](#)
 - [CreatePolicy](#)
 - [CreateRole](#)

- [CreateUser](#)
- [DeleteAccessKey](#)
- [DeletePolicy](#)
- [DeleteRole](#)
- [DeleteUser](#)
- [DeleteUserPolicy](#)
- [DetachRolePolicy](#)
- [PutUserPolicy](#)

Actions

AttachRolePolicy

The following code example shows how to use `AttachRolePolicy`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.IamException;
import software.amazon.awssdk.services.iam.model.AttachRolePolicyRequest;
import software.amazon.awssdk.services.iam.model.AttachedPolicy;
import software.amazon.awssdk.services.iam.model.ListAttachedRolePoliciesRequest;
import software.amazon.awssdk.services.iam.model.ListAttachedRolePoliciesResponse;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
```

```
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
*/
public class AttachRolePolicy {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <roleName> <policyArn>\s

            Where:
            roleName - A role name that you can obtain from the AWS
Management Console.\s
            policyArn - A policy ARN that you can obtain from the AWS
Management Console.\s
            """;
        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }

        String roleName = args[0];
        String policyArn = args[1];

        Region region = Region.AWS_GLOBAL;
        IamClient iam = IamClient.builder()
            .region(region)
            .build();

        attachIAMRolePolicy(iam, roleName, policyArn);
        iam.close();
    }

    public static void attachIAMRolePolicy(IamClient iam, String roleName, String
policyArn) {
        try {
            ListAttachedRolePoliciesRequest request =
ListAttachedRolePoliciesRequest.builder()
                .roleName(roleName)
                .build();

            ListAttachedRolePoliciesResponse response =
iam.listAttachedRolePolicies(request);
            List<AttachedPolicy> attachedPolicies = response.attachedPolicies();
```

```
// Ensure that the policy is not attached to this role
String polArn = "";
for (AttachedPolicy policy : attachedPolicies) {
    polArn = policy.policyArn();
    if (polArn.compareTo(policyArn) == 0) {
        System.out.println(roleName + " policy is already attached to
this role.");
        return;
    }
}

AttachRolePolicyRequest attachRequest =
AttachRolePolicyRequest.builder()
    .roleName(roleName)
    .policyArn(policyArn)
    .build();

iam.attachRolePolicy(attachRequest);

System.out.println("Successfully attached policy " + policyArn +
    " to role " + roleName);

} catch (IamException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
System.out.println("Done");
}
```

- For API details, see [AttachRolePolicy](#) in *AWS SDK for Java 2.x API Reference*.

CreateAccessKey

The following code example shows how to use CreateAccessKey.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.iam.model.CreateAccessKeyRequest;
import software.amazon.awssdk.services.iam.model.CreateAccessKeyResponse;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.IamException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class CreateAccessKey {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <user>\s

            Where:
            user - An AWS IAM user that you can obtain from the AWS
Management Console.
            """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String user = args[0];
        Region region = Region.AWS_GLOBAL;
        IamClient iam = IamClient.builder()
```

```
        .region(region)
        .build();

    String keyId = createIAMAccessKey(iam, user);
    System.out.println("The Key Id is " + keyId);
    iam.close();
}

public static String createIAMAccessKey(IamClient iam, String user) {
    try {
        CreateAccessKeyRequest request = CreateAccessKeyRequest.builder()
            .userName(user)
            .build();

        CreateAccessKeyResponse response = iam.createAccessKey(request);
        return response.accessKey().accessKeyId();

    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}
}
```

- For API details, see [CreateAccessKey](#) in *AWS SDK for Java 2.x API Reference*.

CreateAccountAlias

The following code example shows how to use `CreateAccountAlias`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.iam.model.CreateAccountAliasRequest;
import software.amazon.awssdk.regions.Region;
```

```
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.IamException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class CreateAccountAlias {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <alias>\s

            Where:
            alias - The account alias to create (for example, myawsaccount).
        \s
        """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String alias = args[0];
        Region region = Region.AWS_GLOBAL;
        IamClient iam = IamClient.builder()
            .region(region)
            .build();

        createIAMAccountAlias(iam, alias);
        iam.close();
        System.out.println("Done");
    }

    public static void createIAMAccountAlias(IamClient iam, String alias) {
        try {
            CreateAccountAliasRequest request = CreateAccountAliasRequest.builder()
                .accountAlias(alias)
                .build();
        }
    }
}
```

```
        iam.createAccountAlias(request);
        System.out.println("Successfully created account alias: " + alias);

    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [CreateAccountAlias](#) in *AWS SDK for Java 2.x API Reference*.

CreatePolicy

The following code example shows how to use CreatePolicy.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.core.waiters.WaiterResponse;
import software.amazon.awssdk.services.iam.model.CreatePolicyRequest;
import software.amazon.awssdk.services.iam.model.CreatePolicyResponse;
import software.amazon.awssdk.services.iam.model.GetPolicyRequest;
import software.amazon.awssdk.services.iam.model.GetPolicyResponse;
import software.amazon.awssdk.services.iam.model.IamException;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.waiters.IamWaiter;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html

```

```
/*
public class CreatePolicy {

    public static final String PolicyDocument = "{" +
        "  \"Version\": \"2012-10-17\", " +
        "  \"Statement\": [" +
        "    {" +
        "      \"Effect\": \"Allow\", " +
        "      \"Action\": [" +
        "        \"dynamodb>DeleteItem\", " +
        "        \"dynamodb>GetItem\", " +
        "        \"dynamodb>PutItem\", " +
        "        \"dynamodb>Scan\", " +
        "        \"dynamodb>UpdateItem\"" +
        "      ], " +
        "      \"Resource\": \"*\"" +
        "    }" +
        "  ]" +
    "}";

    public static void main(String[] args) {

        final String usage = """
            Usage:
                CreatePolicy <policyName>\s

            Where:
                policyName - A unique policy name.\s
                """;
        }

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String policyName = args[0];
        Region region = Region.AWS_GLOBAL;
        IamClient iam = IamClient.builder()
            .region(region)
            .build();

        String result = createIAMPolicy(iam, policyName);
        System.out.println("Successfully created a policy with this ARN value: " +
result);
    }
}
```

```
        iam.close();
    }

    public static String createIAMPolicy(IamClient iam, String policyName) {
        try {
            // Create an IamWaiter object.
            IamWaiter iamWaiter = iam.waiter();

            CreatePolicyRequest request = CreatePolicyRequest.builder()
                .policyName(policyName)
                .policyDocument(PolicyDocument)
                .build();

            CreatePolicyResponse response = iam.createPolicy(request);

            // Wait until the policy is created.
            GetPolicyRequest polRequest = GetPolicyRequest.builder()
                .policyArn(response.policy().arn())
                .build();

            WaiterResponse<GetPolicyResponse> waitUntilPolicyExists =
                iamWaiter.waitUntilPolicyExists(polRequest);

            waitUntilPolicyExists.matched().response().ifPresent(System.out::println);
            return response.policy().arn();
        } catch (IamException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
        return "";
    }
}
```

- For API details, see [CreatePolicy](#) in *AWS SDK for Java 2.x API Reference*.

CreateRole

The following code example shows how to use `CreateRole`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import org.json.simple.JSONObject;
import org.json.simple.parser.JSONParser;
import software.amazon.awssdk.services.iam.model.CreateRoleRequest;
import software.amazon.awssdk.services.iam.model.CreateRoleResponse;
import software.amazon.awssdk.services.iam.model.IamException;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import java.io.FileReader;

/*
 * This example requires a trust policy document. For more information, see:
 * https://aws.amazon.com/blogs/security/how-to-use-trust-policies-with-iam-roles/
 *
 *
 * In addition, set up your development environment, including your credentials.
 *
 *
 * For information, see this documentation topic:
 *
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */

public class CreateRole {
    public static void main(String[] args) throws Exception {
        final String usage = """
            Usage:
            <rolename> <fileLocation>\s
            Where:
            rolename - The name of the role to create.\s
            fileLocation - The location of the JSON document that represents
            the trust policy.\s
            """;
        if (args.length != 2) {
```

```
        System.out.println(usage);
        System.exit(1);
    }

    String rolename = args[0];
    String fileLocation = args[1];
    Region region = Region.AWS_GLOBAL;
    IamClient iam = IamClient.builder()
        .region(region)
        .build();

    String result = createIAMRole(iam, rolename, fileLocation);
    System.out.println("Successfully created user: " + result);
    iam.close();
}

public static String createIAMRole(IamClient iam, String rolename, String
fileLocation) throws Exception {
    try {
        JSONObject jsonObject = (JSONObject) readJsonSimpleDemo(fileLocation);
        CreateRoleRequest request = CreateRoleRequest.builder()
            .roleName(rolename)
            .assumeRolePolicyDocument(jsonObject.toJSONString())
            .description("Created using the AWS SDK for Java")
            .build();

        CreateRoleResponse response = iam.createRole(request);
        System.out.println("The ARN of the role is " + response.role().arn());

    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}

public static Object readJsonSimpleDemo(String filename) throws Exception {
    FileReader reader = new FileReader(filename);
    JSONParser jsonParser = new JSONParser();
    return jsonParser.parse(reader);
}
```

- For API details, see [CreateRole](#) in *AWS SDK for Java 2.x API Reference*.

CreateUser

The following code example shows how to use CreateUser.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.core.waiters.WaiterResponse;
import software.amazon.awssdk.services.iam.model.CreateUserRequest;
import software.amazon.awssdk.services.iam.model.CreateUserResponse;
import software.amazon.awssdk.services.iam.model.IamException;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.waiters.IamWaiter;
import software.amazon.awssdk.services.iam.model.GetUserRequest;
import software.amazon.awssdk.services.iam.model.GetUserResponse;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class CreateUser {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <username>\s
            Where:
            username - The name of the user to create.\s
            """;
    }
}
```

```
if (args.length != 1) {
    System.out.println(usage);
    System.exit(1);
}

String username = args[0];
Region region = Region.AWS_GLOBAL;
IamClient iam = IamClient.builder()
    .region(region)
    .build();

String result = createIAMUser(iam, username);
System.out.println("Successfully created user: " + result);
iam.close();
}

public static String createIAMUser(IamClient iam, String username) {
    try {
        // Create an IamWaiter object.
        IamWaiter iamWaiter = iam.waiter();

        CreateUserRequest request = CreateUserRequest.builder()
            .userName(username)
            .build();

        CreateUserResponse response = iam.createUser(request);

        // Wait until the user is created.
        GetUserRequest userRequest = GetUserRequest.builder()
            .userName(response.user().userName())
            .build();

        WaiterResponse<GetUserResponse> waitUntilUserExists =
iamWaiter.waitUntilUserExists(userRequest);
        waitUntilUserExists.matched().response().ifPresent(System.out::println);
        return response.user().userName();

    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}
```

```
}
```

- For API details, see [CreateUser](#) in *AWS SDK for Java 2.x API Reference*.

DeleteAccessKey

The following code example shows how to use DeleteAccessKey.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.DeleteAccessKeyRequest;
import software.amazon.awssdk.services.iam.model.IamException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DeleteAccessKey {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <username> <accessKey>\s
            Where:
            username - The name of the user.\s
            accessKey - The access key ID for the secret access key you want
            to delete.\s
        """;
    }
}
```

```
""";  
  
    if (args.length != 2) {  
        System.out.println(usage);  
        System.exit(1);  
    }  
  
    String username = args[0];  
    String accessKey = args[1];  
    Region region = Region.AWS_GLOBAL;  
    IamClient iam = IamClient.builder()  
        .region(region)  
        .build();  
    deleteKey(iam, username, accessKey);  
    iam.close();  
}  
  
public static void deleteKey(IamClient iam, String username, String accessKey) {  
    try {  
        DeleteAccessKeyRequest request = DeleteAccessKeyRequest.builder()  
            .accessKeyId(accessKey)  
            .userName(username)  
            .build();  
  
        iam.deleteAccessKey(request);  
        System.out.println("Successfully deleted access key " + accessKey +  
            " from user " + username);  
  
    } catch (IamException e) {  
        System.err.println(e.awsErrorDetails().errorMessage());  
        System.exit(1);  
    }  
}  
}
```

- For API details, see [DeleteAccessKey](#) in *AWS SDK for Java 2.x API Reference*.

DeleteAccountAlias

The following code example shows how to use `DeleteAccountAlias`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.iam.model.DeleteAccountAliasRequest;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.IamException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DeleteAccountAlias {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <alias>\s
            Where:
            alias - The account alias to delete.\s
            """;
        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }
        String alias = args[0];
        Region region = Region.AWS_GLOBAL;
        IamClient iam = IamClient.builder()
            .region(region)
            .build();
    }
}
```

```
        deleteIAMAccountAlias(iam, alias);
        iam.close();
    }

    public static void deleteIAMAccountAlias(IamClient iam, String alias) {
        try {
            DeleteAccountAliasRequest request = DeleteAccountAliasRequest.builder()
                .accountAlias(alias)
                .build();

            iam.deleteAccountAlias(request);
            System.out.println("Successfully deleted account alias " + alias);

        } catch (IamException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
        System.out.println("Done");
    }
}
```

- For API details, see [DeleteAccountAlias](#) in *AWS SDK for Java 2.x API Reference*.

DeletePolicy

The following code example shows how to use `DeletePolicy`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.iam.model.DeletePolicyRequest;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.IamException;
```

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
public class DeletePolicy {  
    public static void main(String[] args) {  
        final String usage = """  
  
        Usage:  
        <policyARN>\s  
  
        Where:  
        policyARN - A policy ARN value to delete.\s  
        """;  
  
        if (args.length != 1) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String policyARN = args[0];  
        Region region = Region.AWS_GLOBAL;  
        IamClient iam = IamClient.builder()  
            .region(region)  
            .build();  
  
        deleteIAMPolicy(iam, policyARN);  
        iam.close();  
    }  
  
    public static void deleteIAMPolicy(IamClient iam, String policyARN) {  
        try {  
            DeletePolicyRequest request = DeletePolicyRequest.builder()  
                .policyArn(policyARN)  
                .build();  
  
            iam.deletePolicy(request);  
            System.out.println("Successfully deleted the policy");  
        } catch (IamException e) {  
    }
```

```
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    System.out.println("Done");
}
}
```

- For API details, see [DeletePolicy](#) in *AWS SDK for Java 2.x API Reference*.

DeleteUser

The following code example shows how to use DeleteUser.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.DeleteUserRequest;
import software.amazon.awssdk.services.iam.model.IamException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DeleteUser {
    public static void main(String[] args) {
        final String usage = """
Usage:
<userName>\s

```

Where:

```
    userName - The name of the user to delete.\s
    """;

if (args.length != 1) {
    System.out.println(usage);
    System.exit(1);
}

String userName = args[0];
Region region = Region.AWS_GLOBAL;
IamClient iam = IamClient.builder()
    .region(region)
    .build();

deleteIAMUser(iam, userName);
System.out.println("Done");
iam.close();
}

public static void deleteIAMUser(IamClient iam, String userName) {
    try {
        DeleteUserRequest request = DeleteUserRequest.builder()
            .userName(userName)
            .build();

        iam.deleteUser(request);
        System.out.println("Successfully deleted IAM user " + userName);

    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [DeleteUser](#) in *AWS SDK for Java 2.x API Reference*.

DetachRolePolicy

The following code example shows how to use DetachRolePolicy.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.iam.model.DetachRolePolicyRequest;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.IamException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DetachRolePolicy {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <roleName> <policyArn>\s
            Where:
            roleName - A role name that you can obtain from the AWS
Management Console.\s
            policyArn - A policy ARN that you can obtain from the AWS
Management Console.\s
            """;

        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }

        String roleName = args[0];
        String policyArn = args[1];
```

```
Region region = Region.AWS_GLOBAL;
IamClient iam = IamClient.builder()
    .region(region)
    .build();
detachPolicy(iam, roleName, policyArn);
System.out.println("Done");
iam.close();
}

public static void detachPolicy(IamClient iam, String roleName, String
policyArn) {
    try {
        DetachRolePolicyRequest request = DetachRolePolicyRequest.builder()
            .roleName(roleName)
            .policyArn(policyArn)
            .build();

        iam.detachRolePolicy(request);
        System.out.println("Successfully detached policy " + policyArn +
            " from role " + roleName);

    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [DetachRolePolicy](#) in *AWS SDK for Java 2.x API Reference*.

ListAccessKeys

The following code example shows how to use `ListAccessKeys`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.iam.model.AccessKeyMetadata;
import software.amazon.awssdk.services.iam.model.IamException;
import software.amazon.awssdk.services.iam.model.ListAccessKeysRequest;
import software.amazon.awssdk.services.iam.model.ListAccessKeysResponse;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ListAccessKeys {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <userName>\s

            Where:
            userName - The name of the user for which access keys are
            retrieved.\s
            """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String userName = args[0];
        Region region = Region.AWS_GLOBAL;
        IamClient iam = IamClient.builder()
            .region(region)
            .build();

        listKeys(iam, userName);
        System.out.println("Done");
        iam.close();
    }
}
```

```
public static void listKeys(IamClient iam, String userName) {  
    try {  
        boolean done = false;  
        String newMarker = null;  
  
        while (!done) {  
            ListAccessKeysResponse response;  
  
            if (newMarker == null) {  
                ListAccessKeysRequest request = ListAccessKeysRequest.builder()  
                    .userName(userName)  
                    .build();  
  
                response = iam.listAccessKeys(request);  
  
            } else {  
                ListAccessKeysRequest request = ListAccessKeysRequest.builder()  
                    .userName(userName)  
                    .marker(newMarker)  
                    .build();  
  
                response = iam.listAccessKeys(request);  
            }  
  
            for (AccessKeyMetadata metadata : response.accessKeyMetadata()) {  
                System.out.format("Retrieved access key %s",  
metadat.accessKeyId());  
            }  
  
            if (!response.isTruncated()) {  
                done = true;  
            } else {  
                newMarker = response.marker();  
            }  
        }  
  
    } catch (IamException e) {  
        System.err.println(e.awsErrorDetails().errorMessage());  
        System.exit(1);  
    }  
}
```

- For API details, see [ListAccessKeys](#) in *AWS SDK for Java 2.x API Reference*.

ListAccountAliases

The following code example shows how to use `ListAccountAliases`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.iam.model.IamException;
import software.amazon.awssdk.services.iam.model.ListAccountAliasesResponse;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ListAccountAliases {
    public static void main(String[] args) {
        Region region = Region.AWS_GLOBAL;
        IamClient iam = IamClient.builder()
            .region(region)
            .build();

        listAliases(iam);
        System.out.println("Done");
        iam.close();
    }

    public static void listAliases(IamClient iam) {
        try {
            ListAccountAliasesResponse response = iam.listAccountAliases();
```

```
        for (String alias : response.accountAliases()) {
            System.out.printf("Retrieved account alias %s", alias);
        }

    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [ListAccountAliases](#) in *AWS SDK for Java 2.x API Reference*.

ListUsers

The following code example shows how to use ListUsers.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.iam.model.AttachedPermissionsBoundary;
import software.amazon.awssdk.services.iam.model.IamException;
import software.amazon.awssdk.services.iam.model.ListUsersRequest;
import software.amazon.awssdk.services.iam.model.ListUsersResponse;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.User;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
```

```
public class ListUsers {  
    public static void main(String[] args) {  
        Region region = Region.AWS_GLOBAL;  
        IamClient iam = IamClient.builder()  
            .region(region)  
            .build();  
  
        listAllUsers(iam);  
        System.out.println("Done");  
        iam.close();  
    }  
  
    public static void listAllUsers(IamClient iam) {  
        try {  
            boolean done = false;  
            String newMarker = null;  
            while (!done) {  
                ListUsersResponse response;  
                if (newMarker == null) {  
                    ListUsersRequest request = ListUsersRequest.builder().build();  
                    response = iam.listUsers(request);  
                } else {  
                    ListUsersRequest request = ListUsersRequest.builder()  
                        .marker(newMarker)  
                        .build();  
  
                    response = iam.listUsers(request);  
                }  
  
                for (User user : response.users()) {  
                    System.out.format("\n Retrieved user %s", user.userName());  
                    AttachedPermissionsBoundary permissionsBoundary =  
user.permissionsBoundary();  
                    if (permissionsBoundary != null)  
                        System.out.format("\n Permissions boundary details %s",  
  
permissionsBoundary.permissionsBoundaryTypeAsString());  
                }  
  
                if (!response.isTruncated()) {  
                    done = true;  
                } else {  
                    newMarker = response.marker();  
                }  
            }  
        } catch (AmazonServiceException e) {  
            System.out.println(e.getMessage());  
        }  
    }  
}
```

```
        }

    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [ListUsers](#) in *AWS SDK for Java 2.x API Reference*.

UpdateAccessKey

The following code example shows how to use UpdateAccessKey.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.iam.model.IamException;
import software.amazon.awssdk.services.iam.model.StatusType;
import software.amazon.awssdk.services.iam.model.UpdateAccessKeyRequest;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class UpdateAccessKey {

    private static StatusType statusType;
```

```
public static void main(String[] args) {
    final String usage = """
        Usage:
            <username> <accessId> <status>\s
        Where:
            username - The name of the user whose key you want to update.\s
            accessId - The access key ID of the secret access key you want
            to update.\s
            status - The status you want to assign to the secret access key.
        \s
        """;

    if (args.length != 3) {
        System.out.println(usage);
        System.exit(1);
    }

    String username = args[0];
    String accessId = args[1];
    String status = args[2];
    Region region = Region.AWS_GLOBAL;
    IamClient iam = IamClient.builder()
        .region(region)
        .build();

    updateKey(iam, username, accessId, status);
    System.out.println("Done");
    iam.close();
}

public static void updateKey(IamClient iam, String username, String accessId,
String status) {
    try {
        if (status.toLowerCase().equalsIgnoreCase("active")) {
            statusType = StatusType.ACTIVE;
        } else if (status.toLowerCase().equalsIgnoreCase("inactive")) {
            statusType = StatusType.INACTIVE;
        } else {
            statusType = StatusType.UNKNOWN_TO_SDK_VERSION;
        }
    }

    UpdateAccessKeyRequest request = UpdateAccessKeyRequest.builder()
```

```
        .accessKeyId(accessId)
        .userName(username)
        .status(statusType)
        .build();

    iam.updateAccessKey(request);
    System.out.printf("Successfully updated the status of access key %s to"
+
        "status %s for user %s", accessId, status, username);

} catch (IamException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}

}
```

- For API details, see [UpdateAccessKey](#) in *AWS SDK for Java 2.x API Reference*.

UpdateUser

The following code example shows how to use `UpdateUser`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.IamException;
import software.amazon.awssdk.services.iam.model.UpdateUserRequest;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:

```

```
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
public class UpdateUser {  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:  
            <curName> <newName>\s  
  
            Where:  
            curName - The current user name.\s  
            newName - An updated user name.\s  
            """;  
  
        if (args.length != 2) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String curName = args[0];  
        String newName = args[1];  
        Region region = Region.AWS_GLOBAL;  
        IamClient iam = IamClient.builder()  
            .region(region)  
            .build();  
  
        updateIAMUser(iam, curName, newName);  
        System.out.println("Done");  
        iam.close();  
    }  
  
    public static void updateIAMUser(IamClient iam, String curName, String newName)  
    {  
        try {  
            UpdateUserRequest request = UpdateUserRequest.builder()  
                .userName(curName)  
                .newUserName(newName)  
                .build();  
  
            iam.updateUser(request);  
            System.out.printf("Successfully updated user to username %s", newName);  
        } catch (IamException e) {  
    }
```

```
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [UpdateUser](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Build and manage a resilient service

The following code example shows how to create a load-balanced web service that returns book, movie, and song recommendations. The example shows how the service responds to failures, and how to restructure the service for more resilience when failures occur.

- Use an Amazon EC2 Auto Scaling group to create Amazon Elastic Compute Cloud (Amazon EC2) instances based on a launch template and to keep the number of instances in a specified range.
- Handle and distribute HTTP requests with Elastic Load Balancing.
- Monitor the health of instances in an Auto Scaling group and forward requests only to healthy instances.
- Run a Python web server on each EC2 instance to handle HTTP requests. The web server responds with recommendations and health checks.
- Simulate a recommendation service with an Amazon DynamoDB table.
- Control web server response to requests and health checks by updating AWS Systems Manager parameters.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Run the interactive scenario at a command prompt.

```
public class Main {

    public static final String fileName = "C:\\AWS\\resworkflow\\recommendations.json"; // Modify file location.
    public static final String tableName = "doc-example-recommendation-service";
    public static final String startScript = "C:\\AWS\\resworkflow\\server_startup_script.sh"; // Modify file location.
    public static final String policyFile = "C:\\AWS\\resworkflow\\instance_policy.json"; // Modify file location.
    public static final String ssmJSON = "C:\\AWS\\resworkflow\\ssm_only_policy.json"; // Modify file location.
    public static final String failureResponse = "doc-example-resilient-architecture-failure-response";
    public static final String healthCheck = "doc-example-resilient-architecture-health-check";
    public static final String templateName = "doc-example-resilience-template";
    public static final String roleName = "doc-example-resilience-role";
    public static final String policyName = "doc-example-resilience-pol";
    public static final String profileName = "doc-example-resilience-prof";

    public static final String badCredsProfileName = "doc-example-resilience-profile";
    public static final String targetGroupName = "doc-example-resilience-tg";
    public static final String autoScalingGroupName = "doc-example-resilience-group";
    public static final String lbName = "doc-example-resilience-lb";
    public static final String protocol = "HTTP";
    public static final int port = 80;

    public static final String DASHES = new String(new char[80]).replace("\0", "-");

    public static void main(String[] args) throws IOException, InterruptedException
    {
        Scanner in = new Scanner(System.in);
        Database database = new Database();
        AutoScaler autoScaler = new AutoScaler();
        LoadBalancer loadBalancer = new LoadBalancer();

        System.out.println(DASHES);
        System.out.println("Welcome to the demonstration of How to Build and Manage a Resilient Service!");
        System.out.println(DASHES);
    }
}
```

```
System.out.println(DASHES);
System.out.println("A - SETUP THE RESOURCES");
System.out.println("Press Enter when you're ready to start deploying
resources.");
in.nextLine();
deploy(loadBalancer);
System.out.println(DASHES);
System.out.println(DASHES);
System.out.println("B - DEMO THE RESILIENCE FUNCTIONALITY");
System.out.println("Press Enter when you're ready.");
in.nextLine();
demo(loadBalancer);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("C - DELETE THE RESOURCES");
System.out.println(""""

    This concludes the demo of how to build and manage a resilient
service.

    To keep things tidy and to avoid unwanted charges on your account,
we can clean up all AWS resources
        that were created for this demo.
        """);

System.out.println("\n Do you want to delete the resources (y/n)? ");
String userInput = in.nextLine().trim().toLowerCase(); // Capture user input

if (userInput.equals("y")) {
    // Delete resources here
    deleteResources(loadBalancer, autoScaler, database);
    System.out.println("Resources deleted.");
} else {
    System.out.println("""
        Okay, we'll leave the resources intact.
        Don't forget to delete them when you're done with them or you
might incur unexpected charges.
        """);
}
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("The example has completed. ");
System.out.println("\n Thanks for watching!");
```

```
        System.out.println(DASHES);
    }

    // Deletes the AWS resources used in this example.
    private static void deleteResources(LoadBalancer loadBalancer, AutoScaler
autoScaler, Database database)
        throws IOException, InterruptedException {
    loadBalancer.deleteLoadBalancer(lbName);
    System.out.println("**** Wait 30 secs for resource to be deleted");
    TimeUnit.SECONDS.sleep(30);
    loadBalancer.deleteTargetGroup(targetGroupName);
    autoScaler.deleteAutoScaleGroup(autoScalingGroupName);
    autoScaler.deleteRolesPolicies(policyName, roleName, profileName);
    autoScaler.deleteTemplate(templateName);
    database.deleteTable(tableName);
}

private static void deploy(LoadBalancer loadBalancer) throws
InterruptedException, IOException {
    Scanner in = new Scanner(System.in);
    System.out.println(
        """
                    For this demo, we'll use the AWS SDK for Java (v2) to create
several AWS resources
                    to set up a load-balanced web service endpoint and explore
some ways to make it resilient
                    against various kinds of failures.

                    Some of the resources create by this demo are:
                    \t* A DynamoDB table that the web service depends on to
provide book, movie, and song recommendations.
                    \t* An EC2 launch template that defines EC2 instances that
each contain a Python web server.
                    \t* An EC2 Auto Scaling group that manages EC2 instances
across several Availability Zones.
                    \t* An Elastic Load Balancing (ELB) load balancer that
targets the Auto Scaling group to distribute requests.
                    """);

    System.out.println("Press Enter when you're ready.");
    in.nextLine();
    System.out.println(DASHES);

    System.out.println(DASHES);
```

```
        System.out.println("Creating and populating a DynamoDB table named " +  
tableName);  
        Database database = new Database();  
        database.createTable(tableName, fileName);  
        System.out.println(DASHES);  
  
        System.out.println(DASHES);  
        System.out.println("")  
            Creating an EC2 launch template that runs '{startup_script}' when an  
instance starts.  
                This script starts a Python web server defined in the `server.py`  
script. The web server  
                    listens to HTTP requests on port 80 and responds to requests to '/'  
and to '/healthcheck'.  
                    For demo purposes, this server is run as the root user. In  
production, the best practice is to  
                        run a web server, such as Apache, with least-privileged credentials.  
  
                    The template also defines an IAM policy that each instance uses to  
assume a role that grants  
                        permissions to access the DynamoDB recommendation table and Systems  
Manager parameters  
                            that control the flow of the demo.  
                            """);  
  
        LaunchTemplateCreator templateCreator = new LaunchTemplateCreator();  
        templateCreator.createTemplate(policyFile, policyName, profileName,  
startScript, templateName, roleName);  
        System.out.println(DASHES);  
  
        System.out.println(DASHES);  
        System.out.println(  
            "Creating an EC2 Auto Scaling group that maintains three EC2  
instances, each in a different Availability Zone.");  
        System.out.println("*** Wait 30 secs for the VPC to be created");  
        TimeUnit.SECONDS.sleep(30);  
        AutoScaler autoScaler = new AutoScaler();  
        String[] zones = autoScaler.createGroup(3, templateName,  
autoScalingGroupName);  
  
        System.out.println("")  
            At this point, you have EC2 instances created. Once each instance  
starts, it listens for
```

```
HTTP requests. You can see these instances in the console or
continue with the demo.

Press Enter when you're ready to continue.

""");

in.nextLine();
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("Creating variables that control the flow of the demo.");
ParameterHelper paramHelper = new ParameterHelper();
paramHelper.reset();
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("""
    Creating an Elastic Load Balancing target group and load balancer.

The target group
    defines how the load balancer connects to instances. The load
balancer provides a
    single endpoint where clients connect and dispatches requests to
instances in the group.
""");

String vpcId = autoScaler.getDefaultVPC();
List<Subnet> subnets = autoScaler.getSubnets(vpcId, zones);
System.out.println("You have retrieved a list with " + subnets.size() + " "
subnets);
String targetGroupArn = loadBalancer.createTargetGroup(protocol, port,
vpcId, targetGroupName);
String elbDnsName = loadBalancer.createLoadBalancer(subnets, targetGroupArn,
lbName, port, protocol);
autoScaler.attachLoadBalancerTargetGroup(autoScalingGroupName,
targetGroupArn);
System.out.println("Verifying access to the load balancer endpoint...");
boolean wasSuccessful = loadBalancer.verifyLoadBalancerEndpoint(elbDnsName);
if (!wasSuccessful) {
    System.out.println("Couldn't connect to the load balancer, verifying
that the port is open...");
    CloseableHttpClient httpClient = HttpClients.createDefault();

    // Create an HTTP GET request to "http://checkip.amazonaws.com"
    HttpGet httpGet = new HttpGet("http://checkip.amazonaws.com");
    try {
```

```
// Execute the request and get the response
HttpResponse response = httpClient.execute(httpGet);

// Read the response content.
String ipAddress =
IOUtils.toString(response.getEntity().getContent(), StandardCharsets.UTF_8).trim();

// Print the public IP address.
System.out.println("Public IP Address: " + ipAddress);
GroupInfo groupInfo = autoScaler.verifyInboundPort(vpcId, port,
ipAddress);
if (!groupInfo.isPortOpen()) {
    System.out.println(""""
        For this example to work, the default security group for
your default VPC must
        allow access from this computer. You can either add it
automatically from this
        example or add it yourself using the AWS Management
Console.
    """);

    System.out.println(
        "Do you want to add a rule to security group " +
groupInfo.getGroupName() + " to allow");
    System.out.println("inbound traffic on port " + port + " from
your computer's IP address (y/n)");
    String ans = in.nextLine();
    if ("y".equalsIgnoreCase(ans)) {
        autoScaler.openInboundPort(groupInfo.getGroupName(),
String.valueOf(port), ipAddress);
        System.out.println("Security group rule added.");
    } else {
        System.out.println("No security group rule added.");
    }
}

} catch (AutoScalingException e) {
    e.printStackTrace();
}
} else if (wasSuccessful) {
    System.out.println("Your load balancer is ready. You can access it by
browsing to:");
    System.out.println("\t http://" + elbDnsName);
} else {
```

```
        System.out.println("Couldn't get a successful response from the load
balancer endpoint. Troubleshoot by");
        System.out.println("manually verifying that your VPC and security group
are configured correctly and that");
        System.out.println("you can successfully make a GET request to the load
balancer.");
    }

    System.out.println("Press Enter when you're ready to continue with the
demo.");
    in.nextLine();
}

// A method that controls the demo part of the Java program.
public static void demo(LoadBalancer loadBalancer) throws IOException,
InterruptedException {
    ParameterHelper paramHelper = new ParameterHelper();
    System.out.println("Read the ssm_only_policy.json file");
    String ssmOnlyPolicy = readFileSync(ssmJSON);

    System.out.println("Resetting parameters to starting values for demo.");
    paramHelper.reset();

    System.out.println(
        """
            This part of the demonstration shows how to toggle
different parts of the system
            to create situations where the web service fails, and shows
how using a resilient
            architecture can keep the web service running in spite of
these failures.

            At the start, the load balancer endpoint returns
recommendations and reports that all targets are healthy.
        """);
    demoChoices(loadBalancer);

    System.out.println(
        """
            The web service running on the EC2 instances gets
recommendations by querying a DynamoDB table.
            The table name is contained in a Systems Manager parameter
named self.param_helper.table.
        """
    );
}
```

```
        To simulate a failure of the recommendation service, let's
set this parameter to name a non-existent table.

        """);
paramHelper.put(paramHelper.tableName, "this-is-not-a-table");

System.out.println(
    """
        \nNow, sending a GET request to the load balancer endpoint
returns a failure code. But, the service reports as
        healthy to the load balancer because shallow health checks
don't check for failure of the recommendation service.

        """);
demoChoices(loadBalancer);

System.out.println(
    """
        Instead of failing when the recommendation service fails,
the web service can return a static response.

        While this is not a perfect solution, it presents the
customer with a somewhat better experience than failure.

        """);
paramHelper.put(paramHelper.failureResponse, "static");

System.out.println("""
        Now, sending a GET request to the load balancer endpoint returns a
static response.

        The service still reports as healthy because health checks are still
shallow.

        """);
demoChoices(loadBalancer);

System.out.println("Let's reinstate the recommendation service.");
paramHelper.put(paramHelper.tableName, paramHelper.dyntable);

System.out.println("""
        Let's also substitute bad credentials for one of the instances in
the target group so that it can't
        access the DynamoDB recommendation table. We will get an instance id
value.

        """);

LaunchTemplateCreator templateCreator = new LaunchTemplateCreator();
AutoScaler autoScaler = new AutoScaler();
```

```
// Create a new instance profile based on badCredsProfileName.
templateCreator.createInstanceProfile(policyFile, policyName,
badCredsProfileName, roleName);
String badInstanceId = autoScaler.getBadInstance(autoScalingGroupName);
System.out.println("The bad instance id values used for this demo is " +
badInstanceId);

String profileAssociationId = autoScaler.getInstanceProfile(badInstanceId);
System.out.println("The association Id value is " + profileAssociationId);
System.out.println("Replacing the profile for instance " + badInstanceId
+ " with a profile that contains bad credentials");
autoScaler.replaceInstanceProfile(badInstanceId, badCredsProfileName,
profileAssociationId);

System.out.println(
"""
Now, sending a GET request to the load balancer endpoint
returns either a recommendation or a static response,
depending on which instance is selected by the load
balancer.
""");

demoChoices(loadBalancer);

System.out.println("""
Let's implement a deep health check. For this demo, a deep health
check tests whether
the web service can access the DynamoDB table that it depends on for
recommendations. Note that
the deep health check is only for ELB routing and not for Auto
Scaling instance health.
This kind of deep health check is not recommended for Auto Scaling
instance health, because it
risks accidental termination of all instances in the Auto Scaling
group when a dependent service fails.
""");

System.out.println("""
By implementing deep health checks, the load balancer can detect
when one of the instances is failing
and take that instance out of rotation.
""");

paramHelper.put(paramHelper.healthCheck, "deep");
```

```
System.out.println(""\");
    Now, checking target health indicates that the instance with bad
credentials
        is unhealthy. Note that it might take a minute or two for the load
balancer to detect the unhealthy
            instance. Sending a GET request to the load balancer endpoint always
returns a recommendation, because
                the load balancer takes unhealthy instances out of its rotation.
""");

demoChoices(loadBalancer);

System.out.println(
    """
        Because the instances in this demo are controlled by an auto
scaler, the simplest way to fix an unhealthy
            instance is to terminate it and let the auto scaler start a
new instance to replace it.
""");
autoScaler.terminateInstance(badInstanceId);

System.out.println(""\"
        Even while the instance is terminating and the new instance is
starting, sending a GET
            request to the web service continues to get a successful
recommendation response because
                the load balancer routes requests to the healthy instances. After
the replacement instance
                    starts and reports as healthy, it is included in the load balancing
rotation.

        Note that terminating and replacing an instance typically takes
several minutes, during which time you
            can see the changing health check status until the new instance is
running and healthy.
""");

demoChoices(loadBalancer);
System.out.println(
    "If the recommendation service fails now, deep health checks mean
all instances report as unhealthy.");
paramHelper.put(paramHelper.tableName, "this-is-not-a-table");

demoChoices(loadBalancer);
```

```
        paramHelper.reset();
    }

    public static void demoChoices(LoadBalancer loadBalancer) throws IOException,
InterruptedException {
    String[] actions = {
        "Send a GET request to the load balancer endpoint.",
        "Check the health of load balancer targets.",
        "Go to the next part of the demo."
    };
    Scanner scanner = new Scanner(System.in);

    while (true) {
        System.out.println("-".repeat(88));
        System.out.println("See the current state of the service by selecting
one of the following choices:");
        for (int i = 0; i < actions.length; i++) {
            System.out.println(i + ": " + actions[i]);
        }

        try {
            System.out.print("\nWhich action would you like to take? ");
            int choice = scanner.nextInt();
            System.out.println("-".repeat(88));

            switch (choice) {
                case 0 -> {
                    System.out.println("Request:\n");
                    System.out.println("GET http://" +
loadBalancer.getEndpoint(lbName));
                    CloseableHttpClient httpClient =
HttpClients.createDefault();

                    // Create an HTTP GET request to the ELB.
                    HttpGet httpGet = new HttpGet("http://" +
loadBalancer.getEndpoint(lbName));

                    // Execute the request and get the response.
                    HttpResponse response = httpClient.execute(httpGet);
                    int statusCode = response.getStatusLine().getStatusCode();
                    System.out.println("HTTP Status Code: " + statusCode);

                    // Display the JSON response
                    BufferedReader reader = new BufferedReader(

```

```
        new
InputStreamReader(response.getEntity().getContent()));
        StringBuilder jsonResponse = new StringBuilder();
        String line;
        while ((line = reader.readLine()) != null) {
            jsonResponse.append(line);
        }
        reader.close();

        // Print the formatted JSON response.
        System.out.println("Full Response:\n");
        System.out.println(jsonResponse.toString());

        // Close the HTTP client.
        httpClient.close();

    }

case 1 -> {
    System.out.println("\nChecking the health of load balancer
targets:\n");
    List<TargetHealthDescription> health =
loadBalancer.checkTargetHealth(targetGroupName);
    for (TargetHealthDescription target : health) {
        System.out.printf("\tTarget %s on port %d is %s%n",
target.target().id(),
                    target.target().port(),
target.targetHealth().stateAsString());
    }
    System.out.println("""
Note that it can take a minute or two for the health
check to update
after changes are made.
""");
}

case 2 -> {
    System.out.println("\nOkay, let's move on.");
    System.out.println("-".repeat(88));
    return; // Exit the method when choice is 2
}
default -> System.out.println("You must choose a value between
0-2. Please select again.");
}

} catch (java.util.InputMismatchException e) {
```

```
        System.out.println("Invalid input. Please select again.");
        scanner.nextLine(); // Clear the input buffer.
    }
}

public static String readFileAsString(String filePath) throws IOException {
    byte[] bytes = Files.readAllBytes(Paths.get(filePath));
    return new String(bytes);
}
}
```

Create a class that wraps Auto Scaling and Amazon EC2 actions.

```
public class AutoScaler {

    private static Ec2Client ec2Client;
    private static AutoScalingClient autoScalingClient;
    private static IamClient iamClient;

    private static SsmClient ssmClient;

    private IamClient getIAMClient() {
        if (iamClient == null) {
            iamClient = IamClient.builder()
                .region(Region.US_EAST_1)
                .build();
        }
        return iamClient;
    }

    private SsmClient getSSMClient() {
        if (ssmClient == null) {
            ssmClient = SsmClient.builder()
                .region(Region.US_EAST_1)
                .build();
        }
        return ssmClient;
    }

    private Ec2Client getEc2Client() {
        if (ec2Client == null) {
```

```
        ec2Client = Ec2Client.builder()
            .region(Region.US_EAST_1)
            .build();
    }
    return ec2Client;
}

private AutoScalingClient getAutoScalingClient() {
    if (autoScalingClient == null) {
        autoScalingClient = AutoScalingClient.builder()
            .region(Region.US_EAST_1)
            .build();
    }
    return autoScalingClient;
}

/**
 * Terminates and instances in an EC2 Auto Scaling group. After an instance is
 * terminated, it can no longer be accessed.
 */
public void terminateInstance(String instanceId) {
    TerminateInstanceInAutoScalingGroupRequest terminateInstanceRequest =
TerminateInstanceInAutoScalingGroupRequest
        .builder()
        .instanceId(instanceId)
        .shouldDecrementDesiredCapacity(false)
        .build();

getAutoScalingClient().terminateInstanceInAutoScalingGroup(terminateInstanceRequest);
    System.out.format("Terminated instance %s.", instanceId);
}

/**
 * Replaces the profile associated with a running instance. After the profile is
 * replaced, the instance is rebooted to ensure that it uses the new profile.
 * When
 * the instance is ready, Systems Manager is used to restart the Python web
 * server.
 */
public void replaceInstanceProfile(String instanceId, String
newInstanceProfileName, String profileAssociationId)
    throws InterruptedException {
    // Create an IAM instance profile specification.
```

```
software.amazon.awssdk.services.ec2.model.IamInstanceProfileSpecification
iamInstanceProfile =
software.amazon.awssdk.services.ec2.model.IamInstanceProfileSpecification
    .builder()
    .name(newInstanceProfileName) // Make sure 'newInstanceProfileName'
is a valid IAM Instance Profile
                                // name.
    .build();

// Replace the IAM instance profile association for the EC2 instance.
ReplaceIamInstanceProfileAssociationRequest replaceRequest =
ReplaceIamInstanceProfileAssociationRequest
    .builder()
    .iamInstanceProfile(iamInstanceProfile)
    .associationId(profileAssociationId) // Make sure
'profileAssociationId' is a valid association ID.
    .build();

try {
    getEc2Client().replaceIamInstanceProfileAssociation(replaceRequest);
    // Handle the response as needed.
} catch (Ec2Exception e) {
    // Handle exceptions, log, or report the error.
    System.err.println("Error: " + e.getMessage());
}
System.out.format("Replaced instance profile for association %s with profile
%s.", profileAssociationId,
                newInstanceProfileName);
TimeUnit.SECONDS.sleep(15);
boolean instReady = false;
int tries = 0;

// Reboot after 60 seconds
while (!instReady) {
    if (tries % 6 == 0) {
        getEc2Client().rebootInstances(RebootInstancesRequest.builder()
            .instanceIds(instanceId)
            .build());
        System.out.println("Rebooting instance " + instanceId + " and
waiting for it to be ready.");
    }
    tries++;
    try {
        TimeUnit.SECONDS.sleep(10);
    }
```

```
        } catch (InterruptedException e) {
            e.printStackTrace();
        }

        DescribeInstanceInformationResponse informationResponse =
getSSMClient().describeInstanceInformation();
        List<InstanceInformation> instanceInformationList =
informationResponse.instanceInformationList();
        for (InstanceInformation info : instanceInformationList) {
            if (info.instanceId().equals(instanceId)) {
                instReady = true;
                break;
            }
        }
    }

SendCommandRequest sendCommandRequest = SendCommandRequest.builder()
    .instanceIds(instanceId)
    .documentName("AWS-RunShellScript")
    .parameters(Collections.singletonMap("commands",
        Collections.singletonList("cd / && sudo python3 server.py
80")))
    .build();

getSSMClient().sendCommand(sendCommandRequest);
System.out.println("Restarted the Python web server on instance " +
instanceId + ".");
}

public void openInboundPort(String secGroupId, String port, String ipAddress) {
    AuthorizeSecurityGroupIngressRequest ingressRequest =
AuthorizeSecurityGroupIngressRequest.builder()
    .groupName(secGroupId)
    .cidrIp(ipAddress)
    .fromPort(Integer.parseInt(port))
    .build();

    getEc2Client().authorizeSecurityGroupIngress(ingressRequest);
    System.out.format("Authorized ingress to %s on port %s from %s.",
secGroupId, port, ipAddress);
}

/**
 * Detaches a role from an instance profile, detaches policies from the role,
```

```
* and deletes all the resources.  
*/  
public void deleteInstanceProfile(String roleName, String profileName) {  
    try {  
        software.amazon.awssdk.services.iam.model.GetInstanceProfileRequest  
getInstanceProfileRequest =  
software.amazon.awssdk.services.iam.model.GetInstanceProfileRequest  
            .builder()  
            .instanceProfileName(profileName)  
            .build();  
  
        GetInstanceProfileResponse response =  
getIAMClient().getInstanceProfile(getInstanceProfileRequest);  
        String name = response.instanceProfile().instanceProfileName();  
        System.out.println(name);  
  
        RemoveRoleFromInstanceProfileRequest profileRequest =  
RemoveRoleFromInstanceProfileRequest.builder()  
            .instanceProfileName(profileName)  
            .roleName(roleName)  
            .build();  
  
        getIAMClient().removeRoleFromInstanceProfile(profileRequest);  
        DeleteInstanceProfileRequest deleteInstanceProfileRequest =  
DeleteInstanceProfileRequest.builder()  
            .instanceProfileName(profileName)  
            .build();  
  
        getIAMClient().deleteInstanceProfile(deleteInstanceProfileRequest);  
        System.out.println("Deleted instance profile " + profileName);  
  
        DeleteRoleRequest deleteRoleRequest = DeleteRoleRequest.builder()  
            .roleName(roleName)  
            .build();  
  
        // List attached role policies.  
        ListAttachedRolePoliciesResponse rolesResponse = getIAMClient()  
            .listAttachedRolePolicies(role -> role.roleName(roleName));  
        List<AttachedPolicy> attachedPolicies =  
rolesResponse.attachedPolicies();  
        for (AttachedPolicy attachedPolicy : attachedPolicies) {  
            DetachRolePolicyRequest request = DetachRolePolicyRequest.builder()  
                .roleName(roleName)  
                .policyArn(attachedPolicy.policyArn())
```

```
        .build();

        getIAMClient().detachRolePolicy(request);
        System.out.println("Detached and deleted policy " +
attachedPolicy.policyName());
    }

    getIAMClient().deleteRole(deleteRoleRequest);
    System.out.println("Instance profile and role deleted.");

} catch (IamException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
}

public void deleteTemplate(String templateName) {
    getEc2Client().deleteLaunchTemplate(name ->
name.launchTemplateName(templateName));
    System.out.format(templateName + " was deleted.");
}

public void deleteAutoScaleGroup(String groupName) {
    DeleteAutoScalingGroupRequest deleteAutoScalingGroupRequest =
DeleteAutoScalingGroupRequest.builder()
        .autoScalingGroupName(groupName)
        .forceDelete(true)
        .build();

getAutoScalingClient().deleteAutoScalingGroup(deleteAutoScalingGroupRequest);
    System.out.println(groupName + " was deleted.");
}

/*
 * Verify the default security group of the specified VPC allows ingress from
 * this
 * computer. This can be done by allowing ingress from this computer's IP
 * address. In some situations, such as connecting from a corporate network, you
 * must instead specify a prefix list ID. You can also temporarily open the port
 * to
 * any IP address while running this example. If you do, be sure to remove
 * public
 * access when you're done.
*/
```

```
*  
*/  
  
public GroupInfo verifyInboundPort(String VPC, int port, String ipAddress) {  
    boolean portIsOpen = false;  
    GroupInfo groupInfo = new GroupInfo();  
    try {  
        Filter filter = Filter.builder()  
            .name("group-name")  
            .values("default")  
            .build();  
  
        Filter filter1 = Filter.builder()  
            .name("vpc-id")  
            .values(VPC)  
            .build();  
  
        DescribeSecurityGroupsRequest securityGroupsRequest =  
DescribeSecurityGroupsRequest.builder()  
            .filters(filter, filter1)  
            .build();  
  
        DescribeSecurityGroupsResponse securityGroupsResponse = getEc2Client()  
            .describeSecurityGroups(securityGroupsRequest);  
        String securityGroup =  
securityGroupsResponse.securityGroups().get(0).groupName();  
        groupInfo.setGroupName(securityGroup);  
  
        for (SecurityGroup secGroup : securityGroupsResponse.securityGroups()) {  
            System.out.println("Found security group: " + secGroup.groupId());  
  
            for (IpPermission ipPermission : secGroup.ipPermissions()) {  
                if (ipPermission.fromPort() == port) {  
                    System.out.println("Found inbound rule: " + ipPermission);  
                    for (IpRange ipRange : ipPermission.ipRanges()) {  
                        String cidrIp = ipRange.cidrIp();  
                        if (cidrIp.startsWith(ipAddress) ||  
cidrIp.equals("0.0.0.0/0")) {  
                            System.out.println(cidrIp + " is applicable");  
                            portIsOpen = true;  
                        }  
                    }  
                }  
  
                if (!ipPermission.prefixListIds().isEmpty()) {  
                    System.out.println("Prefix lList is applicable");  
                }  
            }  
        }  
    }  
}
```

```
        portIsOpen = true;
    }

    if (!portIsOpen) {
        System.out
            .println("The inbound rule does not appear to be
open to either this computer's IP,"
                     + " all IP addresses (0.0.0.0/0), or to
a prefix list ID.");
    } else {
        break;
    }
}

}

}

} catch (AutoScalingException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
}

groupInfo.setPortOpen(portIsOpen);
return groupInfo;
}

/*
 * Attaches an Elastic Load Balancing (ELB) target group to this EC2 Auto
 * Scaling group.
 * The target group specifies how the load balancer forward requests to the
 * instances
 * in the group.
 */
public void attachLoadBalancerTargetGroup(String asGroupName, String
targetGroupARN) {
    try {
        AttachLoadBalancerTargetGroupsRequest targetGroupsRequest =
AttachLoadBalancerTargetGroupsRequest.builder()
            .autoScalingGroupName(asGroupName)
            .targetGroupARNs(targetGroupARN)
            .build();

getAutoScalingClient().attachLoadBalancerTargetGroups(targetGroupsRequest);
        System.out.println("Attached load balancer to " + asGroupName);
    }
}
```

```
        } catch (AutoScalingException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }

    // Creates an EC2 Auto Scaling group with the specified size.
    public String[] createGroup(int groupSize, String templateName, String
autoScalingGroupName) {

        // Get availability zones.
        software.amazon.awssdk.services.ec2.model.DescribeAvailabilityZonesRequest
zonesRequest =
software.amazon.awssdk.services.ec2.model.DescribeAvailabilityZonesRequest
        .builder()
        .build();

        DescribeAvailabilityZonesResponse zonesResponse =
getEc2Client().describeAvailabilityZones(zonesRequest);
        List<String> availabilityZoneNames =
zonesResponse.availabilityZones().stream()

        .map(software.amazon.awssdk.services.ec2.model.AvailabilityZone::zoneName)
        .collect(Collectors.toList());

        String availabilityZones = String.join(",", availabilityZoneNames);
        LaunchTemplateSpecification specification =
LaunchTemplateSpecification.builder()
        .launchTemplateName(templateName)
        .version("$Default")
        .build();

        String[] zones = availabilityZones.split(",");
        CreateAutoScalingGroupRequest groupRequest =
CreateAutoScalingGroupRequest.builder()
        .launchTemplate(specification)
        .availabilityZones(zones)
        .maxSize(groupSize)
        .minSize(groupSize)
        .autoScalingGroupName(autoScalingGroupName)
        .build();

    try {
        getAutoScalingClient().createAutoScalingGroup(groupRequest);
```

```
        } catch (AutoScalingException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
        System.out.println("Created an EC2 Auto Scaling group named " +
autoScalingGroupName);
        return zones;
    }

    public String getDefaultVPC() {
        // Define the filter.
        Filter defaultFilter = Filter.builder()
            .name("is-default")
            .values("true")
            .build();

        software.amazon.awssdk.services.ec2.model.DescribeVpcsRequest request =
software.amazon.awssdk.services.ec2.model.DescribeVpcsRequest
            .builder()
            .filters(defaultFilter)
            .build();

        DescribeVpcsResponse response = getEc2Client().describeVpcs(request);
        return response.vpcs().get(0).vpcId();
    }

    // Gets the default subnets in a VPC for a specified list of Availability Zones.
    public List<Subnet> getSubnets(String vpcId, String[] availabilityZones) {
        List<Subnet> subnets = null;
        Filter vpcFilter = Filter.builder()
            .name("vpc-id")
            .values(vpcId)
            .build();

        Filter azFilter = Filter.builder()
            .name("availability-zone")
            .values(availabilityZones)
            .build();

        Filter defaultForAZ = Filter.builder()
            .name("default-for-az")
            .values("true")
            .build();
```

```
DescribeSubnetsRequest request = DescribeSubnetsRequest.builder()
    .filters(vpcFilter, azFilter, defaultForAZ)
    .build();

DescribeSubnetsResponse response = getEc2Client().describeSubnets(request);
subnets = response.subnets();
return subnets;
}

// Gets data about the instances in the EC2 Auto Scaling group.
public String getBadInstance(String groupName) {
    DescribeAutoScalingGroupsRequest request =
DescribeAutoScalingGroupsRequest.builder()
    .autoScalingGroupNames(groupName)
    .build();

    DescribeAutoScalingGroupsResponse response =
getAutoScalingClient().describeAutoScalingGroups(request);
    AutoScalingGroup autoScalingGroup = response.autoScalingGroups().get(0);
    List<String> instanceIds = autoScalingGroup.instances().stream()
        .map(instance -> instance.instanceId())
        .collect(Collectors.toList());

    String[] instanceIdArray = instanceIds.toArray(new String[0]);
    for (String instanceId : instanceIdArray) {
        System.out.println("Instance ID: " + instanceId);
        return instanceId;
    }
    return "";
}

// Gets data about the profile associated with an instance.
public String getInstanceProfile(String instanceId) {
    Filter filter = Filter.builder()
        .name("instance-id")
        .values(instanceId)
        .build();

    DescribeIamInstanceProfileAssociationsRequest associationsRequest =
DescribeIamInstanceProfileAssociationsRequest
    .builder()
    .filters(filter)
    .build();
```

```
DescribeIamInstanceProfileAssociationsResponse response = getEc2Client()
    .describeIamInstanceProfileAssociations(associationsRequest);
return response.iamInstanceProfileAssociations().get(0).associationId();
}

public void deleteRolesPolicies(String policyName, String roleName, String
InstanceProfile) {
    ListPoliciesRequest listPoliciesRequest =
ListPoliciesRequest.builder().build();
    ListPoliciesResponse listPoliciesResponse =
getIAMClient().listPolicies(listPoliciesRequest);
    for (Policy policy : listPoliciesResponse.policies()) {
        if (policy.policyName().equals(policyName)) {
            // List the entities (users, groups, roles) that are attached to the
policy.

software.amazon.awssdk.services.iam.model.ListEntitiesForPolicyRequest
listEntitiesRequest =
software.amazon.awssdk.services.iam.model.ListEntitiesForPolicyRequest
    .builder()
    .policyArn(policy.arn())
    .build();
ListEntitiesForPolicyResponse listEntitiesResponse = iamClient
    .listEntitiesForPolicy(listEntitiesRequest);
    if (!listEntitiesResponse.policyGroups().isEmpty() || !
listEntitiesResponse.policyUsers().isEmpty()
        || !listEntitiesResponse.policyRoles().isEmpty()) {
        // Detach the policy from any entities it is attached to.
        DetachRolePolicyRequest detachPolicyRequest =
DetachRolePolicyRequest.builder()
    .policyArn(policy.arn())
    .roleName(roleName) // Specify the name of the IAM role
    .build();

        getIAMClient().detachRolePolicy(detachPolicyRequest);
        System.out.println("Policy detached from entities.");
    }

    // Now, you can delete the policy.
    DeletePolicyRequest deletePolicyRequest =
DeletePolicyRequest.builder()
    .policyArn(policy.arn())
    .build();
```

```
        getIAMClient().deletePolicy(deletePolicyRequest);
        System.out.println("Policy deleted successfully.");
        break;
    }
}

// List the roles associated with the instance profile
ListInstanceProfilesForRoleRequest listRolesRequest =
ListInstanceProfilesForRoleRequest.builder()
    .roleName(roleName)
    .build();

// Detach the roles from the instance profile
ListInstanceProfilesForRoleResponse listRolesResponse =
iamClient.listInstanceProfilesForRole(listRolesRequest);
for (software.amazon.awssdk.services.iam.model.InstanceProfile profile :
listRolesResponse.instanceProfiles()) {
    RemoveRoleFromInstanceProfileRequest removeRoleRequest =
RemoveRoleFromInstanceProfileRequest.builder()
    .instanceProfileName(InstanceProfile)
    .roleName(roleName) // Remove the extra dot here
    .build();

    getIAMClient().removeRoleFromInstanceProfile(removeRoleRequest);
    System.out.println("Role " + roleName + " removed from instance profile
" + InstanceProfile);
}

// Delete the instance profile after removing all roles
DeleteInstanceProfileRequest deleteInstanceProfileRequest =
DeleteInstanceProfileRequest.builder()
    .instanceProfileName(InstanceProfile)
    .build();

getIAMClient().deleteInstanceProfile(r ->
r.instanceProfileName(InstanceProfile));
System.out.println(InstanceProfile + " Deleted");
System.out.println("All roles and policies are deleted.");
}
}
```

Create a class that wraps Elastic Load Balancing actions.

```
public class LoadBalancer {  
    public ElasticLoadBalancingV2Client elasticLoadBalancingV2Client;  
  
    public ElasticLoadBalancingV2Client getLoadBalancerClient() {  
        if (elasticLoadBalancingV2Client == null) {  
            elasticLoadBalancingV2Client = ElasticLoadBalancingV2Client.builder()  
                .region(Region.US_EAST_1)  
                .build();  
        }  
  
        return elasticLoadBalancingV2Client;  
    }  
  
    // Checks the health of the instances in the target group.  
    public List<TargetHealthDescription> checkTargetHealth(String targetGroupName) {  
        DescribeTargetGroupsRequest targetGroupsRequest =  
        DescribeTargetGroupsRequest.builder()  
            .names(targetGroupName)  
            .build();  
  
        DescribeTargetGroupsResponse tgResponse =  
        getLoadBalancerClient().describeTargetGroups(targetGroupsRequest);  
  
        DescribeTargetHealthRequest healthRequest =  
        DescribeTargetHealthRequest.builder()  
            .targetGroupArn(tgResponse.targetGroups().get(0).targetGroupArn())  
            .build();  
  
        DescribeTargetHealthResponse healthResponse =  
        getLoadBalancerClient().describeTargetHealth(healthRequest);  
        return healthResponse.targetHealthDescriptions();  
    }  
  
    // Gets the HTTP endpoint of the load balancer.  
    public String getEndpoint(String lbName) {  
        DescribeLoadBalancersResponse res = getLoadBalancerClient()  
            .describeLoadBalancers(describe -> describe.names(lbName));  
        return res.loadBalancers().get(0).dnsName();  
    }  
  
    // Deletes a load balancer.  
    public void deleteLoadBalancer(String lbName) {
```

```
try {
    // Use a waiter to delete the Load Balancer.
    DescribeLoadBalancersResponse res = getLoadBalancerClient()
        .describeLoadBalancers(describe -> describe.names(lbName));
    ElasticLoadBalancingV2Waiter loadBalancerWaiter =
getLoadBalancerClient().waiter();
    DescribeLoadBalancersRequest request =
DescribeLoadBalancersRequest.builder()
        .loadBalancerArns(res.loadBalancers().get(0).loadBalancerArn())
        .build();

    getLoadBalancerClient().deleteLoadBalancer(
        builder ->
builder.loadBalancerArn(res.loadBalancers().get(0).loadBalancerArn()));
    WaiterResponse<DescribeLoadBalancersResponse> waiterResponse =
loadBalancerWaiter
        .waitForLoadBalancersDeleted(request);
    waiterResponse.matched().response().ifPresent(System.out::println);

} catch (ElasticLoadBalancingV2Exception e) {
    System.err.println(e.awsErrorDetails().errorMessage());
}
System.out.println(lbName + " was deleted.");
}

// Deletes the target group.
public void deleteTargetGroup(String targetGroupName) {
    try {
        DescribeTargetGroupsResponse res = getLoadBalancerClient()
            .describeTargetGroups(describe ->
describe.names(targetGroupName));
        getLoadBalancerClient()
            .deleteTargetGroup(builder ->
builder.targetGroupArn(res.targetGroups().get(0).targetGroupArn()));
    } catch (ElasticLoadBalancingV2Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
    }
    System.out.println(targetGroupName + " was deleted.");
}

// Verify this computer can successfully send a GET request to the load balancer
// endpoint.
public boolean verifyLoadBalancerEndpoint(String elbDnsName) throws IOException,
InterruptedException {
```

```
boolean success = false;
int retries = 3;
CloseableHttpClient httpClient = HttpClients.createDefault();

// Create an HTTP GET request to the ELB.
HttpGet httpGet = new HttpGet("http://" + elbDnsName);
try {
    while ((!success) && (retries > 0)) {
        // Execute the request and get the response.
        HttpResponse response = httpClient.execute(httpGet);
        int statusCode = response.getStatusLine().getStatusCode();
        System.out.println("HTTP Status Code: " + statusCode);
        if (statusCode == 200) {
            success = true;
        } else {
            retries--;
            System.out.println("Got connection error from load balancer
endpoint, retrying...");  
            TimeUnit.SECONDS.sleep(15);
        }
    }
}

} catch (org.apache.http.conn.HttpHostConnectException e) {
    System.out.println(e.getMessage());
}

System.out.println("Status.." + success);
return success;
}

/*
 * Creates an Elastic Load Balancing target group. The target group specifies
 * how
 * the load balancer forward requests to instances in the group and how instance
 * health is checked.
 */
public String createTargetGroup(String protocol, int port, String vpcId, String
targetGroupName) {
    CreateTargetGroupRequest targetGroupRequest =
CreateTargetGroupRequest.builder()
    .healthCheckPath("/healthcheck")
    .healthCheckTimeoutSeconds(5)
    .port(port)
    .vpcId(vpcId)
```

```
.name(targetGroupName)
.protocol(protocol)
.build();

CreateTargetGroupResponse targetGroupResponse =
getLoadBalancerClient().createTargetGroup(targetGroupRequest);
String targetGroupArn =
targetGroupResponse.targetGroups().get(0).targetGroupArn();
String targetGroup =
targetGroupResponse.targetGroups().get(0).targetGroupName();
System.out.println("The " + targetGroup + " was created with ARN" +
targetGroupArn);
return targetGroupArn;
}

/*
 * Creates an Elastic Load Balancing load balancer that uses the specified
 * subnets
 * and forwards requests to the specified target group.
 */
public String createLoadBalancer(List<Subnet> subnetIds, String targetGroupARN,
String lbName, int port,
String protocol) {
try {
List<String> subnetIdStrings = subnetIds.stream()
.map(Subnet::subnetId)
.collect(Collectors.toList());

CreateLoadBalancerRequest balancerRequest =
CreateLoadBalancerRequest.builder()
.subnets(subnetIdStrings)
.name(lbName)
.scheme("internet-facing")
.build();

// Create and wait for the load balancer to become available.
CreateLoadBalancerResponse lsResponse =
getLoadBalancerClient().createLoadBalancer(balancerRequest);
String lbARN = lsResponse.loadBalancers().get(0).loadBalancerArn();

ElasticLoadBalancingV2Waiter loadBalancerWaiter =
getLoadBalancerClient().waiter();
DescribeLoadBalancersRequest request =
DescribeLoadBalancersRequest.builder()
```

```
        .loadBalancerArns(lbARN)
        .build();

        System.out.println("Waiting for Load Balancer " + lbName + " to become
available.");
        WaiterResponse<DescribeLoadBalancersResponse> waiterResponse =
loadBalancerWaiter
            .waitUntilLoadBalancerAvailable(request);
        waiterResponse.matched().response().ifPresent(System.out::println);
        System.out.println("Load Balancer " + lbName + " is available.");

        // Get the DNS name (endpoint) of the load balancer.
        String lbDNSName = lsResponse.loadBalancers().get(0).dnsName();
        System.out.println("**** Load Balancer DNS Name: " + lbDNSName);

        // Create a listener for the load balance.
        Action action = Action.builder()
            .targetGroupArn(targetGroupARN)
            .type("forward")
            .build();

        CreateListenerRequest listenerRequest = CreateListenerRequest.builder()

        .loadBalancerArn(lsResponse.loadBalancers().get(0).loadBalancerArn())
            .defaultActions(action)
            .port(port)
            .protocol(protocol)
            .defaultActions(action)
            .build();

        getLoadBalancerClient().createListener(listenerRequest);
        System.out.println("Created listener to forward traffic from load
balancer " + lbName + " to target group "
            + targetGroupARN);

        // Return the load balancer DNS name.
        return lbDNSName;

    } catch (ElasticLoadBalancingV2Exception e) {
        e.printStackTrace();
    }
    return "";
}
}
```

Create a class that uses DynamoDB to simulate a recommendation service.

```
public class Database {

    private static DynamoDbClient dynamoDbClient;

    public static DynamoDbClient getDynamoDbClient() {
        if (dynamoDbClient == null) {
            dynamoDbClient = DynamoDbClient.builder()
                .region(Region.US_EAST_1)
                .build();
        }
        return dynamoDbClient;
    }

    // Checks to see if the Amazon DynamoDB table exists.
    private boolean doesTableExist(String tableName) {
        try {
            // Describe the table and catch any exceptions.
            DescribeTableRequest describeTableRequest =
DescribeTableRequest.builder()
            .tableName(tableName)
            .build();

            getDynamoDbClient().describeTable(describeTableRequest);
            System.out.println("Table '" + tableName + "' exists.");
            return true;

        } catch (ResourceNotFoundException e) {
            System.out.println("Table '" + tableName + "' does not exist.");
        } catch (DynamoDbException e) {
            System.err.println("Error checking table existence: " + e.getMessage());
        }
        return false;
    }

    /*
     * Creates a DynamoDB table to use a recommendation service. The table has a
     * hash key named 'MediaType' that defines the type of media recommended, such
     * as
     * Book or Movie, and a range key named 'ItemId' that, combined with the
     */
}
```

```
* MediaType,  
* forms a unique identifier for the recommended item.  
*/  
public void createTable(String tableName, String fileName) throws IOException {  
    // First check to see if the table exists.  
    boolean doesExist = doesTableExist(tableName);  
    if (!doesExist) {  
        DynamoDbWaiter dbWaiter = getDynamoDbClient().waiter();  
        CreateTableRequest createTableRequest = CreateTableRequest.builder()  
            .tableName(tableName)  
            .attributeDefinitions(  
                AttributeDefinition.builder()  
                    .attributeName("MediaType")  
                    .attributeType(ScalarAttributeType.S)  
                    .build(),  
                AttributeDefinition.builder()  
                    .attributeName("ItemId")  
                    .attributeType(ScalarAttributeType.N)  
                    .build())  
            .keySchema(  
                KeySchemaElement.builder()  
                    .attributeName("MediaType")  
                    .keyType(KeyType.HASH)  
                    .build(),  
                KeySchemaElement.builder()  
                    .attributeName("ItemId")  
                    .keyType(KeyType.RANGE)  
                    .build())  
            .provisionedThroughput(  
                ProvisionedThroughput.builder()  
                    .readCapacityUnits(5L)  
                    .writeCapacityUnits(5L)  
                    .build())  
            .build());  
  
        getDynamoDbClient().createTable(createTableRequest);  
        System.out.println("Creating table " + tableName + "...");  
  
        // Wait until the Amazon DynamoDB table is created.  
        DescribeTableRequest tableRequest = DescribeTableRequest.builder()  
            .tableName(tableName)  
            .build();
```

```
        WaiterResponse<DescribeTableResponse> waiterResponse =
    dbWaiter.waitUntilTableExists(tableRequest);
    waiterResponse.matched().response().ifPresent(System.out::println);
    System.out.println("Table " + tableName + " created.");

    // Add records to the table.
    populateTable(fileName, tableName);
}
}

public void deleteTable(String tableName) {
    getDynamoDbClient().deleteTable(table -> table.tableName(tableName));
    System.out.println("Table " + tableName + " deleted.");
}

// Populates the table with data located in a JSON file using the DynamoDB
// enhanced client.
public void populateTable(String fileName, String tableName) throws IOException
{
    DynamoDbEnhancedClient enhancedClient = DynamoDbEnhancedClient.builder()
        .dynamoDbClient(getDynamoDbClient())
        .build();

    ObjectMapper objectMapper = new ObjectMapper();
    File jsonFile = new File(fileName);
    JsonNode rootNode = objectMapper.readTree(jsonFile);

    DynamoDbTable<Recommendation> mappedTable = enhancedClient.table(tableName,
        TableSchema.fromBean(Recommendation.class));
    for (JsonNode currentNode : rootNode) {
        String mediaType = currentNode.path("MediaType").path("S").asText();
        int itemId = currentNode.path("ItemId").path("N").asInt();
        String title = currentNode.path("Title").path("S").asText();
        String creator = currentNode.path("Creator").path("S").asText();

        // Create a Recommendation object and set its properties.
        Recommendation rec = new Recommendation();
        rec.setMediaType(mediaType);
        rec.setItemId(itemId);
        rec.setTitle(title);
        rec.setCreator(creator);

        // Put the item into the DynamoDB table.
        mappedTable.putItem(rec); // Add the Recommendation to the list.
    }
}
```

```
        System.out.println("Added all records to the " + tableName);
    }
}
```

Create a class that wraps Systems Manager actions.

```
public class ParameterHelper {

    String tableName = "doc-example-resilient-architecture-table";
    String dyntable = "doc-example-recommendation-service";
    String failureResponse = "doc-example-resilient-architecture-failure-response";
    String healthCheck = "doc-example-resilient-architecture-health-check";

    public void reset() {
        put(dyntable, tableName);
        put(failureResponse, "none");
        put(healthCheck, "shallow");
    }

    public void put(String name, String value) {
        SsmClient ssmClient = SsmClient.builder()
            .region(Region.US_EAST_1)
            .build();

        PutParameterRequest parameterRequest = PutParameterRequest.builder()
            .name(name)
            .value(value)
            .overwrite(true)
            .type("String")
            .build();

        ssmClient.putParameter(parameterRequest);
        System.out.printf("Setting demo parameter %s to '%s'.", name, value);
    }
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [AttachLoadBalancerTargetGroups](#)
- [CreateAutoScalingGroup](#)
- [CreateInstanceProfile](#)

- [CreateLaunchTemplate](#)
- [CreateListener](#)
- [CreateLoadBalancer](#)
- [CreateTargetGroup](#)
- [DeleteAutoScalingGroup](#)
- [DeleteInstanceProfile](#)
- [DeleteLaunchTemplate](#)
- [DeleteLoadBalancer](#)
- [DeleteTargetGroup](#)
- [DescribeAutoScalingGroups](#)
- [DescribeAvailabilityZones](#)
- [DescribelamInstanceProfileAssociations](#)
- [DescribeInstances](#)
- [DescribeLoadBalancers](#)
- [DescribeSubnets](#)
- [DescribeTargetGroups](#)
- [DescribeTargetHealth](#)
- [DescribeVpcs](#)
- [RebootInstances](#)
- [ReplacelamInstanceProfileAssociation](#)
- [TerminateInstanceInAutoScalingGroup](#)
- [UpdateAutoScalingGroup](#)

Work with the IAM Policy Builder API

The following code example shows how to:

- Create IAM policies by using the object-oriented API.
- Use the IAM Policy Builder API with the IAM service.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

The examples use the following imports.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.policybuilder.iam.IamConditionOperator;
import software.amazon.awssdk.policybuilder.iam.IamEffect;
import software.amazon.awssdk.policybuilder.iam.IamPolicy;
import software.amazon.awssdk.policybuilder.iam.IamPolicyWriter;
import software.amazon.awssdk.policybuilder.iam.IamPrincipal;
import software.amazon.awssdk.policybuilder.iam.IamPrincipalType;
import software.amazon.awssdk.policybuilder.iam.IamResource;
import software.amazon.awssdk.policybuilder.iam.IamStatement;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iam.IamClient;
import software.amazon.awssdk.services.iam.model.GetPolicyResponse;
import software.amazon.awssdk.services.iam.model.GetPolicyVersionResponse;
import software.amazon.awssdk.services.sts.StsClient;

import java.net.URLDecoder;
import java.nio.charset.StandardCharsets;
import java.util.Arrays;
import java.util.List;
```

Create a time-based policy.

```
public String timeBasedPolicyExample() {
    IamPolicy policy = IamPolicy.builder()
        .addStatement(b -> b
            .effect(IamEffect.ALLOW)
            .addAction("dynamodb:GetItem")
            .addResource(IamResource.ALL)
            .addCondition(b1 -> b1
```

```
.operator(IamConditionOperator.DATE_GREATER_THAN)

.key("aws:CurrentTime")

.value("2020-04-01T00:00:00Z"))
.addCondition(b1 -> b1

.operator(IamConditionOperator.DATE_LESS_THAN)

.key("aws:CurrentTime")

.value("2020-06-30T23:59:59Z")))
.build();

// Use an IamPolicyWriter to write out the JSON string to a more
readable
// format.
return policy.toJson(IamPolicyWriter.builder()
.prettyPrint(true)
.build());
}
```

Create a policy with multiple conditions.

```
public String multipleConditionsExample() {
    IamPolicy policy = IamPolicy.builder()
        .addStatement(b -> b
            .effect(IamEffect.ALLOW)
            .addAction("dynamodb:GetItem")
            .addAction("dynamodb:BatchGetItem")
            .addAction("dynamodb:Query")
            .addAction("dynamodb:PutItem")
            .addAction("dynamodb:UpdateItem")
            .addAction("dynamodb:DeleteItem")

        .addAction("dynamodb:BatchWriteItem")

        .addResource("arn:aws:dynamodb:*:*:table/table-name")

        .addConditions(IamConditionOperator.STRING_EQUALS
```

```
.addPrefix("ForAllValues:"),  
  
"dynamodb:Attributes",  
                                List.of("column-  
name1", "column-name2", "column-name3"))  
                                .addCondition(b1 -> b1  
  
.operator(IamConditionOperator.STRING_EQUALS  
  
.addSuffix("IfExists"))  
  
.key("dynamodb:Select")  
  
.value("SPECIFIC_ATTRIBUTES")))  
                                .build();  
  
        return policy.toJson(IamPolicyWriter.builder()  
                                .prettyPrint(true).build());  
    }  
}
```

Use principals in a policy.

```
public String specifyPrincipalsExample() {  
    IamPolicy policy = IamPolicy.builder()  
        .addStatement(b -> b  
                    .effect(IamEffect.DENY)  
                    .addAction("s3:*")  
                    .addPrincipal(IamPrincipal.ALL)  
  
.addResource("arn:aws:s3:::BUCKETNAME/*")  
  
.addResource("arn:aws:s3:::BUCKETNAME")  
                    .addCondition(b1 -> b1  
  
.operator(IamConditionOperator.ARN_NOT_EQUALS)  
  
.key("aws:PrincipalArn")  
  
.value("arn:aws:iam::444455556666:user/user-name")))  
                    .build();  
    return policy.toJson(IamPolicyWriter.builder()
```

```
        .prettyPrint(true).build());
    }
```

Allow cross-account access.

```
public String allowCrossAccountAccessExample() {
    IamPolicy policy = IamPolicy.builder()
        .addStatement(b -> b
            .effect(IamEffect.ALLOW)
            .addPrincipal(IamPrincipalType.AWS,
            "111122223333")
            .addAction("s3:PutObject")
            .addResource("arn:aws:s3:::amzn-s3-
demo-bucket/*")
            .addCondition(b1 -> b1
                .operator(IamConditionOperator.STRING_EQUALS)
                    .key("s3:x-amz-acl")
                    .value("bucket-
owner-full-control")))
            .build());
    return policy.toJson(IamPolicyWriter.builder()
        .prettyPrint(true).build());
}
```

Build and upload an IamPolicy.

```
public String createAndUploadPolicyExample(IamClient iam, String accountID,
String policyName) {
    // Build the policy.
    IamPolicy policy = IamPolicy.builder() // 'version' defaults to
"2012-10-17".
        .addStatement(IamStatement.builder()
            .effect(IamEffect.ALLOW)
            .addAction("dynamodb:PutItem")
            .addResource("arn:aws:dynamodb:us-
east-1:" + accountID
                + ":table/
exampleTableName")
            .build())
        .build();
}
```

```
// Upload the policy.  
iam.createPolicy(r ->  
r.policyName(policyName).policyDocument(policy.toJson()));  
return  
policy.toJson(IamPolicyWriter.builder().prettyPrint(true).build());  
}
```

Download and work with an IamPolicy.

```
public String createNewBasedOnExistingPolicyExample(IamClient iam, String  
accountID, String policyName,  
String newPolicyName) {  
  
    String policyArn = "arn:aws:iam://" + accountID + ":policy/" +  
policyName;  
    GetPolicyResponse getPolicyResponse = iam.getPolicy(r ->  
r.policyArn(policyArn));  
  
    String policyVersion =  
getPolicyResponse.policy().defaultVersionId();  
    GetPolicyVersionResponse getPolicyVersionResponse = iam  
        .getPolicyVersion(r ->  
r.policyArn(policyArn).versionId(policyVersion));  
  
    // Create an IamPolicy instance from the JSON string returned from  
    IAM.  
    String decodedPolicy =  
URLDecoder.decode(getPolicyVersionResponse.policyVersion().document(),  
    StandardCharsets.UTF_8);  
    IamPolicy policy = IamPolicy.fromJson(decodedPolicy);  
  
    /*  
     * All IamPolicy components are immutable, so use the copy method  
     * that creates a  
     * new instance that  
     * can be altered in the same method call.  
     *  
     * Add the ability to get an item from DynamoDB as an additional  
     * action.  
     */  
    IamStatement newStatement = policy.statements().get(0).copy(s ->  
s.addAction("dynamodb:GetItem"));
```

```
// Create a new statement that replaces the original statement.  
IamPolicy newPolicy = policy.copy(p ->  
p.statements(Arrays.asList(newStatement)));  
  
// Upload the new policy. IAM now has both policies.  
iam.createPolicy(r -> r.policyName(newPolicyName)  
.policyDocument(newPolicy.toJson()));  
  
return  
newPolicy.toJson(IamPolicyWriter.builder().prettyPrint(true).build());  
}
```

- For more information, see [AWS SDK for Java 2.x Developer Guide](#).
- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.
 - [CreatePolicy](#)
 - [GetPolicy](#)
 - [GetPolicyVersion](#)

AWS IoT examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with AWS IoT.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello AWS IoT

The following code examples show how to get started using AWS IoT.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iot.IotClient;
import software.amazon.awssdk.services.iot.model.ListThingsRequest;
import software.amazon.awssdk.services.iot.model.ListThingsResponse;
import software.amazon.awssdk.services.iot.model.ThingAttribute;
import software.amazon.awssdk.services.iot.paginators.ListThingsIterable;

import java.util.List;

public class HelloIoT {
    public static void main(String[] args) {
        System.out.println("Hello AWS IoT. Here is a listing of your AWS IoT
Things:");
        IotClient iotClient = IotClient.builder()
            .region(Region.US_EAST_1)
            .build();

        listAllThings(iotClient);
    }

    public static void listAllThings(IotClient iotClient) {
        iotClient.listThingsPaginator(ListThingsRequest.builder()
            .maxResults(10)
            .build())
            .stream()
            .flatMap(response -> response.things().stream())
            .forEach(attribute -> {
                System.out.println("Thing name: " + attribute(thingName()));
                System.out.println("Thing ARN: " + attribute(thingArn()));
            });
    }
}
```

- For API details, see [listThings](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Basics](#)
- [Actions](#)

Basics

Learn the basics

The following code example shows how to work with AWS IoT device management.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Run an interactive scenario demonstrating AWS IoT features.

```
import java.util.Scanner;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 *
 * This Java example performs these tasks:
 *
 * 1. Creates an AWS IoT Thing.
 * 2. Generate and attach a device certificate.
 * 3. Update an AWS IoT Thing with Attributes.
 * 4. Get an AWS IoT Endpoint.
 * 5. List your certificates.
 * 6. Updates the shadow for the specified thing..
 */
```

```
* 7. Write out the state information, in JSON format
* 8. Creates a rule
* 9. List rules
* 10. Search things
* 11. Detach and delete the certificate.
* 12. Delete Thing.
*/
public class IoTScenario {
    public static final String DASHES = new String(new char[80]).replace("\0", "-");

    public static void main(String[] args) {
        final String usage =
        """
        Usage:
            <roleARN> <snsAction>

        Where:
            roleARN - The ARN of an IAM role that has permission to work
        with AWS IOT.
            snsAction - An ARN of an SNS topic.
        """;

        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }

        IoTActions iotActions = new IoTActions();
        String thingName;
        String ruleName;
        String roleARN = args[0];
        String snsAction = args[1];
        Scanner scanner = new Scanner(System.in);

        System.out.println(DASHES);
        System.out.println("Welcome to the AWS IoT basics scenario.");
        System.out.println"""

        This example program demonstrates various interactions with the AWS
        Internet of Things (IoT) Core service. The program guides you through a series of
        steps,
        including creating an IoT Thing, generating a device certificate,
        updating the Thing with attributes, and so on.
        It utilizes the AWS SDK for Java V2 and incorporates functionality for
        creating and managing IoT Things, certificates, rules,
```

shadows, and performing searches. The program aims to showcase AWS IoT capabilities and provides a comprehensive example for developers working with AWS IoT in a Java environment.

Let's get started...

```
""");
System.out.println(DASHES);

System.out.println("1. Create an AWS IoT Thing.");
System.out.println("""
    An AWS IoT Thing represents a virtual entity in the AWS IoT service that
can be associated with
    a physical device.
""");
// Prompt the user for input.
System.out.print("Enter Thing name: ");
thingName = scanner.nextLine();
iotActions.createIoTThing(thingName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("2. Generate a device certificate.");
System.out.println("""
    A device certificate performs a role in securing the communication
between devices (Things)
    and the AWS IoT platform.
""");

System.out.print("Do you want to create a certificate for " +thingName +"?
(y/n)");
String certAns = scanner.nextLine();
String certificateArn="";
if (certAns != null && certAns.trim().equalsIgnoreCase("y")) {
    certificateArn = iotActions.createCertificate();
    System.out.println("Attach the certificate to the AWS IoT Thing.");
    iotActions.attachCertificateToThing(thingName, certificateArn);
} else {
    System.out.println("A device certificate was not created.");
}
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("3. Update an AWS IoT Thing with Attributes.");
```

```
System.out.println(""  
    IoT Thing attributes, represented as key-value pairs, offer a pivotal  
advantage in facilitating efficient data  
    management and retrieval within the AWS IoT ecosystem.  
    """);  
    waitForInputToContinue(scanner);  
    iotActions.updateShadowThing(thingName);  
    waitForInputToContinue(scanner);  
    System.out.println(DASHES);  
  
    System.out.println(DASHES);  
    System.out.println("4. Return a unique endpoint specific to the Amazon Web  
Services account.");  
    System.out.println("")  
        An IoT Endpoint refers to a specific URL or Uniform Resource Locator  
that serves as the entry point for communication between IoT devices and the AWS  
IoT service.  
    """);  
    waitForInputToContinue(scanner);  
    String endpointUrl = iotActions.describeEndpoint();  
    System.out.println("The endpoint is "+endpointUrl);  
    waitForInputToContinue(scanner);  
    System.out.println(DASHES);  
  
    System.out.println(DASHES);  
    System.out.println("5. List your AWS IoT certificates");  
    waitForInputToContinue(scanner);  
    if (certificateArn.length() > 0) {  
        iotActions.listCertificates();  
    } else {  
        System.out.println("You did not create a certificates. Skipping this  
step.");  
    }  
    waitForInputToContinue(scanner);  
    System.out.println(DASHES);  
  
    System.out.println(DASHES);  
    System.out.println("6. Create an IoT shadow that refers to a digital  
representation or virtual twin of a physical IoT device");  
    System.out.println("")  
        A Thing Shadow refers to a feature that enables you to create a virtual  
representation, or "shadow,"  
            of a physical device or thing. The Thing Shadow allows you to  
synchronize and control the state of a device between
```

```
        the cloud and the device itself. and the AWS IoT service. For example,
you can write and retrieve JSON data from a Thing Shadow.

        """);
        waitForInputToContinue(scanner);
        iotActions.updateShadowThing(thingName);
        waitForInputToContinue(scanner);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("7. Write out the state information, in JSON format.");
        waitForInputToContinue(scanner);
        iotActions.getPayload(thingName);
        waitForInputToContinue(scanner);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("8. Creates a rule");
        System.out.println(""""
Creates a rule that is an administrator-level action.
Any user who has permission to create rules will be able to access data
processed by the rule.

        """);
        System.out.print("Enter Rule name: ");
        ruleName = scanner.nextLine();
        iotActions.createIoTRule(roleARN, ruleName, snsAction);
        waitForInputToContinue(scanner);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("9. List your rules.");
        waitForInputToContinue(scanner);
        iotActions.listIoTRules();
        waitForInputToContinue(scanner);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("10. Search things using the Thing name.");
        waitForInputToContinue(scanner);
        String queryString = "thingName:"+thingName ;
        iotActions.searchThings(queryString);
        waitForInputToContinue(scanner);
        System.out.println(DASHES);

        System.out.println(DASHES);
```

```
        if (certificateArn.length() > 0) {
            System.out.print("Do you want to detach and delete the certificate for "
+thingName +"? (y/n)");
            String delAns = scanner.nextLine();
            if (delAns != null && delAns.trim().equalsIgnoreCase("y")) {
                System.out.println("11. You selected to detach and delete the
certificate.");
                waitForInputToContinue(scanner);
                iotActions.detachThingPrincipal(thingName, certificateArn);
                iotActions.deleteCertificate(certificateArn);
                waitForInputToContinue(scanner);
            } else {
                System.out.println("11. You selected not to delete the
certificate.");
            }
        } else {
            System.out.println("11. You did not create a certificate so there is
nothing to delete.");
        }
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("12. Delete the AWS IoT Thing.");
        System.out.print("Do you want to delete the IoT Thing? (y/n)");
        String delAns = scanner.nextLine();
        if (delAns != null && delAns.trim().equalsIgnoreCase("y")) {
            iotActions.deleteIoTThing(thingName);
        } else {
            System.out.println("The IoT Thing was not deleted.");
        }
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("The AWS IoT workflow has successfully completed.");
        System.out.println(DASHES);
    }

private static void waitForInputToContinue(Scanner scanner) {
    while (true) {
        System.out.println("");
        System.out.println("Enter 'c' followed by <ENTER> to continue:");
        String input = scanner.nextLine();
```

```
        if (input.trim().equalsIgnoreCase("c")) {
            System.out.println("Continuing with the program...");
            System.out.println("");
            break;
        } else {
            // Handle invalid input.
            System.out.println("Invalid input. Please try again.");
        }
    }
}
```

A wrapper class for AWS IoT SDK methods.

```
import software.amazon.awssdk.auth.credentials.EnvironmentVariableCredentialsProvider;
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.core.client.config.ClientOverrideConfiguration;
import software.amazon.awssdk.core.retry.RetryPolicy;
import software.amazon.awssdk.http.async.SdkAsyncHttpClient;
import software.amazon.awssdk.http.nio.netty.NettyNioAsyncHttpClient;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.iot.IotAsyncClient;
import software.amazon.awssdk.services.iot.model.Action;
import software.amazon.awssdk.services.iot.model.AttachThingPrincipalRequest;
import software.amazon.awssdk.services.iot.model.AttachThingPrincipalResponse;
import software.amazon.awssdk.services.iot.model.Certificate;
import software.amazon.awssdk.services.iot.model.CreateKeysAndCertificateResponse;
import software.amazon.awssdk.services.iot.model.CreateThingRequest;
import software.amazon.awssdk.services.iot.model.CreateThingResponse;
import software.amazon.awssdk.services.iot.model.CreateTopicRuleRequest;
import software.amazon.awssdk.services.iot.model.CreateTopicRuleResponse;
import software.amazon.awssdk.services.iot.model.DeleteCertificateRequest;
import software.amazon.awssdk.services.iot.model.DeleteCertificateResponse;
import software.amazon.awssdk.services.iot.model.DeleteThingRequest;
import software.amazon.awssdk.services.iot.model.DeleteThingResponse;
import software.amazon.awssdk.services.iot.model.DescribeEndpointRequest;
import software.amazon.awssdk.services.iot.model.DescribeEndpointResponse;
import software.amazon.awssdk.services.iot.model.DescribeThingRequest;
import software.amazon.awssdk.services.iot.model.DescribeThingResponse;
import software.amazon.awssdk.services.iot.modelDetachThingPrincipalRequest;
import software.amazon.awssdk.services.iot.modelDetachThingPrincipalResponse;
```

```
import software.amazon.awssdk.services.iot.model.IotException;
import software.amazon.awssdk.services.iot.model.ListCertificatesResponse;
import software.amazon.awssdk.services.iot.model.ListTopicRulesRequest;
import software.amazon.awssdk.services.iot.model.ListTopicRulesResponse;
import software.amazon.awssdk.services.iot.model.SearchIndexRequest;
import software.amazon.awssdk.services.iot.model.SearchIndexResponse;
import software.amazon.awssdk.services.iot.model.TopicRuleListItem;
import software.amazon.awssdk.services.iot.model.SnsAction;
import software.amazon.awssdk.services.iot.model.TopicRulePayload;
import software.amazon.awssdk.services.iotdataplane.IotDataPlaneAsyncClient;
import software.amazon.awssdk.services.iotdataplane.model.GetThingShadowRequest;
import software.amazon.awssdk.services.iotdataplane.model.GetThingShadowResponse;
import software.amazon.awssdk.services.iotdataplane.model.UpdateThingShadowRequest;
import software.amazon.awssdk.services.iotdataplane.model.UpdateThingShadowResponse;
import java.nio.charset.StandardCharsets;
import java.time.Duration;
import java.util.List;
import java.util.concurrent.CompletableFuture;
import java.util.concurrent.CompletionException;
import java.util.regex.Matcher;
import java.util.regex.Pattern;

public class IotActions {

    private static IotAsyncClient iotAsyncClient;

    private static IotDataPlaneAsyncClient iotAsyncDataPlaneClient;

    private static final String TOPIC = "your-iot-topic";

    private static IotDataPlaneAsyncClient getAsyncDataPlaneClient() {
        SdkAsyncHttpClient httpClient = NettyNioAsyncHttpClient.builder()
            .maxConcurrency(100)
            .connectionTimeout(Duration.ofSeconds(60))
            .readTimeout(Duration.ofSeconds(60))
            .writeTimeout(Duration.ofSeconds(60))
            .build();

        ClientOverrideConfiguration overrideConfig =
        ClientOverrideConfiguration.builder()
            .apiCallTimeout(Duration.ofMinutes(2))
            .apiCallAttemptTimeout(Duration.ofSeconds(90))
            .retryPolicy(RetryPolicy.builder()
                .numRetries(3)
```

```
        .build()
        .build();

    if (iotAsyncDataPlaneClient == null) {
        iotAsyncDataPlaneClient = IoTDataPlaneAsyncClient.builder()
            .region(Region.US_EAST_1)
            .httpClient(httpClient)
            .overrideConfiguration(overrideConfig)

.credentialsProvider(EnvironmentVariableCredentialsProvider.create())
        .build();
    }
    return iotAsyncDataPlaneClient;
}

private static IoTAsyncClient getAsyncClient() {
    SdkAsyncHttpClient httpClient = NettyNioAsyncHttpClient.builder()
        .maxConcurrency(100)
        .connectionTimeout(Duration.ofSeconds(60))
        .readTimeout(Duration.ofSeconds(60))
        .writeTimeout(Duration.ofSeconds(60))
        .build();

    ClientOverrideConfiguration overrideConfig =
ClientOverrideConfiguration.builder()
        .apiCallTimeout(Duration.ofMinutes(2))
        .apiCallAttemptTimeout(Duration.ofSeconds(90))
        .retryPolicy(RetryPolicy.builder()
            .numRetries(3)
            .build())
        .build();

    if (iotAsyncClient == null) {
        iotAsyncClient = IoTAsyncClient.builder()
            .region(Region.US_EAST_1)
            .httpClient(httpClient)
            .overrideConfiguration(overrideConfig)

.credentialsProvider(EnvironmentVariableCredentialsProvider.create())
        .build();
    }
    return iotAsyncClient;
}
```

```
/**  
 * Creates an IoT certificate asynchronously.  
 *  
 * @return The ARN of the created certificate.  
 * <p>  
 * This method initiates an asynchronous request to create an IoT certificate.  
 * If the request is successful, it prints the certificate details and returns  
 * the certificate ARN.  
 * If an exception occurs, it prints the error message.  
 */  
public String createCertificate() {  
    CompletableFuture<CreateKeysAndCertificateResponse> future =  
getAsyncClient().createKeysAndCertificate();  
    final String[] certificateArn = {null};  
    future.whenComplete((response, ex) -> {  
        if (response != null) {  
            String certificatePem = response.certificatePem();  
            certificateArn[0] = response.certificateArn();  
  
            // Print the details.  
            System.out.println("\nCertificate:");  
            System.out.println(certificatePem);  
            System.out.println("\nCertificate ARN:");  
            System.out.println(certificateArn[0]);  
  
        } else {  
            Throwable cause = (ex instanceof CompletionException) ?  
ex.getCause() : ex;  
            if (cause instanceof IoTException) {  
                System.err.println(((IoTException)  
cause).awsErrorDetails().errorMessage());  
            } else {  
                System.err.println("Unexpected error: " + cause.getMessage());  
            }  
        }  
    });  
  
    future.join();  
    return certificateArn[0];  
}  
  
/**  
 * Creates an IoT Thing with the specified name asynchronously.  
 */
```

```
* @param thingName The name of the IoT Thing to create.  
*  
* This method initiates an asynchronous request to create an IoT Thing with the  
specified name.  
* If the request is successful, it prints the name of the thing and its ARN  
value.  
* If an exception occurs, it prints the error message.  
*/  
public void createIoTThing(String thingName) {  
    CreateThingRequest createThingRequest = CreateThingRequest.builder()  
        .thingName(thingName)  
        .build();  
  
    CompletableFuture<CreateThingResponse> future =  
getAsyncClient().createThing(createThingRequest);  
    future.whenComplete((createThingResponse, ex) -> {  
        if (createThingResponse != null) {  
            System.out.println(thingName + " was successfully created. The ARN  
value is " + createThingResponse.thingArn());  
        } else {  
            Throwable cause = ex.getCause();  
            if (cause instanceof IoTException) {  
                System.err.println(((IoTException)  
cause).awsErrorDetails().errorMessage());  
            } else {  
                System.err.println("Unexpected error: " + cause.getMessage());  
            }  
        }  
    });  
  
    future.join();  
}  
  
/**  
* Attaches a certificate to an IoT Thing asynchronously.  
*  
* @param thingName The name of the IoT Thing.  
* @param certificateArn The ARN of the certificate to attach.  
*  
* This method initiates an asynchronous request to attach a certificate to an  
IoT Thing.  
* If the request is successful, it prints a confirmation message and additional  
information about the Thing.
```

```
* If an exception occurs, it prints the error message.  
*/  
public void attachCertificateToThing(String thingName, String certificateArn) {  
    AttachThingPrincipalRequest principalRequest =  
    AttachThingPrincipalRequest.builder()  
        .thingName(thingName)  
        .principal(certificateArn)  
        .build();  
  
    CompletableFuture<AttachThingPrincipalResponse> future =  
    getAsyncClient().attachThingPrincipal(principalRequest);  
    future.whenComplete((attachResponse, ex) -> {  
        if (attachResponse != null &&  
            attachResponse.sdkHttpResponse().isSuccessful()) {  
            System.out.println("Certificate attached to Thing successfully.");  
  
            // Print additional information about the Thing.  
            describeThing(thingName);  
        } else {  
            Throwable cause = ex != null ? ex.getCause() : null;  
            if (cause instanceof IoTException) {  
                System.err.println(((IoTException)  
cause).awsErrorDetails().errorMessage());  
            } else if (cause != null) {  
                System.err.println("Unexpected error: " + cause.getMessage());  
            } else {  
                System.err.println("Failed to attach certificate to Thing. HTTP  
Status Code: " +  
                    attachResponse.sdkHttpResponse().statusCode());  
            }  
        }  
    });  
  
    future.join();  
}  
  
/**  
 * Describes an IoT Thing asynchronously.  
 *  
 * @param thingName The name of the IoT Thing.  
 *  
 * This method initiates an asynchronous request to describe an IoT Thing.  
 * If the request is successful, it prints the Thing details.  
 * If an exception occurs, it prints the error message.  
 */
```

```
/*
private void describeThing(String thingName) {
    DescribeThingRequest thingRequest = DescribeThingRequest.builder()
        .thingName(thingName)
        .build();

    CompletableFuture<DescribeThingResponse> future =
getAsyncClient().describeThing(thingRequest);
    future.whenComplete((describeResponse, ex) -> {
        if (describeResponse != null) {
            System.out.println("Thing Details:");
            System.out.println("Thing Name: " + describeResponse.thingName());
            System.out.println("Thing ARN: " + describeResponse.thingArn());
        } else {
            Throwable cause = ex != null ? ex.getCause() : null;
            if (cause instanceof IoTException) {
                System.err.println(((IoTException)
cause).awsErrorDetails().errorMessage());
            } else if (cause != null) {
                System.err.println("Unexpected error: " + cause.getMessage());
            } else {
                System.err.println("Failed to describe Thing.");
            }
        }
    });
}

future.join();
}

/***
 * Updates the shadow of an IoT Thing asynchronously.
 *
 * @param thingName The name of the IoT Thing.
 *
 * This method initiates an asynchronous request to update the shadow of an IoT
Thing.
 * If the request is successful, it prints a confirmation message.
 * If an exception occurs, it prints the error message.
 */
public void updateShadowThing(String thingName) {
    // Create Thing Shadow State Document.
    String stateDocument = "{\"state\":{\"reported\":{\"temperature\":25,
\"humidity\":50}}}";
    SdkBytes data = SdkBytes.fromString(stateDocument, StandardCharsets.UTF_8);
```

```
        UpdateThingShadowRequest updateThingShadowRequest =
UpdateThingShadowRequest.builder()
    .thingName(thingName)
    .payload(data)
    .build();

        CompletableFuture<UpdateThingShadowResponse> future =
getAsyncDataPlaneClient().updateThingShadow(updateThingShadowRequest);
        future.whenComplete((updateResponse, ex) -> {
            if (updateResponse != null) {
                System.out.println("Thing Shadow updated successfully.");
            } else {
                Throwable cause = ex != null ? ex.getCause() : null;
                if (cause instanceof IoTException) {
                    System.err.println(((IoTException)
cause).awsErrorDetails().errorMessage());
                } else if (cause != null) {
                    System.err.println("Unexpected error: " + cause.getMessage());
                } else {
                    System.err.println("Failed to update Thing Shadow.");
                }
            }
        });
    });

    future.join();
}

/**
 * Describes the endpoint of the IoT service asynchronously.
 *
 * @return A CompletableFuture containing the full endpoint URL.
 *
 * This method initiates an asynchronous request to describe the endpoint of the
 * IoT service.
 * If the request is successful, it prints and returns the full endpoint URL.
 * If an exception occurs, it prints the error message.
 */
public String describeEndpoint() {
    CompletableFuture<DescribeEndpointResponse> future =
getAsyncClient().describeEndpoint(DescribeEndpointRequest.builder().endpointType("iot:Data-ATS").build());
    final String[] result = {null};

    future.whenComplete((endpointResponse, ex) -> {
```

```
        if (endpointResponse != null) {
            String endpointUrl = endpointResponse.endpointAddress();
            String exString = getValue(endpointUrl);
            String fullEndpoint = "https://" + exString + "-ats.iot.us-
east-1.amazonaws.com";

            System.out.println("Full Endpoint URL: " + fullEndpoint);
            result[0] = fullEndpoint;
        } else {
            Throwable cause = (ex instanceof CompletionException) ?
ex.getCause() : ex;
            if (cause instanceof IoTException) {
                System.err.println(((IoTException)
cause).awsErrorDetails().errorMessage());
            } else {
                System.err.println("Unexpected error: " + cause.getMessage());
            }
        }
    });

    future.join();
    return result[0];
}

/**
 * Extracts a specific value from the endpoint URL.
 *
 * @param input The endpoint URL to process.
 * @return The extracted value from the endpoint URL.
 */
private static String getValue(String input) {
    // Define a regular expression pattern for extracting the subdomain.
    Pattern pattern = Pattern.compile("^(.*)\\.iot\\.us-east-1\\.amazonaws\\
\\.com");

    // Match the pattern against the input string.
    Matcher matcher = pattern.matcher(input);

    // Check if a match is found.
    if (matcher.find()) {
        // Extract the subdomain from the first capturing group.
        String subdomain = matcher.group(1);
        System.out.println("Extracted subdomain: " + subdomain);
        return subdomain ;
    }
}
```

```
        } else {
            System.out.println("No match found");
        }
        return "" ;
    }

    /**
     * Lists all certificates asynchronously.
     *
     * This method initiates an asynchronous request to list all certificates.
     * If the request is successful, it prints the certificate IDs and ARNs.
     * If an exception occurs, it prints the error message.
     */
    public void listCertificates() {
        CompletableFuture<ListCertificatesResponse> future =
getAsyncClient().listCertificates();
        future.whenComplete((response, ex) -> {
            if (response != null) {
                List<Certificate> certList = response.certificates();
                for (Certificate cert : certList) {
                    System.out.println("Cert id: " + cert.certificateId());
                    System.out.println("Cert Arn: " + cert.certificateArn());
                }
            } else {
                Throwable cause = ex != null ? ex.getCause() : null;
                if (cause instanceof IoTException) {
                    System.err.println(((IoTException)
cause).awsErrorDetails().errorMessage());
                } else if (cause != null) {
                    System.err.println("Unexpected error: " + cause.getMessage());
                } else {
                    System.err.println("Failed to list certificates.");
                }
            }
        });
    }

    future.join();
}

    /**
     * Retrieves the payload of a Thing's shadow asynchronously.
     *
     * @param thingName The name of the IoT Thing.
     *
```

```
* This method initiates an asynchronous request to get the payload of a Thing's
shadow.
* If the request is successful, it prints the shadow data.
* If an exception occurs, it prints the error message.
*/
public void getPayload(String thingName) {
    GetThingShadowRequest getThingShadowRequest =
GetThingShadowRequest.builder()
    .thingName(thingName)
    .build();

    CompletableFuture<GetThingShadowResponse> future =
getAsyncDataPlaneClient().getThingShadow(getThingShadowRequest);
    future.whenComplete((getThingShadowResponse, ex) -> {
        if (getThingShadowResponse != null) {
            // Extracting payload from response.
            SdkBytes payload = getThingShadowResponse.payload();
            String payloadString = payload.asUtf8String();
            System.out.println("Received Shadow Data: " + payloadString);
        } else {
            Throwable cause = ex != null ? ex.getCause() : null;
            if (cause instanceof IoTException) {
                System.err.println(((IoTException)
cause).awsErrorDetails().errorMessage());
            } else if (cause != null) {
                System.err.println("Unexpected error: " + cause.getMessage());
            } else {
                System.err.println("Failed to get Thing Shadow payload.");
            }
        }
    });
}

future.join();
}

/**
 * Creates an IoT rule asynchronously.
 *
 * @param roleARN The ARN of the IAM role that grants access to the rule's
actions.
 * @param ruleName The name of the IoT rule.
 * @param action The ARN of the action to perform when the rule is triggered.
 *
 * This method initiates an asynchronous request to create an IoT rule.
```

```
* If the request is successful, it prints a confirmation message.  
* If an exception occurs, it prints the error message.  
*/  
public void createIoTRule(String roleARN, String ruleName, String action) {  
    String sql = "SELECT * FROM '" + TOPIC + "'";  
    SnsAction action1 = SnsAction.builder()  
        .targetArn(action)  
        .roleArn(roleARN)  
        .build();  
  
    // Create the action.  
    Action myAction = Action.builder()  
        .sns(action1)  
        .build();  
  
    // Create the topic rule payload.  
    TopicRulePayload topicRulePayload = TopicRulePayload.builder()  
        .sql(sql)  
        .actions(myAction)  
        .build();  
  
    // Create the topic rule request.  
    CreateTopicRuleRequest topicRuleRequest = CreateTopicRuleRequest.builder()  
        .ruleName(ruleName)  
        .topicRulePayload(topicRulePayload)  
        .build();  
  
    CompletableFuture<CreateTopicRuleResponse> future =  
    getAsyncClient().createTopicRule(topicRuleRequest);  
    future.whenComplete((response, ex) -> {  
        if (response != null) {  
            System.out.println("IoT Rule created successfully.");  
        } else {  
            Throwable cause = ex != null ? ex.getCause() : null;  
            if (cause instanceof IotException) {  
                System.err.println(((IotException)  
cause).awsErrorDetails().errorMessage());  
            } else if (cause != null) {  
                System.err.println("Unexpected error: " + cause.getMessage());  
            } else {  
                System.err.println("Failed to create IoT Rule.");  
            }  
        }  
    });
```

```
        future.join();
    }

    /**
     * Lists IoT rules asynchronously.
     *
     * This method initiates an asynchronous request to list IoT rules.
     * If the request is successful, it prints the names and ARNs of the rules.
     * If an exception occurs, it prints the error message.
     */
    public void listIoTRules() {
        ListTopicRulesRequest listTopicRulesRequest =
ListTopicRulesRequest.builder().build();
        CompletableFuture<ListTopicRulesResponse> future =
getAsyncClient().listTopicRules(listTopicRulesRequest);
        future.whenComplete((listTopicRulesResponse, ex) -> {
            if (listTopicRulesResponse != null) {
                System.out.println("List of IoT Rules:");
                List<TopicRuleListItem> ruleList = listTopicRulesResponse.rules();
                for (TopicRuleListItem rule : ruleList) {
                    System.out.println("Rule Name: " + rule.ruleName());
                    System.out.println("Rule ARN: " + rule.ruleArn());
                    System.out.println("-----");
                }
            } else {
                Throwable cause = ex != null ? ex.getCause() : null;
                if (cause instanceof IoTException) {
                    System.err.println(((IoTException)
cause).awsErrorDetails().errorMessage());
                } else if (cause != null) {
                    System.err.println("Unexpected error: " + cause.getMessage());
                } else {
                    System.err.println("Failed to list IoT Rules.");
                }
            }
        });
    }

    future.join();
}

/**
 * Searches for IoT Things asynchronously based on a query string.
*
```

```
* @param queryString The query string to search for Things.  
*  
* This method initiates an asynchronous request to search for IoT Things.  
* If the request is successful and Things are found, it prints their IDs.  
* If no Things are found, it prints a message indicating so.  
* If an exception occurs, it prints the error message.  
*/  
public void searchThings(String queryString) {  
    SearchIndexRequest searchIndexRequest = SearchIndexRequest.builder()  
        .queryString(queryString)  
        .build();  
  
    CompletableFuture<SearchIndexResponse> future =  
getAsyncClient().searchIndex(searchIndexRequest);  
    future.whenComplete((searchIndexResponse, ex) -> {  
        if (searchIndexResponse != null) {  
            // Process the result.  
            if (searchIndexResponse.things().isEmpty()) {  
                System.out.println("No things found.");  
            } else {  
                searchIndexResponse.things().forEach(thing ->  
System.out.println("Thing id found using search is " + thing.thingId()));  
            }  
        } else {  
            Throwable cause = ex != null ? ex.getCause() : null;  
            if (cause instanceof IotException) {  
                System.err.println(((IotException)  
cause).awsErrorDetails().errorMessage());  
            } else if (cause != null) {  
                System.err.println("Unexpected error: " + cause.getMessage());  
            } else {  
                System.err.println("Failed to search for IoT Things.");  
            }  
        }  
    });  
  
    future.join();  
}  
  
/**  
 * Detaches a principal (certificate) from an IoT Thing asynchronously.  
*  
* @param thingName The name of the IoT Thing.  
* @param certificateArn The ARN of the certificate to detach.
```

```
*  
 * This method initiates an asynchronous request to detach a certificate from an  
 IoT Thing.  
 * If the detachment is successful, it prints a confirmation message.  
 * If an exception occurs, it prints the error message.  
 */  
 public void detachThingPrincipal(String thingName, String certificateArn) {  
     DetachThingPrincipalRequest thingPrincipalRequest =  
     DetachThingPrincipalRequest.builder()  
         .principal(certificateArn)  
         .thingName(thingName)  
         .build();  
  
     CompletableFuture<DetachThingPrincipalResponse> future =  
     getAsyncClient().detachThingPrincipal(thingPrincipalRequest);  
     future.whenComplete((voidResult, ex) -> {  
         if (ex == null) {  
             System.out.println(certificateArn + " was successfully removed from  
" + thingName);  
         } else {  
             Throwable cause = ex.getCause();  
             if (cause instanceof IoTException) {  
                 System.err.println(((IoTException)  
cause).awsErrorDetails().errorMessage());  
             } else {  
                 System.err.println("Unexpected error: " + ex.getMessage());  
             }  
         }  
     });  
  
     future.join();  
 }  
  
/**  
 * Deletes a certificate asynchronously.  
 *  
 * @param certificateArn The ARN of the certificate to delete.  
 *  
 * This method initiates an asynchronous request to delete a certificate.  
 * If the deletion is successful, it prints a confirmation message.  
 * If an exception occurs, it prints the error message.  
 */  
 public void deleteCertificate(String certificateArn) {
```

```
        DeleteCertificateRequest certificateProviderRequest =
DeleteCertificateRequest.builder()
    .certificateId(extractCertificateId(certificateArn))
    .build();

        CompletableFuture<DeleteCertificateResponse> future =
getAsyncClient().deleteCertificate(certificateProviderRequest);
        future.whenComplete((voidResult, ex) -> {
            if (ex == null) {
                System.out.println(certificateArn + " was successfully deleted.");
            } else {
                Throwable cause = ex.getCause();
                if (cause instanceof IoTException) {
                    System.err.println(((IoTException)
cause).awsErrorDetails().errorMessage());
                } else {
                    System.err.println("Unexpected error: " + ex.getMessage());
                }
            }
        });
    });

    future.join();
}

/***
 * Deletes an IoT Thing asynchronously.
 *
 * @param thingName The name of the IoT Thing to delete.
 *
 * This method initiates an asynchronous request to delete an IoT Thing.
 * If the deletion is successful, it prints a confirmation message.
 * If an exception occurs, it prints the error message.
 */
public void deleteIoTThing(String thingName) {
    DeleteThingRequest deleteThingRequest = DeleteThingRequest.builder()
        .thingName(thingName)
        .build();

    CompletableFuture<DeleteThingResponse> future =
getAsyncClient().deleteThing(deleteThingRequest);
    future.whenComplete((voidResult, ex) -> {
        if (ex == null) {
            System.out.println("Deleted Thing " + thingName);
        } else {
```

```
        Throwable cause = ex.getCause();
        if (cause instanceof IoTException) {
            System.err.println(((IoTException)
cause).awsErrorDetails().errorMessage());
        } else {
            System.err.println("Unexpected error: " + ex.getMessage());
        }
    }
});

future.join();
}

// Get the cert Id from the Cert ARN value.
private String extractCertificateId(String certificateArn) {
    // Example ARN: arn:aws:iot:region:account-id:cert/certificate-id.
    String[] arnParts = certificateArn.split(":");
    String certificateIdPart = arnParts[arnParts.length - 1];
    return certificateIdPart.substring(certificateIdPart.lastIndexOf("/") + 1);
}
}
```

Actions

AttachThingPrincipal

The following code example shows how to use `AttachThingPrincipal`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Attaches a certificate to an IoT Thing asynchronously.
 *
 * @param thingName The name of the IoT Thing.
```

```
* @param certificateArn The ARN of the certificate to attach.  
*  
* This method initiates an asynchronous request to attach a certificate to an  
IoT Thing.  
* If the request is successful, it prints a confirmation message and additional  
information about the Thing.  
* If an exception occurs, it prints the error message.  
*/  
public void attachCertificateToThing(String thingName, String certificateArn) {  
    AttachThingPrincipalRequest principalRequest =  
    AttachThingPrincipalRequest.builder()  
        .thingName(thingName)  
        .principal(certificateArn)  
        .build();  
  
    CompletableFuture<AttachThingPrincipalResponse> future =  
    getAsyncClient().attachThingPrincipal(principalRequest);  
    future.whenComplete((attachResponse, ex) -> {  
        if (attachResponse != null &&  
            attachResponse.sdkHttpResponse().isSuccessful()) {  
            System.out.println("Certificate attached to Thing successfully.");  
  
            // Print additional information about the Thing.  
            describeThing(thingName);  
        } else {  
            Throwable cause = ex != null ? ex.getCause() : null;  
            if (cause instanceof IoTException) {  
                System.err.println(((IoTException)  
cause).awsErrorDetails().errorMessage());  
            } else if (cause != null) {  
                System.err.println("Unexpected error: " + cause.getMessage());  
            } else {  
                System.err.println("Failed to attach certificate to Thing. HTTP  
Status Code: " +  
                    attachResponse.sdkHttpResponse().statusCode());  
            }  
        }  
    });  
    future.join();  
}
```

- For API details, see [AttachThingPrincipal](#) in *AWS SDK for Java 2.x API Reference*.

CreateKeysAndCertificate

The following code example shows how to use `CreateKeysAndCertificate`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Creates an IoT certificate asynchronously.  
 *  
 * @return The ARN of the created certificate.  
 * <p>  
 * This method initiates an asynchronous request to create an IoT certificate.  
 * If the request is successful, it prints the certificate details and returns  
 * the certificate ARN.  
 * If an exception occurs, it prints the error message.  
 */  
public String createCertificate() {  
    CompletableFuture<CreateKeysAndCertificateResponse> future =  
        getAsyncClient().createKeysAndCertificate();  
    final String[] certificateArn = {null};  
    future.whenComplete((response, ex) -> {  
        if (response != null) {  
            String certificatePem = response.certificatePem();  
            certificateArn[0] = response.certificateArn();  
  
            // Print the details.  
            System.out.println("\nCertificate:");  
            System.out.println(certificatePem);  
            System.out.println("\nCertificate ARN:");  
            System.out.println(certificateArn[0]);  
  
        } else {  
            Throwable cause = (ex instanceof CompletionException) ?  
                ex.getCause() : ex;  
            if (cause instanceof IOException) {  
                System.err.println(((IOException)  
                    cause).awsErrorDetails().errorMessage());  
            }  
        }  
    });  
}  
}
```

```
        } else {
            System.err.println("Unexpected error: " + cause.getMessage());
        }
    });

future.join();
return certificateArn[0];
}
```

- For API details, see [CreateKeysAndCertificate](#) in *AWS SDK for Java 2.x API Reference*.

CreateThing

The following code example shows how to use CreateThing.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Creates an IoT Thing with the specified name asynchronously.
 *
 * @param thingName The name of the IoT Thing to create.
 *
 * This method initiates an asynchronous request to create an IoT Thing with the
 * specified name.
 * If the request is successful, it prints the name of the thing and its ARN
 * value.
 * If an exception occurs, it prints the error message.
 */
public void createIoTThing(String thingName) {
    CreateThingRequest createThingRequest = CreateThingRequest.builder()
        .thingName(thingName)
        .build();
```

```
        CompletableFuture<CreateThingResponse> future =
getAsyncClient().createThing(createThingRequest);
        future.whenComplete((createThingResponse, ex) -> {
            if (createThingResponse != null) {
                System.out.println(thingName + " was successfully created. The ARN
value is " + createThingResponse.thingArn());
            } else {
                Throwable cause = ex.getCause();
                if (cause instanceof IoTException) {
                    System.err.println(((IoTException)
cause).awsErrorDetails().errorMessage());
                } else {
                    System.err.println("Unexpected error: " + cause.getMessage());
                }
            }
        });
    }

    future.join();
}
```

- For API details, see [CreateThing](#) in *AWS SDK for Java 2.x API Reference*.

CreateTopicRule

The following code example shows how to use CreateTopicRule.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Creates an IoT rule asynchronously.
 *
 * @param roleARN The ARN of the IAM role that grants access to the rule's
actions.
 * @param ruleName The name of the IoT rule.
 * @param action The ARN of the action to perform when the rule is triggered.
```

```
*  
 * This method initiates an asynchronous request to create an IoT rule.  
 * If the request is successful, it prints a confirmation message.  
 * If an exception occurs, it prints the error message.  
 */  
public void createIoTRule(String roleARN, String ruleName, String action) {  
    String sql = "SELECT * FROM '" + TOPIC + "'";  
    SnsAction action1 = SnsAction.builder()  
        .targetArn(action)  
        .roleArn(roleARN)  
        .build();  
  
    // Create the action.  
    Action myAction = Action.builder()  
        .sns(action1)  
        .build();  
  
    // Create the topic rule payload.  
    TopicRulePayload topicRulePayload = TopicRulePayload.builder()  
        .sql(sql)  
        .actions(myAction)  
        .build();  
  
    // Create the topic rule request.  
    CreateTopicRuleRequest topicRuleRequest = CreateTopicRuleRequest.builder()  
        .ruleName(ruleName)  
        .topicRulePayload(topicRulePayload)  
        .build();  
  
    CompletableFuture<CreateTopicRuleResponse> future =  
    getAsyncClient().createTopicRule(topicRuleRequest);  
    future.whenComplete((response, ex) -> {  
        if (response != null) {  
            System.out.println("IoT Rule created successfully.");  
        } else {  
            Throwable cause = ex != null ? ex.getCause() : null;  
            if (cause instanceof IoTException) {  
                System.err.println(((IoTException)  
cause).awsErrorDetails().errorMessage());  
            } else if (cause != null) {  
                System.err.println("Unexpected error: " + cause.getMessage());  
            } else {  
                System.err.println("Failed to create IoT Rule.");  
            }  
    }  
}
```

```
    }
});

future.join();
}
```

- For API details, see [CreateTopicRule](#) in *AWS SDK for Java 2.x API Reference*.

DeleteCertificate

The following code example shows how to use DeleteCertificate.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Deletes a certificate asynchronously.
 *
 * @param certificateArn The ARN of the certificate to delete.
 *
 * This method initiates an asynchronous request to delete a certificate.
 * If the deletion is successful, it prints a confirmation message.
 * If an exception occurs, it prints the error message.
 */
public void deleteCertificate(String certificateArn) {
    DeleteCertificateRequest certificateProviderRequest =
DeleteCertificateRequest.builder()
    .certificateId(extractCertificateId(certificateArn))
    .build();

    CompletableFuture<DeleteCertificateResponse> future =
getAsyncClient().deleteCertificate(certificateProviderRequest);
    future.whenComplete((voidResult, ex) -> {
        if (ex == null) {
            System.out.println(certificateArn + " was successfully deleted.");
    }
}
```

```
        } else {
            Throwable cause = ex.getCause();
            if (cause instanceof IoTException) {
                System.err.println(((IoTException)
cause).awsErrorDetails().errorMessage());
            } else {
                System.err.println("Unexpected error: " + ex.getMessage());
            }
        }
    });

    future.join();
}
```

- For API details, see [DeleteCertificate](#) in *AWS SDK for Java 2.x API Reference*.

DeleteThing

The following code example shows how to use DeleteThing.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Deletes an IoT Thing asynchronously.
 *
 * @param thingName The name of the IoT Thing to delete.
 *
 * This method initiates an asynchronous request to delete an IoT Thing.
 * If the deletion is successful, it prints a confirmation message.
 * If an exception occurs, it prints the error message.
 */
public void deleteIoTThing(String thingName) {
    DeleteThingRequest deleteThingRequest = DeleteThingRequest.builder()
        .thingName(thingName)
```

```
        .build();

        CompletableFuture<DeleteThingResponse> future =
getAsyncClient().deleteThing(deleteThingRequest);
        future.whenComplete((voidResult, ex) -> {
            if (ex == null) {
                System.out.println("Deleted Thing " + thingName);
            } else {
                Throwable cause = ex.getCause();
                if (cause instanceof IoTException) {
                    System.err.println(((IoTException)
cause).awsErrorDetails().errorMessage());
                } else {
                    System.err.println("Unexpected error: " + ex.getMessage());
                }
            }
        });
    }

    future.join();
}
```

- For API details, see [DeleteThing](#) in *AWS SDK for Java 2.x API Reference*.

DescribeEndpoint

The following code example shows how to use `DescribeEndpoint`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Describes the endpoint of the IoT service asynchronously.
 *
 * @return A CompletableFuture containing the full endpoint URL.
 */
```

```
* This method initiates an asynchronous request to describe the endpoint of the
IoT service.
* If the request is successful, it prints and returns the full endpoint URL.
* If an exception occurs, it prints the error message.
*/
public String describeEndpoint() {
    CompletableFuture<DescribeEndpointResponse> future =
getAsyncClient().describeEndpoint(DescribeEndpointRequest.builder().endpointType("iot:Data-
ATS").build());
    final String[] result = {null};

    future.whenComplete((endpointResponse, ex) -> {
        if (endpointResponse != null) {
            String endpointUrl = endpointResponse.endpointAddress();
            String exString = getValue(endpointUrl);
            String fullEndpoint = "https://" + exString + "-ats.iot.us-
east-1.amazonaws.com";

            System.out.println("Full Endpoint URL: " + fullEndpoint);
            result[0] = fullEndpoint;
        } else {
            Throwable cause = (ex instanceof CompletionException) ?
ex.getCause() : ex;
            if (cause instanceof IoTException) {
                System.err.println(((IoTException)
cause).awsErrorDetails().errorMessage());
            } else {
                System.err.println("Unexpected error: " + cause.getMessage());
            }
        }
    });
    future.join();
    return result[0];
}
```

- For API details, see [DescribeEndpoint](#) in *AWS SDK for Java 2.x API Reference*.

DescribeThing

The following code example shows how to use `DescribeThing`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Describes an IoT Thing asynchronously.  
 *  
 * @param thingName The name of the IoT Thing.  
 *  
 * This method initiates an asynchronous request to describe an IoT Thing.  
 * If the request is successful, it prints the Thing details.  
 * If an exception occurs, it prints the error message.  
 */  
private void describeThing(String thingName) {  
    DescribeThingRequest thingRequest = DescribeThingRequest.builder()  
        .thingName(thingName)  
        .build();  
  
    CompletableFuture<DescribeThingResponse> future =  
    getAsyncClient().describeThing(thingRequest);  
    future.whenComplete((describeResponse, ex) -> {  
        if (describeResponse != null) {  
            System.out.println("Thing Details:");  
            System.out.println("Thing Name: " + describeResponse.thingName());  
            System.out.println("Thing ARN: " + describeResponse.thingArn());  
        } else {  
            Throwable cause = ex != null ? ex.getCause() : null;  
            if (cause instanceof IoTException) {  
                System.err.println(((IoTException)  
cause).awsErrorDetails().errorMessage());  
            } else if (cause != null) {  
                System.err.println("Unexpected error: " + cause.getMessage());  
            } else {  
                System.err.println("Failed to describe Thing.");  
            }  
        }  
    });  
}
```

```
        future.join();
    }
```

- For API details, see [DescribeThing](#) in *AWS SDK for Java 2.x API Reference*.

DetachThingPrincipal

The following code example shows how to use `DetachThingPrincipal`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Detaches a principal (certificate) from an IoT Thing asynchronously.
 *
 * @param thingName The name of the IoT Thing.
 * @param certificateArn The ARN of the certificate to detach.
 *
 * This method initiates an asynchronous request to detach a certificate from an
 * IoT Thing.
 * If the detachment is successful, it prints a confirmation message.
 * If an exception occurs, it prints the error message.
 */
public void detachThingPrincipal(String thingName, String certificateArn) {
    DetachThingPrincipalRequest thingPrincipalRequest =
        DetachThingPrincipalRequest.builder()
            .principal(certificateArn)
            .thingName(thingName)
            .build();

    CompletableFuture<DetachThingPrincipalResponse> future =
        getAsyncClient().detachThingPrincipal(thingPrincipalRequest);
    future.whenComplete((voidResult, ex) -> {
        if (ex == null) {
            System.out.println(certificateArn + " was successfully removed from
" + thingName);
        }
    });
}
```

```
        } else {
            Throwable cause = ex.getCause();
            if (cause instanceof IoTException) {
                System.err.println(((IoTException)
cause).awsErrorDetails().errorMessage());
            } else {
                System.err.println("Unexpected error: " + ex.getMessage());
            }
        }
    });

    future.join();
}
```

- For API details, see [DetachThingPrincipal](#) in *AWS SDK for Java 2.x API Reference*.

ListCertificates

The following code example shows how to use `ListCertificates`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/** 
 * Lists all certificates asynchronously.
 *
 * This method initiates an asynchronous request to list all certificates.
 * If the request is successful, it prints the certificate IDs and ARNs.
 * If an exception occurs, it prints the error message.
 */
public void listCertificates() {
    CompletableFuture<ListCertificatesResponse> future =
getAsyncClient().listCertificates();
    future.whenComplete((response, ex) -> {
        if (response != null) {
```

```
        List<Certificate> certList = response.certificates();
        for (Certificate cert : certList) {
            System.out.println("Cert id: " + cert.certificateId());
            System.out.println("Cert Arn: " + cert.certificateArn());
        }
    } else {
        Throwable cause = ex != null ? ex.getCause() : null;
        if (cause instanceof IoTException) {
            System.err.println(((IoTException)
cause).awsErrorDetails().errorMessage());
        } else if (cause != null) {
            System.err.println("Unexpected error: " + cause.getMessage());
        } else {
            System.err.println("Failed to list certificates.");
        }
    }
});

future.join();
}
```

- For API details, see [ListCertificates](#) in *AWS SDK for Java 2.x API Reference*.

SearchIndex

The following code example shows how to use SearchIndex.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Searches for IoT Things asynchronously based on a query string.
 *
 * @param queryString The query string to search for Things.
 */
```

```
* This method initiates an asynchronous request to search for IoT Things.  
* If the request is successful and Things are found, it prints their IDs.  
* If no Things are found, it prints a message indicating so.  
* If an exception occurs, it prints the error message.  
*/  
public void searchThings(String queryString) {  
    SearchIndexRequest searchIndexRequest = SearchIndexRequest.builder()  
        .queryString(queryString)  
        .build();  
  
    CompletableFuture<SearchIndexResponse> future =  
getAsyncClient().searchIndex(searchIndexRequest);  
    future.whenComplete((searchIndexResponse, ex) -> {  
        if (searchIndexResponse != null) {  
            // Process the result.  
            if (searchIndexResponse.things().isEmpty()) {  
                System.out.println("No things found.");  
            } else {  
                searchIndexResponse.things().forEach(thing ->  
System.out.println("Thing id found using search is " + thing.thingId()));  
            }  
        } else {  
            Throwable cause = ex != null ? ex.getCause() : null;  
            if (cause instanceof IoTException) {  
                System.err.println(((IoTException)  
cause).awsErrorDetails().errorMessage());  
            } else if (cause != null) {  
                System.err.println("Unexpected error: " + cause.getMessage());  
            } else {  
                System.err.println("Failed to search for IoT Things.");  
            }  
        }  
    });  
    future.join();  
}
```

- For API details, see [SearchIndex](#) in *AWS SDK for Java 2.x API Reference*.

UpdateThing

The following code example shows how to use UpdateThing.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Updates the shadow of an IoT Thing asynchronously.  
 *  
 * @param thingName The name of the IoT Thing.  
 *  
 * This method initiates an asynchronous request to update the shadow of an IoT  
 * Thing.  
 * If the request is successful, it prints a confirmation message.  
 * If an exception occurs, it prints the error message.  
 */  
public void updateShadowThing(String thingName) {  
    // Create Thing Shadow State Document.  
    String stateDocument = "{\"state\":{\"reported\":{\"temperature\":25,  
\"humidity\":50}}};  
    SdkBytes data = SdkBytes.fromString(stateDocument, StandardCharsets.UTF_8);  
    UpdateThingShadowRequest updateThingShadowRequest =  
UpdateThingShadowRequest.builder()  
    .thingName(thingName)  
    .payload(data)  
    .build();  
  
    CompletableFuture<UpdateThingShadowResponse> future =  
getAsyncDataPlaneClient().updateThingShadow(updateThingShadowRequest);  
    future.whenComplete((updateResponse, ex) -> {  
        if (updateResponse != null) {  
            System.out.println("Thing Shadow updated successfully.");  
        } else {  
            Throwable cause = ex != null ? ex.getCause() : null;  
            if (cause instanceof IoTException) {  
                System.err.println(((IoTException)  
cause).awsErrorDetails().errorMessage());  
            } else if (cause != null) {  
                System.err.println("Unexpected error: " + cause.getMessage());  
            } else {  
                System.err.println("No cause provided for error.");  
            }  
        }  
    });  
}  
}
```

```
        System.err.println("Failed to update Thing Shadow.");
    }
});

future.join();
}
```

- For API details, see [UpdateThing](#) in *AWS SDK for Java 2.x API Reference*.

AWS IoT data examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with AWS IoT data.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)

Actions

GetThingShadow

The following code example shows how to use GetThingShadow.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Retrieves the payload of a Thing's shadow asynchronously.  
 *  
 * @param thingName The name of the IoT Thing.  
 *  
 * This method initiates an asynchronous request to get the payload of a Thing's  
 * shadow.  
 * If the request is successful, it prints the shadow data.  
 * If an exception occurs, it prints the error message.  
 */  
public void getPayload(String thingName) {  
    GetThingShadowRequest getThingShadowRequest =  
        GetThingShadowRequest.builder()  
            .thingName(thingName)  
            .build();  
  
    CompletableFuture<GetThingShadowResponse> future =  
        getAsyncDataPlaneClient().getThingShadow(getThingShadowRequest);  
    future.whenComplete((getThingShadowResponse, ex) -> {  
        if (getThingShadowResponse != null) {  
            // Extracting payload from response.  
            SdkBytes payload = getThingShadowResponse.payload();  
            String payloadString = payload.asUtf8String();  
            System.out.println("Received Shadow Data: " + payloadString);  
        } else {  
            Throwable cause = ex != null ? ex.getCause() : null;  
            if (cause instanceof IoTException) {  
                System.err.println(((IoTException)  
cause).awsErrorDetails().errorMessage());  
            } else if (cause != null) {  
                System.err.println("Unexpected error: " + cause.getMessage());  
            } else {  
                System.err.println("Failed to get Thing Shadow payload.");  
            }  
        }  
    });  
    future.join();  
}
```

- For API details, see [GetThingShadow](#) in *AWS SDK for Java 2.x API Reference*.

UpdateThingShadow

The following code example shows how to use `UpdateThingShadow`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Updates the shadow of an IoT Thing asynchronously.  
 *  
 * @param thingName The name of the IoT Thing.  
 *  
 * This method initiates an asynchronous request to update the shadow of an IoT  
 * Thing.  
 * If the request is successful, it prints a confirmation message.  
 * If an exception occurs, it prints the error message.  
 */  
public void updateShadowThing(String thingName) {  
    // Create Thing Shadow State Document.  
    String stateDocument = "{\"state\":{\"reported\":{\"temperature\":25,  
\"humidity\":50}}};  
    SdkBytes data = SdkBytes.fromString(stateDocument, StandardCharsets.UTF_8);  
    UpdateThingShadowRequest updateThingShadowRequest =  
        UpdateThingShadowRequest.builder()  
            .thingName(thingName)  
            .payload(data)  
            .build();  
  
    CompletableFuture<UpdateThingShadowResponse> future =  
        getAsyncDataPlaneClient().updateThingShadow(updateThingShadowRequest);  
    future.whenComplete((updateResponse, ex) -> {  
        if (updateResponse != null) {  
            System.out.println("Thing Shadow updated successfully.");  
        } else {  
            Throwable cause = ex != null ? ex.getCause() : null;  
            if (cause instanceof IOException) {  
                System.err.println(((IOException)  
cause).awsErrorDetails().errorMessage());  
        }  
    });  
}
```

```
        } else if (cause != null) {
            System.err.println("Unexpected error: " + cause.getMessage());
        } else {
            System.err.println("Failed to update Thing Shadow.");
        }
    });
}

future.join();
}
```

- For API details, see [UpdateThingShadow](#) in *AWS SDK for Java 2.x API Reference*.

AWS IoT SiteWise examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with AWS IoT SiteWise.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello AWS IoT SiteWise

The following code examples show how to get started using AWS IoT SiteWise.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public class HelloSitewise {  
    private static final Logger logger =  
        LoggerFactory.getLogger(HelloSitewise.class);  
    public static void main(String[] args) {  
        fetchAssetModels();  
    }  
  
    /**  
     * Fetches asset models using the provided {@link IoTSiteWiseAsyncClient}.  
     */  
    public static void fetchAssetModels() {  
        IoTSiteWiseAsyncClient siteWiseAsyncClient =  
            IoTSiteWiseAsyncClient.create();  
        ListAssetModelsRequest assetModelsRequest = ListAssetModelsRequest.builder()  
            .assetModelTypes(AssetModelType.ASSET_MODEL)  
            .build();  
  
        // Asynchronous paginator - process paginated results.  
        ListAssetModelsPublisher listModelsPaginator =  
            siteWiseAsyncClient.listAssetModelsPaginator(assetModelsRequest);  
        CompletableFuture<Void> future = listModelsPaginator.subscribe(response -> {  
            response.assetModelSummaries().forEach(assetSummary ->  
                logger.info("Asset Model Name: {}", assetSummary.name())  
            );  
        });  
  
        // Wait for the asynchronous operation to complete  
        future.join();  
    }  
}
```

- For API details, see [ListAssetModels](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Basics](#)
- [Actions](#)

Basics

Learn the basics

The following code example shows how to learn core operations for AWS IoT SiteWise using an AWS SDK.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Run an interactive scenario demonstrating AWS IoT SiteWise features.

```
public class SitewiseScenario {  
  
    public static final String DASHES = new String(new char[80]).replace("\0", "-");  
  
    private static final Logger logger =  
LoggerFactory.getLogger(SitewiseScenario.class);  
    static Scanner scanner = new Scanner(System.in);  
  
    private static final String ROLES_STACK = "RoleSitewise";  
  
    static SitewiseActions sitewiseActions = new SitewiseActions();  
  
    public static void main(String[] args) throws Throwable {  
        Scanner scanner = new Scanner(System.in);  
        String contactEmail = "user@mydomain.com"; // Change email address.  
        String assetModelName = "MyAssetModel1";  
        String assetName = "MyAsset1" ;  
        String portalName = "MyPortal1" ;  
        String gatewayName = "MyGateway1" ;  
        String myThing = "MyThing1" ;  
  
        logger.info(""  
            AWS IoT SiteWise is a fully managed software-as-a-service (SaaS) that  
            makes it easy to collect, store, organize, and monitor data from  
            industrial equipment and processes.  
        )
```

It is designed to help industrial and manufacturing organizations collect data from their equipment and processes, and use that data to make informed decisions about their operations.

One of the key features of AWS IoT SiteWise is its ability to connect to a wide range of industrial equipment and systems, including programmable logic controllers (PLCs), sensors, and other industrial devices. It can collect data from these devices and organize it into a unified data model, making it easier to analyze and gain insights from the data. AWS IoT SiteWise also provides tools for visualizing the data, setting up alarms and alerts, and generating reports.

Another key feature of AWS IoT SiteWise is its ability to scale to handle large volumes of data.

It can collect and store data from thousands of devices and process millions of data points per second,

making it suitable for large-scale industrial operations. Additionally, AWS IoT SiteWise is designed

to be secure and compliant, with features like role-based access controls, data encryption,

and integration with other AWS services for additional security and compliance features.

Let's get started...

```
""");
```

```
waitForInputToContinue(scanner);
logger.info(DASHES);

try {
    runScenario(assetModelName, assetName, portalName, contactEmail,
gatewayName, myThing);
} catch (RuntimeException e) {
    logger.info(e.getMessage());
}
```

```
public static void runScenario(String assetModelName, String assetName, String
portalName, String contactEmail, String gatewayName, String myThing) throws
Throwable {
```

```
        logger.info("Use AWS CloudFormation to create an IAM role that is required  
for this scenario.");  
        CloudFormationHelper.deployCloudFormationStack(ROLES_STACK);  
        Map<String, String> stackOutputs =  
CloudFormationHelper.getStackOutputsAsync(ROLES_STACK).join();  
        String iamRole = stackOutputs.get("SitewiseRoleArn");  
        logger.info("The ARN of the IAM role is {}",iamRole);  
        logger.info(DASHES);  
  
        logger.info(DASHES);  
        logger.info("1. Create an AWS SiteWise Asset Model");  
        logger.info("")  
        An AWS IoT SiteWise Asset Model is a way to represent the physical  
assets, such as equipment,  
        processes, and systems, that exist in an industrial environment. This  
model provides a structured and  
        hierarchical representation of these assets, allowing users to define  
the relationships and properties  
        of each asset.  
  
        This scenario creates two asset model properties: temperature and  
humidity.  
        """);  
        waitForInputToContinue(scanner);  
        String assetModelId = null;  
        try {  
            CreateAssetModelResponse response =  
sitewiseActions.createAssetModelAsync(assetmodelName).join();  
            assetModelId = response.assetModelId();  
            logger.info("Asset Model successfully created. Asset Model ID: {}.",  
assetModelId);  
        } catch (CompletionException ce) {  
            Throwable cause = ce.getCause();  
            if (cause instanceof ResourceAlreadyExistsException) {  
                try {  
                    assetModelId =  
sitewiseActions.getAssetModelIdAsync(assetmodelName).join();  
                    logger.info("The Asset Model {} already exists. The id of the  
existing model is {}. Moving on...", assetmodelName, assetModelId);  
                } catch (CompletionException cex) {  
                    logger.error("Exception thrown acquiring the asset model id:  
        {}, cex.getCause().getCause(), cex);  
                    return;  
                }  
            }  
        }  
    }  
}
```

```
        } else {
            logger.info("An unexpected error occurred: " + cause.getMessage(),
cause);
            return;
        }
    }
waitForInputToContinue(scanner);

logger.info(DASHES);
logger.info("2. Create an AWS IoT SiteWise Asset");
logger.info(""""

The IoT SiteWise model that we just created defines the structure and
metadata for your physical assets.

Now we create an asset from the asset model.

""");
logger.info("Let's wait 30 seconds for the asset to be ready.");
countdown(30);
waitForInputToContinue(scanner);
String assetId;
try {
    CreateAssetResponse response =
sitewiseActions.createAssetAsync(assetName, assetModelId).join();
    assetId = response.assetId();
    logger.info("Asset created with ID: {}", assetId);
} catch (CompletionException ce) {
    Throwable cause = ce.getCause();
    if (cause instanceof ResourceNotFoundException) {
        logger.info("The asset model id was not found: {}",
cause.getMessage(), cause);
    } else {
        logger.info("An unexpected error occurred: {}", cause.getMessage(),
cause);
    }
    return;
}
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("3. Retrieve the property ID values");
logger.info(""""

To send data to an asset, we need to get the property ID values. In
this scenario, we access the
```

```
        temperature and humidity property ID values.  
        """");  
        waitForInputToContinue(scanner);  
        Map<String, String> propertyIds = null;  
        try {  
            propertyIds = sitewiseActions.getPropertyIds(assetModelId).join();  
        } catch (CompletionException ce) {  
            Throwable cause = ce.getCause();  
            if (cause instanceof IoTSiteWiseException) {  
                logger.error("IoT SiteWise Exception occurred: {}",  
                cause.getMessage(), ce);  
            } else {  
                logger.error("An unexpected error occurred: {}", cause.getMessage(),  
                ce);  
            }  
        }  
        return;  
    }  
    String humPropId = propertyIds.get("Humidity");  
    logger.info("The Humidity property Id is {}", humPropId);  
    String tempPropId = propertyIds.get("Temperature");  
    logger.info("The Temperature property Id is {}", tempPropId);  
  
    waitForInputToContinue(scanner);  
    logger.info(DASHES);  
  
    logger.info(DASHES);  
    logger.info("4. Send data to an AWS IoT SiteWise Asset");  
    logger.info("")  
        By sending data to an IoT SiteWise Asset, you can aggregate data from  
        multiple sources, normalize the data into a standard format, and store  
it in a  
        centralized location. This makes it easier to analyze and gain insights  
from the data.
```

In this example, we generate sample temperature and humidity data and send it to the AWS IoT SiteWise asset.

```
        """");  
        waitForInputToContinue(scanner);  
        try {  
            sitewiseActions.sendDataToSiteWiseAsync(assetId, tempPropId,  
            humPropId).join();  
            logger.info("Data sent successfully.");  
        } catch (CompletionException ce) {
```

```
        Throwable cause = ce.getCause();
        if (cause instanceof ResourceNotFoundException) {
            logger.error("The AWS resource was not found: {}", cause.getMessage(), cause);
        } else {
            logger.error("An unexpected error occurred: {}", cause.getMessage(), cause);
        }
        return;
    }

    waitForInputToContinue(scanner);
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("5. Retrieve the value of the IoT SiteWise Asset property");
    logger.info("")

        IoT SiteWise is an AWS service that allows you to collect, process, and
        analyze industrial data
        from connected equipment and sensors. One of the key benefits of reading
        an IoT SiteWise property
        is the ability to gain valuable insights from your industrial data.

    "");

    waitForInputToContinue(scanner);
    try {
        Double assetVal = sitewiseActions.getAssetPropValueAsync(tempPropId,
assetId).join();
        logger.info("The property name is: {}", "Temperature");
        logger.info("The value of this property is: {}", assetVal);

        waitForInputToContinue(scanner);

        assetVal = sitewiseActions.getAssetPropValueAsync(humPropId,
assetId).join();
        logger.info("The property name is: {}", "Humidity");
        logger.info("The value of this property is: {}", assetVal);
    } catch (CompletionException ce) {
        Throwable cause = ce.getCause();
        if (cause instanceof ResourceNotFoundException) {
            logger.info("The AWS resource was not found: {}", cause.getMessage(), cause);
        } else {
            logger.info("An unexpected error occurred: {}", cause.getMessage(), cause);
        }
    }
}
```

```
        }
        return;
    }
    waitForInputToContinue(scanner);
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("6. Create an IoT SiteWise Portal");
    logger.info("""
        An IoT SiteWise Portal allows you to aggregate data from multiple
industrial sources,
        such as sensors, equipment, and control systems, into a centralized
platform.
    """);
    waitForInputToContinue(scanner);
    String portalId;
    try {
        portalId = sitewiseActions.createPortalAsync(portalName, iamRole,
contactEmail).join();
        logger.info("Portal created successfully. Portal ID {}", portalId);
    } catch (CompletionException ce) {
        Throwable cause = ce.getCause();
        if (cause instanceof IoTSiteWiseException siteWiseEx) {
            logger.error("IoT SiteWise error occurred: Error message: {}, Error
code {}",
                siteWiseEx.getMessage(),
siteWiseEx.awsErrorDetails().errorCode(), siteWiseEx);
        } else {
            logger.error("An unexpected error occurred: {}", cause.getMessage());
        }
        return;
    }
    waitForInputToContinue(scanner);
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("7. Describe the Portal");
    logger.info("""
        In this step, we get a description of the portal and display the portal
URL.
    """);
    waitForInputToContinue(scanner);
    try {
```

```
        String portalUrl = sitewiseActions.describePortalAsync(portalId).join();
        logger.info("Portal URL: {}", portalUrl);
    } catch (CompletionException ce) {
        Throwable cause = ce.getCause();
        if (cause instanceof ResourceNotFoundException notFoundException) {
            logger.error("A ResourceNotFoundException occurred: Error message: {}, Error code {}",
                        notFoundException.getMessage(),
                        notFoundException.awsErrorDetails().errorCode(), notFoundException);
        } else {
            logger.error("An unexpected error occurred: {}", cause.getMessage());
        }
        return;
    }
    waitForInputToContinue(scanner);
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("8. Create an IoT SiteWise Gateway");
    logger.info(
        """
        IoT SiteWise Gateway serves as the bridge between industrial
        equipment, sensors, and the
        cloud-based IoT SiteWise service. It is responsible for securely
        collecting, processing, and
        transmitting data from various industrial assets to the IoT SiteWise
        platform,
        enabling real-time monitoring, analysis, and optimization of
        industrial operations.

        """);
    waitForInputToContinue(scanner);
    String gatewayId = "";
    try {
        gatewayId = sitewiseActions.createGatewayAsync(gatewayName,
myThing).join();
        logger.info("Gateway creation completed successfully. id is {}", gatewayId );
    } catch (CompletionException ce) {
        Throwable cause = ce.getCause();
        if (cause instanceof IoTSiteWiseException siteWiseEx) {
            logger.error("IoT SiteWise error occurred: Error message: {}, Error
code {}",
                        siteWiseEx.getMessage(),
                        siteWiseEx.getErrorCode());
```

```
        siteWiseEx.getMessage(),
siteWiseEx.awsErrorDetails().errorCode(), siteWiseEx);
    } else {
        logger.error("An unexpected error occurred: {}", cause.getMessage());
    }
    return;
}
logger.info(DASHES);
logger.info(DASHES);

logger.info("9. Describe the IoT SiteWise Gateway");
waitForInputToContinue(scanner);
try {
    sitewiseActions.describeGatewayAsync(gatewayId)
        .thenAccept(response -> {
            logger.info("Gateway Name: {}", response.gatewayName());
            logger.info("Gateway ARN: {}", response.gatewayArn());
            logger.info("Gateway Platform: {}", response.gatewayPlatform());
            logger.info("Gateway Creation Date: {}", response.creationDate());
        }).join();
} catch (CompletionException ce) {
    Throwable cause = ce.getCause();
    if (cause instanceof ResourceNotFoundException notFoundException) {
        logger.error("A ResourceNotFoundException occurred: Error message: {}, Error code {}", notFoundException.getMessage(),
notFoundException.awsErrorDetails().errorCode(), notFoundException);
    } else {
        logger.error("An unexpected error occurred: {}", cause.getMessage());
    }
    return;
}
logger.info(DASHES);

logger.info(DASHES);
logger.info("10. Delete the AWS IoT SiteWise Assets");
logger.info(
"""
Before you can delete the Asset Model, you must delete the assets.

""");
```

```
logger.info("Would you like to delete the IoT SiteWise Assets? (y/n)");
String delAns = scanner.nextLine().trim();
if (delAns.equalsIgnoreCase("y")) {
    logger.info("You selected to delete the SiteWise assets.");
    waitForInputToContinue(scanner);
    try {
        sitewiseActions.deletePortalAsync(portalId).join();
        logger.info("Portal {} was deleted successfully.", portalId);

    } catch (CompletionException ce) {
        Throwable cause = ce.getCause();
        if (cause instanceof ResourceNotFoundException notFoundException) {
            logger.error("A ResourceNotFoundException occurred: Error
message: {}, Error code {}",
                        notFoundException.getMessage(),
                        notFoundException.awsErrorDetails().errorCode(), notFoundException);
        } else {
            logger.error("An unexpected error occurred: {}", cause.getMessage());
        }
    }

    try {
        sitewiseActions.deleteGatewayAsync(gatewayId).join();
        logger.info("Gateway {} was deleted successfully.", gatewayId);
    } catch (CompletionException ce) {
        Throwable cause = ce.getCause();
        if (cause instanceof ResourceNotFoundException notFoundException) {
            logger.error("A ResourceNotFoundException occurred: Error
message: {}, Error code {}",
                        notFoundException.getMessage(),
                        notFoundException.awsErrorDetails().errorCode(), notFoundException);
        } else {
            logger.error("An unexpected error occurred: {}", cause.getMessage());
        }
    }

    try {
        sitewiseActions.deleteAssetAsync(assetId).join();
        logger.info("Request to delete asset {} sent successfully",
assetId);
    } catch (CompletionException ce) {
        Throwable cause = ce.getCause();
```

```
        if (cause instanceof ResourceNotFoundException notFoundException) {
            logger.error("A ResourceNotFoundException occurred: Error
message: {}, Error code {}",
                        notFoundException.getMessage(),
                        notFoundException.awsErrorDetails().errorCode(), notFoundException);
        } else {
            logger.error("An unexpected error occurred: {}",
cause.getMessage());
        }
    }
    logger.info("Let's wait 1 minute for the asset to be deleted.");
    countdown(60);
    waitForInputToContinue(scanner);
    logger.info("Delete the AWS IoT SiteWise Asset Model");
    try {
        sitewiseActions.deleteAssetModelAsync(assetModelId).join();
        logger.info("Asset model deleted successfully.");
    } catch (CompletionException ce) {
        Throwable cause = ce.getCause();
        if (cause instanceof ResourceNotFoundException notFoundException) {
            logger.error("A ResourceNotFoundException occurred: Error
message: {}, Error code {}",
                        notFoundException.getMessage(),
                        notFoundException.awsErrorDetails().errorCode(), notFoundException);
        } else {
            logger.error("An unexpected error occurred: {}",
cause.getMessage());
        }
    }
    waitForInputToContinue(scanner);

} else {
    logger.info("The resources will not be deleted.");
}
logger.info(DASHES);

logger.info(DASHES);
CloudFormationHelper.destroyCloudFormationStack(ROLES_STACK);
logger.info("This concludes the AWS IoT SiteWise Scenario");
logger.info(DASHES);
}

private static void waitForInputToContinue(Scanner scanner) {
    while (true) {
```

```
        logger.info("");
        logger.info("Enter 'c' followed by <ENTER> to continue:");
        String input = scanner.nextLine();

        if (input.trim().equalsIgnoreCase("c")) {
            logger.info("Continuing with the program...");
            logger.info("");
            break;
        } else {
            logger.info("Invalid input. Please try again.");
        }
    }

    public static void countdown(int totalSeconds) throws InterruptedException {
        for (int i = totalSeconds; i >= 0; i--) {
            int displayMinutes = i / 60;
            int displaySeconds = i % 60;
            System.out.printf("\r%02d:%02d", displayMinutes, displaySeconds);
            Thread.sleep(1000); // Wait for 1 second
        }
        System.out.println(); // Move to the next line after countdown
        logger.info("Countdown complete!");
    }
}
```

A wrapper class for AWS IoT SiteWise SDK methods.

```
public class SitewiseActions {

    private static final Logger logger =
    LoggerFactory.getLogger(SitewiseActions.class);

    private static IoTSiteWiseAsyncClient ioTSiteWiseAsyncClient;

    private static IoTSiteWiseAsyncClient getAsyncClient() {
        if (ioTSiteWiseAsyncClient == null) {
            SdkAsyncHttpClient httpClient = NettyNioAsyncHttpClient.builder()
                .maxConcurrency(100)
                .connectionTimeout(Duration.ofSeconds(60))
                .readTimeout(Duration.ofSeconds(60))
                .writeTimeout(Duration.ofSeconds(60))
        }
    }
}
```

```
        .build();

        ClientOverrideConfiguration overrideConfig =
ClientOverrideConfiguration.builder()
            .apiCallTimeout(Duration.ofMinutes(2))
            .apiCallAttemptTimeout(Duration.ofSeconds(90))
            .retryStrategy(RetryMode.STANDARD)
            .build();

        IoTSiteWiseAsyncClient = IoTSiteWiseAsyncClient.builder()
            .httpClient(httpClient)
            .overrideConfiguration(overrideConfig)
            .build();
    }
    return IoTSiteWiseAsyncClient;
}

/**
 * Creates an asset model.
 *
 * @param name the name of the asset model to create.
 * @return a {@link CompletableFuture} that represents a {@link CreateAssetModelResponse} result. The calling code
 *         can attach callbacks, then handle the result or exception by calling
 * {@link CompletableFuture#join()} or
 *         {@link CompletableFuture#get()}.
 *         <p>
 *         If any completion stage in this method throws an exception, the
method logs the exception cause and keeps it
 *         available to the calling code as a {@link CompletionException}. By
calling
 *         {@link CompletionException#getCause()}, the calling code can access
the original exception.
 */
public CompletableFuture<CreateAssetModelResponse> createAssetModelAsync(String
name) {
    PropertyType humidity = PropertyType.builder()
        .measurement(Measurement.builder().build())
        .build();

    PropertyType temperaturePropertyType = PropertyType.builder()
        .measurement(Measurement.builder().build())
        .build();
```

```
AssetModelPropertyDefinition temperatureProperty =
AssetModelPropertyDefinition.builder()
    .name("Temperature")
    .dataType(PropertyDataType.DOUBLE)
    .type(temperature.PropertyType)
    .build();

AssetModelPropertyDefinition humidityProperty =
AssetModelPropertyDefinition.builder()
    .name("Humidity")
    .dataType(PropertyDataType.DOUBLE)
    .type(humidity)
    .build();

CreateAssetModelRequest createAssetModelRequest =
CreateAssetModelRequest.builder()
    .assetModelName(name)
    .assetModelDescription("This is my asset model")
    .assetModelProperties(temperatureProperty, humidityProperty)
    .build();

return getAsyncClient().createAssetModel(createAssetModelRequest)
    .whenComplete((response, exception) -> {
        if (exception != null) {
            logger.error("Failed to create asset model: {} ",
exception.getCause().getMessage());
        }
    });
}

/**
 * Creates an asset with the specified name and asset model Id.
 *
 * @param assetName      the name of the asset to create.
 * @param assetModelId   the Id of the asset model to associate with the asset.
 * @return a {@link CompletableFuture} that represents a {@link
CreateAssetResponse} result. The calling code can
         *          attach callbacks, then handle the result or exception by calling
{@link CompletableFuture#join()} or
         *          {@link CompletableFuture#get()}.
         *          <p>
```

```
*           If any completion stage in this method throws an exception, the
method logs the exception cause and keeps it
*           available to the calling code as a {@link CompletionException}. By
calling
*           {@link CompletionException#getCause()}, the calling code can access
the original exception.
*/
public CompletableFuture<CreateAssetResponse> createAssetAsync(String assetName,
String assetModelId) {
    CreateAssetRequest createAssetRequest = CreateAssetRequest.builder()
        .assetModelId(assetModelId)
        .assetDescription("Created using the AWS SDK for Java")
        .assetName(assetName)
        .build();

    return getAsyncClient().createAsset(createAssetRequest)
        .whenComplete((response, exception) -> {
            if (exception != null) {
                logger.error("Failed to create asset: {}",
exception.getCause().getMessage());
            }
        });
}

/**
 * Sends data to the SiteWise service.
*
* @param assetId      the ID of the asset to which the data will be sent.
* @param tempPropertyId the ID of the temperature property.
* @param humidityPropId the ID of the humidity property.
* @return a {@link CompletableFuture} that represents a {@link
BatchPutAssetPropertyValueResponse} result. The
*         calling code can attach callbacks, then handle the result or
exception by calling
*         {@link CompletableFuture#join()} or {@link CompletableFuture#get()}.
*         <p>
*         If any completion stage in this method throws an exception, the
method logs the exception cause and keeps it
*         available to the calling code as a {@link CompletionException}. By
calling
*         {@link CompletionException#getCause()}, the calling code can access
the original exception.
*/
```

```
public CompletableFuture<BatchPutAssetPropertyValueResponse>
sendDataToSiteWiseAsync(String assetId, String tempPropertyId, String
humidityPropId) {
    Map<String, Double> sampleData = generateSampleData();
    long timestamp = Instant.now().toEpochMilli();

    TimeInNanos time = TimeInNanos.builder()
        .timeInSeconds(timestamp / 1000)
        .offsetInNanos((int) ((timestamp % 1000) * 1000000))
        .build();

    BatchPutAssetPropertyValueRequest request =
BatchPutAssetPropertyValueRequest.builder()
    .entries(Arrays.asList(
        PutAssetPropertyValueEntry.builder()
            .entryId("entry-3")
            .assetId(assetId)
            .propertyId(tempPropertyId)
            .propertyValues(Arrays.asList(
                AssetPropertyValue.builder()
                    .value(Variant.builder()
                        .doubleValue(sampleData.get("Temperature"))
                        .build())
                    .timestamp(time)
                    .build()
            ))
            .build(),
        PutAssetPropertyValueEntry.builder()
            .entryId("entry-4")
            .assetId(assetId)
            .propertyId(humidityPropId)
            .propertyValues(Arrays.asList(
                AssetPropertyValue.builder()
                    .value(Variant.builder()
                        .doubleValue(sampleData.get("Humidity"))
                        .build())
                    .timestamp(time)
                    .build()
            ))
            .build()
    ))
    .build();
}

return getAsyncClient().batchPutAssetPropertyValue(request)
```

```
.whenComplete((response, exception) -> {
    if (exception != null) {
        logger.error("An exception occurred: {}", exception.getCause().getMessage());
    }
});

/**
 * Fetches the value of an asset property.
 *
 * @param propId the ID of the asset property to fetch.
 * @param assetId the ID of the asset to fetch the property value for.
 * @return a {@link CompletableFuture} that represents a {@link Double} result.
The calling code can attach
 * callbacks, then handle the result or exception by calling {@link
CompletableFuture#join()} or
 * {@link CompletableFuture#get()}.
 * <p>
 * If any completion stage in this method throws an exception, the
method logs the exception cause and keeps
 * it available to the calling code as a {@link CompletionException}. By
calling
 * {@link CompletionException#getCause()}, the calling code can access
the original exception.
 */
public CompletableFuture<Double> getAssetPropValueAsync(String propId, String
assetId) {
    GetAssetPropertyValueRequest assetPropertyValueRequest =
GetAssetPropertyValueRequest.builder()
        .propertyId(propId)
        .assetId(assetId)
        .build();

    return getAsyncClient().getAssetPropertyValue(assetPropertyValueRequest)
        .handle((response, exception) -> {
            if (exception != null) {
                logger.error("Error occurred while fetching property value: {}.", exception.getCause().getMessage());
                throw (CompletionException) exception;
            }
            return response.propertyValue().value().doubleValue();
        });
}
```

```
/**  
 * Retrieves the property IDs associated with a specific asset model.  
 *  
 * @param assetModelId the ID of the asset model that defines the properties.  
 * @return a {@link CompletableFuture} that represents a {@link Map} result that  
 associates the property name to the  
 *         property ID. The calling code can attach callbacks, then handle the  
 result or exception by calling  
 *         {@link CompletableFuture#join()} or {@link CompletableFuture#get()}.  
 *         <p>  
 *         If any completion stage in this method throws an exception, the  
 method logs the exception cause and keeps  
 *         it available to the calling code as a {@link CompletionException}. By  
 calling  
 *         {@link CompletionException#getCause()}, the calling code can access  
 the original exception.  
 */  
public CompletableFuture<Map<String, String>> getPropertyIds(String  
assetModelId) {  
    ListAssetModelPropertiesRequest modelPropertiesRequest =  
ListAssetModelPropertiesRequest.builder().assetModelId(assetModelId).build();  
    return getAsyncClient().listAssetModelProperties(modelPropertiesRequest)  
        .handle((response, throwable) -> {  
            if (response != null) {  
                return response.assetModelPropertySummaries().stream()  
                    .collect(Collectors  
                        .toMap(AssetModelPropertySummary::name,  
AssetModelPropertySummary::id));  
            } else {  
                logger.error("Error occurred while fetching property IDs: {}.",  
throwable.getCause().getMessage());  
                throw (CompletionException) throwable;  
            }  
        });  
}  
  
/**  
 * Deletes an asset.  
 *  
 * @param assetId the ID of the asset to be deleted.  
 * @return a {@link CompletableFuture} that represents a {@link  
DeleteAssetResponse} result. The calling code can
```

```
*           attach callbacks, then handle the result or exception by calling
{@link CompletableFuture#join()} or
*           {@link CompletableFuture#get()}.
*           <p>
*           If any completion stage in this method throws an exception, the
method logs the exception cause and keeps
*           it available to the calling code as a {@link CompletionException}. By
calling
*           {@link CompletionException#getCause()}, the calling code can access
the original exception.
*/
public CompletableFuture<DeleteAssetResponse> deleteAssetAsync(String assetId) {
    DeleteAssetRequest deleteAssetRequest = DeleteAssetRequest.builder()
        .assetId(assetId)
        .build();

    return getAsyncClient().deleteAsset(deleteAssetRequest)
        .whenComplete((response, exception) -> {
            if (exception != null) {
                logger.error("An error occurred deleting asset with id: {}", assetId);
            }
        });
}

/**
 * Deletes an Asset Model with the specified ID.
 *
 * @param assetModelId the ID of the Asset Model to delete.
 * @return a {@link CompletableFuture} that represents a {@link DeleteAssetModelResponse} result. The calling code
*           can attach callbacks, then handle the result or exception by calling
{@link CompletableFuture#join()} or
*           {@link CompletableFuture#get()}.
*           <p>
*           If any completion stage in this method throws an exception, the
method logs the exception cause and keeps
*           it available to the calling code as a {@link CompletionException}. By
calling
*           {@link CompletionException#getCause()}, the calling code can access
the original exception.
*/
public CompletableFuture<DeleteAssetModelResponse> deleteAssetModelAsync(String assetModelId) {
```

```
        DeleteAssetModelRequest deleteAssetModelRequest =
DeleteAssetModelRequest.builder()
    .assetModelId(assetModelId)
    .build();

    return getAsyncClient().deleteAssetModel(deleteAssetModelRequest)
        .whenComplete((response, exception) -> {
            if (exception != null) {
                logger.error("Failed to delete asset model with ID:{}.", exception.getMessage());
            }
        });
    }

    /**
     * Creates a new IoT SiteWise portal.
     *
     * @param portalName the name of the portal to create.
     * @param iamRole the IAM role ARN to use for the portal.
     * @param contactEmail the email address of the portal contact.
     * @return a {@link CompletableFuture} that represents a {@link String} result of the portal ID. The calling code can attach callbacks, then handle the result or exception by calling {@link CompletableFuture#join()} or {@link CompletableFuture#get()}. <p> If any completion stage in this method throws an exception, the method logs the exception cause and keeps it available to the calling code as a {@link CompletionException}. By calling {@link CompletionException#getCause()}, the calling code can access the original exception.
     */
    public CompletableFuture<String> createPortalAsync(String portalName, String iamRole, String contactEmail) {
        CreatePortalRequest createPortalRequest = CreatePortalRequest.builder()
            .portalName(portalName)
            .portalDescription("This is my custom IoT SiteWise portal.")
            .portalContactEmail(contactEmail)
            .roleArn(iamRole)
            .build();

        return getAsyncClient().createPortal(createPortalRequest)
            .handle((response, exception) -> {
```

```
        if (exception != null) {
            logger.error("Failed to create portal: {} ",
exception.getCause().getMessage());
            throw (CompletionException) exception;
        }
        return response.portalId();
    });

}

/**
 * Deletes a portal.
 *
 * @param portalId the ID of the portal to be deleted.
 * @return a {@link CompletableFuture} that represents a {@link DeletePortalResponse}. The calling code can attach
 *         callbacks, then handle the result or exception by calling {@link CompletableFuture#join()} or
 *         {@link CompletableFuture#get()}.
 *
 *         <p>
 *         If any completion stage in this method throws an exception, the
method logs the exception cause and keeps
 *         it available to the calling code as a {@link CompletionException}. By
calling
 *         {@link CompletionException#getCause()}, the calling code can access
the original exception.
 */
public CompletableFuture<DeletePortalResponse> deletePortalAsync(String
portalId) {
    DeletePortalRequest deletePortalRequest = DeletePortalRequest.builder()
        .portalId(portalId)
        .build();

    return getAsyncClient().deletePortal(deletePortalRequest)
        .whenComplete((response, exception) -> {
            if (exception != null) {
                logger.error("Failed to delete portal with ID: {}. Error: {}",
portalId, exception.getCause().getMessage());
            }
        });
}

/**
 * Retrieves the asset model ID for the given asset model name.
 *
```

```
* @param assetModelName the name of the asset model for the ID.
 * @return a {@link CompletableFuture} that represents a {@link String} result
of the asset model ID or null if the
 *           asset model cannot be found. The calling code can attach callbacks,
then handle the result or exception
 *           by calling {@link CompletableFuture#join()} or {@link
CompletableFuture#get()}.
 *           <p>
 *           If any completion stage in this method throws an exception, the
method logs the exception cause and keeps
 *           it available to the calling code as a {@link CompletionException}. By
calling
 *           {@link CompletionException#getCause()}, the calling code can access
the original exception.
 */
public CompletableFuture<String> getAssetModelIdAsync(String assetModelName) {
    ListAssetModelsRequest listAssetModelsRequest =
ListAssetModelsRequest.builder().build();
    return getAsyncClient().listAssetModels(listAssetModelsRequest)
        .handle((listAssetModelsResponse, exception) -> {
            if (exception != null) {
                logger.error("Failed to retrieve Asset Model ID: {}", exception.getMessage());
                throw (CompletionException) exception;
            }
            for (AssetModelSummary assetModelSummary :
listAssetModelsResponse.assetModelSummaries()) {
                if (assetModelSummary.name().equals(assetModelName)) {
                    return assetModelSummary.id();
                }
            }
            return null;
        });
}

/**
 * Retrieves a portal's description.
 *
 * @param portalId the ID of the portal to describe.
 * @return a {@link CompletableFuture} that represents a {@link String} result
of the portal's start URL
 *           (see: {@link DescribePortalResponse#portalStartUrl()}). The calling
code can attach callbacks, then handle the
```

```
*           result or exception by calling {@link CompletableFuture#join()} or
{@link CompletableFuture#get()}.
*
*           <p>
*           If any completion stage in this method throws an exception, the
method logs the exception cause and keeps
*           it available to the calling code as a {@link CompletionException}. By
calling
*           {@link CompletionException#getCause()}, the calling code can access
the original exception.
*/
public CompletableFuture<String> describePortalAsync(String portalId) {
    DescribePortalRequest request = DescribePortalRequest.builder()
        .portalId(portalId)
        .build();

    return getAsyncClient().describePortal(request)
        .handle((response, exception) -> {
            if (exception != null) {
                logger.error("An exception occurred retrieving the portal
description: {}", exception.getCause().getMessage());
                throw (CompletionException) exception;
            }
            return response.portalStartUrl();
        });
}

/**
 * Creates a new IoT Sitewise gateway.
 *
 * @param gatewayName The name of the gateway to create.
 * @param myThing      The name of the core device thing to associate with the
gateway.
 * @return a {@link CompletableFuture} that represents a {@link String} result
of the gateways ID. The calling code
*           can attach callbacks, then handle the result or exception by calling
{@link CompletableFuture#join()} or
*           {@link CompletableFuture#get()}.
*           <p>
*           If any completion stage in this method throws an exception, the
method logs the exception cause and keeps
*           it available to the calling code as a {@link CompletionException}. By
calling
```

```
*           {@link CompletionException#getCause()}, the calling code can access
the original exception.
*/
public CompletableFuture<String> createGatewayAsync(String gatewayName, String
myThing) {
    GreengrassV2 gg = GreengrassV2.builder()
        .coreDeviceThingName(myThing)
        .build();

    GatewayPlatform platform = GatewayPlatform.builder()
        .greengrassV2(gg)
        .build();

    Map<String, String> tag = new HashMap<>();
    tag.put("Environment", "Production");

    CreateGatewayRequest createGatewayRequest = CreateGatewayRequest.builder()
        .gatewayName(gatewayName)
        .gatewayPlatform(platform)
        .tags(tag)
        .build();

    return getAsyncClient().createGateway(createGatewayRequest)
        .handle((response, exception) -> {
            if (exception != null) {
                logger.error("Error creating the gateway.");
                throw (CompletionException) exception;
            }
            logger.info("The ARN of the gateway is {}" ,
response.gatewayArn());
            return response.gatewayId();
        });
}

/**
 * Deletes the specified gateway.
 *
 * @param gatewayId the ID of the gateway to delete.
 * @return a {@link CompletableFuture} that represents a {@link
DeleteGatewayResponse} result.. The calling code
 *         can attach callbacks, then handle the result or exception by calling
{@link CompletableFuture#join()} or
 *         {@link CompletableFuture#get()}.
 *         <p>
```

```
*           If any completion stage in this method throws an exception, the
method logs the exception cause and keeps
*           it available to the calling code as a {@link CompletionException}. By
calling
*           {@link CompletionException#getCause()}, the calling code can access
the original exception.
*/
public CompletableFuture<DeleteGatewayResponse> deleteGatewayAsync(String
gatewayId) {
    DeleteGatewayRequest deleteGatewayRequest = DeleteGatewayRequest.builder()
        .gatewayId(gatewayId)
        .build();

    return getAsyncClient().deleteGateway(deleteGatewayRequest)
        .whenComplete((response, exception) -> {
            if (exception != null) {
                logger.error("Failed to delete gateway: {}", exception.getCause().getMessage());
            }
        });
}

/**
 * Describes the specified gateway.
 *
 * @param gatewayId the ID of the gateway to describe.
 * @return a {@link CompletableFuture} that represents a {@link
DescribeGatewayResponse} result. The calling code
*         can attach callbacks, then handle the result or exception by calling
{@link CompletableFuture#join()} or
*         {@link CompletableFuture#get()}.
*         <p>
*           If any completion stage in this method throws an exception, the
method logs the exception cause and keeps
*           it available to the calling code as a {@link CompletionException}. By
calling
*           {@link CompletionException#getCause()}, the calling code can access
the original exception.
*/
public CompletableFuture<DescribeGatewayResponse> describeGatewayAsync(String
gatewayId) {
    DescribeGatewayRequest request = DescribeGatewayRequest.builder()
        .gatewayId(gatewayId)
        .build();
```

```
        return getAsyncClient().describeGateway(request)
            .whenComplete((response, exception) -> {
                if (exception != null) {
                    logger.error("An error occurred during the describeGateway
method: {}", exception.getCause().getMessage());
                }
            });
    }

private static Map<String, Double> generateSampleData() {
    Map<String, Double> data = new HashMap<>();
    data.put("Temperature", 23.5);
    data.put("Humidity", 65.0);
    return data;
}
}
```

Actions

BatchPutAssetPropertyValue

The following code example shows how to use `BatchPutAssetPropertyValue`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Sends data to the SiteWise service.
 *
 * @param assetId      the ID of the asset to which the data will be sent.
 * @param tempPropertyId the ID of the temperature property.
 * @param humidityPropId the ID of the humidity property.
 * @return a {@link CompletableFuture} that represents a {@link
BatchPutAssetPropertyValueResponse} result. The
```

```
*           calling code can attach callbacks, then handle the result or
exception by calling
*           {@link CompletableFuture#join()} or {@link CompletableFuture#get()}.
*           <p>
*           If any completion stage in this method throws an exception, the
method logs the exception cause and keeps it
*           available to the calling code as a {@link CompletionException}. By
calling
*           {@link CompletionException#getCause()}, the calling code can access
the original exception.
*/
public CompletableFuture<BatchPutAssetPropertyValueResponse>
sendDataToSiteWiseAsync(String assetId, String tempPropertyId, String
humidityPropId) {
    Map<String, Double> sampleData = generateSampleData();
    long timestamp = Instant.now().toEpochMilli();

    TimeInNanos time = TimeInNanos.builder()
        .timeInSeconds(timestamp / 1000)
        .offsetInNanos((int) ((timestamp % 1000) * 1000000))
        .build();

    BatchPutAssetPropertyValueRequest request =
BatchPutAssetPropertyValueRequest.builder()
    .entries(Arrays.asList(
        PutAssetPropertyValueEntry.builder()
            .entryId("entry-3")
            .assetId(assetId)
            .propertyId(tempPropertyId)
            .propertyValues(Arrays.asList(
                AssetPropertyValue.builder()
                    .value(Variant.builder()
                        .doubleValue(sampleData.get("Temperature"))
                        .build())
                    .timestamp(time)
                    .build()
            )))
            .build(),
        PutAssetPropertyValueEntry.builder()
            .entryId("entry-4")
            .assetId(assetId)
            .propertyId(humidityPropId)
            .propertyValues(Arrays.asList(
                AssetPropertyValue.builder()
```

```
        .value(Variant.builder()
            .doubleValue(sampleData.get("Humidity"))
            .build())
        .timestamp(time)
        .build()
    ))
    .build();
}

return getAsyncClient().batchPutAssetPropertyValue(request)
    .whenComplete((response, exception) -> {
        if (exception != null) {
            logger.error("An exception occurred: {}",
exception.getCause().getMessage());
        }
    });
}
```

- For API details, see [BatchPutAssetPropertyValue](#) in *AWS SDK for Java 2.x API Reference*.

CreateAsset

The following code example shows how to use CreateAsset.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Creates an asset with the specified name and asset model Id.
 *
 * @param assetName      the name of the asset to create.
 * @param assetModelId  the Id of the asset model to associate with the asset.
 * @return a {@link CompletableFuture<CreateAssetResponse>} that represents a {@link
CreateAssetResponse} result. The calling code can
```

```
*           attach callbacks, then handle the result or exception by calling
{@link CompletableFuture#join()} or
*           {@link CompletableFuture#get()}.
*           <p>
*           If any completion stage in this method throws an exception, the
method logs the exception cause and keeps it
*           available to the calling code as a {@link CompletionException}. By
calling
*           {@link CompletionException#getCause()}, the calling code can access
the original exception.
*/
public CompletableFuture<CreateAssetResponse> createAssetAsync(String assetName,
String assetModelId) {
    CreateAssetRequest createAssetRequest = CreateAssetRequest.builder()
        .assetModelId(assetModelId)
        .assetDescription("Created using the AWS SDK for Java")
        .assetName(assetName)
        .build();

    return getAsyncClient().createAsset(createAssetRequest)
        .whenComplete((response, exception) -> {
            if (exception != null) {
                logger.error("Failed to create asset: {}", exception.getCause().getMessage());
            }
        });
}
```

- For API details, see [CreateAsset](#) in *AWS SDK for Java 2.x API Reference*.

CreateAssetModel

The following code example shows how to use CreateAssetModel.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Creates an asset model.  
 *  
 * @param name the name of the asset model to create.  
 * @return a {@link CompletableFuture} that represents a {@link CreateAssetModelResponse} result. The calling code  
 *         can attach callbacks, then handle the result or exception by calling  
 {@link CompletableFuture#join()} or  
 *         {@link CompletableFuture#get()}.  
 *         <p>  
 *         If any completion stage in this method throws an exception, the  
 method logs the exception cause and keeps it  
 *         available to the calling code as a {@link CompletionException}. By  
 calling  
 *         {@link CompletionException#getCause()}, the calling code can access  
 the original exception.  
 */  
public CompletableFuture<CreateAssetModelResponse> createAssetModelAsync(String  
name) {  
    PropertyType humidity = PropertyType.builder()  
        .measurement(Measurement.builder().build())  
        .build();  
  
    PropertyType temperaturePropertyType = PropertyType.builder()  
        .measurement(Measurement.builder().build())  
        .build();  
  
    AssetModelPropertyDefinition temperatureProperty =  
AssetModelPropertyDefinition.builder()  
        .name("Temperature")  
        .dataType(PropertyDataType.DOUBLE)  
        .type(temperaturePropertyType)  
        .build();  
  
    AssetModelPropertyDefinition humidityProperty =  
AssetModelPropertyDefinition.builder()  
        .name("Humidity")  
        .dataType(PropertyDataType.DOUBLE)  
        .type(humidity)  
        .build();
```

```
        CreateAssetModelRequest createAssetModelRequest =
CreateAssetModelRequest.builder()
    .assetModelName(name)
    .assetModelDescription("This is my asset model")
    .assetModelProperties(temperatureProperty, humidityProperty)
    .build();

    return getAsyncClient().createAssetModel(createAssetModelRequest)
        .whenComplete((response, exception) -> {
            if (exception != null) {
                logger.error("Failed to create asset model: {} ",
exception.getCause().getMessage());
            }
        });
}
```

- For API details, see [CreateAssetModel](#) in *AWS SDK for Java 2.x API Reference*.

CreateGateway

The following code example shows how to use CreateGateway.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Creates a new IoT Sitewise gateway.
 *
 * @param gatewayName The name of the gateway to create.
 * @param myThing      The name of the core device thing to associate with the
 * gateway.
 * @return a {@link CompletableFuture} that represents a {@link String} result
 * of the gateways ID. The calling code
 *          can attach callbacks, then handle the result or exception by calling
 * {@link CompletableFuture#join()} or
```

```
*           {@link CompletableFuture#get()}.
*
*           <p>
*           If any completion stage in this method throws an exception, the
method logs the exception cause and keeps
*           it available to the calling code as a {@link CompletionException}. By
calling
*           {@link CompletionException#getCause()}, the calling code can access
the original exception.
*/
public CompletableFuture<String> createGatewayAsync(String gatewayName, String
myThing) {
    GreengrassV2 gg = GreengrassV2.builder()
        .coreDeviceThingName(myThing)
        .build();

    GatewayPlatform platform = GatewayPlatform.builder()
        .greengrassV2(gg)
        .build();

    Map<String, String> tag = new HashMap<>();
    tag.put("Environment", "Production");

    CreateGatewayRequest createGatewayRequest = CreateGatewayRequest.builder()
        .gatewayName(gatewayName)
        .gatewayPlatform(platform)
        .tags(tag)
        .build();

    return getAsyncClient().createGateway(createGatewayRequest)
        .handle((response, exception) -> {
            if (exception != null) {
                logger.error("Error creating the gateway.");
                throw (CompletionException) exception;
            }
            logger.info("The ARN of the gateway is {}" ,
response.gatewayArn());
            return response.gatewayId();
        });
}
```

- For API details, see [CreateGateway](#) in [AWS SDK for Java 2.x API Reference](#).

CreatePortal

The following code example shows how to use CreatePortal.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Creates a new IoT SiteWise portal.  
 *  
 * @param portalName    the name of the portal to create.  
 * @param iamRole        the IAM role ARN to use for the portal.  
 * @param contactEmail  the email address of the portal contact.  
 * @return a {@link CompletableFuture} that represents a {@link String} result  
 * of the portal ID. The calling code  
 *      can attach callbacks, then handle the result or exception by calling  
 {@link CompletableFuture#join()} or  
 *      {@link CompletableFuture#get()}.  
 *      <p>  
 *      If any completion stage in this method throws an exception, the  
 method logs the exception cause and keeps  
 *      it available to the calling code as a {@link CompletionException}. By  
 calling  
 *      {@link CompletionException#getCause()}, the calling code can access  
 the original exception.  
 */  
public CompletableFuture<String> createPortalAsync(String portalName, String  
iamRole, String contactEmail) {  
    CreatePortalRequest createPortalRequest = CreatePortalRequest.builder()  
        .portalName(portalName)  
        .portalDescription("This is my custom IoT SiteWise portal.")  
        .portalContactEmail(contactEmail)  
        .roleArn(iamRole)  
        .build();  
  
    return getAsyncClient().createPortal(createPortalRequest)  
        .handle((response, exception) -> {  
            if (exception != null) {  
                log.error("Error creating portal: " + exception.getMessage());  
            }  
            return response; // or handle response  
        });  
}
```

```
        logger.error("Failed to create portal: {} ",  
exception.getCause().getMessage());  
        throw (CompletionException) exception;  
    }  
    return response.portalId();  
});  
}
```

- For API details, see [CreatePortal](#) in *AWS SDK for Java 2.x API Reference*.

DeleteAsset

The following code example shows how to use DeleteAsset.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Deletes an asset.  
 *  
 * @param assetId the ID of the asset to be deleted.  
 * @return a {@link CompletableFuture} that represents a {@link  
DeleteAssetResponse} result. The calling code can  
* attach callbacks, then handle the result or exception by calling  
{@link CompletableFuture#join()} or  
* {@link CompletableFuture#get()}.  
* <p>  
* If any completion stage in this method throws an exception, the  
method logs the exception cause and keeps  
* it available to the calling code as a {@link CompletionException}. By  
calling  
* {@link CompletionException#getCause()}, the calling code can access  
the original exception.  
*/  
public CompletableFuture<DeleteAssetResponse> deleteAssetAsync(String assetId) {  
    DeleteAssetRequest deleteAssetRequest = DeleteAssetRequest.builder()
```

```
        .assetId(assetId)
        .build();

    return getAsyncClient().deleteAsset(deleteAssetRequest)
        .whenComplete((response, exception) -> {
            if (exception != null) {
                logger.error("An error occurred deleting asset with id: {}", assetId);
            }
        });
}
```

- For API details, see [DeleteAsset](#) in *AWS SDK for Java 2.x API Reference*.

DeleteAssetModel

The following code example shows how to use DeleteAssetModel.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Deletes an Asset Model with the specified ID.
 *
 * @param assetModelId the ID of the Asset Model to delete.
 * @return a {@link CompletableFuture} that represents a {@link DeleteAssetModelResponse} result. The calling code
 *         can attach callbacks, then handle the result or exception by calling
 * {@link CompletableFuture#join()} or
 * {@link CompletableFuture#get()}.
 * <p>
 *         If any completion stage in this method throws an exception, the
 * method logs the exception cause and keeps
 *         it available to the calling code as a {@link CompletionException}. By
 * calling
```

```
*           {@link CompletionException#getCause()}, the calling code can access
the original exception.
*/
public CompletableFuture<DeleteAssetModelResponse> deleteAssetModelAsync(String
assetModelId) {
    DeleteAssetModelRequest deleteAssetModelRequest =
DeleteAssetModelRequest.builder()
    .assetModelId(assetModelId)
    .build();

    return getAsyncClient().deleteAssetModel(deleteAssetModelRequest)
    .whenComplete((response, exception) -> {
        if (exception != null) {
            logger.error("Failed to delete asset model with ID:{}.", exception.getMessage());
        }
    });
}
```

- For API details, see [DeleteAssetModel](#) in *AWS SDK for Java 2.x API Reference*.

DeleteGateway

The following code example shows how to use DeleteGateway.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Deletes the specified gateway.
 *
 * @param gatewayId the ID of the gateway to delete.
 * @return a {@link CompletableFuture} that represents a {@link
DeleteGatewayResponse} result.. The calling code
 *         can attach callbacks, then handle the result or exception by calling
{@link CompletableFuture#join()} or
```

```
*           {@link CompletableFuture#get()}.
*
*           <p>
*           If any completion stage in this method throws an exception, the
method logs the exception cause and keeps
*           it available to the calling code as a {@link CompletionException}. By
calling
*           {@link CompletionException#getCause()}, the calling code can access
the original exception.
*/
public CompletableFuture<DeleteGatewayResponse> deleteGatewayAsync(String
gatewayId) {
    DeleteGatewayRequest deleteGatewayRequest = DeleteGatewayRequest.builder()
        .gatewayId(gatewayId)
        .build();

    return getAsyncClient().deleteGateway(deleteGatewayRequest)
        .whenComplete((response, exception) -> {
            if (exception != null) {
                logger.error("Failed to delete gateway: {}", exception
exception.getCause().getMessage());
            }
        });
}
```

- For API details, see [DeleteGateway](#) in *AWS SDK for Java 2.x API Reference*.

DeletePortal

The following code example shows how to use DeletePortal.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Deletes a portal.
 *
```

```
* @param portalId the ID of the portal to be deleted.  
* @return a {@link CompletableFuture} that represents a {@link  
DeletePortalResponse}. The calling code can attach  
*         callbacks, then handle the result or exception by calling {@link  
CompletableFuture#join()} or  
*         {@link CompletableFuture#get()}.  
*         <p>  
*         If any completion stage in this method throws an exception, the  
method logs the exception cause and keeps  
*         it available to the calling code as a {@link CompletionException}. By  
calling  
*         {@link CompletionException#getCause()}, the calling code can access  
the original exception.  
*/  
public CompletableFuture<DeletePortalResponse> deletePortalAsync(String  
portalId) {  
    DeletePortalRequest deletePortalRequest = DeletePortalRequest.builder()  
        .portalId(portalId)  
        .build();  
  
    return getAsyncClient().deletePortal(deletePortalRequest)  
        .whenComplete((response, exception) -> {  
            if (exception != null) {  
                logger.error("Failed to delete portal with ID: {}. Error: {}",  
portalId, exception.getCause().getMessage());  
            }  
        });  
}
```

- For API details, see [DeletePortal](#) in *AWS SDK for Java 2.x API Reference*.

DescribeAssetModel

The following code example shows how to use `DescribeAssetModel`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Retrieves the property IDs associated with a specific asset model.  
 *  
 * @param assetModelId the ID of the asset model that defines the properties.  
 * @return a {@link CompletableFuture} that represents a {@link Map} result that  
 associates the property name to the  
 *         property ID. The calling code can attach callbacks, then handle the  
 result or exception by calling  
 *         {@link CompletableFuture#join()} or {@link CompletableFuture#get()}.  
 *         <p>  
 *         If any completion stage in this method throws an exception, the  
 method logs the exception cause and keeps  
 *         it available to the calling code as a {@link CompletionException}. By  
 calling  
 *         {@link CompletionException#getCause()}, the calling code can access  
 the original exception.  
 */  
public CompletableFuture<Map<String, String>> getPropertyIds(String  
assetModelId) {  
    ListAssetModelPropertiesRequest modelPropertiesRequest =  
ListAssetModelPropertiesRequest.builder().assetModelId(assetModelId).build();  
    return getAsyncClient().listAssetModelProperties(modelPropertiesRequest)  
        .handle((response, throwable) -> {  
            if (response != null) {  
                return response.assetModelPropertySummaries().stream()  
                    .collect(Collectors  
                        .toMap(AssetModelPropertySummary::name,  
AssetModelPropertySummary::id));  
            } else {  
                logger.error("Error occurred while fetching property IDs: {}.",  
throwable.getCause().getMessage());  
                throw (CompletionException) throwable;  
            }  
        });  
}
```

- For API details, see [DescribeAssetModel](#) in *AWS SDK for Java 2.x API Reference*.

DescribeGateway

The following code example shows how to use `DescribeGateway`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Describes the specified gateway.  
 *  
 * @param gatewayId the ID of the gateway to describe.  
 * @return a {@link CompletableFuture} that represents a {@link  
 * DescribeGatewayResponse} result. The calling code  
 * can attach callbacks, then handle the result or exception by calling  
 {@link CompletableFuture#join()} or  
 * {@link CompletableFuture#get()}.  
 * <p>  
 * If any completion stage in this method throws an exception, the  
 method logs the exception cause and keeps  
 * it available to the calling code as a {@link CompletionException}. By  
 calling  
 * {@link CompletionException#getCause()}, the calling code can access  
 the original exception.  
 */  
public CompletableFuture<DescribeGatewayResponse> describeGatewayAsync(String  
gatewayId) {  
    DescribeGatewayRequest request = DescribeGatewayRequest.builder()  
        .gatewayId(gatewayId)  
        .build();  
  
    return getAsyncClient().describeGateway(request)  
        .whenComplete((response, exception) -> {  
            if (exception != null) {  
                logger.error("An error occurred during the describeGateway  
method: {}", exception.getCause().getMessage());  
            }  
        });  
}
```

- For API details, see [DescribeGateway](#) in *AWS SDK for Java 2.x API Reference*.

DescribePortal

The following code example shows how to use `DescribePortal`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Retrieves a portal's description.  
 *  
 * @param portalId the ID of the portal to describe.  
 * @return a {@link CompletableFuture<String>} that represents a {@link String} result  
 * of the portal's start URL  
 *         (see: {@link DescribePortalResponse#portalStartUrl()}). The calling  
 * code can attach callbacks, then handle the  
 *         result or exception by calling {@link CompletableFuture#join()} or  
 * {@link CompletableFuture#get()}.  
 *         <p>  
 *         If any completion stage in this method throws an exception, the  
 * method logs the exception cause and keeps  
 *         it available to the calling code as a {@link CompletionException}. By  
 * calling  
 *         {@link CompletionException#getCause()}, the calling code can access  
 * the original exception.  
 */  
public CompletableFuture<String> describePortalAsync(String portalId) {  
    DescribePortalRequest request = DescribePortalRequest.builder()  
        .portalId(portalId)  
        .build();  
  
    return getAsyncClient().describePortal(request)  
        .handle((response, exception) -> {  
            if (exception != null) {  
                logger.error("An exception occurred retrieving the portal  
description: {}", exception.getCause().getMessage());  
                throw (CompletionException) exception;  
            }  
            return response.portalStartUrl();  
        });  
}
```

```
    });
}
```

- For API details, see [DescribePortal](#) in *AWS SDK for Java 2.x API Reference*.

GetAssetPropertyValue

The following code example shows how to use GetAssetPropertyValue.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Fetches the value of an asset property.
 *
 * @param propId  the ID of the asset property to fetch.
 * @param assetId the ID of the asset to fetch the property value for.
 * @return a {@link CompletableFuture} that represents a {@link Double} result.
The calling code can attach
 *          callbacks, then handle the result or exception by calling {@link
CompletableFuture#join()} or
 *          {@link CompletableFuture#get()}.
 *          <p>
 *          If any completion stage in this method throws an exception, the
method logs the exception cause and keeps
 *          it available to the calling code as a {@link CompletionException}. By
calling
 *          {@link CompletionException#getCause()}, the calling code can access
the original exception.
 */
public CompletableFuture<Double> getAssetPropValueAsync(String propId, String
assetId) {
    GetAssetPropertyValueRequest assetPropertyValueRequest =
GetAssetPropertyValueRequest.builder()
        .propertyId(propId)
        .assetId(assetId)
```

```
        .build();

    return getAsyncClient().getAssetPropertyValue(assetPropertyValueRequest)
        .handle((response, exception) -> {
            if (exception != null) {
                logger.error("Error occurred while fetching property value: " +
                "{}.", exception.getCause().getMessage());
                throw (CompletionException) exception;
            }
            return response.propertyValue().value().doubleValue();
        });
}
```

- For API details, see [GetAssetPropertyValue](#) in *AWS SDK for Java 2.x API Reference*.

ListAssetModels

The following code example shows how to use ListAssetModels.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Retrieves the asset model ID for the given asset model name.
 *
 * @param assetModelName the name of the asset model for the ID.
 * @return a {@link CompletableFuture} that represents a {@link String} result
 * of the asset model ID or null if the
 *         asset model cannot be found. The calling code can attach callbacks,
 * then handle the result or exception
 *         by calling {@link CompletableFuture#join()} or {@link
 * CompletableFuture#get()}.
 *         <p>
 *         If any completion stage in this method throws an exception, the
 * method logs the exception cause and keeps
```

```
*      it available to the calling code as a {@link CompletionException}. By
calling
*      {@link CompletionException#getCause()}, the calling code can access
the original exception.
*/
public CompletableFuture<String> getAssetModelIdAsync(String asset modelName) {
    ListAssetModelsRequest listAssetModelsRequest =
ListAssetModelsRequest.builder().build();
    return getAsyncClient().listAssetModels(listAssetModelsRequest)
        .handle((listAssetModelsResponse, exception) -> {
            if (exception != null) {
                logger.error("Failed to retrieve Asset Model ID: {}", exception.getMessage());
                throw (CompletionException) exception;
            }
            for (AssetModelSummary assetModelSummary :
listAssetModelsResponse.assetModelSummaries()) {
                if (assetModelSummary.name().equals(asset modelName)) {
                    return assetModelSummary.id();
                }
            }
            return null;
        });
}
```

- For API details, see [ListAssetModels](#) in *AWS SDK for Java 2.x API Reference*.

Amazon Keyspaces examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon Keyspaces.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello Amazon Keyspaces

The following code examples show how to get started using Amazon Keyspaces.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.keyspace.KeyspacesClient;
import software.amazon.awssdk.services.keyspace.model.KeyspaceSummary;
import software.amazon.awssdk.services.keyspace.model.KeyspacesException;
import software.amazon.awssdk.services.keyspace.model.ListKeyspacesRequest;
import software.amazon.awssdk.services.keyspace.model.ListKeyspacesResponse;
import java.util.List;

/**
 * Before running this Java (v2) code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class HelloKeyspaces {
    public static void main(String[] args) {
        Region region = Region.US_EAST_1;
        KeyspacesClient keyClient = KeyspacesClient.builder()
            .region(region)
            .build();

        listKeyspaces(keyClient);
    }

    public static void listKeyspaces(KeyspacesClient keyClient) {
        try {
            ListKeyspacesRequest keyspaceRequest = ListKeyspacesRequest.builder()
                .maxResults(10)
                .build();
        }
    }
}
```

```
        ListKeyspacesResponse response =
keyClient.listKeyspaces(keyspacesRequest);
        List<KeyspaceSummary> keyspaces = response.keyspaces();
        for (KeyspaceSummary keyspace : keyspaces) {
            System.out.println("The name of the keyspace is " +
keyspace.keyspaceName());
        }

    } catch (KeyspacesException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [ListKeyspaces](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Basics](#)
- [Actions](#)

Basics

Learn the basics

The following code example shows how to:

- Create a keyspace and table. The table schema holds movie data and has point-in-time recovery enabled.
- Connect to the keyspace using a secure TLS connection with SigV4 authentication.
- Query the table. Add, retrieve, and update movie data.
- Update the table. Add a column to track watched movies.
- Restore the table to its previous state and clean up resources.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Before running this Java (v2) code example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 *  
 * Before running this Java code example, you must create a  
 * Java keystore (JKS) file and place it in your project's resources folder.  
 *  
 * This file is a secure file format used to hold certificate information for  
 * Java applications. This is required to make a connection to Amazon Keyspaces.  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/keyspaces/latest/devguide/using\_java\_driver.html  
 *  
 * This Java example performs the following tasks:  
 *  
 * 1. Create a keyspace.  
 * 2. Check for keyspace existence.  
 * 3. List keyspaces using a paginator.  
 * 4. Create a table with a simple movie data schema and enable point-in-time  
 * recovery.  
 * 5. Check for the table to be in an Active state.  
 * 6. List all tables in the keyspace.  
 * 7. Use a Cassandra driver to insert some records into the Movie table.  
 * 8. Get all records from the Movie table.  
 * 9. Get a specific Movie.  
 * 10. Get a UTC timestamp for the current time.  
 * 11. Update the table schema to add a 'watched' Boolean column.  
 * 12. Update an item as watched.  
 * 13. Query for items with watched = True.  
 * 14. Restore the table back to the previous state using the timestamp.
```

```
* 15. Check for completion of the restore action.  
* 16. Delete the table.  
* 17. Confirm that both tables are deleted.  
* 18. Delete the keyspace.  
*/  
  
public class ScenarioKeyspaces {  
    public static final String DASHES = new String(new char[80]).replace("\0", "-");  
  
    /*  
     * Usage:  
     * fileName - The name of the JSON file that contains movie data. (Get this file  
     * from the GitHub repo at resources/sample_file.)  
     * keyspaceName - The name of the keyspace to create.  
     */  
    public static void main(String[] args) throws InterruptedException, IOException  
{  
        String fileName = "<Replace with the JSON file that contains movie data>";  
        String keyspaceName = "<Replace with the name of the keyspace to create>";  
        String titleUpdate = "The Family";  
        int yearUpdate = 2013;  
        String tableName = "Movie";  
        String tableNameRestore = "MovieRestore";  
        Region region = Region.US_EAST_1;  
        KeyspacesClient keyClient = KeyspacesClient.builder()  
            .region(region)  
            .build();  
  
        DriverConfigLoader loader =  
DriverConfigLoader.fromClasspath("application.conf");  
        CqlSession session = CqlSession.builder()  
            .withConfigLoader(loader)  
            .build();  
  
        System.out.println(DASHES);  
        System.out.println("Welcome to the Amazon Keyspaces example scenario.");  
        System.out.println(DASHES);  
  
        System.out.println(DASHES);  
        System.out.println("1. Create a keyspace.");  
        createKeySpace(keyClient, keyspaceName);  
        System.out.println(DASHES);  
  
        System.out.println(DASHES);
```

```
Thread.sleep(5000);
System.out.println("2. Check for keyspace existence.");
checkKeyspaceExistence(keyClient, keyspaceName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("3. List keyspaces using a paginator.");
listKeyspacesPaginator(keyClient);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("4. Create a table with a simple movie data schema and
enable point-in-time recovery.");
createTable(keyClient, keyspaceName, tableName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("5. Check for the table to be in an Active state.");
Thread.sleep(6000);
checkTable(keyClient, keyspaceName, tableName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("6. List all tables in the keyspace.");
listTables(keyClient, keyspaceName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("7. Use a Cassandra driver to insert some records into
the Movie table.");
Thread.sleep(6000);
loadData(session, fileName, keyspaceName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("8. Get all records from the Movie table.");
getMovieData(session, keyspaceName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("9. Get a specific Movie.");
getSpecificMovie(session, keyspaceName);
System.out.println(DASHES);
```

```
System.out.println(DASHES);
System.out.println("10. Get a UTC timestamp for the current time.");
ZonedDateTime utc = ZonedDateTime.now(ZoneOffset.UTC);
System.out.println("DATETIME = " + Date.from(utc.toInstant()));
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("11. Update the table schema to add a watched Boolean column.");
updateTable(keyClient, keyspaceName, tableName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("12. Update an item as watched.");
Thread.sleep(10000); // Wait 10 secs for the update.
updateRecord(session, keyspaceName, titleUpdate, yearUpdate);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("13. Query for items with watched = True.");
getWatchedData(session, keyspaceName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("14. Restore the table back to the previous state using the timestamp.");
System.out.println("Note that the restore operation can take up to 20 minutes.");
restoreTable(keyClient, keyspaceName, utc);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("15. Check for completion of the restore action.");
Thread.sleep(5000);
checkRestoredTable(keyClient, keyspaceName, "MovieRestore");
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("16. Delete both tables.");
deleteTable(keyClient, keyspaceName, tableName);
deleteTable(keyClient, keyspaceName, tableNameRestore);
System.out.println(DASHES);

System.out.println(DASHES);
```

```
        System.out.println("17. Confirm that both tables are deleted.");
        checkTableDelete(keyClient, keyspaceName, tableName);
        checkTableDelete(keyClient, keyspaceName, tableNameRestore);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("18. Delete the keyspace.");
        deleteKeyspace(keyClient, keyspaceName);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("The scenario has completed successfully.");
        System.out.println(DASHES);
    }

    public static void deleteKeyspace(KeyspacesClient keyClient, String
keyspaceName) {
    try {
        DeleteKeyspaceRequest deleteKeyspaceRequest =
DeleteKeyspaceRequest.builder()
            .keyspaceName(keyspaceName)
            .build();

        keyClient.deleteKeyspace(deleteKeyspaceRequest);

    } catch (KeyspacesException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

    public static void checkTableDelete(KeyspacesClient keyClient, String
keyspaceName, String tableName)
        throws InterruptedException {
    try {
        String status;
        GetTableResponse response;
        GetTableRequest tableRequest = GetTableRequest.builder()
            .keyspaceName(keyspaceName)
            .tableName(tableName)
            .build();

        // Keep looping until table cannot be found and a
        ResourceNotFoundException is
```

```
// thrown.
while (true) {
    response = keyClient.getTable(tableRequest);
    status = response.statusAsString();
    System.out.println(". The table status is " + status);
    Thread.sleep(500);
}

} catch (ResourceNotFoundException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
}
System.out.println("The table is deleted");
}

public static void deleteTable(KeyspacesClient keyClient, String keyspaceName,
String tableName) {
try {
    DeleteTableRequest tableRequest = DeleteTableRequest.builder()
        .keyspaceName(keyspaceName)
        .tableName(tableName)
        .build();

    keyClient.deleteTable(tableRequest);

} catch (KeyspacesException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}

public static void checkRestoredTable(KeyspacesClient keyClient, String
keyspaceName, String tableName)
throws InterruptedException {
try {
    boolean tableStatus = false;
    String status;
    GetTableResponse response = null;
    GetTableRequest tableRequest = GetTableRequest.builder()
        .keyspaceName(keyspaceName)
        .tableName(tableName)
        .build();

    while (!tableStatus) {
        response = keyClient.getTable(tableRequest);
        status = response.statusAsString();
        if (status.equals("RESTORED")) {
            tableStatus = true;
        }
    }
}
}
```

```
        status = response.statusAsString();
        System.out.println("The table status is " + status);

        if (status.compareTo("ACTIVE") == 0) {
            tableStatus = true;
        }
        Thread.sleep(500);
    }

    List<ColumnDefinition> cols = response.schemaDefinition().allColumns();
    for (ColumnDefinition def : cols) {
        System.out.println("The column name is " + def.name());
        System.out.println("The column type is " + def.type());
    }

} catch (KeyspacesException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}

public static void restoreTable(KeyspacesClient keyClient, String keyspaceName,
ZonedDateTime utc) {
    try {
        Instant myTime = utc.toInstant();
        RestoreTableRequest restoreTableRequest = RestoreTableRequest.builder()
            .restoreTimestamp(myTime)
            .sourceTableName("Movie")
            .targetKeyspaceName(keyspaceName)
            .targetTableName("MovieRestore")
            .sourceKeyspaceName(keyspaceName)
            .build();

        RestoreTableResponse response =
keyClient.restoreTable(restoreTableRequest);
        System.out.println("The ARN of the restored table is " +
response.restoredTableARN());

    } catch (KeyspacesException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

```
public static void getWatchedData(CqlSession session, String keyspaceName) {
    ResultSet resultSet = session
        .execute("SELECT * FROM \\" + keyspaceName + "\\".\\"Movie\\" WHERE
watched = true ALLOW FILTERING;");
    resultSet.forEach(item -> {
        System.out.println("The Movie title is " + item.getString("title"));
        System.out.println("The Movie year is " + item.getInt("year"));
        System.out.println("The plot is " + item.getString("plot"));
    });
}

public static void updateRecord(CqlSession session, String keySpace, String
titleUpdate, int yearUpdate) {
    String sqlStatement = "UPDATE \\" + keySpace
        + "\\".\\"Movie\\" SET watched=true WHERE title = :k0 AND year = :k1;";
    BatchStatementBuilder builder =
BatchStatement.builder(DefaultBatchType.UNLOGGED);
    builder.setConsistencyLevel(ConsistencyLevel.LOCAL_QUORUM);
    PreparedStatement preparedStatement = session.prepare(sqlStatement);
    builder.addStatement(preparedStatement.boundStatementBuilder()
        .setString("k0", titleUpdate)
        .setInt("k1", yearUpdate)
        .build());
}

BatchStatement batchStatement = builder.build();
session.execute(batchStatement);
}

public static void updateTable(KeyspacesClient keyClient, String keySpace,
String tableName) {
    try {
        ColumnDefinition def = ColumnDefinition.builder()
            .name("watched")
            .type("boolean")
            .build();

        UpdateTableRequest tableRequest = UpdateTableRequest.builder()
            .keyspaceName(keySpace)
            .tableName(tableName)
            .addColumns(def)
            .build();

        keyClient.updateTable(tableRequest);
    }
}
```

```
        } catch (KeyspacesException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }

    public static void getSpecificMovie(CqlSession session, String keyspaceName) {
        ResultSet resultSet = session.execute(
            "SELECT * FROM \\" + keyspaceName + "\\".\\\"Movie\\\" WHERE title = 'The
Family' ALLOW FILTERING ;");
        resultSet.forEach(item -> {
            System.out.println("The Movie title is " + item.getString("title"));
            System.out.println("The Movie year is " + item.getInt("year"));
            System.out.println("The plot is " + item.getString("plot"));
        });
    }

    // Get records from the Movie table.
    public static void getMovieData(CqlSession session, String keyspaceName) {
        ResultSet resultSet = session.execute("SELECT * FROM \\" + keyspaceName +
"\\".\\\"Movie\\\";");
        resultSet.forEach(item -> {
            System.out.println("The Movie title is " + item.getString("title"));
            System.out.println("The Movie year is " + item.getInt("year"));
            System.out.println("The plot is " + item.getString("plot"));
        });
    }

    // Load data into the table.
    public static void loadData(CqlSession session, String fileName, String
keySpace) throws IOException {
        String sqlStatement = "INSERT INTO \\" + keySpace + "\\".\\\"Movie\\\" (title,
year, plot) values (:k0, :k1, :k2)";
        JsonParser parser = new JsonFactory().createParser(new File(fileName));
        com.fasterxml.jackson.databind.JsonNode rootNode = new
ObjectMapper().readTree(parser);
        Iterator<JsonNode> iter = rootNode.iterator();
        ObjectNode currentNode;
        int t = 0;
        while (iter.hasNext()) {

            // Add 20 movies to the table.
            if (t == 20)
                break;


```

```
        currentNode = (ObjectNode) iter.next();

        int year = currentNode.path("year").asInt();
        String title = currentNode.path("title").asText();
        String plot = currentNode.path("info").path("plot").toString();

        // Insert the data into the Amazon Keyspaces table.
        BatchStatementBuilder builder =
BatchStatement.builder(DefaultBatchType.UNLOGGED);
        builder.setConsistencyLevel(ConsistencyLevel.LOCAL_QUORUM);
        PreparedStatement preparedStatement = session.prepare(sqlStatement);
        builder.addStatement(preparedStatement.boundStatementBuilder()
            .setString("k0", title)
            .setInt("k1", year)
            .setString("k2", plot)
            .build());

        BatchStatement batchStatement = builder.build();
        session.execute(batchStatement);
        t++;
    }

    System.out.println("You have added " + t + " records successfully!");
}

public static void listTables(KeyspacesClient keyClient, String keyspaceName) {
    try {
        ListTablesRequest tablesRequest = ListTablesRequest.builder()
            .keyspaceName(keyspaceName)
            .build();

        ListTablesIterable listRes =
keyClient.listTablesPaginator(tablesRequest);
        listRes.stream()
            .flatMap(r -> r.tables().stream())
            .forEach(content -> System.out.println(" ARN: " +
content.resourceArn() +
                " Table name: " + content.tableName()));

    } catch (KeyspacesException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

```
public static void checkTable(KeyspacesClient keyClient, String keyspaceName,
String tableName)
    throws InterruptedException {
try {
    boolean tableStatus = false;
    String status;
    GetTableResponse response = null;
    GetTableRequest tableRequest = GetTableRequest.builder()
        .keyspaceName(keyspaceName)
        .tableName(tableName)
        .build();

    while (!tableStatus) {
        response = keyClient.getTable(tableRequest);
        status = response.statusAsString();
        System.out.println(". The table status is " + status);

        if (status.compareTo("ACTIVE") == 0) {
            tableStatus = true;
        }
        Thread.sleep(500);
    }

    List<ColumnDefinition> cols = response.schemaDefinition().allColumns();
    for (ColumnDefinition def : cols) {
        System.out.println("The column name is " + def.name());
        System.out.println("The column type is " + def.type());
    }
}

} catch (KeyspacesException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}

public static void createTable(KeyspacesClient keyClient, String keySpace,
String tableName) {
    try {
        // Set the columns.
        ColumnDefinition defTitle = ColumnDefinition.builder()
            .name("title")
            .type("text")
            .build();
    }
}
```

```
ColumnDefinition defYear = ColumnDefinition.builder()
    .name("year")
    .type("int")
    .build();

ColumnDefinition defReleaseDate = ColumnDefinition.builder()
    .name("release_date")
    .type("timestamp")
    .build();

ColumnDefinition defPlot = ColumnDefinition.builder()
    .name("plot")
    .type("text")
    .build();

List<ColumnDefinition> colList = new ArrayList<>();
colList.add(defTitle);
colList.add(defYear);
colList.add(defReleaseDate);
colList.add(defPlot);

// Set the keys.
PartitionKey yearKey = PartitionKey.builder()
    .name("year")
    .build();

PartitionKey titleKey = PartitionKey.builder()
    .name("title")
    .build();

List<PartitionKey> keyList = new ArrayList<>();
keyList.add(yearKey);
keyList.add(titleKey);

SchemaDefinition schemaDefinition = SchemaDefinition.builder()
    .partitionKeys(keyList)
    .allColumns(colList)
    .build();

PointInTimeRecovery timeRecovery = PointInTimeRecovery.builder()
    .status(PointInTimeRecoveryStatus.ENABLED)
    .build();
```

```
        CreateTableRequest tableRequest = CreateTableRequest.builder()
            .keyspaceName(keySpace)
            .tableName(tableName)
            .schemaDefinition(schemaDefinition)
            .pointInTimeRecovery(timeRecovery)
            .build();

        CreateTableResponse response = keyClient.createTable(tableRequest);
        System.out.println("The table ARN is " + response.resourceArn());

    } catch (KeyspacesException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

public static void listKeyspacesPaginator(KeyspacesClient keyClient) {
    try {
        ListKeyspacesRequest keyspaceRequest = ListKeyspacesRequest.builder()
            .maxResults(10)
            .build();

        ListKeyspacesIterable listRes =
keyClient.listKeyspacesPaginator(keyspaceRequest);
        listRes.stream()
            .flatMap(r -> r.keyspaces().stream())
            .forEach(content -> System.out.println(" Name: " +
content.keyspaceName()));

    } catch (KeyspacesException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

public static void checkKeyspaceExistence(KeyspacesClient keyClient, String
keyspaceName) {
    try {
        GetKeyspaceRequest keyspaceRequest = GetKeyspaceRequest.builder()
            .keyspaceName(keyspaceName)
            .build();

        GetKeyspaceResponse response = keyClient.getKeyspace(keyspaceRequest);
        String name = response.keyspaceName();
```

```
        System.out.println("The " + name + " KeySpace is ready");

    } catch (KeyspacesException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

public static void createKeySpace(KeyspacesClient keyClient, String
keyspaceName) {
    try {
        CreateKeyspaceRequest keyspaceRequest = CreateKeyspaceRequest.builder()
            .keyspaceName(keyspaceName)
            .build();

        CreateKeyspaceResponse response =
keyClient.createKeyspace(keyspaceRequest);
        System.out.println("The ARN of the KeySpace is " +
response.resourceArn());

    } catch (KeyspacesException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.
 - [CreateKeyspace](#)
 - [CreateTable](#)
 - [DeleteKeyspace](#)
 - [DeleteTable](#)
 - [GetKeyspace](#)
 - [GetTable](#)
 - [ListKeyspaces](#)
 - [ListTables](#)
 - [RestoreTable](#)
 - [UpdateTable](#)

Actions

CreateKeyspace

The following code example shows how to use CreateKeyspace.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void createKeySpace(KeyspacesClient keyClient, String
keyspaceName) {
    try {
        CreateKeyspaceRequest keyspaceRequest = CreateKeyspaceRequest.builder()
            .keyspaceName(keyspaceName)
            .build();

        CreateKeyspaceResponse response =
keyClient.createKeyspace(keyspaceRequest);
        System.out.println("The ARN of the KeySpace is " +
response.resourceArn());

    } catch (KeyspacesException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [CreateKeyspace](#) in *AWS SDK for Java 2.x API Reference*.

CreateTable

The following code example shows how to use CreateTable.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void createTable(KeyspacesClient keyClient, String keySpace,
String tableName) {
    try {
        // Set the columns.
        ColumnDefinition defTitle = ColumnDefinition.builder()
            .name("title")
            .type("text")
            .build();

        ColumnDefinition defYear = ColumnDefinition.builder()
            .name("year")
            .type("int")
            .build();

        ColumnDefinition defReleaseDate = ColumnDefinition.builder()
            .name("release_date")
            .type("timestamp")
            .build();

        ColumnDefinition defPlot = ColumnDefinition.builder()
            .name("plot")
            .type("text")
            .build();

        List<ColumnDefinition> colList = new ArrayList<>();
        colList.add(defTitle);
        colList.add(defYear);
        colList.add(defReleaseDate);
        colList.add(defPlot);

        // Set the keys.
        PartitionKey yearKey = PartitionKey.builder()
            .name("year")
            .build();
```

```
PartitionKey titleKey = PartitionKey.builder()
    .name("title")
    .build();

List<PartitionKey> keyList = new ArrayList<>();
keyList.add(yearKey);
keyList.add(titleKey);

SchemaDefinition schemaDefinition = SchemaDefinition.builder()
    .partitionKeys(keyList)
    .allColumns(colList)
    .build();

PointInTimeRecovery timeRecovery = PointInTimeRecovery.builder()
    .status(PointInTimeRecoveryStatus.ENABLED)
    .build();

CreateTableRequest tableRequest = CreateTableRequest.builder()
    .keyspaceName(keySpace)
    .tableName(tableName)
    .schemaDefinition(schemaDefinition)
    .pointInTimeRecovery(timeRecovery)
    .build();

CreateTableResponse response = keyClient.createTable(tableRequest);
System.out.println("The table ARN is " + response.resourceArn());

} catch (KeyspacesException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

- For API details, see [CreateTable](#) in *AWS SDK for Java 2.x API Reference*.

DeleteKeyspace

The following code example shows how to use DeleteKeyspace.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void deleteKeyspace(KeyspacesClient keyClient, String
keyspaceName) {
    try {
        DeleteKeyspaceRequest deleteKeyspaceRequest =
DeleteKeyspaceRequest.builder()
            .keyspaceName(keyspaceName)
            .build();

        keyClient.deleteKeyspace(deleteKeyspaceRequest);

    } catch (KeyspacesException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [DeleteKeyspace](#) in *AWS SDK for Java 2.x API Reference*.

DeleteTable

The following code example shows how to use DeleteTable.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void deleteTable(KeyspacesClient keyClient, String keyspaceName,
String tableName) {
    try {
        DeleteTableRequest tableRequest = DeleteTableRequest.builder()
            .keyspaceName(keyspaceName)
            .tableName(tableName)
            .build();

        keyClient.deleteTable(tableRequest);

    } catch (KeyspacesException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [DeleteTable](#) in *AWS SDK for Java 2.x API Reference*.

GetKeyspace

The following code example shows how to use GetKeyspace.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void checkKeyspaceExistence(KeyspacesClient keyClient, String
keyspaceName) {
    try {
        GetKeyspaceRequest keyspaceRequest = GetKeyspaceRequest.builder()
            .keyspaceName(keyspaceName)
            .build();

        GetKeyspaceResponse response = keyClient.getKeyspace(keyspaceRequest);
        String name = response.keyspaceName();
        System.out.println("The " + name + " KeySpace is ready");
    }
}
```

```
        } catch (KeyspacesException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
```

- For API details, see [GetKeyspace](#) in *AWS SDK for Java 2.x API Reference*.

GetTable

The following code example shows how to use GetTable.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void checkTable(KeyspacesClient keyClient, String keyspaceName,
String tableName)
        throws InterruptedException {
    try {
        boolean tableStatus = false;
        String status;
        GetTableResponse response = null;
        GetTableRequest tableRequest = GetTableRequest.builder()
            .keyspaceName(keyspaceName)
            .tableName(tableName)
            .build();

        while (!tableStatus) {
            response = keyClient.getTable(tableRequest);
            status = response.statusAsString();
            System.out.println(". The table status is " + status);

            if (status.compareTo("ACTIVE") == 0) {
                tableStatus = true;
            }
        }
    }
}
```

```
        Thread.sleep(500);
    }

    List<ColumnDefinition> cols = response.schemaDefinition().allColumns();
    for (ColumnDefinition def : cols) {
        System.out.println("The column name is " + def.name());
        System.out.println("The column type is " + def.type());
    }

} catch (KeyspacesException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

- For API details, see [GetTable](#) in *AWS SDK for Java 2.x API Reference*.

ListKeyspaces

The following code example shows how to use `ListKeyspaces`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void listKeyspacesPaginator(KeyspacesClient keyClient) {
    try {
        ListKeyspacesRequest keyspaceRequest = ListKeyspacesRequest.builder()
            .maxResults(10)
            .build();

        ListKeyspacesIterable listRes =
keyClient.listKeyspacesPaginator(keyspaceRequest);
        listRes.stream()
            .flatMap(r -> r.keyspaces().stream())
            .forEach(content -> System.out.println(" Name: " +
content.keyspaceName()));
    }
}
```

```
        } catch (KeyspacesException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
```

- For API details, see [ListKeyspaces](#) in *AWS SDK for Java 2.x API Reference*.

ListTables

The following code example shows how to use `ListTables`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void listTables(KeyspacesClient keyClient, String keyspaceName) {
    try {
        ListTablesRequest tablesRequest = ListTablesRequest.builder()
            .keyspaceName(keyspaceName)
            .build();

        ListTablesIterable listRes =
keyClient.listTablesPaginator(tablesRequest);
        listRes.stream()
            .flatMap(r -> r.tables().stream())
            .forEach(content -> System.out.println(" ARN: " +
content.resourceArn() +
                " Table name: " + content.tableName()));

    } catch (KeyspacesException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [ListTables](#) in *AWS SDK for Java 2.x API Reference*.

RestoreTable

The following code example shows how to use `RestoreTable`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void restoreTable(KeyspacesClient keyClient, String keyspaceName,
ZonedDateTime utc) {
    try {
        Instant myTime = utc.toInstant();
        RestoreTableRequest restoreTableRequest = RestoreTableRequest.builder()
            .restoreTimestamp(myTime)
            .sourceTableName("Movie")
            .targetKeyspaceName(keyspaceName)
            .targetTableName("MovieRestore")
            .sourceKeyspaceName(keyspaceName)
            .build();

        RestoreTableResponse response =
keyClient.restoreTable(restoreTableRequest);
        System.out.println("The ARN of the restored table is " +
response.restoredTableARN());

    } catch (KeyspacesException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [RestoreTable](#) in *AWS SDK for Java 2.x API Reference*.

UpdateTable

The following code example shows how to use `UpdateTable`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void updateTable(KeyspacesClient keyClient, String keySpace,
String tableName) {
    try {
        ColumnDefinition def = ColumnDefinition.builder()
            .name("watched")
            .type("boolean")
            .build();

        UpdateTableRequest tableRequest = UpdateTableRequest.builder()
            .keyspaceName(keySpace)
            .tableName(tableName)
            .addColumn(def)
            .build();

        keyClient.updateTable(tableRequest);

    } catch (KeyspacesException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [UpdateTable](#) in *AWS SDK for Java 2.x API Reference*.

Kinesis examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Kinesis.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)
- [Serverless examples](#)

Actions

CreateStream

The following code example shows how to use CreateStream.

SDK for Java 2.x

 Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.kinesis.KinesisClient;
import software.amazon.awssdk.services.kinesis.model.CreateStreamRequest;
import software.amazon.awssdk.services.kinesis.model.KinesisException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class CreateDataStream {
    public static void main(String[] args) {
```

```
final String usage = """\n\n\tUsage:\n\t\t<streamName>\n\n\tWhere:\n\t\t\tstreamName - The Amazon Kinesis data stream (for example,\n\t\t\tStockTradeStream).\n\t\t""";\n\n\tif (args.length != 1) {\n\t\tSystem.out.println(usage);\n\t\tSystem.exit(1);\n\t}\n\n\tString streamName = args[0];\n\tRegion region = Region.US_EAST_1;\n\tKinesisClient kinesisClient = KinesisClient.builder()\n\t\t.region(region)\n\t\t.build();\n\tcreateStream(kinesisClient, streamName);\n\tSystem.out.println("Done");\n\tkinesisClient.close();\n}\n\npublic static void createStream(KinesisClient kinesisClient, String streamName)\n{\n\ttry {\n\t\tCreateStreamRequest streamReq = CreateStreamRequest.builder()\n\t\t\t.streamName(streamName)\n\t\t\t.shardCount(1)\n\t\t\t.build();\n\n\t\tkinesisClient.createStream(streamReq);\n\t} catch (KinesisException e) {\n\t\tSystem.err.println(e.getMessage());\n\t\tSystem.exit(1);\n\t}\n}\n}
```

- For API details, see [CreateStream](#) in *AWS SDK for Java 2.x API Reference*.

DeleteStream

The following code example shows how to use `DeleteStream`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.kinesis.KinesisClient;
import software.amazon.awssdk.services.kinesis.model.DeleteStreamRequest;
import software.amazon.awssdk.services.kinesis.model.KinesisException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DeleteDataStream {

    public static void main(String[] args) {
        final String usage = """

            Usage:
                <streamName>

            Where:
                streamName - The Amazon Kinesis data stream (for example,
StockTradeStream)
                """;
        }

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }
    }
}
```

```
String streamName = args[0];
Region region = Region.US_EAST_1;
KinesisClient kinesisClient = KinesisClient.builder()
    .region(region)
    .build();

deleteStream(kinesisClient, streamName);
kinesisClient.close();
System.out.println("Done");
}

public static void deleteStream(KinesisClient kinesisClient, String streamName)
{
    try {
        DeleteStreamRequest delStream = DeleteStreamRequest.builder()
            .streamName(streamName)
            .build();

        kinesisClient.deleteStream(delStream);

    } catch (KinesisException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [DeleteStream](#) in *AWS SDK for Java 2.x API Reference*.

GetRecords

The following code example shows how to use GetRecords.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.kinesis.KinesisClient;
import software.amazon.awssdk.services.kinesis.model.DescribeStreamResponse;
import software.amazon.awssdk.services.kinesis.model.DescribeStreamRequest;
import software.amazon.awssdk.services.kinesis.model.Shard;
import software.amazon.awssdk.services.kinesis.model.GetShardIteratorRequest;
import software.amazon.awssdk.services.kinesis.model.GetShardIteratorResponse;
import software.amazon.awssdk.services.kinesis.model.Record;
import software.amazon.awssdk.services.kinesis.model.GetRecordsRequest;
import software.amazon.awssdk.services.kinesis.model.GetRecordsResponse;
import java.util.ArrayList;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class GetRecords {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <streamName>

            Where:
            streamName - The Amazon Kinesis data stream to read from (for
            example, StockTradeStream).
            """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String streamName = args[0];
        Region region = Region.US_EAST_1;
        KinesisClient kinesisClient = KinesisClient.builder()
            .region(region)
```

```
        .build();

    getStockTrades(kinesisClient, streamName);
    kinesisClient.close();
}

public static void getStockTrades(KinesisClient kinesisClient, String
streamName) {
    String shardIterator;
    String lastShardId = null;
    DescribeStreamRequest describeStreamRequest =
DescribeStreamRequest.builder()
    .streamName(streamName)
    .build();

    List<Shard> shards = new ArrayList<>();
    DescribeStreamResponse streamRes;
    do {
        streamRes = kinesisClient.describeStream(describeStreamRequest);
        shards.addAll(streamRes.streamDescription().shards());

        if (shards.size() > 0) {
            lastShardId = shards.get(shards.size() - 1).shardId();
        }
    } while (streamRes.streamDescription().hasMoreShards());

    GetShardIteratorRequest itReq = GetShardIteratorRequest.builder()
        .streamName(streamName)
        .shardIteratorType("TRIM_HORIZON")
        .shardId(lastShardId)
        .build();

    GetShardIteratorResponse shardIteratorResult =
kinesisClient.getShardIterator(itReq);
    shardIterator = shardIteratorResult.shardIterator();

    // Continuously read data records from shard.
    List<Record> records;

    // Create new GetRecordsRequest with existing shardIterator.
    // Set maximum records to return to 1000.
    GetRecordsRequest recordsRequest = GetRecordsRequest.builder()
        .shardIterator(shardIterator)
        .limit(1000)
```

```
        .build();

    GetRecordsResponse result = kinesisClient.getRecords(recordsRequest);

    // Put result into record list. Result may be empty.
    records = result.records();

    // Print records
    for (Record record : records) {
        SdkBytes byteBuffer = record.data();
        System.out.printf("Seq No: %s - %s%n", record.sequenceNumber(), new
String(byteBuffer.asByteArray()));
    }
}
```

- For API details, see [GetRecords](#) in *AWS SDK for Java 2.x API Reference*.

PutRecord

The following code example shows how to use PutRecord.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.kinesis.KinesisClient;
import software.amazon.awssdk.services.kinesis.model.PutRecordRequest;
import software.amazon.awssdk.services.kinesis.model.KinesisException;
import software.amazon.awssdk.services.kinesis.model.DescribeStreamRequest;
import software.amazon.awssdk.services.kinesis.model.DescribeStreamResponse;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
```

```
*  
* For more information, see the following documentation topic:  
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
public class StockTradesWriter {  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:  
            <streamName>  
  
            Where:  
            streamName - The Amazon Kinesis data stream to which records are  
written (for example, StockTradeStream)  
            """;  
  
        if (args.length != 1) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String streamName = args[0];  
        Region region = Region.US_EAST_1;  
        KinesisClient kinesisClient = KinesisClient.builder()  
            .region(region)  
            .build();  
  
        // Ensure that the Kinesis Stream is valid.  
        validateStream(kinesisClient, streamName);  
        setStockData(kinesisClient, streamName);  
        kinesisClient.close();  
    }  
  
    public static void setStockData(KinesisClient kinesisClient, String streamName)  
{  
    try {  
        // Repeatedly send stock trades with a 100 milliseconds wait in between.  
        StockTradeGenerator stockTradeGenerator = new StockTradeGenerator();  
  
        // Put in 50 Records for this example.  
        int index = 50;  
        for (int x = 0; x < index; x++) {  
            StockTrade trade = stockTradeGenerator.getRandomTrade();  
    }
```

```
        sendStockTrade(trade, kinesisClient, streamName);
        Thread.sleep(100);
    }

} catch (KinesisException | InterruptedException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
System.out.println("Done");
}

private static void sendStockTrade(StockTrade trade, KinesisClient
kinesisClient,
        String streamName) {
byte[] bytes = trade.toJsonAsBytes();

// The bytes could be null if there is an issue with the JSON serialization
by
// the Jackson JSON library.
if (bytes == null) {
    System.out.println("Could not get JSON bytes for stock trade");
    return;
}

System.out.println("Putting trade: " + trade);
PutRecordRequest request = PutRecordRequest.builder()
        .partitionKey(trade.getTickerSymbol()) // We use the ticker symbol
as the partition key, explained in
                                            // the Supplemental
Information section below.
        .streamName(streamName)
        .data(SdkBytes.fromByteArray(bytes))
        .build();

try {
    kinesisClient.putRecord(request);
} catch (KinesisException e) {
    System.err.println(e.getMessage());
}
}

private static void validateStream(KinesisClient kinesisClient, String
streamName) {
    try {
```

```
        DescribeStreamRequest describeStreamRequest =
DescribeStreamRequest.builder()
    .streamName(streamName)
    .build();

        DescribeStreamResponse describeStreamResponse =
kinesisClient.describeStream(describeStreamRequest);

        if (!
describeStreamResponse.streamDescription().streamStatus().toString().equals("ACTIVE"))
{
    System.err.println("Stream " + streamName + " is not active. Please
wait a few moments and try again.");
    System.exit(1);
}

} catch (KinesisException e) {
    System.err.println("Error found while describing the stream " +
streamName);
    System.err.println(e);
    System.exit(1);
}
}
```

- For API details, see [PutRecord](#) in *AWS SDK for Java 2.x API Reference*.

Serverless examples

Invoke a Lambda function from a Kinesis trigger

The following code example shows how to implement a Lambda function that receives an event triggered by receiving records from a Kinesis stream. The function retrieves the Kinesis payload, decodes from Base64, and logs the record contents.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [Serverless examples](#) repository.

Consuming a Kinesis event with Lambda using Java.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package example;

import com.amazonaws.services.lambda.runtime.Context;
import com.amazonaws.services.lambda.runtime.LambdaLogger;
import com.amazonaws.services.lambda.runtime.RequestHandler;
import com.amazonaws.services.lambda.runtime.events.KinesisEvent;

public class Handler implements RequestHandler<KinesisEvent, Void> {
    @Override
    public Void handleRequest(final KinesisEvent event, final Context context) {
        LambdaLogger logger = context.getLogger();
        if (event.getRecords().isEmpty()) {
            logger.log("Empty Kinesis Event received");
            return null;
        }
        for (KinesisEvent.KinesisEventRecord record : event.getRecords()) {
            try {
                logger.log("Processed Event with EventId: "+record.getEventID());
                String data = new String(record.getKinesis().getData().array());
                logger.log("Data:"+ data);
                // TODO: Do interesting work based on the new data
            }
            catch (Exception ex) {
                logger.log("An error occurred:"+ex.getMessage());
                throw ex;
            }
        }
        logger.log("Successfully processed:"+event.getRecords().size()+" records");
        return null;
    }
}
```

```
}
```

Reporting batch item failures for Lambda functions with a Kinesis trigger

The following code example shows how to implement partial batch response for Lambda functions that receive events from a Kinesis stream. The function reports the batch item failures in the response, signaling to Lambda to retry those messages later.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [Serverless examples](#) repository.

Reporting Kinesis batch item failures with Lambda using Java.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
import com.amazonaws.services.lambda.runtime.Context;
import com.amazonaws.services.lambda.runtime.RequestHandler;
import com.amazonaws.services.lambda.runtime.events.KinesisEvent;
import com.amazonaws.services.lambda.runtime.events.StreamsEventResponse;

import java.io.Serializable;
import java.util.ArrayList;
import java.util.List;

public class ProcessKinesisRecords implements RequestHandler<KinesisEvent,
    StreamsEventResponse> {

    @Override
    public StreamsEventResponse handleRequest(KinesisEvent input, Context context) {

        List<StreamsEventResponse.BatchItemFailure> batchItemFailures = new
        ArrayList<>();
        String curRecordSequenceNumber = "";
```

```
        for (KinesisEvent.KinesisEventRecord kinesisEventRecord :
input.getRecords()) {
    try {
        //Process your record
        KinesisEvent.Record kinesisRecord = kinesisEventRecord.getKinesis();
        curRecordSequenceNumber = kinesisRecord.getSequenceNumber();

    } catch (Exception e) {
        /* Since we are working with streams, we can return the failed item
immediately.
            Lambda will immediately begin to retry processing from this
failed item onwards. */
        batchItemFailures.add(new
StreamsEventResponse.BatchItemFailure(curRecordSequenceNumber));
        return new StreamsEventResponse(batchItemFailures);
    }
}

return new StreamsEventResponse(batchItemFailures);
}
}
```

AWS KMS examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with AWS KMS.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello AWS Key Management Service

The following code examples show how to get started using AWS Key Management Service.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.kms.KmsAsyncClient;
import software.amazon.awssdk.services.kms.model.ListKeysRequest;
import software.amazon.awssdk.services.kms.paginators.ListKeysPublisher;
import java.util.concurrent.CompletableFuture;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class HelloKMS {
    public static void main(String[] args) {
        listAllKeys();
    }

    public static void listAllKeys() {
        KmsAsyncClient kmsAsyncClient = KmsAsyncClient.builder()
            .build();
        ListKeysRequest listKeysRequest = ListKeysRequest.builder()
            .limit(15)
            .build();

        /*
         * The `subscribe` method is required when using paginator methods in the
         AWS SDK
         * because paginator methods return an instance of a `ListKeysPublisher`,
         which is
         * based on a reactive stream. This allows asynchronous retrieval of
         paginated
         * results as they become available. By subscribing to the stream, we can
         process
     }
}
```

```
* each page of results as they are emitted.  
*/  
ListKeysPublisher keysPublisher =  
kmsAsyncClient.listKeysPaginator(listKeysRequest);  
CompletableFuture<Void> future = keysPublisher  
.subscribe(r -> r.keys().forEach(key ->  
System.out.println("The key ARN is: " + key.keyArn() + ". The key Id  
is: " + key.keyId())))  
.whenComplete((result, exception) -> {  
if (exception != null) {  
System.err.println("Error occurred: " + exception.getMessage());  
} else {  
System.out.println("Successfully listed all keys.");  
}  
});  
  
try {  
future.join();  
} catch (Exception e) {  
System.err.println("Failed to list keys: " + e.getMessage());  
}  
}  
}  
}
```

- For API details, see [ListKeys](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Basics](#)
- [Actions](#)

Basics

Learn the basics

The following code example shows how to:

- Create a KMS key.
- List KMS keys for your account and get details about them.
- Enable and disable KMS keys.

- Generate a symmetric data key that can be used for client-side encryption.
- Generate an asymmetric key used to digitally sign data.
- Tag keys.
- Delete KMS keys.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Run a scenario at a command prompt.

```
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.regions.Region;
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.services.kms.model.AlreadyExistsException;
import software.amazon.awssdk.services.kms.model.DisabledException;
import software.amazon.awssdk.services.kms.model.EnableKeyRotationResponse;
import software.amazon.awssdk.services.kms.model.KmsException;
import software.amazon.awssdk.services.kms.model.NotFoundException;
import software.amazon.awssdk.services.kms.model.RevokeGrantResponse;
import java.util.List;
import java.util.Scanner;
import java.util.concurrent.CompletableFuture;
import java.util.concurrent.CompletionException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */

public class KMSScenario {
    public static final String DASHES = new String(new char[80]).replace("\0", "-");
```

```
private static String accountId = "";

private static final Logger logger = LoggerFactory.getLogger(KMSScenario.class);

static KMSActions kmsActions = new KMSActions();

static Scanner scanner = new Scanner(System.in);

static String aliasName = "alias/dev-encryption-key";

public static void main(String[] args) {
    final String usage = """
        Usage: <granteePrincipal>

        Where:
        granteePrincipal - The principal (user, service account, or group) to
        whom the grant or permission is being given.
        """;

    if (args.length != 1) {
        logger.info(usage);
        return;
    }
    String granteePrincipal = args[0];
    String policyName = "default";

    accountId = kmsActions.getAccountId();
    String keyDesc = "Created by the AWS KMS API";

    logger.info(DASHES);
    logger.info("""
        Welcome to the AWS Key Management SDK Basics scenario.
    """);
}
```

This program demonstrates how to interact with AWS Key Management using the AWS SDK for Java (v2).

The AWS Key Management Service (KMS) is a secure and highly available service that allows you to create and manage AWS KMS keys and control their use across a wide range of AWS services and applications. KMS provides a centralized and unified approach to managing encryption keys, making it easier to meet your data protection and regulatory compliance requirements.

This Basics scenario creates two key types:

```
- A symmetric encryption key is used to encrypt and decrypt data.  
- An asymmetric key used to digitally sign data.  
  
Let's get started...  
""");  
waitForInputToContinue(scanner);  
  
try {  
    // Run the methods that belong to this scenario.  
    String targetKeyId = runScenario(granteePrincipal, keyDesc, policyName);  
    requestDeleteResources(aliasName, targetKeyId);  
  
} catch (Throwable rt) {  
    Throwable cause = rt.getCause();  
    if (cause instanceof KmsException kmsEx) {  
        logger.info("KMS error occurred: Error message: {}, Error code {}",  
kmsEx.getMessage(), kmsEx.awsErrorDetails().errorCode());  
    } else {  
        logger.info("An unexpected error occurred: " + rt.getMessage());  
    }  
}  
}  
  
private static String runScenario(String granteePrincipal, String keyDesc,  
String policyName) throws Throwable {  
    logger.info(DASHES);  
    logger.info("1. Create a symmetric KMS key\n");  
    logger.info("First, the program will creates a symmetric KMS key that you  
can used to encrypt and decrypt data.");  
    waitForInputToContinue(scanner);  
    String targetKeyId;  
    try {  
        CompletableFuture<String> futureKeyId =  
kmsActions.createKeyAsync(keyDesc);  
        targetKeyId = futureKeyId.join();  
        logger.info("A symmetric key was successfully created " + targetKeyId);  
  
    } catch (RuntimeException rt) {  
        Throwable cause = rt.getCause();  
        if (cause instanceof KmsException kmsEx) {  
            logger.info("KMS error occurred: Error message: {}, Error code {}",  
kmsEx.getMessage(), kmsEx.awsErrorDetails().errorCode());  
        } else {  
    }
```

```
        logger.info("An unexpected error occurred: " + rt.getMessage());
    }
    throw cause;
}
waitForInputToContinue(scanner);

logger.info(DASHES);
logger.info("""
    2. Enable a KMS key
```

By default, when the SDK creates an AWS key, it is enabled. The next bit of code checks to

```
determine if the key is enabled.
""");
waitForInputToContinue(scanner);
boolean isEnabled;
try {
    CompletableFuture<Boolean> futureIsKeyEnabled =
kmsActions.isKeyEnabledAsync(targetKeyId);
    isEnabled = futureIsKeyEnabled.join();
    logger.info("Is the key enabled? {}", isEnabled);

} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof KmsException kmsEx) {
        logger.info("KMS error occurred: Error message: {}, Error code {}",
kmsEx.getMessage(), kmsEx.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: " + rt.getMessage());
    }
    throw cause;
}

if (!isEnabled)
try {
    CompletableFuture<Void> future =
kmsActions.enableKeyAsync(targetKeyId);
    future.join();

} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof KmsException kmsEx) {
        logger.info("KMS error occurred: Error message: {}, Error code {}",
{}, kmsEx.getMessage(), kmsEx.awsErrorDetails().errorCode());
```

```
        }
        logger.info("An unexpected error occurred: " + rt.getMessage());
    }
    throw cause;
}
waitForInputToContinue(scanner);

logger.info(DASHES);
logger.info("3. Encrypt data using the symmetric KMS key");
String plaintext = "Hello, AWS KMS!";
logger.info(""""
One of the main uses of symmetric keys is to encrypt and decrypt data.
Next, the code encrypts the string {} with the SYMMETRIC_DEFAULT
encryption algorithm.
"",", plaintext);
waitForInputToContinue(scanner);
SdkBytes encryptedData;
try {
    CompletableFuture<SdkBytes> future =
kmsActions.encryptDataAsync(targetKeyId, plaintext);
    encryptedData = future.join();

} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof DisabledException kmsDisabledEx) {
        logger.info("KMS error occurred due to a disabled
key: Error message: {}, Error code {}", kmsDisabledEx.getMessage(),
kmsDisabledEx.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: " + rt.getMessage());
    }
    deleteKey(targetKeyId);
    throw cause;
}
waitForInputToContinue(scanner);

logger.info(DASHES);
logger.info("4. Create an alias");
logger.info(""""

The alias name should be prefixed with 'alias/'.
The default, 'alias/dev-encryption-key'.
""");
waitForInputToContinue(scanner);
```

```
try {
    CompletableFuture<Void> future =
kmsActions.createCustomAliasAsync(targetKeyId, aliasName);
    future.join();

} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof AlreadyExistsException kmsExistsEx) {
        if (kmsExistsEx.getMessage().contains("already exists")) {
            logger.info("The alias '" + aliasName + "' already exists.
Moving on...");
        }
    } else {
        logger.error("An unexpected error occurred: " + rt.getMessage(),
rt);
        deleteKey(targetKeyId);
        throw cause;
    }
}
waitForInputToContinue(scanner);

logger.info(DASHES);
logger.info("5. List all of your aliases");
waitForInputToContinue(scanner);
try {
    CompletableFuture<Object> future = kmsActions.listAllAliasesAsync();
    future.join();

} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof KmsException kmsEx) {
        logger.info("KMS error occurred: Error message: {}, Error code {}",
kmsEx.getMessage(), kmsEx.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: " + rt.getMessage());
    }
    deleteAliasName(aliasName);
    deleteKey(targetKeyId);
    throw cause;
}
waitForInputToContinue(scanner);

logger.info(DASHES);
```

```
        logger.info("6. Enable automatic rotation of the KMS key");
        logger.info(""""

        By default, when the SDK enables automatic rotation of a KMS key,
        KMS rotates the key material of the KMS key one year (approximately 365
days) from the enable date and every year
        thereafter.

        """);
        waitForInputToContinue(scanner);
        try {
            CompletableFuture<EnableKeyRotationResponse> future =
kmsActions.enableKeyRotationAsync(targetKeyId);
            future.join();

        } catch (RuntimeException rt) {
            Throwable cause = rt.getCause();
            if (cause instanceof KmsException kmsEx) {
                logger.info("KMS error occurred: Error message: {}, Error code {}",
kmsEx.getMessage(), kmsEx.awsErrorDetails().errorCode());
            } else {
                logger.info("An unexpected error occurred: " + rt.getMessage());
            }
            deleteAliasName(aliasName);
            deleteKey(targetKeyId);
            throw cause;
        }
        waitForInputToContinue(scanner);

        logger.info(DASHES);
        logger.info(""""
    7. Create a grant

    A grant is a policy instrument that allows Amazon Web Services
principals to use KMS keys.
    It also can allow them to view a KMS key (DescribeKey) and create and
manage grants.
    When authorizing access to a KMS key, grants are considered along with
key policies and IAM policies.

        """);

        waitForInputToContinue(scanner);
        String grantId = null;
        try {
```

```
        CompletableFuture<String> futureGrantId =
kmsActions.grantKeyAsync(targetKeyId, granteePrincipal);
        grantId = futureGrantId.join();

    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof KmsException kmsEx) {
            logger.info("KMS error occurred: Error message: {}, Error code {}",
kmsEx.getMessage(), kmsEx.awsErrorDetails().errorCode());
        } else {
            logger.info("An unexpected error occurred: " + rt.getMessage());
        }
        deleteKey(targetKeyId);
        throw cause;
    }
    waitForInputToContinue(scanner);
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("8. List grants for the KMS key");
    waitForInputToContinue(scanner);
    try {
        CompletableFuture<Object> future =
kmsActions.displayGrantIdsAsync(targetKeyId);
        future.join();

    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof KmsException kmsEx) {
            logger.info("KMS error occurred: Error message: {}, Error code {}",
kmsEx.getMessage(), kmsEx.awsErrorDetails().errorCode());
        } else {
            logger.info("An unexpected error occurred: " + rt.getMessage());
        }
        deleteAliasName(aliasName);
        deleteKey(targetKeyId);
        throw cause;
    }
    waitForInputToContinue(scanner);

    logger.info(DASHES);
    logger.info("9. Revoke the grant");
    logger.info("")
```

The revocation of a grant immediately removes the permissions and access that the grant had provided.

This means that any principal (user, role, or service) that was granted access to perform specific

KMS operations on a KMS key will no longer be able to perform those operations.

```
""");
waitForInputToContinue(scanner);
try {
    CompletableFuture<RevokeGrantResponse> future =
kmsActions.revokeKeyGrantAsync(targetKeyId, grantId);
    future.join();

} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof KmsException kmsEx) {
        if (kmsEx.getMessage().contains("Grant does not exist")) {
            logger.info("The grant ID '" + grantId + "' does not exist.
Moving on...");
        } else {
            logger.info("KMS error occurred: Error message: {}, Error code
{}", kmsEx.getMessage(), kmsEx.awsErrorDetails().errorCode());
            throw cause;
        }
    } else {
        logger.info("An unexpected error occurred: " + rt.getMessage());
        deleteAliasName(aliasName);
        deleteKey(targetKeyId);
        throw cause;
    }
}
waitForInputToContinue(scanner);

logger.info(DASHES);
logger.info("10. Decrypt the data\n");
logger.info("");
    Lets decrypt the data that was encrypted in an early step.
    The code uses the same key to decrypt the string that we encrypted
earlier in the program.
""");
waitForInputToContinue(scanner);
String decryptedData = "";
try {
```

```
        CompletableFuture<String> future =
kmsActions.decryptDataAsync(encryptedData, targetKeyId);
        decryptedData = future.join();
        logger.info("Decrypted data: " + decryptedData);

    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof KmsException kmsEx) {
            logger.info("KMS error occurred: Error message: {}, Error code {}", kmsEx.getMessage(), kmsEx.awsErrorDetails().errorCode());
        } else {
            logger.info("An unexpected error occurred: " + rt.getMessage());
        }
        deleteAliasName(aliasName);
        deleteKey(targetKeyId);
        throw cause;
    }
    logger.info("Decrypted text is: " + decryptedData);
    waitForInputToContinue(scanner);

    logger.info(DASHES);
    logger.info("11. Replace a key policy\n");
    logger.info("")
```

A key policy is a resource policy for a KMS key. Key policies are the primary way to control

access to KMS keys. Every KMS key must have exactly one key policy. The statements in the key policy

determine who has permission to use the KMS key and how they can use it.

You can also use IAM policies and grants to control access to the KMS key, but every KMS key

must have a key policy.

By default, when you create a key by using the SDK, a policy is created that

gives the AWS account that owns the KMS key full access to the KMS key.

Let's try to replace the automatically created policy with the following policy.

```
"Version": "2012-10-17",
"Statement": [
    "Effect": "Allow",
    "Principal": {"AWS": "arn:aws:iam::0000000000:root"},
```

```
        "Action": "kms:*",
        "Resource": "*"
    }]
""");

waitForInputToContinue(scanner);
try {
    CompletableFuture<Boolean> future =
kmsActions.replacePolicyAsync(targetKeyId, policyName, accountId);
    boolean success = future.join();
    if (success) {
        logger.info("Key policy replacement succeeded.");
    } else {
        logger.error("Key policy replacement failed.");
    }
}

} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof KmsException kmsEx) {
        logger.info("KMS error occurred: Error message: {}, Error code {}",
kmsEx.getMessage(), kmsEx.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: " + rt.getMessage());
    }
    deleteAliasName(aliasName);
    deleteKey(targetKeyId);
    throw cause;
}
waitForInputToContinue(scanner);

logger.info(DASHES);
logger.info("12. Get the key policy\n");
logger.info("The next bit of code that runs gets the key policy to make sure
it exists.");
waitForInputToContinue(scanner);
try {
    CompletableFuture<String> future =
kmsActions.getKeyPolicyAsync(targetKeyId, policyName);
    String policy = future.join();
    if (!policy.isEmpty()) {
        logger.info("Retrieved policy: " + policy);
    }
}

} catch (RuntimeException rt) {
```

```
        Throwable cause = rt.getCause();
        if (cause instanceof KmsException kmsEx) {
            logger.info("KMS error occurred: Error message: {}, Error code {}", kmsEx.getMessage(), kmsEx.awsErrorDetails().errorCode());
        } else {
            logger.info("An unexpected error occurred: " + rt.getMessage());
        }
        deleteAliasName(aliasName);
        deleteKey(targetKeyId);
        throw cause;
    }
    waitForInputToContinue(scanner);

    logger.info(DASHES);
    logger.info("13. Create an asymmetric KMS key and sign your data\n");
    logger.info("""
        Signing your data with an AWS key can provide several benefits that
make it an attractive option
        for your data signing needs. By using an AWS KMS key, you can leverage
the
        security controls and compliance features provided by AWS,
        which can help you meet various regulatory requirements and enhance the
overall security posture
        of your organization.
""");
    waitForInputToContinue(scanner);
    try {
        CompletableFuture<Boolean> future = kmsActions.signVerifyDataAsync();
        boolean success = future.join();
        if (success) {
            logger.info("Sign and verify data operation succeeded.");
        } else {
            logger.error("Sign and verify data operation failed.");
        }
    }

} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof KmsException kmsEx) {
        logger.info("KMS error occurred: Error message: {}, Error code {}", kmsEx.getMessage(), kmsEx.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: " + rt.getMessage());
    }
    deleteAliasName(aliasName);
```

```
        deleteKey(targetKeyId);
        throw cause;
    }
    waitForInputToContinue(scanner);

    logger.info(DASHES);
    logger.info("14. Tag your symmetric KMS Key\n");
    logger.info(""""

    By using tags, you can improve the overall management, security, and
governance of your

    KMS keys, making it easier to organize, track, and control access to
your encrypted data within

    your AWS environment
""");
    waitForInputToContinue(scanner);
    try {
        CompletableFuture<Void> future = kmsActions.tagKMSKeyAsync(targetKeyId);
        future.join();

    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof KmsException kmsEx) {
            logger.info("KMS error occurred: Error message: {}, Error code {}",
kmsEx.getMessage(), kmsEx.awsErrorDetails().errorCode());
        } else {
            logger.info("An unexpected error occurred: " + rt.getMessage());
        }
        deleteAliasName(aliasName);
        deleteKey(targetKeyId);
        throw cause;
    }
    waitForInputToContinue(scanner);
    return targetKeyId;
}

// Deletes KMS resources with user input.
private static void requestDeleteResources(String aliasName, String targetKeyId)
{
    logger.info(DASHES);
    logger.info("15. Schedule the deletion of the KMS key\n");
    logger.info(""""

    By default, KMS applies a waiting period of 30 days,
    but you can specify a waiting period of 7-30 days. When this operation
is successful,
```

the key state of the KMS key changes to PendingDeletion and the key can't be used in any cryptographic operations. It remains in this state for the duration of the waiting period.

Deleting a KMS key is a destructive and potentially dangerous operation. When a KMS key is deleted, all data that was encrypted under the KMS key is unrecoverable.

```
""");  
logger.info("Would you like to delete the Key Management resources? (y/n)");  
String delAns = scanner.nextLine().trim();  
if (delAns.equalsIgnoreCase("y")) {  
    logger.info("You selected to delete the AWS KMS resources.");  
    waitForInputToContinue(scanner);  
    try {  
        CompletableFuture<Void> future =  
kmsActions.deleteSpecificAliasAsync(aliasName);  
        future.join();  
  
    } catch (RuntimeException rt) {  
        Throwable cause = rt.getCause();  
        if (cause instanceof KmsException kmsEx) {  
            logger.info("KMS error occurred: Error message: {}, Error code  
{}", kmsEx.getMessage(), kmsEx.awsErrorDetails().errorCode());  
        } else {  
            logger.info("An unexpected error occurred: " + rt.getMessage());  
        }  
    }  
    waitForInputToContinue(scanner);  
    try {  
        CompletableFuture<Void> future =  
kmsActions.disableKeyAsync(targetKeyId);  
        future.join();  
  
    } catch (RuntimeException rt) {  
        Throwable cause = rt.getCause();  
        if (cause instanceof KmsException kmsEx) {  
            logger.info("KMS error occurred: Error message: {}, Error code  
{}", kmsEx.getMessage(), kmsEx.awsErrorDetails().errorCode());  
        } else {  
            logger.info("An unexpected error occurred: " + rt.getMessage());  
        }  
    }  
}
```

```
        try {
            CompletableFuture<Void> future =
kmsActions.deleteKeyAsync(targetKeyId);
            future.join();

        } catch (RuntimeException rt) {
            Throwable cause = rt.getCause();
            if (cause instanceof KmsException kmsEx) {
                logger.info("KMS error occurred: Error message: {}, Error code {}",
kmsEx.getMessage(), kmsEx.awsErrorDetails().errorCode());
            } else {
                logger.info("An unexpected error occurred: " + rt.getMessage());
            }
        }

    } else {
        logger.info("The Key Management resources will not be deleted");
    }

    logger.info(DASHES);
    logger.info("This concludes the AWS Key Management SDK scenario");
    logger.info(DASHES);
}

// This method is invoked from Exceptions to clean up the resources.
private static void deleteKey(String targetKeyId) {
    try {
        CompletableFuture<Void> future =
kmsActions.disableKeyAsync(targetKeyId);
        future.join();

    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof KmsException kmsEx) {
            logger.info("KMS error occurred: Error message: {}, Error code {}",
kmsEx.getMessage(), kmsEx.awsErrorDetails().errorCode());
        } else {
            logger.info("An unexpected error occurred: " + rt.getMessage());
        }
    }

    try {
        CompletableFuture<Void> future = kmsActions.deleteKeyAsync(targetKeyId);
        future.join();
    }
}
```

```
        } catch (RuntimeException rt) {
            Throwable cause = rt.getCause();
            if (cause instanceof KmsException kmsEx) {
                logger.info("KMS error occurred: Error message: {}, Error code {}", kmsEx.getMessage(), kmsEx.awsErrorDetails().errorCode());
            } else {
                logger.info("An unexpected error occurred: " + rt.getMessage());
            }
        }
    }

    // This method is invoked from Exceptions to clean up the resources.
    private static void deleteAliasName(String aliasName) {
        try {
            CompletableFuture<Void> future =
kmsActions.deleteSpecificAliasAsync(aliasName);
            future.join();

        } catch (RuntimeException rt) {
            Throwable cause = rt.getCause();
            if (cause instanceof KmsException kmsEx) {
                logger.info("KMS error occurred: Error message: {}, Error code {}", kmsEx.getMessage(), kmsEx.awsErrorDetails().errorCode());
            } else {
                logger.info("An unexpected error occurred: " + rt.getMessage());
            }
        }
    }

    private static void waitForInputToContinue(Scanner scanner) {
        while (true) {
            logger.info("");
            logger.info("Enter 'c' followed by <ENTER> to continue:");
            String input = scanner.nextLine();

            if (input.trim().equalsIgnoreCase("c")) {
                logger.info("Continuing with the program...");
                logger.info("");
                break;
            } else {
                // Handle invalid input.
                logger.info("Invalid input. Please try again.");
            }
        }
    }
}
```

```
        }
    }
}
```

Define a class that wraps KMS actions.

```
public class KMSActions {
    private static final Logger logger = LoggerFactory.getLogger(KMSActions.class);
    private static KmsAsyncClient kmsAsyncClient;

    /**
     * Retrieves an asynchronous AWS Key Management Service (KMS) client.
     * <p>
     * This method creates and returns a singleton instance of the KMS async client,
     * with the following configurations:
     * <ul>
     *   <li>Max concurrency: 100</li>
     *   <li>Connection timeout: 60 seconds</li>
     *   <li>Read timeout: 60 seconds</li>
     *   <li>Write timeout: 60 seconds</li>
     *   <li>API call timeout: 2 minutes</li>
     *   <li>API call attempt timeout: 90 seconds</li>
     *   <li>Retry policy: up to 3 retries</li>
     *   <li>Credentials provider: environment variable credentials provider</li>
     * </ul>
     * <p>
     * If the client instance has already been created, it is returned instead of
     * creating a new one.
     *
     * @return the KMS async client instance
     */
    private static KmsAsyncClient getAsyncClient() {
        if (kmsAsyncClient == null) {
            SdkAsyncHttpClient httpClient = NettyNioAsyncHttpClient.builder()
                .maxConcurrency(100)
                .connectionTimeout(Duration.ofSeconds(60))
                .readTimeout(Duration.ofSeconds(60))
                .writeTimeout(Duration.ofSeconds(60))
                .build();

            ClientOverrideConfiguration overrideConfig =
                ClientOverrideConfiguration.builder()
```

```
        .apiCallTimeout(Duration.ofMinutes(2))
        .apiCallAttemptTimeout(Duration.ofSeconds(90))
        .retryPolicy(RetryPolicy.builder()
            .numRetries(3)
            .build())
        .build();

    kmsAsyncClient = KmsAsyncClient.builder()
        .httpClient(httpClient)
        .overrideConfiguration(overrideConfig)

.credentialsProvider(EnvironmentVariableCredentialsProvider.create())
    .build();
}

return kmsAsyncClient;
}

/**
 * Creates a new symmetric encryption key asynchronously.
 *
 * @param keyDesc the description of the key to be created
 * @return a {@link CompletableFuture} that completes with the ID of the newly
 * created key
 * @throws RuntimeException if an error occurs while creating the key
 */
public CompletableFuture<String> createKeyAsync(String keyDesc) {
    CreateKeyRequest keyRequest = CreateKeyRequest.builder()
        .description(keyDesc)
        .keySpec(KeySpec.SYMMETRIC_DEFAULT)
        .keyUsage(KeyUsageType.ENCRYPT_DECRYPT)
        .build();

    return getAsyncClient().createKey(keyRequest)
        .thenApply(resp -> resp.keyMetadata().keyId())
        .exceptionally(ex -> {
            throw new RuntimeException("An error occurred while creating the
key: " + ex.getMessage(), ex);
        });
}

/**
 * Asynchronously checks if a specified key is enabled.
 *
 * @param keyId the ID of the key to check

```

```
* @return a {@link CompletableFuture} that, when completed, indicates whether
the key is enabled or not
*
* @throws RuntimeException if an exception occurs while checking the key state
*/
public CompletableFuture<Boolean> isEnabledAsync(String keyId) {
    DescribeKeyRequest keyRequest = DescribeKeyRequest.builder()
        .keyId(keyId)
        .build();

    CompletableFuture<DescribeKeyResponse> responseFuture =
getAsyncClient().describeKey(keyRequest);
    return responseFuture.whenComplete((resp, ex) -> {
        if (resp != null) {
            KeyState keyState = resp.keyMetadata().keyState();
            if (keyState == KeyState.ENABLED) {
                logger.info("The key is enabled.");
            } else {
                logger.info("The key is not enabled. Key state: {}", keyState);
            }
        } else {
            throw new RuntimeException(ex);
        }
    }).thenApply(resp -> resp.keyMetadata().keyState() == KeyState.ENABLED);
}

/**
 * Asynchronously enables the specified key.
 *
 * @param keyId the ID of the key to enable
 * @return a {@link CompletableFuture} that completes when the key has been
enabled
 */
public CompletableFuture<Void> enableKeyAsync(String keyId) {
    EnableKeyRequest enableKeyRequest = EnableKeyRequest.builder()
        .keyId(keyId)
        .build();

    CompletableFuture<EnableKeyResponse> responseFuture =
getAsyncClient().enableKey(enableKeyRequest);
    responseFuture.whenComplete((response, exception) -> {
        if (exception == null) {
            logger.info("Key with ID [{}] has been enabled.", keyId);
        } else {
```

```
        if (exception instanceof KmsException kmsEx) {
            throw new RuntimeException("KMS error occurred while enabling
key: " + kmsEx.getMessage(), kmsEx);
        } else {
            throw new RuntimeException("An unexpected error occurred while
enabling key: " + exception.getMessage(), exception);
        }
    }
});

return responseFuture.thenApply(response -> null);
}

/**
 * Encrypts the given text asynchronously using the specified KMS client and key
ID.
*
* @param keyId the ID of the KMS key to use for encryption
* @param text the text to encrypt
* @return a CompletableFuture that completes with the encrypted data as an
SdkBytes object
*/
public CompletableFuture<SdkBytes> encryptDataAsync(String keyId, String text) {
    SdkBytes myBytes = SdkBytes.fromUtf8String(text);
    EncryptRequest encryptRequest = EncryptRequest.builder()
        .keyId(keyId)
        .plaintext(myBytes)
        .build();

    CompletableFuture<EncryptResponse> responseFuture =
getAsyncClient().encrypt(encryptRequest).toCompletableFuture();
    return responseFuture.whenComplete((response, ex) -> {
        if (response != null) {
            String algorithm = response.encryptionAlgorithm().toString();
            logger.info("The string was encrypted with algorithm {}.",
algorithm);
        } else {
            throw new RuntimeException(ex);
        }
    }).thenApply(EncryptResponse::ciphertextBlob);
}

/**
 * Creates a custom alias for the specified target key asynchronously.

```

```
* @param targetKeyId the ID of the target key for the alias
 * @param aliasName the name of the alias to create
 * @return a {@link CompletableFuture} that completes when the alias creation
operation is finished
*/
public CompletableFuture<Void> createCustomAliasAsync(String targetKeyId, String
aliasName) {
    CreateAliasRequest aliasRequest = CreateAliasRequest.builder()
        .aliasName(aliasName)
        .targetKeyId(targetKeyId)
        .build();

    CompletableFuture<CreateAliasResponse> responseFuture =
getAsyncClient().createAlias(aliasRequest);
    responseFuture.whenComplete((response, exception) -> {
        if (exception == null) {
            logger.info("{} was successfully created.", aliasName);
        } else {
            if (exception instanceof ResourceExistsException) {
                logger.info("Alias [{}] already exists. Moving on...", aliasName);
            } else if (exception instanceof KmsException kmsEx) {
                throw new RuntimeException("KMS error occurred while creating
alias: " + kmsEx.getMessage(), kmsEx);
            } else {
                throw new RuntimeException("An unexpected error occurred while
creating alias: " + exception.getMessage(), exception);
            }
        }
    });
}

    return responseFuture.thenApply(response -> null);
}

/**
 * Asynchronously lists all the aliases in the current AWS account.
 *
 * @return a {@link CompletableFuture} that completes when the list of aliases
has been processed
*/
public CompletableFuture<Object> listAllAliasesAsync() {
    ListAliasesRequest aliasesRequest = ListAliasesRequest.builder()
        .limit(15)
```

```
.build();

ListAliasesPublisher paginator =
getAsyncClient().listAliasesPaginator(aliasesRequest);
    return paginator.subscribe(response -> {
        response_aliases().forEach(alias ->
            logger.info("The alias name is: " + alias.aliasName())
        );
    })
    .thenApply(v -> null)
    .exceptionally(ex -> {
        if (ex.getCause() instanceof KmsException) {
            KmsException e = (KmsException) ex.getCause();
            throw new RuntimeException("A KMS exception occurred: " +
e.getMessage());
        } else {
            throw new RuntimeException("An unexpected error occurred: " +
ex.getMessage());
        }
    });
}

/**
 * Enables key rotation asynchronously for the specified key ID.
 *
 * @param keyId the ID of the key for which to enable key rotation
 * @return a CompletableFuture that represents the asynchronous operation of
enabling key rotation
 * @throws RuntimeException if there was an error enabling key rotation, either
due to a KMS exception or an unexpected error
 */
public CompletableFuture<EnableKeyRotationResponse>
enableKeyRotationAsync(String keyId) {
    EnableKeyRotationRequest enableKeyRotationRequest =
EnableKeyRotationRequest.builder()
    .keyId(keyId)
    .build();

    CompletableFuture<EnableKeyRotationResponse> responseFuture =
getAsyncClient().enableKeyRotation(enableKeyRotationRequest);
    responseFuture.whenComplete((response, exception) -> {
        if (exception == null) {
            logger.info("Key rotation has been enabled for key with id [{}]",
keyId);
    }
});
```

```
        } else {
            if (exception instanceof KmsException kmsEx) {
                throw new RuntimeException("Failed to enable key rotation: " +
kmsEx.getMessage(), kmsEx);
            } else {
                throw new RuntimeException("An unexpected error occurred: " +
exception.getMessage(), exception);
            }
        }
    });

    return responseFuture;
}

/**
 * Grants permissions to a specified principal on a customer master key (CMK)
asynchronously.
*
* @param keyId           The unique identifier for the customer master key
(CMK) that the grant applies to.
* @param granteePrincipal The principal that is given permission to perform
the operations that the grant permits on the CMK.
* @return A {@link CompletableFuture} that, when completed, contains the ID of
the created grant.
* @throws RuntimeException If an error occurs during the grant creation
process.
*/
public CompletableFuture<String> grantKeyAsync(String keyId, String
granteePrincipal) {
    List<GrantOperation> grantPermissions = List.of(
        GrantOperation.ENCRYPT,
        GrantOperation.DECRYPT,
        GrantOperationDESCRIBE_KEY
    );

    CreateGrantRequest grantRequest = CreateGrantRequest.builder()
        .keyId(keyId)
        .name("grant1")
        .granteePrincipal(granteePrincipal)
        .operations(grantPermissions)
        .build();

    CompletableFuture<CreateGrantResponse> responseFuture =
getAsyncClient().createGrant(grantRequest);
```

```
        responseFuture.whenComplete((response, ex) -> {
            if (ex == null) {
                logger.info("Grant created successfully with ID: " +
response.grantId());
            } else {
                if (ex instanceof KmsException kmsEx) {
                    throw new RuntimeException("Failed to create grant: " +
kmsEx.getMessage(), kmsEx);
                } else {
                    throw new RuntimeException("An unexpected error occurred: " +
ex.getMessage(), ex);
                }
            }
        });

        return responseFuture.thenApply(CreateGrantResponse::grantId);
    }

    /**
     * Asynchronously displays the grant IDs for the specified key ID.
     *
     * @param keyId the ID of the AWS KMS key for which to list the grants
     * @return a {@link CompletableFuture} that, when completed, will be null if
     * the operation succeeded, or will throw a {@link RuntimeException} if the operation
     * failed
     * @throws RuntimeException if there was an error listing the grants, either due
     * to an {@link KmsException} or an unexpected error
     */
    public CompletableFuture<Object> displayGrantIdsAsync(String keyId) {
        ListGrantsRequest grantsRequest = ListGrantsRequest.builder()
            .keyId(keyId)
            .limit(15)
            .build();

        ListGrantsPublisher paginator =
getAsyncClient().listGrantsPaginator(grantsRequest);
        return paginator.subscribe(response -> {
            response.grants().forEach(grant -> {
                logger.info("The grant Id is: " + grant.grantId());
            });
        })
        .thenApply(v -> null)
        .exceptionally(ex -> {
            Throwable cause = ex.getCause();
        });
    }
}
```

```
        if (cause instanceof KmsException) {
            throw new RuntimeException("Failed to list grants: " +
cause.getMessage(), cause);
        } else {
            throw new RuntimeException("An unexpected error occurred: " +
cause.getMessage(), cause);
        }
    });

}

/**
 * Revokes a grant for the specified AWS KMS key asynchronously.
 *
 * @param keyId The ID or key ARN of the AWS KMS key.
 * @param grantId The identifier of the grant to be revoked.
 * @return A {@link CompletableFuture} representing the asynchronous operation
of revoking the grant.
 *
 *          The {@link CompletableFuture} will complete with a {@link
RevokeGrantResponse} object
 *          if the operation is successful, or with a {@code null} value if an
error occurs.
 */
public CompletableFuture<RevokeGrantResponse> revokeKeyGrantAsync(String keyId,
String grantId) {
    RevokeGrantRequest grantRequest = RevokeGrantRequest.builder()
        .keyId(keyId)
        .grantId(grantId)
        .build();

    CompletableFuture<RevokeGrantResponse> responseFuture =
getAsyncClient().revokeGrant(grantRequest);
    responseFuture.whenComplete((response, exception) -> {
        if (exception == null) {
            logger.info("Grant ID: [" + grantId + "] was successfully
revoked!");
        } else {
            if (exception instanceof KmsException kmsEx) {
                if (kmsEx.getMessage().contains("Grant does not exist")) {
                    logger.info("The grant ID '" + grantId + "' does not exist.
Moving on...");
                } else {
                    throw new RuntimeException("KMS error occurred: " +
kmsEx.getMessage(), kmsEx);
                }
            }
        }
    });
}
```

```
        } else {
            throw new RuntimeException("An unexpected error occurred: " +
exception.getMessage(), exception);
        }
    });
}

return responseFuture;
}

/**
 * Asynchronously decrypts the given encrypted data using the specified key ID.
 *
 * @param encryptedData The encrypted data to be decrypted.
 * @param keyId The ID of the key to be used for decryption.
 * @return A CompletableFuture that, when completed, will contain the decrypted
data as a String.
 *
 * If an error occurs during the decryption process, the
CompletableFuture will complete
 * exceptionally with the error, and the method will return an empty
String.
 */
public CompletableFuture<String> decryptDataAsync(SdkBytes encryptedData, String
keyId) {
    DecryptRequest decryptRequest = DecryptRequest.builder()
        .ciphertextBlob(encryptedData)
        .keyId(keyId)
        .build();

    CompletableFuture<DecryptResponse> responseFuture =
getAsyncClient().decrypt(decryptRequest);
    responseFuture.whenComplete((decryptResponse, exception) -> {
        if (exception == null) {
            logger.info("Data decrypted successfully for key ID: " + keyId);
        } else {
            if (exception instanceof KmsException kmsEx) {
                throw new RuntimeException("KMS error occurred while decrypting
data: " + kmsEx.getMessage(), kmsEx);
            } else {
                throw new RuntimeException("An unexpected error occurred while
decrypting data: " + exception.getMessage(), exception);
            }
        }
    });
}
```

```
});

    return responseFuture.thenApply(decryptResponse ->
decryptResponse.plaintext().asString(StandardCharsets.UTF_8));
}

/***
 * Asynchronously replaces the policy for the specified KMS key.
 *
 * @param keyId      the ID of the KMS key to replace the policy for
 * @param policyName the name of the policy to be replaced
 * @param accountId  the AWS account ID to be used in the policy
 * @return a {@link CompletableFuture} that completes with a boolean indicating
 *         whether the policy replacement was successful or not
 */
public CompletableFuture<Boolean> replacePolicyAsync(String keyId, String
policyName, String accountId) {
    String policy = """
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Effect": "Allow",
            "Principal": {"AWS": "arn:aws:iam::%s:root"},
            "Action": "kms:*",
            "Resource": "*"
        }
    ]
}
""".formatted(accountId);

    PutKeyPolicyRequest keyPolicyRequest = PutKeyPolicyRequest.builder()
        .keyId(keyId)
        .policyName(policyName)
        .policy(policy)
        .build();

    // First, get the current policy to check if it exists
    return getAsyncClient().getKeyPolicy(r ->
r.keyId(keyId).policyName(policyName))
        .thenCompose(response -> {
            logger.info("Current policy exists. Replacing it...\"");
            return getAsyncClient().putKeyPolicy(keyPolicyRequest);
        })
        .thenApply(putPolicyResponse -> {
            logger.info("The key policy has been replaced.");
        });
}
```

```
        return true;
    })
    .exceptionally(throwable -> {
        if (throwable.getCause() instanceof LimitExceededException) {
            logger.error("Cannot replace policy, as only one policy is
allowed per key.");
            return false;
        }
        throw new RuntimeException("Error replacing policy", throwable);
    });
}

/**
 * Asynchronously retrieves the key policy for the specified key ID and policy
name.
 *
 * @param keyId      the ID of the AWS KMS key for which to retrieve the policy
 * @param policyName the name of the key policy to retrieve
 * @return a {@link CompletableFuture} that, when completed, contains the key
policy as a {@link String}
 */
public CompletableFuture<String> getKeyPolicyAsync(String keyId, String
policyName) {
    GetKeyPolicyRequest policyRequest = GetKeyPolicyRequest.builder()
        .keyId(keyId)
        .policyName(policyName)
        .build();

    return getAsyncClient().getKeyPolicy(policyRequest)
        .thenApply(response -> {
            String policy = response.policy();
            logger.info("The response is: " + policy);
            return policy;
        })
        .exceptionally(ex -> {
            throw new RuntimeException("Failed to get key policy", ex);
        });
}

/**
 * Asynchronously signs and verifies data using AWS KMS.
 *
 * <p>The method performs the following steps:
```

```
* <ol>
 *   <li>Creates an AWS KMS key with the specified key spec, key usage, and
origin.</li>
 *   <li>Signs the provided message using the created KMS key and the RSASSA-
PSS-SHA-256 algorithm.</li>
 *   <li>Verifies the signature of the message using the created KMS key and
the RSASSA-PSS-SHA-256 algorithm.</li>
* </ol>
*
* @return a {@link CompletableFuture} that completes with the result of the
signature verification,
*         {@code true} if the signature is valid, {@code false} otherwise.
* @throws KmsException if any error occurs during the KMS operations.
* @throws RuntimeException if an unexpected error occurs.
*/
public CompletableFuture<Boolean> signVerifyDataAsync() {
    String signMessage = "Here is the message that will be digitally signed";

    // Create an AWS KMS key used to digitally sign data.
    CreateKeyRequest createKeyRequest = CreateKeyRequest.builder()
        .keySpec(KeySpec.RSA_2048)
        .keyUsage(KeyUsageType.SIGN_VERIFY)
        .origin(OriginType.AWS_KMS)
        .build();

    return getAsyncClient().createKey(createKeyRequest)
        .thenCompose(createKeyResponse -> {
            String keyId = createKeyResponse.keyMetadata().keyId();

            SdkBytes messageBytes = SdkBytes.fromString(signMessage,
Charset.defaultCharset());
            SignRequest signRequest = SignRequest.builder()
                .keyId(keyId)
                .message(messageBytes)
                .signingAlgorithm(SigningAlgorithmSpec.RSASSA_PSS_SHA_256)
                .build();

            return getAsyncClient().sign(signRequest)
                .thenCompose(signResponse -> {
                    byte[] signedBytes = signResponse.signature().asByteArray();

                    VerifyRequest verifyRequest = VerifyRequest.builder()
                        .keyId(keyId)
```

```
.message(SdkBytes.fromByteArray(signMessage.getBytes(Charset.defaultCharset())))

.signature(SdkBytes.fromByteBuffer(ByteBuffer.wrap(signedBytes)))

.signingAlgorithm(SigningAlgorithmSpec.RSASSA_PSS_SHA_256)
    .build();

        return getAsyncClient().verify(verifyRequest)
            .thenApply(verifyResponse -> {
                return (boolean) verifyResponse.signatureValid();
            });
    });

    .exceptionally(throwable -> {
        throw new RuntimeException("Failed to sign or verify data",
throwable);
    });
}

/***
 * Asynchronously tags a KMS key with a specific tag.
 *
 * @param keyId the ID of the KMS key to be tagged
 * @return a {@link CompletableFuture} that completes when the tagging operation
is finished
 */
public CompletableFuture<Void> tagKMSKeyAsync(String keyId) {
    Tag tag = Tag.builder()
        .tagKey("Environment")
        .tagValue("Production")
        .build();

    TagResourceRequest tagResourceRequest = TagResourceRequest.builder()
        .keyId(keyId)
        .tags(tag)
        .build();

    return getAsyncClient().tagResource(tagResourceRequest)
        .thenRun(() -> {
            logger.info("{} key was tagged", keyId);
        })
        .exceptionally(throwable -> {
            throw new RuntimeException("Failed to tag the KMS key", throwable);
        });
}
```

```
        });
    }

    /**
     * Deletes a specific KMS alias asynchronously.
     *
     * @param aliasName the name of the alias to be deleted
     * @return a {@link CompletableFuture} representing the asynchronous operation
     * of deleting the specified alias
     */
    public CompletableFuture<Void> deleteSpecificAliasAsync(String aliasName) {
        DeleteAliasRequest deleteAliasRequest = DeleteAliasRequest.builder()
            .aliasName(aliasName)
            .build();

        return getAsyncClient().deleteAlias(deleteAliasRequest)
            .thenRun(() -> {
                logger.info("Alias {} has been deleted successfully", aliasName);
            })
            .exceptionally(throwable -> {
                throw new RuntimeException("Failed to delete alias: " + aliasName,
                    throwable);
            });
    }

    /**
     * Asynchronously disables the specified AWS Key Management Service (KMS) key.
     *
     * @param keyId the ID or Amazon Resource Name (ARN) of the KMS key to be
     * disabled
     * @return a CompletableFuture that, when completed, indicates that the key has
     * been disabled successfully
     */
    public CompletableFuture<Void> disableKeyAsync(String keyId) {
        DisableKeyRequest keyRequest = DisableKeyRequest.builder()
            .keyId(keyId)
            .build();

        return getAsyncClient().disableKey(keyRequest)
            .thenRun(() -> {
                logger.info("Key {} has been disabled successfully", keyId);
            })
            .exceptionally(throwable -> {
```

```
        throw new RuntimeException("Failed to disable key: " + keyId,
throwable);
    });
}

/**
 * Deletes a KMS key asynchronously.
 *
 * <p><strong>Warning:</strong> Deleting a KMS key is a destructive and
potentially dangerous operation.
 * When a KMS key is deleted, all data that was encrypted under the KMS key
becomes unrecoverable.
 * This means that any files, databases, or other data that were encrypted using
the deleted KMS key
 * will become permanently inaccessible. Exercise extreme caution when deleting
KMS keys.</p>
 *
 * @param keyId the ID of the KMS key to delete
 * @return a {@link CompletableFuture} that completes when the key deletion is
scheduled
 */
public CompletableFuture<Void> deleteKeyAsync(String keyId) {
    ScheduleKeyDeletionRequest deletionRequest =
ScheduleKeyDeletionRequest.builder()
    .keyId(keyId)
    .pendingWindowInDays(7)
    .build();

    return getAsyncClient().scheduleKeyDeletion(deletionRequest)
    .thenRun(() -> {
        logger.info("Key {} will be deleted in 7 days", keyId);
    })
    .exceptionally(throwable -> {
        throw new RuntimeException("Failed to schedule key deletion for key
ID: " + keyId, throwable);
    });
}

public String getAccountId(){
    try (StsClient stsClient = StsClient.create()){
        GetCallerIdentityResponse callerIdentity =
stsClient.getCallerIdentity();
        return callerIdentity.account();
    }
}
```

```
        }  
    }  
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [CreateAlias](#)
- [CreateGrant](#)
- [CreateKey](#)
- [Decrypt](#)
- [DescribeKey](#)
- [DisableKey](#)
- [EnableKey](#)
- [Encrypt](#)
- [GetKeyPolicy](#)
- [ListAliases](#)
- [ListGrants](#)
- [ListKeys](#)
- [RevokeGrant](#)
- [ScheduleKeyDeletion](#)
- [Sign](#)
- [TagResource](#)

Actions

CreateAlias

The following code example shows how to use CreateAlias.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Creates a custom alias for the specified target key asynchronously.  
 *  
 * @param targetKeyId the ID of the target key for the alias  
 * @param aliasName the name of the alias to create  
 * @return a {@link CompletableFuture} that completes when the alias creation  
 operation is finished  
 */  
public CompletableFuture<Void> createCustomAliasAsync(String targetKeyId, String  
aliasName) {  
    CreateAliasRequest aliasRequest = CreateAliasRequest.builder()  
        .aliasName(aliasName)  
        .targetKeyId(targetKeyId)  
        .build();  
  
    CompletableFuture<CreateAliasResponse> responseFuture =  
getAsyncClient().createAlias(aliasRequest);  
    responseFuture.whenComplete((response, exception) -> {  
        if (exception == null) {  
            logger.info("{} was successfully created.", aliasName);  
        } else {  
            if (exception instanceof ResourceExistsException) {  
                logger.info("Alias [{}] already exists. Moving on...",  
aliasName);  
            } else if (exception instanceof KmsException kmsEx) {  
                throw new RuntimeException("KMS error occurred while creating  
alias: " + kmsEx.getMessage(), kmsEx);  
            } else {  
                throw new RuntimeException("An unexpected error occurred while  
creating alias: " + exception.getMessage(), exception);  
            }  
        }  
    });  
}
```

```
        return responseFuture.thenApply(response -> null);
    }
```

- For API details, see [CreateAlias](#) in *AWS SDK for Java 2.x API Reference*.

CreateGrant

The following code example shows how to use `CreateGrant`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Grants permissions to a specified principal on a customer master key (CMK)
 * asynchronously.
 *
 * @param keyId           The unique identifier for the customer master key
 * (CMK) that the grant applies to.
 * @param granteePrincipal The principal that is given permission to perform
 * the operations that the grant permits on the CMK.
 * @return A {@link CompletableFuture} that, when completed, contains the ID of
 * the created grant.
 * @throws RuntimeException If an error occurs during the grant creation
 * process.
 */
public CompletableFuture<String> grantKeyAsync(String keyId, String
granteePrincipal) {
    List<GrantOperation> grantPermissions = List.of(
        GrantOperation.ENCRYPT,
        GrantOperation.DECRYPT,
        GrantOperation.DESCRIBE_KEY
    );

    CreateGrantRequest grantRequest = CreateGrantRequest.builder()
        .keyId(keyId)
```

```
        .name("grant1")
        .granteePrincipal(granteePrincipal)
        .operations(grantPermissions)
        .build();

        CompletableFuture<CreateGrantResponse> responseFuture =
getAsyncClient().createGrant(grantRequest);
        responseFuture.whenComplete((response, ex) -> {
            if (ex == null) {
                logger.info("Grant created successfully with ID: " +
response.grantId());
            } else {
                if (ex instanceof KmsException kmsEx) {
                    throw new RuntimeException("Failed to create grant: " +
kmsEx.getMessage(), kmsEx);
                } else {
                    throw new RuntimeException("An unexpected error occurred: " +
ex.getMessage(), ex);
                }
            }
        });
    });

    return responseFuture.thenApply(CreateGrantResponse::grantId);
}
```

- For API details, see [CreateGrant](#) in *AWS SDK for Java 2.x API Reference*.

CreateKey

The following code example shows how to use CreateKey.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
```

```
* Creates a new symmetric encryption key asynchronously.  
*  
* @param keyDesc the description of the key to be created  
* @return a {@link CompletableFuture} that completes with the ID of the newly  
created key  
* @throws RuntimeException if an error occurs while creating the key  
*/  
public CompletableFuture<String> createKeyAsync(String keyDesc) {  
    CreateKeyRequest keyRequest = CreateKeyRequest.builder()  
        .description(keyDesc)  
        .keySpec(KeySpec.SYMMETRIC_DEFAULT)  
        .keyUsage(KeyUsageType.ENCRYPT_DECRYPT)  
        .build();  
  
    return getAsyncClient().createKey(keyRequest)  
        .thenApply(resp -> resp.keyMetadata().keyId())  
        .exceptionally(ex -> {  
            throw new RuntimeException("An error occurred while creating the  
key: " + ex.getMessage(), ex);  
        });  
}
```

- For API details, see [CreateKey](#) in *AWS SDK for Java 2.x API Reference*.

Decrypt

The following code example shows how to use Decrypt.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Asynchronously decrypts the given encrypted data using the specified key ID.  
 *  
 * @param encryptedData The encrypted data to be decrypted.  
 */
```

```
* @param keyId The ID of the key to be used for decryption.  
* @return A CompletableFuture that, when completed, will contain the decrypted  
data as a String.  
*           If an error occurs during the decryption process, the  
CompletableFuture will complete  
*           exceptionally with the error, and the method will return an empty  
String.  
*/  
public CompletableFuture<String> decryptDataAsync(SdkBytes encryptedData, String  
keyId) {  
    DecryptRequest decryptRequest = DecryptRequest.builder()  
        .ciphertextBlob(encryptedData)  
        .keyId(keyId)  
        .build();  
  
    CompletableFuture<DecryptResponse> responseFuture =  
getAsyncClient().decrypt(decryptRequest);  
    responseFuture.whenComplete((decryptResponse, exception) -> {  
        if (exception == null) {  
            logger.info("Data decrypted successfully for key ID: " + keyId);  
        } else {  
            if (exception instanceof KmsException kmsEx) {  
                throw new RuntimeException("KMS error occurred while decrypting  
data: " + kmsEx.getMessage(), kmsEx);  
            } else {  
                throw new RuntimeException("An unexpected error occurred while  
decrypting data: " + exception.getMessage(), exception);  
            }  
        }  
    });  
  
    return responseFuture.thenApply(decryptResponse ->  
decryptResponse.plaintext().asString(StandardCharsets.UTF_8));  
}
```

- For API details, see [Decrypt](#) in *AWS SDK for Java 2.x API Reference*.

DeleteAlias

The following code example shows how to use DeleteAlias.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Deletes a specific KMS alias asynchronously.  
 *  
 * @param aliasName the name of the alias to be deleted  
 * @return a {@link CompletableFuture} representing the asynchronous operation  
 * of deleting the specified alias  
 */  
public CompletableFuture<Void> deleteSpecificAliasAsync(String aliasName) {  
    DeleteAliasRequest deleteAliasRequest = DeleteAliasRequest.builder()  
        .aliasName(aliasName)  
        .build();  
  
    return getAsyncClient().deleteAlias(deleteAliasRequest)  
        .thenRun(() -> {  
            logger.info("Alias {} has been deleted successfully", aliasName);  
        })  
        .exceptionally(throwable -> {  
            throw new RuntimeException("Failed to delete alias: " + aliasName,  
            throwable);  
        });  
}
```

- For API details, see [DeleteAlias](#) in *AWS SDK for Java 2.x API Reference*.

DescribeKey

The following code example shows how to use `DescribeKey`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Asynchronously checks if a specified key is enabled.  
 *  
 * @param keyId the ID of the key to check  
 * @return a {@link CompletableFuture} that, when completed, indicates whether  
 the key is enabled or not  
 *  
 * @throws RuntimeException if an exception occurs while checking the key state  
 */  
public CompletableFuture<Boolean> isEnabledAsync(String keyId) {  
    DescribeKeyRequest keyRequest = DescribeKeyRequest.builder()  
        .keyId(keyId)  
        .build();  
  
    CompletableFuture<DescribeKeyResponse> responseFuture =  
getAsyncClient().describeKey(keyRequest);  
    return responseFuture.whenComplete((resp, ex) -> {  
        if (resp != null) {  
            KeyState keyState = resp.keyMetadata().keyState();  
            if (keyState == KeyState.ENABLED) {  
                logger.info("The key is enabled.");  
            } else {  
                logger.info("The key is not enabled. Key state: {}", keyState);  
            }  
        } else {  
            throw new RuntimeException(ex);  
        }  
    }).thenApply(resp -> resp.keyMetadata().keyState() == KeyState.ENABLED);  
}
```

- For API details, see [DescribeKey](#) in *AWS SDK for Java 2.x API Reference*.

DisableKey

The following code example shows how to use DisableKey.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Asynchronously disables the specified AWS Key Management Service (KMS) key.  
 *  
 * @param keyId the ID or Amazon Resource Name (ARN) of the KMS key to be  
 disabled  
 * @return a CompletableFuture that, when completed, indicates that the key has  
 been disabled successfully  
 */  
public CompletableFuture<Void> disableKeyAsync(String keyId) {  
    DisableKeyRequest keyRequest = DisableKeyRequest.builder()  
        .keyId(keyId)  
        .build();  
  
    return getAsyncClient().disableKey(keyRequest)  
        .thenRun(() -> {  
            logger.info("Key {} has been disabled successfully",keyId);  
        })  
        .exceptionally(throwable -> {  
            throw new RuntimeException("Failed to disable key: " + keyId,  
throwable);  
        });  
}
```

- For API details, see [DisableKey](#) in *AWS SDK for Java 2.x API Reference*.

EnableKey

The following code example shows how to use EnableKey.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Asynchronously enables the specified key.  
 *  
 * @param keyId the ID of the key to enable  
 * @return a {@link CompletableFuture} that completes when the key has been  
 enabled  
 */  
public CompletableFuture<Void> enableKeyAsync(String keyId) {  
    EnableKeyRequest enableKeyRequest = EnableKeyRequest.builder()  
        .keyId(keyId)  
        .build();  
  
    CompletableFuture<EnableKeyResponse> responseFuture =  
getAsyncClient().enableKey(enableKeyRequest);  
    responseFuture.whenComplete((response, exception) -> {  
        if (exception == null) {  
            logger.info("Key with ID [{}] has been enabled.", keyId);  
        } else {  
            if (exception instanceof KmsException kmsEx) {  
                throw new RuntimeException("KMS error occurred while enabling  
key: " + kmsEx.getMessage(), kmsEx);  
            } else {  
                throw new RuntimeException("An unexpected error occurred while  
enabling key: " + exception.getMessage(), exception);  
            }  
        }  
    });  
  
    return responseFuture.thenApply(response -> null);  
}
```

- For API details, see [EnableKey](#) in *AWS SDK for Java 2.x API Reference*.

Encrypt

The following code example shows how to use Encrypt.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Encrypts the given text asynchronously using the specified KMS client and key  
 * ID.  
 *  
 * @param keyId the ID of the KMS key to use for encryption  
 * @param text the text to encrypt  
 * @return a CompletableFuture that completes with the encrypted data as an  
 SdkBytes object  
 */  
public CompletableFuture<SdkBytes> encryptDataAsync(String keyId, String text) {  
    SdkBytes myBytes = SdkBytes.fromUtf8String(text);  
    EncryptRequest encryptRequest = EncryptRequest.builder()  
        .keyId(keyId)  
        .plaintext(myBytes)  
        .build();  
  
    CompletableFuture<EncryptResponse> responseFuture =  
getAsyncClient().encrypt(encryptRequest).toCompletableFuture();  
    return responseFuture.whenComplete((response, ex) -> {  
        if (response != null) {  
            String algorithm = response.encryptionAlgorithm().toString();  
            logger.info("The string was encrypted with algorithm {}.",  
algorithm);  
        } else {  
            throw new RuntimeException(ex);  
        }  
    }).thenApply(EncryptResponse::ciphertextBlob);  
}
```

- For API details, see [Encrypt in AWS SDK for Java 2.x API Reference](#).

ListAliases

The following code example shows how to use `ListAliases`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Asynchronously lists all the aliases in the current AWS account.  
 *  
 * @return a {@link CompletableFuture} that completes when the list of aliases  
 has been processed  
 */  
public CompletableFuture<Object> listAllAliasesAsync() {  
    ListAliasesRequest aliasesRequest = ListAliasesRequest.builder()  
        .limit(15)  
        .build();  
  
    ListAliasesPublisher paginator =  
getAsyncClient().listAliasesPaginator(aliasesRequest);  
    return paginator.subscribe(response -> {  
        response_aliases().forEach(alias ->  
            logger.info("The alias name is: " + alias.aliasName())  
        );  
    })  
.thenApply(v -> null)  
.exceptionally(ex -> {  
    if (ex.getCause() instanceof KmsException) {  
        KmsException e = (KmsException) ex.getCause();  
        throw new RuntimeException("A KMS exception occurred: " +  
e.getMessage());  
    } else {  
        throw new RuntimeException("An unexpected error occurred: " +  
ex.getMessage());  
    }  
})
```

```
    });
}
```

- For API details, see [ListAliases](#) in *AWS SDK for Java 2.x API Reference*.

ListGrants

The following code example shows how to use ListGrants.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Asynchronously displays the grant IDs for the specified key ID.
 *
 * @param keyId the ID of the AWS KMS key for which to list the grants
 * @return a {@link CompletableFuture} that, when completed, will be null if
 * the operation succeeded, or will throw a {@link RuntimeException} if the operation
 * failed
 * @throws RuntimeException if there was an error listing the grants, either due
 * to an {@link KmsException} or an unexpected error
 */
public CompletableFuture<Object> displayGrantIdsAsync(String keyId) {
    ListGrantsRequest grantsRequest = ListGrantsRequest.builder()
        .keyId(keyId)
        .limit(15)
        .build();

    ListGrantsPublisher paginator =
getAsyncClient().listGrantsPaginator(grantsRequest);
    return paginator.subscribe(response -> {
        response.grants().forEach(grant -> {
            logger.info("The grant Id is: " + grant.grantId());
        });
    })
    .thenApply(v -> null)
}
```

```
        .exceptionally(ex -> {
            Throwable cause = ex.getCause();
            if (cause instanceof KmsException) {
                throw new RuntimeException("Failed to list grants: " +
cause.getMessage(), cause);
            } else {
                throw new RuntimeException("An unexpected error occurred: " +
cause.getMessage(), cause);
            }
        });
    }
}
```

- For API details, see [ListGrants](#) in *AWS SDK for Java 2.x API Reference*.

ListKeyPolicies

The following code example shows how to use `ListKeyPolicies`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Asynchronously retrieves the key policy for the specified key ID and policy
name.
 *
 * @param keyId      the ID of the AWS KMS key for which to retrieve the policy
 * @param policyName the name of the key policy to retrieve
 * @return a {@link CompletableFuture} that, when completed, contains the key
policy as a {@link String}
 */
public CompletableFuture<String> getKeyPolicyAsync(String keyId, String
policyName) {
    GetKeyPolicyRequest policyRequest = GetKeyPolicyRequest.builder()
        .keyId(keyId)
        .policyName(policyName)
        .build();
```

```
        return getAsyncClient().getKeyPolicy(policyRequest)
            .thenApply(response -> {
                String policy = response.policy();
                logger.info("The response is: " + policy);
                return policy;
            })
            .exceptionally(ex -> {
                throw new RuntimeException("Failed to get key policy", ex);
            });
    }
```

- For API details, see [ListKeyPolicies](#) in *AWS SDK for Java 2.x API Reference*.

ListKeys

The following code example shows how to use ListKeys.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.kms.KmsAsyncClient;
import software.amazon.awssdk.services.kms.model.ListKeysRequest;
import software.amazon.awssdk.services.kms.paginators.ListKeysPublisher;
import java.util.concurrent.CompletableFuture;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class HelloKMS {
    public static void main(String[] args) {
```

```
        listAllKeys();
    }

    public static void listAllKeys() {
        KmsAsyncClient kmsAsyncClient = KmsAsyncClient.builder()
            .build();
        ListKeysRequest listKeysRequest = ListKeysRequest.builder()
            .limit(15)
            .build();

        /*
         * The `subscribe` method is required when using paginator methods in the
         AWS SDK
         * because paginator methods return an instance of a `ListKeysPublisher`,
         which is
         * based on a reactive stream. This allows asynchronous retrieval of
         paginated
         * results as they become available. By subscribing to the stream, we can
         process
         * each page of results as they are emitted.
        */
        ListKeysPublisher keysPublisher =
        kmsAsyncClient.listKeysPaginator(listKeysRequest);
        CompletableFuture<Void> future = keysPublisher
            .subscribe(r -> r.keys().forEach(key ->
                System.out.println("The key ARN is: " + key.keyArn() + ". The key Id
is: " + key.keyId())))
            .whenComplete((result, exception) -> {
                if (exception != null) {
                    System.err.println("Error occurred: " + exception.getMessage());
                } else {
                    System.out.println("Successfully listed all keys.");
                }
            });
    });

    try {
        future.join();
    } catch (Exception e) {
        System.err.println("Failed to list keys: " + e.getMessage());
    }
}
}
```

- For API details, see [ListKeys](#) in *AWS SDK for Java 2.x API Reference*.

RevokeGrant

The following code example shows how to use RevokeGrant.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Revokes a grant for the specified AWS KMS key asynchronously.  
 *  
 * @param keyId    The ID or key ARN of the AWS KMS key.  
 * @param grantId The identifier of the grant to be revoked.  
 * @return A {@link CompletableFuture} representing the asynchronous operation  
 * of revoking the grant.  
 *          The {@link CompletableFuture} will complete with a {@link  
 * RevokeGrantResponse} object  
 *          if the operation is successful, or with a {@code null} value if an  
 * error occurs.  
 */  
public CompletableFuture<RevokeGrantResponse> revokeKeyGrantAsync(String keyId,  
String grantId) {  
    RevokeGrantRequest grantRequest = RevokeGrantRequest.builder()  
        .keyId(keyId)  
        .grantId(grantId)  
        .build();  
  
    CompletableFuture<RevokeGrantResponse> responseFuture =  
getAsyncClient().revokeGrant(grantRequest);  
    responseFuture.whenComplete((response, exception) -> {  
        if (exception == null) {  
            logger.info("Grant ID: [" + grantId + "] was successfully  
revoked!");  
        } else {  
            if (exception instanceof KmsException kmsEx) {  
                if (kmsEx.getMessage().contains("Grant does not exist")) {
```

```
        logger.info("The grant ID '" + grantId + "' does not exist.  
Moving on...");  
    } else {  
        throw new RuntimeException("KMS error occurred: " +  
kmsEx.getMessage(), kmsEx);  
    }  
} else {  
    throw new RuntimeException("An unexpected error occurred: " +  
exception.getMessage(), exception);  
}  
}  
});  
  
return responseFuture;  
}  
}
```

- For API details, see [RevokeGrant](#) in *AWS SDK for Java 2.x API Reference*.

ScheduleKeyDeletion

The following code example shows how to use ScheduleKeyDeletion.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Deletes a KMS key asynchronously.  
 *  
 * <p><strong>Warning:</strong> Deleting a KMS key is a destructive and  
 * potentially dangerous operation.  
 * When a KMS key is deleted, all data that was encrypted under the KMS key  
 * becomes unrecoverable.  
 * This means that any files, databases, or other data that were encrypted using  
 * the deleted KMS key
```

```
* will become permanently inaccessible. Exercise extreme caution when deleting
KMS keys.</p>
*
* @param keyId the ID of the KMS key to delete
* @return a {@link CompletableFuture} that completes when the key deletion is
scheduled
*/
public CompletableFuture<Void> deleteKeyAsync(String keyId) {
    ScheduleKeyDeletionRequest deletionRequest =
ScheduleKeyDeletionRequest.builder()
    .keyId(keyId)
    .pendingWindowInDays(7)
    .build();

    return getAsyncClient().scheduleKeyDeletion(deletionRequest)
        .thenRun(() -> {
            logger.info("Key {} will be deleted in 7 days", keyId);
        })
        .exceptionally(throwable -> {
            throw new RuntimeException("Failed to schedule key deletion for key
ID: " + keyId, throwable);
        });
}
```

- For API details, see [ScheduleKeyDeletion](#) in *AWS SDK for Java 2.x API Reference*.

Sign

The following code example shows how to use Sign.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Asynchronously signs and verifies data using AWS KMS.
 *
```

```
* <p>The method performs the following steps:
* <ol>
*   <li>Creates an AWS KMS key with the specified key spec, key usage, and origin.</li>
*   <li>Signs the provided message using the created KMS key and the RSASSA-PSS-SHA-256 algorithm.</li>
*   <li>Verifies the signature of the message using the created KMS key and the RSASSA-PSS-SHA-256 algorithm.</li>
* </ol>
*
* @return a {@link CompletableFuture} that completes with the result of the signature verification,
*         {@code true} if the signature is valid, {@code false} otherwise.
* @throws KmsException if any error occurs during the KMS operations.
* @throws RuntimeException if an unexpected error occurs.
*/
public CompletableFuture<Boolean> signVerifyDataAsync() {
    String signMessage = "Here is the message that will be digitally signed";

    // Create an AWS KMS key used to digitally sign data.
    CreateKeyRequest createKeyRequest = CreateKeyRequest.builder()
        .keySpec(KeySpec.RSA_2048)
        .keyUsage(KeyUsageType.SIGN_VERIFY)
        .origin(OriginType.AWS_KMS)
        .build();

    return getAsyncClient().createKey(createKeyRequest)
        .thenCompose(createKeyResponse -> {
            String keyId = createKeyResponse.keyMetadata().keyId();

            SdkBytes messageBytes = SdkBytes.fromString(signMessage,
                Charset.defaultCharset());
            SignRequest signRequest = SignRequest.builder()
                .keyId(keyId)
                .message(messageBytes)
                .signingAlgorithm(SigningAlgorithmSpec.RSASSA_PSS_SHA_256)
                .build();

            return getAsyncClient().sign(signRequest)
                .thenCompose(signResponse -> {
                    byte[] signedBytes = signResponse.signature().asByteArray();

                    VerifyRequest verifyRequest = VerifyRequest.builder()
                        .keyId(keyId)
```

```
.message(SdkBytes.fromByteArray(signMessage.getBytes(Charset.defaultCharset())))

.signature(SdkBytes.fromByteBuffer(ByteBuffer.wrap(signedBytes)))

.signingAlgorithm(SigningAlgorithmSpec.RSASSA_PSS_SHA_256)
    .build();

        return getAsyncClient().verify(verifyRequest)
            .thenApply(verifyResponse -> {
                return (boolean) verifyResponse.signatureValid();
            });
    });

    .exceptionally(throwable -> {
        throw new RuntimeException("Failed to sign or verify data",
throwable);
    });
}
```

- For API details, see [Sign](#) in *AWS SDK for Java 2.x API Reference*.

TagResource

The following code example shows how to use TagResource.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/** 
 * Asynchronously tags a KMS key with a specific tag.
 *
 * @param keyId the ID of the KMS key to be tagged
 * @return a {@link CompletableFuture} that completes when the tagging operation
 * is finished
 */
```

```
public CompletableFuture<Void> tagKMSKeyAsync(String keyId) {
    Tag tag = Tag.builder()
        .tagKey("Environment")
        .tagValue("Production")
        .build();

    TagResourceRequest tagResourceRequest = TagResourceRequest.builder()
        .keyId(keyId)
        .tags(tag)
        .build();

    return getAsyncClient().tagResource(tagResourceRequest)
        .thenRun(() -> {
            logger.info("{} key was tagged", keyId);
        })
        .exceptionally(throwable -> {
            throw new RuntimeException("Failed to tag the KMS key", throwable);
        });
}
```

- For API details, see [TagResource](#) in *AWS SDK for Java 2.x API Reference*.

Lambda examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Lambda.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

AWS community contributions are examples that were created and are maintained by multiple teams across AWS. To provide feedback, use the mechanism provided in the linked repositories.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello Lambda

The following code examples show how to get started using Lambda.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Lists the AWS Lambda functions associated with the current AWS account.  
 *  
 * @param awsLambda an instance of the {@link LambdaClient} class, which is used  
 * to interact with the AWS Lambda service  
 *  
 * @throws LambdaException if an error occurs while interacting with the AWS  
 * Lambda service  
 */  
public static void listFunctions(LambdaClient awsLambda) {  
    try {  
        ListFunctionsResponse functionResult = awsLambda.listFunctions();  
        List<FunctionConfiguration> list = functionResult.functions();  
        for (FunctionConfiguration config : list) {  
            System.out.println("The function name is " + config.functionName());  
        }  
  
    } catch (LambdaException e) {  
        System.err.println(e.getMessage());  
        System.exit(1);  
    }  
}
```

- For API details, see [ListFunctions](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Basics](#)
- [Actions](#)
- [Scenarios](#)
- [Serverless examples](#)
- [AWS community contributions](#)

Basics

Learn the basics

The following code example shows how to:

- Create an IAM role and Lambda function, then upload handler code.
- Invoke the function with a single parameter and get results.
- Update the function code and configure with an environment variable.
- Invoke the function with new parameters and get results. Display the returned execution log.
- List the functions for your account, then clean up resources.

For more information, see [Create a Lambda function with the console](#).

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/*
 * Lambda function names appear as:
 *
 * arn:aws:lambda:us-west-2:335556666777:function:HelloFunction
 *
 * To find this value, look at the function in the AWS Management Console.
 *
 * Before running this Java code example, set up your development environment,
 * including your credentials.
```

```
*  
* For more information, see this documentation topic:  
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*  
* This example performs the following tasks:  
*  
* 1. Creates an AWS Lambda function.  
* 2. Gets a specific AWS Lambda function.  
* 3. Lists all Lambda functions.  
* 4. Invokes a Lambda function.  
* 5. Updates the Lambda function code and invokes it again.  
* 6. Updates a Lambda function's configuration value.  
* 7. Deletes a Lambda function.  
*/  
  
public class LambdaScenario {  
    public static final String DASHES = new String(new char[80]).replace("\0", "-");  
  
    public static void main(String[] args) throws InterruptedException {  
        final String usage = """  
  
        Usage:  
            <functionName> <role> <handler> <bucketName> <key>\s  
  
        Where:  
            functionName - The name of the Lambda function.\s  
            role - The AWS Identity and Access Management (IAM) service role  
that has Lambda permissions.\s  
            handler - The fully qualified method name (for example,  
example.Handler::handleRequest).\s  
            bucketName - The Amazon Simple Storage Service (Amazon S3) bucket  
name that contains the .zip or .jar used to update the Lambda function's code.\s  
            key - The Amazon S3 key name that represents the .zip or .jar (for  
example, LambdaHello-1.0-SNAPSHOT.jar).  
            """;  
  
        if (args.length != 5) {  
            System.out.println(usage);  
            return;  
        }  
  
        String functionName = args[0];  
        String role = args[1];
```

```
String handler = args[2];
String bucketName = args[3];
String key = args[4];
LambdaClient awsLambda = LambdaClient.builder()
    .build();

System.out.println(DASHES);
System.out.println("Welcome to the AWS Lambda Basics scenario.");
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("1. Create an AWS Lambda function.");
String funArn = createLambdaFunction(awsLambda, functionName, key,
bucketName, role, handler);
System.out.println("The AWS Lambda ARN is " + funArn);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("2. Get the " + functionName + " AWS Lambda function.");
getFunction(awsLambda, functionName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("3. List all AWS Lambda functions.");
listFunctions(awsLambda);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("4. Invoke the Lambda function.");
System.out.println("*** Sleep for 1 min to get Lambda function ready.");
Thread.sleep(60000);
invokeFunction(awsLambda, functionName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("5. Update the Lambda function code and invoke it
again.");
updateFunctionCode(awsLambda, functionName, bucketName, key);
System.out.println("*** Sleep for 1 min to get Lambda function ready.");
Thread.sleep(60000);
invokeFunction(awsLambda, functionName);
System.out.println(DASHES);

System.out.println(DASHES);
```

```
        System.out.println("6. Update a Lambda function's configuration value.");
        updateFunctionConfiguration(awsLambda, functionName, handler);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("7. Delete the AWS Lambda function.");
        LambdaScenario.deleteLambdaFunction(awsLambda, functionName);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("The AWS Lambda scenario completed successfully");
        System.out.println(DASHES);
        awsLambda.close();
    }

    /**
     * Creates a new Lambda function in AWS using the AWS Lambda Java API.
     *
     * @param awsLambda      the AWS Lambda client used to interact with the AWS
     * Lambda service
     * @param functionName   the name of the Lambda function to create
     * @param key             the S3 key of the function code
     * @param bucketName     the name of the S3 bucket containing the function code
     * @param role            the IAM role to assign to the Lambda function
     * @param handler         the fully qualified class name of the function handler
     * @return the Amazon Resource Name (ARN) of the created Lambda function
     */
    public static String createLambdaFunction(LambdaClient awsLambda,
                                              String functionName,
                                              String key,
                                              String bucketName,
                                              String role,
                                              String handler) {

        try {
            LambdaWaiter waiter = awsLambda.waiter();
            FunctionCode code = FunctionCode.builder()
                .s3Key(key)
                .s3Bucket(bucketName)
                .build();

            CreateFunctionRequest functionRequest = CreateFunctionRequest.builder()
                .functionName(functionName)
                .description("Created by the Lambda Java API")
        }
    }
}
```

```
.code(code)
.handler(handler)
.runtime(Runtime.JAVA17)
.role(role)
.build();

// Create a Lambda function using a waiter
CreateFunctionResponse functionResponse =
awsLambda.createFunction(functionRequest);
    GetFunctionRequest getFunctionRequest = GetFunctionRequest.builder()
        .functionName(functionName)
        .build();
    WaiterResponse<GetFunctionResponse> waiterResponse =
waiter.waitUntilFunctionExists(getFunctionRequest);
    waiterResponse.matched().response().ifPresent(System.out::println);
    return functionResponse.functionArn();

} catch (LambdaException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
return "";
}

/**
 * Retrieves information about an AWS Lambda function.
 *
 * @param awsLambda an instance of the {@link LambdaClient} class, which is
 * used to interact with the AWS Lambda service
 * @param functionName the name of the AWS Lambda function to retrieve
 * information about
 */
public static void getFunction(LambdaClient awsLambda, String functionName) {
    try {
        GetFunctionRequest functionRequest = GetFunctionRequest.builder()
            .functionName(functionName)
            .build();

        GetFunctionResponse response = awsLambda.getFunction(functionRequest);
        System.out.println("The runtime of this Lambda function is " +
response.configuration().runtime());

    } catch (LambdaException e) {
        System.err.println(e.getMessage());
    }
}
```

```
        System.exit(1);
    }
}

/***
 * Lists the AWS Lambda functions associated with the current AWS account.
 *
 * @param awsLambda an instance of the {@link LambdaClient} class, which is used
to interact with the AWS Lambda service
 *
 * @throws LambdaException if an error occurs while interacting with the AWS
Lambda service
 */
public static void listFunctions(LambdaClient awsLambda) {
    try {
        ListFunctionsResponse functionResult = awsLambda.listFunctions();
        List<FunctionConfiguration> list = functionResult.functions();
        for (FunctionConfiguration config : list) {
            System.out.println("The function name is " + config.functionName());
        }

    } catch (LambdaException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}

/***
 * Invokes a specific AWS Lambda function.
 *
 * @param awsLambda      an instance of {@link LambdaClient} to interact with the
AWS Lambda service
 * @param functionName the name of the AWS Lambda function to be invoked
 */
public static void invokeFunction(LambdaClient awsLambda, String functionName) {
    InvokeResponse res;
    try {
        // Need a SdkBytes instance for the payload.
        JSONObject jsonObj = new JSONObject();
        jsonObj.put("inputValue", "2000");
        String json = jsonObj.toString();
        SdkBytes payload = SdkBytes.fromUtf8String(json);

        InvokeRequest request = InvokeRequest.builder()

```

```
.functionName(functionName)
.payload(payload)
.build();

res = awsLambda.invoke(request);
String value = res.payload().asUtf8String();
System.out.println(value);

} catch (LambdaException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}

/***
 * Updates the code for an AWS Lambda function.
 *
 * @param awsLambda the AWS Lambda client
 * @param functionName the name of the Lambda function to update
 * @param bucketName the name of the S3 bucket where the function code is
located
 * @param key the key (file name) of the function code in the S3 bucket
 * @throws LambdaException if there is an error updating the function code
 */
public static void updateFunctionCode(LambdaClient awsLambda, String
functionName, String bucketName, String key) {
    try {
        LambdaWaiter waiter = awsLambda.waiter();
        UpdateFunctionCodeRequest functionCodeRequest =
UpdateFunctionCodeRequest.builder()
            .functionName(functionName)
            .publish(true)
            .s3Bucket(bucketName)
            .s3Key(key)
            .build();

        UpdateFunctionCodeResponse response =
awsLambda.updateFunctionCode(functionCodeRequest);
        GetFunctionConfigurationRequest getFunctionConfigRequest =
GetFunctionConfigurationRequest.builder()
            .functionName(functionName)
            .build();

        WaiterResponse<GetFunctionConfigurationResponse> waiterResponse = waiter
```

```
        .waitUntilFunctionUpdated(getFunctionConfigRequest);
    waiterResponse.matched().response().ifPresent(System.out::println);
    System.out.println("The last modified value is " +
response.lastModified());

} catch (LambdaException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}

/***
 * Updates the configuration of an AWS Lambda function.
 *
 * @param awsLambda      the {@link LambdaClient} instance to use for the AWS
Lambda operation
 * @param functionName   the name of the AWS Lambda function to update
 * @param handler         the new handler for the AWS Lambda function
 *
 * @throws LambdaException if there is an error while updating the function
configuration
 */
public static void updateFunctionConfiguration(LambdaClient awsLambda, String
functionName, String handler) {
    try {
        UpdateFunctionConfigurationRequest configurationRequest =
UpdateFunctionConfigurationRequest.builder()
        .functionName(functionName)
        .handler(handler)
        .runtime(Runtime.JAVA17)
        .build();

        awsLambda.updateFunctionConfiguration(configurationRequest);

    } catch (LambdaException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}

/***
 * Deletes an AWS Lambda function.
 *
```

```
* @param awsLambda      an instance of the {@link LambdaClient} class, which is
used to interact with the AWS Lambda service
* @param functionName  the name of the Lambda function to be deleted
*
* @throws LambdaException if an error occurs while deleting the Lambda function
*/
public static void deleteLambdaFunction(LambdaClient awsLambda, String
functionName) {
    try {
        DeleteFunctionRequest request = DeleteFunctionRequest.builder()
            .functionName(functionName)
            .build();

        awsLambda.deleteFunction(request);
        System.out.println("The " + functionName + " function was deleted");

    } catch (LambdaException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [CreateFunction](#)
- [DeleteFunction](#)
- [GetFunction](#)
- [Invoke](#)
- [ListFunctions](#)
- [UpdateFunctionCode](#)
- [UpdateFunctionConfiguration](#)

Actions

CreateFunction

The following code example shows how to use CreateFunction.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Creates a new Lambda function in AWS using the AWS Lambda Java API.  
 *  
 * @param awsLambda      the AWS Lambda client used to interact with the AWS  
Lambda service  
 * @param functionName   the name of the Lambda function to create  
 * @param key             the S3 key of the function code  
 * @param bucketName     the name of the S3 bucket containing the function code  
 * @param role            the IAM role to assign to the Lambda function  
 * @param handler         the fully qualified class name of the function handler  
 * @return the Amazon Resource Name (ARN) of the created Lambda function  
 */  
public static String createLambdaFunction(LambdaClient awsLambda,  
                                         String functionName,  
                                         String key,  
                                         String bucketName,  
                                         String role,  
                                         String handler) {  
  
    try {  
        LambdaWaiter waiter = awsLambda.waiter();  
        FunctionCode code = FunctionCode.builder()  
            .s3Key(key)  
            .s3Bucket(bucketName)  
            .build();  
  
        CreateFunctionRequest functionRequest = CreateFunctionRequest.builder()  
            .functionName(functionName)  
            .description("Created by the Lambda Java API")  
            .code(code)  
            .handler(handler)  
            .runtime(Runtime.JAVA17)  
            .role(role)  
            .build();  
    } catch (Exception e) {  
        System.out.println("Error creating Lambda function: " + e.getMessage());  
    }  
}
```

```
// Create a Lambda function using a waiter
CreateFunctionResponse functionResponse =
awsLambda.createFunction(functionRequest);
    GetFunctionRequest getFunctionRequest = GetFunctionRequest.builder()
        .functionName(functionName)
        .build();
    WaiterResponse<GetFunctionResponse> waiterResponse =
waiter.waitUntilFunctionExists(getFunctionRequest);
    waiterResponse.matched().response().ifPresent(System.out::println);
    return functionResponse.functionArn();

} catch (LambdaException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
return "";
}
```

- For API details, see [CreateFunction](#) in *AWS SDK for Java 2.x API Reference*.

DeleteFunction

The following code example shows how to use DeleteFunction.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Deletes an AWS Lambda function.
 *
 * @param awsLambda      an instance of the {@link LambdaClient} class, which is
 * used to interact with the AWS Lambda service
 * @param functionName   the name of the Lambda function to be deleted
 *
```

```
* @throws LambdaException if an error occurs while deleting the Lambda function
*/
public static void deleteLambdaFunction(LambdaClient awsLambda, String
functionName) {
    try {
        DeleteFunctionRequest request = DeleteFunctionRequest.builder()
            .functionName(functionName)
            .build();

        awsLambda.deleteFunction(request);
        System.out.println("The " + functionName + " function was deleted");

    } catch (LambdaException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

- For API details, see [DeleteFunction](#) in *AWS SDK for Java 2.x API Reference*.

GetFunction

The following code example shows how to use GetFunction.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Retrieves information about an AWS Lambda function.
 *
 * @param awsLambda an instance of the {@link LambdaClient} class, which is
 * used to interact with the AWS Lambda service
 * @param functionName the name of the AWS Lambda function to retrieve
 * information about
 */
public static void getFunction(LambdaClient awsLambda, String functionName) {
```

```
try {
    GetFunctionRequest functionRequest = GetFunctionRequest.builder()
        .functionName(functionName)
        .build();

    GetFunctionResponse response = awsLambda.getFunction(functionRequest);
    System.out.println("The runtime of this Lambda function is " +
response.configuration().runtime());

} catch (LambdaException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
}
```

- For API details, see [GetFunction](#) in *AWS SDK for Java 2.x API Reference*.

Invoke

The following code example shows how to use Invoke.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Invokes a specific AWS Lambda function.
 *
 * @param awsLambda      an instance of {@link LambdaClient} to interact with the
 * AWS Lambda service
 * @param functionName   the name of the AWS Lambda function to be invoked
 */
public static void invokeFunction(LambdaClient awsLambda, String functionName) {
    InvokeResponse res;
    try {
        // Need a SdkBytes instance for the payload.
        JSONObject jsonObj = new JSONObject();
```

```
        jsonObj.put("inputValue", "2000");
        String json = jsonObj.toString();
        SdkBytes payload = SdkBytes.fromUtf8String(json);

        InvokeRequest request = InvokeRequest.builder()
            .functionName(functionName)
            .payload(payload)
            .build();

        res = awsLambda.invoke(request);
        String value = res.payload().asUtf8String();
        System.out.println(value);

    } catch (LambdaException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

- For API details, see [Invoke in AWS SDK for Java 2.x API Reference](#).

UpdateFunctionCode

The following code example shows how to use UpdateFunctionCode.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Retrieves information about an AWS Lambda function.
 *
 * @param awsLambda an instance of the {@link LambdaClient} class, which is
 * used to interact with the AWS Lambda service
 * @param functionName the name of the AWS Lambda function to retrieve
 * information about
 */
```

```
public static void getFunction(LambdaClient awsLambda, String functionName) {  
    try {  
        GetFunctionRequest functionRequest = GetFunctionRequest.builder()  
            .functionName(functionName)  
            .build();  
  
        GetFunctionResponse response = awsLambda.getFunction(functionRequest);  
        System.out.println("The runtime of this Lambda function is " +  
response.configuration().runtime());  
  
    } catch (LambdaException e) {  
        System.err.println(e.getMessage());  
        System.exit(1);  
    }  
}
```

- For API details, see [UpdateFunctionCode](#) in *AWS SDK for Java 2.x API Reference*.

UpdateFunctionConfiguration

The following code example shows how to use `UpdateFunctionConfiguration`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Updates the configuration of an AWS Lambda function.  
 *  
 * @param awsLambda      the {@link LambdaClient} instance to use for the AWS  
Lambda operation  
 * @param functionName   the name of the AWS Lambda function to update  
 * @param handler        the new handler for the AWS Lambda function  
 *  
 * @throws LambdaException if there is an error while updating the function  
configuration  
 */
```

```
public static void updateFunctionConfiguration(LambdaClient awsLambda, String
functionName, String handler) {
    try {
        UpdateFunctionConfigurationRequest configurationRequest =
UpdateFunctionConfigurationRequest.builder()
            .functionName(functionName)
            .handler(handler)
            .runtime(Runtime.JAVA17)
            .build();

        awsLambda.updateFunctionConfiguration(configurationRequest);

    } catch (LambdaException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

- For API details, see [UpdateFunctionConfiguration](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Create a serverless application to manage photos

The following code example shows how to create a serverless application that lets users manage photos using labels.

SDK for Java 2.x

Shows how to develop a photo asset management application that detects labels in images using Amazon Rekognition and stores them for later retrieval.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

For a deep dive into the origin of this example see the post on [AWS Community](#).

Services used in this example

- API Gateway
- DynamoDB

- Lambda
- Amazon Rekognition
- Amazon S3
- Amazon SNS

Create an application to analyze customer feedback

The following code example shows how to create an application that analyzes customer comment cards, translates them from their original language, determines their sentiment, and generates an audio file from the translated text.

SDK for Java 2.x

This example application analyzes and stores customer feedback cards. Specifically, it fulfills the need of a fictitious hotel in New York City. The hotel receives feedback from guests in various languages in the form of physical comment cards. That feedback is uploaded into the app through a web client. After an image of a comment card is uploaded, the following steps occur:

- Text is extracted from the image using Amazon Textract.
- Amazon Comprehend determines the sentiment of the extracted text and its language.
- The extracted text is translated to English using Amazon Translate.
- Amazon Polly synthesizes an audio file from the extracted text.

The full app can be deployed with the AWS CDK. For source code and deployment instructions, see the project in [GitHub](#).

Services used in this example

- Amazon Comprehend
- Lambda
- Amazon Polly
- Amazon Textract
- Amazon Translate

Use API Gateway to invoke a Lambda function

The following code example shows how to create an AWS Lambda function invoked by Amazon API Gateway.

SDK for Java 2.x

Shows how to create an AWS Lambda function by using the Lambda Java runtime API. This example invokes different AWS services to perform a specific use case. This example demonstrates how to create a Lambda function invoked by Amazon API Gateway that scans an Amazon DynamoDB table for work anniversaries and uses Amazon Simple Notification Service (Amazon SNS) to send a text message to your employees that congratulates them at their one year anniversary date.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- API Gateway
- DynamoDB
- Lambda
- Amazon SNS

Use Step Functions to invoke Lambda functions

The following code example shows how to create an AWS Step Functions state machine that invokes AWS Lambda functions in sequence.

SDK for Java 2.x

Shows how to create an AWS serverless workflow by using AWS Step Functions and the AWS SDK for Java 2.x. Each workflow step is implemented using an AWS Lambda function.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- DynamoDB
- Lambda
- Amazon SES
- Step Functions

Use scheduled events to invoke a Lambda function

The following code example shows how to create an AWS Lambda function invoked by an Amazon EventBridge scheduled event.

SDK for Java 2.x

Shows how to create an Amazon EventBridge scheduled event that invokes an AWS Lambda function. Configure EventBridge to use a cron expression to schedule when the Lambda function is invoked. In this example, you create a Lambda function by using the Lambda Java runtime API. This example invokes different AWS services to perform a specific use case. This example demonstrates how to create an app that sends a mobile text message to your employees that congratulates them at the one year anniversary date.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- DynamoDB
- EventBridge
- Lambda
- Amazon SNS

Serverless examples

Connecting to an Amazon RDS database in a Lambda function

The following code example shows how to implement a Lambda function that connects to an RDS database. The function makes a simple database request and returns the result.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [Serverless examples](#) repository.

Connecting to an Amazon RDS database in a Lambda function using Java.

```
import com.amazonaws.services.lambda.runtime.Context;
import com.amazonaws.services.lambda.runtime.RequestHandler;
import com.amazonaws.services.lambda.runtime.events.APIGatewayProxyRequestEvent;
import com.amazonaws.services.lambda.runtime.events.APIGatewayProxyResponseEvent;
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rdsdata.RdsDataClient;
import software.amazon.awssdk.services.rdsdata.model.ExecuteStatementRequest;
import software.amazon.awssdk.services.rdsdata.model.ExecuteStatementResponse;
import software.amazon.awssdk.services.rdsdata.model.Field;

import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.PreparedStatement;
import java.sql.ResultSet;

public class RdsLambdaHandler implements RequestHandler<APIGatewayProxyRequestEvent,
    APIGatewayProxyResponseEvent> {

    @Override
    public APIGatewayProxyResponseEvent handleRequest(APIGatewayProxyRequestEvent
        event, Context context) {
        APIGatewayProxyResponseEvent response = new APIGatewayProxyResponseEvent();

        try {
            // Obtain auth token
            String token = createAuthToken();

            // Define connection configuration
            String connectionString = String.format("jdbc:mysql://%s:%s/%s?"
useSSL=true&requireSSL=true",
                System.getenv("ProxyHostName"),
                System.getenv("Port"),
                System.getenv("DBName"));

            // Establish a connection to the database
            try (Connection connection =
DriverManager.getConnection(connectionString, System.getenv("DBUserName"), token);
                PreparedStatement statement = connection.prepareStatement("SELECT ?
+ ? AS sum")) {

                statement.setInt(1, 3);
                statement.setInt(2, 2);


```

```
        try (ResultSet resultSet = statement.executeQuery()) {
            if (resultSet.next()) {
                int sum = resultSet.getInt("sum");
                response.setStatusCode(200);
                response.setBody("The selected sum is: " + sum);
            }
        }
    }

} catch (Exception e) {
    response.setStatusCode(500);
    response.setBody("Error: " + e.getMessage());
}

return response;
}

private String createAuthToken() {
    // Create RDS Data Service client
    RdsDataClient rdsDataClient = RdsDataClient.builder()
        .region(Region.of(System.getenv("AWS_REGION")))
        .credentialsProvider(DefaultCredentialsProvider.create())
        .build();

    // Define authentication request
    ExecuteStatementRequest request = ExecuteStatementRequest.builder()
        .resourceArn(System.getenv("ProxyHostName"))
        .secretArn(System.getenv("DBUserName"))
        .database(System.getenv("DBName"))
        .sql("SELECT 'RDS IAM Authentication'")
        .build();

    // Execute request and obtain authentication token
    ExecuteStatementResponse response = rdsDataClient.executeStatement(request);
    Field tokenField = response.records().get(0).get(0);

    return tokenField.stringValue();
}
}
```

Invoke a Lambda function from a Kinesis trigger

The following code example shows how to implement a Lambda function that receives an event triggered by receiving records from a Kinesis stream. The function retrieves the Kinesis payload, decodes from Base64, and logs the record contents.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [Serverless examples](#) repository.

Consuming a Kinesis event with Lambda using Java.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package example;

import com.amazonaws.services.lambda.runtime.Context;
import com.amazonaws.services.lambda.runtime.LambdaLogger;
import com.amazonaws.services.lambda.runtime.RequestHandler;
import com.amazonaws.services.lambda.runtime.events.KinesisEvent;

public class Handler implements RequestHandler<KinesisEvent, Void> {
    @Override
    public Void handleRequest(final KinesisEvent event, final Context context) {
        LambdaLogger logger = context.getLogger();
        if (event.getRecords().isEmpty()) {
            logger.log("Empty Kinesis Event received");
            return null;
        }
        for (KinesisEvent.KinesisEventRecord record : event.getRecords()) {
            try {
                logger.log("Processed Event with EventId: "+record.getEventID());
                String data = new String(record.getKinesis().getData().array());
                logger.log("Data:"+ data);
                // TODO: Do interesting work based on the new data
            }
            catch (Exception ex) {
                logger.log("An error occurred:"+ex.getMessage());
            }
        }
    }
}
```

```
        throw ex;
    }
}
logger.log("Successfully processed:"+event.getRecords().size()+" records");
return null;
}

}
```

Invoke a Lambda function from a DynamoDB trigger

The following code example shows how to implement a Lambda function that receives an event triggered by receiving records from a DynamoDB stream. The function retrieves the DynamoDB payload and logs the record contents.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [Serverless examples](#) repository.

Consuming a DynamoDB event with Lambda using Java.

```
import com.amazonaws.services.lambda.runtime.Context;
import com.amazonaws.services.lambda.runtime.RequestHandler;
import com.amazonaws.services.lambda.runtime.events.DynamodbEvent;
import
com.amazonaws.services.lambda.runtime.events.DynamodbEvent.DynamodbStreamRecord;
import com.google.gson.Gson;
import com.google.gson.GsonBuilder;

public class example implements RequestHandler<DynamodbEvent, Void> {

    private static final Gson GSON = new GsonBuilder().setPrettyPrinting().create();

    @Override
    public Void handleRequest(DynamodbEvent event, Context context) {
        System.out.println(GSON.toJson(event));
    }
}
```

```
        event.getRecords().forEach(this::logDynamoDBRecord);
        return null;
    }

    private void logDynamoDBRecord(DynamodbStreamRecord record) {
        System.out.println(record.getEventID());
        System.out.println(record.geteventName());
        System.out.println("DynamoDB Record: " + GSON.toJson(record.getDynamodb()));
    }
}
```

Invoke a Lambda function from a Amazon DocumentDB trigger

The following code example shows how to implement a Lambda function that receives an event triggered by receiving records from a DocumentDB change stream. The function retrieves the DocumentDB payload and logs the record contents.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [Serverless examples](#) repository.

Consuming a Amazon DocumentDB event with Lambda using Java.

```
import java.util.List;
import java.util.Map;

import com.amazonaws.services.lambda.runtime.Context;
import com.amazonaws.services.lambda.runtime.RequestHandler;

public class Example implements RequestHandler<Map<String, Object>, String> {

    @SuppressWarnings("unchecked")
    @Override
    public String handleRequest(Map<String, Object> event, Context context) {
        List<Map<String, Object>> events = (List<Map<String, Object>>)
event.get("events");
        for (Map<String, Object> record : events) {
```

```
        Map<String, Object> eventData = (Map<String, Object>)
record.get("event");
        processEventData(eventData);
    }

    return "OK";
}

@SuppressWarnings("unchecked")
private void processEventData(Map<String, Object> eventData) {
    String operationType = (String) eventData.get("operationType");
System.out.println("operationType: %s".formatted(operationType));

    Map<String, Object> ns = (Map<String, Object>) eventData.get("ns");

    String db = (String) ns.get("db");
System.out.println("db: %s".formatted(db));
    String coll = (String) ns.get("coll");
System.out.println("coll: %s".formatted(coll));

    Map<String, Object> fullDocument = (Map<String, Object>)
eventData.get("fullDocument");
    System.out.println("fullDocument: %s".formatted(fullDocument));
}

}
```

Invoke a Lambda function from an Amazon MSK trigger

The following code example shows how to implement a Lambda function that receives an event triggered by receiving records from an Amazon MSK cluster. The function retrieves the MSK payload and logs the record contents.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [Serverless examples](#) repository.

Consuming an Amazon MSK event with Lambda using Java.

```
import com.amazonaws.services.lambda.runtime.Context;
import com.amazonaws.services.lambda.runtime.RequestHandler;
import com.amazonaws.services.lambda.runtime.events.KafkaEvent;
import com.amazonaws.services.lambda.runtime.events.KafkaEventRecord;

import java.util.Base64;
import java.util.Map;

public class Example implements RequestHandler<KafkaEvent, Void> {

    @Override
    public Void handleRequest(KafkaEvent event, Context context) {
        for (Map.Entry<String, java.util.List<KafkaEventRecord>> entry :
event.getRecords().entrySet()) {
            String key = entry.getKey();
            System.out.println("Key: " + key);

            for (KafkaEventRecord record : entry.getValue()) {
                System.out.println("Record: " + record);

                byte[] value = Base64.getDecoder().decode(record.getValue());
                String message = new String(value);
                System.out.println("Message: " + message);
            }
        }

        return null;
    }
}
```

Invoke a Lambda function from an Amazon S3 trigger

The following code example shows how to implement a Lambda function that receives an event triggered by uploading an object to an S3 bucket. The function retrieves the S3 bucket name and object key from the event parameter and calls the Amazon S3 API to retrieve and log the content type of the object.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [Serverless examples](#) repository.

Consuming an S3 event with Lambda using Java.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package example;

import software.amazon.awssdk.services.s3.model.HeadObjectRequest;
import software.amazon.awssdk.services.s3.model.HeadObjectResponse;
import software.amazon.awssdk.services.s3.S3Client;

import com.amazonaws.services.lambda.runtime.Context;
import com.amazonaws.services.lambda.runtime.RequestHandler;
import com.amazonaws.services.lambda.runtime.events.S3Event;
import
com.amazonaws.services.lambda.runtime.events.models.s3.S3EventNotification.S3EventNotificat

import org.slf4j.Logger;
import org.slf4j.LoggerFactory;

public class Handler implements RequestHandler<S3Event, String> {
    private static final Logger logger = LoggerFactory.getLogger(Handler.class);
    @Override
    public String handleRequest(S3Event s3event, Context context) {
        try {
            S3EventNotificationRecord record = s3event.getRecords().get(0);
            String srcBucket = record.getS3().getBucket().getName();
            String srcKey = record.getS3().getObject().getUrlDecodedKey();

            S3Client s3Client = S3Client.builder().build();
            HeadObjectResponse headObject = getHeadObject(s3Client, srcBucket,
srcKey);

            logger.info("Successfully retrieved " + srcBucket + "/" + srcKey + " of
type " + headObject.contentType());
        }
    }
}
```

```
        return "Ok";
    } catch (Exception e) {
        throw new RuntimeException(e);
    }
}

private HeadObjectResponse getHeadObject(S3Client s3Client, String bucket,
String key) {
    HeadObjectRequest headObjectRequest = HeadObjectRequest.builder()
        .bucket(bucket)
        .key(key)
        .build();
    return s3Client.headObject(headObjectRequest);
}
}
```

Invoke a Lambda function from an Amazon SNS trigger

The following code example shows how to implement a Lambda function that receives an event triggered by receiving messages from an SNS topic. The function retrieves the messages from the event parameter and logs the content of each message.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [Serverless examples](#) repository.

Consuming an SNS event with Lambda using Java.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package example;

import com.amazonaws.services.lambda.runtime.Context;
import com.amazonaws.services.lambda.runtime.LambdaLogger;
import com.amazonaws.services.lambda.runtime.RequestHandler;
import com.amazonaws.services.lambda.runtime.events.SNSEvent;
import com.amazonaws.services.lambda.runtime.events.SNSEvent.SNSRecord;
```

```
import java.util.Iterator;
import java.util.List;

public class SNSEventHandler implements RequestHandler<SNSEvent, Boolean> {
    LambdaLogger logger;

    @Override
    public Boolean handleRequest(SNSEvent event, Context context) {
        logger = context.getLogger();
        List<SNSRecord> records = event.getRecords();
        if (!records.isEmpty()) {
            Iterator<SNSRecord> recordsIter = records.iterator();
            while (recordsIter.hasNext()) {
                processRecord(recordsIter.next());
            }
        }
        return Boolean.TRUE;
    }

    public void processRecord(SNSRecord record) {
        try {
            String message = record.getSNS().getMessage();
            logger.log("message: " + message);
        } catch (Exception e) {
            throw new RuntimeException(e);
        }
    }
}
```

Invoke a Lambda function from an Amazon SQS trigger

The following code example shows how to implement a Lambda function that receives an event triggered by receiving messages from an SQS queue. The function retrieves the messages from the event parameter and logs the content of each message.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [Serverless examples](#) repository.

Consuming an SQS event with Lambda using Java.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
import com.amazonaws.services.lambda.runtime.Context;
import com.amazonaws.services.lambda.runtime.RequestHandler;
import com.amazonaws.services.lambda.runtime.events.SQSEvent;
import com.amazonaws.services.lambda.runtime.events.SQSEvent.SQSMessage;

public class Function implements RequestHandler<SQSEvent, Void> {
    @Override
    public Void handleRequest(SQSEvent sqsEvent, Context context) {
        for (SQSMessage msg : sqsEvent.getRecords()) {
            processMessage(msg, context);
        }
        context.getLogger().log("done");
        return null;
    }

    private void processMessage(SQSMessage msg, Context context) {
        try {
            context.getLogger().log("Processed message " + msg.getBody());

            // TODO: Do interesting work based on the new message

        } catch (Exception e) {
            context.getLogger().log("An error occurred");
            throw e;
        }
    }
}
```

Reporting batch item failures for Lambda functions with a Kinesis trigger

The following code example shows how to implement partial batch response for Lambda functions that receive events from a Kinesis stream. The function reports the batch item failures in the response, signaling to Lambda to retry those messages later.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [Serverless examples](#) repository.

Reporting Kinesis batch item failures with Lambda using Java.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
import com.amazonaws.services.lambda.runtime.Context;
import com.amazonaws.services.lambda.runtime.RequestHandler;
import com.amazonaws.services.lambda.runtime.events.KinesisEvent;
import com.amazonaws.services.lambda.runtime.events.StreamsEventResponse;

import java.io.Serializable;
import java.util.ArrayList;
import java.util.List;

public class ProcessKinesisRecords implements RequestHandler<KinesisEvent,
    StreamsEventResponse> {

    @Override
    public StreamsEventResponse handleRequest(KinesisEvent input, Context context) {

        List<StreamsEventResponse.BatchItemFailure> batchItemFailures = new
        ArrayList<>();
        String curRecordSequenceNumber = "";

        for (KinesisEvent.KinesisEventRecord kinesisEventRecord :
input.getRecords()) {
            try {
                //Process your record
                KinesisEvent.Record kinesisRecord = kinesisEventRecord.getKinesis();
```

```
        curRecordSequenceNumber = kinesisRecord.getSequenceNumber();

    } catch (Exception e) {
        /* Since we are working with streams, we can return the failed item
immediately.

        Lambda will immediately begin to retry processing from this
failed item onwards. */
        batchItemFailures.add(new
StreamsEventResponse.BatchItemFailure(curRecordSequenceNumber));
        return new StreamsEventResponse(batchItemFailures);
    }
}

return new StreamsEventResponse(batchItemFailures);
}
}
```

Reporting batch item failures for Lambda functions with a DynamoDB trigger

The following code example shows how to implement partial batch response for Lambda functions that receive events from a DynamoDB stream. The function reports the batch item failures in the response, signaling to Lambda to retry those messages later.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [Serverless examples](#) repository.

Reporting DynamoDB batch item failures with Lambda using Java.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
import com.amazonaws.services.lambda.runtime.Context;
import com.amazonaws.services.lambda.runtime.RequestHandler;
import com.amazonaws.services.lambda.runtime.events.DynamodbEvent;
import com.amazonaws.services.lambda.runtime.events.StreamsEventResponse;
import com.amazonaws.services.lambda.runtime.events.models.dynamodb.StreamRecord;
```

```
import java.io.Serializable;
import java.util.ArrayList;
import java.util.List;

public class ProcessDynamodbRecords implements RequestHandler<DynamodbEvent,
Serializable> {

    @Override
    public StreamsEventResponse handleRequest(DynamodbEvent input, Context context)
    {

        List<StreamsEventResponse.BatchItemFailure> batchItemFailures = new
ArrayList<>();
        String curRecordSequenceNumber = "";

        for (DynamodbEvent.DynamodbStreamRecord dynamodbStreamRecord :
input.getRecords()) {
            try {
                //Process your record
                StreamRecord dynamodbRecord = dynamodbStreamRecord.getDynamodb();
                curRecordSequenceNumber = dynamodbRecord.getSequenceNumber();

            } catch (Exception e) {
                /* Since we are working with streams, we can return the failed item
immediately.

                    Lambda will immediately begin to retry processing from this
failed item onwards. */
                batchItemFailures.add(new
StreamsEventResponse.BatchItemFailure(curRecordSequenceNumber));
                return new StreamsEventResponse(batchItemFailures);
            }
        }

        return new StreamsEventResponse();
    }
}
```

Reporting batch item failures for Lambda functions with an Amazon SQS trigger

The following code example shows how to implement partial batch response for Lambda functions that receive events from an SQS queue. The function reports the batch item failures in the response, signaling to Lambda to retry those messages later.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [Serverless examples](#) repository.

Reporting SQS batch item failures with Lambda using Java.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
import com.amazonaws.services.lambda.runtime.Context;
import com.amazonaws.services.lambda.runtime.RequestHandler;
import com.amazonaws.services.lambda.runtime.events.SQSEvent;
import com.amazonaws.services.lambda.runtime.events.SQSBatchResponse;

import java.util.ArrayList;
import java.util.List;

public class ProcessSQSMessageBatch implements RequestHandler<SQSEvent,
SQSBatchResponse> {
    @Override
    public SQSBatchResponse handleRequest(SQSEvent sqsEvent, Context context) {

        List<SQSBatchResponse.BatchItemFailure> batchItemFailures = new
ArrayList<SQSBatchResponse.BatchItemFailure>();
        String messageId = "";
        for (SQSEvent.SQSMessage message : sqsEvent.getRecords()) {
            try {
                //process your message
                messageId = message.getMessageId();
            } catch (Exception e) {
                //Add failed message identifier to the batchItemFailures list
                batchItemFailures.add(new
SQSBatchResponse.BatchItemFailure(messageId));
            }
        }
    }
}
```

```
        }
    }
    return new SQSBatchResponse(batchItemFailures);
}
}
```

AWS community contributions

Build and test a serverless application

The following code example shows how to build and test a serverless application using API Gateway with Lambda and DynamoDB

SDK for Java 2.x

Shows how to build and test a serverless application that consists of an API Gateway with Lambda and DynamoDB using the Java SDK.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- API Gateway
- DynamoDB
- Lambda

Amazon Lex examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon Lex.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Scenarios](#)

Scenarios

Building an Amazon Lex chatbot

The following code example shows how to create a chatbot to engage your website visitors.

SDK for Java 2.x

Shows how to use the Amazon Lex API to create a Chatbot within a web application to engage your web site visitors.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- Amazon Comprehend
- Amazon Lex
- Amazon Translate

AWS Marketplace Catalog API examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with AWS Marketplace Catalog API.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [AMI products](#)
- [Channel partner offers](#)
- [Container products](#)
- [Entities](#)
- [Offers](#)
- [Products](#)
- [Resale authorization](#)

- [SaaS products](#)
- [Utilities](#)

AMI products

Add a dimension to an existing AMI product and update the offer pricing terms

The following code example shows how to add a dimension to an existing AMI product and update the offer pricing terms.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to `RunChangesets` in *Utilities* to start a changeset from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "AddDimensions",  
            "Entity": {  
                "Identifier": "prod-111111111111",  
                "Type": "AmiProduct@1.0"  
            },  
            "DetailsDocument": [  
                {  
                    "Key": "m7g.8xlarge",  
                    "Description": "m7g.8xlarge",  
                    "Name": "m7g.8xlarge",  
                    "Types": [  
                        "Metered"  
                    ],  
                    "Unit": "Hrs"  
                }  
            ]  
        }  
    ]  
}
```

```
        ],
    },
    {
        "ChangeType": "UpdatePricingTerms",
        "Entity": {
            "Type": "Offer@1.0",
            "Identifier": "offer-111111111111"
        },
        "DetailsDocument": {
            "PricingModel": "Usage",
            "Terms": [
                {
                    "Type": "UsageBasedPricingTerm",
                    "CurrencyCode": "USD",
                    "RateCards": [
                        {
                            "RateCard": [
                                {
                                    "DimensionKey": "m5.large",
                                    "Price": "0.15"
                                },
                                {
                                    "DimensionKey": "m7g.4xlarge",
                                    "Price": "0.45"
                                },
                                {
                                    "DimensionKey": "m7g.2xlarge",
                                    "Price": "0.45"
                                },
                                {
                                    "DimensionKey": "m7g.8xlarge",
                                    "Price": "0.55"
                                }
                            ]
                        }
                    ]
                }
            ]
        }
    }
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Add a region where an AMI product is deployed

The following code example shows how to add a region where an AMI product is deployed.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "AddRegions",  
            "Entity": {  
                "Type": "AmiProduct@1.0",  
                "Identifier": "prod-1111111111111111"  
            },  
            "DetailsDocument": {  
                "Regions": [  
                    "us-east-2",  
                    "us-west-2"  
                ]  
            }  
        }  
    ]  
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Create a public or limited AMI product and a public offer with hourly annual pricing

The following code example shows how to create a public or limited AMI product and a public offer with hourly annual pricing. This example creates either a standard or custom EULA.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "CreateProduct",  
            "ChangeName": "CreateProductChange",  
            "Entity": {  
                "Type": "AmiProduct@1.0"  
            },  
            "DetailsDocument": {}  
        },  
        {  
            "ChangeType": "UpdateInformation",  
            "Entity": {  
                "Type": "AmiProduct@1.0",  
                "Identifier": "$CreateProductChange.Entity.Identifier"  
            },  
            "DetailsDocument": {  
                "ProductTitle": "Sample product",  
                "ShortDescription": "Brief description",  
                "LongDescription": "Detailed description",  
                "Highlights": [  
                    "Sample highlight"  
                ],  
                "SearchKeywords": [  
                    "Sample keyword"  
                ],  
                "Categories": [  
                    "Operating Systems"  
                ],  
                "LogoUrl": "https://s3.amazonaws.com/logos/sample.png",  
                "Image": {}  
            }  
        }  
    ]  
}
```

```
        "VideoUrls": [
            "https://sample.amazonaws.com/awsmp-video-1"
        ],
        "AdditionalResources": []
    },
},
{
    "ChangeType": "AddRegions",
    "Entity": {
        "Type": "AmiProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Regions": [
            "us-east-1"
        ]
    }
},
{
    "ChangeType": "AddInstanceTypes",
    "Entity": {
        "Type": "AmiProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "InstanceTypes": [
            "t2.micro"
        ]
    }
},
{
    "ChangeType": "AddDeliveryOptions",
    "Entity": {
        "Type": "AmiProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Version": {
            "VersionTitle": "Test AMI Version1.0",
            "ReleaseNotes": "Test AMI Version"
        },
        "DeliveryOptions": [
            {
                "Details": {

```

```
        "AmiDeliveryOptionDetails": {
            "AmiSource": {
                "AmiId": "ami-1111111111111111",
                "AccessRoleArn":
                    "arn:aws:iam::111111111111:role/AWSMarketplaceAmiIngestion",
                "UserName": "ec2-user",
                "OperatingSystemName": "AMAZONLINUX",
                "OperatingSystemVersion": "10.0.14393",
                "ScanningPort": 22
            },
            "UsageInstructions": "Test AMI Version",
            "RecommendedInstanceType": "t2.micro",
            "SecurityGroups": [
                {
                    "IpProtocol": "tcp",
                    "IpRanges": [
                        "0.0.0.0/0"
                    ],
                    "FromPort": 10,
                    "ToPort": 22
                }
            ]
        }
    }
},
{
    "ChangeType": "AddDimensions",
    "Entity": {
        "Type": "AmiProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": [
        {
            "Key": "t2.micro",
            "Description": "t2.micro",
            "Name": "t2.micro",
            "Types": [
                "Metered"
            ],
            "Unit": "Hrs"
        }
    ]
}
```

```
        ],
    },
    {
        "ChangeType": "UpdateTargeting",
        "Entity": {
            "Type": "AmiProduct@1.0",
            "Identifier": "$CreateProductChange.Entity.Identifier"
        },
        "DetailsDocument": {
            "PositiveTargeting": {
                "BuyerAccounts": [
                    "111111111111",
                    "222222222222"
                ]
            }
        }
    },
    {
        "ChangeType": "ReleaseProduct",
        "Entity": {
            "Type": "AmiProduct@1.0",
            "Identifier": "$CreateProductChange.Entity.Identifier"
        },
        "DetailsDocument": {}
    },
    {
        "ChangeType": "CreateOffer",
        "ChangeName": "CreateOfferChange",
        "Entity": {
            "Type": "Offer@1.0"
        },
        "DetailsDocument": {
            "ProductId": "$CreateProductChange.Entity.Identifier"
        }
    },
    {
        "ChangeType": "UpdateInformation",
        "Entity": {
            "Type": "Offer@1.0",
            "Identifier": "$CreateOfferChange.Entity.Identifier"
        },
        "DetailsDocument": {
            "Name": "Test public offer for AmiProduct using AWS Marketplace API Reference Code",
        }
    }
]
```

```
        "Description": "Test public offer with hourly-annual pricing for
AmiProduct using AWS Marketplace API Reference Code"
    }
},
{
    "ChangeType": "UpdatePricingTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "PricingModel": "Usage",
        "Terms": [
            {
                "Type": "UsageBasedPricingTerm",
                "CurrencyCode": "USD",
                "RateCards": [
                    {
                        "RateCard": [
                            {
                                "DimensionKey": "t2.micro",
                                "Price": "0.15"
                            }
                        ]
                    }
                ]
            },
            {
                "Type": "ConfigurableUpfrontPricingTerm",
                "CurrencyCode": "USD",
                "RateCards": [
                    {
                        "Selector": {
                            "Type": "Duration",
                            "Value": "P365D"
                        },
                        "RateCard": [
                            {
                                "DimensionKey": "t2.micro",
                                "Price": "150"
                            }
                        ],
                        "Constraints": {
                            "MultipleDimensionSelection": "Allowed",
                        }
                    }
                ]
            }
        ]
    }
}
```

```
        "QuantityConfiguration": "Allowed"
    }
}
]
}
],
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "LegalTerm",
                "Documents": [
                    {
                        "Type": "StandardEula",
                        "Version": "2022-07-14"
                    }
                ]
            }
        ]
    }
},
{
    "ChangeType": "UpdateSupportTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "SupportTerm",
                "RefundPolicy": "Absolutely no refund, period."
            }
        ]
    }
},
{

```

```
        "ChangeType": "ReleaseOffer",
        "Entity": {
            "Type": "Offer@1.0",
            "Identifier": "$CreateOfferChange.Entity.Identifier"
        },
        "DetailsDocument": {}
    }
]
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Create a public or limited AMI product and public offer with hourly monthly pricing

The following code example shows how to create a public or limited AMI product and public offer with hourly monthly pricing. This example creates either a standard or custom EULA.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "CreateProduct",
            "ChangeName": "CreateProductChange",
            "Entity": {
                "Type": "AmiProduct@1.0"
            },
            "DetailsDocument": {}
        },
        {
            "ChangeType": "UpdateInformation",
            "Entity": {

```

```
        "Type": "AmiProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "ProductTitle": "Sample product",
        "ShortDescription": "Brief description",
        "LongDescription": "Detailed description",
        "Highlights": [
            "Sample highlight"
        ],
        "SearchKeywords": [
            "Sample keyword"
        ],
        "Categories": [
            "Operating Systems"
        ],
        "LogoUrl": "https://s3.amazonaws.com/logos/sample.png",
        "VideoUrls": [
            "https://sample.amazonaws.com/awsmp-video-1"
        ],
        "AdditionalResources": []
    }
},
{
    "ChangeType": "AddRegions",
    "Entity": {
        "Type": "AmiProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Regions": [
            "us-east-1"
        ]
    }
},
{
    "ChangeType": "AddInstanceTypes",
    "Entity": {
        "Type": "AmiProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "InstanceTypes": [
            "t2.micro"
        ]
    }
}
```

```
        ]
    }
},
{
    "ChangeType": "AddDeliveryOptions",
    "Entity": {
        "Type": "AmiProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Version": {
            "VersionTitle": "Test AMI Version1.0",
            "ReleaseNotes": "Test AMI Version"
        },
        "DeliveryOptions": [
            {
                "Details": {
                    "AmiDeliveryOptionDetails": {
                        "AmiSource": {
                            "AmiId": "ami-1111111111111111",
                            "AccessRoleArn":
"arn:aws:iam::111111111111:role/AWSMarketplaceAmiIngestion",
                            "UserName": "ec2-user",
                            "OperatingSystemName": "AMAZONLINUX",
                            "OperatingSystemVersion": "10.0.14393",
                            "ScanningPort": 22
                        },
                        "UsageInstructions": "Test AMI Version",
                        "RecommendedInstanceType": "t2.micro",
                        "SecurityGroups": [
                            {
                                "IpProtocol": "tcp",
                                "IpRanges": [
                                    "0.0.0.0/0"
                                ],
                                "FromPort": 10,
                                "ToPort": 22
                            }
                        ]
                    }
                }
            }
        ]
    }
}
```

```
},
{
    "ChangeType": "AddDimensions",
    "Entity": {
        "Type": "AmiProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": [
        {
            "Key": "t2.micro",
            "Description": "t2.micro",
            "Name": "t2.micro",
            "Types": [
                "Metered"
            ],
            "Unit": "Hrs"
        }
    ]
},
{
    "ChangeType": "UpdateTargeting",
    "Entity": {
        "Type": "AmiProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "PositiveTargeting": {
            "BuyerAccounts": [
                "111111111111",
                "222222222222"
            ]
        }
    }
},
{
    "ChangeType": "ReleaseProduct",
    "Entity": {
        "Type": "AmiProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": {}
},
{
    "ChangeType": "CreateOffer",
```

```
"ChangeName": "CreateOfferChange",
"Entity": {
    "Type": "Offer@1.0"
},
"DetailsDocument": {
    "ProductId": "$CreateProductChange.Entity.Identifier"
}
},
{
    "ChangeType": "UpdateInformation",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Name": "Test public offer for AmiProduct using AWS Marketplace API Reference Code",
        "Description": "Test public offer with hourly-monthly pricing for AmiProduct using AWS Marketplace API Reference Code"
    }
},
{
    "ChangeType": "UpdatePricingTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "PricingModel": "Usage",
        "Terms": [
            {
                "Type": "UsageBasedPricingTerm",
                "CurrencyCode": "USD",
                "RateCards": [
                    {
                        "RateCard": [
                            {
                                "DimensionKey": "t2.micro",
                                "Price": "0.15"
                            }
                        ]
                    }
                ]
            }
        ],
        "Offer": [
            {
                "Offer": [
                    {
                        "Offer": [
                            {
                                "Offer": [
                                    {
                                        "Offer": [
                                            {
                                                "Offer": [
                                                    {
                                                        "Offer": [
                                                            {
                                                                "Offer": [
                                                                    {
                                                                        "Offer": [
                                                                            {
                                                                                "Offer": [
                                                                                    {
                                                                                        "Offer": [
                                                                                            {
                                                                                                "Offer": [
                                                                                                    {
                                                                                                        "Offer": [
                                                                                                            {
                                                                                                                "Offer": [
                                                                                                                    {
                                                                                                                        "Offer": [
                                                                                                                            {
                                                                                                                                "Offer": [
                                                                                                                                    {
                                                                ................................................................
```

```
{  
    "Type": "RecurringPaymentTerm",  
    "CurrencyCode": "USD",  
    "BillingPeriod": "Monthly",  
    "Price": "15.0"  
}  
]  
}  
},  
{  
    "ChangeType": "UpdateLegalTerms",  
    "Entity": {  
        "Type": "Offer@1.0",  
        "Identifier": "$CreateOfferChange.Entity.Identifier"  
    },  
    "DetailsDocument": {  
        "Terms": [  
            {  
                "Type": "LegalTerm",  
                "Documents": [  
                    {  
                        "Type": "StandardEula",  
                        "Version": "2022-07-14"  
                    }  
                ]  
            }  
        ]  
    }  
},  
{  
    "ChangeType": "UpdateSupportTerms",  
    "Entity": {  
        "Type": "Offer@1.0",  
        "Identifier": "$CreateOfferChange.Entity.Identifier"  
    },  
    "DetailsDocument": {  
        "Terms": [  
            {  
                "Type": "SupportTerm",  
                "RefundPolicy": "Absolutely no refund, period."  
            }  
        ]  
    }  
},  
},
```

```
{  
    "ChangeType": "ReleaseOffer",  
    "Entity": {  
        "Type": "Offer@1.0",  
        "Identifier": "$CreateOfferChange.Entity.Identifier"  
    },  
    "DetailsDocument": {}  
}  
]  
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Create a public or limited AMI product and public offer with hourly pricing

The following code example shows how to create a public or limited AMI product and public offer with hourly pricing. This example creates either and standard or custom EULA.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "CreateProduct",  
            "ChangeName": "CreateProductChange",  
            "Entity": {  
                "Type": "AmiProduct@1.0"  
            },  
            "DetailsDocument": {}  
        },  
        {  
            "ChangeType": "UpdateInformation",  
            "ChangeName": "UpdateInformationChange",  
            "Entity": {  
                "Type": "AmiProduct@1.0"  
            },  
            "DetailsDocument": {}  
        }  
    ]  
}
```

```
"Entity": {
    "Type": "AmiProduct@1.0",
    "Identifier": "$CreateProductChange.Entity.Identifier"
},
"DetailsDocument": {
    "ProductTitle": "Sample product",
    "ShortDescription": "Brief description",
    "LongDescription": "Detailed description",
    "Highlights": [
        "Sample highlight"
    ],
    "SearchKeywords": [
        "Sample keyword"
    ],
    "Categories": [
        "Operating Systems"
    ],
    "LogoUrl": "https://s3.amazonaws.com/logos/sample.png",
    "VideoUrls": [
        "https://sample.amazonaws.com/awsmp-video-1"
    ],
    "AdditionalResources": []
}
},
{
    "ChangeType": "AddRegions",
    "Entity": {
        "Type": "AmiProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Regions": [
            "us-east-1"
        ]
    }
},
{
    "ChangeType": "AddInstanceTypes",
    "Entity": {
        "Type": "AmiProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "InstanceTypes": [

```

```
        "t2.micro"
    ],
}
},
{
    "ChangeType": "AddDeliveryOptions",
    "Entity": {
        "Type": "AmiProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Version": {
            "VersionTitle": "Test AMI Version1.0",
            "ReleaseNotes": "Test AMI Version"
        },
        "DeliveryOptions": [
            {
                "Details": {
                    "AmiDeliveryOptionDetails": {
                        "AmiSource": {
                            "AmiId": "ami-1111111111111111",
                            "AccessRoleArn": "arn:aws:iam::111111111111:role/AWSMarketplaceAmiIngestion",
                            "UserName": "ec2-user",
                            "OperatingSystemName": "AMAZONLINUX",
                            "OperatingSystemVersion": "10.0.14393",
                            "ScanningPort": 22
                        },
                        "UsageInstructions": "Test AMI Version",
                        "RecommendedInstanceType": "t2.micro",
                        "SecurityGroups": [
                            {
                                "IpProtocol": "tcp",
                                "IpRanges": [
                                    "0.0.0.0/0"
                                ],
                                "FromPort": 10,
                                "ToPort": 22
                            }
                        ]
                    }
                }
            }
        ]
    }
}
```

```
        },
        {
            "ChangeType": "AddDimensions",
            "Entity": {
                "Type": "AmiProduct@1.0",
                "Identifier": "$CreateProductChange.Entity.Identifier"
            },
            "DetailsDocument": [
                {
                    "Key": "t2.micro",
                    "Description": "t2.micro",
                    "Name": "t2.micro",
                    "Types": [
                        "Metered"
                    ],
                    "Unit": "Hrs"
                }
            ]
        },
        {
            "ChangeType": "UpdateTargeting",
            "Entity": {
                "Type": "AmiProduct@1.0",
                "Identifier": "$CreateProductChange.Entity.Identifier"
            },
            "DetailsDocument": {
                "PositiveTargeting": {
                    "BuyerAccounts": [
                        "111111111111",
                        "222222222222"
                    ]
                }
            }
        },
        {
            "ChangeType": "ReleaseProduct",
            "Entity": {
                "Type": "AmiProduct@1.0",
                "Identifier": "$CreateProductChange.Entity.Identifier"
            },
            "DetailsDocument": {}
        },
        {

```

```
"ChangeType": "CreateOffer",
"ChangeName": "CreateOfferChange",
"Entity": {
    "Type": "Offer@1.0"
},
"DetailsDocument": {
    "ProductId": "$CreateProductChange.Entity.Identifier"
}
},
{
    "ChangeType": "UpdateInformation",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Name": "Test public offer for AmiProduct using AWS Marketplace API Reference Code",
        "Description": "Test public offer with hourly pricing for AmiProduct using AWS Marketplace API Reference Code"
    }
},
{
    "ChangeType": "UpdatePricingTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "PricingModel": "Usage",
        "Terms": [
            {
                "Type": "UsageBasedPricingTerm",
                "CurrencyCode": "USD",
                "RateCards": [
                    {
                        "RateCard": [
                            {
                                "DimensionKey": "t2.micro",
                                "Price": "0.15"
                            }
                        ]
                    }
                ]
            }
        ]
    }
}
```

```
        }
    ]
}
},
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "LegalTerm",
                "Documents": [
                    {
                        "Type": "StandardEula",
                        "Version": "2022-07-14"
                    }
                ]
            }
        ]
    }
},
{
    "ChangeType": "UpdateSupportTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "SupportTerm",
                "RefundPolicy": "Absolutely no refund, period."
            }
        ]
    }
},
{
    "ChangeType": "ReleaseOffer",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    }
}
```

```
        },
        "DetailsDocument": {}
    }
]
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Create an draft AMI product with a draft public offer

The following code example shows how to create an draft AMI product with a draft public offer.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to `RunChangesets` in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "CreateProduct",
            "ChangeName": "CreateProductChange",
            "Entity": {
                "Type": "AmiProduct@1.0"
            },
            "DetailsDocument": {
                "ProductTitle": "Sample product"
            }
        },
        {
            "ChangeType": "CreateOffer",
            "ChangeName": "CreateOfferChange",
            "Entity": {
                "Type": "Offer@1.0"
            },
            "DetailsDocument": {
                "OfferTitle": "Sample offer"
            }
        }
    ]
}
```

```
        "DetailsDocument": {
            "ProductId": "$CreateProductChange.Entity.Identifier",
            "Name": "Test Offer"
        }
    }
]
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Restrict a region where an AMI product is deployed

The following code example shows how to restrict a region where an AMI product is deployed.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to `RunChangesets` in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "RestrictRegions",
            "Entity": {
                "Type": "AmiProduct@1.0",
                "Identifier": "prod-11111111111111"
            },
            "DetailsDocument": {
                "Regions": [
                    "us-west-2"
                ]
            }
        }
    ]
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Restrict product visibility

The following code example shows how to restrict product visibility.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to `RunChangesets` in *Utilities to start a changeset* from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "UpdateVisibility",  
            "Entity": {  
                "Type": "AmiProduct@1.0",  
                "Identifier": "prod-1111111111111111"  
            },  
            "DetailsDocument": {  
                "TargetVisibility": "Restricted"  
            }  
        }  
    ]  
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Specify whether AMI assets are deployed in new regions

The following code example shows how to specify whether AMI assets are deployed in new regions built by AWS to support future regions.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "UpdateFutureRegionSupport",  
            "Entity": {  
                "Type": "AmiProduct@1.0",  
                "Identifier": "prod-11111111111111"  
            },  
            "DetailsDocument": {  
                "FutureRegionSupport": {  
                    "SupportedRegions": [  
                        "All"  
                    ]  
                }  
            }  
        }  
    ]  
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Channel partner offers

Create a draft CPPO for any product type

The following code example shows how to create a draft CPPO for any product type so you can review them internally before publishing to buyers.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "CreateOfferUsingResaleAuthorization",  
            "Entity": {  
                "Type": "Offer@1.0"  
            },  
            "DetailsDocument": {  
                "ResaleAuthorizationId": "11111111-1111-1111-1111-111111111111",  
                "Name": "Test Offer",  
                "Description": "Test product"  
            }  
        }  
    ]  
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Create a resale authorization replacement private offer with contract pricing

The following code example shows how to create a resale authorization replacement private offer from an existing agreement with contract pricing.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType" : "CreateReplacementOfferUsingResaleAuthorization",  
            "Entity": {  
                "Type": "Offer@1.0"  
            },  
            "ChangeName": "CreateReplacementOfferResaleAuth",  
            "DetailsDocument": {  
                "AgreementId": "agmt-11111111111111111111111111",  
                "ResaleAuthorizationId": "resaleauthz-1111111111111111"  
            }  
        },  
        {  
            "ChangeType": "UpdateInformation",  
            "Entity": {  
                "Type": "Offer@1.0",  
                "Identifier": "$CreateReplacementOfferResaleAuth.Entity.Identifier"  
            },  
            "DetailsDocument": {  
                "Name": "Test replacement offer for SaaSProduct using AWS  
Marketplace API Reference Codes",  
                "Description": "Test private resale replacement offer with contract  
pricing for SaaSProduct"  
            }  
        },  
        {  
            "ChangeType": "UpdatePricingTerms",  
            "Entity": {  
                "Type": "Offer@1.0",  
            }  
        }  
    ]  
}
```

```
        "Identifier": "$CreateReplacementOfferResaleAuth.Entity.Identifier"
    },
    "DetailsDocument": {
        "PricingModel": "Contract",
        "Terms": [
            {
                "Type": "FixedUpfrontPricingTerm",
                "CurrencyCode": "USD",
                "Price": "0.0",
                "Duration": "P12M",
                "Grants": [
                    {
                        "DimensionKey": "BasicService",
                        "MaxQuantity": 2
                    }
                ]
            }
        ]
    }
},
{
    "ChangeType": "UpdateValidityTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateReplacementOfferResaleAuth.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "ValidityTerm",
                "AgreementEndDate": "2024-01-30"
            }
        ]
    }
},
{
    "ChangeType": "UpdatePaymentScheduleTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateReplacementOfferResaleAuth.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {

```

```
        "Type": "PaymentScheduleTerm",
        "CurrencyCode": "USD",
        "Schedule": [
            {
                "ChargeDate": "2024-01-01",
                "ChargeAmount": "0"
            }
        ]
    }
},
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateReplacementOfferResaleAuth.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "LegalTerm",
                "Documents": [
                    {
                        "Type": "StandardEula",
                        "Version": "2022-07-14"
                    }
                ]
            }
        ]
    }
},
{
    "ChangeType": "UpdateAvailability",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateReplacementOfferResaleAuth.Entity.Identifier"
    },
    "DetailsDocument": {
        "AvailabilityEndDate": "2023-12-31"
    }
},
{
    "ChangeType": "ReleaseOffer",
```

```
        "Entity": {
            "Type": "Offer@1.0",
            "Identifier": "$CreateReplacementOfferResaleAuth.Entity.Identifier"
        },
        "DetailsDocument": {}
    }
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

List all CPPOs created by a channel partner

The following code example shows how to list all CPPOs created by a channel partner.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
package com.example.awsmarketplace.catalogapi;

import java.util.ArrayList;
import java.util.List;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;
import com.example.awsmarketplace.utils.ReferenceCodesUtils;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.core.document.Document;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import software.amazon.awssdk.services.marketplacecatalog.MarketplaceCatalogClient;
import
software.amazon.awssdk.services.marketplacecatalog.model.DescribeEntityRequest;
import
software.amazon.awssdk.services.marketplacecatalog.model.DescribeEntityResponse;
import software.amazon.awssdk.services.marketplacecatalog.model.EntitySummary;
import software.amazon.awssdk.services.marketplacecatalog.model.ListEntitiesRequest;
```

```
import
software.amazon.awssdk.services.marketplacecatalog.model.ListEntitiesResponse;

public class ListAllCppoOffers {

/*
 * List all CPPOs created by a channel partner
 */
public static void main(String[] args) {

    List<String> cppoOfferIds = getAllCppoOfferIds();

    ReferenceCodesUtils.formatOutput(cppoOfferIds);
}

public static List<String> getAllCppoOfferIds() {
    MarketplaceCatalogClient marketplaceCatalogClient =
        MarketplaceCatalogClient.builder()
            .httpClient(ApacheHttpClient.builder().build())
            .credentialsProvider(ProfileCredentialsProvider.create())
            .build();

    // get all offer entity ids
    List<String> entityIdList = new ArrayList<String>();

    ListEntitiesRequest listEntitiesRequest =
        ListEntitiesRequest.builder()
            .catalog(AWS_MP_CATALOG)
            .entityType(ENTITY_TYPE_OFFER)
            .maxResults(10)
            .nextToken(null)
            .build();

    ListEntitiesResponse listEntitiesResponse =
        marketplaceCatalogClient.listEntities(listEntitiesRequest);

    for (EntitySummary entitySummary : listEntitiesResponse.entitySummaryList()) {
        entityIdList.add(entitySummary.entityId());
    }

    while (listEntitiesResponse.nextToken() != null) {
        listEntitiesRequest =
            ListEntitiesRequest.builder()
                .catalog(AWS_MP_CATALOG)
```

```
.entityType(ENTITY_TYPE_OFFER)
.maxResults(10)
.nextToken(listEntitiesResponse.nextToken())
.build();
listEntitiesResponse =
marketplaceCatalogClient.listEntities(listEntitiesRequest);

for (EntitySummary entitySummary : listEntitiesResponse.entitySummaryList()) {
    entityIdList.add(entitySummary.entityId());
}
}

// filter for CPP0 offers: ResaleAuthorizationId exists in Details

List<String> cppoOfferIds = new ArrayList<String>();

for (String entityId : entityIdList) {
    DescribeEntityRequest describeEntityRequest =
        DescribeEntityRequest.builder()
            .catalog(AWS_MP_CATALOG)
            .entityId(entityId)
            .build();
    DescribeEntityResponse describeEntityResponse =
marketplaceCatalogClient.describeEntity(describeEntityRequest);

    Document resaleAuthorizationDocument =
describeEntityResponse.detailsDocument().asMap().get(ATTRIBUTE_RESALE_AUTHORIZATION_ID);
    String resaleAuthorizationId = resaleAuthorizationDocument != null ?
resaleAuthorizationDocumentAsString() : "";

    if (!resaleAuthorizationId.isEmpty()) {
        cppoOfferIds.add(resaleAuthorizationId);
    }
}
return cppoOfferIds;
}

}
```

- For API details, see [ListEntities](#) in *AWS SDK for Java 2.x API Reference*.

List all shared resale authorizations available to a channel partner

The following code example shows how to list all shared resale authorizations available to a channel partner.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
package com.example.awsmarketplace.catalogapi;

import java.util.ArrayList;
import java.util.List;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;
import com.example.awsmarketplace.utils.ReferenceCodesUtils;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import software.amazon.awssdk.services.marketplacecatalog.MarketplaceCatalogClient;
import software.amazon.awssdk.services.marketplacecatalog.model.ListEntitiesRequest;
import
software.amazon.awssdk.services.marketplacecatalog.model.ListEntitiesResponse;

public class ListAllSharedResaleAuthorizations {

    /*
     * list all resale authorizations shared to an account
     */
    public static void main(String[] args) {

        List<ListEntitiesResponse> responseList = getListEntityResponseList();
        ReferenceCodesUtils.formatOutput(responseList);
    }

    public static List<ListEntitiesResponse> getListEntityResponseList() {
        MarketplaceCatalogClient marketplaceCatalogClient =
            MarketplaceCatalogClient.builder()
```

```
.httpClient(ApacheHttpClient.builder().build())
.credentialsProvider(ProfileCredentialsProvider.create())
.build();

List<ListEntitiesResponse> responseList = new ArrayList<ListEntitiesResponse>();

ListEntitiesRequest listEntitiesRequest =
    ListEntitiesRequest.builder()
        .catalog(AWS_MP_CATALOG)
        .entityType(ENTITY_TYPE_RESALE_AUTHORIZATION)
        .maxResults(10)
        .ownershipType(OWNERSHIP_TYPE_SHARED)
        .nextToken(null)
        .build();

ListEntitiesResponse listEntitiesResponse =
marketplaceCatalogClient.listEntities(listEntitiesRequest);

responseList.add(listEntitiesResponse);

while (listEntitiesResponse.nextToken() != null) {
    listEntitiesRequest = ListEntitiesRequest.builder()
        .catalog(AWS_MP_CATALOG)
        .entityType(ENTITY_TYPE_RESALE_AUTHORIZATION)
        .maxResults(10)
        .ownershipType(OWNERSHIP_TYPE_SHARED)
        .nextToken(listEntitiesResponse.nextToken())
        .build();

    listEntitiesResponse =
marketplaceCatalogClient.listEntities(listEntitiesRequest);

    responseList.add(listEntitiesResponse);
}
return responseList;
}

}
```

- For API details, see [ListEntities](#) in *AWS SDK for Java 2.x API Reference*.

Publish a CPPO and append a buyer EULA

The following code example shows how to publish a CPPO and append a buyer EULA.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType" : "CreateOfferUsingResaleAuthorization",  
            "Entity": {  
                "Type": "Offer@1.0"  
            },  
            "ChangeName": "CreateCPPOffer",  
            "DetailsDocument": {  
                "ResaleAuthorizationId": "resaleauthz-11111111111111",  
                "Name": "Test Offer",  
                "Description": "Test product"  
            }  
        },  
        {  
            "ChangeType": "UpdateLegalTerms",  
            "Entity": {  
                "Type": "Offer@1.0",  
                "Identifier": "$CreateCPPOffer.Entity.Identifier"  
            },  
            "DetailsDocument": {  
                "Terms": [  
                    {  
                        "Type": "LegalTerm",  
                        "Documents": [  
                            {  
                                "Type": "CustomEula",  
                                "Content": "This is a custom EULA document."  
                            }  
                        ]  
                    }  
                ]  
            }  
        }  
    ]  
}
```

```
        "Url": "https://s3.amazonaws.com/sample-bucket/custom-eula.pdf"
    }
]
}
],
{
    "ChangeType": "UpdateTargeting",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateCPPOffer.Entity.Identifier"
    },
    "DetailsDocument": {
        "PositiveTargeting": {
            "BuyerAccounts": ["222222222222"]
        }
    }
},
{
    "ChangeType": "UpdateAvailability",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateCPPOffer.Entity.Identifier"
    },
    "DetailsDocument": {
        "AvailabilityEndDate": "2023-07-31"
    }
},
{
    "ChangeType": "UpdateValidityTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateCPPOffer.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "ValidityTerm",
                "AgreementDuration": "P450D"
            }
        ]
    }
},
{
    "ChangeType": "UpdateOfferStatus"
}
```

```
{  
    "ChangeType": "ReleaseOffer",  
    "Entity": {  
        "Type": "Offer@1.0",  
        "Identifier": "$CreateCPPOffer.Entity.Identifier"  
    },  
    "DetailsDocument": {}  
}  
]  
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Publish a CPPO using one-time resale authorization and update price markup

The following code example shows how to publish a CPPO using one-time resale authorization on AMI, SaaS, or Container products and update price markup.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "CreateOfferUsingResaleAuthorization",  
            "Entity": {  
                "Type": "Offer@1.0"  
            },  
            "ChangeName": "CreateCPPOffer",  
            "DetailsDocument": {  
                "ResaleAuthorizationId": "resaleauthz-111111111111",  
                "Name": "Test Offer",  
                "Description": "Test product"  
            }  
        }  
    ]  
}
```

```
        },
        {
            "ChangeType": "UpdateMarkup",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateCPPOffer.Entity.Identifier"
            },
            "DetailsDocument": {
                "Percentage" : "5.0"
            }
        },
        {
            "ChangeType": "UpdateTargeting",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateCPPOffer.Entity.Identifier"
            },
            "DetailsDocument": {
                "PositiveTargeting": {
                    "BuyerAccounts": ["222222222222"]
                }
            }
        },
        {
            "ChangeType": "UpdateAvailability",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateCPPOffer.Entity.Identifier"
            },
            "DetailsDocument": {
                "AvailabilityEndDate": "2023-07-31"
            }
        },
        {
            "ChangeType": "UpdateValidityTerms",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateCPPOffer.Entity.Identifier"
            },
            "DetailsDocument": {
                "Terms": [
                    {
                        "Type": "ValidityTerm",

```

```
        "AgreementDuration": "P450D"
    }
]
},
{
    "ChangeType": "ReleaseOffer",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateCPPOffer.Entity.Identifier"
    },
    "DetailsDocument": {}
}
]
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Publish a draft CPPO and update price markup

The following code example shows how to publish a draft CPPO and update price markup.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to `RunChangesets` in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "CreateOfferUsingResaleAuthorization",
            "Entity": {
                "Type": "Offer@1.0"
            },
            "ChangeName": "CreateCPPOffer",
            "DetailsDocument": {}
        }
    ]
}
```

```
        "DetailsDocument": {
            "ResaleAuthorizationId": "resaleauthz-11111111111111",
            "Name": "Test Offer",
            "Description": "Test product"
        }
    },
    {
        "ChangeType": "UpdateMarkup",
        "Entity": {
            "Type": "Offer@1.0",
            "Identifier": "$CreateCPPOffer.Entity.Identifier"
        },
        "DetailsDocument": {
            "Percentage": "5.0"
        }
    },
    {
        "ChangeType": "UpdateTargeting",
        "Entity": {
            "Type": "Offer@1.0",
            "Identifier": "$CreateCPPOffer.Entity.Identifier"
        },
        "DetailsDocument": {
            "PositiveTargeting": {
                "BuyerAccounts": ["222222222222"]
            }
        }
    },
    {
        "ChangeType": "UpdateAvailability",
        "Entity": {
            "Type": "Offer@1.0",
            "Identifier": "$CreateCPPOffer.Entity.Identifier"
        },
        "DetailsDocument": {
            "AvailabilityEndDate": "2023-07-31"
        }
    },
    {
        "ChangeType": "UpdateValidityTerms",
        "Entity": {
            "Type": "Offer@1.0",
            "Identifier": "$CreateCPPOffer.Entity.Identifier"
        },
    }
```

```
        "DetailsDocument": {
            "Terms": [
                {
                    "Type": "ValidityTerm",
                    "AgreementDuration": "P450D"
                }
            ]
        },
        {
            "ChangeType": "ReleaseOffer",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateCPPOffer.Entity.Identifier"
            },
            "DetailsDocument": {}
        }
    ]
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Update the expiration date of a CPPO

The following code example shows how to update the expiration date of a CPPO to give buyers more time to evaluate and accept the offer.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {

```

```
        "ChangeType": "UpdateAvailability",
        "Entity": {
            "Type": "Offer@1.0",
            "Identifier": "offer-111111111111"
        },
        "DetailsDocument": {
            "AvailabilityEndDate": "2025-07-31"
        }
    },
]
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Container products

Create a draft container product with a draft public offer

The following code example shows how to create a draft container product with a draft public offer.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to `RunChangesets` in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "changeSet": [
        {
            "ChangeType": "CreateProduct",
            "ChangeName": "CreateProductChange",
            "Entity": {
                "Type": "ContainerProduct@1.0"
            },

```

```
        "DetailsDocument": {
            "ProductTitle": "Sample product"
        }
    },
{
    "ChangeType": "CreateOffer",
    "ChangeName": "CreateOfferChange",
    "Entity": {
        "Type": "Offer@1.0"
    },
    "DetailsDocument": {
        "ProductId": "$CreateProductChange.Entity.Identifier",
        "Name": "Test Offer"
    }
}
]
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Create a limited container product with a public offer and contract pricing

The following code example shows how to create a limited container product with a public offer, contract pricing, and standard EULA.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "CreateProduct",
            "Entity": {

```

```
        "Type": "ContainerProduct@1.0"
    },
    "DetailsDocument": {},
    "ChangeName": "CreateProductChange"
},
{
    "ChangeType": "UpdateInformation",
    "Entity": {
        "Type": "ContainerProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "LogoUrl": "https://s3.amazonaws.com/logos/sample.png",
        "Categories": [
            "Streaming solutions"
        ],
        "ProductTitle": "ContainerProduct",
        "AdditionalResources": [],
        "LongDescription": "Long description goes here",
        "SearchKeywords": [
            "container streaming"
        ],
        "ShortDescription": "Description1",
        "Highlights": [
            "Highlight 1",
            "Highlight 2"
        ],
        "SupportDescription": "No support available",
        "VideoUrls": []
    }
},
{
    "ChangeType": "AddDimensions",
    "Entity": {
        "Type": "ContainerProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": [
        {
            "Key": "Cores",
            "Description": "Cores per cluster",
            "Name": "Cores",
            "Types": [
                "Entitled"
            ]
        }
    ]
}
```

```
        ],
        "Unit": "Units"
    }
]
},
{
    "ChangeType": "UpdateTargeting",
    "Entity": {
        "Type": "ContainerProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "PositiveTargeting": {
            "BuyerAccounts": [
                "111111111111"
            ]
        }
    }
},
{
    "ChangeType": "AddRepositories",
    "Entity": {
        "Type": "ContainerProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Repositories": [
            {
                "RepositoryName": "uniquerepositoryname",
                "RepositoryType": "ECR"
            }
        ]
    }
},
{
    "ChangeType": "ReleaseProduct",
    "Entity": {
        "Type": "ContainerProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": {}
},
{
    "ChangeType": "CreateOffer",
```

```
        "Entity": {
            "Type": "Offer@1.0"
        },
        "DetailsDocument": {
            "ProductId": "$CreateProductChange.Entity.Identifier"
        },
        "ChangeName": "CreateOfferChange"
    },
    {
        "ChangeType": "UpdatePricingTerms",
        "Entity": {
            "Type": "Offer@1.0",
            "Identifier": "$CreateOfferChange.Entity.Identifier"
        },
        "DetailsDocument": {
            "PricingModel": "Contract",
            "Terms": [
                {
                    "Type": "ConfigurableUpfrontPricingTerm",
                    "CurrencyCode": "USD",
                    "RateCards": [
                        {
                            "Selector": {
                                "Type": "Duration",
                                "Value": "P12M"
                            },
                            "Constraints": {
                                "MultipleDimensionSelection": "Disallowed",
                                "QuantityConfiguration": "Disallowed"
                            },
                            "RateCard": [
                                {
                                    "DimensionKey": "Cores",
                                    "Price": "0.25"
                                }
                            ]
                        }
                    ]
                }
            ]
        },
        "ChangeType": "UpdateLegalTerms",
    }
}
```

```
"Entity": {
    "Type": "Offer@1.0",
    "Identifier": "$CreateOfferChange.Entity.Identifier"
},
"DetailsDocument": {
    "Terms": [
        {
            "Type": "LegalTerm",
            "Documents": [
                {
                    "Type": "StandardEula",
                    "Version": "2022-07-14"
                }
            ]
        }
    ]
},
{
    "ChangeType": "UpdateSupportTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "SupportTerm",
                "RefundPolicy": "No refunds"
            }
        ]
    }
},
{
    "ChangeType": "UpdateInformation",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Name": "Some container offer Name",
        "Description": "Some interesting container offer description"
    }
},
```

```
{  
    "ChangeType": "UpdateRenewalTerms",  
    "Entity": {  
        "Type": "Offer@1.0",  
        "Identifier": "$CreateOfferChange.Entity.Identifier"  
    },  
    "DetailsDocument": {  
        "Terms": [  
            {  
                "Type": "RenewalTerm"  
            }  
        ]  
    }  
},  
{  
    "ChangeType": "ReleaseOffer",  
    "Entity": {  
        "Type": "Offer@1.0",  
        "Identifier": "$CreateOfferChange.Entity.Identifier"  
    },  
    "DetailsDocument": {}  
}  
]  
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Entities

Describe all entities in a single call

The following code example shows how to describe all entities in a single call.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package com.example.awsmarketplace.catalogapi;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;
import com.example.awsmarketplace.utils.ReferenceCodesUtils;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import software.amazon.awssdk.services.marketplacecatalog.MarketplaceCatalogClient;
import
software.amazon.awssdk.services.marketplacecatalog.model.BatchDescribeEntitiesRequest;
import software.amazon.awssdk.services.marketplacecatalog.model.EntityRequest;
import
software.amazon.awssdk.services.marketplacecatalog.model.BatchDescribeEntitiesResponse;
import software.amazon.awssdk.services.marketplacecatalog.model.EntityDetail;
import
software.amazon.awssdk.services.marketplacecatalog.model.BatchDescribeErrorDetail;

import java.util.Arrays;
import java.util.Map;

public class BatchDescribeEntities {

    /*
     * BatchDescribe my entities in a single call and
     * check if it contains all the information I need to know about the entities.
     */
    public static void main(String[] args) {

        MarketplaceCatalogClient marketplaceCatalogClient =
            MarketplaceCatalogClient.builder()
                .httpClient(ApacheHttpClient.builder().build())
                .credentialsProvider(ProfileCredentialsProvider.create())
                .build();

        BatchDescribeEntitiesRequest batchDescribeEntitiesRequest =
            BatchDescribeEntitiesRequest.builder()
                .entityRequestList(Arrays.asList(
                    EntityRequest.builder()
                        .catalog(AWS_MP_CATALOG).entityId(OFFER_ID)
                        .build(),
                    EntityRequest.builder()
                ))
    }
}
```

```
.catalog(AWS_MP_CATALOG).entityId(PRODUCT_ID)
                                .build()))
                .build();

        BatchDescribeEntitiesResponse batchDescribeEntitiesResponse =
marketplaceCatalogClient.batchDescribeEntities(batchDescribeEntitiesRequest);

        // Reading the successful entities response
        Map<String, EntityDetail> entityDetailsMap =
batchDescribeEntitiesResponse.entityDetails();
        for (Map.Entry<String, EntityDetail> entry : entityDetailsMap.entrySet()) {
            System.out.println("EntityId: " + entry.getKey());
            ReferenceCodesUtils.formatOutput(entry.getValue());
        }

        // Logging the failed entities error details
        Map<String, BatchDescribeErrorDetail> entityErrorsMap =
batchDescribeEntitiesResponse.errors();
        for (Map.Entry<String, BatchDescribeErrorDetail> entry :
entityErrorsMap.entrySet()) {
            System.out.println(String.format("EntityId: %s, ErrorCode: %s,
ErrorMessage: %s", entry.getKey(),
entry.getValue().errorCode(), entry.getValue().errorMessage()));
        }
    }
}
```

- For API details, see [BatchDescribeEntities](#) in *AWS SDK for Java 2.x API Reference*.

List and describe all offers associated with a product

The following code example shows how to list and describe all offers associated with a product.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
package com.example.awsmarketplace.catalogapi;

import java.util.ArrayList;
import java.util.List;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;
import com.example.awsmarketplace.utils.ReferenceCodesUtils;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import software.amazon.awssdk.services.marketplacecatalog.MarketplaceCatalogClient;
import
software.amazon.awssdk.services.marketplacecatalog.model.DescribeEntityRequest;
import
software.amazon.awssdk.services.marketplacecatalog.model.DescribeEntityResponse;
import software.amazon.awssdk.services.marketplacecatalog.model.EntitySummary;
import software.amazon.awssdk.services.marketplacecatalog.model.EntityTypeFilters;
import software.amazon.awssdk.services.marketplacecatalog.model.ListEntitiesRequest;
import
software.amazon.awssdk.services.marketplacecatalog.model.ListEntitiesResponse;
import software.amazon.awssdk.services.marketplacecatalog.model.OfferFilters;
import
software.amazon.awssdk.services.marketplacecatalog.model.OfferProductIdFilter;
import
software.amazon.awssdk.services.marketplacecatalog.model.OfferTargetingFilter;

public class ListProductPrivateOffers {

    private static MarketplaceCatalogClient marketplaceCatalogClient =
        MarketplaceCatalogClient.builder()
            .httpClient(ApacheHttpClient.builder().build())
            .credentialsProvider(ProfileCredentialsProvider.create())
            .build();
    /*
     * retrieve all private offer information related to a single product
     */
    public static void main(String[] args) {

        List<EntitySummary> entitySummaryList = getEntitySummaryList();

        // for each offer id, output the offer detail using DescribeEntity API

        for (EntitySummary entitySummary : entitySummaryList) {
```

```
DescribeEntityRequest describeEntityRequest =
    DescribeEntityRequest.builder()
        .catalog(AWS_MP_CATALOG)
        .entityId(entitySummary.entityId())
        .build();
DescribeEntityResponse describeEntityResponse =
marketplaceCatalogClient.describeEntity(describeEntityRequest);
ReferenceCodesUtils.formatOutput(describeEntityResponse);
}
}

public static List<EntitySummary> getEntitySummaryList() {
    // define list entities filters

    EntityTypeFilters entityTypeFilters =
        EntityTypeFilters.builder()
            .offerFilters(OfferFilters.builder()
                .targeting(OfferTargetingFilter.builder()
                    .valueListWithStrings(OFFER_TARGETING_BUYERACCOUNTS)
                    .build())
                .productId(OfferProductIdFilter.builder()
                    .valueList(PRODUCT_ID)
                    .build())
                .build())
            .build();
    }

    ListEntitiesRequest listEntitiesRequest =
        ListEntitiesRequest.builder()
            .catalog(AWS_MP_CATALOG)
            .entityType(ENTITY_TYPE_OFFER).maxResults(50)
            .entityTypeFilters(entityTypeFilters)
            .nextToken(null)
            .build();

    ListEntitiesResponse listEntitiesResponse =
marketplaceCatalogClient.listEntities(listEntitiesRequest);

    // save all entitySummary of the results into entitySummaryList

    List<EntitySummary> entitySummaryList = new ArrayList<EntitySummary>();
    entitySummaryList.addAll(listEntitiesResponse.entitySummaryList());

    while ( listEntitiesResponse.nextToken() != null &&
listEntitiesResponse.nextToken().length() > 0) {
```

```
listEntitiesRequest =
    ListEntitiesRequest.builder()
        .catalog(AWS_MP_CATALOG)
        .entityType(ENTITY_TYPE_OFFER).maxResults(50)
        .entityTypeFilters(entityTypeFilters)
        .nextToken(listEntitiesResponse.nextToken())
        .build();
listEntitiesResponse =
marketplaceCatalogClient.listEntities(listEntitiesRequest);
entitySummaryList.addAll(listEntitiesResponse.entitySummaryList());
}
return entitySummaryList;
}

}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.
 - [DescribeEntity](#)
 - [ListEntities](#)

Offers

Create a custom dimension for a SaaS product and create a private offer

The following code example shows how to create a custom dimension for a SaaS product and create a private offer.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{
```

```
"Catalog": "AWSMarketplace",
"ChangeSet": [
    {
        "ChangeType": "AddDimensions",
        "Entity": {
            "Type": "SaaSProduct@1.0",
            "Identifier": "prod-111111111111"
        },
        "DetailsDocument": [
            {
                "Types": [
                    "Entitled"
                ],
                "Description": "Custom Pricing 4 w/ terms and coverage to be defined in Private Offer",
                "Unit": "Units",
                "Key": "Custom4",
                "Name": "Custom Pricing 4"
            }
        ]
    },
    {
        "ChangeType": "CreateOffer",
        "Entity": {
            "Type": "Offer@1.0"
        },
        "DetailsDocument": {
            "ProductId": "prod-111111111111"
        },
        "ChangeName": "CreateOfferChange"
    },
    {
        "ChangeType": "UpdateInformation",
        "Entity": {
            "Type": "Offer@1.0",
            "Identifier": "$CreateOfferChange.Entity.Identifier"
        },
        "DetailsDocument": {
            "Name": "Private Test Offer - SaaS Contract Product",
            "Description": "Private Test Offer - SaaS Contract Product"
        }
    },
    {
        "ChangeType": "UpdateTargeting",
        "Entity": {
            "Type": "Offer@1.0"
        },
        "DetailsDocument": {
            "Name": "Private Test Offer - SaaS Contract Product",
            "Description": "Private Test Offer - SaaS Contract Product"
        }
    }
]
```

```
"Entity": {
    "Type": "Offer@1.0",
    "Identifier": "$CreateOfferChange.Entity.Identifier"
},
"DetailsDocument": {
    "PositiveTargeting": {
        "BuyerAccounts": [
            "111111111111"
        ]
    }
}
},
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "LegalTerm",
                "Documents": [
                    {
                        "Type": "StandardEula",
                        "Version": "2022-07-14"
                    }
                ]
            }
        ]
    }
},
{
    "ChangeType": "UpdateAvailability",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "AvailabilityEndDate": "2023-12-31"
    }
},
{
    "ChangeType": "UpdatePricingTerms",

```

```
"Entity": {
    "Type": "Offer@1.0",
    "Identifier": "$CreateOfferChange.Entity.Identifier"
},
"DetailsDocument": {
    "PricingModel": "Contract",
    "Terms": [
        {
            "Type": "ConfigurableUpfrontPricingTerm",
            "CurrencyCode": "USD",
            "RateCards": [
                {
                    "Constraints": {
                        "MultipleDimensionSelection": "Allowed",
                        "QuantityConfiguration": "Allowed"
                    },
                    "RateCard": [
                        {
                            "DimensionKey": "Custom4",
                            "Price": "300.0"
                        }
                    ],
                    "Selector": {
                        "Type": "Duration",
                        "Value": "P36M"
                    }
                }
            ]
        }
    ]
},
{
    "ChangeType": "ReleaseOffer",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {}
},
],
"ChangeSetName": "PrivateOfferWithCustomDimension"
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Create a draft private offer for an AMI or SaaS product

The following code example shows how to create a draft private offer for an AMI or SaaS product so you can review it internally before publishing to buyers.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "CreateOffer",  
            "Entity": {  
                "Type": "Offer@1.0"  
            },  
            "DetailsDocument": {  
                "ProductId": "prod-111111111111",  
                "Name": "Test Private Offer"  
            }  
        }  
    ]  
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Create a private offer with contract and Pay-As-You-Go pricing for a SaaS product

The following code example shows how to create a private offer with contract and Pay-As-You-Go pricing for a SaaS product.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities* to start a changeset from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "CreateOffer",
            "Entity": {
                "Type": "Offer@1.0"
            },
            "ChangeName": "CreateOfferChange",
            "DetailsDocument": {
                "ProductId": "prod-11111111111111"
            }
        },
        {
            "ChangeType": "UpdateInformation",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateOfferChange.Entity.Identifier"
            },
            "DetailsDocument": {
                "Name": "Test private offer for SaaSProduct using AWS Marketplace API Reference Code",
                "Description": "Test private offer with subscription pricing for SaaSProduct using AWS Marketplace API Reference Code"
            }
        },
        {
            "ChangeType": "UpdateTargeting",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateOfferChange.Entity.Identifier"
            }
        }
    ]
}
```

```
        },
        "DetailsDocument": {
            "PositiveTargeting": {
                "BuyerAccounts": [
                    "111111111111",
                    "222222222222"
                ]
            }
        }
    },
    {
        "ChangeType": "UpdatePricingTerms",
        "Entity": {
            "Type": "Offer@1.0",
            "Identifier": "$CreateOfferChange.Entity.Identifier"
        },
        "DetailsDocument": {
            "PricingModel": "Contract",
            "Terms": [
                {
                    "Type": "UsageBasedPricingTerm",
                    "CurrencyCode": "USD",
                    "RateCards": [
                        {
                            "RateCard": [
                                {
                                    "DimensionKey": "WorkloadSmall",
                                    "Price": "0.15"
                                },
                                {
                                    "DimensionKey": "WorkloadMedium",
                                    "Price": "0.25"
                                }
                            ]
                        }
                    ]
                }
            ],
            {
                "Type": "ConfigurableUpfrontPricingTerm",
                "CurrencyCode": "USD",
                "RateCards": [
                    {
                        "Selector": {
                            "Type": "Duration",

```

```
        "Value": "P12M"
    },
    "RateCard": [
        {
            "DimensionKey": "BasicService",
            "Price": "150"
        },
        {
            "DimensionKey": "PremiumService",
            "Price": "300"
        }
    ],
    "Constraints": {
        "MultipleDimensionSelection": "Allowed",
        "QuantityConfiguration": "Allowed"
    }
}
]
}
],
{
},
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "LegalTerm",
                "Documents": [
                    {
                        "Type": "CustomEula",
                        "Url": "https://s3.amazonaws.com/sample-bucket/custom-eula.pdf"
                    }
                ]
            }
        ]
    }
},
{
}
```

```
        "ChangeType": "UpdateAvailability",
        "Entity": {
            "Type": "Offer@1.0",
            "Identifier": "$CreateOfferChange.Entity.Identifier"
        },
        "DetailsDocument": {
            "AvailabilityEndDate": "2023-12-31"
        }
    },
    {
        "ChangeType": "ReleaseOffer",
        "Entity": {
            "Type": "Offer@1.0",
            "Identifier": "$CreateOfferChange.Entity.Identifier"
        },
        "DetailsDocument": {}
    }
]
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Create a private offer with contract pricing and a flexible payment schedule for a SaaS product

The following code example shows how to create a private offer with contract pricing and a flexible payment schedule for a SaaS product.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
```

```
"ChangeType": "CreateOffer",
"Entity": {
    "Type": "Offer@1.0"
},
"ChangeName": "CreateOfferChange",
"DetailsDocument": {
    "ProductId": "prod-11111111111111"
}
},
{
    "ChangeType": "UpdateInformation",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Name": "Test private offer for SaaSProduct using AWS Marketplace API Reference Code",
        "Description": "Test private offer with subscription pricing for SaaSProduct using AWS Marketplace API Reference Code"
    }
},
{
    "ChangeType": "UpdateTargeting",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "PositiveTargeting": {
            "BuyerAccounts": [
                "111111111111",
                "222222222222"
            ]
        }
    }
},
{
    "ChangeType": "UpdatePricingTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
```

```
"PricingModel": "Contract",
"Terms": [
  {
    "Type": "FixedUpfrontPricingTerm",
    "CurrencyCode": "USD",
    "Price": "0.0",
    "Grants": [
      {
        "DimensionKey": "BasicService",
        "MaxQuantity": 1
      },
      {
        "DimensionKey": "PremiumService",
        "MaxQuantity": 1
      }
    ]
  }
],
{
  "ChangeType": "UpdateValidityTerms",
  "Entity": {
    "Type": "Offer@1.0",
    "Identifier": "$CreateOfferChange.Entity.Identifier"
  },
  "DetailsDocument": {
    "Terms": [
      {
        "Type": "ValidityTerm",
        "AgreementDuration": "P12M"
      }
    ]
  }
},
{
  "ChangeType": "UpdatePaymentScheduleTerms",
  "Entity": {
    "Type": "Offer@1.0",
    "Identifier": "$CreateOfferChange.Entity.Identifier"
  },
  "DetailsDocument": {
    "Terms": [
      {
```

```
        "Type": "PaymentScheduleTerm",
        "CurrencyCode": "USD",
        "Schedule": [
            {
                "ChargeDate": "2024-01-01",
                "ChargeAmount": "200.00"
            },
            {
                "ChargeDate": "2024-02-01",
                "ChargeAmount": "170.00"
            }
        ]
    }
},
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "LegalTerm",
                "Documents": [
                    {
                        "Type": "CustomEula",
                        "Url": "https://s3.amazonaws.com/sample-bucket/
custom-eula.pdf"
                    }
                ]
            }
        ]
    }
},
{
    "ChangeType": "UpdateAvailability",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
```

```
        "AvailabilityEndDate": "2023-12-31"
    }
},
{
    "ChangeType": "ReleaseOffer",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {}
}
]
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Create a private offer with contract pricing for a Container product

The following code example shows how to create a private offer with contract pricing for a Container product.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to `RunChangesets` in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "CreateOffer",
            "Entity": {
                "Type": "Offer@1.0"
            },
            "ChangeName": "CreateOfferChange",
            "DetailsDocument": {

```

```
        "ProductId": "prod-1111111111111111"
    }
},
{
    "ChangeType": "UpdateInformation",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Name": "Test private offer for Container product using AWS Marketplace API Reference Code",
        "Description": "Test private offer for Container product with contract pricing using AWS Marketplace API Reference Code"
    }
},
{
    "ChangeType": "UpdateTargeting",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "PositiveTargeting": {
            "BuyerAccounts": [
                "1111111111111"
            ]
        }
    }
},
{
    "ChangeType": "UpdatePricingTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "PricingModel": "Contract",
        "Terms": [
            {
                "Type": "ConfigurableUpfrontPricingTerm",
                "CurrencyCode": "USD",
                "RateCards": [
                    {

```

```
        "Selector": {
            "Type": "Duration",
            "Value": "P12M"
        },
        "Constraints": {
            "MultipleDimensionSelection": "Disallowed",
            "QuantityConfiguration": "Disallowed"
        },
        "RateCard": [
            {
                "DimensionKey": "ReqPerHour",
                "Price": "0.25"
            }
        ]
    }
}
],
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "LegalTerm",
                "Documents": [
                    {
                        "Type": "StandardEula",
                        "Version": "2022-07-14"
                    }
                ]
            }
        ]
    }
},
{
    "ChangeType": "UpdateAvailability",
    "Entity": {
        "Type": "Offer@1.0",
    }
}
```

```
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "AvailabilityEndDate": "2023-12-31"
    }
},
{
    "ChangeType": "ReleaseOffer",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {}
}
]
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Create a private offer with contract pricing for an AMI product

The following code example shows how to create a private offer with contract pricing for an AMI product.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "CreateOffer",
            "ChangeName": "CreateOfferChange",
            "Entity": {
```

```
        "Type": "Offer@1.0"
    },
    "DetailsDocument": {
        "ProductId": "prod-111111111111"
    }
},
{
    "ChangeType": "UpdateInformation",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Name": "Test private offer for AmiProduct using AWS Marketplace API Reference Code",
        "Description": "Test private offer with hourly annual pricing for AmiProduct using AWS Marketplace API Reference Code"
    }
},
{
    "ChangeType": "UpdateTargeting",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "PositiveTargeting": {
            "BuyerAccounts": [
                "111111111111",
                "222222222222"
            ]
        }
    }
},
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "LegalTerm",

```

```
        "Documents": [
            {
                "Type": "CustomEula",
                "Url": "https://s3.amazonaws.com/sample-bucket/
custom-eula.pdf"
            }
        ]
    }
},
{
    "ChangeType": "UpdateAvailability",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "AvailabilityEndDate": "2023-12-31"
    }
},
{
    "ChangeType": "UpdatePricingTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "PricingModel": "Contract",
        "Terms": [
            {
                "Type": "ConfigurableUpfrontPricingTerm",
                "CurrencyCode": "USD",
                "RateCards": [
                    {
                        "Selector": {
                            "Type": "Duration",
                            "Value": "P12M"
                        },
                        "RateCard": [
                            {
                                "DimensionKey": "ReadOnlyUsers",
                                "Price": "220.00"
                            }
                        ]
                    }
                ]
            }
        ]
    }
}
```

```
        ],
        "Constraints": {
            "MultipleDimensionSelection": "Allowed",
            "QuantityConfiguration": "Allowed"
        }
    }
}
]
}
},
{
    "ChangeType": "ReleaseOffer",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {}
}
]
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Create a private offer with hourly annual pricing and a flexible payment schedule for an AMI product

The following code example shows how to create a private offer with hourly annual pricing and a flexible payment schedule for an AMI product.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "CreateOffer",  
            "ChangeName": "CreateOfferChange",  
            "Entity": {  
                "Type": "Offer@1.0"  
            },  
            "DetailsDocument": {  
                "ProductId": "prod-1111111111111111"  
            }  
        },  
        {  
            "ChangeType": "UpdateInformation",  
            "Entity": {  
                "Type": "Offer@1.0",  
                "Identifier": "$CreateOfferChange.Entity.Identifier"  
            },  
            "DetailsDocument": {  
                "Name": "Test private offer for AmiProduct using AWS Marketplace API  
Reference Code",  
                "Description": "Test private offer with hourly annual pricing for  
AmiProduct using AWS Marketplace API Reference Code"  
            }  
        },  
        {  
            "ChangeType": "UpdateTargeting",  
            "Entity": {  
                "Type": "Offer@1.0",  
                "Identifier": "$CreateOfferChange.Entity.Identifier"  
            },  
            "DetailsDocument": {  
                "PositiveTargeting": {  
                    "BuyerAccounts": [  
                        "111111111111",  
                        "222222222222"  
                    ]  
                }  
            }  
        },  
        {  
            "ChangeType": "UpdateLegalTerms",  
        }  
    ]  
}
```

```
"Entity": {
    "Type": "Offer@1.0",
    "Identifier": "$CreateOfferChange.Entity.Identifier"
},
"DetailsDocument": {
    "Terms": [
        {
            "Type": "LegalTerm",
            "Documents": [
                {
                    "Type": "CustomEula",
                    "Url": "https://s3.amazonaws.com/sample-bucket/
custom-eula.pdf"
                }
            ]
        }
    ]
},
{
    "ChangeType": "UpdateAvailability",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "AvailabilityEndDate": "2023-12-31"
    }
},
{
    "ChangeType": "UpdatePricingTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "PricingModel": "Usage",
        "Terms": [
            {
                "Type": "UsageBasedPricingTerm",
                "CurrencyCode": "USD",
                "RateCards": [
                    {
                        "RateCard": [
                            ...
                        ]
                    }
                ]
            }
        ]
    }
}
```

```
        {
            "DimensionKey": "t2.micro",
            "Price": "0.17"
        }
    ]
}
],
{
    "Type": "FixedUpfrontPricingTerm",
    "CurrencyCode": "USD",
    "Price": "0.0",
    "Duration": "P365D",
    "Grants": [
        {
            "DimensionKey": "t2.micro",
            "MaxQuantity": 1
        }
    ]
}
]
},
{
    "ChangeType": "UpdateValidityTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "ValidityTerm",
                "AgreementDuration": "P650D"
            }
        ]
    }
},
{
    "ChangeType": "UpdatePaymentScheduleTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
}
```

```
        "DetailsDocument": {
            "Terms": [
                {
                    "Type": "PaymentScheduleTerm",
                    "CurrencyCode": "USD",
                    "Schedule": [
                        {
                            "ChargeDate": "2024-01-01",
                            "ChargeAmount": "200.00"
                        },
                        {
                            "ChargeDate": "2024-02-01",
                            "ChargeAmount": "170.00"
                        }
                    ]
                }
            ],
            "ChangeType": "ReleaseOffer",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateOfferChange.Entity.Identifier"
            },
            "DetailsDocument": {}
        }
    ]
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Create a private offer with hourly annual pricing for an AMI product

The following code example shows how to create a private offer with hourly annual pricing for an AMI product.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "CreateOffer",
            "ChangeName": "CreateOfferChange",
            "Entity": {
                "Type": "Offer@1.0"
            },
            "DetailsDocument": {
                "ProductId": "prod-11111111111111"
            }
        },
        {
            "ChangeType": "UpdateInformation",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateOfferChange.Entity.Identifier"
            },
            "DetailsDocument": {
                "Name": "Test private offer for AmiProduct using AWS Marketplace API Reference Code",
                "Description": "Test private offer with hourly annual pricing for AmiProduct using AWS Marketplace API Reference Code"
            }
        },
        {
            "ChangeType": "UpdateTargeting",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateOfferChange.Entity.Identifier"
            }
        }
    ]
}
```

```
        },
        "DetailsDocument": {
            "PositiveTargeting": {
                "BuyerAccounts": [
                    "111111111111",
                    "222222222222"
                ]
            }
        }
    },
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "LegalTerm",
                "Documents": [
                    {
                        "Type": "CustomEula",
                        "Url": "https://s3.amazonaws.com/sample-bucket/
custom-eula.pdf"
                    }
                ]
            }
        ]
    }
},
{
    "ChangeType": "UpdateAvailability",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "AvailabilityEndDate": "2023-12-31"
    }
},
{
    "ChangeType": "UpdatePricingTerms",
    "Entity": {
```

```
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "PricingModel": "Usage",
        "Terms": [
            {
                "Type": "UsageBasedPricingTerm",
                "CurrencyCode": "USD",
                "RateCards": [
                    {
                        "RateCard": [
                            {
                                "DimensionKey": "t2.micro",
                                "Price": "0.17"
                            }
                        ]
                    }
                ]
            },
            {
                "Type": "ConfigurableUpfrontPricingTerm",
                "CurrencyCode": "USD",
                "RateCards": [
                    {
                        "Selector": {
                            "Type": "Duration",
                            "Value": "P365D"
                        },
                        "RateCard": [
                            {
                                "DimensionKey": "t2.micro",
                                "Price": "220.00"
                            }
                        ],
                        "Constraints": {
                            "MultipleDimensionSelection": "Allowed",
                            "QuantityConfiguration": "Allowed"
                        }
                    }
                ]
            }
        ]
    }
}
```

```
        },
        {
            "ChangeType": "UpdateValidityTerms",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateOfferChange.Entity.Identifier"
            },
            "DetailsDocument": {
                "Terms": [
                    {
                        "Type": "ValidityTerm",
                        "AgreementDuration": "P650D"
                    }
                ]
            }
        },
        {
            "ChangeType": "ReleaseOffer",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateOfferChange.Entity.Identifier"
            },
            "DetailsDocument": {}
        }
    ]
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Create a private offer with hourly pricing for an AMI product

The following code example shows how to create a private offer with hourly pricing for an AMI product.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities* to start a changeset from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "CreateOffer",  
            "ChangeName": "CreateOfferChange",  
            "Entity": {  
                "Type": "Offer@1.0"  
            },  
            "DetailsDocument": {  
                "ProductId": "prod-1111111111111111"  
            }  
        },  
        {  
            "ChangeType": "UpdateInformation",  
            "Entity": {  
                "Type": "Offer@1.0",  
                "Identifier": "$CreateOfferChange.Entity.Identifier"  
            },  
            "DetailsDocument": {  
                "Name": "Test private offer for AmiProduct using AWS Marketplace API  
Reference Code",  
                "Description": "Test private offer with hourly pricing for  
AmiProduct using AWS Marketplace API Reference Code"  
            }  
        },  
        {  
            "ChangeType": "UpdateTargeting",  
            "Entity": {  
                "Type": "Offer@1.0",  
                "Identifier": "$CreateOfferChange.Entity.Identifier"  
            },  
            "DetailsDocument": {  
                "PositiveTargeting": {  
                    "BuyerAccounts": [  
                        "111111111111",  
                        "222222222222"  
                    ]  
                }  
            }  
        }  
    ]  
}
```

```
        },
        {
            "ChangeType": "UpdateLegalTerms",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateOfferChange.Entity.Identifier"
            },
            "DetailsDocument": {
                "Terms": [
                    {
                        "Type": "LegalTerm",
                        "Documents": [
                            {
                                "Type": "StandardEula",
                                "Version": "2022-07-14"
                            }
                        ]
                    }
                ]
            }
        },
        {
            "ChangeType": "UpdateAvailability",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateOfferChange.Entity.Identifier"
            },
            "DetailsDocument": {
                "AvailabilityEndDate": "2025-01-01"
            }
        },
        {
            "ChangeType": "UpdatePricingTerms",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateOfferChange.Entity.Identifier"
            },
            "DetailsDocument": {
                "PricingModel": "Usage",
                "Terms": [
                    {
                        "Type": "UsageBasedPricingTerm",
                        "CurrencyCode": "USD",
                        "RateCards": [

```

```
{  
    "RateCard": [  
        {  
            "DimensionKey": "t2.micro",  
            "Price": "0.15"  
        }  
    ]  
},  
{  
    "ChangeType": "UpdateValidityTerms",  
    "Entity": {  
        "Type": "Offer@1.0",  
        "Identifier": "$CreateOfferChange.Entity.Identifier"  
    },  
    "DetailsDocument": {  
        "Terms": [  
            {  
                "Type": "ValidityTerm",  
                "AgreementDuration": "P30D"  
            }  
        ]  
    },  
    "ChangeType": "ReleaseOffer",  
    "Entity": {  
        "Type": "Offer@1.0",  
        "Identifier": "$CreateOfferChange.Entity.Identifier"  
    },  
    "DetailsDocument": {}  
}  
]  
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Create a private offer with subscription pricing for a SaaS product

The following code example shows how to create a private offer with subscription pricing for a SaaS product.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "CreateOffer",
            "Entity": {
                "Type": "Offer@1.0"
            },
            "ChangeName": "CreateOfferChange",
            "DetailsDocument": {
                "ProductId": "prod-111111111111"
            }
        },
        {
            "ChangeType": "UpdateInformation",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateOfferChange.Entity.Identifier"
            },
            "DetailsDocument": {
                "Name": "Test private offer for SaaSProduct using AWS Marketplace API Reference Code",
                "Description": "Test private offer with subscription pricing for SaaSProduct using AWS Marketplace API Reference Code"
            }
        },
    ],
}
```

```
{  
    "ChangeType": "UpdateTargeting",  
    "Entity": {  
        "Type": "Offer@1.0",  
        "Identifier": "$CreateOfferChange.Entity.Identifier"  
    },  
    "DetailsDocument": {  
        "PositiveTargeting": {  
            "BuyerAccounts": [  
                "111111111111",  
                "222222222222"  
            ]  
        }  
    }  
,  
{  
    "ChangeType": "UpdatePricingTerms",  
    "Entity": {  
        "Type": "Offer@1.0",  
        "Identifier": "$CreateOfferChange.Entity.Identifier"  
    },  
    "DetailsDocument": {  
        "PricingModel": "Usage",  
        "Terms": [  
            {  
                "Type": "UsageBasedPricingTerm",  
                "CurrencyCode": "USD",  
                "RateCards": [  
                    {  
                        "RateCard": [  
                            {  
                                "DimensionKey": "WorkloadSmall",  
                                "Price": "0.13"  
                            },  
                            {  
                                "DimensionKey": "WorkloadMedium",  
                                "Price": "0.22"  
                            }  
                        ]  
                    }  
                ]  
            }  
        ]  
    }  
}
```

```
        },
        {
            "ChangeType": "UpdateValidityTerms",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateOfferChange.Entity.Identifier"
            },
            "DetailsDocument": {
                "Terms": [
                    {
                        "Type": "ValidityTerm",
                        "AgreementDuration": "P30D"
                    }
                ]
            }
        },
        {
            "ChangeType": "UpdateLegalTerms",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateOfferChange.Entity.Identifier"
            },
            "DetailsDocument": {
                "Terms": [
                    {
                        "Type": "LegalTerm",
                        "Documents": [
                            {
                                "Type": "CustomEula",
                                "Url": "https://s3.amazonaws.com/sample-bucket/custom-eula.pdf"
                            }
                        ]
                    }
                ]
            }
        },
        {
            "ChangeType": "UpdateAvailability",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateOfferChange.Entity.Identifier"
            },
            "DetailsDocument": {
```

```
        "AvailabilityEndDate": "2023-12-31"
    }
},
{
    "ChangeType": "ReleaseOffer",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {}
}
]
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Create a private offer with tiered contract pricing for a SaaS product

The following code example shows how to create a private offer with tiered contract pricing for a SaaS product.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to `RunChangesets` in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "CreateOffer",
            "Entity": {
                "Type": "Offer@1.0"
            },
            "ChangeName": "CreateOfferChange",
            "DetailsDocument": {

```

```
        "ProductId": "prod-1111111111111111"
    }
},
{
    "ChangeType": "UpdateInformation",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Name": "Test private offer for SaaSProduct using AWS Marketplace API Reference Code",
        "Description": "Test private offer with subscription pricing for SaaSProduct using AWS Marketplace API Reference Code"
    }
},
{
    "ChangeType": "UpdateTargeting",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "PositiveTargeting": {
            "BuyerAccounts": [
                "111111111111",
                "222222222222"
            ]
        }
    }
},
{
    "ChangeType": "UpdatePricingTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "PricingModel": "Contract",
        "Terms": [
            {
                "Type": "ConfigurableUpfrontPricingTerm",
                "CurrencyCode": "USD",
                "RateCards": [

```

```

        "Selector": {
            "Type": "Duration",
            "Value": "P12M"
        },
        "RateCard": [
            {
                "DimensionKey": "BasicService",
                "Price": "120.00"
            },
            {
                "DimensionKey": "PremiumService",
                "Price": "200.00"
            }
        ],
        "Constraints": {
            "MultipleDimensionSelection": "Disallowed",
            "QuantityConfiguration": "Disallowed"
        }
    }
}
],
}
},
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "LegalTerm",
                "Documents": [
                    {
                        "Type": "CustomEula",
                        "Url": "https://s3.amazonaws.com/sample-bucket/
custom-eula.pdf"
                    }
                ]
            }
        ]
    }
}
]
```

```
        },
        {
            "ChangeType": "UpdateAvailability",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateOfferChange.Entity.Identifier"
            },
            "DetailsDocument": {
                "AvailabilityEndDate": "2023-12-31"
            }
        },
        {
            "ChangeType": "ReleaseOffer",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateOfferChange.Entity.Identifier"
            },
            "DetailsDocument": {}
        }
    ]
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Create a public free trial offer with subscription pricing for a SaaS product

The following code example shows how to create a public free trial offer with subscription pricing for a SaaS product.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{
```

```
"Catalog": "AWSMarketplace",
"ChangeSet": [
    {
        "ChangeType": "CreateOffer",
        "Entity": {
            "Type": "Offer@1.0"
        },
        "ChangeName": "CreateOfferChange",
        "DetailsDocument": {
            "ProductId": "prod-111111111111"
        }
    },
    {
        "ChangeType": "UpdateInformation",
        "Entity": {
            "Type": "Offer@1.0",
            "Identifier": "$CreateOfferChange.Entity.Identifier"
        },
        "DetailsDocument": {
            "Name": "Test public free trial offer for SaaSProduct using AWS Marketplace API Reference Code",
            "Description": "Test public free trial offer with subscription pricing for SaaSProduct using AWS Marketplace API Reference Code"
        }
    },
    {
        "ChangeType": "UpdatePricingTerms",
        "Entity": {
            "Type": "Offer@1.0",
            "Identifier": "$CreateOfferChange.Entity.Identifier"
        },
        "DetailsDocument": {
            "PricingModel": "Free",
            "Terms": [
                {
                    "Type": "FreeTrialPricingTerm",
                    "Duration": "P20D",
                    "Grants": [
                        {
                            "DimensionKey": "WorkloadSmall"
                        },
                        {
                            "DimensionKey": "WorkloadMedium"
                        }
                    ]
                }
            ]
        }
    }
]
```

```
        ]
    }
}
],
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "LegalTerm",
                "Documents": [
                    {
                        "Type": "StandardEula",
                        "Version": "2022-07-14"
                    }
                ]
            }
        ]
    }
},
{
    "ChangeType": "ReleaseOffer",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {}
}
]
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Create a replacement private offer with contract pricing

The following code example shows how to create a replacement private offer from an existing agreement with contract pricing.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities* to start a changeset from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType" : "CreateReplacementOffer",
            "Entity": {
                "Type": "Offer@1.0"
            },
            "ChangeName": "CreateReplacementOffer",
            "DetailsDocument": {
                "AgreementId": "agmt-11111111111111111111111111111111"
            }
        },
        {
            "ChangeType": "UpdateInformation",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateReplacementOffer.Entity.Identifier"
            },
            "DetailsDocument": {
                "Name": "Test replacement offer for SaaSProduct using AWS
Marketplace API Reference Codes",
                "Description": "Test private replacement offer with contract pricing
for SaaSProduct"
            }
        },
        {
            "ChangeType": "UpdatePricingTerms",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateReplacementOffer.Entity.Identifier"
            }
        }
    ]
}
```

```
        },
        "DetailsDocument": {
            "PricingModel": "Contract",
            "Terms": [
                {
                    "Type": "FixedUpfrontPricingTerm",
                    "CurrencyCode": "USD",
                    "Price": "0.0",
                    "Grants": [
                        {
                            "DimensionKey": "BasicService",
                            "MaxQuantity": 2
                        }
                    ]
                }
            ]
        }
    },
    {
        "ChangeType": "UpdateValidityTerms",
        "Entity": {
            "Type": "Offer@1.0",
            "Identifier": "$CreateReplacementOffer.Entity.Identifier"
        },
        "DetailsDocument": {
            "Terms": [
                {
                    "Type": "ValidityTerm",
                    "AgreementEndDate": "2024-01-30"
                }
            ]
        }
    },
    {
        "ChangeType": "UpdatePaymentScheduleTerms",
        "Entity": {
            "Type": "Offer@1.0",
            "Identifier": "$CreateReplacementOffer.Entity.Identifier"
        },
        "DetailsDocument": {
            "Terms": [
                {
                    "Type": "PaymentScheduleTerm",
                    "CurrencyCode": "USD",
                    "Price": "0.0",
                    "Grants": [
                        {
                            "DimensionKey": "BasicService",
                            "MaxQuantity": 2
                        }
                    ]
                }
            ]
        }
    }
}
```

```
        "Schedule": [
            {
                "ChargeDate": "2024-01-01",
                "ChargeAmount": "0"
            }
        ]
    }
},
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateReplacementOffer.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "LegalTerm",
                "Documents": [
                    {
                        "Type": "StandardEula",
                        "Version": "2022-07-14"
                    }
                ]
            }
        ]
    }
},
{
    "ChangeType": "UpdateAvailability",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateReplacementOffer.Entity.Identifier"
    },
    "DetailsDocument": {
        "AvailabilityEndDate": "2023-12-31"
    }
},
{
    "ChangeType": "ReleaseOffer",
    "Entity": {
        "Type": "Offer@1.0",

```

```
        "Identifier": "$CreateReplacementOffer.Entity.Identifier"
    },
    "DetailsDocument": {}
}
]
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Describe a public offer

The following code example shows how to describe a public offer.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package com.example.awsmarketplace.catalogapi;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;
import com.example.awsmarketplace.utils.ReferenceCodesUtils;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import software.amazon.awssdk.services.marketplacecatalog.MarketplaceCatalogClient;
import
software.amazon.awssdk.services.marketplacecatalog.model.DescribeEntityRequest;
import
software.amazon.awssdk.services.marketplacecatalog.model.DescribeEntityResponse;

public class DescribeEntity {

/*
 * Describe my AMI or SaaS or Container product and check if it contains all the
information I need to know about the product
}
```

```
/*
public static void main(String[] args) {

    String offerId = args.length > 0 ? args[0] : OFFER_ID;

    DescribeEntityResponse describeEntityResponse =
getDescribeEntityResponse(offerId);

    ReferenceCodesUtils.formatOutput(describeEntityResponse);
}

public static DescribeEntityResponse getDescribeEntityResponse(String offerId) {
    MarketplaceCatalogClient marketplaceCatalogClient =
        MarketplaceCatalogClient.builder()
            .httpClient(ApacheHttpClient.builder().build())
            .credentialsProvider(ProfileCredentialsProvider.create())
            .build();

    DescribeEntityRequest describeEntityRequest =
        DescribeEntityRequest.builder()
            .catalog(AWS_MP_CATALOG)
            .entityId(offerId)
            .build();

    DescribeEntityResponse describeEntityResponse =
marketplaceCatalogClient.describeEntity(describeEntityRequest);
    return describeEntityResponse;
}
}
```

- For API details, see [DescribeEntity](#) in *AWS SDK for Java 2.x API Reference*.

Expire a draft private offer

The following code example shows how to set the expiration date of a private offer to a date in the past so that buyers no longer see the offer.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "UpdateAvailability",  
            "Entity": {  
                "Type": "Offer@1.0",  
                "Identifier": "offer-111111111111"  
            },  
            "DetailsDocument": {  
                "AvailabilityEndDate": "2023-01-01"  
            }  
        }  
    ]  
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

List all private offers

The following code example shows how to list all private offers.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
package com.example.awsmarketplace.catalogapi;

import java.util.ArrayList;
import java.util.List;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;
import com.example.awsmarketplace.utils.ReferenceCodesUtils;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import software.amazon.awssdk.services.marketplacecatalog.MarketplaceCatalogClient;
import
software.amazon.awssdk.services.marketplacecatalog.model.DescribeEntityRequest;
import
software.amazon.awssdk.services.marketplacecatalog.model.DescribeEntityResponse;
import software.amazon.awssdk.services.marketplacecatalog.model.EntitySummary;
import software.amazon.awssdk.services.marketplacecatalog.model.EntityTypeFilters;
import software.amazon.awssdk.services.marketplacecatalog.model.ListEntitiesRequest;
import
software.amazon.awssdk.services.marketplacecatalog.model.ListEntitiesResponse;
import
software.amazon.awssdk.services.marketplacecatalog.model.OfferAvailabilityEndDateFilter;
import
software.amazon.awssdk.services.marketplacecatalog.model.OfferAvailabilityEndDateFilterDate;
import
software.amazon.awssdk.services.marketplacecatalog.model.OfferBuyerAccountsFilter;
import software.amazon.awssdk.services.marketplacecatalog.model.OfferFilters;
import
software.amazon.awssdk.services.marketplacecatalog.model.OfferReleaseDateFilter;
import
software.amazon.awssdk.services.marketplacecatalog.model.OfferReleaseDateFilterDateRange;
import
software.amazon.awssdk.services.marketplacecatalog.model.OfferTargetingFilter;

public class ListAllPrivateOffers {

/*
 * List all my private offers and sort or filter them by Offer Publish Date, Offer
Expiry Date and Buyer IDs
 *
 * OfferTargetingFilter = BuyerAccounts (private offer);
 * OfferBuyerAccountsFilter: Buyer IDs filter
 * OfferAvailabilityEndDateFilter : Offer Expiry Date filter
}
```

```
* OfferReleaseDateFilter : Offer Publish Date filter
*/



private static MarketplaceCatalogClient marketplaceCatalogClient =
    MarketplaceCatalogClient.builder()
        .httpClient(ApacheHttpClient.builder().build())
        .credentialsProvider(ProfileCredentialsProvider.create())
        .build();



public static void main(String[] args) {

    String offerReleaseDateAfterValue = "2023-01-01T23:59:59Z";
    String offerAvailableEndDateAfterValue = "2040-12-24T23:59:59Z";

    List<EntitySummary> entitySummaryList =
    getEntitySummaryList(offerReleaseDateAfterValue, offerAvailableEndDateAfterValue);

    // for each offer id, output the offer detail using DescribeEntity API


    for (EntitySummary entitySummary : entitySummaryList) {
        DescribeEntityRequest describeEntityRequest =
            DescribeEntityRequest.builder()
                .catalog(AWS_MP_CATALOG)
                .entityId(entitySummary.entityId())
                .build();
        DescribeEntityResponse describeEntityResponse =
        marketplaceCatalogClient.describeEntity(describeEntityRequest);
        ReferenceCodesUtils.formatOutput(describeEntityResponse);
    }
}

public static List<EntitySummary> getEntitySummaryList (String
offerReleaseDateAfterValue, String offerAvailableEndDateAfterValue) {

    EntityTypeFilters entityTypeFilters =
        EntityTypeFilters.builder()
            .offerFilters(OfferFilters.builder()
                .targeting(OfferTargetingFilter.builder()
                    .valueListWithStrings(OFFER_TARGETING_BUYERACCOUNTS)
                    .build()))
            .buyerAccounts(OfferBuyerAccountsFilter.builder()
                .wildCardValue(BUYER_ACCOUNT_ID)
                .build())
}
```

```
.availabilityEndDate(OfferAvailabilityEndDateFilter.builder()
    .dateRange(OfferAvailabilityEndDateFilterDateRange.builder()
        .afterValue(offerAvailableEndDateAfterValue).build())
    .build())
.releaseDate(OfferReleaseDateFilter.builder()
    .dateRange(OfferReleaseDateFilterDateRange.builder()
        .afterValue(offerReleaseDateAfterValue)
        .build())
    .build())
.build())
.build();
.build();
```

```
ListEntitiesRequest listEntitiesRequest =
ListEntitiesRequest.builder()
.catalog(AWS_MP_CATALOG)
.entityType(ENTITY_TYPE_OFFER).maxResults(10)
.entityTypeFilters(entityTypeFilters)
.nextToken(null)
.build();
```

```
ListEntitiesResponse listEntitiesResponse =
marketplaceCatalogClient.listEntities(listEntitiesRequest);
List<EntitySummary> entitySummaryList = new ArrayList<EntitySummary>();

entitySummaryList.addAll(listEntitiesResponse.entitySummaryList());

while ( listEntitiesResponse.nextToken() != null &&
listEntitiesResponse.nextToken().length() > 0) {
    listEntitiesRequest =
        ListEntitiesRequest.builder()
        .catalog(AWS_MP_CATALOG)
        .entityType(ENTITY_TYPE_OFFER)
        .maxResults(10)
        .entityTypeFilters(entityTypeFilters)
        .nextToken(listEntitiesResponse.nextToken())
        .build();
    listEntitiesResponse =
marketplaceCatalogClient.listEntities(listEntitiesRequest);
    entitySummaryList.addAll(listEntitiesResponse.entitySummaryList());
}
```

```
return entitySummaryList;
}
```

```
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

List released public and private offers for a specific product ID

The following code example shows how to list released public and private offers for a specific product ID.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
package com.example.awsmarketplace.catalogapi;

import java.util.ArrayList;
import java.util.List;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;
import com.example.awsmarketplace.utils.ReferenceCodesUtils;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import software.amazon.awssdk.services.marketplacecatalog.MarketplaceCatalogClient;
import software.amazon.awssdk.services.marketplacecatalog.model.EntitySummary;
import software.amazon.awssdk.services.marketplacecatalog.model.EntityTypeFilters;
import software.amazon.awssdk.services.marketplacecatalog.model.ListEntitiesRequest;
import
software.amazon.awssdk.services.marketplacecatalog.model.ListEntitiesResponse;
import software.amazon.awssdk.services.marketplacecatalog.model.OfferFilters;
import
software.amazon.awssdk.services.marketplacecatalog.model.OfferProductIdFilter;
import software.amazon.awssdk.services.marketplacecatalog.model.OfferStateFilter;
import
software.amazon.awssdk.services.marketplacecatalog.model.OfferTargetingFilter;

public class ListProductPublicOrPrivateReleasedOffers {
```

```
/*
 * List released Public/Private offers for a specific product id.
 * Example below is to list released public offers.
 * To change to released private offers, change OFFER_TARGETING_NONE (None) to
OFFER_TARGETING_BUYERACCOUNTS(BuyerAccounts)
 */
public static void main(String[] args) {

    List<EntitySummary> entitySummaryList = getEntitySummaryLIst();
    ReferenceCodesUtils.formatOutput(entitySummaryList);
}

public static List<EntitySummary> getEntitySummaryLIst() {
    MarketplaceCatalogClient marketplaceCatalogClient =
        MarketplaceCatalogClient.builder()
            .httpClient(ApacheHttpClient.builder().build())
            .credentialsProvider(ProfileCredentialsProvider.create())
            .build();

    // define list entities filters

    EntityTypeFilters entityTypeFilters =
        EntityTypeFilters.builder()
            .offerFilters(OfferFilters.builder()
                .targeting(OfferTargetingFilter.builder()
                    .valueListWithStrings(OFFER_TARGETING_NONE)
                    .build())
                .state(OfferStateFilter.builder()
                    .valueListWithStrings(OFFER_STATE_RELEASED)
                    .build())
                .productId(OfferProductIdFilter.builder()
                    .valueList(PRODUCT_ID)
                    .build())
                .build())
            .build());
    .build();

    ListEntitiesRequest listEntitiesRequest =
        ListEntitiesRequest.builder()
            .catalog(AWS_MP_CATALOG)
            .entityType(ENTITY_TYPE_OFFER)
            .maxResults(10)
            .entityTypeFilters(entityTypeFilters)
            .nextToken(null)
}
```

```
.build();

ListEntitiesResponse listEntitiesResponse =
marketplaceCatalogClient.listEntities(listEntitiesRequest);

// save all entitySummary of the results into entitySummaryList

List<EntitySummary> entitySummaryList = new ArrayList<EntitySummary>();

entitySummaryList.addAll(listEntitiesResponse.entitySummaryList());

while ( listEntitiesResponse.nextToken() != null &&
listEntitiesResponse.nextToken().length() > 0) {
    listEntitiesRequest =
        ListEntitiesRequest.builder()
            .catalog(AWS_MP_CATALOG)
            .entityType(ENTITY_TYPE_OFFER)
            .maxResults(10)
            .entityTypeFilters(entityTypeFilters)
            .nextToken(listEntitiesResponse.nextToken())
            .build();
    listEntitiesResponse =
marketplaceCatalogClient.listEntities(listEntitiesRequest);
    entitySummaryList.addAll(listEntitiesResponse.entitySummaryList());
}
return entitySummaryList;
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Update an offer to apply a contract with Pay-As-You-Go pricing

The following code example shows how to update an offer to apply a contract with Pay-As-You-Go pricing.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities* to start a changeset from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "UpdatePricingTerms",  
            "Entity": {  
                "Type": "Offer@1.0",  
                "Identifier": "offer-111111111111"  
            },  
            "DetailsDocument": {  
                "PricingModel": "Contract",  
                "Terms": [  
                    {  
                        "Type": "UsageBasedPricingTerm",  
                        "CurrencyCode": "USD",  
                        "RateCards": [  
                            {  
                                "RateCard": [  
                                    {  
                                        "DimensionKey": "WorkloadSmall",  
                                        "Price": "0.15"  
                                    },  
                                    {  
                                        "DimensionKey": "WorkloadMedium",  
                                        "Price": "0.25"  
                                    }  
                                ]  
                            }  
                        ]  
                    },  
                    {  
                        "RateCard": [  
                            {  
                                "DimensionKey": "WorkloadSmall",  
                                "Price": "0.15"  
                            },  
                            {  
                                "DimensionKey": "WorkloadMedium",  
                                "Price": "0.25"  
                            }  
                        ]  
                    }  
                ]  
            }  
        }  
    ]  
}
```

```
"Type": "ConfigurableUpfrontPricingTerm",
"CurrencyCode": "USD",
"RateCards": [
    {
        "Selector": {
            "Type": "Duration",
            "Value": "P12M"
        },
        "RateCard": [
            {
                "DimensionKey": "BasicService",
                "Price": "150"
            },
            {
                "DimensionKey": "PremiumService",
                "Price": "300"
            }
        ],
        "Constraints": {
            "MultipleDimensionSelection": "Allowed",
            "QuantityConfiguration": "Allowed"
        }
    }
]
}
]
}
]
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Update an offer to apply hourly annual pricing

The following code example shows how to update an offer to apply hourly annual pricing.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities* to start a changeset from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "UpdatePricingTerms",  
            "Entity": {  
                "Type": "Offer@1.0",  
                "Identifier": "offer-111111111111"  
            },  
            "DetailsDocument": {  
                "PricingModel": "Usage",  
                "Terms": [  
                    {  
                        "Type": "UsageBasedPricingTerm",  
                        "CurrencyCode": "USD",  
                        "RateCards": [  
                            {  
                                "RateCard": [  
                                    {  
                                        "DimensionKey": "m5.large",  
                                        "Price": "0.13"  
                                    }  
                                ]  
                            }  
                        ]  
                    },  
                    {  
                        "Type": "ConfigurableUpfrontPricingTerm",  
                        "CurrencyCode": "USD",  
                        "RateCards": [  
                            {  
                                "RateCard": [  
                                    {  
                                        "DimensionKey": "m5.large",  
                                        "Price": "0.13"  
                                    }  
                                ]  
                            }  
                        ]  
                    }  
                ]  
            }  
        }  
    ]  
}
```

```
        "Selector": {
            "Type": "Duration",
            "Value": "P365D"
        },
        "RateCard": [
            {
                "DimensionKey": "m5.large",
                "Price": "20.03"
            }
        ],
        "Constraints": {
            "MultipleDimensionSelection": "Allowed",
            "QuantityConfiguration": "Allowed"
        }
    }
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Update an offer to apply targeting to specific geographic regions

The following code example shows how to update an offer to apply targeting to specific geographic regions.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to `RunChangesets` in *Utilities to start a changeset* from the **Utilities** section.

```
{
```

```
"Catalog": "AWSMarketplace",
"ChangeSet": [
    {
        "ChangeType": "UpdateTargeting",
        "Entity": {
            "Type": "Offer@1.0",
            "Identifier": "offer-111111111111"
        },
        "DetailsDocument": {
            "PositiveTargeting": {
                "CountryCodes": [
                    "US",
                    "ES",
                    "FR",
                    "AU"
                ]
            }
        }
    }
]
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Update name and description of a public offer

The following code example shows how to update name and description of a public offer.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to `RunChangesets` in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
```

```
{  
    "ChangeType": "UpdateLegalTerms",  
    "Entity": {  
        "Type": "Offer@1.0",  
        "Identifier": "offer-11111111111111"  
    },  
    "DetailsDocument": {  
        "Terms": [  
            {  
                "Type": "LegalTerm",  
                "Documents": [  
                    {  
                        "Type": "CustomEula",  
                        "Url": "https://s3.amazonaws.com/sample-bucket/  
custom-eula.pdf"  
                    }  
                ]  
            }  
        ]  
    }  
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Update the EULA of an offer

The following code example shows how to update the EULA of an offer.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to `RunChangesets` in *Utilities to start a changeset* from the **Utilities** section.

```
{
```

```
"Catalog": "AWSMarketplace",
"ChangeSet": [
    {
        "ChangeType": "UpdateInformation",
        "Entity": {
            "Type": "Offer@1.0",
            "Identifier": "offer-111111111111"
        },
        "DetailsDocument": {
            "Name": "New offer name",
            "Description": "New offer description"
        }
    }
]
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Update the expiration date of a private offer to a future date

The following code example shows how to update the expiration date of a private offer to a date in the future to give buyers more time to evaluate and accept the offer.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to `RunChangesets` in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "UpdateAvailability",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "offer-111111111111"
            }
        }
]
```

```
        },
        "DetailsDocument": {
            "AvailabilityEndDate": "2026-01-01"
        }
    }
]
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Update the free trial duration of a public free trial offer for a SaaS product

The following code example shows how to update the free trial duration of a public free trial offer for a SaaS product.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "UpdatePricingTerms",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "offer-111111111111"
            },
            "DetailsDocument": {
                "PricingModel": "Usage",
                "Terms": [
                    {
                        "Type": "FreeTrialPricingTerm",
                        "Duration": "P21D",
                        "Grants": [

```

```
        {
            "DimensionKey": "WorkloadSmall"
        },
        {
            "DimensionKey": "WorkloadMedium"
        }
    ]
}
]
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Update the refund policy of an offer

The following code example shows how to update the refund policy of an offer.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to `RunChangesets` in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "UpdateSupportTerms",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "offer-111111111111"
            },
            "DetailsDocument": {
                "Terms": [
                    {
                        "Term": "Offer@1.0"
                    }
                ]
            }
        }
    ]
}
```

```
        {
            "Type": "SupportTerm",
            "RefundPolicy": "Updated refund policy description"
        }
    ]
}
]
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Products

Describe an AMI, SaaS, or Container product

The following code example shows how to describe an AMI, SaaS, or Container product and check if it contains all the information you want to know about the product.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package com.example.awsmarketplace.catalogapi;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;
import com.example.awsmarketplace.utils.ReferenceCodesUtils;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import software.amazon.awssdk.services.marketplacecatalog.MarketplaceCatalogClient;
import
software.amazon.awssdk.services.marketplacecatalog.model.DescribeEntityRequest;
import
software.amazon.awssdk.services.marketplacecatalog.model.DescribeEntityResponse;
```

```
public class DescribeEntity {  
  
    /*  
     * Describe my AMI or SaaS or Container product and check if it contains all the  
     * information I need to know about the product  
     */  
    public static void main(String[] args) {  
  
        String offerId = args.length > 0 ? args[0] : OFFER_ID;  
  
        DescribeEntityResponse describeEntityResponse =  
        getDescribeEntityResponse(offerId);  
  
        ReferenceCodesUtils.formatOutput(describeEntityResponse);  
    }  
  
    public static DescribeEntityResponse getDescribeEntityResponse(String offerId) {  
        MarketplaceCatalogClient marketplaceCatalogClient =  
            MarketplaceCatalogClient.builder()  
                .httpClient(ApacheHttpClient.builder().build())  
                .credentialsProvider(ProfileCredentialsProvider.create())  
                .build();  
  
        DescribeEntityRequest describeEntityRequest =  
            DescribeEntityRequest.builder()  
                .catalog(AWS_MP_CATALOG)  
                .entityId(offerId)  
                .build();  
  
        DescribeEntityResponse describeEntityResponse =  
        marketplaceCatalogClient.describeEntity(describeEntityRequest);  
        return describeEntityResponse;  
    }  
}
```

- For API details, see [DescribeEntity](#) in *AWS SDK for Java 2.x API Reference*.

List all AMI, SaaS, or Container products and associated public offers

The following code example shows how to list all AMI, SaaS, or Container products and associated public offers.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
package com.example.awsmarketplace.catalogapi;

import java.util.ArrayList;
import java.util.HashMap;
import java.util.List;
import java.util.Map;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;
import com.example.awsmarketplace.utils.ReferenceCodesUtils;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import software.amazon.awssdk.services.marketplacecatalog.MarketplaceCatalogClient;
import software.amazon.awssdk.services.marketplacecatalog.model.EntitySummary;
import software.amazon.awssdk.services.marketplacecatalog.model.EntityTypeFilters;
import software.amazon.awssdk.services.marketplacecatalog.model.ListEntitiesRequest;
import
software.amazon.awssdk.services.marketplacecatalog.model.ListEntitiesResponse;
import software.amazon.awssdk.services.marketplacecatalog.model.OfferFilters;
import
software.amazon.awssdk.services.marketplacecatalog.model.OfferProductIdFilter;
import software.amazon.awssdk.services.marketplacecatalog.model.OfferStateFilter;
import
software.amazon.awssdk.services.marketplacecatalog.model.OfferTargetingFilter;

public class ListEntities {

/*
 * List all my AMI or SaaS or Container products and associated public offers
 */
public static void main(String[] args) {

    Map<String, List<EntitySummary>> allProductsWithOffers =
        getAllProductsWithOffers();
```

```
    ReferenceCodesUtils.formatOutput(allProductsWithOffers);
}

public static Map<String, List<EntitySummary>> getAllProductsWithOffers() {
    MarketplaceCatalogClient marketplaceCatalogClient =
        MarketplaceCatalogClient.builder()
            .httpClient(ApacheHttpClient.builder().build())
            .credentialsProvider(ProfileCredentialsProvider.create())
            .build();

    Map<String, List<EntitySummary>> allProductsWithOffers = new HashMap<String,
        List<EntitySummary>> ();

    // get all product entities
    List<EntitySummary> productEntityList = new ArrayList<EntitySummary>();

    ListEntitiesRequest listEntitiesRequest =
        ListEntitiesRequest.builder()
            .catalog(AWS_MP_CATALOG)
            .entityType(PRODUCT_TYPE_AMI)
            .maxResults(10)
            .nextToken(null)
            .build();

    ListEntitiesResponse listEntitiesResponse =
        marketplaceCatalogClient.listEntities(listEntitiesRequest);

    productEntityList.addAll(listEntitiesResponse.entitySummaryList());

    while (listEntitiesResponse.nextToken() != null) {
        listEntitiesRequest =
            ListEntitiesRequest.builder()
                .catalog(AWS_MP_CATALOG)
                .entityType(PRODUCT_TYPE_AMI)
                .maxResults(10)
                .nextToken(listEntitiesResponse.nextToken())
                .build();
        listEntitiesResponse =
            marketplaceCatalogClient.listEntities(listEntitiesRequest);
        productEntityList.addAll(listEntitiesResponse.entitySummaryList());
    }
}
```

```
// loop through each product entity and get the public released offers associated
using product id filter

for ( EntitySummary productEntitySummary : productEntityList) {
    EntityTypeFilters entityTypeFilters =
        EntityTypeFilters.builder()
            .offerFilters(OfferFilters.builder()
                .targeting(OfferTargetingFilter.builder()
                    .valueListWithStrings(OFFER_TARGETING_NONE)
                    .build())
                .state(OfferStateFilter.builder()
                    .valueListWithStrings(OFFER_STATE_RELEASED)
                    .build())
                .productId(OfferProductIdFilter.builder()
                    .valueList(productEntitySummary.entityId())
                    .build())
                .build())
            .build();
}

listEntitiesRequest =
    ListEntitiesRequest.builder()
        .catalog(AWS_MP_CATALOG)
        .entityType(ENTITY_TYPE_OFFER)
        .maxResults(10)
        .entityTypeFilters(entityTypeFilters)
        .nextToken(null)
        .build();

listEntitiesResponse =
marketplaceCatalogClient.listEntities(listEntitiesRequest);

// save all entitySummary of the results into entitySummaryList

List<EntitySummary> offerEntitySummaryList = new ArrayList<EntitySummary>();

offerEntitySummaryList.addAll(listEntitiesResponse.entitySummaryList());

while ( listEntitiesResponse.nextToken() != null &&
listEntitiesResponse.nextToken().length() > 0) {
    listEntitiesRequest =
        ListEntitiesRequest.builder()
            .catalog(AWS_MP_CATALOG)
            .entityType(ENTITY_TYPE_OFFER)
```

```
.maxResults(10)
.entityTypeFilters(entityTypeFilters)
.nextToken(listEntitiesResponse.nextToken())
.build();
listEntitiesResponse =
marketplaceCatalogClient.listEntities(listEntitiesRequest);
offerEntitySummaryList.addAll(listEntitiesResponse.entitySummaryList());
}

// save final results into map; key = product id; value = offer entity summary
list

allProductsWithOffers.put(productEntitySummary.entityId(),
offerEntitySummaryList);
}
return allProductsWithOffers;
}

}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.
 - [DescribeEntity](#)
 - [ListEntities](#)

Resale authorization

Create draft resale authorization

The following code example shows how to create draft resale authorization for any product type so you can review them internally before publishing to a Channel Partner.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to `RunChangesets` in *Utilities* to start a changeset from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "CreateResaleAuthorization",  
            "ChangeName": "ResaleAuthorization",  
            "Entity": {  
                "Type": "ResaleAuthorization@1.0"  
            },  
            "DetailsDocument": {  
                "ProductId": "prod-111111111111",  
                "Name": "TestResaleAuthorization",  
                "Description": "Worldwide ResaleAuthorization for Test Product",  
                "ResellerAccountId": "111111111111"  
            }  
        }  
    ]  
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Describe a resale authorization

The following code example shows how to describe a resale authorization.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.  
// SPDX-License-Identifier: Apache-2.0  
package com.example.awsmarketplace.catalogapi;  
  
import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;
```

```
import com.example.awsmarketplace.utils.ReferenceCodesUtils;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import software.amazon.awssdk.services.marketplacecatalog.MarketplaceCatalogClient;
import
software.amazon.awssdk.services.marketplacecatalog.model.DescribeEntityRequest;
import
software.amazon.awssdk.services.marketplacecatalog.model.DescribeEntityResponse;

public class DescribeEntity {

    /*
     * Describe my AMI or SaaS or Container product and check if it contains all the
     information I need to know about the product
    */
    public static void main(String[] args) {

        String offerId = args.length > 0 ? args[0] : OFFER_ID;

        DescribeEntityResponse describeEntityResponse =
getDescribeEntityResponse(offerId);

        ReferenceCodesUtils.formatOutput(describeEntityResponse);
    }

    public static DescribeEntityResponse getDescribeEntityResponse(String offerId) {
        MarketplaceCatalogClient marketplaceCatalogClient =
            MarketplaceCatalogClient.builder()
                .httpClient(ApacheHttpClient.builder().build())
                .credentialsProvider(ProfileCredentialsProvider.create())
                .build();

        DescribeEntityRequest describeEntityRequest =
            DescribeEntityRequest.builder()
                .catalog(AWS_MP_CATALOG)
                .entityId(offerId)
                .build();

        DescribeEntityResponse describeEntityResponse =
            marketplaceCatalogClient.describeEntity(describeEntityRequest);
        return describeEntityResponse;
    }
}
```

- For API details, see [DescribeEntity](#) in *AWS SDK for Java 2.x API Reference*.

Publish a one-time resale authorization with a private offer

The following code example shows how to publish a one-time resale authorization with a private offer so a Channel Partner can use it to create a Channel Partner Private Offer (CPPO).

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to `RunChangesets` in *Utilities* to start a changeset from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "CreateResaleAuthorization",  
            "ChangeName": "ResaleAuthorization",  
            "Entity": {  
                "Type": "ResaleAuthorization@1.0"  
            },  
            "DetailsDocument": {  
                "ProductId": "prod-111111111111",  
                "Name": "TestResaleAuthorization",  
                "Description": "Worldwide ResaleAuthorization for Test Product",  
                "ResellerAccountId": "111111111111"  
            }  
        },  
        {  
            "ChangeType": "ReleaseResaleAuthorization",  
            "Entity": {  
                "Type": "ResaleAuthorization@1.0",  
                "Identifier": "$ResaleAuthorization.Entity.Identifier"  
            },  
        }  
    ]  
}
```

```
        "DetailsDocument": {}  
    },  
    {  
        "ChangeType": "UpdatePricingTerms",  
        "Entity": {  
            "Type": "ResaleAuthorization@1.0",  
            "Identifier": "$ResaleAuthorization.Entity.Identifier"  
        },  
        "DetailsDocument": {  
            "PricingModel": "Contract",  
            "Terms": [  
                {  
                    "Type": "ResaleConfigurableUpfrontPricingTerm",  
                    "CurrencyCode": "USD",  
                    "RateCards": [  
                        {  
                            "Selector": {  
                                "Type": "Duration",  
                                "Value": "P12M"  
                            },  
                            "RateCard": [  
                                {  
                                    "DimensionKey": "t2.small",  
                                    "Price": "150"  
                                }  
                            ],  
                            "Constraints": {  
                                "MultipleDimensionSelection": "Allowed",  
                                "QuantityConfiguration": "Allowed"  
                            }  
                        }  
                    ]  
                }  
            ]  
        }  
    },  
    {  
        "ChangeType": "UpdateLegalTerms",  
        "Entity": {  
            "Type": "ResaleAuthorization@1.0",  
            "Identifier": "$ResaleAuthorization.Entity.Identifier"  
        },  
        "DetailsDocument": {  
            "Terms": [  
            ]  
        }  
    }  
}
```

```
{  
    "Type": "BuyerLegalTerm",  
    "Documents": [  
        {  
            "Type": "CustomEula",  
            "Url": "https://s3.amazonaws.com/sample-bucket/  
custom-eula.pdf"  
        }  
    ]  
},  
{  
    "ChangeType": "UpdateAvailability",  
    "Entity": {  
        "Type": "ResaleAuthorization@1.0",  
        "Identifier": "$ResaleAuthorization.Entity.Identifier"  
    },  
    "DetailsDocument": {  
        "OffersMaxQuantity": 1  
    }  
}  
]  
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Publish multi-use resale authorization with an expiration date

The following code example shows how to publish multi-use resale authorization with an expiration date for an AMI product with hourly annual pricing so a Channel Partner can use it to create a CPPO.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities* to start a changeset from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "CreateResaleAuthorization",  
            "ChangeName": "ResaleAuthorization",  
            "Entity": {  
                "Type": "ResaleAuthorization@1.0"  
            },  
            "DetailsDocument": {  
                "ProductId": "prod-111111111111",  
                "Name": "TestResaleAuthorization",  
                "Description": "Worldwide ResaleAuthorization for Test Product",  
                "ResellerAccountId": "111111111111"  
            }  
        },  
        {  
            "ChangeType": "UpdateLegalTerms",  
            "Entity": {  
                "Type": "ResaleAuthorization@1.0",  
                "Identifier": "$ResaleAuthorization.Entity.Identifier"  
            },  
            "DetailsDocument": {  
                "Terms": [  
                    {  
                        "Type": "BuyerLegalTerm",  
                        "Documents": [  
                            {  
                                "Type": "CustomEula",  
                                "Url": "https://s3.amazonaws.com/sample-bucket/  
custom-eula.pdf"  
                            }  
                        ]  
                    }  
                ]  
            }  
        },  
        {  
            "ChangeType": "UpdatePricingTerms",  
            "Entity": {  
                "Type": "ResaleAuthorization@1.0",  
                "Identifier": "$ResaleAuthorization.Entity.Identifier"  
            }  
        }  
    ]  
}
```

```
        "Type": "ResaleAuthorization@1.0",
        "Identifier": "$ResaleAuthorization.Entity.Identifier"
    },
    "DetailsDocument": {
        "PricingModel": "Contract",
        "Terms": [
            {
                "Type": "ResaleConfigurableUpfrontPricingTerm",
                "CurrencyCode": "USD",
                "RateCards": [
                    {
                        "Selector": {
                            "Type": "Duration",
                            "Value": "P12M"
                        },
                        "RateCard": [
                            {
                                "DimensionKey": "t2.small",
                                "Price": "150"
                            }
                        ],
                        "Constraints": {
                            "MultipleDimensionSelection": "Allowed",
                            "QuantityConfiguration": "Allowed"
                        }
                    }
                ]
            }
        ]
    },
    {
        "ChangeType": "UpdateAvailability",
        "Entity": {
            "Type": "ResaleAuthorization@1.0",
            "Identifier": "$ResaleAuthorization.Entity.Identifier"
        },
        "DetailsDocument": {
            "AvailabilityEndDate": "2023-05-31"
        }
    },
    {
        "ChangeType": "ReleaseResaleAuthorization",
        "Entity": {
```

```
        "Type": "ResaleAuthorization@1.0",
        "Identifier": "$ResaleAuthorization.Entity.Identifier"
    },
    "DetailsDocument": {}
}
]
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Publish multi-use resale authorization with an expiration date and a EULA

The following code example shows how to publish multi-use resale authorization with an expiration date for any product type and add a custom EULA to be sent to the buyer.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "CreateResaleAuthorization",
            "ChangeName": "ResaleAuthorization",
            "Entity": {
                "Type": "ResaleAuthorization@1.0"
            },
            "DetailsDocument": {
                "ProductId": "prod-111111111111",
                "Name": "TestResaleAuthorization",
                "Description": "Worldwide ResaleAuthorization for Test Product",
                "ResellerAccountId": "111111111111"
            }
        },
    ],
}
```

```
{  
    "ChangeType": "ReleaseResaleAuthorization",  
    "Entity": {  
        "Type": "ResaleAuthorization@1.0",  
        "Identifier": "$ResaleAuthorization.Entity.Identifier"  
    },  
    "DetailsDocument": {}  
},  
{  
    "ChangeType": "UpdateAvailability",  
    "Entity": {  
        "Type": "ResaleAuthorization@1.0",  
        "Identifier": "$ResaleAuthorization.Entity.Identifier"  
    },  
    "DetailsDocument": {  
        "AvailabilityEndDate": "2023-05-31"  
    }  
},  
{  
    "ChangeType": "UpdatePricingTerms",  
    "Entity": {  
        "Type": "ResaleAuthorization@1.0",  
        "Identifier": "$ResaleAuthorization.Entity.Identifier"  
    },  
    "DetailsDocument": {  
        "PricingModel": "Contract",  
        "Terms": [  
            {  
                "Type": "ResaleConfigurableUpfrontPricingTerm",  
                "CurrencyCode": "USD",  
                "RateCards": [  
                    {  
                        "Selector": {  
                            "Type": "Duration",  
                            "Value": "P12M"  
                        },  
                        "RateCard": [  
                            {  
                                "DimensionKey": "t2.small",  
                                "Price": "150"  
                            }  
                        ],  
                        "Constraints": {  
                            "MultipleDimensionSelection": "Allowed",  
                            "MaxDimensions": 1  
                        }  
                    }  
                ]  
            }  
        ]  
    }  
}
```

```
        "QuantityConfiguration": "Allowed"
    }
]
}
]
},
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "ResaleAuthorization@1.0",
        "Identifier": "$ResaleAuthorization.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "BuyerLegalTerm",
                "Documents": [
                    {
                        "Type": "CustomEula",
                        "Url": "https://s3.amazonaws.com/sample-bucket/
custom-eula.pdf"
                    }
                ]
            }
        ]
    }
}
]
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Publish multi-use resale authorization with an expiration date and reseller contract documentation

The following code example shows how to publish multi-use resale authorization with an expiration date for any product type and add reseller contract documentation between the ISV and Channel Partner.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities* to start a changeset from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "CreateResaleAuthorization",
            "ChangeName": "ResaleAuthorization",
            "Entity": {
                "Type": "ResaleAuthorization@1.0"
            },
            "DetailsDocument": {
                "ProductId": "prod-11111111111111",
                "Name": "TestResaleAuthorization",
                "Description": "Worldwide ResaleAuthorization for Test Product",
                "ResellerAccountId": "111111111111"
            }
        },
        {
            "ChangeType": "ReleaseResaleAuthorization",
            "Entity": {
                "Type": "ResaleAuthorization@1.0",
                "Identifier": "$ResaleAuthorization.Entity.Identifier"
            },
            "DetailsDocument": {}
        },
        {
            "ChangeType": "UpdateAvailability",
            "Entity": {
                "Type": "ResaleAuthorization@1.0",
                "Identifier": "$ResaleAuthorization.Entity.Identifier"
            },
            "DetailsDocument": {}
        }
    ]
}
```

```
        "AvailabilityEndDate": "2023-05-31"
    }
},
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "ResaleAuthorization@1.0",
        "Identifier": "$ResaleAuthorization.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "BuyerLegalTerm",
                "Documents": [
                    {
                        "Type": "CustomEula",
                        "Url": "https://s3.amazonaws.com/sample-bucket/
custom-eula.pdf"
                    }
                ]
            },
            {
                "Type": "ResaleLegalTerm",
                "Documents": [
                    {
                        "Type": "CustomResellerContract",
                        "Url": "https://s3.amazonaws.com/aws-mp-standard-
contracts/Standard-Contact-for-AWS-Marketplace-2022-07-14.pdf"
                    }
                ]
            }
        ]
    },
    {
        "ChangeType": "UpdatePricingTerms",
        "Entity": {
            "Type": "ResaleAuthorization@1.0",
            "Identifier": "$ResaleAuthorization.Entity.Identifier"
        },
        "DetailsDocument": {
            "PricingModel": "Contract",
            "Terms": [
                {
                    "Type": "ResaleConfigurableUpfrontPricingTerm",

```

```
        "CurrencyCode": "USD",
        "RateCards": [
            {
                "Selector": {
                    "Type": "Duration",
                    "Value": "P12M"
                },
                "RateCard": [
                    {
                        "DimensionKey": "t2.small",
                        "Price": "150"
                    }
                ],
                "Constraints": {
                    "MultipleDimensionSelection": "Allowed",
                    "QuantityConfiguration": "Allowed"
                }
            }
        ]
    }
}
```

- For API details, see [StartChangeSet](#) in AWS SDK for Java 2.x API Reference.

Publish multi-use resale authorization with expiration and add a specific buyer account

The following code example shows how to publish multi-use resale authorization with an expiration date for any product type and add a specific buyer account for the resale.

SDK for Java 2.x

 Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities* to start a changeset from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "CreateResaleAuthorization",  
            "ChangeName": "ResaleAuthorization",  
            "Entity": {  
                "Type": "ResaleAuthorization@1.0"  
            },  
            "DetailsDocument": {  
                "ProductId": "prod-111111111111",  
                "Name": "TestResaleAuthorization",  
                "Description": "Worldwide ResaleAuthorization for Test Product",  
                "ResellerAccountId": "111111111111"  
            }  
        },  
        {  
            "ChangeType": "ReleaseResaleAuthorization",  
            "Entity": {  
                "Type": "ResaleAuthorization@1.0",  
                "Identifier": "$ResaleAuthorization.Entity.Identifier"  
            },  
            "DetailsDocument": {}  
        },  
        {  
            "ChangeType": "UpdateAvailability",  
            "Entity": {  
                "Type": "ResaleAuthorization@1.0",  
                "Identifier": "$ResaleAuthorization.Entity.Identifier"  
            },  
            "DetailsDocument": {  
                "AvailabilityEndDate": "2023-05-31"  
            }  
        },  
        {  
            "ChangeType": "UpdatePricingTerms",  
            "Entity": {  
                "Type": "ResaleAuthorization@1.0",  
                "Identifier": "$ResaleAuthorization.Entity.Identifier"  
            },  
        }  
    ]  
}
```

```
"DetailsDocument": {
    "PricingModel": "Contract",
    "Terms": [
        {
            "Type": "ResaleConfigurableUpfrontPricingTerm",
            "CurrencyCode": "USD",
            "RateCards": [
                {
                    "Selector": {
                        "Type": "Duration",
                        "Value": "P12M"
                    },
                    "RateCard": [
                        {
                            "DimensionKey": "t2.small",
                            "Price": "150"
                        }
                    ],
                    "Constraints": {
                        "MultipleDimensionSelection": "Allowed",
                        "QuantityConfiguration": "Allowed"
                    }
                }
            ]
        }
    ],
    "ChangeType": "UpdateBuyerTargetingTerms",
    "Entity": {
        "Type": "ResaleAuthorization@1.0",
        "Identifier": "$ResaleAuthorization.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "BuyerTargetingTerm",
                "PositiveTargeting": {
                    "BuyerAccounts": [
                        "111111111111"
                    ]
                }
            }
        ]
    }
},
```

```
        ],
    },
},
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "ResaleAuthorization@1.0",
        "Identifier": "$ResaleAuthorization.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "BuyerLegalTerm",
                "Documents": [
                    {
                        "Type": "CustomEula",
                        "Url": "https://s3.amazonaws.com/sample-bucket/
custom-eula.pdf"
                    }
                ]
            }
        ]
    }
}
]
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Publish multi-use resale authorization without an expiration date

The following code example shows how to publish multi-use resale authorization without an expiration date for an AMI product with hourly annual pricing so a CP can use that to create a CPPO.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities* to start a changeset from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "CreateResaleAuthorization",  
            "ChangeName": "ResaleAuthorization",  
            "Entity": {  
                "Type": "ResaleAuthorization@1.0"  
            },  
            "DetailsDocument": {  
                "ProductId": "prod-111111111111",  
                "Name": "TestResaleAuthorization",  
                "Description": "Worldwide ResaleAuthorization for Test Product",  
                "ResellerAccountId": "111111111111"  
            }  
        },  
        {  
            "ChangeType": "ReleaseResaleAuthorization",  
            "Entity": {  
                "Type": "ResaleAuthorization@1.0",  
                "Identifier": "$ResaleAuthorization.Entity.Identifier"  
            },  
            "DetailsDocument": {}  
        },  
        {  
            "ChangeType": "UpdatePricingTerms",  
            "Entity": {  
                "Type": "ResaleAuthorization@1.0",  
                "Identifier": "$ResaleAuthorization.Entity.Identifier"  
            },  
            "DetailsDocument": {  
                "PricingModel": "Contract",  
                "Terms": [  
                    {  
                        "Type": "ResaleConfigurableUpfrontPricingTerm",  
                        "CurrencyCode": "USD",  
                        "RateCards": [  
                            {  
                                "Selector": {  
                                    "Type": "Duration",  
                                    "Value": "1 Year"  
                                }  
                            }  
                        ]  
                    }  
                ]  
            }  
        }  
    ]  
}
```

```
        "Value": "P12M"
    },
    "RateCard": [
        {
            "DimensionKey": "t2.small",
            "Price": "150"
        }
    ],
    "Constraints": {
        "MultipleDimensionSelection": "Allowed",
        "QuantityConfiguration": "Allowed"
    }
}
]
}
],
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "ResaleAuthorization@1.0",
        "Identifier": "$ResaleAuthorization.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "BuyerLegalTerm",
                "Documents": [
                    {
                        "Type": "CustomEula",
                        "Url": "https://s3.amazonaws.com/sample-bucket/
custom-eula.pdf"
                    }
                ]
            }
        ]
    }
}
]
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Publish multi-use resale authorization without an expiration date and a EULA

The following code example shows how to publish multi-use resale authorization without an expiration date for any product type and add a custom EULA to be sent to the buyer.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities* to start a changeset from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "CreateResaleAuthorization",
            "ChangeName": "ResaleAuthorization",
            "Entity": {
                "Type": "ResaleAuthorization@1.0"
            },
            "DetailsDocument": {
                "ProductId": "prod-111111111111",
                "Name": "TestResaleAuthorization",
                "Description": "Worldwide ResaleAuthorization for Test Product",
                "ResellerAccountId": "111111111111"
            }
        },
        {
            "ChangeType": "ReleaseResaleAuthorization",
            "Entity": {
                "Type": "ResaleAuthorization@1.0",
                "Identifier": "$ResaleAuthorization.Entity.Identifier"
            },
            "DetailsDocument": {}
        },
        {
            "ChangeType": "UpdatePricingTerms",
            "Entity": {
                "Type": "ResaleAuthorization@1.0",
                "Identifier": "$ResaleAuthorization.Entity.Identifier"
            },
            "DetailsDocument": {
                "Pricing": {
                    "Offer": "OfferA"
                }
            }
        }
    ]
}
```

```
"Entity": {
    "Type": "ResaleAuthorization@1.0",
    "Identifier": "$ResaleAuthorization.Entity.Identifier"
},
"DetailsDocument": {
    "PricingModel": "Contract",
    "Terms": [
        {
            "Type": "ResaleConfigurableUpfrontPricingTerm",
            "CurrencyCode": "USD",
            "RateCards": [
                {
                    "Selector": {
                        "Type": "Duration",
                        "Value": "P12M"
                    },
                    "RateCard": [
                        {
                            "DimensionKey": "t2.small",
                            "Price": "150"
                        }
                    ],
                    "Constraints": {
                        "MultipleDimensionSelection": "Allowed",
                        "QuantityConfiguration": "Allowed"
                    }
                }
            ]
        }
    ]
},
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "ResaleAuthorization@1.0",
        "Identifier": "$ResaleAuthorization.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "BuyerLegalTerm",
                "Documents": [
                    {

```

```
        "Type": "CustomEula",
        "Url": "https://s3.amazonaws.com/sample-bucket/
custom-eula.pdf"
    }
]
}
}
]
}
}
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Publish multi-use resale authorization without an expiration date and reseller contract documentation

The following code example shows how to publish multi-use resale authorization without an expiration date for any product type and add reseller contract documentation between the ISV and Channel Partner.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to `RunChangesets` in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "CreateResaleAuthorization",
            "ChangeName": "ResaleAuthorization",
            "Entity": {
                "Type": "ResaleAuthorization@1.0"
            },
        }
    ]
}
```

```
"DetailsDocument": {
    "ProductId": "prod-111111111111",
    "Name": "TestResaleAuthorization",
    "Description": "Worldwide ResaleAuthorization for Test Product",
    "ResellerAccountId": "111111111111"
},
{
    "ChangeType": "ReleaseResaleAuthorization",
    "Entity": {
        "Type": "ResaleAuthorization@1.0",
        "Identifier": "$ResaleAuthorization.Entity.Identifier"
    },
    "DetailsDocument": {}
},
{
    "ChangeType": "UpdatePricingTerms",
    "Entity": {
        "Type": "ResaleAuthorization@1.0",
        "Identifier": "$ResaleAuthorization.Entity.Identifier"
    },
    "DetailsDocument": {
        "PricingModel": "Contract",
        "Terms": [
            {
                "Type": "ResaleConfigurableUpfrontPricingTerm",
                "CurrencyCode": "USD",
                "RateCards": [
                    {
                        "Selector": {
                            "Type": "Duration",
                            "Value": "P12M"
                        },
                        "RateCard": [
                            {
                                "DimensionKey": "t2.small",
                                "Price": "150"
                            }
                        ],
                        "Constraints": {
                            "MultipleDimensionSelection": "Allowed",
                            "QuantityConfiguration": "Allowed"
                        }
                    }
                ]
            }
        ]
    }
}
```

```
        ]
    }
]
},
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "ResaleAuthorization@1.0",
        "Identifier": "$ResaleAuthorization.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "BuyerLegalTerm",
                "Documents": [
                    {
                        "Type": "CustomEula",
                        "Url": "https://s3.amazonaws.com/sample-bucket/
custom-eula.pdf"
                    }
                ]
            },
            {
                "Type": "ResaleLegalTerm",
                "Documents": [
                    {
                        "Type": "CustomResellerContract",
                        "Url": "https://s3.amazonaws.com/aws-mp-standard-
contracts/Standard-Contact-for-AWS-Marketplace-2022-07-14.pdf"
                    }
                ]
            }
        ]
    }
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Publish multi-use resale authorization without expiration and add a specific buyer account

The following code example shows how to publish multi-use resale authorization without an expiration date for any product type and add a specific buyer account for the resale.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to `RunChangesets` in *Utilities* to start a changeset from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "CreateResaleAuthorization",
            "ChangeName": "ResaleAuthorization",
            "Entity": {
                "Type": "ResaleAuthorization@1.0"
            },
            "DetailsDocument": {
                "ProductId": "prod-111111111111",
                "Name": "TestResaleAuthorization",
                "Description": "Worldwide ResaleAuthorization for Test Product",
                "ResellerAccountId": "111111111111"
            }
        },
        {
            "ChangeType": "ReleaseResaleAuthorization",
            "Entity": {
                "Type": "ResaleAuthorization@1.0",
                "Identifier": "$ResaleAuthorization.Entity.Identifier"
            },
            "DetailsDocument": {}
        },
        {
            "ChangeType": "UpdatePricingTerms",
            "Entity": {
                "Type": "ResaleAuthorization@1.0",
                "Identifier": "$ResaleAuthorization.Entity.Identifier"
            },
            "DetailsDocument": {
                "Pricing": {
                    "Buyer": "111111111111",
                    "Seller": "111111111111"
                }
            }
        }
    ]
}
```

```
"Entity": {
    "Type": "ResaleAuthorization@1.0",
    "Identifier": "$ResaleAuthorization.Entity.Identifier"
},
"DetailsDocument": {
    "PricingModel": "Contract",
    "Terms": [
        {
            "Type": "ResaleConfigurableUpfrontPricingTerm",
            "CurrencyCode": "USD",
            "RateCards": [
                {
                    "Selector": {
                        "Type": "Duration",
                        "Value": "P12M"
                    },
                    "RateCard": [
                        {
                            "DimensionKey": "t2.small",
                            "Price": "150"
                        }
                    ],
                    "Constraints": {
                        "MultipleDimensionSelection": "Allowed",
                        "QuantityConfiguration": "Allowed"
                    }
                }
            ]
        }
    ]
},
{
    "ChangeType": "UpdateBuyerTargetingTerms",
    "Entity": {
        "Type": "ResaleAuthorization@1.0",
        "Identifier": "$ResaleAuthorization.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "BuyerTargetingTerm",
                "PositiveTargeting": {
                    "BuyerAccounts": [

```

```
        "11111111111111"
    ]
}
]
}
},
{
  "ChangeType": "UpdateLegalTerms",
  "Entity": {
    "Type": "ResaleAuthorization@1.0",
    "Identifier": "$ResaleAuthorization.Entity.Identifier"
  },
  "DetailsDocument": {
    "Terms": [
      {
        "Type": "BuyerLegalTerm",
        "Documents": [
          {
            "Type": "CustomEula",
            "Url": "https://s3.amazonaws.com/sample-bucket/
custom-eula.pdf"
          }
        ]
      }
    ]
  }
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Publish one-time resale authorization and add Flexible payment schedule

The following code example shows how to publish one-time resale authorization for any product type and add Flexible payment schedule.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities* to start a changeset from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "CreateResaleAuthorization",
            "ChangeName": "ResaleAuthorization",
            "Entity": {
                "Type": "ResaleAuthorization@1.0"
            },
            "DetailsDocument": {
                "ProductId": "prod-111111111111",
                "Name": "TestResaleAuthorization",
                "Description": "Worldwide ResaleAuthorization for Test Product",
                "ResellerAccountId": "111111111111"
            }
        },
        {
            "ChangeType": "ReleaseResaleAuthorization",
            "Entity": {
                "Type": "ResaleAuthorization@1.0",
                "Identifier": "$ResaleAuthorization.Entity.Identifier"
            },
            "DetailsDocument": {}
        },
        {
            "ChangeType": "UpdatePricingTerms",
            "Entity": {
                "Type": "ResaleAuthorization@1.0",
                "Identifier": "$ResaleAuthorization.Entity.Identifier"
            },
            "DetailsDocument": {}
        }
    ]
}
```

```
        "PricingModel": "Contract",
        "Terms": [
            {
                "Type": "ResaleFixedUpfrontPricingTerm",
                "CurrencyCode": "USD",
                "Price": "0.00",
                "Duration": "P12M",
                "Grants": [
                    {
                        "DimensionKey": "Users",
                        "MaxQuantity": 10
                    }
                ]
            }
        ],
    },
    {
        "ChangeType": "UpdatePaymentScheduleTerms",
        "Entity": {
            "Type": "ResaleAuthorization@1.0",
            "Identifier": "$ResaleAuthorization.Entity.Identifier"
        },
        "DetailsDocument": {
            "Terms": [
                {
                    "Type": "ResalePaymentScheduleTerm",
                    "CurrencyCode": "USD",
                    "Schedule": [
                        {
                            "ChargeDate": "2023-09-01",
                            "ChargeAmount": "200.00"
                        },
                        {
                            "ChargeDate": "2023-12-01",
                            "ChargeAmount": "250.00"
                        }
                    ]
                }
            ]
        },
        {
            "ChangeType": "UpdateAvailability",

```

```
"Entity": {
    "Type": "ResaleAuthorization@1.0",
    "Identifier": "$ResaleAuthorization.Entity.Identifier"
},
"DetailsDocument": {
    "AvailabilityEndDate": "2023-06-30",
    "OffersMaxQuantity": 1
}
},
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "ResaleAuthorization@1.0",
        "Identifier": "$ResaleAuthorization.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "BuyerLegalTerm",
                "Documents": [
                    {
                        "Type": "CustomEula",
                        "Url": "https://s3.amazonaws.com/sample-bucket/
custom-eula.pdf"
                    }
                ]
            }
        ]
    }
}
]
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Publish one-time resale authorization and add a EULA

The following code example shows how to publish one-time resale authorization for any product type and add a custom EULA to be sent to the buyer.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities* to start a changeset from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "CreateResaleAuthorization",  
            "ChangeName": "ResaleAuthorization",  
            "Entity": {  
                "Type": "ResaleAuthorization@1.0"  
            },  
            "DetailsDocument": {  
                "ProductId": "prod-11111111111111",  
                "Name": "TestResaleAuthorization",  
                "Description": "Worldwide ResaleAuthorization for Test Product",  
                "ResellerAccountId": "111111111111"  
            }  
        },  
        {  
            "ChangeType": "ReleaseResaleAuthorization",  
            "Entity": {  
                "Type": "ResaleAuthorization@1.0",  
                "Identifier": "$ResaleAuthorization.Entity.Identifier"  
            },  
            "DetailsDocument": {}  
        },  
        {  
            "ChangeType": "UpdateAvailability",  
            "Entity": {  
                "Type": "ResaleAuthorization@1.0",  
                "Identifier": "$ResaleAuthorization.Entity.Identifier"  
            },  
            "DetailsDocument": {}  
        }  
    ]  
}
```

```
        "OffersMaxQuantity": 1
    }
},
{
    "ChangeType": "UpdatePricingTerms",
    "Entity": {
        "Type": "ResaleAuthorization@1.0",
        "Identifier": "$ResaleAuthorization.Entity.Identifier"
    },
    "DetailsDocument": {
        "PricingModel": "Contract",
        "Terms": [
            {
                "Type": "ResaleConfigurableUpfrontPricingTerm",
                "CurrencyCode": "USD",
                "RateCards": [
                    {
                        "Selector": {
                            "Type": "Duration",
                            "Value": "P12M"
                        },
                        "RateCard": [
                            {
                                "DimensionKey": "t2.small",
                                "Price": "150"
                            }
                        ],
                        "Constraints": {
                            "MultipleDimensionSelection": "Allowed",
                            "QuantityConfiguration": "Allowed"
                        }
                    }
                ]
            }
        ]
    }
},
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "ResaleAuthorization@1.0",
        "Identifier": "$ResaleAuthorization.Entity.Identifier"
    },
    "DetailsDocument": {
```

```
        "Terms": [
            {
                "Type": "BuyerLegalTerm",
                "Documents": [
                    {
                        "Type": "CustomEula",
                        "Url": "https://s3.amazonaws.com/sample-bucket/
custom-eula.pdf"
                    }
                ]
            }
        ]
    }
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Publish one-time resale authorization and add a specific buyer account

The following code example shows how to publish one-time resale authorization for any product type and add a specific buyer account for the resale.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to `RunChangesets` in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "CreateResaleAuthorization",
            "ChangeName": "ResaleAuthorization",
            "Entity": {

```

```
        "Type": "ResaleAuthorization@1.0"
    },
    "DetailsDocument": {
        "ProductId": "prod-111111111111",
        "Name": "TestResaleAuthorization",
        "Description": "Worldwide ResaleAuthorization for Test Product",
        "ResellerAccountId": "111111111111"
    }
},
{
    "ChangeType": "ReleaseResaleAuthorization",
    "Entity": {
        "Type": "ResaleAuthorization@1.0",
        "Identifier": "$ResaleAuthorization.Entity.Identifier"
    },
    "DetailsDocument": {}
},
{
    "ChangeType": "UpdatePricingTerms",
    "Entity": {
        "Type": "ResaleAuthorization@1.0",
        "Identifier": "$ResaleAuthorization.Entity.Identifier"
    },
    "DetailsDocument": {
        "PricingModel": "Contract",
        "Terms": [
            {
                "Type": "ResaleConfigurableUpfrontPricingTerm",
                "CurrencyCode": "USD",
                "RateCards": [
                    {
                        "Selector": {
                            "Type": "Duration",
                            "Value": "P12M"
                        },
                        "RateCard": [
                            {
                                "DimensionKey": "t2.small",
                                "Price": "150"
                            }
                        ],
                        "Constraints": {
                            "MultipleDimensionSelection": "Allowed",
                            "QuantityConfiguration": "Allowed"
                        }
                    }
                ]
            }
        ]
    }
}
```

```
        }
    ]
}
]
},
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "ResaleAuthorization@1.0",
        "Identifier": "$ResaleAuthorization.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "BuyerLegalTerm",
                "Documents": [
                    {
                        "Type": "CustomEula",
                        "Url": "https://s3.amazonaws.com/sample-bucket/
custom-eula.pdf"
                    }
                ]
            }
        ]
    }
},
{
    "ChangeType": "UpdateAvailability",
    "Entity": {
        "Type": "ResaleAuthorization@1.0",
        "Identifier": "$ResaleAuthorization.Entity.Identifier"
    },
    "DetailsDocument": {
        "OffersMaxQuantity": "1"
    }
},
{
    "ChangeType": "UpdateBuyerTargetingTerms",
    "Entity": {
        "Type": "ResaleAuthorization@1.0",
        "Identifier": "$ResaleAuthorization.Entity.Identifier"
    },
}
```

```
        "DetailsDocument": {
            "Terms": [
                {
                    "Type": "BuyerTargetingTerm",
                    "PositiveTargeting": {
                        "BuyerAccounts": [
                            "111111111111"
                        ]
                    }
                }
            ]
        }
    }
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Publish one-time resale authorization and add reseller contract documentation

The following code example shows how to publish one-time resale authorization for any product type and add reseller contract documentation between the ISV and Channel Partner.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to `RunChangesets` in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "CreateResaleAuthorization",
            "ChangeName": "ResaleAuthorization",
            "Entity": {
                "Type": "ResaleAuthorization@1.0"
            }
        }
    ]
}
```

```
        },
        "DetailsDocument": {
            "ProductId": "prod-111111111111",
            "Name": "TestResaleAuthorization",
            "Description": "Worldwide ResaleAuthorization for Test Product",
            "ResellerAccountId": "111111111111"
        }
    },
    {
        "ChangeType": "ReleaseResaleAuthorization",
        "Entity": {
            "Type": "ResaleAuthorization@1.0",
            "Identifier": "$ResaleAuthorization.Entity.Identifier"
        },
        "DetailsDocument": {}
    },
    {
        "ChangeType": "UpdateAvailability",
        "Entity": {
            "Type": "ResaleAuthorization@1.0",
            "Identifier": "$ResaleAuthorization.Entity.Identifier"
        },
        "DetailsDocument": {
            "OffersMaxQuantity": 1
        }
    },
    {
        "ChangeType": "UpdatePricingTerms",
        "Entity": {
            "Type": "ResaleAuthorization@1.0",
            "Identifier": "$ResaleAuthorization.Entity.Identifier"
        },
        "DetailsDocument": {
            "PricingModel": "Contract",
            "Terms": [
                {
                    "Type": "ResaleConfigurableUpfrontPricingTerm",
                    "CurrencyCode": "USD",
                    "RateCards": [
                        {
                            "Selector": {
                                "Type": "Duration",
                                "Value": "P12M"
                            },
                            ...
                        }
                    ]
                }
            ]
        }
    }
}
```

```
        "RateCard": [
            {
                "DimensionKey": "t2.small",
                "Price": "150"
            }
        ],
        "Constraints": {
            "MultipleDimensionSelection": "Allowed",
            "QuantityConfiguration": "Allowed"
        }
    }
]
}
],
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "ResaleAuthorization@1.0",
        "Identifier": "$ResaleAuthorization.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "BuyerLegalTerm",
                "Documents": [
                    {
                        "Type": "CustomEula",
                        "Url": "https://s3.amazonaws.com/sample-bucket/
custom-eula.pdf"
                    }
                ]
            }
        ]
    }
}
]
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Publish one-time resale authorization and add whether it is a renewal

The following code example shows how to publish one-time resale authorization for any product type and add whether it is a renewal.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to `RunChangesets` in *Utilities* to start a changeset from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "CreateResaleAuthorization",
            "ChangeName": "ResaleAuthorization",
            "Entity": {
                "Type": "ResaleAuthorization@1.0"
            },
            "DetailsDocument": {
                "ProductId": "prod-111111111111",
                "Name": "TestResaleAuthorization",
                "Description": "Worldwide ResaleAuthorization for Test Product",
                "ResellerAccountId": "111111111111"
            }
        },
        {
            "ChangeType": "UpdateBuyerTargetingTerms",
            "Entity": {
                "Type": "ResaleAuthorization@1.0",
                "Identifier": "$ResaleAuthorization.Entity.Identifier"
            },
            "DetailsDocument": {
                "Terms": [
                    {
                        "Type": "BuyerTargetingTerm",

```

```
        "PositiveTargeting": {
            "BuyerAccounts": [
                "222222222222"
            ]
        }
    }
},
{
    "ChangeType": "UpdateAvailability",
    "Entity": {
        "Type": "ResaleAuthorization@1.0",
        "Identifier": "$ResaleAuthorization.Entity.Identifier"
    },
    "DetailsDocument": {
        "OffersMaxQuantity": 1
    }
},
{
    "ChangeType": "UpdateInformation",
    "Entity": {
        "Type": "ResaleAuthorization@1.0",
        "Identifier": "$ResaleAuthorization.Entity.Identifier"
    },
    "DetailsDocument": {
        "Name": "TestResaleAuthorization",
        "Description": "Worldwide ResaleAuthorization for Test Product",
        "PreExistingBuyerAgreement": {
            "AcquisitionChannel": "AwsMarketplace",
            "PricingModel": "Contract"
        }
    }
}
]
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Restrict resale authorization

The following code example shows how to restrict resale authorization.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "RestrictResaleAuthorization",  
            "Entity": {  
                "Type": "ResaleAuthorization@1.0",  
                "Identifier": "resaleauthz-111111111111"  
            },  
            "DetailsDocument": {}  
        }  
    ]  
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Update name and description of one-time or multi-use resale authorization

The following code example shows how to update name and description of one-time or multi-use resale authorization before publishing for any product type.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities* to start a changeset from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "UpdateInformation",  
            "Entity": {  
                "Type": "ResaleAuthorization@1.0",  
                "Identifier": "resaleauthz-11111111111111"  
            },  
            "DetailsDocument": {  
                "Name": "TestResaleAuthorization",  
                "Description": "Worldwide ResaleAuthorization for Test Product"  
            }  
        }  
    ]  
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

SaaS products

Create a draft SaaS product with a draft public offer

The following code example shows how to create a draft SaaS product with a draft public offer.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities* to start a changeset from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",
```

```
"ChangeSet": [
    {
        "ChangeType": "CreateProduct",
        "ChangeName": "CreateProductChange",
        "Entity": {
            "Type": "SaaSProduct@1.0"
        },
        "DetailsDocument": {
            "ProductTitle": "Sample product"
        }
    },
    {
        "ChangeType": "CreateOffer",
        "ChangeName": "CreateOfferChange",
        "Entity": {
            "Type": "Offer@1.0"
        },
        "DetailsDocument": {
            "ProductId": "$CreateProductChange.Entity.Identifier",
            "Name": "Test Offer"
        }
    }
]
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Create a public or limited SaaS product and public offer with contract pricing

The following code example shows how to create a public or limited SaaS product and public offer with contract pricing. This example creates either a standard or custom EULA.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "CreateProduct",  
            "Entity": {  
                "Type": "SaaSProduct@1.0"  
            },  
            "ChangeName": "CreateProductChange",  
            "DetailsDocument": {}  
        },  
        {  
            "ChangeType": "UpdateInformation",  
            "Entity": {  
                "Type": "SaaSProduct@1.0",  
                "Identifier": "$CreateProductChange.Entity.Identifier"  
            },  
            "DetailsDocument": {  
                "ProductTitle": "Sample product",  
                "ShortDescription": "Brief description",  
                "LongDescription": "Detailed description",  
                "Highlights": [  
                    "Sample highlight"  
                ],  
                "SearchKeywords": [  
                    "Sample keyword"  
                ],  
                "Categories": [  
                    "Data Catalogs"  
                ],  
                "LogoUrl": "https://s3.amazonaws.com/logos/sample.png",  
                "VideoUrls": [  
                    "https://sample.amazonaws.com/awsmp-video-1"  
                ],  
                "AdditionalResources": []  
            }  
        },  
        {  
            "ChangeType": "UpdateTargeting",  
            "Entity": {  
                "Type": "SaaSProduct@1.0",  
                "Identifier": "$CreateProductChange.Entity.Identifier"  
            },  
        }  
    ]  
}
```

```
"DetailsDocument": {
    "PositiveTargeting": {
        "BuyerAccounts": [
            "111111111111",
            "222222222222"
        ]
    }
},
{
    "ChangeType": "AddDeliveryOptions",
    "Entity": {
        "Type": "SaaSProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "DeliveryOptions": [
            {
                "Details": {
                    "SaaSUrlDeliveryOptionDetails": {
                        "FulfillmentUrl": "https://sample.amazonaws.com/
sample-saas-fulfillment-url"
                    }
                }
            }
        ]
    }
},
{
    "ChangeType": "AddDimensions",
    "Entity": {
        "Type": "SaaSProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": [
        {
            "Key": "BasicService",
            "Description": "Basic Service",
            "Name": "Basic Service",
            "Types": [
                "Entitled"
            ],
            "Unit": "Units"
        },
    ],
}
```

```
        {
            "Key": "PremiumService",
            "Description": "Premium Service",
            "Name": "Premium Service",
            "Types": [
                "Entitled"
            ],
            "Unit": "Units"
        }
    ]
},
{
    "ChangeType": "ReleaseProduct",
    "Entity": {
        "Type": "SaaSProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": {}
},
{
    "ChangeType": "CreateOffer",
    "Entity": {
        "Type": "Offer@1.0"
    },
    "ChangeName": "CreateOfferChange",
    "DetailsDocument": {
        "ProductId": "$CreateProductChange.Entity.Identifier"
    }
},
{
    "ChangeType": "UpdateInformation",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Name": "Test public offer for SaaSProduct using AWS Marketplace API Reference Code",
        "Description": "Test public offer with contract pricing for SaaSProduct using AWS Marketplace API Reference Code"
    }
},
{
    "ChangeType": "UpdatePricingTerms",
    "DetailsDocument": {
        "Name": "Test public offer for SaaSProduct using AWS Marketplace API Reference Code"
    }
}
```

```
"Entity": {
    "Type": "Offer@1.0",
    "Identifier": "$CreateOfferChange.Entity.Identifier"
},
"DetailsDocument": {
    "PricingModel": "Contract",
    "Terms": [
        {
            "Type": "ConfigurableUpfrontPricingTerm",
            "CurrencyCode": "USD",
            "RateCards": [
                {
                    "Selector": {
                        "Type": "Duration",
                        "Value": "P1M"
                    },
                    "RateCard": [
                        {
                            "DimensionKey": "BasicService",
                            "Price": "20"
                        },
                        {
                            "DimensionKey": "PremiumService",
                            "Price": "25"
                        }
                    ],
                    "Constraints": {
                        "MultipleDimensionSelection": "Allowed",
                        "QuantityConfiguration": "Allowed"
                    }
                },
                {
                    "Selector": {
                        "Type": "Duration",
                        "Value": "P12M"
                    },
                    "RateCard": [
                        {
                            "DimensionKey": "BasicService",
                            "Price": "150"
                        },
                        {
                            "DimensionKey": "PremiumService",
                            "Price": "300"
                        }
                    ]
                }
            ]
        }
    ]
}
```

```
        }
    ],
    "Constraints": {
        "MultipleDimensionSelection": "Allowed",
        "QuantityConfiguration": "Allowed"
    }
}
]
}
]
}
},
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "LegalTerm",
                "Documents": [
                    {
                        "Type": "StandardEula",
                        "Version": "2022-07-14"
                    }
                ]
            }
        ]
    }
},
{
    "ChangeType": "UpdateSupportTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "SupportTerm",
                "RefundPolicy": "Absolutely no refund, period."
            }
        ]
    }
}
```

```
        ]
    },
    {
        "ChangeType": "ReleaseOffer",
        "Entity": {
            "Type": "Offer@1.0",
            "Identifier": "$CreateOfferChange.Entity.Identifier"
        },
        "DetailsDocument": {}
    }
]
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Create a public or limited SaaS product and public offer with contract with Pay-As-You-Go pricing

The following code example shows how to create a public or limited SaaS product and public offer with a contract with Pay-As-You-Go pricing. This example creates either a standard or custom EULA.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to `RunChangesets` in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "CreateProduct",
            "Entity": {
                "Type": "SaaSProduct@1.0"
            }
        }
    ]
}
```

```
        },
        "ChangeName": "CreateProductChange",
        "DetailsDocument": {}
    },
    {
        "ChangeType": "UpdateInformation",
        "Entity": {
            "Type": "SaaSProduct@1.0",
            "Identifier": "$CreateProductChange.Entity.Identifier"
        },
        "DetailsDocument": {
            "ProductTitle": "Sample product",
            "ShortDescription": "Brief description",
            "LongDescription": "Detailed description",
            "Highlights": [
                "Sample highlight"
            ],
            "SearchKeywords": [
                "Sample keyword"
            ],
            "Categories": [
                "Data Catalogs"
            ],
            "LogoUrl": "https://s3.amazonaws.com/logos/sample.png",
            "VideoUrls": [
                "https://sample.amazonaws.com/awsmp-video-1"
            ],
            "AdditionalResources": []
        }
    },
    {
        "ChangeType": "UpdateTargeting",
        "Entity": {
            "Type": "SaaSProduct@1.0",
            "Identifier": "$CreateProductChange.Entity.Identifier"
        },
        "DetailsDocument": {
            "PositiveTargeting": {
                "BuyerAccounts": [
                    "111111111111",
                    "222222222222"
                ]
            }
        }
    }
```

```
        },
        {
            "ChangeType": "AddDeliveryOptions",
            "Entity": {
                "Type": "SaaSProduct@1.0",
                "Identifier": "$CreateProductChange.Entity.Identifier"
            },
            "DetailsDocument": {
                "DeliveryOptions": [
                    {
                        "Details": {
                            "SaaSUrlDeliveryOptionDetails": {
                                "FulfillmentUrl": "https://sample.amazonaws.com/
sample-saas-fulfillment-url"
                            }
                        }
                    }
                ]
            }
        },
        {
            "ChangeType": "AddDimensions",
            "Entity": {
                "Type": "SaaSProduct@1.0",
                "Identifier": "$CreateProductChange.Entity.Identifier"
            },
            "DetailsDocument": [
                {
                    "Key": "BasicService",
                    "Description": "Basic Service",
                    "Name": "Basic Service",
                    "Types": [
                        "Entitled"
                    ],
                    "Unit": "Units"
                },
                {
                    "Key": "PremiumService",
                    "Description": "Premium Service",
                    "Name": "Premium Service",
                    "Types": [
                        "Entitled"
                    ],
                    "Unit": "Units"
                }
            ]
        }
    ]
}
```

```
        },
        {
            "Key": "WorkloadSmall",
            "Description": "Workload: Per medium instance",
            "Name": "Workload: Per medium instance",
            "Types": [
                "ExternallyMetered"
            ],
            "Unit": "Units"
        },
        {
            "Key": "WorkloadMedium",
            "Description": "Workload: Per large instance",
            "Name": "Workload: Per large instance",
            "Types": [
                "ExternallyMetered"
            ],
            "Unit": "Units"
        }
    ]
},
{
    "ChangeType": "ReleaseProduct",
    "Entity": {
        "Type": "SaaSProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": {}
},
{
    "ChangeType": "CreateOffer",
    "Entity": {
        "Type": "Offer@1.0"
    },
    "ChangeName": "CreateOfferChange",
    "DetailsDocument": {
        "ProductId": "$CreateProductChange.Entity.Identifier"
    }
},
{
    "ChangeType": "UpdateInformation",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    }
}
```

```
        },
        "DetailsDocument": {
            "Name": "Test public offer for SaaSProduct using AWS Marketplace API Reference Code",
            "Description": "Test public offer with contract pricing for SaaSProduct using AWS Marketplace API Reference Code"
        }
    },
    {
        "ChangeType": "UpdatePricingTerms",
        "Entity": {
            "Type": "Offer@1.0",
            "Identifier": "$CreateOfferChange.Entity.Identifier"
        },
        "DetailsDocument": {
            "PricingModel": "Contract",
            "Terms": [
                {
                    "Type": "UsageBasedPricingTerm",
                    "CurrencyCode": "USD",
                    "RateCards": [
                        {
                            "RateCard": [
                                {
                                    "DimensionKey": "WorkloadSmall",
                                    "Price": "0.15"
                                },
                                {
                                    "DimensionKey": "WorkloadMedium",
                                    "Price": "0.25"
                                }
                            ]
                        }
                    ]
                },
                {
                    "Type": "ConfigurableUpfrontPricingTerm",
                    "CurrencyCode": "USD",
                    "RateCards": [
                        {
                            "Selector": {
                                "Type": "Duration",
                                "Value": "P12M"
                            },
                            ...
                        }
                    ]
                }
            ]
        }
    }
}
```

```
        "RateCard": [
            {
                "DimensionKey": "BasicService",
                "Price": "150"
            },
            {
                "DimensionKey": "PremiumService",
                "Price": "300"
            }
        ],
        "Constraints": {
            "MultipleDimensionSelection": "Allowed",
            "QuantityConfiguration": "Allowed"
        }
    }
]
}
},
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "LegalTerm",
                "Documents": [
                    {
                        "Type": "StandardEula",
                        "Version": "2022-07-14"
                    }
                ]
            }
        ]
    }
},
{
    "ChangeType": "UpdateSupportTerms",
    "Entity": {
        "Type": "Offer@1.0",
    }
}
```

```
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "SupportTerm",
                "RefundPolicy": "Absolutely no refund, period."
            }
        ]
    }
},
{
    "ChangeType": "ReleaseOffer",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {}
}
]
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Create a public or limited SaaS product and public offer with subscription pricing

The following code example shows how to create a public or limited SaaS product and public offer with subscription pricing. This examples creates either a standard or custom EULA.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
```

```
"ChangeSet": [
    {
        "ChangeType": "CreateProduct",
        "Entity": {
            "Type": "SaaSProduct@1.0"
        },
        "ChangeName": "CreateProductChange",
        "DetailsDocument": {}
    },
    {
        "ChangeType": "UpdateInformation",
        "Entity": {
            "Type": "SaaSProduct@1.0",
            "Identifier": "$CreateProductChange.Entity.Identifier"
        },
        "DetailsDocument": {
            "ProductTitle": "Sample product",
            "ShortDescription": "Brief description",
            "LongDescription": "Detailed description",
            "Highlights": [
                "Sample highlight"
            ],
            "SearchKeywords": [
                "Sample keyword"
            ],
            "Categories": [
                "Data Catalogs"
            ],
            "LogoUrl": "https://s3.amazonaws.com/logos/sample.png",
            "VideoUrls": [
                "https://sample.amazonaws.com/awsmpl-video-1"
            ],
            "AdditionalResources": []
        }
    },
    {
        "ChangeType": "UpdateTargeting",
        "Entity": {
            "Type": "SaaSProduct@1.0",
            "Identifier": "$CreateProductChange.Entity.Identifier"
        },
        "DetailsDocument": {
            "PositiveTargeting": {
                "BuyerAccounts": [

```

```
        "111111111111",
        "222222222222"
    ]
}
},
{
    "ChangeType": "AddDeliveryOptions",
    "Entity": {
        "Type": "SaaSProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": [
        "DeliveryOptions": [
            {
                "Details": {
                    "SaaSUrlDeliveryOptionDetails": {
                        "FulfillmentUrl": "https://sample.amazonaws.com/
sample-saas-fulfillment-url"
                    }
                }
            }
        ]
    }
},
{
    "ChangeType": "AddDimensions",
    "Entity": {
        "Type": "SaaSProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": [
        {
            "Key": "WorkloadSmall",
            "Description": "Workload: Per medium instance",
            "Name": "Workload: Per medium instance",
            "Types": [
                "ExternallyMetered"
            ],
            "Unit": "Units"
        },
        {
            "Key": "WorkloadMedium",
            "Description": "Workload: Per large instance",
            "Name": "Workload: Per large instance",
            "Types": [
                "ExternallyMetered"
            ],
            "Unit": "Units"
        }
    ]
}
```

```
        "Name": "Workload: Per large instance",
        "Types": [
            "ExternallyMetered"
        ],
        "Unit": "Units"
    }
],
},
{
    "ChangeType": "ReleaseProduct",
    "Entity": {
        "Type": "SaaSProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": {}
},
{
    "ChangeType": "CreateOffer",
    "Entity": {
        "Type": "Offer@1.0"
    },
    "ChangeName": "CreateOfferChange",
    "DetailsDocument": {
        "ProductId": "$CreateProductChange.Entity.Identifier"
    }
},
{
    "ChangeType": "UpdateInformation",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Name": "Test public offer for SaaSProduct using AWS Marketplace API Reference Code",
        "Description": "Test public offer with contract pricing for SaaSProduct using AWS Marketplace API Reference Code"
    }
},
{
    "ChangeType": "UpdatePricingTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    }
}
```

```
        },
        "DetailsDocument": {
            "PricingModel": "Usage",
            "Terms": [
                {
                    "Type": "UsageBasedPricingTerm",
                    "CurrencyCode": "USD",
                    "RateCards": [
                        {
                            "RateCard": [
                                {
                                    "DimensionKey": "WorkloadSmall",
                                    "Price": "0.15"
                                },
                                {
                                    "DimensionKey": "WorkloadMedium",
                                    "Price": "0.25"
                                }
                            ]
                        }
                    ]
                }
            ]
        },
        {
            "ChangeType": "UpdateLegalTerms",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateOfferChange.Entity.Identifier"
            },
            "DetailsDocument": {
                "Terms": [
                    {
                        "Type": "LegalTerm",
                        "Documents": [
                            {
                                "Type": "StandardEula",
                                "Version": "2022-07-14"
                            }
                        ]
                    }
                ]
            }
        }
    }
}
```

```
        },
        {
            "ChangeType": "UpdateSupportTerms",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateOfferChange.Entity.Identifier"
            },
            "DetailsDocument": {
                "Terms": [
                    {
                        "Type": "SupportTerm",
                        "RefundPolicy": "Absolutely no refund, period."
                    }
                ]
            }
        },
        {
            "ChangeType": "ReleaseOffer",
            "Entity": {
                "Type": "Offer@1.0",
                "Identifier": "$CreateOfferChange.Entity.Identifier"
            },
            "DetailsDocument": {}
        }
    ]
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Publish a SaaS product and associated public offer

The following code example shows how to publish a SaaS product and associated public offer. The product will be in a limited state by default.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to RunChangesets in *Utilities* to start a changeset from the **Utilities** section.

```
{  
    "Catalog": "AWSMarketplace",  
    "ChangeSet": [  
        {  
            "ChangeType": "CreateProduct",  
            "ChangeName": "CreateProductChange",  
            "Entity": {  
                "Type": "SaaSProduct@1.0"  
            },  
            "DetailsDocument": {}  
        },  
        {  
            "ChangeType": "UpdateInformation",  
            "Entity": {  
                "Type": "SaaSProduct@1.0",  
                "Identifier": "$CreateProductChange.Entity.Identifier"  
            },  
            "DetailsDocument": {  
                "ProductTitle": "Sample product",  
                "ShortDescription": "Brief description",  
                "LongDescription": "Detailed description",  
                "Highlights": [  
                    "Sample highlight"  
                ],  
                "SearchKeywords": [  
                    "Sample keyword"  
                ],  
                "Categories": [  
                    "Data Catalogs"  
                ],  
                "LogoUrl": "https://bucketname.s3.amazonaws.com/logo.png",  
                "VideoUrls": [  
                    "https://sample.amazonaws.com/awsmpl-video-1"  
                ],  
                "AdditionalResources": []  
            }  
        },  
        {  
            "ChangeType": "AddDimensions",  
            "Entity": {  
                "Type": "SaaSProduct@1.0",  
                "Identifier": "$CreateProductChange.Entity.Identifier"  
            }  
        }  
    ]  
}
```

```
        "Type": "SaaSProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": [
        {
            "Key": "BasicService",
            "Description": "Basic Service",
            "Name": "Basic Service",
            "Types": [
                "Entitled"
            ],
            "Unit": "Units"
        },
        {
            "Key": "PremiumService",
            "Description": "Premium Service",
            "Name": "Premium Service",
            "Types": [
                "Entitled"
            ],
            "Unit": "Units"
        }
    ]
},
{
    "ChangeType": "AddDeliveryOptions",
    "Entity": {
        "Type": "SaaSProduct@1.0",
        "Identifier": "$CreateProductChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "DeliveryOptions": [
            {
                "Details": {
                    "SaaSUrlDeliveryOptionDetails": {
                        "FulfillmentUrl": "https://www.aws.amazon.com/marketplace/management"
                    }
                }
            }
        ]
    }
},
```

```
"ChangeType": "ReleaseProduct",
"Entity": {
    "Type": "SaaSProduct@1.0",
    "Identifier": "$CreateProductChange.Entity.Identifier"
},
{
    "ChangeType": "CreateOffer",
    "ChangeName": "CreateOfferChange",
    "Entity": {
        "Type": "Offer@1.0"
    },
    "DetailsDocument": {
        "ProductId": "$CreateProductChange.Entity.Identifier"
    }
},
{
    "ChangeType": "UpdateInformation",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Name": "New Test Offer",
        "Description": "New offer description"
    }
},
{
    "ChangeType": "UpdateLegalTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "LegalTerm",
                "Documents": [
                    {
                        "Type": "StandardEula",
                        "Version": "2022-07-14"
                    }
                ]
            }
        ]
    }
}
```

```
        }
    ]
}
},
{
    "ChangeType": "UpdateSupportTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "SupportTerm",
                "RefundPolicy": "Updated refund policy description"
            }
        ]
    }
},
{
    "ChangeType": "UpdatePricingTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "PricingModel": "Contract",
        "Terms": [
            {
                "Type": "ConfigurableUpfrontPricingTerm",
                "CurrencyCode": "USD",
                "RateCards": [
                    {
                        "Selector": {
                            "Type": "Duration",
                            "Value": "P1M"
                        },
                        "RateCard": [
                            {
                                "DimensionKey": "BasicService",
                                "Price": "20"
                            },
                            {
                                "DimensionKey": "PremiumService",
                                "Price": "40"
                            }
                        ]
                    }
                ]
            }
        ]
    }
}
```

```
        "Price": "25"
    }
],
"Constraints": {
    "MultipleDimensionSelection": "Allowed",
    "QuantityConfiguration": "Allowed"
}
},
{
    "Selector": {
        "Type": "Duration",
        "Value": "P12M"
    },
    "RateCard": [
        {
            "DimensionKey": "BasicService",
            "Price": "150"
        },
        {
            "DimensionKey": "PremiumService",
            "Price": "300"
        }
    ],
    "Constraints": {
        "MultipleDimensionSelection": "Allowed",
        "QuantityConfiguration": "Allowed"
    }
}
]
}
},
{
    "ChangeType": "UpdateRenewalTerms",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {
        "Terms": [
            {
                "Type": "RenewalTerm"
            }
        ]
    }
}
```

```
        ]
    },
{
    "ChangeType": "ReleaseOffer",
    "Entity": {
        "Type": "Offer@1.0",
        "Identifier": "$CreateOfferChange.Entity.Identifier"
    },
    "DetailsDocument": {}
}
]
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Publish a SaaS product and associated public offer from an existing draft

The following code example shows how to publish a SaaS product and associated public offer from an existing draft. The product will be in a limited state by default.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "UpdateVisibility",
            "ChangeName": "CreateProductChange",
            "Entity": {
                "Type": "SaaSProduct@1.0",
                "Identifier": "prod-111111111111"
            },
            "DetailsDocument": {
                "TargetVisibility": "Public"
            }
        }
    ]
}
```

```
        }
    ]
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Update dimensions on an AMI or SaaS product

The following code example shows how to update dimensions on an AMI or SaaS product.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

To run this example, pass the following JSON changeset to `RunChangesets` in *Utilities to start a changeset* from the **Utilities** section.

```
{
    "Catalog": "AWSMarketplace",
    "ChangeSet": [
        {
            "ChangeType": "UpdateDimensions",
            "Entity": {
                "Type": "SaaSProduct@1.0",
                "Identifier": "prod-111111111111"
            },
            "DetailsDocument": [
                {
                    "Key": "BasicService",
                    "Types": [
                        "Entitled"
                    ],
                    "Name": "Some new name",
                    "Description": "Some new description"
                }
            ]
        }
    ]
}
```

```
        }
    ]
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

Utilities

Utilities to start a changeset

The following code example shows how to define utilities to start a changeset.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

Utility to load a changeset from a JSON file and start processing it.

```
package com.example.awsmarketplace.catalogapi;

import java.io.ByteArrayInputStream;
import java.io.IOException;
import java.io.InputStream;
import java.util.ArrayList;
import java.util.List;

import org.apache.commons.io.IOUtils;
import org.apache.commons.lang3.StringUtils;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.core.document.Document;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import
software.amazon.awssdk.protocols.json.internal.unmarshall.document.DocumentUnmarshaller;
import software.amazon.awssdk.protocols.jsoncore.JsonNodeParser;
import software.amazon.awssdk.services.marketplacecatalog.MarketplaceCatalogClient;
import software.amazon.awssdk.services.marketplacecatalog.model.Change;
```

```
import software.amazon.awssdk.services.marketplacecatalog.model.Entity;
import
software.amazon.awssdk.services.marketplacecatalog.model.StartChangeSetRequest;
import
software.amazon.awssdk.services.marketplacecatalog.model.StartChangeSetResponse;
import com.google.gson.Gson;
import com.google.gson.GsonBuilder;
import com.google.gson.ToNumberPolicy;
import com.example.awsmarketplace.catalogapi.Entity.ChangeSet;
import com.example.awsmarketplace.catalogapi.Entity.ChangeSetEntity;
import com.example.awsmarketplace.catalogapi.Entity.Root;
import com.example.awsmarketplace.utils.ReferenceCodesUtils;
import com.example.awsmarketplace.utils.StringSerializer;

/***
 * Before running this Java V2 code example, convert all Details attribute to
DetailsDocument if any
 */

public class RunChangesets {

    private static final Gson GSON = new GsonBuilder()
        .setObjectToNumberStrategy(ToNumberPolicy.LAZY_PARSED_NUMBER)
        .registerTypeAdapter(String.class, new StringSerializer())
        .create();

    public static void main(String[] args) {

        // input json can be specified here or passed from input parameter
        String inputChangeSetFile = "changeSets/offers/
CreateReplacementOfferFromAGWithContractPricingDetailDocument.json";

        if (args.length > 0)
            inputChangeSetFile = args[0];

        // parse the input changeset file to string for process
        String changeSetsInput = readChangeSetToString(inputChangeSetFile);

        // process the changeset request
        try {
            StartChangeSetResponse result = getChangeSetRequestResult(changeSetsInput);
            ReferenceCodesUtils.formatOutput(result);
        } catch (Exception e) {
            e.printStackTrace();
        }
    }
}
```

```
}

}

public static StartChangeSetResponse getChangeSetRequestResult(String
changeSetsInput) throws IOException {

    //set up AWS credentials
    MarketplaceCatalogClient marketplaceCatalogClient =
        MarketplaceCatalogClient.builder()
            .httpClient(ApacheHttpClient.builder().build())
            .credentialsProvider(ProfileCredentialsProvider.create())
            .build();

    //changeset list to save all the changesets in the changesets file
    List<Change> changeSetLists = new ArrayList<Change>();

    // read all changesets into object
    Root root = JSON.fromJson(changeSetsInput, Root.class);

    // process each changeset and add each changeset request to changesets list
    for (ChangeSet cs : root.changeSet) {

        ChangeSetEntity entity = cs.Entity;
        String entityType = entity.Type;
        String entityIdentifier = StringUtils.defaultIfBlank(entity.Identifier, null);
        Document detailsDocument = getDocumentFromObject(cs.DetailsDocument);

        Entity awsEntity =
            Entity.builder()
                .type(entityType)
                .identifier(entityIdentifier)
                .build();

        Change inputChangeRequest =
            Change.builder()
                .changeType(cs.ChangeType)
                .changeName(cs.ChangeName)
                .entity(awsEntity)
                .detailsDocument(detailsDocument)
                .build();

        changeSetLists.add(inputChangeRequest);
    }
}
```

```
// process all changeset requests
StartChangeSetRequest startChangeSetRequest =
    StartChangeSetRequest.builder()
        .catalog(root.catalog)
        .changeSet(changeSetLists)
        .build();

StartChangeSetResponse result =
marketplaceCatalogClient.startChangeSet(startChangeSetRequest);

return result;
}

public static Document getDocumentFromObject(Object detailsObject) {

    String detailsString = "{}";
    try {
        detailsString = IOUtils.toString(new
ByteArrayInputStream(GSON.toJson(detailsObject).getBytes()), "UTF-8");
    } catch (IOException e) {
        e.printStackTrace();
    }

    JsonNodeParser jsonNodeParser = JsonNodeParser.create();
    Document doc = jsonNodeParser.parse(detailsString).visit(new
DocumentUnmarshaller());
    return doc;
}

public static String readChangeSetToString (String inputChangeSetFile) {

    InputStream changesetInputStream =
RunChangesets.class.getClassLoader().getResourceAsStream(inputChangeSetFile);

    String changeSetsInput = null;

    try {
        changeSetsInput = IOUtils.toString(changesetInputStream, "UTF-8");
    } catch (IOException e) {
        e.printStackTrace();
    }

    return changeSetsInput;
}
```

```
    }  
}
```

- For API details, see [StartChangeSet](#) in *AWS SDK for Java 2.x API Reference*.

AWS Marketplace Agreement API examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with AWS Marketplace Agreement API.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Agreements](#)

Agreements

Get all agreement IDs

The following code example shows how to get all agreement IDs.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.  
// SPDX-License-Identifier: Apache-2.0  
package com.example.awsmarketplace.agreementapi;  
  
import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;  
import software.amazon.awssdk.http.apache.ApacheHttpClient;
```

```
import software.amazon.awssdk.services.marketplaceagreement.MarketplaceAgreementClient;
import software.amazon.awssdk.services.marketplaceagreement.model.AgreementViewSummary;
import software.amazon.awssdk.services.marketplaceagreement.model.Filter;
import software.amazon.awssdk.services.marketplaceagreement.model.SearchAgreementsRequest;
import software.amazon.awssdk.services.marketplaceagreement.model.SearchAgreementsResponse;

import java.util.ArrayList;
import java.util.Arrays;
import java.util.List;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;
import com.example.awsmarketplace.utils.ReferenceCodesUtils;

public class GetAllAgreementsIds {

    /*
     * Get all purchase agreements ids with party type = proposer;
     * Depend on the number of agreements in your account, this code may take some time
     * to finish.
     */
    public static void main(String[] args) {

        List<String> agreementIds = getAllAgreementIds();

        ReferenceCodesUtils.formatOutput(agreementIds);

    }

    public static List<String> getAllAgreementIds() {
        MarketplaceAgreementClient marketplaceAgreementClient =
            MarketplaceAgreementClient.builder()
                .httpClient(ApacheHttpClient.builder().build())
                .credentialsProvider(ProfileCredentialsProvider.create())
                .build();

        // get all filters
        Filter partyType = Filter.builder().name(PARTY_TYPE_FILTER_NAME)
            .values(PARTY_TYPE_FILTER_VALUE_PROPOSER).build();

        Filter agreementType = Filter.builder().name(AGREEMENT_TYPE_FILTER_NAME)
```

```
.values(AGREEMENT_TYPE_FILTER_VALUE_PURCHASEAGREEMENT).build();  
  
List<Filter> searchFilters = new ArrayList<Filter>();  
  
searchFilters.addAll(Arrays.asList(partyType, agreementType));  
  
// Save all results in a list array  
List<AgreementViewSummary> agreementSummaryList = new  
ArrayList<AgreementViewSummary>();  
  
SearchAgreementsRequest searchAgreementsRequest =  
    SearchAgreementsRequest.builder()  
        .catalog(AWS_MP_CATALOG)  
        .filters(searchFilters)  
        .build();  
  
SearchAgreementsResponse searchAgreementsResponse =  
marketplaceAgreementClient.searchAgreements(searchAgreementsRequest);  
  
agreementSummaryList.addAll(searchAgreementsResponse.agreementViewSummaries());  
  
while (searchAgreementsResponse.nextToken() != null &&  
searchAgreementsResponse.nextToken().length() > 0) {  
    searchAgreementsRequest =  
        SearchAgreementsRequest.builder()  
            .catalog(AWS_MP_CATALOG)  
            .nextToken(searchAgreementsResponse.nextToken())  
            .filters(searchFilters)  
            .build();  
    searchAgreementsResponse =  
marketplaceAgreementClient.searchAgreements(searchAgreementsRequest);  
    agreementSummaryList.addAll(searchAgreementsResponse.agreementViewSummaries());  
}  
  
List<String> agreementIds = new ArrayList<String>();  
for (AgreementViewSummary summary : agreementSummaryList) {  
    agreementIds.add(summary.agreementId());  
}  
return agreementIds;  
}  
  
}
```

- For API details, see [SearchAgreements](#) in *AWS SDK for Java 2.x API Reference*.

Get all agreements

The following code example shows how to get all agreements.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package com.example.awsmarketplace.agreementapi;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import
software.amazon.awssdk.services.marketplaceagreement.MarketplaceAgreementClient;
import
software.amazon.awssdk.services.marketplaceagreement.model.AgreementViewSummary;
import software.amazon.awssdk.services.marketplaceagreement.model.Filter;
import
software.amazon.awssdk.services.marketplaceagreement.model.SearchAgreementsRequest;
import
software.amazon.awssdk.services.marketplaceagreement.model.SearchAgreementsResponse;

import java.util.ArrayList;
import java.util.Arrays;
import java.util.List;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;
import com.example.awsmarketplace.utils.ReferenceCodesUtils;

public class GetAllAgreements {

    /*
     * Get all purchase agreements with party type = proposer;

```

```
* Depend on the number of agreements in your account, this code may take some time  
to finish.  
*/  
public static void main(String[] args) {  
  
    List<AgreementViewSummary> agreementSummaryList = getAllAgreements();  
  
    ReferenceCodesUtils.formatOutput(agreementSummaryList);  
}  
  
public static List<AgreementViewSummary> getAllAgreements() {  
    MarketplaceAgreementClient marketplaceAgreementClient =  
        MarketplaceAgreementClient.builder()  
            .httpClient(ApacheHttpClient.builder().build())  
            .credentialsProvider(ProfileCredentialsProvider.create())  
            .build();  
  
    // get all filters  
  
    Filter partyType = Filter.builder().name(PARTY_TYPE_FILTER_NAME)  
        .values(PARTY_TYPE_FILTER_VALUE_PROPOSER).build();  
  
    Filter agreementType = Filter.builder().name(AGREEMENT_TYPE_FILTER_NAME)  
        .values(AGREEMENT_TYPE_FILTER_VALUE_PURCHASEAGREEMENT).build();  
  
    List<Filter> searchFilters = new ArrayList<Filter>();  
  
    searchFilters.addAll(Arrays.asList(partyType, agreementType));  
  
    // Save all results in a list array  
  
    List<AgreementViewSummary> agreementSummaryList = new  
    ArrayList<AgreementViewSummary>();  
  
    SearchAgreementsRequest searchAgreementsRequest =  
        SearchAgreementsRequest.builder()  
            .catalog(AWS_MP_CATALOG)  
            .filters(searchFilters)  
            .build();  
  
    SearchAgreementsResponse searchAgreementsResponse =  
        marketplaceAgreementClient.searchAgreements(searchAgreementsRequest);  
  
    agreementSummaryList.addAll(searchAgreementsResponse.agreementViewSummaries());
```

```
        while (searchAgreementsResponse.nextToken() != null &&
searchAgreementsResponse.nextToken().length() > 0) {
    searchAgreementsRequest =
        SearchAgreementsRequest.builder()
            .catalog(AWS_MP_CATALOG)
            .nextToken(searchAgreementsResponse.nextToken())
            .filters(searchFilters).build();
    searchAgreementsResponse =
marketplaceAgreementClient.searchAgreements(searchAgreementsRequest);
    agreementSummaryList.addAll(searchAgreementsResponse.agreementViewSummaries());
}
return agreementSummaryList;
}

}
```

- For API details, see [SearchAgreements](#) in *AWS SDK for Java 2.x API Reference*.

Get customer ID from an agreement

The following code example shows how to get customer ID from an agreement.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package com.example.awsmarketplace.agreementapi;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import
software.amazon.awssdk.services.marketplaceagreement.MarketplaceAgreementClient;
```

```
import software.amazon.awssdk.services.marketplaceagreement.model.DescribeAgreementRequest;
import software.amazon.awssdk.services.marketplaceagreement.model.DescribeAgreementResponse;

public class GetAgreementCustomerInfo {

    /*
     * Obtain metadata about the customer who created the agreement, such as the
     customer's AWS Account ID
    */
    public static void main(String[] args) {

        String agreementId = args.length > 0 ? args[0] : AGREEMENT_ID;

        DescribeAgreementResponse describeAgreementResponse =
getDescribeAgreementResponse(agreementId);

        System.out.println("Customer's AWS Account ID is " +
describeAgreementResponse.acceptor().accountId());

    }

    public static DescribeAgreementResponse getDescribeAgreementResponse(String
agreementId) {
        MarketplaceAgreementClient marketplaceAgreementClient =
            MarketplaceAgreementClient.builder()
                .httpClient(ApacheHttpClient.builder().build())
                .credentialsProvider(ProfileCredentialsProvider.create())
                .build();

        DescribeAgreementRequest describeAgreementRequest =
            DescribeAgreementRequest.builder()
                .agreementId(agreementId)
                .build();

        DescribeAgreementResponse describeAgreementResponse =
marketplaceAgreementClient.describeAgreement(describeAgreementRequest);
        return describeAgreementResponse;
    }

}
```

- For API details, see [DescribeAgreement](#) in *AWS SDK for Java 2.x API Reference*.

Get financial details from an agreement

The following code example shows how to get financial details from an agreement.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package com.example.awsmarketplace.agreementapi;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import
software.amazon.awssdk.services.marketplaceagreement.MarketplaceAgreementClient;
import
software.amazon.awssdk.services.marketplaceagreement.model.DescribeAgreementRequest;
import
software.amazon.awssdk.services.marketplaceagreement.model.DescribeAgreementResponse;

public class GetAgreementFinancialDetails {

/*
 * Obtain financial details, such as Total Contract Value of the agreement from a
given agreement
 */
public static void main(String[] args) {

    String agreementId = args.length > 0 ? args[0] : AGREEMENT_ID;

    String totalContractValue = getTotalContractValue(agreementId);

    System.out.println("Total Contract Value is " + totalContractValue);
}
```

```
}

public static String getTotalContractValue(String agreementId) {
    MarketplaceAgreementClient marketplaceAgreementClient =
        MarketplaceAgreementClient.builder()
            .httpClient(ApacheHttpClient.builder().build())
            .credentialsProvider(ProfileCredentialsProvider.create())
            .build();

    DescribeAgreementRequest describeAgreementRequest =
        DescribeAgreementRequest.builder()
            .agreementId(agreementId)
            .build();

    DescribeAgreementResponse describeAgreementResponse =
        marketplaceAgreementClient.describeAgreement(describeAgreementRequest);

    String totalContractValue = "N/A";

    if ( describeAgreementResponse.estimatedCharges() != null ) {
        totalContractValue =
            describeAgreementResponse.estimatedCharges().agreementValue()
                + " "
                + describeAgreementResponse.estimatedCharges().currencyCode();
    }
    return totalContractValue;
}
}
```

- For API details, see [DescribeAgreement](#) in *AWS SDK for Java 2.x API Reference*.

Get free trial details from an agreement

The following code example shows how to get free trial details from an agreement.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package com.example.awsmarketplace.agreementapi;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import
software.amazon.awssdk.services.marketplaceagreement.MarketplaceAgreementClient;
import software.amazon.awssdk.services.marketplaceagreement.model.AcceptedTerm;
import
software.amazon.awssdk.services.marketplaceagreement.model.FreeTrialPricingTerm;
import
software.amazon.awssdk.services.marketplaceagreement.model.GetAgreementTermsRequest;
import
software.amazon.awssdk.services.marketplaceagreement.model.GetAgreementTermsResponse;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.AGREEMENT_ID;

import java.util.ArrayList;
import java.util.List;

import com.example.awsmarketplace.utils.ReferenceCodesUtils;

public class GetAgreementTermsFreeTrialDetails {

/*
 * Obtain the details from an agreement of a free trial I have provided to the
customer
 */
public static void main(String[] args) {

String agreementId = args.length > 0 ? args[0] : AGREEMENT_ID;
```

```
List<FreeTrialPricingTerm> freeTrialPricingTerms =
getFreeTrialPricingTerms(agreementId);

ReferenceCodesUtils.formatOutput(freeTrialPricingTerms);
}

public static List<FreeTrialPricingTerm> getFreeTrialPricingTerms(String
agreementId) {
    MarketplaceAgreementClient marketplaceAgreementClient =
        MarketplaceAgreementClient.builder()
            .httpClient(ApacheHttpClient.builder().build())
            .credentialsProvider(ProfileCredentialsProvider.create())
            .build();

    GetAgreementTermsRequest getAgreementTermsRequest =
        GetAgreementTermsRequest.builder().agreementId(agreementId)
            .build();

    GetAgreementTermsResponse getAgreementTermsResponse =
        marketplaceAgreementClient.getAgreementTerms(getAgreementTermsRequest);

    List<FreeTrialPricingTerm> freeTrialPricingTerms = new
        ArrayList<FreeTrialPricingTerm>();

    for (AcceptedTerm acceptedTerm : getAgreementTermsResponse.acceptedTerms()) {
        if (acceptedTerm.freeTrialPricingTerm() != null) {
            freeTrialPricingTerms.add(acceptedTerm.freeTrialPricingTerm());
        }
    }
    return freeTrialPricingTerms;
}
}
```

- For API details, see [DescribeAgreement](#) in *AWS SDK for Java 2.x API Reference*.

Get information about an agreement

The following code example shows how to get information about an agreement.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package com.example.awsmarketplace.agreementapi;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;
import com.example.awsmarketplace.utils.ReferenceCodesUtils;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import
software.amazon.awssdk.services.marketplaceagreement.MarketplaceAgreementClient;
import
software.amazon.awssdk.services.marketplaceagreement.model.DescribeAgreementRequest;
import
software.amazon.awssdk.services.marketplaceagreement.model.DescribeAgreementResponse;

public class DescribeAgreement {

    public static void main(String[] args) {

        String agreementId = args.length > 0 ? args[0] : AGREEMENT_ID;

        DescribeAgreementResponse describeAgreementResponse = getResponse(agreementId);

        ReferenceCodesUtils.formatOutput(describeAgreementResponse);

    }

    public static DescribeAgreementResponse getResponse(String agreementId) {
        MarketplaceAgreementClient marketplaceAgreementClient =
            MarketplaceAgreementClient.builder()
                .httpClient(ApacheHttpClient.builder().build())
                .credentialsProvider(ProfileCredentialsProvider.create())
                .build();
    }
}
```

```
DescribeAgreementRequest describeAgreementRequest =
    DescribeAgreementRequest.builder()
        .agreementId(agreementId)
        .build();

DescribeAgreementResponse describeAgreementResponse =
marketplaceAgreementClient.describeAgreement(describeAgreementRequest);
return describeAgreementResponse;
}

}
```

- For API details, see [DescribeAgreement](#) in *AWS SDK for Java 2.x API Reference*.

Get product and offer details from an agreement

The following code example shows how to get product and offer details from an agreement.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package com.example.awsmarketplace.agreementapi;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import
software.amazon.awssdk.services.marketplaceagreement.MarketplaceAgreementClient;
import
software.amazon.awssdk.services.marketplaceagreement.model.DescribeAgreementRequest;
import
software.amazon.awssdk.services.marketplaceagreement.model.DescribeAgreementResponse;
import software.amazon.awssdk.services.marketplaceagreement.model.Resource;
```

```
import java.util.ArrayList;
import java.util.List;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;
import com.example.awsmarketplace.utils.ReferenceCodesUtils;

import software.amazon.awssdk.services.marketplacecatalog.MarketplaceCatalogClient;
import
software.amazon.awssdk.services.marketplacecatalog.model.DescribeEntityRequest;
import
software.amazon.awssdk.services.marketplacecatalog.model.DescribeEntityResponse;

public class GetProductAndOfferDetailFromAgreement {

    public static void main(String[] args) {

        // call Agreement API to get offer and product information for the agreement

        String agreementId = args.length > 0 ? args[0] : AGREEMENT_ID;

        List<DescribeEntityResponse> entityResponseList = getEntities(agreementId);

        for (DescribeEntityResponse response : entityResponseList) {
            ReferenceCodesUtils.formatOutput(response);
        }
    }

    public static List<DescribeEntityResponse> getEntities(String agreementId) {
        List<DescribeEntityResponse> entityResponseList = new
        ArrayList<DescribeEntityResponse> ();

        MarketplaceAgreementClient marketplaceAgreementClient =
            MarketplaceAgreementClient.builder()
                .httpClient(ApacheHttpClient.builder().build())
                .credentialsProvider(ProfileCredentialsProvider.create())
                .build();

        DescribeAgreementRequest describeAgreementRequest =
            DescribeAgreementRequest.builder()
                .agreementId(agreementId)
                .build();

        DescribeAgreementResponse describeAgreementResponse =
            marketplaceAgreementClient.describeAgreement(describeAgreementRequest);
    }
}
```

```
// get offer id for the given agreement

String offerId = describeAgreementResponse.proposalSummary().offerId();

// get all the product ids for this agreement

List<String> productIds = new ArrayList<String>();
for (Resource resource : describeAgreementResponse.proposalSummary().resources())
{
    productIds.add(resource.id());
}

// call Catalog API to get the details of the offer and products

MarketplaceCatalogClient marketplaceCatalogClient =
    MarketplaceCatalogClient.builder()
        .httpClient(ApacheHttpClient.builder().build())
        .credentialsProvider(ProfileCredentialsProvider.create())
        .build();

DescribeEntityRequest describeEntityRequest =
    DescribeEntityRequest.builder()
        .catalog(AWS_MP_CATALOG)
        .entityId(offerId).build();

DescribeEntityResponse describeEntityResponse =
marketplaceCatalogClient.describeEntity(describeEntityRequest);

entityResponseList.add(describeEntityResponse);

for (String productId : productIds) {
    describeEntityRequest =
        DescribeEntityRequest.builder()
            .catalog(AWS_MP_CATALOG)
            .entityId(productId).build();
    describeEntityResponse =
marketplaceCatalogClient.describeEntity(describeEntityRequest);
    System.out.println("Print details for product " + productId);
    entityResponseList.add(describeEntityResponse);
}
return entityResponseList;
}
```

- For API details, see [DescribeAgreement](#) in *AWS SDK for Java 2.x API Reference*.

Get the EULA of an agreement

The following code example shows how to get the EULA of an agreement.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package com.example.awsmarketplace.agreementapi;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import
software.amazon.awssdk.services.marketplaceagreement.MarketplaceAgreementClient;
import software.amazon.awssdk.services.marketplaceagreement.model.DocumentItem;
import
software.amazon.awssdk.services.marketplaceagreement.model.GetAgreementTermsRequest;
import
software.amazon.awssdk.services.marketplaceagreement.model.GetAgreementTermsResponse;

import java.util.ArrayList;
import java.util.List;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.AGREEMENT_ID;
import com.example.awsmarketplace.utils.ReferenceCodesUtils;

public class GetAgreementTermsEula {

/*
 * Obtain the EULA I have entered into with my customer via the agreement
 */
```

```
public static void main(String[] args) {  
  
    String agreementId = args.length > 0 ? args[0] : AGREEMENT_ID;  
  
    List<DocumentItem> legalEulaArray = getLegalEula(agreementId);  
  
    ReferenceCodesUtils.formatOutput(legalEulaArray);  
}  
  
public static List<DocumentItem> getLegalEula(String agreementId) {  
    MarketplaceAgreementClient marketplaceAgreementClient =  
        MarketplaceAgreementClient.builder()  
            .httpClient(ApacheHttpClient.builder().build())  
            .credentialsProvider(ProfileCredentialsProvider.create())  
            .build();  
  
    GetAgreementTermsRequest getAgreementTermsRequest =  
        GetAgreementTermsRequest.builder().agreementId(agreementId)  
            .build();  
  
    GetAgreementTermsResponse getAgreementTermsResponse =  
        marketplaceAgreementClient.getAgreementTerms(getAgreementTermsRequest);  
  
    List<DocumentItem> legalEulaArray = new ArrayList<>();  
  
    getAgreementTermsResponse.acceptedTerms().stream()  
        .filter(acceptedTerm -> acceptedTerm.legalTerm() != null &&  
        acceptedTerm.legalTerm().hasDocuments())  
        .flatMap(acceptedTerm -> acceptedTerm.legalTerm().documents().stream())  
        .filter(docItem -> docItem.type() != null)  
        .forEach(legalEulaArray::add);  
    return legalEulaArray;  
}  
  
}
```

- For API details, see [GetAgreementTerms](#) in *AWS SDK for Java 2.x API Reference*.

Get the auto renewal terms of an agreement

The following code example shows how to get the auto renewal terms of an agreement.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package com.example.awsmarketplace.agreementapi;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import
software.amazon.awssdk.services.marketplaceagreement.MarketplaceAgreementClient;
import software.amazon.awssdk.services.marketplaceagreement.model.AcceptedTerm;
import
software.amazon.awssdk.services.marketplaceagreement.model.GetAgreementTermsRequest;
import
software.amazon.awssdk.services.marketplaceagreement.model.GetAgreementTermsResponse;

public class GetAgreementAutoRenewal {

/*
 * Obtain the auto-renewal status of the agreement
 */

public static void main(String[] args) {

String agreementId = args.length > 0 ? args[0] : AGREEMENT_ID;

String autoRenewal = getAutoRenewal(agreementId);

System.out.println("Auto-Renewal status is " + autoRenewal);
}

public static String getAutoRenewal(String agreementId) {
MarketplaceAgreementClient marketplaceAgreementClient =
MarketplaceAgreementClient.builder()
```

```
.httpClient(ApacheHttpClient.builder().build())
.credentialsProvider(ProfileCredentialsProvider.create())
.build();

GetAgreementTermsRequest getAgreementTermsRequest =
    GetAgreementTermsRequest.builder()
        .agreementId(agreementId)
        .build();

GetAgreementTermsResponse getAgreementTermsResponse =
marketplaceAgreementClient.getAgreementTerms(getAgreementTermsRequest);

String autoRenewal = "No Auto Renewal";

for (AcceptedTerm acceptedTerm : getAgreementTermsResponse.acceptedTerms()) {
    if (acceptedTerm.renewalTerm() != null &&
acceptedTerm.renewalTerm().configuration() != null
        && acceptedTerm.renewalTerm().configuration().enableAutoRenew() != null) {
        autoRenewal =
String.valueOf(acceptedTerm.renewalTerm().configuration().enableAutoRenew().booleanValue())
        break;
    }
}
return autoRenewal;
}

}
```

- For API details, see [GetAgreementTerms](#) in *AWS SDK for Java 2.x API Reference*.

Get the dimensions purchased in an agreement

The following code example shows how to get the dimensions purchased in an agreement.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package com.example.awsmarketplace.agreementapi;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import
software.amazon.awssdk.services.marketplaceagreement.MarketplaceAgreementClient;
import software.amazon.awssdk.services.marketplaceagreement.model.AcceptedTerm;
import software.amazon.awssdk.services.marketplaceagreement.model.Dimension;
import
software.amazon.awssdk.services.marketplaceagreement.model.GetAgreementTermsRequest;
import
software.amazon.awssdk.services.marketplaceagreement.model.GetAgreementTermsResponse;

import java.util.ArrayList;
import java.util.List;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.AGREEMENT_ID;
import com.example.awsmarketplace.utils.ReferenceCodesUtils;

public class GetAgreementTermsDimensionPurchased {

/*
 * Obtain the dimensions the buyer has purchased from me via the agreement
 */
public static void main(String[] args) {

    String agreementId = args.length > 0 ? args[0] : AGREEMENT_ID;

    List<String> dimensionKeys = getDimensionKeys(agreementId);

    ReferenceCodesUtils.formatOutput(dimensionKeys);
}

public static List<String> getDimensionKeys(String agreementId) {
    MarketplaceAgreementClient marketplaceAgreementClient =
        MarketplaceAgreementClient.builder()
            .httpClient(ApacheHttpClient.builder().build())
            .credentialsProvider(ProfileCredentialsProvider.create())
            .build();

    GetAgreementTermsRequest getAgreementTermsRequest =
```

```
GetAgreementTermsRequest.builder().agreementId(agreementId)
    .build();

GetAgreementTermsResponse getAgreementTermsResponse =
marketplaceAgreementClient.getAgreementTerms(getAgreementTermsRequest);

List<String> dimensionKeys = new ArrayList<String>();
for (AcceptedTerm acceptedTerm : getAgreementTermsResponse.acceptedTerms()) {
    if (acceptedTerm.configurableUpfrontPricingTerm() != null) {
        if
(acceptedTerm.configurableUpfrontPricingTerm().configuration().selectorValue() !=
null) {
            List<Dimension> dimensions =
acceptedTerm.configurableUpfrontPricingTerm().configuration().dimensions();
            for (Dimension dimension : dimensions) {
                dimensionKeys.add(dimension.dimensionKey());
            }
        }
    }
}
return dimensionKeys;
}
```

- For API details, see [GetAgreementTerms](#) in *AWS SDK for Java 2.x API Reference*.

Get the instances of each dimension purchased in an agreement

The following code example shows how to get the instances of each dimension purchased in an agreement.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
```

```
// SPDX-License-Identifier: Apache-2.0
package com.example.awsmarketplace.agreementapi;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import
software.amazon.awssdk.services.marketplaceagreement.MarketplaceAgreementClient;
import software.amazon.awssdk.services.marketplaceagreement.model.AcceptedTerm;
import software.amazon.awssdk.services.marketplaceagreement.model.Dimension;
import
software.amazon.awssdk.services.marketplaceagreement.model.GetAgreementTermsRequest;
import
software.amazon.awssdk.services.marketplaceagreement.model.GetAgreementTermsResponse;

import java.util.ArrayList;
import java.util.HashMap;
import java.util.List;
import java.util.Map;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.AGREEMENT_ID;
import com.example.awsmarketplace.utils.ReferenceCodesUtils;

public class GetAgreementTermsDimensionInstances {

/*
 * get instances of each dimension that buyer has purchased in the agreement
 */
public static void main(String[] args) {

String agreementId = args.length > 0 ? args[0] : AGREEMENT_ID;

Map<String, List<Dimension>> dimensionMap = getDimensions(agreementId);

ReferenceCodesUtils.formatOutput(dimensionMap);
}

public static Map<String, List<Dimension>> getDimensions(String agreementId) {
MarketplaceAgreementClient marketplaceAgreementClient =
MarketplaceAgreementClient.builder()
.httpClient(ApacheHttpClient.builder().build())
.credentialsProvider(ProfileCredentialsProvider.create())
.build();

GetAgreementTermsRequest getAgreementTermsRequest =
```

```
GetAgreementTermsRequest.builder().agreementId(agreementId)
    .build();

GetAgreementTermsResponse getAgreementTermsResponse =
marketplaceAgreementClient.getAgreementTerms(getAgreementTermsRequest);

Map<String, List<Dimension>> dimensionMap = new HashMap<String,
List<Dimension>>();

for (AcceptedTerm acceptedTerm : getAgreementTermsResponse.acceptedTerms()) {
    List<Dimension> dimensionsList = new ArrayList<Dimension>();
    if (acceptedTerm.configurableUpfrontPricingTerm() != null) {
        String selectorValue = "";
        if (acceptedTerm.configurableUpfrontPricingTerm().configuration() != null) {
            if
(acceptedTerm.configurableUpfrontPricingTerm().configuration().selectorValue() !=
null) {
                selectorValue =
acceptedTerm.configurableUpfrontPricingTerm().configuration().selectorValue();
            }
            if
(acceptedTerm.configurableUpfrontPricingTerm().configuration().hasDimensions()) {
                dimensionsList =
acceptedTerm.configurableUpfrontPricingTerm().configuration().dimensions();
            }
        }
        if (selectorValue.length() > 0) {
            dimensionMap.put(selectorValue, dimensionsList);
        }
    }
}
return dimensionMap;
}
```

- For API details, see [GetAgreementTerms](#) in *AWS SDK for Java 2.x API Reference*.

Get the payment schedule of an agreement

The following code example shows how to get the payment schedule of an agreement.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package com.example.awsmarketplace.agreementapi;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import
software.amazon.awssdk.services.marketplaceagreement.MarketplaceAgreementClient;
import software.amazon.awssdk.services.marketplaceagreement.model.AcceptedTerm;
import
software.amazon.awssdk.services.marketplaceagreement.model.GetAgreementTermsRequest;
import
software.amazon.awssdk.services.marketplaceagreement.model.GetAgreementTermsResponse;
import
software.amazon.awssdk.services.marketplaceagreement.model.PaymentScheduleTerm;
import software.amazon.awssdk.services.marketplaceagreement.model.ScheduleItem;

import java.util.ArrayList;
import java.util.HashMap;
import java.util.List;
import java.util.Map;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;
import com.example.awsmarketplace.utils.ReferenceCodesUtils;

public class GetAgreementTermsPaymentSchedule {

/*
 * Obtain the payment schedule I have agreed to with the agreement, including the
invoice date and invoice amount
*/
public static void main(String[] args) {

String agreementId = args.length > 0 ? args[0] : AGREEMENT_ID;
```

```
List<Map<String, Object>> paymentScheduleArray = getPaymentSchedules(agreementId);

ReferenceCodesUtils.formatOutput(paymentScheduleArray);
}

public static List<Map<String, Object>> getPaymentSchedules(String agreementId) {
    MarketplaceAgreementClient marketplaceAgreementClient =
        MarketplaceAgreementClient.builder()
            .httpClient(ApacheHttpClient.builder().build())
            .credentialsProvider(ProfileCredentialsProvider.create())
            .build();

    GetAgreementTermsRequest getAgreementTermsRequest =
        GetAgreementTermsRequest.builder().agreementId(agreementId)
            .build();

    GetAgreementTermsResponse getAgreementTermsResponse =
        marketplaceAgreementClient.getAgreementTerms(getAgreementTermsRequest);
    List<Map<String, Object>> paymentScheduleArray = new ArrayList<>();

    String currencyCode = "";

    for (AcceptedTerm acceptedTerm : getAgreementTermsResponse.acceptedTerms()) {
        if (acceptedTerm.paymentScheduleTerm() != null) {
            PaymentScheduleTerm paymentScheduleTerm = acceptedTerm.paymentScheduleTerm();
            if (paymentScheduleTerm.currencyCode() != null) {
                currencyCode = paymentScheduleTerm.currencyCode();
            }
            if (paymentScheduleTerm.hasSchedule()) {
                for (ScheduleItem schedule : paymentScheduleTerm.schedule()) {
                    if (schedule.chargeDate() != null) {
                        String chargeDate = schedule.chargeDate().toString();
                        String chargeAmount = schedule.chargeAmount();
                        Map<String, Object> scheduleMap = new HashMap<>();
                        scheduleMap.put(ATTRIBUTE_CURRENCY_CODE, currencyCode);
                        scheduleMap.put(ATTRIBUTE_CHARGE_DATE, chargeDate);
                        scheduleMap.put(ATTRIBUTE_CHARGE_AMOUNT, chargeAmount);
                        paymentScheduleArray.add(scheduleMap);
                    }
                }
            }
        }
    }
}
```

```
    return paymentScheduleArray;
}
}
```

- For API details, see [GetAgreementTerms](#) in *AWS SDK for Java 2.x API Reference*.

Get the pricing per dimension in an agreement

The following code example shows how to get the pricing per dimension in an agreement.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package com.example.awsmarketplace.agreementapi;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import
software.amazon.awssdk.services.marketplaceagreement.MarketplaceAgreementClient;
import software.amazon.awssdk.services.marketplaceagreement.model.AcceptedTerm;
import
software.amazon.awssdk.services.marketplaceagreement.model.GetAgreementTermsRequest;
import
software.amazon.awssdk.services.marketplaceagreement.model.GetAgreementTermsResponse;

import java.util.ArrayList;
import java.util.List;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.AGREEMENT_ID;
import com.example.awsmarketplace.utils.ReferenceCodesUtils;

public class GetAgreementTermsPricingEachDimension {

/*

```

```
* Obtain pricing per each dimension in the agreement
*/
public static void main(String[] args) {

    String agreementId = args.length > 0 ? args[0] : AGREEMENT_ID;

    List<Object> dimensions = getDimensions(agreementId);

    ReferenceCodesUtils.formatOutput(dimensions);
}

public static List<Object> getDimensions(String agreementId) {
    MarketplaceAgreementClient marketplaceAgreementClient =
        MarketplaceAgreementClient.builder()
            .httpClient(ApacheHttpClient.builder().build())
            .credentialsProvider(ProfileCredentialsProvider.create())
            .build();

    GetAgreementTermsRequest getAgreementTermsRequest =
        GetAgreementTermsRequest.builder().agreementId(agreementId)
            .build();

    GetAgreementTermsResponse getAgreementTermsResponse =
        marketplaceAgreementClient.getAgreementTerms(getAgreementTermsRequest);

    List<Object> dimensions = new ArrayList<Object>();

    for (AcceptedTerm acceptedTerm : getAgreementTermsResponse.acceptedTerms()) {
        List<Object> rateInfo = new ArrayList<Object>();
        if (acceptedTerm.configurableUpfrontPricingTerm() != null) {
            if (acceptedTerm.configurableUpfrontPricingTerm().type() != null) {
                rateInfo.add(acceptedTerm.configurableUpfrontPricingTerm().type());
            }
            if (acceptedTerm.configurableUpfrontPricingTerm().currencyCode() != null) {
                rateInfo.add(acceptedTerm.configurableUpfrontPricingTerm().currencyCode());
            }
            if (acceptedTerm.configurableUpfrontPricingTerm().hasRateCards()) {
                rateInfo.add(acceptedTerm.configurableUpfrontPricingTerm().rateCards());
            }
        }
        dimensions.add(rateInfo);
    }
}
return dimensions;
}
```

```
}
```

- For API details, see [GetAgreementTerms](#) in *AWS SDK for Java 2.x API Reference*.

Get the pricing type of an agreement

The following code example shows how to get the pricing type of an agreement.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package com.example.awsmarketplace.agreementapi;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import
software.amazon.awssdk.services.marketplaceagreement.MarketplaceAgreementClient;
import software.amazon.awssdk.services.marketplaceagreement.model.AcceptedTerm;
import
software.amazon.awssdk.services.marketplaceagreement.model.AgreementViewSummary;
import software.amazon.awssdk.services.marketplaceagreement.model.Filter;
import
software.amazon.awssdk.services.marketplaceagreement.model.GetAgreementTermsRequest;
import
software.amazon.awssdk.services.marketplaceagreement.model.GetAgreementTermsResponse;
import
software.amazon.awssdk.services.marketplaceagreement.model.SearchAgreementsRequest;
import
software.amazon.awssdk.services.marketplaceagreement.model.SearchAgreementsResponse;

import com.fasterxml.jackson.annotation.JsonAutoDetect.Visibility;

import java.util.ArrayList;
import java.util.Arrays;
```

```
import java.util.HashMap;
import java.util.HashSet;
import java.util.Iterator;
import java.util.List;
import java.util.Map;
import java.util.Objects;
import java.util.Set;

import org.apache.commons.lang3.tuple.Triple;

import software.amazon.awssdk.services.marketplacecatalog.MarketplaceCatalogClient;
import
software.amazon.awssdk.services.marketplacecatalog.model.DescribeEntityRequest;
import
software.amazon.awssdk.services.marketplacecatalog.model.DescribeEntityResponse;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;
import com.fasterxml.jackson.annotation.PropertyAccessor;
import com.fasterxml.jackson.core.JsonProcessingException;
import com.fasterxml.jackson.databind.JsonNode;
import com.fasterxml.jackson.databind.ObjectMapper;
import com.fasterxml.jackson.databind.ObjectWriter;
import com.fasterxml.jackson.datatype.jsr310.JavaTimeModule;

/*
 * Obtain the pricing type of the agreement (contract, FPS, metered, free etc.)
 */
public class GetAgreementPricingType {

    private static final String FILTER_NAME = "OfferId";

    private static final String FILTER_VALUE = OFFER_ID;

    // Product types
    private static final String SAAS_PRODUCT = "SaaSProduct";
    private static final String AMI_PRODUCT = "AmiProduct";
    private static final String ML_PRODUCT = "MachineLearningProduct";
    private static final String CONTAINER_PRODUCT = "ContainerProduct";
    private static final String DATA_PRODUCT = "DataProduct";
    private static final String PROSERVICE_PRODUCT = "ProfessionalServicesProduct";
    private static final String AIQ_PRODUCT = "AiqProduct";

    // Pricing types
    private static final String CCP = "CCP";
```

```
private static final String ANNUAL = "Annual";
private static final String CONTRACT = "Contract";
private static final String SFT = "SaaS Free Trial";
private static final String HMA = "Hourly and Monthly Agreements";
private static final String HOURLY = "Hourly";
private static final String MONTHLY = "Monthly";
private static final String AFPS = "Annual FPS";
private static final String CFPS = "Contract FPS";
private static final String CCPFPS = "CCP with FPS";
private static final String BYOL = "BYOL";
private static final String FREE = "Free";
private static final String FTH = "Free Trials and Hourly";

// Agreement term pricing types
private static final Set<String> LEGAL = Set.of("LegalTerm");
private static final Set<String> CONFIGURABLE_UPFRONT =
Set.of("ConfigurableUpfrontPricingTerm");
private static final Set<String> USAGE_BASED = Set.of("UsageBasedPricingTerm");
private static final Set<String> CONFIGURABLE_UPFRONT_AND_USAGE_BASED =
Set.of("ConfigurableUpfrontPricingTerm", "UsageBasedPricingTerm");
private static final Set<String> FREE_TRIAL = Set.of("FreeTrialPricingTerm");
private static final Set<String> RECURRING_PAYMENT =
Set.of("RecurringPaymentTerm");
private static final Set<String> USAGE_BASED_AND_RECURRING_PAYMENT =
Set.of("UsageBasedPricingTerm", "RecurringPaymentTerm");
private static final Set<String> FIXED_UPFRONT_AND_PAYMENT_SCHEDULE =
Set.of("FixedUpfrontPricingTerm", "PaymentScheduleTerm");
private static final Set<String> FIXED_UPFRONT_AND_PAYMENT_SCHEDULE_AND_USAGE_BASED =
Set.of("FixedUpfrontPricingTerm", "PaymentScheduleTerm",
"UsageBasedPricingTerm");
private static final Set<String> BYOL_PRICING = Set.of("ByolPricingTerm");
private static final Set<String> FREE_TRIAL_AND_USAGE_BASED =
Set.of("FreeTrialPricingTerm", "UsageBasedPricingTerm");

private static final List<Set<String>> ALL AGREEMENT_TERM_TYPES_COMBINATION
= Arrays.asList(LEGAL, CONFIGURABLE_UPFRONT, USAGE_BASED,
CONFIGURABLE_UPFRONT_AND_USAGE_BASED,
FREE_TRIAL, RECURRING_PAYMENT, USAGE_BASED_AND_RECURRING_PAYMENT,
FIXED_UPFRONT_AND_PAYMENT_SCHEDULE,
FIXED_UPFRONT_AND_PAYMENT_SCHEDULE_AND_USAGE_BASED, BYOL_PRICING,
FREE_TRIAL_AND_USAGE_BASED);

private static MarketplaceAgreementClient marketplaceAgreementClient =
MarketplaceAgreementClient.builder()
```

```
.httpClient(ApacheHttpClient.builder().build())
.credentialsProvider(ProfileCredentialsProvider.create())
.build();

private static MarketplaceCatalogClient marketplaceCatalogClient =
MarketplaceCatalogClient.builder()
.httpClient(ApacheHttpClient.builder().build())
.credentialsProvider(ProfileCredentialsProvider.create())
.build();

/*
 * Get agreement Pricing Type given product type, agreement term types and offer
types if needed
*/
public static String getPricingType(String productType, Set<String>
agreementTermType, Set<String> offerType) {
Map<Triple<String, Set<String>, Set<String>>, String> pricingTypes = new
HashMap<>();

pricingTypes.put(Triple.of(SAAS_PRODUCT, CONFIGURABLE_UPFRONT_AND_USAGE_BASED, new
HashSet<>()), CCP);
pricingTypes.put(Triple.of(DATA_PRODUCT, CONFIGURABLE_UPFRONT_AND_USAGE_BASED, new
HashSet<>()), CCP);
pricingTypes.put(Triple.of(CONTAINER_PRODUCT, CONFIGURABLE_UPFRONT,
CONFIGURABLE_UPFRONT_AND_USAGE_BASED), ANNUAL);
pricingTypes.put(Triple.of(AMI_PRODUCT, CONFIGURABLE_UPFRONT,
CONFIGURABLE_UPFRONT_AND_USAGE_BASED), ANNUAL);
pricingTypes.put(Triple.of(ML_PRODUCT, CONFIGURABLE_UPFRONT,
CONFIGURABLE_UPFRONT_AND_USAGE_BASED), ANNUAL);
pricingTypes.put(Triple.of(CONTAINER_PRODUCT, CONFIGURABLE_UPFRONT,
CONFIGURABLE_UPFRONT), CONTRACT);
pricingTypes.put(Triple.of(AMI_PRODUCT, CONFIGURABLE_UPFRONT,
CONFIGURABLE_UPFRONT), CONTRACT);
pricingTypes.put(Triple.of(SAAS_PRODUCT, CONFIGURABLE_UPFRONT, new HashSet<>()),
CONTRACT);
pricingTypes.put(Triple.of(DATA_PRODUCT, CONFIGURABLE_UPFRONT, new HashSet<>()),
CONTRACT);
pricingTypes.put(Triple.of(AIQ_PRODUCT, CONFIGURABLE_UPFRONT, new HashSet<>()),
CONTRACT);
pricingTypes.put(Triple.of(PROSERVICE_PRODUCT, CONFIGURABLE_UPFRONT, new
HashSet<>()), CONTRACT);
pricingTypes.put(Triple.of(SAAS_PRODUCT, FREE_TRIAL, new HashSet<>()), SFT);
pricingTypes.put(Triple.of(AMI_PRODUCT, USAGE_BASED_AND_RECURRING_PAYMENT, new
HashSet<>()), HMA);
```

```
pricingTypes.put(Triple.of(SAAS_PRODUCT, USAGE_BASED, new HashSet<>()), HOURLY);
pricingTypes.put(Triple.of(AMI_PRODUCT, USAGE_BASED, new HashSet<>()), HOURLY);
pricingTypes.put(Triple.of(ML_PRODUCT, USAGE_BASED, new HashSet<>()), HOURLY);
pricingTypes.put(Triple.of(CONTAINER_PRODUCT, RECURRING_PAYMENT, new HashSet<>()), MONTHLY);
pricingTypes.put(Triple.of(AMI_PRODUCT, RECURRING_PAYMENT, new HashSet<>()), MONTHLY);
pricingTypes.put(Triple.of(CONTAINER_PRODUCT, FIXED_UPFRONT_AND_PAYMENT_SCHEDULE, FIXED_UPFRONT_AND_PAYMENT_SCHEDULE_AND_USAGE_BASED), AFPS);
pricingTypes.put(Triple.of(AMI_PRODUCT, FIXED_UPFRONT_AND_PAYMENT_SCHEDULE, FIXED_UPFRONT_AND_PAYMENT_SCHEDULE_AND_USAGE_BASED), AFPS);
pricingTypes.put(Triple.of(ML_PRODUCT, FIXED_UPFRONT_AND_PAYMENT_SCHEDULE, new HashSet<>()), AFPS);
pricingTypes.put(Triple.of(CONTAINER_PRODUCT, FIXED_UPFRONT_AND_PAYMENT_SCHEDULE, new HashSet<>()), CFPS);
pricingTypes.put(Triple.of(AMI_PRODUCT, FIXED_UPFRONT_AND_PAYMENT_SCHEDULE, FIXED_UPFRONT_AND_PAYMENT_SCHEDULE), CFPS);
pricingTypes.put(Triple.of(SAAS_PRODUCT, FIXED_UPFRONT_AND_PAYMENT_SCHEDULE, new HashSet<>()), CFPS);
pricingTypes.put(Triple.of(DATA_PRODUCT, FIXED_UPFRONT_AND_PAYMENT_SCHEDULE, new HashSet<>()), CFPS);
pricingTypes.put(Triple.of(AIQ_PRODUCT, FIXED_UPFRONT_AND_PAYMENT_SCHEDULE, new HashSet<>()), CFPS);
pricingTypes.put(Triple.of(PROSERVICE_PRODUCT, FIXED_UPFRONT_AND_PAYMENT_SCHEDULE, new HashSet<>()), CFPS);
pricingTypes.put(Triple.of(SAAS_PRODUCT, FIXED_UPFRONT_AND_PAYMENT_SCHEDULE_AND_USAGE_BASED, new HashSet<>()), CCPFPS);
pricingTypes.put(Triple.of(DATA_PRODUCT, FIXED_UPFRONT_AND_PAYMENT_SCHEDULE_AND_USAGE_BASED, new HashSet<>()), CCPFPS);
pricingTypes.put(Triple.of(AIQ_PRODUCT, FIXED_UPFRONT_AND_PAYMENT_SCHEDULE_AND_USAGE_BASED, new HashSet<>()), CCPFPS);
pricingTypes.put(Triple.of(PROSERVICE_PRODUCT, FIXED_UPFRONT_AND_PAYMENT_SCHEDULE_AND_USAGE_BASED, new HashSet<>()), CCPFPS);
pricingTypes.put(Triple.of(AMI_PRODUCT, BYOL_PRICING, new HashSet<>()), BYOL);
pricingTypes.put(Triple.of(SAAS_PRODUCT, BYOL_PRICING, new HashSet<>()), BYOL);
pricingTypes.put(Triple.of(PROSERVICE_PRODUCT, BYOL_PRICING, new HashSet<>()), BYOL);
pricingTypes.put(Triple.of(AIQ_PRODUCT, BYOL_PRICING, new HashSet<>()), BYOL);
pricingTypes.put(Triple.of(ML_PRODUCT, BYOL_PRICING, new HashSet<>()), BYOL);
pricingTypes.put(Triple.of(CONTAINER_PRODUCT, BYOL_PRICING, new HashSet<>()), BYOL);
pricingTypes.put(Triple.of(DATA_PRODUCT, BYOL_PRICING, new HashSet<>()), BYOL);
pricingTypes.put(Triple.of(CONTAINER_PRODUCT, LEGAL, new HashSet<>()), FREE);
```

```
pricingTypes.put(Triple.of(AMI_PRODUCT, FREE_TRIAL_AND_USAGE_BASED, new
HashSet<>()), FTH);
pricingTypes.put(Triple.of(CONTAINER_PRODUCT, FREE_TRIAL_AND_USAGE_BASED, new
HashSet<>()), FTH);
pricingTypes.put(Triple.of(ML_PRODUCT, FREE_TRIAL_AND_USAGE_BASED, new
HashSet<>()), FTH);

Triple<String, Set<String>, Set<String>> key = Triple.of(productType,
agreementTermType, offerType);

if (pricingTypes.containsKey(key)) {
    return pricingTypes.get(key);
} else {
    return "Unknown";
}

/*
 * Given product type and agreement term types, some combinations need to check
offer term types as well.
*/
public static String needToCheckOfferTermsType(String productType, Set<String>
agreementTermTypes) {
    Map<KeyPair, String> offerTermTypes = new HashMap<>();
    offerTermTypes.put(new KeyPair(CONTAINER_PRODUCT, CONFIGURABLE_UPFRONT), "Y");
    offerTermTypes.put(new KeyPair(AMI_PRODUCT, CONFIGURABLE_UPFRONT), "Y");
    offerTermTypes.put(new KeyPair(CONTAINER_PRODUCT,
FIXED_UPFRONT_AND_PAYMENT_SCHEDULE), "Y");
    offerTermTypes.put(new KeyPair(AMI_PRODUCT, FIXED_UPFRONT_AND_PAYMENT_SCHEDULE),
"Y");

    KeyPair key = new KeyPair(productType, agreementTermTypes);
    if (offerTermTypes.containsKey(key)) {
        return offerTermTypes.get(key);
    } else {
        return null;
    }
}

public static List<AgreementViewSummary> getAgreementsById() {

    List<AgreementViewSummary> agreementSummaryList = new
ArrayList<AgreementViewSummary>();
```

```
Filter partyType =
Filter.builder().name(PARTY_TYPE_FILTER_NAME).values(PARTY_TYPE_FILTER_VALUE_PROPOSER).build();

Filter agreementType =
Filter.builder().name(AGREEMENT_TYPE_FILTER_NAME).values(AGREEMENT_TYPE_FILTER_VALUE_PURCHASE);

Filter customizeFilter =
Filter.builder().name(FILTER_NAME).values(FILTER_VALUE).build();

SearchAgreementsRequest searchAgreementsRequest =
SearchAgreementsRequest.builder()
.catalog(AWS_MP_CATALOG)
.filters(partyType, agreementType, customizeFilter).build();

SearchAgreementsResponse searchResultResponse =
marketplaceAgreementClient.searchAgreements(searchAgreementsRequest);

agreementSummaryList.addAll(searchResultResponse.agreementViewSummaries());

while (searchResultResponse.nextToken() != null &&
searchResultResponse.nextToken().length() > 0) {
    searchAgreementsRequest =
SearchAgreementsRequest.builder().catalog(AWS_MP_CATALOG)
    .filters(partyType,
agreementType).nextToken(searchResultResponse.nextToken()).build();
    searchResultResponse =
marketplaceAgreementClient.searchAgreements(searchAgreementsRequest);
    agreementSummaryList.addAll(searchResultResponse.agreementViewSummaries());
}
return agreementSummaryList;

}

static class KeyPair {
private final String first;
private final Set<String> second;

public KeyPair(String productType, Set<String> second) {
    this.first = productType;
    this.second = second;
}

@Override
public int hashCode() {
```

```
        return Objects.hash(first, second);
    }

    @Override
    public boolean equals(Object obj) {
        if (this == obj)
            return true;
        if (obj == null || getClass() != obj.getClass())
            return false;
        KeyPair other = (KeyPair) obj;
        return Objects.equals(first, other.first) && Objects.equals(second,
other.second);
    }
}

/*
 * Get all the term types for the offer
 */
public static Set<String> getOfferTermTypes(String offerId) {

    Set<String> offerTermTypes = new HashSet<String>();

    DescribeEntityRequest request =
        DescribeEntityRequest.builder()
            .catalog(AWS_MP_CATALOG)
            .entityId(offerId)
            .build();

    DescribeEntityResponse result = marketplaceCatalogClient.describeEntity(request);

    String details = result.details();

    try {
        ObjectMapper objectMapper = new ObjectMapper();
        JsonNode rootNode = objectMapper.readTree(details);
        JsonNode termsNode = rootNode.get(ATTRIBUTE_TERMS);

        for (JsonNode termNode : termsNode) {
            if (termNode.get(ATTRIBUTE_TYPE_ENTITY) != null ) {
                offerTermTypes.add(termNode.get(ATTRIBUTE_TYPE_ENTITY).asText());
            }
        }
    } catch (Exception e) {
        e.printStackTrace();
    }
}
```

```
}

return offerTermTypes;

}

/*
 * Get all the agreement term types
 */
public static Set<String> getAgreementTermTypes(GetAgreementTermsResponse
agreementTerm) {
Set<String> agreementTermTypes = new HashSet<String>();
try {
for (AcceptedTerm term : agreementTerm.acceptedTerms()) {
ObjectMapper objectMapper = new ObjectMapper();
JsonNode termNode = objectMapper.readTree(getJson(term));
Iterator<Map.Entry<String, JsonNode>> fieldsIterator = termNode.fields();
while (fieldsIterator.hasNext()) {
Map.Entry<String, JsonNode> entry = fieldsIterator.next();
JsonNode value = entry.getValue();
if (value.isObject() && value.has(ATTRIBUTE_TYPE AGREEMENT)) {
agreementTermTypes.add(value.get(ATTRIBUTE_TYPE AGREEMENT).asText());
}
}
} catch (Exception e) {
e.printStackTrace();
}
return agreementTermTypes;
}

/*
 * make sure all elements in array2 exist in array1
 */
public static boolean allElementsExist(Set<String> array1, Set<String> array2) {
for (String element : array2) {
boolean found = false;
for (String str : array1) {
if (element.equals(str)) {
found = true;
break;
}
}
}
```

```
        if (!found) {
            return false;
        }
    }
    return true;
}

/*
 * Find the combinations of the agreement term types for the agreement
 */
public static Set<String> getMatchedTermTypesCombination(Set<String>
agreementTermTypes) {
    Set<String> matchedCombination = new HashSet<String>();
    for (Set<String> element : ALL_AGREEMENT_TERM_TYPES_COMBINATION) {
        if (allElementsExist(agreementTermTypes, element)) {
            matchedCombination = element;
        }
    }
    return matchedCombination;
}

public static void main(String[] args) {

    List<AgreementViewSummary> agreements = getAgreementsById();

    for (AgreementViewSummary summary : agreements) {
        String pricingType = "";
        String agreementId = summary.agreementId();
        System.out.println(agreementId);
        String offerId = summary.proposalSummary().offerId();

        //get all pricing term types for the offer in the agreement
        Set<String> offerTermTypes = getOfferTermTypes(offerId);
        String productType = summary.proposalSummary().resources().get(0).type();

        //get all pricing term types for the agreement
        GetAgreementTermsRequest getAgreementTermsRequest =
            GetAgreementTermsRequest.builder().agreementId(agreementId)
            .build();
        GetAgreementTermsResponse getAgreementTermsResponse =
marketplaceAgreementClient.getAgreementTerms(getAgreementTermsRequest);
        Set<String> agreementTermTypes =
getAgreementTermTypes(getAgreementTermsResponse);
    }
}
```

```
//get matched pricing term type combination set
Set<String> agreementMatchedTermType =
getMatchedTermTypesCombination(agreementTermTypes);

//check to see if this agreement pricing term combination needs additional check
on offer pricing terms
String needToCheckOfferType = needToCheckOfferTermsType(productType,
agreementMatchedTermType);

// get the pricing type for the agreement based on the product type, agreement
term types and offer term types if needed
if (needToCheckOfferType != null) {
    Set<String> offerMatchedTermType =
getMatchedTermTypesCombination(offerTermTypes);
    pricingType = getPricingType(productType, agreementMatchedTermType,
offerMatchedTermType);
} else if (agreementMatchedTermType == LEGAL) {
    pricingType = FREE;
} else {
    pricingType = getPricingType(productType, agreementMatchedTermType, new
HashSet());
}
System.out.println("Pricing type is " + pricingType);
}

private static String getJson(Object result) {
    String json = "";

    try {
        ObjectMapper om = new ObjectMapper();
        om.setVisibility(PropertyAccessor.FIELD, Visibility.ANY);
        om.registerModule(new JavaTimeModule());
        ObjectWriter ow = om.writer().withDefaultPrettyPrinter();

        json = ow.writeValueAsString(result);
    } catch (JsonProcessingException e) {
        e.printStackTrace();
    }
    return json;
}

}
```

- For API details, see [DescribeAgreement](#) in *AWS SDK for Java 2.x API Reference*.

Get the product type of an agreement

The following code example shows how to get the product type of an agreement.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package com.example.awsmarketplace.agreementapi;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import
software.amazon.awssdk.services.marketplaceagreement.MarketplaceAgreementClient;
import
software.amazon.awssdk.services.marketplaceagreement.model.DescribeAgreementRequest;
import
software.amazon.awssdk.services.marketplaceagreement.model.DescribeAgreementResponse;
import software.amazon.awssdk.services.marketplaceagreement.model.Resource;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;

import java.util.ArrayList;
import java.util.List;

import com.example.awsmarketplace.utils.ReferenceCodesUtils;

public class GetAgreementProductType {

/*
 * Obtain the Product Type of the product the agreement was created on
}
```

```
/*
public static void main(String[] args) {

    String agreementId = args.length > 0 ? args[0] : AGREEMENT_ID;

    List<String> productIds = getProducts(agreementId);

    ReferenceCodesUtils.formatOutput(productIds);
}

public static List<String> getProducts(String agreementId) {
    MarketplaceAgreementClient marketplaceAgreementClient =
        MarketplaceAgreementClient.builder()
            .httpClient(ApacheHttpClient.builder().build())
            .credentialsProvider(ProfileCredentialsProvider.create())
            .build();

    DescribeAgreementRequest describeAgreementRequest =
        DescribeAgreementRequest.builder()
            .agreementId(agreementId)
            .build();

    DescribeAgreementResponse describeAgreementResponse =
        marketplaceAgreementClient.describeAgreement(describeAgreementRequest);

    List<String> productIds = new ArrayList<String>();
    for (Resource resource : describeAgreementResponse.proposalSummary().resources()) {
        productIds.add(resource.id() + ":" + resource.type());
    }
    return productIds;
}
```

- For API details, see [DescribeAgreement](#) in *AWS SDK for Java 2.x API Reference*.

Get the status of an agreement

The following code example shows how to get the status of an agreement.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package com.example.awsmarketplace.agreementapi;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.AGREEMENT_ID;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import
software.amazon.awssdk.services.marketplaceagreement.MarketplaceAgreementClient;
import
software.amazon.awssdk.services.marketplaceagreement.model.DescribeAgreementRequest;
import
software.amazon.awssdk.services.marketplaceagreement.model.DescribeAgreementResponse;

public class GetAgreementStatus {

    public static void main(String[] args) {

        String agreementId = args.length > 0 ? args[0] : AGREEMENT_ID;

        DescribeAgreementResponse describeAgreementResponse =
getDescribeAgreementResponse(agreementId);

        System.out.println("Agreement status is " + describeAgreementResponse.status());

    }

    public static DescribeAgreementResponse getDescribeAgreementResponse(String
agreementId) {
        MarketplaceAgreementClient marketplaceAgreementClient =
MarketplaceAgreementClient.builder()
        .httpClient(ApacheHttpClient.builder().build())
        .credentialsProvider(ProfileCredentialsProvider.create())
    }
}
```

```
.build();  
  
DescribeAgreementRequest describeAgreementRequest =  
    DescribeAgreementRequest.builder()  
        .agreementId(agreementId)  
        .build();  
  
DescribeAgreementResponse describeAgreementResponse =  
marketplaceAgreementClient.describeAgreement(describeAgreementRequest);  
return describeAgreementResponse;  
}  
  
}
```

- For API details, see [DescribeAgreement](#) in *AWS SDK for Java 2.x API Reference*.

Get the support terms of an agreement

The following code example shows how to get the support terms of an agreement.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.  
// SPDX-License-Identifier: Apache-2.0  
package com.example.awsmarketplace.agreementapi;  
  
import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;  
import software.amazon.awssdk.http.apache.ApacheHttpClient;  
import  
    software.amazon.awssdk.services.marketplaceagreement.MarketplaceAgreementClient;  
import software.amazon.awssdk.services.marketplaceagreement.model.AcceptedTerm;  
import  
    software.amazon.awssdk.services.marketplaceagreement.model.GetAgreementTermsRequest;  
import  
    software.amazon.awssdk.services.marketplaceagreement.model.GetAgreementTermsResponse;
```

```
import software.amazon.awssdk.services.marketplaceagreement.model.SupportTerm;

import java.util.ArrayList;
import java.util.List;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.AGREEMENT_ID;
import com.example.awsmarketplace.utils.ReferenceCodesUtils;

public class GetAgreementTermsSupportTerm {

    /*
     * Obtain the support and refund policy I have provided to the customer
     */
    public static void main(String[] args) {

        String agreementId = args.length > 0 ? args[0] : AGREEMENT_ID;

        List<SupportTerm> supportTerms = getSupportTerms(agreementId);

        ReferenceCodesUtils.formatOutput(supportTerms);
    }

    public static List<SupportTerm> getSupportTerms(String agreementId) {
        MarketplaceAgreementClient marketplaceAgreementClient =
            MarketplaceAgreementClient.builder()
                .httpClient(ApacheHttpClient.builder().build())
                .credentialsProvider(ProfileCredentialsProvider.create())
                .build();

        GetAgreementTermsRequest getAgreementTermsRequest =
            GetAgreementTermsRequest.builder().agreementId(agreementId)
                .build();

        GetAgreementTermsResponse getAgreementTermsResponse =
            marketplaceAgreementClient.getAgreementTerms(getAgreementTermsRequest);

        List<SupportTerm> supportTerms = new ArrayList<>();

        for (AcceptedTerm acceptedTerm : getAgreementTermsResponse.acceptedTerms()) {
            if (acceptedTerm.supportTerm() != null) {
                supportTerms.add(acceptedTerm.supportTerm());
            }
        }
        return supportTerms;
    }
}
```

```
 }  
}
```

- For API details, see [GetAgreementTerms](#) in *AWS SDK for Java 2.x API Reference*.

Get the terms of an agreement

The following code example shows how to get the terms of an agreement.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.  
// SPDX-License-Identifier: Apache-2.0  
package com.example.awsmarketplace.agreementapi;  
  
import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;  
import com.example.awsmarketplace.utils.ReferenceCodesUtils;  
  
import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;  
import software.amazon.awssdk.http.apache.ApacheHttpClient;  
import  
    software.amazon.awssdk.services.marketplaceagreement.MarketplaceAgreementClient;  
import  
    software.amazon.awssdk.services.marketplaceagreement.model.GetAgreementTermsRequest;  
import  
    software.amazon.awssdk.services.marketplaceagreement.model.GetAgreementTermsResponse;  
  
public class GetAgreementTerms {  
  
    public static void main(String[] args) {  
  
        String agreementId = args.length > 0 ? args[0] : AGREEMENT_ID;
```

```
GetAgreementTermsResponse getAgreementTermsResponse =
getAgreementTermsResponse(agreementId);

ReferenceCodesUtils.formatOutput(getAgreementTermsResponse);

}

public static GetAgreementTermsResponse getAgreementTermsResponse(String
agreementId) {
    MarketplaceAgreementClient marketplaceAgreementClient =
        MarketplaceAgreementClient.builder()
            .httpClient(ApacheHttpClient.builder().build())
            .credentialsProvider(ProfileCredentialsProvider.create())
            .build();

    GetAgreementTermsRequest getAgreementTermsRequest =
        GetAgreementTermsRequest.builder()
            .agreementId(agreementId)
            .build();

    GetAgreementTermsResponse getAgreementTermsResponse =
        marketplaceAgreementClient.getAgreementTerms(getAgreementTermsRequest);
    return getAgreementTermsResponse;
}

}
```

- For API details, see [GetAgreementTerms](#) in *AWS SDK for Java 2.x API Reference*.

Search for agreements by end date

The following code example shows how to search for agreements by end date.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package com.example.awsmarketplace.agreementapi;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import
software.amazon.awssdk.services.marketplaceagreement.MarketplaceAgreementClient;
import
software.amazon.awssdk.services.marketplaceagreement.model.AgreementViewSummary;
import software.amazon.awssdk.services.marketplaceagreement.model.Filter;
import
software.amazon.awssdk.services.marketplaceagreement.model.SearchAgreementsRequest;
import
software.amazon.awssdk.services.marketplaceagreement.model.SearchAgreementsResponse;

import java.util.ArrayList;
import java.util.Arrays;
import java.util.List;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;
import com.example.awsmarketplace.utils.ReferenceCodesUtils;

public class SearchAgreementsByEndDate {

    static String beforeOrAfterEndtimeFilterName =
BeforeOrAfterEndTimeFilterName.BeforeEndTime.name();

    static String cutoffDate = "2050-11-18T00:00:00Z";

    static String partyTypeFilterValue = PARTY_TYPE_FILTER_VALUE_PROPOSER;

    public static void main(String[] args) {

        List<AgreementViewSummary> agreementSummaryList = getAgreements();

        ReferenceCodesUtils.formatOutput(agreementSummaryList);
    }

    public static List<AgreementViewSummary> getAgreements() {
        MarketplaceAgreementClient marketplaceAgreementClient =
            MarketplaceAgreementClient.builder()
                .httpClient(ApacheHttpClient.builder().build())
    }
```

```
.credentialsProvider(ProfileCredentialsProvider.create())
.build();

// set up filters

Filter partyTypeFilter = Filter.builder().name(PARTY_TYPE_FILTER_NAME)
.values(PARTY_TYPE_FILTER_VALUE_PROPOSER).build();

Filter agreementTypeFilter = Filter.builder().name(AGREEMENT_TYPE_FILTER_NAME)
.values(AGREEMENT_TYPE_FILTER_VALUE_PURCHASEAGREEMENT).build();

Filter customizeFilter =
Filter.builder().name(beforeOrAfterEndtimeFilterName).values(cutoffDate).build();

List<Filter> filters = new ArrayList<Filter>();

filters.addAll(Arrays.asList(partyTypeFilter, agreementTypeFilter,
customizeFilter));

// search agreement with filters

SearchAgreementsRequest searchAgreementsRequest =
SearchAgreementsRequest.builder()
.catalog(AWS_MP_CATALOG)
.filters(filters)
.build();

SearchAgreementsResponse searchAgreementResponse=
marketplaceAgreementClient.searchAgreements(searchAgreementsRequest);

List<AgreementViewSummary> agreementSummaryList = new
ArrayList<AgreementViewSummary>();

agreementSummaryList.addAll(searchAgreementResponse.agreementViewSummaries());

while (searchAgreementResponse.nextToken() != null &&
searchAgreementResponse.nextToken().length() > 0) {
    searchAgreementsRequest =
    SearchAgreementsRequest.builder()
    .catalog(AWS_MP_CATALOG)
    .filters(filters)
    .nextToken(searchAgreementResponse.nextToken())
    .build();
```

```
    searchAgreementResponse =
marketplaceAgreementClient.searchAgreements(searchAgreementsRequest);
    agreementSummaryList.addAll(searchAgreementResponse.agreementViewSummaries());
}
return agreementSummaryList;
}

}
```

- For API details, see [SearchAgreements](#) in *AWS SDK for Java 2.x API Reference*.

Search for agreements with one custom filter

The following code example shows how to search for agreements with one custom filter.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package com.example.awsmarketplace.agreementapi;

import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import
software.amazon.awssdk.services.marketplaceagreement.MarketplaceAgreementClient;
import
software.amazon.awssdk.services.marketplaceagreement.model.AgreementViewSummary;
import software.amazon.awssdk.services.marketplaceagreement.model.Filter;
import
software.amazon.awssdk.services.marketplaceagreement.model.SearchAgreementsRequest;
import
software.amazon.awssdk.services.marketplaceagreement.model.SearchAgreementsResponse;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;
```

```
import java.util.ArrayList;
import java.util.Arrays;
import java.util.List;

import com.example.awsmarketplace.utils.ReferenceCodesUtils;

/**
 * To search by
 * offer id: OfferId;
 * product id: ResourceIdentifier;
 * customer AWS account id: AcceptorAccountId
 * product type: ResourceType (i.e. SaaSProduct)
 * status: Status. status values can be: ACTIVE, CANCELED,
 * EXPIRED, RENEWED, REPLACED, ROLLED_BACK, SUPERSEDED, TERMINATED
 */

public class SearchAgreementsByOneFilter {

    private static final String FILTER_NAME = "ResourceType";

    private static final String FILTER_VALUE = "SaaSProduct";

    /*
     * search agreements by one customize filter
     */
    public static void main(String[] args) {

        List<AgreementViewSummary> agreementSummaryList = getAgreements();

        ReferenceCodesUtils.formatOutput(agreementSummaryList);
    }

    public static List<AgreementViewSummary> getAgreements() {
        MarketplaceAgreementClient marketplaceAgreementClient =
            MarketplaceAgreementClient.builder()
                .httpClient(ApacheHttpClient.builder().build())
                .credentialsProvider(ProfileCredentialsProvider.create())
                .build();

        Filter partyTypeFilter = Filter.builder().name(PARTY_TYPE_FILTER_NAME)
            .values(PARTY_TYPE_FILTER_VALUE_PROPOSER).build();

        Filter agreementTypeFilter = Filter.builder().name(AGREEMENT_TYPE_FILTER_NAME)
            .values(AGREEMENT_TYPE_FILTER_VALUE_PURCHASEAGREEMENT).build();
    }
}
```

```
Filter customizeFilter =
Filter.builder().name(FILTER_NAME).values(FILTER_VALUE).build();

List<Filter> filters = new ArrayList<Filter>();

filters.addAll(Arrays.asList(partyTypeFilter, agreementTypeFilter,
customizeFilter));

SearchAgreementsRequest searchAgreementsRequest =
SearchAgreementsRequest.builder()
.catalog(AWS_MP_CATALOG)
.filters(filters)
.build();

SearchAgreementsResponse searchAgreementsResponse =
marketplaceAgreementClient.searchAgreements(searchAgreementsRequest);

List<AgreementViewSummary> agreementSummaryList = new
ArrayList<AgreementViewSummary>();

agreementSummaryList.addAll(searchAgreementsResponse.agreementViewSummaries());

while (searchAgreementsResponse.nextToken() != null &&
searchAgreementsResponse.nextToken().length() > 0) {
    searchAgreementsRequest =
    SearchAgreementsRequest.builder()
    .catalog(AWS_MP_CATALOG)
    .filters(filters)
    .nextToken(searchAgreementsResponse.nextToken())
    .build();
    searchAgreementsResponse =
    marketplaceAgreementClient.searchAgreements(searchAgreementsRequest);
    agreementSummaryList.addAll(searchAgreementsResponse.agreementViewSummaries());
}
return agreementSummaryList;
}

}
```

- For API details, see [SearchAgreements](#) in *AWS SDK for Java 2.x API Reference*.

Search for agreements with two custom filters

The following code example shows how to search for agreements with two custom filters.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Marketplace API Reference Code Library](#) repository.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package com.example.awsmarketplace.agreementapi;

import software.amazon.awssdk.auth.credentials.AwsCredentialsProvider;
import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.http.SdkHttpClient;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import
software.amazon.awssdk.services.marketplaceagreement.MarketplaceAgreementClient;
import
software.amazon.awssdk.services.marketplaceagreement.model.AgreementViewSummary;
import software.amazon.awssdk.services.marketplaceagreement.model.Filter;
import
software.amazon.awssdk.services.marketplaceagreement.model.SearchAgreementsRequest;
import
software.amazon.awssdk.services.marketplaceagreement.model.SearchAgreementsResponse;

import java.util.ArrayList;
import java.util.Arrays;
import java.util.List;

import static com.example.awsmarketplace.utils.ReferenceCodesConstants.*;
import com.example.awsmarketplace.utils.ReferenceCodesUtils;

/**
 * Party Type = Proposer AND Acceptor:
 * * AfterEndTime
 * * BeforeEndTime
 * * ResourceIdentifier + BeforeEndTime
 * * ResourceIdentifier + AfterEndTime
```

```
* ResourceType + BeforeEndTime
* ResourceType + AfterEndTime
*
* Party Type = Proposer
* ResourceIdentifier
* OfferId
* AcceptorAccountId
* Status (ACTIVE)
* Status (ACTIVE) + ResourceIdentifier
* Status (ACTIVE) + AcceptorAccountId
* Status (ACTIVE) + OfferId
* Status (ACTIVE) + ResourceType
* AcceptorAccountId + BeforeEndTime
* AcceptorAccountId + AfterEndTime
* AcceptorAccountId + AfterEndTime
* OfferId + BeforeEndTime
*
* Status values can be: ACTIVE, CANCELLED, EXPIRED, RENEWED, REPLACED, ROLLED_BACK,
SUPERSEDED, TERMINATED
*/

```

```
public class SearchAgreementsByTwoFilters {

    public static final String FILTER_1_NAME = "ResourceType";

    public static final String FILTER_1_VALUE = "SaaSProduct";

    public static final String FILTER_2_NAME = "Status";

    public static final String FILTER_2_VALUE = "ACTIVE";

    /*
     * search agreements by two customize filter
     */
    public static void main(String[] args) {

        List<AgreementViewSummary> agreementSummaryList = getAgreements();

        ReferenceCodesUtils.formatOutput(agreementSummaryList);

    }

    public static List<AgreementViewSummary> getAgreements() {
        MarketplaceAgreementClient marketplaceAgreementClient =

```

```
MarketplaceAgreementClient.builder()
    .httpClient(ApacheHttpClient.builder().build())
    .credentialsProvider(ProfileCredentialsProvider.create())
    .build();

Filter partyTypeFilter = Filter.builder().name(PARTY_TYPE_FILTER_NAME)
    .values(PARTY_TYPE_FILTER_VALUE_PROPOSER).build();

Filter agreementTypeFilter = Filter.builder().name(AGREEMENT_TYPE_FILTER_NAME)
    .values(AGREEMENT_TYPE_FILTER_VALUE_PURCHASEAGREEMENT).build();

Filter customizeFilter1 =
Filter.builder().name(FILTER_1_NAME).values(FILTER_1_VALUE).build();

Filter customizeFilter2 =
Filter.builder().name(FILTER_2_NAME).values(FILTER_2_VALUE).build();

List<Filter> filters = new ArrayList<Filter>();

filters.addAll(Arrays.asList(partyTypeFilter, agreementTypeFilter,
customizeFilter1, customizeFilter2));

SearchAgreementsRequest searchAgreementsRequest =
    SearchAgreementsRequest.builder()
        .catalog(AWS_MP_CATALOG)
        .filters(filters)
        .build();

SearchAgreementsResponse searchAgreementsResponse =
marketplaceAgreementClient.searchAgreements(searchAgreementsRequest);

List<AgreementViewSummary> agreementSummaryList = new
ArrayList<AgreementViewSummary>();

agreementSummaryList.addAll(searchAgreementsResponse.agreementViewSummaries());

while (searchAgreementsResponse.nextToken() != null &&
searchAgreementsResponse.nextToken().length() > 0) {
    searchAgreementsRequest =
        SearchAgreementsRequest.builder()
            .catalog(AWS_MP_CATALOG)
            .filters(filters)
            .nextToken(searchAgreementsResponse.nextToken())
```

```
        .build();
    searchAgreementsResponse =
marketplaceAgreementClient.searchAgreements(searchAgreementsRequest);
    agreementSummaryList.addAll(searchAgreementsResponse.agreementViewSummaries());
}
return agreementSummaryList;
}

}
```

- For API details, see [SearchAgreements](#) in *AWS SDK for Java 2.x API Reference*.

MediaConvert examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with MediaConvert.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)

Actions

CreateJob

The following code example shows how to use CreateJob.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
package com.example.mediaconvert;

import java.net.URI;
import java.util.HashMap;
import java.util.Map;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.mediaconvert.MediaConvertClient;
import software.amazon.awssdk.services.mediaconvert.model.DescribeEndpointsResponse;
import software.amazon.awssdk.services.mediaconvert.model.DescribeEndpointsRequest;
import software.amazon.awssdk.services.mediaconvert.model.Output;
import software.amazon.awssdk.services.mediaconvert.model.MediaConvertException;
import software.amazon.awssdk.services.mediaconvert.model.OutputGroup;
import software.amazon.awssdk.services.mediaconvert.model.OutputGroupSettings;
import software.amazon.awssdk.services.mediaconvert.model.HlsGroupSettings;
import software.amazon.awssdk.services.mediaconvert.model.OutputGroupType;
import software.amazon.awssdk.services.mediaconvert.model.HlsDirectoryStructure;
import software.amazon.awssdk.services.mediaconvert.model.HlsManifestDurationFormat;
import software.amazon.awssdk.services.mediaconvert.model.HlsStreamInfResolution;
import software.amazon.awssdk.services.mediaconvert.model.HlsClientCache;
import software.amazon.awssdk.services.mediaconvert.model.HlsCaptionLanguageSetting;
import software.amazon.awssdk.services.mediaconvert.model.HlsManifestCompression;
import software.amazon.awssdk.services.mediaconvert.model.HlsCodecSpecification;
import software.amazon.awssdk.services.mediaconvert.model.HlsOutputSelection;
import software.amazon.awssdk.services.mediaconvert.model.HlsProgramDateTime;
import software.amazon.awssdk.services.mediaconvert.model.HlsTimedMetadataId3Frame;
import software.amazon.awssdk.services.mediaconvert.model.HlsSegmentControl;
import software.amazon.awssdk.services.mediaconvert.model.FileGroupSettings;
import software.amazon.awssdk.services.mediaconvert.model.ContainerSettings;
import software.amazon.awssdk.services.mediaconvert.model.VideoDescription;
import software.amazon.awssdk.services.mediaconvert.model.ContainerType;
import software.amazon.awssdk.services.mediaconvert.model.ScalingBehavior;
import software.amazon.awssdk.services.mediaconvert.model.VideoTimecodeInsertion;
import software.amazon.awssdk.services.mediaconvert.model.ColorMetadata;
import software.amazon.awssdk.services.mediaconvert.model.RespondToAfd;
import software.amazon.awssdk.services.mediaconvert.model.AfdSignaling;
import software.amazon.awssdk.services.mediaconvert.model.DropFrameTimecode;
import software.amazon.awssdk.services.mediaconvert.model.VideoCodecSettings;
import software.amazon.awssdk.services.mediaconvert.model.H264Settings;
import software.amazon.awssdk.services.mediaconvert.model.VideoCodec;
import software.amazon.awssdk.services.mediaconvert.model.CreateJobRequest;
import software.amazon.awssdk.services.mediaconvert.model.H264RateControlMode;
import software.amazon.awssdk.services.mediaconvert.model.H264QualityTuningLevel;
import software.amazon.awssdk.services.mediaconvert.model.H264SceneChangeDetect;
```

```
import software.amazon.awssdk.services.mediaconvert.model.AacAudioDescriptionBroadcasterMix;
import software.amazon.awssdk.services.mediaconvert.model.H264ParControl;
import software.amazon.awssdk.services.mediaconvert.model.AacRawFormat;
import software.amazon.awssdk.services.mediaconvert.model.H264QvbrSettings;
import software.amazon.awssdk.services.mediaconvert.model.H264FramerateConversionAlgorithm;
import software.amazon.awssdk.services.mediaconvert.model.H264CodecLevel;
import software.amazon.awssdk.services.mediaconvert.model.H264FramerateControl;
import software.amazon.awssdk.services.mediaconvert.model.AacCodingMode;
import software.amazon.awssdk.services.mediaconvert.model.H264Telecine;
import software.amazon.awssdk.services.mediaconvert.model.H264FlickerAdaptiveQuantization;
import software.amazon.awssdk.services.mediaconvert.model.H264GopSizeUnits;
import software.amazon.awssdk.services.mediaconvert.model.H264CodecProfile;
import software.amazon.awssdk.services.mediaconvert.model.H264GopBReference;
import software.amazon.awssdk.services.mediaconvert.model.AudioTypeControl;
import software.amazon.awssdk.services.mediaconvert.model.AntiAlias;
import software.amazon.awssdk.services.mediaconvert.model.H264SlowPal;
import software.amazon.awssdk.services.mediaconvert.model.H264SpatialAdaptiveQuantization;
import software.amazon.awssdk.services.mediaconvert.model.H264Syntax;
import software.amazon.awssdk.services.mediaconvert.model.M3u8Settings;
import software.amazon.awssdk.services.mediaconvert.model.InputDenoiseFilter;
import software.amazon.awssdk.services.mediaconvert.model.H264TemporalAdaptiveQuantization;
import software.amazon.awssdk.services.mediaconvert.model.CreateJobResponse;
import software.amazon.awssdk.services.mediaconvert.model.H264UnregisteredSeiTimecode;
import software.amazon.awssdk.services.mediaconvert.model.H264EntropyEncoding;
import software.amazon.awssdk.services.mediaconvert.model.InputPsiControl;
import software.amazon.awssdk.services.mediaconvert.model.ColorSpace;
import software.amazon.awssdk.services.mediaconvert.model.H264RepeatPps;
import software.amazon.awssdk.services.mediaconvert.model.H264FieldEncoding;
import software.amazon.awssdk.services.mediaconvert.model.M3u8NielsenId3;
import software.amazon.awssdk.services.mediaconvert.model.InputDeblockFilter;
import software.amazon.awssdk.services.mediaconvert.model.InputRotate;
import software.amazon.awssdk.services.mediaconvert.model.H264DynamicSubGop;
import software.amazon.awssdk.services.mediaconvert.model.TimedMetadata;
import software.amazon.awssdk.services.mediaconvert.model.JobSettings;
import software.amazon.awssdk.services.mediaconvert.model.AudioDefaultSelection;
import software.amazon.awssdk.services.mediaconvert.model.VideoSelector;
import software.amazon.awssdk.services.mediaconvert.model.AacSpecification;
import software.amazon.awssdk.services.mediaconvert.model.Input;
```

```
import software.amazon.awssdk.services.mediaconvert.model.OutputSettings;
import software.amazon.awssdk.services.mediaconvert.model.H264AdaptiveQuantization;
import software.amazon.awssdk.services.mediaconvert.model.AudioLanguageCodeControl;
import software.amazon.awssdk.services.mediaconvert.model.InputFilterEnable;
import software.amazon.awssdk.services.mediaconvert.model.AudioDescription;
import software.amazon.awssdk.services.mediaconvert.model.H264InterlaceMode;
import software.amazon.awssdk.services.mediaconvert.model.AudioCodecSettings;
import software.amazon.awssdk.services.mediaconvert.model.AacSettings;
import software.amazon.awssdk.services.mediaconvert.model.AudioCodec;
import software.amazon.awssdk.services.mediaconvert.model.AacRateControlMode;
import software.amazon.awssdk.services.mediaconvert.model.AacCodecProfile;
import software.amazon.awssdk.services.mediaconvert.model.HlsIFrameOnlyManifest;
import software.amazon.awssdk.services.mediaconvert.model.FrameCaptureSettings;
import software.amazon.awssdk.services.mediaconvert.model.AudioSelector;
import software.amazon.awssdk.services.mediaconvert.model.M3u8PcrControl;
import software.amazon.awssdk.services.mediaconvert.model.InputTimecodeSource;
import software.amazon.awssdk.services.mediaconvert.model.HlsSettings;
import software.amazon.awssdk.services.mediaconvert.model.M3u8Scte35Source;

/**
 * Create a MediaConvert job. Must supply MediaConvert access role Amazon
 * Resource Name (ARN), and a
 * valid video input file via Amazon S3 URL.
 *
 * Also, set up your development environment, including your credentials.
 *
 * For information, see this documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class CreateJob {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <mcRoleARN> <fileInput>\s
            Where:
            mcRoleARN - The MediaConvert Role ARN.\s
            fileInput - The URL of an Amazon S3 bucket
            where the input file is located.\s
            """;
```

```
        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }

        String mcRoleARN = args[0];
        String fileInput = args[1];
        Region region = Region.US_WEST_2;
        MediaConvertClient mc = MediaConvertClient.builder()
            .region(region)
            .build();

        String id = createMediaJob(mc, mcRoleARN, fileInput);
        System.out.println("MediaConvert job created. Job Id = " + id);
        mc.close();
    }

    public static String createMediaJob(MediaConvertClient mc, String mcRoleARN,
String fileInput) {

        String s3path = fileInput.substring(0, fileInput.lastIndexOf('/') +
1) + "javasdk/out/";
        String fileOutput = s3path + "index";
        String thumbsOutput = s3path + "thumbs/";
        String mp4Output = s3path + "mp4/";

        try {
            DescribeEndpointsResponse res = mc
                .describeEndpoints(DescribeEndpointsRequest.builder().maxResults(20).build());

            if (res.endpoints().size() <= 0) {
                System.out.println("Cannot find MediaConvert service
endpoint URL!");
                System.exit(1);
            }
            String endpointURL = res.endpoints().get(0).url();
            System.out.println("MediaConvert service URL: " +
endpointURL);
            System.out.println("MediaConvert role arn: " + mcRoleARN);
            System.out.println("MediaConvert input file: " + fileInput);
            System.out.println("MediaConvert output path: " + s3path);

            MediaConvertClient emc = MediaConvertClient.builder()

```

```
        .region(Region.US_WEST_2)
        .endpointOverride(URI.create(endpointURL))
        .build();

        // output group Preset HLS low profile
        Output hlsLow = createOutput("hls_low", "_low", "_$dt$",
750000, 7, 1920, 1080, 640);
        // output group Preset HLS media profile
        Output hlsMedium = createOutput("hls_medium", "_medium", "_"
$dt$, 1200000, 7, 1920, 1080, 1280);
        // output group Preset HLS high profole
        Output hlsHigh = createOutput("hls_high", "_high", "_$dt$",
3500000, 8, 1920, 1080, 1920);

        OutputGroup appleHLS = OutputGroup.builder().name("Apple
HLS").customName("Example")

.outputGroupSettings(OutputGroupSettings.builder()

.type(OutputGroupType.HLS_GROUP_SETTINGS)

.hlsGroupSettings(HlsGroupSettings.builder()

.directoryStructure(
    HlsDirectoryStructure.SINGLE_DIRECTORY)

.manifestDurationFormat(
    HlsManifestDurationFormat.INTEGER)

.streamInfResolution(
    HlsStreamInfResolution.INCLUDE)

.clientCache(HlsClientCache.ENABLED)

.captionLanguageSetting(
    HlsCaptionLanguageSetting.OMIT)

.manifestCompression(
    HlsManifestCompression.NONE)
```

```
.codecSpecification(  
    HlsCodecSpecification.RFC_4281)  
  
.outputSelection(  
    HlsOutputSelection.MANIFESTS_AND_SEGMENTS)  
  
.programDateTime(HlsProgramDateTime.EXCLUDE)  
  
.programDateTimePeriod(600)  
  
.timedMetadataId3Frame(  
    HlsTimedMetadataId3Frame.PRIV)  
  
.timedMetadataId3Period(10)  
  
.destination(fileOutput)  
  
.segmentControl(HlsSegmentControl.SEGMENTED_FILES)  
  
.minFinalSegmentLength((double) 0)  
  
.segmentLength(4).minSegmentLength(0).build()  
        .build()  
        .outputs(hlsLow, hlsMedium,  
hlsHigh).build();  
  
        OutputGroup fileMp4 = OutputGroup.builder().name("File  
Group").customName("mp4")  
  
.outputGroupSettings(OutputGroupSettings.builder())  
  
.type(OutputGroupType.FILE_GROUP_SETTINGS)  
  
.fileGroupSettings(FileGroupSettings.builder())  
  
.destination(mp4Output).build()  
        .build()  
        .outputs(Output.builder().extension("mp4"))  
  
.containerSettings(ContainerSettings.builder())
```

```
.container(ContainerType.MP4).build()

.videoDescription(VideoDescription.builder().width(1280)
                  .height(720)

.scalingBehavior(ScalingBehavior.DEFAULT)

.sharpness(50).antiAlias(AntiAlias.ENABLED)

.timecodeInsertion(
    VideoTimecodeInsertion.DISABLED)

.colorMetadata(ColorMetadata.INSERT)

.respondToAfd(RespondToAfd.NONE)

.afdSignaling(AfdSignaling.NONE)

.dropFrameTimecode(DropFrameTimecode.ENABLED)

.codecSettings(VideoCodecSettings.builder()

    .codec(VideoCodec.H_264)

    .h264Settings(H264Settings

        .builder()

        .rateControlMode(
            H264RateControlMode.QVBR)

        .parControl(H264ParControl.INITIALIZE_FROM_SOURCE)

        .qualityTuningLevel(
            H264QualityTuningLevel.SINGLE_PASS)

        .qvbrSettings(
            H264QvbrSettings.builder()
)
```

```
.qvbrQualityLevel(  
    8)  
  
.build())  
  
.codecLevel(H264CodecLevel.AUTO)  
  
.codecProfile(H264CodecProfile.MAIN)  
  
.maxBitrate(2400000)  
  
.framerateControl(  
    H264FramerateControl.INITIALIZE_FROM_SOURCE)  
  
.gopSize(2.0)  
  
.gopSizeUnits(H264GopSizeUnits.SECONDS)  
  
.numberBFramesBetweenReferenceFrames(  
    2)  
  
.gopClosedCadence(  
    1)  
  
.gopBReference(H264GopBReference.DISABLED)  
  
.slowPal(H264SlowPal.DISABLED)  
  
.syntax(H264Syntax.DEFAULT)  
  
.numberReferenceFrames(  
    3)  
  
.dynamicSubGop(H264DynamicSubGop.STATIC)  
  
.fieldEncoding(H264FieldEncoding.PAFF)  
  
.sceneChangeDetect()
```

```
H264SceneChangeDetect.ENABLED)

    .minIInterval(0)

    .telecine(H264Telecine.NONE)

    .framerateConversionAlgorithm(
        H264FramerateConversionAlgorithm.DUPLICATE_DROP)

    .entropyEncoding(
        H264EntropyEncoding.CABAC)

    .slices(1)

    .unregisteredSeiTimecode(
        H264UnregisteredSeiTimecode.DISABLED)

    .repeatPps(H264RepeatPps.DISABLED)

    .adaptiveQuantization(
        H264AdaptiveQuantization.HIGH)

    .spatialAdaptiveQuantization(
        H264SpatialAdaptiveQuantization.ENABLED)

    .temporalAdaptiveQuantization(
        H264TemporalAdaptiveQuantization.ENABLED)

    .flickerAdaptiveQuantization(
        H264FlickerAdaptiveQuantization.DISABLED)

    .softness(0)

    .interlaceMode(H264InterlaceMode.PROGRESSIVE)

    .build()
```

```
.build())
        .build()

.audioDescriptions(AudioDescription.builder())

.audioTypeControl(AudioTypeControl.FOLLOW_INPUT)

.languageCodeControl(
    AudioLanguageCodeControl.FOLLOW_INPUT)

.codecSettings(CodecSettings.builder())

.codec(Codec.AAC)

.aacSettings(AacSettings

    .builder()

    .codecProfile(AacCodecProfile.LC)

    .rateControlMode(
        AacRateControlMode.CBR)

    .codingMode(AacCodingMode.CODING_MODE_2_0)

    .sampleRate(44100)

    .bitrate(160000)

    .rawFormat(AacRawFormat.NONE)

    .specification(AacSpecification.MPEG4)

    .audioDescriptionBroadcasterMix(
        AacAudioDescriptionBroadcasterMix.NORMAL)

    .build()
)

.build())
        .build()
```

```
        .build())
        .build();
    OutputGroup thumbs = OutputGroup.builder().name("File
Group").customName("thumbs")

    .outputGroupSettings(OutputGroupSettings.builder()
        .type(OutputGroupType.FILE_GROUP_SETTINGS)

        .fileGroupSettings(FileGroupSettings.builder()

            .destination(thumbsOutput).build()
                .build()
                .outputs(Output.builder().extension("jpg"))

            .containerSettings(ContainerSettings.builder()

                .container(ContainerType.RAW).build()

                .videoDescription(VideoDescription.builder()

                    .scalingBehavior(ScalingBehavior.DEFAULT)

                    .sharpness(50).antiAlias(AntiAlias.ENABLED)

                    .timecodeInsertion(
                        VideoTimecodeInsertion.DISABLED)

                    .colorMetadata(ColorMetadata.INSERT)

                    .dropFrameTimecode(DropFrameTimecode.ENABLED)

                    .codecSettings(VideoCodecSettings.builder()

                        .codec(VideoCodec.FRAME_CAPTURE)

                        .frameCaptureSettings(
                            FrameCaptureSettings

                                .builder()

                                .framerateNumerator(
```

```
    1)

    .framerateDenominator(
        1)

    .maxCaptures(10000000)
    .quality(80)
    .build()

    .build()
    .build()
    .build();

    Map<String, AudioSelector> audioSelectors = new HashMap<>();
    audioSelectors.put("Audio Selector 1",
        AudioSelector.builder().defaultSelection(AudioDefaultSelection.DEFAULT)
            .offset(0).build());

    JobSettings jobSettings =
    JobSettings.builder().inputs(Input.builder()
        .audioSelectors(audioSelectors)
        .videoSelector(
            VideoSelector.builder().colorSpace(ColorSpace.FOLLOW)

        .rotate(InputRotate.DEGREE_0).build()

        .filterEnable(InputFilterEnable.AUTO).filterStrength(0)
            .deblockFilter(InputDeblockFilter.DISABLED)

        .denoiseFilter(InputDenoiseFilter.DISABLED).psiControl(InputPsiControl.USE_PSI)

        .timecodeSource(InputTimecodeSource.EMBEDDED).fileInput(fileInput).build())
            .outputGroups(appleHLS, thumbs,
        fileMp4).build();

    CreateJobRequest createJobRequest =
    CreateJobRequest.builder().role(mcRoleARN)
```

```
        .settings(jobSettings)
        .build();

        CreateJobResponse createJobResponse =
emc.createJob(createJobRequest);
        return createJobResponse.job().id();

    } catch (MediaConvertException e) {
        System.out.println(e.toString());
        System.exit(0);
    }
    return "";
}

private final static Output createOutput(String customName,
                                         String nameModifier,
                                         String segmentModifier,
                                         int qvbrMaxBitrate,
                                         int qvbrQualityLevel,
                                         int originWidth,
                                         int originHeight,
                                         int targetWidth) {

    int targetHeight = Math.round(originHeight * targetWidth /
originWidth)
                    - (Math.round(originHeight * targetWidth /
originWidth) % 4);
    Output output = null;
    try {
        output =
Output.builder().nameModifier(nameModifier).outputSettings(OutputSettings.builder()
.hlsSettings(HlsSettings.builder().segmentModifier(segmentModifier)

.audioGroupId("program_audio")

.iFrameOnlyManifest(HlsIFrameOnlyManifest.EXCLUDE).build()
.build()

.containerSettings(ContainerSettings.builder()).container(ContainerType.M3_U8)

.m3u8Settings(M3u8Settings.builder().audioFramesPerPes(4)

.pcrControl(M3u8PcrControl.PCR_EVERY_PES_PACKET)
```

```
.pmtPid(480).privateMetadataPid(503)

.programNumber(1).patInterval(0).pmtInterval(0)

.scte35Source(M3u8Scte35Source.NONE)

.scte35Pid(500).nielsenId3(M3u8NielsenId3.NONE)

.timedMetadata(TimedMetadata.NONE)

.timedMetadataPid(502).videoPid(481)

.audioPids(482, 483, 484, 485, 486, 487, 488,
           489, 490, 491, 492)
           .build()

           .build()
           .videoDescription()

VideoDescription.builder().width(targetWidth)

.height(targetHeight)

.scalingBehavior(ScalingBehavior.DEFAULT)

.sharpness(50).antiAlias(AntiAlias.ENABLED)

.timecodeInsertion(
    VideoTimecodeInsertion.DISABLED)

.colorMetadata(ColorMetadata.INSERT)

.respondToAfd(RespondToAfd.NONE)

.afdSignaling(AfdSignaling.NONE)

.dropFrameTimecode(DropFrameTimecode.ENABLED)

.codecSettings(VideoCodecSettings.builder()

    .codec(VideoCodec.H_264)
```

```
.h264Settings(H264Settings  
    .builder()  
        .rateControlMode(  
            H264RateControlMode.QVBR)  
        .parControl(H264ParControl.INITIALIZE_FROM_SOURCE)  
        .qualityTuningLevel(  
            H264QualityTuningLevel.SINGLE_PASS)  
        .qvbrSettings(H264QvbrSettings  
            .builder()  
                .qvbrQualityLevel(  
                    qvbrQualityLevel)  
            .build())  
        .codecLevel(H264CodecLevel.AUTO)  
        .codecProfile((targetHeight > 720  
            && targetWidth > 1280)  
            ? H264CodecProfile.HIGH  
            : H264CodecProfile.MAIN)  
        .maxBitrate(qvbrMaxBitrate)  
        .framerateControl(  
            H264FramerateControl.INITIALIZE_FROM_SOURCE)  
        .gopSize(2.0)  
        .gopSizeUnits(H264GopSizeUnits.SECONDS)
```

```
.numberBFramesBetweenReferenceFrames(  
    2)  
  
.gopClosedCadence(  
    1)  
  
.gopBReference(H264GopBReference.DISABLED)  
  
.slowPal(H264SlowPal.DISABLED)  
  
.syntax(H264Syntax.DEFAULT)  
  
.numberReferenceFrames(  
    3)  
  
.dynamicSubGop(H264DynamicSubGop.STATIC)  
  
.fieldEncoding(H264FieldEncoding.PAFF)  
  
.sceneChangeDetect(  
    H264SceneChangeDetect.ENABLED)  
  
.minIInterval(0)  
  
.telecine(H264Telecine.NONE)  
  
.framerateConversionAlgorithm(  
    H264FramerateConversionAlgorithm.DUPLICATE_DROP)  
  
.entropyEncoding(  
    H264EntropyEncoding.CABAC)  
  
.slices(1)  
  
.unregisteredSeiTimecode(  
    H264UnregisteredSeiTimecode.DISABLED)
```

```
.repeatPps(H264RepeatPps.DISABLED)

.adaptiveQuantization(
    H264AdaptiveQuantization.HIGH)

.spatialAdaptiveQuantization(
    H264SpatialAdaptiveQuantization.ENABLED)

.temporalAdaptiveQuantization(
    H264TemporalAdaptiveQuantization.ENABLED)

.flickerAdaptiveQuantization(
    H264FlickerAdaptiveQuantization.DISABLED)

.softness(0)

.interlaceMode(H264InterlaceMode.PROGRESSIVE)

.build())

.build())
    .build()

.audioDescriptions(AudioDescription.builder())

.audioTypeControl(AudioTypeControl.FOLLOW_INPUT)

.languageCodeControl(AudioLanguageCodeControl.FOLLOW_INPUT)

.codecSettings(CodecSettings.builder())

.codec(Codec.AAC).aacSettings(AacSettings

    .builder()

    .codecProfile(AacCodecProfile.LC)

    .rateControlMode(
```

```
        AacRateControlMode.CBR)

    .codingMode(AacCodingMode.CODING_MODE_2_0)

    .sampleRate(44100)

    .bitrate(96000)

    .rawFormat(AacRawFormat.NONE)

    .specification(AacSpecification.MPEG4)

    .audioDescriptionBroadcasterMix(
        AacAudioDescriptionBroadcasterMix.NORMAL)

    .build())
        .build())
            .build());
    } catch (MediaConvertException e) {
        e.printStackTrace();
        System.exit(0);
    }
    return output;
}
}
```

- For API details, see [CreateJob](#) in *AWS SDK for Java 2.x API Reference*.

GetJob

The following code example shows how to use GetJob.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.mediaconvert.model.DescribeEndpointsResponse;
import software.amazon.awssdk.services.mediaconvert.model.GetJobRequest;
import software.amazon.awssdk.services.mediaconvert.model.DescribeEndpointsRequest;
import software.amazon.awssdk.services.mediaconvert.model.GetJobResponse;
import software.amazon.awssdk.services.mediaconvert.model.MediaConvertException;
import software.amazon.awssdk.services.mediaconvert.MediaConvertClient;
import java.net.URI;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class GetJob {

    public static void main(String[] args) {

        final String usage = "\n" +
            " <jobId> \n\n" +
            "Where:\n" +
            "   jobId - The job id value.\n\n";

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String jobId = args[0];
        Region region = Region.US_WEST_2;
        MediaConvertClient mc = MediaConvertClient.builder()
            .region(region)
            .build();

        getSpecificJob(mc, jobId);
        mc.close();
    }

    public static void getSpecificJob(MediaConvertClient mc, String jobId) {
        try {
```

```
        DescribeEndpointsResponse res =
mc.describeEndpoints(DescribeEndpointsRequest.builder()
    .maxResults(20)
    .build());

    if (res.endpoints().size() <= 0) {
        System.out.println("Cannot find MediaConvert service endpoint
URL!");
        System.exit(1);
    }
    String endpointURL = res.endpoints().get(0).url();
    MediaConvertClient emc = MediaConvertClient.builder()
        .region(Region.US_WEST_2)
        .endpointOverride(URI.create(endpointURL))
        .build();

    GetJobRequest jobRequest = GetJobRequest.builder()
        .id(jobId)
        .build();

    GetJobResponse response = emc.getJob(jobRequest);
    System.out.println("The ARN of the job is " + response.job().arn());

} catch (MediaConvertException e) {
    System.out.println(e.toString());
    System.exit(0);
}
}
```

- For API details, see [GetJob](#) in *AWS SDK for Java 2.x API Reference*.

ListJobs

The following code example shows how to use ListJobs.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.mediaconvert.MediaConvertClient;
import software.amazon.awssdk.services.mediaconvert.model.ListJobsRequest;
import software.amazon.awssdk.services.mediaconvert.model.DescribeEndpointsResponse;
import software.amazon.awssdk.services.mediaconvert.model.DescribeEndpointsRequest;
import software.amazon.awssdk.services.mediaconvert.model.ListJobsResponse;
import software.amazon.awssdk.services.mediaconvert.model.Job;
import software.amazon.awssdk.services.mediaconvert.model.MediaConvertException;
import java.net.URI;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ListJobs {
    public static void main(String[] args) {
        Region region = Region.US_WEST_2;
        MediaConvertClient mc = MediaConvertClient.builder()
            .region(region)
            .build();

        listCompleteJobs(mc);
        mc.close();
    }

    public static void listCompleteJobs(MediaConvertClient mc) {
        try {
            DescribeEndpointsResponse res =
mc.describeEndpoints(DescribeEndpointsRequest.builder()
```

```
        .maxResults(20)
        .build());

    if (res.endpoints().size() <= 0) {
        System.out.println("Cannot find MediaConvert service endpoint
URL!");
        System.exit(1);
    }

    String endpointURL = res.endpoints().get(0).url();
    MediaConvertClient emc = MediaConvertClient.builder()
        .region(Region.US_WEST_2)
        .endpointOverride(URI.create(endpointURL))
        .build();

    ListJobsRequest jobsRequest = ListJobsRequest.builder()
        .maxResults(10)
        .status("COMPLETE")
        .build();

    ListJobsResponse jobsResponse = emc.listJobs(jobsRequest);
    List<Job> jobs = jobsResponse.jobs();
    for (Job job : jobs) {
        System.out.println("The JOB ARN is : " + job.arn());
    }

} catch (MediaConvertException e) {
    System.out.println(e.toString());
    System.exit(0);
}
}
```

- For API details, see [ListJobs](#) in *AWS SDK for Java 2.x API Reference*.

Migration Hub examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Migration Hub.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)

Actions

DeleteProgressUpdateStream

The following code example shows how to use `DeleteProgressUpdateStream`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.migrationhub.MigrationHubClient;
import
software.amazon.awssdk.services.migrationhub.model.DeleteProgressUpdateStreamRequest;
import software.amazon.awssdk.services.migrationhub.model.MigrationHubException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DeleteProgressStream {
    public static void main(String[] args) {
        final String usage = """
```

```
Usage:  
    <progressStream>\s  
  
Where:  
    progressStream - the name of a progress stream to delete.\s  
    """;  
  
if (args.length != 1) {  
    System.out.println(usage);  
    System.exit(1);  
}  
  
String progressStream = args[0];  
Region region = Region.US_WEST_2;  
MigrationHubClient migrationClient = MigrationHubClient.builder()  
    .region(region)  
    .build();  
  
deleteStream(migrationClient, progressStream);  
migrationClient.close();  
}  
  
public static void deleteStream(MigrationHubClient migrationClient, String  
streamName) {  
    try {  
        DeleteProgressUpdateStreamRequest deleteProgressUpdateStreamRequest =  
DeleteProgressUpdateStreamRequest  
            .builder()  
            .progressUpdateStreamName(streamName)  
            .build();  
  
migrationClient.deleteProgressUpdateStream(deleteProgressUpdateStreamRequest);  
        System.out.println(streamName + " is deleted");  
  
    } catch (MigrationHubException e) {  
        System.out.println(e.getMessage());  
        System.exit(1);  
    }  
}
```

- For API details, see [DeleteProgressUpdateStream](#) in *AWS SDK for Java 2.x API Reference*.

DescribeApplicationState

The following code example shows how to use `DescribeApplicationState`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.migrationhub.MigrationHubClient;
import
software.amazon.awssdk.services.migrationhub.model.DescribeApplicationStateRequest;
import
software.amazon.awssdk.services.migrationhub.model.DescribeApplicationStateResponse;
import software.amazon.awssdk.services.migrationhub.model.MigrationHubException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DescribeAppState {
    public static void main(String[] args) {
        final String usage = """
                    Usage:
                    DescribeAppState <appId>\s
                    Where:
                    appId - the application id value.\s
                    """;
        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }
    }
}
```

```
String appId = args[0];
Region region = Region.US_WEST_2;
MigrationHubClient migrationClient = MigrationHubClient.builder()
    .region(region)
    .build();

describeApplicationState(migrationClient, appId);
migrationClient.close();
}

public static void describeApplicationState(MigrationHubClient migrationClient,
String appId) {
    try {
        DescribeApplicationStateRequest applicationStateRequest =
DescribeApplicationStateRequest.builder()
    .applicationId(appId)
    .build();

        DescribeApplicationStateResponse applicationStateResponse =
migrationClient
            .describeApplicationState(applicationStateRequest);
        System.out.println("The application status is " +
applicationStateResponse.applicationStatusAsString());

    } catch (MigrationHubException e) {
        System.out.println(e.getMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [DescribeApplicationState](#) in *AWS SDK for Java 2.x API Reference*.

DescribeMigrationTask

The following code example shows how to use `DescribeMigrationTask`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.migrationhub.MigrationHubClient;
import
software.amazon.awssdk.services.migrationhub.model.DescribeMigrationTaskRequest;
import
software.amazon.awssdk.services.migrationhub.model.DescribeMigrationTaskResponse;
import software.amazon.awssdk.services.migrationhub.model.MigrationHubException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DescribeMigrationTask {

    public static void main(String[] args) {
        final String usage = """
Usage:
        DescribeMigrationTask <migrationTask> <progressStream>\s
Where:
        migrationTask - the name of a migration task.\s
        progressStream - the name of a progress stream.\s
        """;
        if (args.length < 2) {
            System.out.println(usage);
            System.exit(1);
        }
    }
}
```

```
String migrationTask = args[0];
String progressStream = args[1];
Region region = Region.US_WEST_2;
MigrationHubClient migrationClient = MigrationHubClient.builder()
    .region(region)
    .build();

describeMigTask(migrationClient, migrationTask, progressStream);
migrationClient.close();
}

public static void describeMigTask(MigrationHubClient migrationClient, String migrationTask,
        String progressStream) {
    try {
        DescribeMigrationTaskRequest migrationTaskRequestRequest =
DescribeMigrationTaskRequest.builder()
        .progressUpdateStream(progressStream)
        .migrationTaskName(migrationTask)
        .build();

        DescribeMigrationTaskResponse migrationTaskResponse = migrationClient
            .describeMigrationTask(migrationTaskRequestRequest);
        System.out.println("The name is " +
migrationTaskResponse.migrationTask().migrationTaskName());

    } catch (MigrationHubException e) {
        System.out.println(e.getMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [DescribeMigrationTask](#) in *AWS SDK for Java 2.x API Reference*.

ImportMigrationTask

The following code example shows how to use ImportMigrationTask.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.migrationhub.MigrationHubClient;
import
software.amazon.awssdk.services.migrationhub.model.CreateProgressUpdateStreamRequest;
import
software.amazon.awssdk.services.migrationhub.model.ImportMigrationTaskRequest;
import software.amazon.awssdk.services.migrationhub.model.MigrationHubException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ImportMigrationTask {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <migrationTask> <progressStream>\s
            Where:
            migrationTask - the name of a migration task.\s
            progressStream - the name of a progress stream.\s
            """;
        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }
        String migrationTask = args[0];
```

```
String progressStream = args[1];
Region region = Region.US_WEST_2;
MigrationHubClient migrationClient = MigrationHubClient.builder()
    .region(region)
    .build();

importMigrTask(migrationClient, migrationTask, progressStream);
migrationClient.close();
}

public static void importMigrTask(MigrationHubClient migrationClient, String
migrationTask, String progressStream) {
    try {
        CreateProgressUpdateStreamRequest progressUpdateStreamRequest =
CreateProgressUpdateStreamRequest.builder()
            .progressUpdateStreamName(progressStream)
            .dryRun(false)
            .build();

        migrationClient.createProgressUpdateStream(progressUpdateStreamRequest);
        ImportMigrationTaskRequest migrationTaskRequest =
ImportMigrationTaskRequest.builder()
            .migrationTaskName(migrationTask)
            .progressUpdateStream(progressStream)
            .dryRun(false)
            .build();

        migrationClient.importMigrationTask(migrationTaskRequest);

    } catch (MigrationHubException e) {
        System.out.println(e.getMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [ImportMigrationTask](#) in *AWS SDK for Java 2.x API Reference*.

ListApplications

The following code example shows how to use ListApplications.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.migrationhub.MigrationHubClient;
import software.amazon.awssdk.services.migrationhub.model.ApplicationState;
import
software.amazon.awssdk.services.migrationhub.model.ListApplicationStatesRequest;
import
software.amazon.awssdk.services.migrationhub.model.ListApplicationStatesResponse;
import software.amazon.awssdk.services.migrationhub.model.MigrationHubException;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ListApplications {
    public static void main(String[] args) {
        Region region = Region.US_WEST_2;
        MigrationHubClient migrationClient = MigrationHubClient.builder()
            .region(region)
            .build();

        listApps(migrationClient);
        migrationClient.close();
    }

    public static void listApps(MigrationHubClient migrationClient) {
        try {
            ListApplicationStatesRequest applicationStatesRequest =
ListApplicationStatesRequest.builder()
                .maxResults(10)
```

```
        .build();

        ListApplicationStatesResponse response =
migrationClient.listApplicationStates(applicationStatesRequest);
        List<ApplicationState> apps = response.applicationStateList();
        for (ApplicationState appState : apps) {
            System.out.println("App Id is " + appState.applicationId());
            System.out.println("The status is " +
appState.applicationStatus().toString());
        }

    } catch (MigrationHubException e) {
        System.out.println(e.getMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [ListApplications](#) in *AWS SDK for Java 2.x API Reference*.

ListCreatedArtifacts

The following code example shows how to use `ListCreatedArtifacts`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.migrationhub.MigrationHubClient;
import software.amazon.awssdk.services.migrationhub.model.CreatedArtifact;
import
software.amazon.awssdk.services.migrationhub.model.ListCreatedArtifactsRequest;
import
software.amazon.awssdk.services.migrationhub.model.ListCreatedArtifactsResponse;
import software.amazon.awssdk.services.migrationhub.model.MigrationHubException;
import java.util.List;
```

```
/**  
 * To run this Java V2 code example, ensure that you have setup your development  
 * environment, including your credentials.  
 *  
 * For information, see this documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
public class ListCreatedArtifacts {  
    public static void main(String[] args) {  
        Region region = Region.US_WEST_2;  
        MigrationHubClient migrationClient = MigrationHubClient.builder()  
            .region(region)  
            .build();  
  
        listArtifacts(migrationClient);  
        migrationClient.close();  
    }  
  
    public static void listArtifacts(MigrationHubClient migrationClient) {  
        try {  
            ListCreatedArtifactsRequest listCreatedArtifactsRequest =  
ListCreatedArtifactsRequest.builder()  
                .maxResults(10)  
                .migrationTaskName("SampleApp5")  
                .progressUpdateStream("ProgressSteamB")  
                .build();  
  
            ListCreatedArtifactsResponse response =  
migrationClient.listCreatedArtifacts(listCreatedArtifactsRequest);  
            List<CreatedArtifact> apps = response.createdArtifactList();  
            for (CreatedArtifact artifact : apps) {  
                System.out.println("APp Id is " + artifact.description());  
                System.out.println("The name is " + artifact.name());  
            }  
        } catch (MigrationHubException e) {  
            System.out.println(e.getMessage());  
            System.exit(1);  
        }  
    }  
}
```

- For API details, see [ListCreatedArtifacts](#) in *AWS SDK for Java 2.x API Reference*.

ListMigrationTasks

The following code example shows how to use `ListMigrationTasks`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.migrationhub.MigrationHubClient;
import software.amazon.awssdk.services.migrationhub.model.ListMigrationTasksRequest;
import
software.amazon.awssdk.services.migrationhub.model.ListMigrationTasksResponse;
import software.amazon.awssdk.services.migrationhub.model.MigrationTaskSummary;
import software.amazon.awssdk.services.migrationhub.model.MigrationHubException;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ListMigrationTasks {
    public static void main(String[] args) {
        Region region = Region.US_WEST_2;
        MigrationHubClient migrationClient = MigrationHubClient.builder()
            .region(region)
            .build();

        listMigrTasks(migrationClient);
    }
}
```

```
        migrationClient.close();
    }

    public static void listMigrTasks(MigrationHubClient migrationClient) {
        try {
            ListMigrationTasksRequest listMigrationTasksRequest =
ListMigrationTasksRequest.builder()
                .maxResults(10)
                .build();

            ListMigrationTasksResponse response =
migrationClient.listMigrationTasks(listMigrationTasksRequest);
            List<MigrationTaskSummary> migrationList =
response.migrationTaskSummaryList();
            for (MigrationTaskSummary migration : migrationList) {
                System.out.println("Migration task name is " +
migration.migrationTaskName());
                System.out.println("The Progress update stream is " +
migration.progressUpdateStream());
            }
        } catch (MigrationHubException e) {
            System.out.println(e.getMessage());
            System.exit(1);
        }
    }
}
```

- For API details, see [ListMigrationTasks](#) in *AWS SDK for Java 2.x API Reference*.

Amazon MSK examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon MSK.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Serverless examples](#)

Serverless examples

Invoke a Lambda function from an Amazon MSK trigger

The following code example shows how to implement a Lambda function that receives an event triggered by receiving records from an Amazon MSK cluster. The function retrieves the MSK payload and logs the record contents.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [Serverless examples](#) repository.

Consuming an Amazon MSK event with Lambda using Java.

```
import com.amazonaws.services.lambda.runtime.Context;
import com.amazonaws.services.lambda.runtime.RequestHandler;
import com.amazonaws.services.lambda.runtime.events.KafkaEvent;
import com.amazonaws.services.lambda.runtime.events.KafkaEventRecord;

import java.util.Base64;
import java.util.Map;

public class Example implements RequestHandler<KafkaEvent, Void> {

    @Override
    public Void handleRequest(KafkaEvent event, Context context) {
        for (Map.Entry<String, java.util.List<KafkaEventRecord>> entry :
            event.getRecords().entrySet()) {
            String key = entry.getKey();
            System.out.println("Key: " + key);

            for (KafkaEventRecord record : entry.getValue()) {
                System.out.println("Record: " + record);

                byte[] value = Base64.getDecoder().decode(record.getValue());
                String message = new String(value);
                System.out.println("Message: " + message);
            }
        }
    }
}
```

```
        }  
    }  
  
    return null;  
}  
}
```

Amazon Personalize examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon Personalize.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)

Actions

CreateBatchInferenceJob

The following code example shows how to use CreateBatchInferenceJob.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String createPersonalizeBatchInferenceJob(PersonalizeClient  
personalizeClient,  
String solutionVersionArn,
```

```
        String jobName,
        String s3InputDataSourcePath,
        String s3DataDestinationPath,
        String roleArn,
        String explorationWeight,
        String explorationItemAgeCutOff) {

    long waitInMilliseconds = 60 * 1000;
    String status;
    String batchInferenceJobArn;

    try {

        // Set up data input and output parameters.
        S3DataConfig inputSource = S3DataConfig.builder()
            .path(s3InputDataSourcePath)
            .build();

        S3DataConfig outputDestination = S3DataConfig.builder()
            .path(s3DataDestinationPath)
            .build();

        BatchInferenceJobInput jobInput =
BatchInferenceJobInput.builder()
            .s3DataSource(inputSource)
            .build();

        BatchInferenceJobOutput jobOutputLocation =
BatchInferenceJobOutput.builder()
            .s3DataDestination(outputDestination)
            .build();

        // Optional code to build the User-Personalization specific
item exploration
        // config.
        HashMap<String, String> explorationConfig = new HashMap<>();

        explorationConfig.put("explorationWeight",
explorationWeight);
        explorationConfig.put("explorationItemAgeCutOff",
explorationItemAgeCutOff);

        BatchInferenceJobConfig jobConfig =
BatchInferenceJobConfig.builder()
```

```
        .itemExplorationConfig(explorationConfig)
        .build();

    // End optional User-Personalization recipe specific code.

    CreateBatchInferenceJobRequest
createBatchInferenceJobRequest = CreateBatchInferenceJobRequest
                                .builder()
                                .solutionVersionArn(solutionVersionArn)
                                .jobInput(jobInput)
                                .jobOutput(jobOutputLocation)
                                .jobName(jobName)
                                .roleArn(roleArn)
                                .batchInferenceJobConfig(jobConfig) //

Optional
                                .build();

    batchInferenceJobArn =
personalizeClient.createBatchInferenceJob(createBatchInferenceJobRequest)
                    .batchInferenceJobArn();

    DescribeBatchInferenceJobRequest
describeBatchInferenceJobRequest = DescribeBatchInferenceJobRequest
                                .builder()
                                .batchInferenceJobArn(batchInferenceJobArn)
                                .build();

    long maxTime = Instant.now().getEpochSecond() + 3 * 60 * 60;
    while (Instant.now().getEpochSecond() < maxTime) {

        BatchInferenceJob batchInferenceJob =
personalizeClient

        .describeBatchInferenceJob(describeBatchInferenceJobRequest)
                                .batchInferenceJob();

        status = batchInferenceJob.status();
        System.out.println("Batch inference job status: " +
status);

        if (status.equals("ACTIVE") || status.equals("CREATE
FAILED")) {
            break;
        }
    }
}
```

```
        try {
            Thread.sleep(waitInMilliseconds);
        } catch (InterruptedException e) {
            System.out.println(e.getMessage());
        }
    }
    return batchInferenceJobArn;

} catch (PersonalizeException e) {
    System.out.println(e.awsErrorDetails().errorMessage());
}
return "";
}
```

- For API details, see [CreateBatchInferenceJob](#) in *AWS SDK for Java 2.x API Reference*.

CreateCampaign

The following code example shows how to use CreateCampaign.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void createPersonalCompaign(PersonalizeClient personalizeClient,
String solutionVersionArn,
String name) {

    try {
        CreateCampaignRequest createCampaignRequest =
CreateCampaignRequest.builder()
        .minProvisionedTPS(1)
        .solutionVersionArn(solutionVersionArn)
        .name(name)
        .build();
    }
}
```

```
        CreateCampaignResponse campaignResponse =
personalizeClient.createCampaign(createCampaignRequest);
        System.out.println("The campaign ARN is " +
campaignResponse.campaignArn());

    } catch (PersonalizeException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [CreateCampaign](#) in *AWS SDK for Java 2.x API Reference*.

CreateDataset

The following code example shows how to use `CreateDataset`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String createDataset(PersonalizeClient personalizeClient,
        String datasetName,
        String datasetGroupArn,
        String datasetType,
        String schemaArn) {
    try {
        CreateDatasetRequest request = CreateDatasetRequest.builder()
            .name(datasetName)
            .datasetGroupArn(datasetGroupArn)
            .datasetType(datasetType)
            .schemaArn(schemaArn)
            .build();

        String datasetArn = personalizeClient.createDataset(request)
            .datasetArn();
        System.out.println("Dataset " + datasetName + " created.");
    }
```

```
        return datasetArn;

    } catch (PersonalizeException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}
```

- For API details, see [CreateDataset](#) in *AWS SDK for Java 2.x API Reference*.

CreateDatasetExportJob

The following code example shows how to use `CreateDatasetExportJob`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String createDatasetExportJob(PersonalizeClient personalizeClient,
                                             String jobName,
                                             String datasetArn,
                                             IngestionMode ingestionMode,
                                             String roleArn,
                                             String s3BucketPath,
                                             String kmsKeyArn) {

    long waitInMilliseconds = 30 * 1000; // 30 seconds
    String status = null;

    try {

        S3DataConfig exportS3DataConfig =
        S3DataConfig.builder().path(s3BucketPath).kmsKeyArn(kmsKeyArn).build();
        DatasetExportJobOutput jobOutput =
        DatasetExportJobOutput.builder().s3DataDestination(exportS3DataConfig)
            .build();
    }
}
```

```
        CreateDatasetExportJobRequest createRequest =
CreateDatasetExportJobRequest.builder()
        .jobName(jobName)
        .datasetArn(datasetArn)
        .ingestionMode(ingestionMode)
        .jobOutput(jobOutput)
        .roleArn(roleArn)
        .build();

        String datasetExportJobArn =
personalizeClient.createDatasetExportJob(createRequest).datasetExportJobArn();

        DescribeDatasetExportJobRequest describeDatasetExportJobRequest =
DescribeDatasetExportJobRequest.builder()
        .datasetExportJobArn(datasetExportJobArn)
        .build();

        long maxTime = Instant.now().getEpochSecond() + 3 * 60 * 60;

        while (Instant.now().getEpochSecond() < maxTime) {

            DatasetExportJob datasetExportJob = personalizeClient
                .describeDatasetExportJob(describeDatasetExportJobRequest)
                .datasetExportJob();

            status = datasetExportJob.status();
            System.out.println("Export job status: " + status);

            if (status.equals("ACTIVE") || status.equals("CREATE FAILED")) {
                return status;
            }
            try {
                Thread.sleep(waitInMilliseconds);
            } catch (InterruptedException e) {
                System.out.println(e.getMessage());
            }
        }
    } catch (PersonalizeException e) {
        System.out.println(e.awsErrorDetails().errorMessage());
    }
    return "";
}
```

- For API details, see [CreateDatasetExportJob](#) in *AWS SDK for Java 2.x API Reference*.

CreateDatasetGroup

The following code example shows how to use CreateDatasetGroup.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String createDatasetGroup(PersonalizeClient personalizeClient,
String datasetGroupName) {

    try {
        CreateDatasetGroupRequest createDatasetGroupRequest =
CreateDatasetGroupRequest.builder()
            .name(datasetGroupName)
            .build();
        return
personalizeClient.createDatasetGroup(createDatasetGroupRequest).datasetGroupArn();
    } catch (PersonalizeException e) {
        System.out.println(e.awsErrorDetails().errorMessage());
    }
    return "";
}
```

Create a domain dataset group.

```
public static String createDomainDatasetGroup(PersonalizeClient
personalizeClient,
String datasetGroupName,
String domain) {

    try {
```

```
        CreateDatasetGroupRequest createDatasetGroupRequest =
CreateDatasetGroupRequest.builder()
    .name(datasetGroupName)
    .domain(domain)
    .build();

    return
personalizeClient.createDatasetGroup(createDatasetGroupRequest).datasetGroupArn();
} catch (PersonalizeException e) {
    System.out.println(e.awsErrorDetails().errorMessage());
}
return "";
}
```

- For API details, see [CreateDatasetGroup](#) in *AWS SDK for Java 2.x API Reference*.

CreateDatasetImportJob

The following code example shows how to use `CreateDatasetImportJob`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String createPersonalizeDatasetImportJob(PersonalizeClient
personalizeClient,
    String jobName,
    String datasetArn,
    String s3BucketPath,
    String roleArn) {

    long waitInMilliseconds = 60 * 1000;
    String status;
    String datasetImportJobArn;

    try {
        DataSource importDataSource = DataSource.builder()
            .dataLocation(s3BucketPath)
```

```
.build();

CreateDatasetImportJobRequest createDatasetImportJobRequest =
CreateDatasetImportJobRequest.builder()
    .datasetArn(datasetArn)
    .dataSource(importDataSource)
    .jobName(jobName)
    .roleArn(roleArn)
    .build();

datasetImportJobArn =
personalizeClient.createDatasetImportJob(createDatasetImportJobRequest)
    .datasetImportJobArn();
DescribeDatasetImportJobRequest describeDatasetImportJobRequest =
DescribeDatasetImportJobRequest.builder()
    .datasetImportJobArn(datasetImportJobArn)
    .build();

long maxTime = Instant.now().getEpochSecond() + 3 * 60 * 60;

while (Instant.now().getEpochSecond() < maxTime) {

    DatasetImportJob datasetImportJob = personalizeClient
        .describeDatasetImportJob(describeDatasetImportJobRequest)
        .datasetImportJob();

    status = datasetImportJob.status();
    System.out.println("Dataset import job status: " + status);

    if (status.equals("ACTIVE") || status.equals("CREATE FAILED")) {
        break;
    }
    try {
        Thread.sleep(waitInMilliseconds);
    } catch (InterruptedException e) {
        System.out.println(e.getMessage());
    }
}
return datasetImportJobArn;

} catch (PersonalizeException e) {
    System.out.println(e.awsErrorDetails().errorMessage());
}
return "";
}
```

```
}
```

- For API details, see [CreateDatasetImportJob](#) in *AWS SDK for Java 2.x API Reference*.

CreateEventTracker

The following code example shows how to use CreateEventTracker.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String createEventTracker(PersonalizeClient personalizeClient,
String eventTrackerName,
    String datasetGroupArn) {

    String eventTrackerId = "";
    String eventTrackerArn;
    long maxTime = 3 * 60 * 60; // 3 hours
    long waitInMilliseconds = 20 * 1000; // 20 seconds
    String status;

    try {

        CreateEventTrackerRequest createEventTrackerRequest =
CreateEventTrackerRequest.builder()
            .name(eventTrackerName)
            .datasetGroupArn(datasetGroupArn)
            .build();

        CreateEventTrackerResponse createEventTrackerResponse =
personalizeClient
            .createEventTracker(createEventTrackerRequest);

        eventTrackerArn = createEventTrackerResponse.eventTrackerArn();
        eventTrackerId = createEventTrackerResponse.trackingId();
```

```
System.out.println("Event tracker ARN: " + eventTrackerArn);
System.out.println("Event tracker ID: " + eventTrackerId);

maxTime = Instant.now().getEpochSecond() + maxTime;

DescribeEventTrackerRequest describeRequest =
DescribeEventTrackerRequest.builder()
    .eventTrackerArn(eventTrackerArn)
    .build();

while (Instant.now().getEpochSecond() < maxTime) {

    status =
personalizeClient.describeEventTracker(describeRequest).eventTracker().status();
    System.out.println("EventTracker status: " + status);

    if (status.equals("ACTIVE") || status.equals("CREATE FAILED")) {
        break;
    }
    try {
        Thread.sleep(waitInMilliseconds);
    } catch (InterruptedException e) {
        System.out.println(e.getMessage());
    }
}
return eventTrackerId;
} catch (PersonalizeException e) {
    System.out.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
return eventTrackerId;
}
```

- For API details, see [CreateEventTracker](#) in *AWS SDK for Java 2.x API Reference*.

CreateFilter

The following code example shows how to use CreateFilter.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String createFilter(PersonalizeClient personalizeClient,
        String filterName,
        String datasetGroupArn,
        String filterExpression) {
    try {
        CreateFilterRequest request = CreateFilterRequest.builder()
            .name(filterName)
            .datasetGroupArn(datasetGroupArn)
            .filterExpression(filterExpression)
            .build();

        return personalizeClient.createFilter(request).filterArn();
    } catch (PersonalizeException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}
```

- For API details, see [CreateFilter](#) in *AWS SDK for Java 2.x API Reference*.

CreateRecommender

The following code example shows how to use CreateRecommender.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String createRecommender(PersonalizeClient personalizeClient,
    String name,
    String datasetGroupArn,
    String recipeArn) {

    long maxTime = 0;
    long waitInMilliseconds = 30 * 1000; // 30 seconds
    String recommenderStatus = "";

    try {
        CreateRecommenderRequest createRecommenderRequest =
CreateRecommenderRequest.builder()
            .datasetGroupArn(datasetGroupArn)
            .name(name)
            .recipeArn(recipeArn)
            .build();

        CreateRecommenderResponse recommenderResponse = personalizeClient
            .createRecommender(createRecommenderRequest);
        String recommenderArn = recommenderResponse.recommenderArn();
        System.out.println("The recommender ARN is " + recommenderArn);

        DescribeRecommenderRequest describeRecommenderRequest =
DescribeRecommenderRequest.builder()
            .recommenderArn(recommenderArn)
            .build();

        maxTime = Instant.now().getEpochSecond() + 3 * 60 * 60;

        while (Instant.now().getEpochSecond() < maxTime) {

            recommenderStatus =
personalizeClient.describeRecommender(describeRecommenderRequest).recommender()
                .status();
            System.out.println("Recommender status: " + recommenderStatus);

            if (recommenderStatus.equals("ACTIVE") ||
recommenderStatus.equals("CREATE FAILED")) {
                break;
            }
            try {
                Thread.sleep(waitInMilliseconds);
            } catch (InterruptedException e) {
```

```
        System.out.println(e.getMessage());
    }
}

return recommenderArn;

} catch (PersonalizeException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
return "";
}
```

- For API details, see [CreateRecommender](#) in *AWS SDK for Java 2.x API Reference*.

CreateSchema

The following code example shows how to use CreateSchema.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String createSchema(PersonalizeClient personalizeClient, String
schemaName, String filePath) {

    String schema = null;
    try {
        schema = new String(Files.readAllBytes(Paths.get(filePath)));
    } catch (IOException e) {
        System.out.println(e.getMessage());
    }

    try {
        CreateSchemaRequest createSchemaRequest = CreateSchemaRequest.builder()
            .name(schemaName)
            .schema(schema)
            .build();
    }
```

```
        String schemaArn =
personalizeClient.createSchema(createSchemaRequest).schemaArn();

        System.out.println("Schema arn: " + schemaArn);

        return schemaArn;

    } catch (PersonalizeException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}
```

Create a schema with a domain.

```
public static String createDomainSchema(PersonalizeClient personalizeClient,
String schemaName, String domain,
String filePath) {

    String schema = null;
    try {
        schema = new String(Files.readAllBytes(Paths.get(filePath)));
    } catch (IOException e) {
        System.out.println(e.getMessage());
    }

    try {
        CreateSchemaRequest createSchemaRequest = CreateSchemaRequest.builder()
            .name(schemaName)
            .domain(domain)
            .schema(schema)
            .build();

        String schemaArn =
personalizeClient.createSchema(createSchemaRequest).schemaArn();

        System.out.println("Schema arn: " + schemaArn);

        return schemaArn;
    }
```

```
        } catch (PersonalizeException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
        return "";
    }
```

- For API details, see [CreateSchema](#) in *AWS SDK for Java 2.x API Reference*.

CreateSolution

The following code example shows how to use CreateSolution.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String createPersonalizeSolution(PersonalizeClient
personalizeClient,
        String datasetGroupArn,
        String solutionName,
        String recipeArn) {

    try {
        CreateSolutionRequest solutionRequest = CreateSolutionRequest.builder()
                .name(solutionName)
                .datasetGroupArn(datasetGroupArn)
                .recipeArn(recipeArn)
                .build();

        CreateSolutionResponse solutionResponse =
personalizeClient.createSolution(solutionRequest);
        return solutionResponse.solutionArn();

    } catch (PersonalizeException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

```
    }
    return "";
}
```

- For API details, see [CreateSolution](#) in *AWS SDK for Java 2.x API Reference*.

CreateSolutionVersion

The following code example shows how to use `CreateSolutionVersion`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String createPersonalizeSolutionVersion(PersonalizeClient
personalizeClient, String solutionArn) {
    long maxTime = 0;
    long waitInMilliseconds = 30 * 1000; // 30 seconds
    String solutionStatus = "";
    String solutionVersionStatus = "";
    String solutionVersionArn = "";

    try {
        DescribeSolutionRequest describeSolutionRequest =
DescribeSolutionRequest.builder()
            .solutionArn(solutionArn)
            .build();

        maxTime = Instant.now().getEpochSecond() + 3 * 60 * 60;

        // Wait until solution is active.
        while (Instant.now().getEpochSecond() < maxTime) {

            solutionStatus =
personalizeClient.describeSolution(describeSolutionRequest).solution().status();
            System.out.println("Solution status: " + solutionStatus);
    }
}
```

```
        if (solutionStatus.equals("ACTIVE") || solutionStatus.equals("CREATE FAILED")) {
            break;
        }
        try {
            Thread.sleep(waitInMilliseconds);
        } catch (InterruptedException e) {
            System.out.println(e.getMessage());
        }
    }

    if (solutionStatus.equals("ACTIVE")) {

        CreateSolutionVersionRequest createSolutionVersionRequest =
CreateSolutionVersionRequest.builder()
            .solutionArn(solutionArn)
            .build();

        CreateSolutionVersionResponse createSolutionVersionResponse =
personalizeClient
            .createSolutionVersion(createSolutionVersionRequest);
        solutionVersionArn =
createSolutionVersionResponse.solutionVersionArn();

        System.out.println("Solution version ARN: " + solutionVersionArn);

        DescribeSolutionVersionRequest describeSolutionVersionRequest =
DescribeSolutionVersionRequest.builder()
            .solutionVersionArn(solutionVersionArn)
            .build();

        while (Instant.now().getEpochSecond() < maxTime) {

            solutionVersionStatus =
personalizeClient.describeSolutionVersion(describeSolutionVersionRequest)
                .solutionVersion().status();
            System.out.println("Solution version status: " +
solutionVersionStatus);

            if (solutionVersionStatus.equals("ACTIVE") ||
solutionVersionStatus.equals("CREATE FAILED")) {
                break;
            }
            try {
```

```
        Thread.sleep(waitInMilliseconds);
    } catch (InterruptedException e) {
        System.out.println(e.getMessage());
    }
}
return solutionVersionArn;
}
} catch (PersonalizeException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
return "";
}
```

- For API details, see [CreateSolutionVersion](#) in *AWS SDK for Java 2.x API Reference*.

DeleteCampaign

The following code example shows how to use DeleteCampaign.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void deleteSpecificCampaign(PersonalizeClient personalizeClient,
String campaignArn) {

    try {
        DeleteCampaignRequest campaignRequest = DeleteCampaignRequest.builder()
            .campaignArn(campaignArn)
            .build();

        personalizeClient.deleteCampaign(campaignRequest);

    } catch (PersonalizeException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
    }
}
```

```
        System.exit(1);
    }
}
```

- For API details, see [DeleteCampaign](#) in *AWS SDK for Java 2.x API Reference*.

DeleteEventTracker

The following code example shows how to use `DeleteEventTracker`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void deleteEventTracker(PersonalizeClient personalizeClient,
String eventTrackerArn) {
    try {
        DeleteEventTrackerRequest deleteEventTrackerRequest =
DeleteEventTrackerRequest.builder()
            .eventTrackerArn(eventTrackerArn)
            .build();

        int status =
personalizeClient.deleteEventTracker(deleteEventTrackerRequest).sdkHttpResponse().statusCode();

        System.out.println("Status code:" + status);

    } catch (PersonalizeException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [DeleteEventTracker](#) in *AWS SDK for Java 2.x API Reference*.

DeleteSolution

The following code example shows how to use DeleteSolution.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void deleteGivenSolution(PersonalizeClient personalizeClient,
String solutionArn) {

    try {
        DeleteSolutionRequest solutionRequest = DeleteSolutionRequest.builder()
            .solutionArn(solutionArn)
            .build();

        personalizeClient.deleteSolution(solutionRequest);
        System.out.println("Done");

    } catch (PersonalizeException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [DeleteSolution](#) in *AWS SDK for Java 2.x API Reference*.

DescribeCampaign

The following code example shows how to use DescribeCampaign.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void describeSpecificCampaign(PersonalizeClient personalizeClient,
String campaignArn) {

    try {
        DescribeCampaignRequest campaignRequest =
DescribeCampaignRequest.builder()
            .campaignArn(campaignArn)
            .build();

        DescribeCampaignResponse campaignResponse =
personalizeClient.describeCampaign(campaignRequest);
        Campaign myCampaign = campaignResponse.campaign();
        System.out.println("The Campaign name is " + myCampaign.name());
        System.out.println("The Campaign status is " + myCampaign.status());

    } catch (PersonalizeException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [DescribeCampaign](#) in *AWS SDK for Java 2.x API Reference*.

DescribeRecipe

The following code example shows how to use `DescribeRecipe`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void describeSpecificRecipe(PersonalizeClient personalizeClient,
String recipeArn) {

    try {
        DescribeRecipeRequest recipeRequest = DescribeRecipeRequest.builder()
            .recipeArn(recipeArn)
            .build();

        DescribeRecipeResponse recipeResponse =
personalizeClient.describeRecipe(recipeRequest);
        System.out.println("The recipe name is " +
recipeResponse.recipe().name());

    } catch (PersonalizeException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [DescribeRecipe in AWS SDK for Java 2.x API Reference](#).

DescribeSolution

The following code example shows how to use `DescribeSolution`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void describeSpecificSolution(PersonalizeClient personalizeClient,
String solutionArn) {

    try {
        DescribeSolutionRequest solutionRequest =
DescribeSolutionRequest.builder()
            .solutionArn(solutionArn)
            .build();

        DescribeSolutionResponse response =
personalizeClient.describeSolution(solutionRequest);
        System.out.println("The Solution name is " +
response.solution().name());

    } catch (PersonalizeException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [DescribeSolution](#) in *AWS SDK for Java 2.x API Reference*.

ListCampaigns

The following code example shows how to use `ListCampaigns`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void listAllCampaigns(PersonalizeClient personalizeClient, String
solutionArn) {

    try {
        ListCampaignsRequest campaignsRequest = ListCampaignsRequest.builder()
            .maxResults(10)
```

```
.solutionArn(solutionArn)
.build();

ListCampaignsResponse response =
personalizeClient.listCampaigns(campaignsRequest);
List<CampaignSummary> campaigns = response.campaigns();
for (CampaignSummary campaign : campaigns) {
    System.out.println("Campaign name is : " + campaign.name());
    System.out.println("Campaign ARN is : " + campaign.campaignArn());
}

} catch (PersonalizeException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

- For API details, see [ListCampaigns](#) in *AWS SDK for Java 2.x API Reference*.

ListDatasetGroups

The following code example shows how to use `ListDatasetGroups`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void listDSGroups(PersonalizeClient personalizeClient) {

    try {
        ListDatasetGroupsRequest groupsRequest =
ListDatasetGroupsRequest.builder()
            .maxResults(15)
            .build();

        ListDatasetGroupsResponse groupsResponse =
personalizeClient.listDatasetGroups(groupsRequest);
```

```
        List<DatasetGroupSummary> groups = groupsResponse.datasetGroups();
        for (DatasetGroupSummary group : groups) {
            System.out.println("The DataSet name is : " + group.name());
            System.out.println("The DataSet ARN is : " +
group.datasetGroupArn());
        }

    } catch (PersonalizeException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [ListDatasetGroups](#) in *AWS SDK for Java 2.x API Reference*.

ListRecipes

The following code example shows how to use `ListRecipes`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void listAllRecipes(PersonalizeClient personalizeClient) {

    try {
        ListRecipesRequest recipesRequest = ListRecipesRequest.builder()
            .maxResults(15)
            .build();

        ListRecipesResponse response =
personalizeClient.listRecipes(recipesRequest);
        List<RecipeSummary> recipes = response.recipes();
        for (RecipeSummary recipe : recipes) {
            System.out.println("The recipe ARN is: " + recipe.recipeArn());
            System.out.println("The recipe name is: " + recipe.name());
        }
    }
}
```

```
        } catch (PersonalizeException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
```

- For API details, see [ListRecipes](#) in *AWS SDK for Java 2.x API Reference*.

ListSolutions

The following code example shows how to use ListSolutions.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void listAllSolutions(PersonalizeClient personalizeClient, String datasetGroupArn) {

    try {
        ListSolutionsRequest solutionsRequest = ListSolutionsRequest.builder()
            .maxResults(10)
            .datasetGroupArn(datasetGroupArn)
            .build();

        ListSolutionsResponse response =
personalizeClient.listSolutions(solutionsRequest);
        List<SolutionSummary> solutions = response.solutions();
        for (SolutionSummary solution : solutions) {
            System.out.println("The solution ARN is: " +
solution.solutionArn());
            System.out.println("The solution name is: " + solution.name());
        }

    } catch (PersonalizeException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
    }
}
```

```
        System.exit(1);
    }
}
```

- For API details, see [ListSolutions](#) in *AWS SDK for Java 2.x API Reference*.

UpdateCampaign

The following code example shows how to use `UpdateCampaign`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String updateCampaign(PersonalizeClient personalizeClient,
                                     String campaignArn,
                                     String solutionVersionArn,
                                     Integer minProvisionedTPS) {

    try {
        // build the updateCampaignRequest
        UpdateCampaignRequest updateCampaignRequest =
            UpdateCampaignRequest.builder()
                .campaignArn(campaignArn)
                .solutionVersionArn(solutionVersionArn)
                .minProvisionedTPS(minProvisionedTPS)
                .build();

        // update the campaign
        personalizeClient.updateCampaign(updateCampaignRequest);

        DescribeCampaignRequest campaignRequest =
            DescribeCampaignRequest.builder()
                .campaignArn(campaignArn)
                .build();
    }
}
```

```
        DescribeCampaignResponse campaignResponse =
personalizeClient.describeCampaign(campaignRequest);
        Campaign updatedCampaign = campaignResponse.campaign();

        System.out.println("The Campaign status is " +
updatedCampaign.status());
        return updatedCampaign.status();

    } catch (PersonalizeException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}
```

- For API details, see [UpdateCampaign](#) in *AWS SDK for Java 2.x API Reference*.

Amazon Personalize Events examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon Personalize Events.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)

Actions

PutEvents

The following code example shows how to use PutEvents.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static int putItems(PersonalizeEventsClient personalizeEventsClient,
    String datasetArn,
    String item1Id,
    String item1PropertyName,
    String item1PropertyValue,
    String item2Id,
    String item2PropertyName,
    String item2PropertyValue) {

    int responseCode = 0;
    ArrayList<Item> items = new ArrayList<>();

    try {
        Item item1 = Item.builder()
            .itemId(item1Id)
            .properties(String.format("{\"%1$s\": \"%2$s"
    "}",
                                item1PropertyName,
                                item1PropertyValue))
            .build();

        items.add(item1);

        Item item2 = Item.builder()
            .itemId(item2Id)
            .properties(String.format("{\"%1$s\": \"%2$s"
    "}",
                                item2PropertyName,
                                item2PropertyValue))
            .build();

        items.add(item2);

        PutItemsRequest putItemsRequest = PutItemsRequest.builder()
```

```
        .datasetArn(datasetArn)
        .items(items)
        .build();

    responseCode =
personalizeEventsClient.putItems(putItemsRequest).sdkHttpResponse().statusCode();
    System.out.println("Response code: " + responseCode);
    return responseCode;

} catch (PersonalizeEventsException e) {
    System.out.println(e.awsErrorDetails().errorMessage());
}
return responseCode;
}
```

- For API details, see [PutEvents](#) in *AWS SDK for Java 2.x API Reference*.

PutUsers

The following code example shows how to use PutUsers.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static int putUsers(PersonalizeEventsClient personalizeEventsClient,
                           String datasetArn,
                           String user1Id,
                           String user1PropertyName,
                           String user1PropertyValue,
                           String user2Id,
                           String user2PropertyName,
                           String user2PropertyValue) {

    int responseCode = 0;
    ArrayList<User> users = new ArrayList<>();
```

```
try {
    User user1 = User.builder()
        .userId(user1Id)
        .properties(String.format("{\"%1$s\": \"%2$s\"}",
        user1PropertyName,
        user1PropertyValue))
        .build();

    users.add(user1);

    User user2 = User.builder()
        .userId(user2Id)
        .properties(String.format("{\"%1$s\": \"%2$s\"}",
        user2PropertyName,
        user2PropertyValue))
        .build();

    users.add(user2);

    PutUsersRequest putUsersRequest = PutUsersRequest.builder()
        .datasetArn(datasetArn)
        .users(users)
        .build();

    responseCode =
personalizeEventsClient.putUsers(putUsersRequest).sdkHttpResponse().statusCode();
    System.out.println("Response code: " + responseCode);
    return responseCode;
}

} catch (PersonalizeEventsException e) {
    System.out.println(e.awsErrorDetails().errorMessage());
}
return responseCode;
}
```

- For API details, see [PutUsers](#) in *AWS SDK for Java 2.x API Reference*.

Amazon Personalize Runtime examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon Personalize Runtime.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)

Actions

GetPersonalizedRanking

The following code example shows how to use GetPersonalizedRanking.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static List<PredictedItem> getRankedRecs(PersonalizeRuntimeClient  
personalizeRuntimeClient,  
        String campaignArn,  
        String userId,  
        ArrayList<String> items) {  
  
    try {  
        GetPersonalizedRankingRequest rankingRecommendationsRequest =  
GetPersonalizedRankingRequest.builder()  
            .campaignArn(campaignArn)  
            .userId(userId)  
            .inputList(items)
```

```
        .build();

        GetPersonalizedRankingResponse recommendationsResponse =
personalizeRuntimeClient
            .getPersonalizedRanking(rankingRecommendationsRequest);
        List<PredictedItem> rankedItems =
recommendationsResponse.personalizedRanking();
        int rank = 1;
        for (PredictedItem item : rankedItems) {
            System.out.println("Item ranked at position " + rank + " details");
            System.out.println("Item Id is : " + item.itemId());
            System.out.println("Item score is : " + item.score());
            System.out.println("-----");
            rank++;
        }
        return rankedItems;
    } catch (PersonalizeRuntimeException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return null;
}
```

- For API details, see [GetPersonalizedRanking](#) in *AWS SDK for Java 2.x API Reference*.

GetRecommendations

The following code example shows how to use GetRecommendations.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Get a list of recommended items.

```
public static void getRecs(PersonalizeRuntimeClient personalizeRuntimeClient,
String campaignArn, String userId) {
```

```
try {
    GetRecommendationsRequest recommendationsRequest =
GetRecommendationsRequest.builder()
        .campaignArn(campaignArn)
        .numResults(20)
        .userId(userId)
        .build();

    GetRecommendationsResponse recommendationsResponse =
personalizeRuntimeClient
        .getRecommendations(recommendationsRequest);
    List<PredictedItem> items = recommendationsResponse.itemList();
    for (PredictedItem item : items) {
        System.out.println("Item Id is : " + item.itemId());
        System.out.println("Item score is : " + item.score());
    }
}

} catch (AwsServiceException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

Get a list of recommended items from a recommender created in a domain dataset group.

```
public static void getRecs(PersonalizeRuntimeClient personalizeRuntimeClient,
String recommenderArn,
String userId) {

try {
    GetRecommendationsRequest recommendationsRequest =
GetRecommendationsRequest.builder()
        .recommenderArn(recommenderArn)
        .numResults(20)
        .userId(userId)
        .build();

    GetRecommendationsResponse recommendationsResponse =
personalizeRuntimeClient
        .getRecommendations(recommendationsRequest);
    List<PredictedItem> items = recommendationsResponse.itemList();
```

```
        for (PredictedItem item : items) {
            System.out.println("Item Id is : " + item.itemId());
            System.out.println("Item score is : " + item.score());
        }
    } catch (AwsServiceException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

Use a filter when requesting recommendations.

```
public static void getFilteredRecs(PersonalizeRuntimeClient
personalizeRuntimeClient,
        String campaignArn,
        String userId,
        String filterArn,
        String parameter1Name,
        String parameter1Value1,
        String parameter1Value2,
        String parameter2Name,
        String parameter2Value) {

    try {

        Map<String, String> filterValues = new HashMap<>();

        filterValues.put(parameter1Name, String.format("\"%1$s\", \"%2$s\"", parameter1Value1, parameter1Value2));
        filterValues.put(parameter2Name, String.format("\"%1$s\"", parameter2Value));

        GetRecommendationsRequest recommendationsRequest =
GetRecommendationsRequest.builder()
        .campaignArn(campaignArn)
        .numResults(20)
        .userId(userId)
        .filterArn(filterArn)
        .filterValues(filterValues)
        .build();
    }
}
```

```
        GetRecommendationsResponse recommendationsResponse =
personalizeRuntimeClient
        .getRecommendations(recommendationsRequest);
List<PredictedItem> items = recommendationsResponse.itemList();

        for (PredictedItem item : items) {
            System.out.println("Item Id is : " + item.itemId());
            System.out.println("Item score is : " + item.score());
        }
    } catch (PersonalizeRuntimeException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
}
}
```

- For API details, see [GetRecommendations](#) in *AWS SDK for Java 2.x API Reference*.

Amazon Pinpoint examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon Pinpoint.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)

Actions

CreateApp

The following code example shows how to use CreateApp.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.pinpoint.PinpointClient;
import software.amazon.awssdk.services.pinpoint.model.CreateAppRequest;
import software.amazon.awssdk.services.pinpoint.model.CreateAppResponse;
import software.amazon.awssdk.services.pinpoint.model.CreateApplicationRequest;
import software.amazon.awssdk.services.pinpoint.model.PinpointException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class CreateApp {
    public static void main(String[] args) {
        final String usage = """
            Usage: <appName>
            Where:
            appName - The name of the application to create.

        """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }
        String appName = args[0];
        System.out.println("Creating an application with name: " + appName);

        PinpointClient pinpoint = PinpointClient.builder()
```

```
        .region(Region.US_EAST_1)
        .build();

    String appID = createApplication(pinpoint, appName);
    System.out.println("App ID is: " + appID);
    pinpoint.close();
}

public static String createApplication(PinpointClient pinpoint, String appName)
{
    try {
        CreateApplicationRequest appRequest = CreateApplicationRequest.builder()
            .name(appName)
            .build();

        CreateAppRequest request = CreateAppRequest.builder()
            .createApplicationRequest(appRequest)
            .build();

        CreateAppResponse result = pinpoint.createApp(request);
        return result.applicationResponse().id();

    } catch (PinpointException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}
}
```

- For API details, see [CreateApp](#) in *AWS SDK for Java 2.x API Reference*.

CreateCampaign

The following code example shows how to use `CreateCampaign`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Create a campaign.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.pinpoint.PinpointClient;
import software.amazon.awssdk.services.pinpoint.model.CampaignResponse;
import software.amazon.awssdk.services.pinpoint.model.Message;
import software.amazon.awssdk.services.pinpoint.model.Schedule;
import software.amazon.awssdk.services.pinpoint.model.Action;
import software.amazon.awssdk.services.pinpoint.model.MessageConfiguration;
import software.amazon.awssdk.services.pinpoint.model.WriteCampaignRequest;
import software.amazon.awssdk.services.pinpoint.model.CreateCampaignResponse;
import software.amazon.awssdk.services.pinpoint.model.CreateCampaignRequest;
import software.amazon.awssdk.services.pinpoint.model.PinpointException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class CreateCampaign {
    public static void main(String[] args) {

        final String usage = """

            Usage: <appId> <segmentId>

            Where:
                appId - The ID of the application to create the campaign in.
                segmentId - The ID of the segment to create the campaign from.
            """;

        if (args.length != 2) {
```

```
        System.out.println(usage);
        System.exit(1);
    }

    String appId = args[0];
    String segmentId = args[1];
    PinpointClient pinpoint = PinpointClient.builder()
        .region(Region.US_EAST_1)
        .build();

    createPinCampaign(pinpoint, appId, segmentId);
    pinpoint.close();
}

public static void createPinCampaign(PinpointClient pinpoint, String appId,
String segmentId) {
    CampaignResponse result = createCampaign(pinpoint, appId, segmentId);
    System.out.println("Campaign " + result.name() + " created.");
    System.out.println(result.description());
}

public static CampaignResponse createCampaign(PinpointClient client, String
appID, String segmentID) {

    try {
        Schedule schedule = Schedule.builder()
            .startTime("IMMEDIATE")
            .build();

        Message defaultMessage = Message.builder()
            .action(Action.OPEN_APP)
            .body("My message body.")
            .title("My message title.")
            .build();

        MessageConfiguration messageConfiguration =
MessageConfiguration.builder()
            .defaultMessage(defaultMessage)
            .build();

        WriteCampaignRequest request = WriteCampaignRequest.builder()
            .description("My description")
            .schedule(schedule)
            .name("MyCampaign")
    }
}
```

```
        .segmentId(segmentID)
        .messageConfiguration(messageConfiguration)
        .build();

    CreateCampaignResponse result =
client.createCampaign(CreateCampaignRequest.builder()
        .applicationId(appID)
        .writeCampaignRequest(request).build());

    System.out.println("Campaign ID: " + result.campaignResponse().id());
    return result.campaignResponse();

} catch (PinpointException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}

return null;
}
}
```

- For API details, see [CreateCampaign](#) in *AWS SDK for Java 2.x API Reference*.

CreateExportJob

The following code example shows how to use `CreateExportJob`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Export an endpoint.

```
import software.amazon.awssdk.core.ResponseBytes;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.pinpoint.PinpointClient;
import software.amazon.awssdk.services.pinpoint.model.ExportJobRequest;
```

```
import software.amazon.awssdk.services.pinpoint.model.PinpointException;
import software.amazon.awssdk.services.pinpoint.model.CreateExportJobRequest;
import software.amazon.awssdk.services.pinpoint.model.CreateExportJobResponse;
import software.amazon.awssdk.services.pinpoint.model.GetExportJobResponse;
import software.amazon.awssdk.services.pinpoint.model.GetExportJobRequest;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.GetObjectRequest;
import software.amazon.awssdk.services.s3.model.ListObjectsV2Request;
import software.amazon.awssdk.services.s3.model.ListObjectsV2Response;
import software.amazon.awssdk.services.s3.model.S3Object;
import software.amazon.awssdk.services.s3.model.GetObjectResponse;
import software.amazon.awssdk.services.s3.model.S3Exception;
import java.io.File;
import java.io.FileOutputStream;
import java.io.IOException;
import java.io.OutputStream;
import java.text.SimpleDateFormat;
import java.util.ArrayList;
import java.util.Date;
import java.util.List;
import java.util.concurrent.TimeUnit;
import java.util.stream.Collectors;

/**
 * To run this code example, you need to create an AWS Identity and Access
 * Management (IAM) role with the correct policy as described in this
 * documentation:
 * https://docs.aws.amazon.com/pinpoint/latest/developerguide/audience-data-export.html
 *
 * Also, set up your development environment, including your credentials.
 *
 * For information, see this documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */

public class ExportEndpoints {
    public static void main(String[] args) {
        final String usage = """

```

This program performs the following steps:

1. Exports the endpoints to an Amazon S3 bucket.

```
2. Downloads the exported endpoints files from Amazon S3.  
3. Parses the endpoints files to obtain the endpoint IDs and prints  
them.
```

```
Usage: ExportEndpoints <applicationId> <s3BucketName>  
<iامExportRoleArn> <path>
```

Where:

applicationId - The ID of the Amazon Pinpoint application that has
the endpoint.

s3BucketName - The name of the Amazon S3 bucket to export the JSON
file to.\s

iamExportRoleArn - The ARN of an IAM role that grants Amazon
Pinpoint write permissions to the S3 bucket. path - The path where the files
downloaded from the Amazon S3 bucket are written (for example, C:/AWS/).

```
""";
```

```
if (args.length != 4) {  
    System.out.println(usage);  
    System.exit(1);  
}
```

```
String applicationId = args[0];  
String s3BucketName = args[1];  
String iamExportRoleArn = args[2];  
String path = args[3];  
System.out.println("Deleting an application with ID: " + applicationId);
```

```
Region region = Region.US_EAST_1;  
PinpointClient pinpoint = PinpointClient.builder()  
    .region(region)  
    .build();
```

```
S3Client s3Client = S3Client.builder()  
    .region(region)  
    .build();
```

```
exportAllEndpoints(pinpoint, s3Client, applicationId, s3BucketName, path,  
iamExportRoleArn);  
pinpoint.close();  
s3Client.close();  
}
```

```
public static void exportAllEndpoints(PinpointClient pinpoint,  
        S3Client s3Client,
```

```
        String applicationId,
        String s3BucketName,
        String path,
        String iamExportRoleArn) {

    try {
        List<String> objectKeys = exportEndpointsToS3(pinpoint, s3Client,
s3BucketName, iamExportRoleArn,
                applicationId);
        List<String> endpointFileKeys = objectKeys.stream().filter(o ->
o.endsWith(".gz"))
                .collect(Collectors.toList());
        downloadFromS3(s3Client, path, s3BucketName, endpointFileKeys);

    } catch (PinpointException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

public static List<String> exportEndpointsToS3(PinpointClient pinpoint, S3Client
s3Client, String s3BucketName,
        String iamExportRoleArn, String applicationId) {

    SimpleDateFormat dateFormat = new SimpleDateFormat("yyyy-MM-dd-
HH_mm:ss.SSS_z");
    String endpointsKeyPrefix = "exports/" + applicationId + "_" +
dateFormat.format(new Date());
    String s3UrlPrefix = "s3://" + s3BucketName + "/" + endpointsKeyPrefix +
"/";
    List<String> objectKeys = new ArrayList<>();
    String key;

    try {
        // Defines the export job that Amazon Pinpoint runs.
        ExportJobRequest jobRequest = ExportJobRequest.builder()
            .roleArn(iamExportRoleArn)
            .s3UrlPrefix(s3UrlPrefix)
            .build();

        CreateExportJobRequest exportJobRequest =
CreateExportJobRequest.builder()
            .applicationId(applicationId)
            .exportJobRequest(jobRequest)
```

```
        .build();

        System.out.format("Exporting endpoints from Amazon Pinpoint application
%s to Amazon S3 " +
                "bucket %s . . .\n", applicationId, s3BucketName);

        CreateExportJobResponse exportResult =
pinpoint.createExportJob(exportJobRequest);
        String jobId = exportResult.exportJobResponse().id();
        System.out.println(jobId);
        printExportJobStatus(pinpoint, applicationId, jobId);

        ListObjectsV2Request v2Request = ListObjectsV2Request.builder()
                .bucket(s3BucketName)
                .prefix(endpointsKeyPrefix)
                .build();

        // Create a list of object keys.
        ListObjectsV2Response v2Response = s3Client.listObjectsV2(v2Request);
        List<S3Object> objects = v2Response.contents();
        for (S3Object object : objects) {
            key = object.key();
            objectKeys.add(key);
        }

        return objectKeys;

    } catch (PinpointException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return null;
}

private static void printExportJobStatus(PinpointClient pinpointClient,
                                         String applicationId,
                                         String jobId) {

    GetExportJobResponse getExportJobResult;
    String status;

    try {
        // Checks the job status until the job completes or fails.
        GetExportJobRequest exportJobRequest = GetExportJobRequest.builder()
```

```
.jobId(jobId)
.applicationId(applicationId)
.build();

do {
    getExportJobResult = pinpointClient.getExportJob(exportJobRequest);
    status =
getExportJobResult.exportJobResponse().jobStatus().toString().toUpperCase();
    System.out.format("Export job %s . . .\n", status);
    TimeUnit.SECONDS.sleep(3);

} while (!status.equals("COMPLETED") && !status.equals("FAILED"));

if (status.equals("COMPLETED")) {
    System.out.println("Finished exporting endpoints.");
} else {
    System.err.println("Failed to export endpoints.");
    System.exit(1);
}

} catch (PinpointException | InterruptedException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
}

// Download files from an Amazon S3 bucket and write them to the path location.
public static void downloadFromS3(S3Client s3Client, String path, String
s3BucketName, List<String> objectKeys) {

    String newPath;
    try {
        for (String key : objectKeys) {
            GetObjectRequest objectRequest = GetObjectRequest.builder()
                .bucket(s3BucketName)
                .key(key)
                .build();

            ResponseBytes<GetObjectResponse> objectBytes =
s3Client.getObjectAsBytes(objectRequest);
            byte[] data = objectBytes.asByteArray();

            // Write the data to a local file.
        }
    }
}
```

```
        String fileSuffix = new
SimpleDateFormat("yyyyMMddHHmmss").format(new Date());
        newPath = path + fileSuffix + ".gz";
        File myFile = new File(newPath);
        OutputStream os = new FileOutputStream(myFile);
        os.write(data);
    }
    System.out.println("Download finished.");

} catch (S3Exception | NullPointerException | IOException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
}
```

- For API details, see [CreateExportJob](#) in *AWS SDK for Java 2.x API Reference*.

CreateImportJob

The following code example shows how to use CreateImportJob.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Import a segment.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.pinpoint.PinpointClient;
import software.amazon.awssdk.services.pinpoint.model.CreateImportJobRequest;
import software.amazon.awssdk.services.pinpoint.model.ImportJobResponse;
import software.amazon.awssdk.services.pinpoint.model.ImportJobRequest;
import software.amazon.awssdk.services.pinpoint.model.Format;
import software.amazon.awssdk.services.pinpoint.model.CreateImportJobResponse;
import software.amazon.awssdk.services.pinpoint.model.PinpointException;
```

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
public class ImportSegment {  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage: <appId> <bucket> <key> <roleArn>\s  
  
            Where:  
                appId - The application ID to create a segment for.  
                bucket - The name of the Amazon S3 bucket that contains the  
segment definitons.  
                key - The key of the S3 object.  
                roleArn - ARN of the role that allows Amazon Pinpoint to  
access S3. You need to set trust management for this to work. See https://docs.aws.amazon.com/IAM/latest/UserGuide/reference\_policies\_elements\_principal.html  
        """;  
  
        if (args.length != 4) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String appId = args[0];  
        String bucket = args[1];  
        String key = args[2];  
        String roleArn = args[3];  
  
        PinpointClient pinpoint = PinpointClient.builder()  
            .region(Region.US_EAST_1)  
            .build();  
  
        ImportJobResponse response = createImportSegment(pinpoint, appId, bucket,  
key, roleArn);  
        System.out.println("Import job for " + bucket + " submitted.");  
        System.out.println("See application " + response.applicationId() + " for  
import job status.");  
    }  
}
```

```
        System.out.println("See application " + response.jobStatus() + " for import
job status.");
        pinpoint.close();
    }

    public static ImportJobResponse createImportSegment(PinpointClient client,
        String appId,
        String bucket,
        String key,
        String roleArn) {

        try {
            ImportJobRequest importRequest = ImportJobRequest.builder()
                .defineSegment(true)
                .registerEndpoints(true)
                .roleArn(roleArn)
                .format(Format.JSON)
                .s3Url("s3://" + bucket + "/" + key)
                .build();

            CreateImportJobRequest jobRequest = CreateImportJobRequest.builder()
                .importJobRequest(importRequest)
                .applicationId(appId)
                .build();

            CreateImportJobResponse jobResponse =
client.createImportJob(jobRequest);
            return jobResponse.importJobResponse();

        } catch (PinpointException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
        return null;
    }
}
```

- For API details, see [CreateImportJob](#) in *AWS SDK for Java 2.x API Reference*.

CreateSegment

The following code example shows how to use CreateSegment.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.pinpoint.PinpointClient;
import software.amazon.awssdk.services.pinpoint.model.AttributeDimension;
import software.amazon.awssdk.services.pinpoint.model.SegmentResponse;
import software.amazon.awssdk.services.pinpoint.model.AttributeType;
import software.amazon.awssdk.services.pinpoint.model.RecencyDimension;
import software.amazon.awssdk.services.pinpoint.model.SegmentBehaviors;
import software.amazon.awssdk.services.pinpoint.model.SegmentDemographics;
import software.amazon.awssdk.services.pinpoint.model.SegmentLocation;
import software.amazon.awssdk.services.pinpoint.model.SegmentDimensions;
import software.amazon.awssdk.services.pinpoint.model.WriteSegmentRequest;
import software.amazon.awssdk.services.pinpoint.model.CreateSegmentRequest;
import software.amazon.awssdk.services.pinpoint.model.CreateSegmentResponse;
import software.amazon.awssdk.services.pinpoint.model.PinpointException;
import java.util.HashMap;
import java.util.Map;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class CreateSegment {
    public static void main(String[] args) {
        final String usage = """
                        Usage: <appId>
                        Where:
                        appId - The application ID to create a segment
                        for.
        """;
    }
}
```

```
""";  
  
    if (args.length != 1) {  
        System.out.println(usage);  
        System.exit(1);  
    }  
  
    String appId = args[0];  
    PinpointClient pinpoint = PinpointClient.builder()  
        .region(Region.US_EAST_1)  
        .build();  
  
    SegmentResponse result = createSegment(pinpoint, appId);  
    System.out.println("Segment " + result.name() + " created.");  
    System.out.println(result.segmentType());  
    pinpoint.close();  
}  
  
public static SegmentResponse createSegment(PinpointClient client, String  
appId) {  
    try {  
        Map<String, AttributeDimension> segmentAttributes = new  
HashMap<>();  
        segmentAttributes.put("Team", AttributeDimension.builder()  
            .attributeType(AttributeType.INCLUSIVE)  
            .values("Lakers")  
            .build());  
  
        RecencyDimension recencyDimension =  
RecencyDimension.builder()  
            .duration("DAY_30")  
            .recencyType("ACTIVE")  
            .build();  
  
        SegmentBehaviors segmentBehaviors =  
SegmentBehaviors.builder()  
            .recency(recencyDimension)  
            .build();  
  
        SegmentDemographics segmentDemographics =  
SegmentDemographics  
            .builder()  
            .build();  
    }  
}
```

```
        SegmentLocation segmentLocation = SegmentLocation
            .builder()
            .build();

        SegmentDimensions dimensions = SegmentDimensions
            .builder()
            .attributes(segmentAttributes)
            .behavior(segmentBehaviors)
            .demographic(segmentDemographics)
            .location(segmentLocation)
            .build();

        WriteSegmentRequest writeSegmentRequest =
WriteSegmentRequest.builder()
            .name("MySegment")
            .dimensions(dimensions)
            .build();

        CreateSegmentRequest createSegmentRequest =
CreateSegmentRequest.builder()
            .applicationId(appId)
            .writeSegmentRequest(writeSegmentRequest)
            .build();

        CreateSegmentResponse createSegmentResult =
client.createSegment(createSegmentRequest);
        System.out.println("Segment ID: " +
createSegmentResult.segmentResponse().id());
        System.out.println("Done");
        return createSegmentResult.segmentResponse();

    } catch (PinpointException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return null;
}
}
```

- For API details, see [CreateSegment](#) in *AWS SDK for Java 2.x API Reference*.

DeleteApp

The following code example shows how to use DeleteApp.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Delete an application.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.pinpoint.PinpointClient;
import software.amazon.awssdk.services.pinpoint.model.DeleteAppRequest;
import software.amazon.awssdk.services.pinpoint.model.DeleteAppResponse;
import software.amazon.awssdk.services.pinpoint.model.PinpointException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DeleteApp {
    public static void main(String[] args) {
        final String usage = """
            Usage: <appId>
            Where:
            appId - The ID of the application to delete.

        """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }
    }
}
```

```
String appId = args[0];
System.out.println("Deleting an application with ID: " + appId);
PinpointClient pinpoint = PinpointClient.builder()
    .region(Region.US_EAST_1)
    .build();

deletePinApp(pinpoint, appId);
System.out.println("Done");
pinpoint.close();
}

public static void deletePinApp(PinpointClient pinpoint, String appId) {
    try {
        DeleteAppRequest appRequest = DeleteAppRequest.builder()
            .applicationId(appId)
            .build();

        DeleteAppResponse result = pinpoint.deleteApp(appRequest);
        String appName = result.applicationResponse().name();
        System.out.println("Application " + appName + " has been deleted.");

    } catch (PinpointException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [DeleteApp](#) in *AWS SDK for Java 2.x API Reference*.

DeleteEndpoint

The following code example shows how to use `DeleteEndpoint`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Delete an endpoint.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.pinpoint.PinpointClient;
import software.amazon.awssdk.services.pinpoint.model.DeleteEndpointRequest;
import software.amazon.awssdk.services.pinpoint.model.DeleteEndpointResponse;
import software.amazon.awssdk.services.pinpoint.model.PinpointException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DeleteEndpoint {
    public static void main(String[] args) {
        final String usage = """
            Usage: <appName> <endpointId>
            Where:
            appId - The id of the application to delete.
            endpointId - The id of the endpoint to delete.
            """;
        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }
        String appId = args[0];
        String endpointId = args[1];
        System.out.println("Deleting an endpoint with id: " + endpointId);
        PinpointClient pinpoint = PinpointClient.builder()
            .region(Region.US_EAST_1)
            .build();
        deletePinEncpoint(pinpoint, appId, endpointId);
        pinpoint.close();
    }
}
```

```
public static void deletePinEndpoint(PinpointClient pinpoint, String appId,
String endpointId) {
    try {
        DeleteEndpointRequest appRequest = DeleteEndpointRequest.builder()
            .applicationId(appId)
            .endpointId(endpointId)
            .build();

        DeleteEndpointResponse result = pinpoint.deleteEndpoint(appRequest);
        String id = result.endpointResponse().id();
        System.out.println("The deleted endpoint id " + id);

    } catch (PinpointException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    System.out.println("Done");
}
}
```

- For API details, see [DeleteEndpoint](#) in *AWS SDK for Java 2.x API Reference*.

GetEndpoint

The following code example shows how to use GetEndpoint.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import com.google.gson.FieldNamingPolicy;
import com.google.gson.Gson;
import com.google.gson.GsonBuilder;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.pinpoint.PinpointClient;
import software.amazon.awssdk.services.pinpoint.model.EndpointResponse;
import software.amazon.awssdk.services.pinpoint.model.GetEndpointResponse;
```

```
import software.amazon.awssdk.services.pinpoint.model.PinpointException;
import software.amazon.awssdk.services.pinpoint.model.GetEndpointRequest;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class LookUpEndpoint {
    public static void main(String[] args) {
        final String usage = """
            Usage: <appId> <endpoint>
            Where:
            appId - The ID of the application to delete.
            endpoint - The ID of the endpoint.\s
            """;
        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }
        String appId = args[0];
        String endpoint = args[1];
        System.out.println("Looking up an endpoint point with ID: " + endpoint);
        PinpointClient pinpoint = PinpointClient.builder()
            .region(Region.US_EAST_1)
            .build();
        lookupPinpointEndpoint(pinpoint, appId, endpoint);
        pinpoint.close();
    }

    public static void lookupPinpointEndpoint(PinpointClient pinpoint, String appId,
        String endpoint) {
        try {
            GetEndpointRequest appRequest = GetEndpointRequest.builder()
                .applicationId(appId)
                .endpointId(endpoint)
```

```
        .build();

        GetEndpointResponse result = pinpoint.getEndpoint(appRequest);
        EndpointResponse endResponse = result.endpointResponse();

        // Uses the Google Gson library to pretty print the endpoint JSON.
        Gson gson = new GsonBuilder()
            .setFieldNamingPolicy(FieldNamingPolicy.UPPER_CAMEL_CASE)
            .setPrettyPrinting()
            .create();

        String endpointJson = gson.toJson(endResponse);
        System.out.println(endpointJson);

    } catch (PinpointException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    System.out.println("Done");
}
}
```

- For API details, see [GetEndpoint](#) in *AWS SDK for Java 2.x API Reference*.

GetSegments

The following code example shows how to use GetSegments.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

List segments.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.pinpoint.PinpointClient;
import software.amazon.awssdk.services.pinpoint.model.GetSegmentsRequest;
```

```
import software.amazon.awssdk.services.pinpoint.model.GetSegmentsResponse;
import software.amazon.awssdk.services.pinpoint.model.PinpointException;
import software.amazon.awssdk.services.pinpoint.model.SegmentResponse;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ListSegments {
    public static void main(String[] args) {
        final String usage = """
            Usage: <appId>
            Where:
            appId - The ID of the application that contains a segment.

        """;
        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String appId = args[0];
        PinpointClient pinpoint = PinpointClient.builder()
            .region(Region.US_EAST_1)
            .build();

        listSegs(pinpoint, appId);
        pinpoint.close();
    }

    public static void listSegs(PinpointClient pinpoint, String appId) {
        try {
            GetSegmentsRequest request = GetSegmentsRequest.builder()
                .applicationId(appId)
                .build();
        }
    }
}
```

```
        GetSegmentsResponse response = pinpoint.getSegments(request);
        List<SegmentResponse> segments = response.segmentsResponse().item();
        for (SegmentResponse segment : segments) {
            System.out
                .println("Segement " + segment.id() + " " + segment.name() +
" " + segment.lastModifiedDate());
        }

    } catch (PinpointException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [GetSegments](#) in *AWS SDK for Java 2.x API Reference*.

GetSmsChannel

The following code example shows how to use GetSmsChannel.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.pinpoint.PinpointClient;
import software.amazon.awssdk.services.pinpoint.model.SMSChannelResponse;
import software.amazon.awssdk.services.pinpoint.model.GetSmsChannelRequest;
import software.amazon.awssdk.services.pinpoint.model.PinpointException;
import software.amazon.awssdk.services.pinpoint.model.SMSChannelRequest;
import software.amazon.awssdk.services.pinpoint.model.UpdateSmsChannelRequest;
import software.amazon.awssdk.services.pinpoint.model.UpdateSmsChannelResponse;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.

```

```
*  
* For more information, see the following documentation topic:  
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
public class UpdateChannel {  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage: CreateChannel <appId>  
  
            Where:  
            appId - The name of the application whose channel is updated.  
  
        """;  
  
        if (args.length != 1) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String appId = args[0];  
        PinpointClient pinpoint = PinpointClient.builder()  
            .region(Region.US_EAST_1)  
            .build();  
  
        SMSChannelResponse getResponse = getSMSChannel(pinpoint, appId);  
        toggleSmsChannel(pinpoint, appId, getResponse);  
        pinpoint.close();  
    }  
  
    private static SMSChannelResponse getSMSChannel(PinpointClient client, String  
appId) {  
        try {  
            GetSmsChannelRequest request = GetSmsChannelRequest.builder()  
                .applicationId(appId)  
                .build();  
  
            SMSChannelResponse response =  
client.getSmsChannel(request).smsChannelResponse();  
            System.out.println("Channel state is " + response.enabled());  
            return response;  
        } catch (PinpointException e) {  
    }
```

```
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return null;
}

private static void toggleSmsChannel(PinpointClient client, String appId,
SMSChannelResponse getResponse) {
    boolean enabled = !getResponse.enabled();
    try {
        SMSChannelRequest request = SMSChannelRequest.builder()
            .enabled(enabled)
            .build();

        UpdateSmsChannelRequest updateRequest =
UpdateSmsChannelRequest.builder()
            .smsChannelRequest(request)
            .applicationId(appId)
            .build();

        UpdateSmsChannelResponse result =
client.updateSmsChannel(updateRequest);
        System.out.println("Channel state: " +
result.smsChannelResponse().enabled());

    } catch (PinpointException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [GetSmsChannel](#) in *AWS SDK for Java 2.x API Reference*.

GetUserEndpoints

The following code example shows how to use GetUserEndpoints.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.pinpoint.PinpointClient;
import software.amazon.awssdk.services.pinpoint.model.EndpointResponse;
import software.amazon.awssdk.services.pinpoint.model.GetUserEndpointsRequest;
import software.amazon.awssdk.services.pinpoint.model.GetUserEndpointsResponse;
import software.amazon.awssdk.services.pinpoint.model.PinpointException;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ListEndpointIds {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <applicationId> <userId>
            Where:
            applicationId - The ID of the Amazon Pinpoint application that
            has the endpoint.
            userId - The user id applicable to the endpoints""";
        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }
        String applicationId = args[0];
        String userId = args[1];
```

```
PinpointClient pinpoint = PinpointClient.builder()
    .region(Region.US_EAST_1)
    .build();

listAllEndpoints(pinpoint, applicationId, userId);
pinpoint.close();
}

public static void listAllEndpoints(PinpointClient pinpoint,
        String applicationId,
        String userId) {

    try {
        GetUserEndpointsRequest endpointsRequest =
GetUserEndpointsRequest.builder()
            .userId(userId)
            .applicationId(applicationId)
            .build();

        GetUserEndpointsResponse response =
pinpoint.getUserEndpoints(endpointsRequest);
        List<EndpointResponse> endpoints = response.endpointsResponse().item();

        // Display the results.
        for (EndpointResponse endpoint : endpoints) {
            System.out.println("The channel type is: " +
endpoint.channelType());
            System.out.println("The address is " + endpoint.address());
        }
    } catch (PinpointException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [GetUserEndpoints](#) in *AWS SDK for Java 2.x API Reference*.

SendMessages

The following code example shows how to use SendMessages.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Send an email message.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.pinpoint.PinpointClient;
import software.amazon.awssdk.services.pinpoint.model.AddressConfiguration;
import software.amazon.awssdk.services.pinpoint.model.ChannelType;
import software.amazon.awssdk.services.pinpoint.model.SimpleEmailPart;
import software.amazon.awssdk.services.pinpoint.model.SimpleEmail;
import software.amazon.awssdk.services.pinpoint.model.EmailMessage;
import software.amazon.awssdk.services.pinpoint.model.DirectMessageConfiguration;
import software.amazon.awssdk.services.pinpoint.model.MessageRequest;
import software.amazon.awssdk.services.pinpoint.model.SendMessagesRequest;
import software.amazon.awssdk.services.pinpoint.model.PinpointException;
import software.amazon.awssdk.services.pinpointemail.PinpointEmailClient;
import software.amazon.awssdk.services.pinpointemail.model.Body;
import software.amazon.awssdk.services.pinpointemail.model.Content;
import software.amazon.awssdk.services.pinpointemail.model.Destination;
import software.amazon.awssdk.services.pinpointemail.model.EmailContent;
import software.amazon.awssdk.services.pinpointemail.model.Message;
import software.amazon.awssdk.services.pinpointemail.model.SendEmailRequest;

import java.util.HashMap;
import java.util.Map;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class SendEmailMessage {

    // The character encoding the you want to use for the subject line and
```

```
// message body of the email.  
public static String charset = "UTF-8";  
  
// The body of the email for recipients whose email clients support HTML  
content.  
static final String body = """  
    Amazon Pinpoint test (AWS SDK for Java 2.x)  
  
    This email was sent through the Amazon Pinpoint Email API using the AWS SDK  
for Java 2.x  
  
    """;  
  
public static void main(String[] args) {  
    final String usage = """  
  
        Usage:      <subject> <appId> <senderAddress>  
<toAddress>  
  
        Where:  
        subject - The email subject to use.  
        senderAddress - The from address. This address has to be verified in  
Amazon Pinpoint in the region you're using to send email\s  
        toAddress - The to address. This address has to be verified in Amazon  
Pinpoint in the region you're using to send email\s  
    """;  
  
    if (args.length != 3) {  
        System.out.println(usage);  
        System.exit(1);  
    }  
  
    String subject = args[0];  
    String senderAddress = args[1];  
    String toAddress = args[2];  
    System.out.println("Sending a message");  
    PinpointEmailClient pinpoint = PinpointEmailClient.builder()  
        .region(Region.US_EAST_1)  
        .build();  
  
    sendEmail(pinpoint, subject, senderAddress, toAddress);  
    System.out.println("Email was sent");  
    pinpoint.close();  
}
```

```
public static void sendEmail(PinpointEmailClient pinpointEmailClient, String subject, String senderAddress, String toAddress) {
    try {
        Content content = Content.builder()
            .data(body)
            .build();

        Body messageBody = Body.builder()
            .text(content)
            .build();

        Message message = Message.builder()
            .body(messageBody)
            .subject(Content.builder().data(subject).build())
            .build();

        Destination destination = Destination.builder()
            .toAddresses(toAddress)
            .build();

        EmailContent emailContent = EmailContent.builder()
            .simple(message)
            .build();

        SendEmailRequest sendEmailRequest = SendEmailRequest.builder()
            .fromEmailAddress(senderAddress)
            .destination(destination)
            .content(emailContent)
            .build();

        pinpointEmailClient.sendEmail(sendEmailRequest);
        System.out.println("Message Sent");

    } catch (PinpointException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

Send an email message with CC values.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.pinpoint.model.PinpointException;
import software.amazon.awssdk.services.pinpointemail.PinpointEmailClient;
import software.amazon.awssdk.services.pinpointemail.model.Body;
import software.amazon.awssdk.services.pinpointemail.model.Content;
import software.amazon.awssdk.services.pinpointemail.model.Destination;
import software.amazon.awssdk.services.pinpointemail.model.EmailContent;
import software.amazon.awssdk.services.pinpointemail.model.Message;
import software.amazon.awssdk.services.pinpointemail.model.SendEmailRequest;
import java.util.ArrayList;

/**
 * Before running this Java V2 code example, set up your development environment,
 * including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class SendEmailMessageCC {

    // The body of the email.
    static final String body = """
        Amazon Pinpoint test (AWS SDK for Java 2.x)

        This email was sent through the Amazon Pinpoint Email API using the AWS SDK
        for Java 2.x

        """;
    public static void main(String[] args) {
        final String usage = """

            Usage:      <subject> <senderAddress> <toAddress> <ccAddress>

            Where:
            subject - The email subject to use.
            senderAddress - The from address. This address has to be verified in
            Amazon Pinpoint in the region you're using to send email\s
            toAddress - The to address. This address has to be verified in Amazon
            Pinpoint in the region you're using to send email\s
            ccAddress - The CC address.

        """;
    }
}
```

```
if (args.length != 4) {
    System.out.println(usage);
    System.exit(1);
}

String subject = args[0];
String senderAddress = args[1];
String toAddress = args[2];
String ccAddress = args[3];

System.out.println("Sending a message");
PinpointEmailClient pinpoint = PinpointEmailClient.builder()
    .region(Region.US_EAST_1)
    .build();

ArrayList<String> ccList = new ArrayList<>();
ccList.add(ccAddress);
sendEmail(pinpoint, subject, senderAddress, toAddress, ccList);
pinpoint.close();
}

public static void sendEmail(PinpointEmailClient pinpointEmailClient, String
subject, String senderAddress, String toAddress, ArrayList<String> ccAddresses) {
    try {
        Content content = Content.builder()
            .data(body)
            .build();

        Body messageBody = Body.builder()
            .text(content)
            .build();

        Message message = Message.builder()
            .body(messageBody)
            .subject(Content.builder().data(subject).build())
            .build();

        Destination destination = Destination.builder()
            .toAddresses(toAddress)
            .ccAddresses(ccAddresses)
            .build();

        EmailContent emailContent = EmailContent.builder()
            .simple(message)
```

```
        .build();

        SendEmailRequest sendEmailRequest = SendEmailRequest.builder()
            .fromEmailAddress(senderAddress)
            .destination(destination)
            .content(emailContent)
            .build();

        pinpointEmailClient.sendEmail(sendEmailRequest);
        System.out.println("Message Sent");

    } catch (PinpointException e) {
        // Handle exception
        e.printStackTrace();
    }
}
```

Send an SMS message.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.pinpoint.PinpointClient;
import software.amazon.awssdk.services.pinpoint.model.DirectMessageConfiguration;
import software.amazon.awssdk.services.pinpoint.model.SMSMessage;
import software.amazon.awssdk.services.pinpoint.model.AddressConfiguration;
import software.amazon.awssdk.services.pinpoint.model.ChannelType;
import software.amazon.awssdk.services.pinpoint.model.MessageRequest;
import software.amazon.awssdk.services.pinpoint.model.SendMessagesRequest;
import software.amazon.awssdk.services.pinpoint.model.SendMessagesResponse;
import software.amazon.awssdk.services.pinpoint.model.MessageResponse;
import software.amazon.awssdk.services.pinpoint.model.PinpointException;
import java.util.HashMap;
import java.util.Map;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
```

```
public class SendMessage {

    // The type of SMS message that you want to send. If you plan to send
    // time-sensitive content, specify TRANSACTIONAL. If you plan to send
    // marketing-related content, specify PROMOTIONAL.
    public static String messageType = "TRANSACTIONAL";

    // The registered keyword associated with the originating short code.
    public static String registeredKeyword = "myKeyword";

    // The sender ID to use when sending the message. Support for sender ID
    // varies by country or region. For more information, see
    // https://docs.aws.amazon.com/pinpoint/latest/userguide/channels-sms-
countries.html
    public static String senderId = "MySenderId";

    public static void main(String[] args) {
        final String usage = """
            Usage: <message> <appId> <originationNumber>
<destinationNumber>\s

        Where:
            message - The body of the message to send.
            appId - The Amazon Pinpoint project/application ID
to use when you send this message.
            originationNumber - The phone number or short code
that you specify has to be associated with your Amazon Pinpoint account. For best
results, specify long codes in E.164 format (for example, +1-555-555-5654).
            destinationNumber - The recipient's phone number.
For best results, you should specify the phone number in E.164 format (for example,
+1-555-555-5654).\s
        """;

        if (args.length != 4) {
            System.out.println(usage);
            System.exit(1);
        }

        String message = args[0];
        String appId = args[1];
        String originationNumber = args[2];
        String destinationNumber = args[3];
        System.out.println("Sending a message");
    }
}
```

```
        PinpointClient pinpoint = PinpointClient.builder()
            .region(Region.US_EAST_1)
            .build();

        sendSMSMessage(pinpoint, message, appId, originationNumber,
destinationNumber);
        pinpoint.close();
    }

    public static void sendSMSMessage(PinpointClient pinpoint, String message,
String appId,
        String originationNumber,
        String destinationNumber) {
    try {
        Map<String, AddressConfiguration> addressMap = new
HashMap<String, AddressConfiguration>();
        AddressConfiguration addConfig =
AddressConfiguration.builder()
            .channelType(ChannelType.SMS)
            .build();

        addressMap.put(destinationNumber, addConfig);
        SMSMessage smsMessage = SMSMessage.builder()
            .body(message)
            .messageType(messageType)
            .originationNumber(originationNumber)
            .senderId(senderId)
            .keyword(registeredKeyword)
            .build();

        // Create a DirectMessageConfiguration object.
        DirectMessageConfiguration direct =
DirectMessageConfiguration.builder()
            .smsMessage(smsMessage)
            .build();

        MessageRequest msgReq = MessageRequest.builder()
            .addresses(addressMap)
            .messageConfiguration(direct)
            .build();

        // create a SendMessagesRequest object
        SendMessagesRequest request = SendMessagesRequest.builder()
            .applicationId(appId)
```

```
        .messageRequest(msgReq)
        .build();

        SendMessagesResponse response =
pinpoint.sendMessages(request);
        MessageResponse msg1 = response.messageResponse();
        Map map1 = msg1.result();

        // Write out the result of sendMessage.
        map1.forEach((k, v) -> System.out.println((k + ":" + v)));

    } catch (PinpointException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

Send batch SMS messages.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.pinpoint.PinpointClient;
import software.amazon.awssdk.services.pinpoint.model.DirectMessageConfiguration;
import software.amazon.awssdk.services.pinpoint.model.SMSMessage;
import software.amazon.awssdk.services.pinpoint.model.AddressConfiguration;
import software.amazon.awssdk.services.pinpoint.model.ChannelType;
import software.amazon.awssdk.services.pinpoint.model.MessageRequest;
import software.amazon.awssdk.services.pinpoint.model.SendMessagesRequest;
import software.amazon.awssdk.services.pinpoint.model.SendMessagesResponse;
import software.amazon.awssdk.services.pinpoint.model.MessageResponse;
import software.amazon.awssdk.services.pinpoint.model.PinpointException;
import java.util.HashMap;
import java.util.Map;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
```

```
public class SendMessageBatch {  
  
    // The type of SMS message that you want to send. If you plan to send  
    // time-sensitive content, specify TRANSACTIONAL. If you plan to send  
    // marketing-related content, specify PROMOTIONAL.  
    public static String messageType = "TRANSACTIONAL";  
  
    // The registered keyword associated with the originating short code.  
    public static String registeredKeyword = "myKeyword";  
  
    // The sender ID to use when sending the message. Support for sender ID  
    // varies by country or region. For more information, see  
    // https://docs.aws.amazon.com/pinpoint/latest/userguide/channels-sms-  
countries.html  
    public static String senderId = "MySenderId";  
  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage: <message> <appId> <originationNumber>  
<destinationNumber> <destinationNumber1>\s  
  
            Where:  
                message - The body of the message to send.  
                appId - The Amazon Pinpoint project/application ID  
to use when you send this message.  
                originationNumber - The phone number or short code  
that you specify has to be associated with your Amazon Pinpoint account. For best  
results, specify long codes in E.164 format (for example, +1-555-555-5654).  
                destinationNumber - The recipient's phone number.  
For best results, you should specify the phone number in E.164 format (for example,  
+1-555-555-5654).  
                destinationNumber1 - The second recipient's phone  
number. For best results, you should specify the phone number in E.164 format (for  
example, +1-555-555-5654).\s  
        """;  
  
        if (args.length != 5) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String message = args[0];  
        String appId = args[1];
```

```
        String originationNumber = args[2];
        String destinationNumber = args[3];
        String destinationNumber1 = args[4];
        System.out.println("Sending a message");
        PinpointClient pinpoint = PinpointClient.builder()
            .region(Region.US_EAST_1)
            .build();

        sendSMSMessage(pinpoint, message, appId, originationNumber,
destinationNumber, destinationNumber1);
        pinpoint.close();
    }

    public static void sendSMSMessage(PinpointClient pinpoint, String message,
String appId,
        String originationNumber,
        String destinationNumber, String destinationNumber1) {
        try {
            Map<String, AddressConfiguration> addressMap = new
HashMap<String, AddressConfiguration>();
            AddressConfiguration addConfig =
AddressConfiguration.builder()
                .channelType(ChannelType.SMS)
                .build();

            // Add an entry to the Map object for each number to whom
you want to send a
            // message.
            addressMap.put(destinationNumber, addConfig);
            addressMap.put(destinationNumber1, addConfig);
            SMSMessage smsMessage = SMSMessage.builder()
                .body(message)
                .messageType(messageType)
                .originationNumber(originationNumber)
                .senderId(senderId)
                .keyword(registeredKeyword)
                .build();

            // Create a DirectMessageConfiguration object.
            DirectMessageConfiguration direct =
DirectMessageConfiguration.builder()
                .smsMessage(smsMessage)
                .build();
        }
    }
}
```

```
MessageRequest msgReq = MessageRequest.builder()
    .addresses(addressMap)
    .messageConfiguration(direct)
    .build();

// Create a SendMessagesRequest object.
SendMessagesRequest request = SendMessagesRequest.builder()
    .applicationId(appId)
    .messageRequest(msgReq)
    .build();

SendMessagesResponse response =
pinpoint.sendMessages(request);
MessageResponse msg1 = response.messageResponse();
Map map1 = msg1.result();

// Write out the result of sendMessage.
map1.forEach((k, v) -> System.out.println((k + ":" + v)));

} catch (PinpointException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}

}
```

- For API details, see [SendMessages](#) in *AWS SDK for Java 2.x API Reference*.

UpdateEndpoint

The following code example shows how to use `UpdateEndpoint`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
```

```
import software.amazon.awssdk.services.pinpoint.PinpointClient;
import software.amazon.awssdk.services.pinpoint.model.EndpointResponse;
import software.amazon.awssdk.services.pinpoint.model.EndpointRequest;
import software.amazon.awssdk.services.pinpoint.model.UpdateEndpointRequest;
import software.amazon.awssdk.services.pinpoint.model.UpdateEndpointResponse;
import software.amazon.awssdk.services.pinpoint.model.GetEndpointRequest;
import software.amazon.awssdk.services.pinpoint.model.GetEndpointResponse;
import software.amazon.awssdk.services.pinpoint.model.PinpointException;
import software.amazon.awssdk.services.pinpoint.model.EndpointDemographic;
import software.amazon.awssdk.services.pinpoint.model.EndpointLocation;
import software.amazon.awssdk.services.pinpoint.model.EndpointUser;
import java.text.DateFormat;
import java.text.SimpleDateFormat;
import java.util.List;
import java.util.UUID;
import java.util.ArrayList;
import java.util.HashMap;
import java.util.Map;
import java.util.Date;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class UpdateEndpoint {
    public static void main(String[] args) {
        final String usage = """
            Usage: <appId>
            Where:
            appId - The ID of the application to create an endpoint for.

            """;
        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }
    }
}
```

```
        String appId = args[0];
        PinpointClient pinpoint = PinpointClient.builder()
            .region(Region.US_EAST_1)
            .build();

        EndpointResponse response = createEndpoint(pinpoint, appId);
        System.out.println("Got Endpoint: " + response.id());
        pinpoint.close();
    }

    public static EndpointResponse createEndpoint(PinpointClient client, String
appId) {
    String endpointId = UUID.randomUUID().toString();
    System.out.println("Endpoint ID: " + endpointId);

    try {
        EndpointRequest endpointRequest = createEndpointRequestData();
        UpdateEndpointRequest updateEndpointRequest =
UpdateEndpointRequest.builder()
            .applicationId(appId)
            .endpointId(endpointId)
            .endpointRequest(endpointRequest)
            .build();

        UpdateEndpointResponse updateEndpointResponse =
client.updateEndpoint(updateEndpointRequest);
        System.out.println("Update Endpoint Response: " +
updateEndpointResponse.messageBody());

        GetEndpointRequest getEndpointRequest = GetEndpointRequest.builder()
            .applicationId(appId)
            .endpointId(endpointId)
            .build();

        GetEndpointResponse getEndpointResponse =
client.getEndpoint(getEndpointRequest);
        System.out.println(getEndpointResponse.endpointResponse().address());

        System.out.println(getEndpointResponse.endpointResponse().channelType());

        System.out.println(getEndpointResponse.endpointResponse().applicationId());

        System.out.println(getEndpointResponse.endpointResponse().endpointStatus());
        System.out.println(getEndpointResponse.endpointResponse().requestId());
```

```
System.out.println(getEndpointResponse.endpointResponse().user());

return getEndpointResponse.endpointResponse();

} catch (PinpointException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
return null;
}

private static EndpointRequest createEndpointRequestData() {
try {
    List<String> favoriteTeams = new ArrayList<>();
    favoriteTeams.add("Lakers");
    favoriteTeams.add("Warriors");
    HashMap<String, List<String>> customAttributes = new HashMap<>();
    customAttributes.put("team", favoriteTeams);

    EndpointDemographic demographic = EndpointDemographic.builder()
        .appVersion("1.0")
        .make("apple")
        .model("iPhone")
        .modelVersion("7")
        .platform("ios")
        .platformVersion("10.1.1")
        .timezone("America/Los_Angeles")
        .build();

    EndpointLocation location = EndpointLocation.builder()
        .city("Los Angeles")
        .country("US")
        .latitude(34.0)
        .longitude(-118.2)
        .postalCode("90068")
        .region("CA")
        .build();

    Map<String, Double> metrics = new HashMap<>();
    metrics.put("health", 100.00);
    metrics.put("luck", 75.00);

    EndpointUser user = EndpointUser.builder()
        .userId(UUID.randomUUID().toString())
        .build();
}
}
```

```
        .build();

        DateFormat df = new SimpleDateFormat("yyyy-MM-dd'T'HH:mm'Z'"); // Quoted
        "Z" to indicate UTC, no timezone
                                         // offset
        String nowAsISO = df.format(new Date());

        return EndpointRequest.builder()
            .address(UUID.randomUUID().toString())
            .attributes(customAttributes)
            .channelType("APNS")
            .demographic(demographic)
            .effectiveDate(nowAsISO)
            .location(location)
            .metrics(metrics)
            .optOut("NONE")
            .requestId(UUID.randomUUID().toString())
            .user(user)
            .build();

    } catch (PinpointException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return null;
}
}
```

- For API details, see [UpdateEndpoint](#) in *AWS SDK for Java 2.x API Reference*.

Amazon Pinpoint SMS and Voice API examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon Pinpoint SMS and Voice API.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)

Actions

SendVoiceMessage

The following code example shows how to use SendVoiceMessage.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.core.client.config.ClientOverrideConfiguration;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.pinpointsmsvoice.PinpointSmsVoiceClient;
import software.amazon.awssdk.services.pinpointsmsvoice.model.SSMLMessageType;
import software.amazon.awssdk.services.pinpointsmsvoice.model.VoiceMessageContent;
import
software.amazon.awssdk.services.pinpointsmsvoice.model.SendVoiceMessageRequest;
import
software.amazon.awssdk.services.pinpointsmsvoice.model.PinpointSmsVoiceException;
import java.util.ArrayList;
import java.util.HashMap;
import java.util.List;
import java.util.Map;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html

```

```
/*
public class SendVoiceMessage {

    // The Amazon Polly voice that you want to use to send the message. For a
list
    // of voices, see https://docs.aws.amazon.com/polly/latest/dg/voicelist.html
    static final String voiceName = "Matthew";

    // The language to use when sending the message. For a list of supported
    // languages, see
    // https://docs.aws.amazon.com/polly/latest/dg/SupportedLanguage.html
    static final String languageCode = "en-US";

    // The content of the message. This example uses SSML to customize and
control
    // certain aspects of the message, such as by adding pauses and changing
    // phonation. The message can't contain any line breaks.
    static final String ssmlMessage = "<speak>This is a test message sent from "
        + "<emphasis>Amazon Pinpoint</emphasis> "
        + "using the <break strength='weak'>AWS "
        + "SDK for Java. "
        + "<amazon:effect phonation='soft'>Thank "
        + "you for listening.</amazon:effect></speak>";

    public static void main(String[] args) {

        final String usage = """
                        Usage: <originationNumber> <destinationNumber>\s
                        Where:
                        originationNumber - The phone number or short code
that you specify has to be associated with your Amazon Pinpoint account. For best
results, specify long codes in E.164 format (for example, +1-555-555-5654).
                        destinationNumber - The recipient's phone number.
For best results, you should specify the phone number in E.164 format (for example,
+1-555-555-5654).\s
                        """;



        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }
    }
}
```

```
String originationNumber = args[0];
String destinationNumber = args[1];
System.out.println("Sending a voice message");

// Set the content type to application/json.
List<String> listVal = new ArrayList<>();
listVal.add("application/json");
Map<String, List<String>> values = new HashMap<>();
values.put("Content-Type", listVal);

ClientOverrideConfiguration config2 =
ClientOverrideConfiguration.builder()
    .headers(values)
    .build();

PinpointSmsVoiceClient client = PinpointSmsVoiceClient.builder()
    .overrideConfiguration(config2)
    .region(Region.US_EAST_1)
    .build();

sendVoiceMsg(client, originationNumber, destinationNumber);
client.close();
}

public static void sendVoiceMsg(PinpointSmsVoiceClient client, String
originationNumber,
        String destinationNumber) {
    try {
        SSMLMessageType ssmlMessageType = SSMLMessageType.builder()
            .languageCode(languageCode)
            .text(ssmlMessage)
            .voiceId(voiceName)
            .build();

        VoiceMessageContent content = VoiceMessageContent.builder()
            .ssmlMessage(ssmlMessageType)
            .build();

        SendVoiceMessageRequest voiceMessageRequest =
SendVoiceMessageRequest.builder()
            .destinationPhoneNumber(destinationNumber)
            .originationPhoneNumber(originationNumber)
            .content(content)
            .build();
    }
}
```

```
        client.sendVoiceMessage(voiceMessageRequest);
        System.out.println("The message was sent successfully.");

    } catch (PinpointSmsVoiceException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [SendVoiceMessage](#) in *AWS SDK for Java 2.x API Reference*.

Amazon Polly examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon Polly.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)
- [Scenarios](#)

Actions

DescribeVoices

The following code example shows how to use `DescribeVoices`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.polly.PollyClient;
import software.amazon.awssdk.services.polly.model.DescribeVoicesRequest;
import software.amazon.awssdk.services.polly.model.DescribeVoicesResponse;
import software.amazon.awssdk.services.polly.model.PollyException;
import software.amazon.awssdk.services.polly.model.Voice;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DescribeVoicesSample {
    public static void main(String args[]) {
        PollyClient polly = PollyClient.builder()
            .region(Region.US_WEST_2)
            .build();

        describeVoice(polly);
        polly.close();
    }

    public static void describeVoice(PollyClient polly) {
        try {
            DescribeVoicesRequest voicesRequest = DescribeVoicesRequest.builder()
                .languageCode("en-US")
                .build();

            DescribeVoicesResponse enUsVoicesResult =
                polly.describeVoices(voicesRequest);
        }
    }
}
```

```
        List<Voice> voices = enUsVoicesResult.voices();
        for (Voice myVoice : voices) {
            System.out.println("The ID of the voice is " + myVoice.id());
            System.out.println("The gender of the voice is " +
myVoice.gender());
        }

    } catch (PollyException e) {
        System.err.println("Exception caught: " + e);
        System.exit(1);
    }
}
}
```

- For API details, see [DescribeVoices](#) in *AWS SDK for Java 2.x API Reference*.

ListLexicons

The following code example shows how to use `ListLexicons`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.polly.PollyClient;
import software.amazon.awssdk.services.polly.model.ListLexiconsResponse;
import software.amazon.awssdk.services.polly.model.ListLexiconsRequest;
import software.amazon.awssdk.services.polly.model.LexiconDescription;
import software.amazon.awssdk.services.polly.model.PollyException;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
```

```
* For more information, see the following documentation topic:  
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
  
public class ListLexicons {  
    public static void main(String args[]) {  
        PollyClient polly = PollyClient.builder()  
            .region(Region.US_WEST_2)  
            .build();  
  
        listLexicons(polly);  
        polly.close();  
    }  
  
    public static void listLexicons(PollyClient client) {  
        try {  
            ListLexiconsRequest listLexiconsRequest = ListLexiconsRequest.builder()  
                .build();  
  
            ListLexiconsResponse listLexiconsResult =  
client.listLexicons(listLexiconsRequest);  
            List<LexiconDescription> lexiconDescription =  
listLexiconsResult.lexicons();  
            for (LexiconDescription lexDescription : lexiconDescription) {  
                System.out.println("The name of the Lexicon is " +  
lexDescription.name());  
            }  
  
        } catch (PollyException e) {  
            System.err.println("Exception caught: " + e);  
            System.exit(1);  
        }  
    }  
}
```

- For API details, see [ListLexicons](#) in *AWS SDK for Java 2.x API Reference*.

SynthesizeSpeech

The following code example shows how to use SynthesizeSpeech.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import javazoom.jl.decoder.JavaLayerException;
import software.amazon.awssdk.core.ResponseInputStream;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.polly.PollyClient;
import software.amazon.awssdk.services.polly.model.DescribeVoicesRequest;
import software.amazon.awssdk.services.polly.model.Voice;
import software.amazon.awssdk.services.polly.model.DescribeVoicesResponse;
import software.amazon.awssdk.services.polly.model.OutputFormat;
import software.amazon.awssdk.services.polly.model.PollyException;
import software.amazon.awssdk.services.polly.model.SynthesizeSpeechRequest;
import software.amazon.awssdk.services.polly.model.SynthesizeSpeechResponse;
import java.io.IOException;
import java.io.InputStream;
import javazoom.jl.player.advanced.AdvancedPlayer;
import javazoom.jl.player.advanced.PlaybackEvent;
import javazoom.jl.player.advanced.PlaybackListener;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class PollyDemo {
    private static final String SAMPLE = "Congratulations. You have successfully
built this working demo " +
        " of Amazon Polly in Java Version 2. Have fun building voice enabled
apps with Amazon Polly (that's me!), and always "
        +
        " look at the AWS website for tips and tricks on using Amazon Polly and
other great services from AWS";
}
```

```
public static void main(String args[]) {
    PollyClient polly = PollyClient.builder()
        .region(Region.US_WEST_2)
        .build();

    talkPolly(polly);
    polly.close();
}

public static void talkPolly(PollyClient polly) {
    try {
        DescribeVoicesRequest describeVoiceRequest =
DescribeVoicesRequest.builder()
        .engine("standard")
        .build();

        DescribeVoicesResponse describeVoicesResult =
polly.describeVoices(describeVoiceRequest);
        Voice voice = describeVoicesResult.voices().stream()
            .filter(v -> v.name().equals("Joanna"))
            .findFirst()
            .orElseThrow(() -> new RuntimeException("Voice not found"));
        InputStream stream = synthesize(polly, SAMPLE, voice, OutputFormat.MP3);
        AdvancedPlayer player = new AdvancedPlayer(stream,
javazoom.jl.player.FactoryRegistry.systemRegistry().createAudioDevice());
        player.setPlayBackListener(new PlaybackListener() {
            public void playbackStarted(PlaybackEvent evt) {
                System.out.println("Playback started");
                System.out.println(SAMPLE);
            }

            public void playbackFinished(PlaybackEvent evt) {
                System.out.println("Playback finished");
            }
        });

        // play it!
        player.play();

    } catch (PollyException | JavaLayerException | IOException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

```
}

    public static InputStream synthesize(PollyClient polly, String text, Voice
voice, OutputFormat format)
        throws IOException {
    SynthesizeSpeechRequest synthReq = SynthesizeSpeechRequest.builder()
        .text(text)
        .voiceId(voice.id())
        .outputFormat(format)
        .build();

    ResponseInputStream<SynthesizeSpeechResponse> synthRes =
polly.synthesizeSpeech(synthReq);
    return synthRes;
}
}
```

- For API details, see [SynthesizeSpeech](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Create an application to analyze customer feedback

The following code example shows how to create an application that analyzes customer comment cards, translates them from their original language, determines their sentiment, and generates an audio file from the translated text.

SDK for Java 2.x

This example application analyzes and stores customer feedback cards. Specifically, it fulfills the need of a fictitious hotel in New York City. The hotel receives feedback from guests in various languages in the form of physical comment cards. That feedback is uploaded into the app through a web client. After an image of a comment card is uploaded, the following steps occur:

- Text is extracted from the image using Amazon Textract.
- Amazon Comprehend determines the sentiment of the extracted text and its language.
- The extracted text is translated to English using Amazon Translate.
- Amazon Polly synthesizes an audio file from the extracted text.

The full app can be deployed with the AWS CDK. For source code and deployment instructions, see the project in [GitHub](#).

Services used in this example

- Amazon Comprehend
- Lambda
- Amazon Polly
- Amazon Textract
- Amazon Translate

Amazon RDS examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon RDS.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello Amazon RDS

The following code examples show how to get started using Amazon RDS.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rds.RdsClient;
import software.amazon.awssdk.services.rds.model.DescribeDbInstancesResponse;
import software.amazon.awssdk.services.rds.model.DBInstance;
import software.amazon.awssdk.services.rds.model.RdsException;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DescribeDBInstances {

    public static void main(String[] args) {
        Region region = Region.US_EAST_1;
        RdsClient rdsClient = RdsClient.builder()
            .region(region)
            .build();

        describeInstances(rdsClient);
        rdsClient.close();
    }

    public static void describeInstances(RdsClient rdsClient) {
        try {
            DescribeDbInstancesResponse response = rdsClient.describeDBInstances();
            List<DBInstance> instanceList = response.dbInstances();
            for (DBInstance instance : instanceList) {
                System.out.println("Instance ARN is: " + instance.dbInstanceArn());
                System.out.println("The Engine is " + instance.engine());
                System.out.println("Connection endpoint is" +
instance.endpoint().address());
            }
        } catch (RdsException e) {
            System.out.println(e.getLocalizedMessage());
            System.exit(1);
        }
    }
}
```

```
}
```

- For API details, see [DescribeDBInstances](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Basics](#)
- [Actions](#)
- [Scenarios](#)
- [Serverless examples](#)

Basics

Learn the basics

The following code example shows how to:

- Create a custom DB parameter group and set parameter values.
- Create a DB instance that's configured to use the parameter group. The DB instance also contains a database.
- Take a snapshot of the instance.
- Delete the instance and parameter group.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Run multiple operations.

```
import com.google.gson.Gson;
import
    software.amazon.awssdk.auth.credentials.EnvironmentVariableCredentialsProvider;
import software.amazon.awssdk.regions.Region;
```

```
import software.amazon.awssdk.services.rds.RdsClient;
import software.amazon.awssdk.services.rds.model.CreateDbInstanceRequest;
import software.amazon.awssdk.services.rds.model.CreateDbInstanceResponse;
import software.amazon.awssdk.services.rds.model.CreateDbParameterGroupResponse;
import software.amazon.awssdk.services.rds.model.CreateDbSnapshotRequest;
import software.amazon.awssdk.services.rds.model.CreateDbSnapshotResponse;
import software.amazon.awssdk.services.rds.model.DBEngineVersion;
import software.amazon.awssdk.services.rds.model.DBInstance;
import software.amazon.awssdk.services.rds.model.DBParameterGroup;
import software.amazon.awssdk.services.rds.model.DBSnapshot;
import software.amazon.awssdk.services.rds.model.DeleteDbInstanceRequest;
import software.amazon.awssdk.services.rds.model.DeleteDbInstanceResponse;
import software.amazon.awssdk.services.rds.model.DescribeDbEngineVersionsRequest;
import software.amazon.awssdk.services.rds.model.DescribeDbEngineVersionsResponse;
import software.amazon.awssdk.services.rds.model.DescribeDbInstancesRequest;
import software.amazon.awssdk.services.rds.model.DescribeDbInstancesResponse;
import software.amazon.awssdk.services.rds.model.DescribeDbParameterGroupsResponse;
import software.amazon.awssdk.services.rds.model.DescribeDbParametersResponse;
import software.amazon.awssdk.services.rds.model.DescribeDbSnapshotsRequest;
import software.amazon.awssdk.services.rds.model.DescribeDbSnapshotsResponse;
import
software.amazon.awssdk.services.rds.model.DescribeOrderableDbInstanceOptionsResponse;
import software.amazon.awssdk.services.rds.model.ModifyDbParameterGroupResponse;
import software.amazon.awssdk.services.rds.model.OrderableDBInstanceOption;
import software.amazon.awssdk.services.rds.model.Parameter;
import software.amazon.awssdk.services.rds.model.RdsException;
import software.amazon.awssdk.services.rds.model.CreateDbParameterGroupRequest;
import software.amazon.awssdk.services.rds.model.DescribeDbParameterGroupsRequest;
import software.amazon.awssdk.services.rds.model.DescribeDbParametersRequest;
import software.amazon.awssdk.services.rds.model.ModifyDbParameterGroupRequest;
import
software.amazon.awssdk.services.rds.model.DescribeOrderableDbInstanceOptionsRequest;
import software.amazon.awssdk.services.rds.model.DeleteDbParameterGroupRequest;
import software.amazon.awssdk.services.secretsmanager.SecretsManagerClient;
import software.amazon.awssdk.services.secretsmanager.model.GetSecretValueRequest;
import software.amazon.awssdk.services.secretsmanager.model.GetSecretValueResponse;
import java.util.ArrayList;
import java.util.List;

/**
 * Before running this Java (v2) code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
```

```
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*  
* This example requires an AWS Secrets Manager secret that contains the  
* database credentials. If you do not create a  
* secret, this example will not work. For details, see:  
*  
* https://docs.aws.amazon.com/secretsmanager/latest/userguide/integrating_how-  
services-use-secrets_RS.html  
*  
* This Java example performs these tasks:  
*  
* 1. Returns a list of the available DB engines.  
* 2. Selects an engine family and create a custom DB parameter group.  
* 3. Gets the parameter groups.  
* 4. Gets parameters in the group.  
* 5. Modifies the auto_increment_offset parameter.  
* 6. Gets and displays the updated parameters.  
* 7. Gets a list of allowed engine versions.  
* 8. Gets a list of micro instance classes available for the selected engine.  
* 9. Creates an RDS database instance that contains a MySql database and uses  
* the parameter group.  
* 10. Waits for the DB instance to be ready and prints out the connection  
* endpoint value.  
* 11. Creates a snapshot of the DB instance.  
* 12. Waits for an RDS DB snapshot to be ready.  
* 13. Deletes the RDS DB instance.  
* 14. Deletes the parameter group.  
*/  
  
public class RDSScenario {  
    public static long sleepTime = 20;  
    public static final String DASHES = new String(new char[80]).replace("\0", "-");  
  
    public static void main(String[] args) throws InterruptedException {  
        final String usage = """  
  
            Usage:  
            <dbGroupName> <dbParameterGroupFamily> <dbInstanceIdentifier>  
            <dbName> <dbSnapshotIdentifier> <secretName>  
  
            Where:  
            dbGroupName - The database group name.\s  
            dbParameterGroupFamily - The database parameter group name (for  
example, mysql8.0).
```

```
        dbInstanceIdentifier - The database instance identifier\s
        dbName - The database name.\s
        dbSnapshotIdentifier - The snapshot identifier.\s
        secretName - The name of the AWS Secrets Manager secret that
contains the database credentials"
    """;

    if (args.length != 6) {
        System.out.println(usage);
        System.exit(1);
    }

    String dbGroupName = args[0];
    String dbParameterGroupFamily = args[1];
    String dbInstanceIdentifier = args[2];
    String dbName = args[3];
    String dbSnapshotIdentifier = args[4];
    String secretName = args[5];

    Gson gson = new Gson();
    User user = gson.fromJson(String.valueOf(getSecretValues(secretName)),
User.class);
    String masterUsername = user.getUsername();
    String masterUserPassword = user.getPassword();

    Region region = Region.US_WEST_2;
    RdsClient rdsClient = RdsClient.builder()
        .region(region)
        .build();
    System.out.println(DASHES);
    System.out.println("Welcome to the Amazon RDS example scenario.");
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("1. Return a list of the available DB engines");
    describeDBEngines(rdsClient);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("2. Create a custom parameter group");
    createDBParameterGroup(rdsClient, dbGroupName, dbParameterGroupFamily);
    System.out.println(DASHES);

    System.out.println(DASHES);
```

```
System.out.println("3. Get the parameter group");
describeDbParameterGroups(rdsClient, dbGroupName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("4. Get the parameters in the group");
describeDbParameters(rdsClient, dbGroupName, 0);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("5. Modify the auto_increment_offset parameter");
modifyDBParas(rdsClient, dbGroupName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("6. Display the updated value");
describeDbParameters(rdsClient, dbGroupName, -1);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("7. Get a list of allowed engine versions");
getAllowedEngines(rdsClient, dbParameterGroupFamily);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("8. Get a list of micro instance classes available for
the selected engine");
getMicroInstances(rdsClient);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println(
        "9. Create an RDS database instance that contains a MySql database
and uses the parameter group");
String dbARN = createDatabaseInstance(rdsClient, dbGroupName,
dbInstanceIdentifier, dbName, masterUsername,
masterUserPassword);
System.out.println("The ARN of the new database is " + dbARN);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("10. Wait for DB instance to be ready");
waitForInstanceReady(rdsClient, dbInstanceIdentifier);
System.out.println(DASHES);
```

```
System.out.println(DASHES);
System.out.println("11. Create a snapshot of the DB instance");
createSnapshot(rdsClient, dbInstanceIdentifier, dbSnapshotIdentifier);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("12. Wait for DB snapshot to be ready");
waitForSnapshotReady(rdsClient, dbInstanceIdentifier, dbSnapshotIdentifier);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("13. Delete the DB instance");
deleteDatabaseInstance(rdsClient, dbInstanceIdentifier);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("14. Delete the parameter group");
deleteParaGroup(rdsClient, dbGroupName, dbARN);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("The Scenario has successfully completed.");
System.out.println(DASHES);

rdsClient.close();
}

private static SecretsManagerClient getSecretClient() {
    Region region = Region.US_WEST_2;
    return SecretsManagerClient.builder()
        .region(region)

        .credentialsProvider(EnvironmentVariableCredentialsProvider.create())
        .build();
}

public static String getSecretValues(String secretName) {
    SecretsManagerClient secretClient = getSecretClient();
    GetSecretValueRequest valueRequest = GetSecretValueRequest.builder()
        .secretId(secretName)
        .build();
}
```

```
        GetSecretValueResponse valueResponse =
secretClient.getSecretValue(valueRequest);
        return valueResponse.secretString();
    }

// Delete the parameter group after database has been deleted.
// An exception is thrown if you attempt to delete the para group while database
// exists.
public static void deleteParaGroup(RdsClient rdsClient, String dbGroupName,
String dbARN)
    throws InterruptedException {
try {
    boolean isDataDel = false;
    boolean didFind;
    String instanceARN;

    // Make sure that the database has been deleted.
    while (!isDataDel) {
        DescribeDbInstancesResponse response =
rdsClient.describeDBInstances();
        List<DBInstance> instanceList = response.dbInstances();
        int listSize = instanceList.size();
        didFind = false;
        int index = 1;
        for (DBInstance instance : instanceList) {
            instanceARN = instance.dbInstanceArn();
            if (instanceARN.compareTo(dbARN) == 0) {
                System.out.println(dbARN + " still exists");
                didFind = true;
            }
            if ((index == listSize) && (!didFind)) {
                // Went through the entire list and did not find the
database ARN.
                isDataDel = true;
            }
            Thread.sleep(sleepTime * 1000);
            index++;
        }
    }

    // Delete the para group.
    DeleteDbParameterGroupRequest parameterGroupRequest =
DeleteDbParameterGroupRequest.builder()
    .dbParameterGroupName(dbGroupName)
```

```
        .build();

        rdsClient.deleteDBParameterGroup(parameterGroupRequest);
        System.out.println(dbGroupName + " was deleted.");

    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}

// Delete the DB instance.
public static void deleteDatabaseInstance(RdsClient rdsClient, String dbInstanceIdentifier) {
    try {
        DeleteDbInstanceRequest deleteDbInstanceRequest =
DeleteDbInstanceRequest.builder()
            .dbInstanceIdentifier(dbInstanceIdentifier)
            .deleteAutomatedBackups(true)
            .skipFinalSnapshot(true)
            .build();

        DeleteDbInstanceResponse response =
rdsClient.deleteDBInstance(deleteDbInstanceRequest);
        System.out.print("The status of the database is " +
response.dbInstance().dbInstanceState());

    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}

// Waits until the snapshot instance is available.
public static void waitForSnapshotReady(RdsClient rdsClient, String dbInstanceIdentifier,
                                         String dbSnapshotIdentifier) {
    try {
        boolean snapshotReady = false;
        String snapshotReadyStr;
        System.out.println("Waiting for the snapshot to become available.");

        DescribeDbSnapshotsRequest snapshotsRequest =
DescribeDbSnapshotsRequest.builder()
```

```
        .dbSnapshotIdentifier(dbSnapshotIdentifier)
        .dbInstanceIdentifier(dbInstanceIdentifier)
        .build();

    while (!snapshotReady) {
        DescribeDbSnapshotsResponse response =
rdsClient.describeDBSnapshots(snapshotsRequest);
        List<DBSnapshot> snapshotList = response.dbSnapshots();
        for (DBSnapshot snapshot : snapshotList) {
            snapshotReadyStr = snapshot.status();
            if (snapshotReadyStr.contains("available")) {
                snapshotReady = true;
            } else {
                System.out.print(".");
                Thread.sleep(sleepTime * 1000);
            }
        }
    }

    System.out.println("The Snapshot is available!");
} catch (RdsException | InterruptedException e) {
    System.out.println(e.getLocalizedMessage());
    System.exit(1);
}
}

// Create an Amazon RDS snapshot.
public static void createSnapshot(RdsClient rdsClient, String
dbInstanceIdentifier, String dbSnapshotIdentifier) {
    try {
        CreateDbSnapshotRequest snapshotRequest =
CreateDbSnapshotRequest.builder()
        .dbInstanceIdentifier(dbInstanceIdentifier)
        .dbSnapshotIdentifier(dbSnapshotIdentifier)
        .build();

        CreateDbSnapshotResponse response =
rdsClient.createDBSnapshot(snapshotRequest);
        System.out.println("The Snapshot id is " +
response.dbSnapshot().dbiResourceId());

    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}
```

```
        }

    }

    // Waits until the database instance is available.
    public static void waitForInstanceReady(RdsClient rdsClient, String dbInstanceIdentifier) {
        boolean instanceReady = false;
        String instanceReadyStr;
        System.out.println("Waiting for instance to become available.");
        try {
            DescribeDbInstancesRequest instanceRequest =
DescribeDbInstancesRequest.builder()
                .dbInstanceIdentifier(dbInstanceIdentifier)
                .build();

            String endpoint = "";
            while (!instanceReady) {
                DescribeDbInstancesResponse response =
rdsClient.describeDBInstances(instanceRequest);
                List<DBInstance> instanceList = response.dbInstances();
                for (DBInstance instance : instanceList) {
                    instanceReadyStr = instance.dbInstanceState();
                    if (instanceReadyStr.contains("available")) {
                        endpoint = instance.endpoint().address();
                        instanceReady = true;
                    } else {
                        System.out.print(".");
                        Thread.sleep(sleepTime * 1000);
                    }
                }
            }
            System.out.println("Database instance is available! The connection
endpoint is " + endpoint);
        } catch (RdsException | InterruptedException e) {
            System.err.println(e.getMessage());
            System.exit(1);
        }
    }

    // Create a database instance and return the ARN of the database.
    public static String createDatabaseInstance(RdsClient rdsClient,
                                                String dbGroupName,
                                                String dbInstanceIdentifier,
```

```
        String dbName,
        String masterUsername,
        String masterUserPassword) {

    try {
        CreateDbInstanceRequest instanceRequest =
CreateDbInstanceRequest.builder()
            .dbInstanceIdentifier(dbInstanceIdentifier)
            .allocatedStorage(100)
            .dbName(dbName)
            .dbParameterGroupName(dbGroupName)
            .engine("mysql")
            .dbInstanceClass("db.m4.large")
            .engineVersion("8.0")
            .storageType("standard")
            .masterUsername(masterUsername)
            .masterUserPassword(masterUserPassword)
            .build();

        CreateDbInstanceResponse response =
rdsClient.createDBInstance(instanceRequest);
        System.out.print("The status is " +
response.dbInstance().dbInstanceState());
        return response.dbInstance().dbInstanceArn();
    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }

    return "";
}

// Get a list of micro instances.
public static void getMicroInstances(RdsClient rdsClient) {
    try {
        DescribeOrderableDbInstanceOptionsRequest dbInstanceOptionsRequest =
DescribeOrderableDbInstanceOptionsRequest
            .builder()
            .engine("mysql")
            .build();

        DescribeOrderableDbInstanceOptionsResponse response = rdsClient
            .describeOrderableDBInstanceOptions(dbInstanceOptionsRequest);
```

```
        List<OrderableDBInstanceOption> orderableDBInstances =
response.orderableDBInstanceOptions();
        for (OrderableDBInstanceOption dbInstanceOption : orderableDBInstances)
{
            System.out.println("The engine version is " +
dbInstanceOption.engineVersion());
            System.out.println("The engine description is " +
dbInstanceOption.engine());
        }

    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}

// Get a list of allowed engine versions.
public static void getAllowedEngines(RdsClient rdsClient, String
dbParameterGroupFamily) {
    try {
        DescribeDbEngineVersionsRequest versionsRequest =
DescribeDbEngineVersionsRequest.builder()
            .dbParameterGroupFamily(dbParameterGroupFamily)
            .engine("mysql")
            .build();

        DescribeDbEngineVersionsResponse response =
rdsClient.describeDBEngineVersions(versionsRequest);
        List<DBEngineVersion> dbEngines = response.dbEngineVersions();
        for (DBEngineVersion dbEngine : dbEngines) {
            System.out.println("The engine version is " +
dbEngine.engineVersion());
            System.out.println("The engine description is " +
dbEngine.dbEngineDescription());
        }

    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}

// Modify auto_increment_offset and auto_increment_increment parameters.
public static void modifyDBParas(RdsClient rdsClient, String dbGroupName) {
```

```
try {
    Parameter parameter1 = Parameter.builder()
        .parameterName("auto_increment_offset")
        .applyMethod("immediate")
        .parameterValue("5")
        .build();

    List<Parameter> paraList = new ArrayList<>();
    paraList.add(parameter1);
    ModifyDbParameterGroupRequest groupRequest =
    ModifyDbParameterGroupRequest.builder()
        .dbParameterGroupName(dbGroupName)
        .parameters(paraList)
        .build();

    ModifyDbParameterGroupResponse response =
rdsClient.modifyDBParameterGroup(groupRequest);
    System.out.println("The parameter group " +
response.dbParameterGroupName() + " was successfully modified");

} catch (RdsException e) {
    System.out.println(e.getLocalizedMessage());
    System.exit(1);
}
}

// Retrieve parameters in the group.
public static void describeDbParameters(RdsClient rdsClient, String dbGroupName,
int flag) {
    try {
        DescribeDbParametersRequest dbParameterGroupsRequest;
        if (flag == 0) {
            dbParameterGroupsRequest = DescribeDbParametersRequest.builder()
                .dbParameterGroupName(dbGroupName)
                .build();
        } else {
            dbParameterGroupsRequest = DescribeDbParametersRequest.builder()
                .dbParameterGroupName(dbGroupName)
                .source("user")
                .build();
        }

        DescribeDbParametersResponse response =
rdsClient.describeDBParameters(dbParameterGroupsRequest);
```

```
        List<Parameter> dbParameters = response.parameters();
        String paraName;
        for (Parameter para : dbParameters) {
            // Only print out information about either auto_increment_offset or
            // auto_increment_increment.
            paraName = para.parameterName();
            if ((paraName.compareTo("auto_increment_offset") == 0)
                || (paraName.compareTo("auto_increment_increment ") == 0)) {
                System.out.println("**** The parameter name is " + paraName);
                System.out.println("**** The parameter value is " +
para.parameterValue());
                System.out.println("**** The parameter data type is " +
para.dataType());
                System.out.println("**** The parameter description is " +
para.description());
                System.out.println("**** The parameter allowed values is " +
para.allowedValues());
            }
        }

    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}

public static void describeDbParameterGroups(RdsClient rdsClient, String
dbGroupName) {
    try {
        DescribeDbParameterGroupsRequest groupsRequest =
DescribeDbParameterGroupsRequest.builder()
            .dbParameterGroupName(dbGroupName)
            .maxRecords(20)
            .build();

        DescribeDbParameterGroupsResponse response =
rdsClient.describeDBParameterGroups(groupsRequest);
        List<DBParameterGroup> groups = response.dbParameterGroups();
        for (DBParameterGroup group : groups) {
            System.out.println("The group name is " +
group.dbParameterGroupName());
            System.out.println("The group description is " +
group.description());
        }
    }
}
```

```
        } catch (RdsException e) {
            System.out.println(e.getLocalizedMessage());
            System.exit(1);
        }
    }

    public static void createDBParameterGroup(RdsClient rdsClient, String dbGroupName, String dbParameterGroupFamily) {
        try {
            CreateDbParameterGroupRequest groupRequest =
CreateDbParameterGroupRequest.builder()
                .dbParameterGroupName(dbGroupName)
                .dbParameterGroupFamily(dbParameterGroupFamily)
                .description("Created by using the AWS SDK for Java")
                .build();

            CreateDbParameterGroupResponse response =
rdsClient.createDBParameterGroup(groupRequest);
            System.out.println("The group name is " +
response.dbParameterGroup().dbParameterGroupName());

        } catch (RdsException e) {
            System.out.println(e.getLocalizedMessage());
            System.exit(1);
        }
    }

    public static void describeDBEngines(RdsClient rdsClient) {
        try {
            DescribeDbEngineVersionsRequest engineVersionsRequest =
DescribeDbEngineVersionsRequest.builder()
                .defaultOnly(true)
                .engine("mysql")
                .maxRecords(20)
                .build();

            DescribeDbEngineVersionsResponse response =
rdsClient.describeDBEngineVersions(engineVersionsRequest);
            List<DBEngineVersion> engines = response.dbEngineVersions();

            // Get all DBEngineVersion objects.
            for (DBEngineVersion engineOb : engines) {
```

```
        System.out.println("The name of the DB parameter group family for  
the database engine is "  
                + engine0b.dbParameterGroupFamily());  
        System.out.println("The name of the database engine " +  
engine0b.engine());  
        System.out.println("The version number of the database engine " +  
engine0b.engineVersion());  
    }  
  
} catch (RdsException e) {  
    System.out.println(e.getLocalizedMessage());  
    System.exit(1);  
}  
}  
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.
 - [CreateDBInstance](#)
 - [CreateDBParameterGroup](#)
 - [CreateDBSnapshot](#)
 - [DeleteDBInstance](#)
 - [DeleteDBParameterGroup](#)
 - [DescribeDBEngineVersions](#)
 - [DescribeDBInstances](#)
 - [DescribeDBParameterGroups](#)
 - [DescribeDBParameters](#)
 - [DescribeDBSnapshots](#)
 - [DescribeOrderableDBInstanceOptions](#)
 - [ModifyDBParameterGroup](#)

Actions

CreateDBInstance

The following code example shows how to use CreateDBInstance.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import com.google.gson.Gson;
import
software.amazon.awssdk.auth.credentials.EnvironmentVariableCredentialsProvider;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rds.RdsClient;
import software.amazon.awssdk.services.rds.model.DescribeDbInstancesRequest;
import software.amazon.awssdk.services.rds.model.CreateDbInstanceRequest;
import software.amazon.awssdk.services.rds.model.CreateDbInstanceResponse;
import software.amazon.awssdk.services.rds.model.RdsException;
import software.amazon.awssdk.services.rds.model.DescribeDbInstancesResponse;
import software.amazon.awssdk.services.rds.model.DBInstance;
import software.amazon.awssdk.services.secretsmanager.SecretsManagerClient;
import software.amazon.awssdk.services.secretsmanager.model.GetSecretValueRequest;
import software.amazon.awssdk.services.secretsmanager.model.GetSecretValueResponse;

import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 *
 * This example requires an AWS Secrets Manager secret that contains the
 * database credentials. If you do not create a
 * secret, this example will not work. For more details, see:
 *
 * https://docs.aws.amazon.com/secretsmanager/latest/userguide/integrating\_how-services-use-secrets\_RS.html
 *
 */

```

```
public class CreateDBInstance {  
    public static long sleepTime = 20;  
  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:  
                <dbInstanceIdentifier> <dbName> <secretName>  
  
            Where:  
                dbInstanceIdentifier - The database instance identifier.\s  
                dbName - The database name.\s  
                secretName - The name of the AWS Secrets Manager secret that  
contains the database credentials."  
        """;  
  
        if (args.length != 3) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String dbInstanceIdentifier = args[0];  
        String dbName = args[1];  
        String secretName = args[2];  
        Gson gson = new Gson();  
        User user = gson.fromJson(String.valueOf(getSecretValues(secretName)),  
User.class);  
        Region region = Region.US_WEST_2;  
        RdsClient rdsClient = RdsClient.builder()  
            .region(region)  
            .build();  
  
        createDatabaseInstance(rdsClient, dbInstanceIdentifier, dbName,  
user.getUsername(), user.getPassword());  
        waitForInstanceReady(rdsClient, dbInstanceIdentifier);  
        rdsClient.close();  
    }  
  
    private static SecretsManagerClient getSecretClient() {  
        Region region = Region.US_WEST_2;  
        return SecretsManagerClient.builder()  
            .region(region)
```

```
.credentialsProvider(EnvironmentVariableCredentialsProvider.create())
    .build();
}

private static String getSecretValues(String secretName) {
    SecretsManagerClient secretClient = getSecretClient();
    GetSecretValueRequest valueRequest = GetSecretValueRequest.builder()
        .secretId(secretName)
        .build();

    GetSecretValueResponse valueResponse =
secretClient.getSecretValue(valueRequest);
    return valueResponse.secretString();
}

public static void createDatabaseInstance(RdsClient rdsClient,
    String dbInstanceIdentifier,
    String dbName,
    String userName,
    String userPassword) {

    try {
        CreateDbInstanceRequest instanceRequest =
CreateDbInstanceRequest.builder()
        .dbInstanceIdentifier(dbInstanceIdentifier)
        .allocatedStorage(100)
        .dbName(dbName)
        .engine("mysql")
        .dbInstanceClass("db.m4.large")
        .engineVersion("8.0")
        .storageType("standard")
        .masterUsername(userName)
        .masterUserPassword(userPassword)
        .build();

        CreateDbInstanceResponse response =
rdsClient.createDBInstance(instanceRequest);
        System.out.print("The status is " +
response.dbInstance().dbInstanceState());
    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}
```

```
        }

    }

    // Waits until the database instance is available.
    public static void waitForInstanceReady(RdsClient rdsClient, String dbInstanceIdentifier) {
        boolean instanceReady = false;
        String instanceReadyStr;
        System.out.println("Waiting for instance to become available.");
        try {
            DescribeDbInstancesRequest instanceRequest =
DescribeDbInstancesRequest.builder()
                .dbInstanceIdentifier(dbInstanceIdentifier)
                .build();

            // Loop until the cluster is ready.
            while (!instanceReady) {
                DescribeDbInstancesResponse response =
rdsClient.describeDBInstances(instanceRequest);
                List<DBInstance> instanceList = response.dbInstances();
                for (DBInstance instance : instanceList) {
                    instanceReadyStr = instance.dbInstanceState();
                    if (instanceReadyStr.contains("available"))
                        instanceReady = true;
                    else {
                        System.out.print(".");
                        Thread.sleep(sleepTime * 1000);
                    }
                }
            }
            System.out.println("Database instance is available!");

        } catch (RdsException | InterruptedException e) {
            System.err.println(e.getMessage());
            System.exit(1);
        }
    }
}
```

- For API details, see [CreateDBInstance](#) in *AWS SDK for Java 2.x API Reference*.

CreateDBParameterGroup

The following code example shows how to use CreateDBParameterGroup.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void createDBParameterGroup(RdsClient rdsClient, String dbGroupName, String dbParameterGroupFamily) {
    try {
        CreateDbParameterGroupRequest groupRequest =
CreateDbParameterGroupRequest.builder()
        .dbParameterGroupName(dbGroupName)
        .dbParameterGroupFamily(dbParameterGroupFamily)
        .description("Created by using the AWS SDK for Java")
        .build();

        CreateDbParameterGroupResponse response =
rdsClient.createDBParameterGroup(groupRequest);
        System.out.println("The group name is " +
response.dbParameterGroup().dbParameterGroupName());

    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}
```

- For API details, see [CreateDBParameterGroup](#) in *AWS SDK for Java 2.x API Reference*.

CreateDBSnapshot

The following code example shows how to use CreateDBSnapshot.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
// Create an Amazon RDS snapshot.
public static void createSnapshot(RdsClient rdsClient, String
dbInstanceIdentifier, String dbSnapshotIdentifier) {
    try {
        CreateDbSnapshotRequest snapshotRequest =
CreateDbSnapshotRequest.builder()
            .dbInstanceIdentifier(dbInstanceIdentifier)
            .dbSnapshotIdentifier(dbSnapshotIdentifier)
            .build();

        CreateDbSnapshotResponse response =
rdsClient.createDBSnapshot(snapshotRequest);
        System.out.println("The Snapshot id is " +
response.dbSnapshot().dbiResourceId());

    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}
```

- For API details, see [CreateDBSnapshot](#) in *AWS SDK for Java 2.x API Reference*.

DeleteDBInstance

The following code example shows how to use DeleteDBInstance.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rds.RdsClient;
import software.amazon.awssdk.services.rds.model.DeleteDbInstanceRequest;
import software.amazon.awssdk.services.rds.model.DeleteDbInstanceResponse;
import software.amazon.awssdk.services.rds.model.RdsException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DeleteDBInstance {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <dbInstanceIdentifier>\s

            Where:
            dbInstanceIdentifier - The database instance identifier\s
            """;
        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String dbInstanceIdentifier = args[0];
        Region region = Region.US_WEST_2;
        RdsClient rdsClient = RdsClient.builder()
            .region(region)
```

```
        .build();

    deleteDatabaseInstance(rdsClient, dbInstanceIdentifier);
    rdsClient.close();
}

public static void deleteDatabaseInstance(RdsClient rdsClient, String
dbInstanceIdentifier) {
    try {
        DeleteDbInstanceRequest deleteDbInstanceRequest =
DeleteDbInstanceRequest.builder()
            .dbInstanceIdentifier(dbInstanceIdentifier)
            .deleteAutomatedBackups(true)
            .skipFinalSnapshot(true)
            .build();

        DeleteDbInstanceResponse response =
rdsClient.deleteDBInstance(deleteDbInstanceRequest);
        System.out.print("The status of the database is " +
response.dbInstance().dbInstanceState());
    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [DeleteDBInstance](#) in *AWS SDK for Java 2.x API Reference*.

DeleteDBParameterGroup

The following code example shows how to use DeleteDBParameterGroup.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
// Delete the parameter group after database has been deleted.  
// An exception is thrown if you attempt to delete the para group while database  
// exists.  
public static void deleteParaGroup(RdsClient rdsClient, String dbGroupName,  
String dbARN)  
    throws InterruptedException {  
    try {  
        boolean isDataDel = false;  
        boolean didFind;  
        String instanceARN;  
  
        // Make sure that the database has been deleted.  
        while (!isDataDel) {  
            DescribeDbInstancesResponse response =  
rdsClient.describeDBInstances();  
            List<DBInstance> instanceList = response.dbInstances();  
            int listSize = instanceList.size();  
            didFind = false;  
            int index = 1;  
            for (DBInstance instance : instanceList) {  
                instanceARN = instance.dbInstanceArn();  
                if (instanceARN.compareTo(dbARN) == 0) {  
                    System.out.println(dbARN + " still exists");  
                    didFind = true;  
                }  
                if ((index == listSize) && (!didFind)) {  
                    // Went through the entire list and did not find the  
database ARN.  
                    isDataDel = true;  
                }  
                Thread.sleep(sleepTime * 1000);  
                index++;  
            }  
        }  
  
        // Delete the para group.  
        DeleteDbParameterGroupRequest parameterGroupRequest =  
DeleteDbParameterGroupRequest.builder()  
            .dbParameterGroupName(dbGroupName)  
            .build();  
  
        rdsClient.deleteDBParameterGroup(parameterGroupRequest);  
        System.out.println(dbGroupName + " was deleted.");  
    }  
}
```

```
        } catch (RdsException e) {
            System.out.println(e.getLocalizedMessage());
            System.exit(1);
        }
    }
```

- For API details, see [DeleteDBParameterGroup](#) in *AWS SDK for Java 2.x API Reference*.

DescribeAccountAttributes

The following code example shows how to use `DescribeAccountAttributes`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rds.RdsClient;
import software.amazon.awssdk.services.rds.model.AccountQuota;
import software.amazon.awssdk.services.rds.model.RdsException;
import software.amazon.awssdk.services.rds.model.DescribeAccountAttributesResponse;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DescribeAccountAttributes {
    public static void main(String[] args) {
        Region region = Region.US_WEST_2;
        RdsClient rdsClient = RdsClient.builder()
            .region(region)
```

```
        .build();

    getAccountAttributes(rdsClient);
    rdsClient.close();
}

public static void getAccountAttributes(RdsClient rdsClient) {
    try {
        DescribeAccountAttributesResponse response =
rdsClient.describeAccountAttributes();
        List<AccountQuota> quotasList = response.accountQuotas();
        for (AccountQuota quotas : quotasList) {
            System.out.println("Name is: " + quotas.accountQuotaName());
            System.out.println("Max value is " + quotas.max());
        }
    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [DescribeAccountAttributes](#) in *AWS SDK for Java 2.x API Reference*.

DescribeDBEngineVersions

The following code example shows how to use `DescribeDBEngineVersions`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void describeDBEngines(RdsClient rdsClient) {
    try {
        DescribeDbEngineVersionsRequest engineVersionsRequest =
DescribeDbEngineVersionsRequest.builder()
```

```
.defaultOnly(true)
.engine("mysql")
.maxRecords(20)
.build();

DescribeDbEngineVersionsResponse response =
rdsClient.describeDBEngineVersions(engineVersionsRequest);
List<DBEngineVersion> engines = response.dbEngineVersions();

// Get all DBEngineVersion objects.
for (DBEngineVersion engine0b : engines) {
    System.out.println("The name of the DB parameter group family for
the database engine is "
        + engine0b.dbParameterGroupFamily());
    System.out.println("The name of the database engine " +
engine0b.engine());
    System.out.println("The version number of the database engine " +
engine0b.engineVersion());
}

} catch (RdsException e) {
    System.out.println(e.getLocalizedMessage());
    System.exit(1);
}
}
```

- For API details, see [DescribeDBEngineVersions](#) in *AWS SDK for Java 2.x API Reference*.

DescribeDBInstances

The following code example shows how to use `DescribeDBInstances`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
```

```
import software.amazon.awssdk.services.rds.RdsClient;
import software.amazon.awssdk.services.rds.model.DescribeDbInstancesResponse;
import software.amazon.awssdk.services.rds.model.DBInstance;
import software.amazon.awssdk.services.rds.model.RdsException;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DescribeDBInstances {

    public static void main(String[] args) {
        Region region = Region.US_EAST_1;
        RdsClient rdsClient = RdsClient.builder()
            .region(region)
            .build();

        describeInstances(rdsClient);
        rdsClient.close();
    }

    public static void describeInstances(RdsClient rdsClient) {
        try {
            DescribeDbInstancesResponse response = rdsClient.describeDBInstances();
            List<DBInstance> instanceList = response.dbInstances();
            for (DBInstance instance : instanceList) {
                System.out.println("Instance ARN is: " + instance.dbInstanceArn());
                System.out.println("The Engine is " + instance.engine());
                System.out.println("Connection endpoint is" +
instance.endpoint().address());
            }
        } catch (RdsException e) {
            System.out.println(e.getLocalizedMessage());
            System.exit(1);
        }
    }
}
```

- For API details, see [DescribeDBInstances](#) in *AWS SDK for Java 2.x API Reference*.

DescribeDBParameterGroups

The following code example shows how to use `DescribeDBParameterGroups`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void describeDbParameterGroups(RdsClient rdsClient, String dbGroupName) {
    try {
        DescribeDbParameterGroupsRequest groupsRequest =
DescribeDbParameterGroupsRequest.builder()
            .dbParameterGroupName(dbGroupName)
            .maxRecords(20)
            .build();

        DescribeDbParameterGroupsResponse response =
rdsClient.describeDBParameterGroups(groupsRequest);
        List<DBParameterGroup> groups = response.dbParameterGroups();
        for (DBParameterGroup group : groups) {
            System.out.println("The group name is " +
group.dbParameterGroupName());
            System.out.println("The group description is " +
group.description());
        }
    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}
```

- For API details, see [DescribeDBParameterGroups](#) in *AWS SDK for Java 2.x API Reference*.

DescribeDBParameters

The following code example shows how to use `DescribeDBParameters`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
// Retrieve parameters in the group.
public static void describeDbParameters(RdsClient rdsClient, String dbGroupName,
int flag) {
    try {
        DescribeDbParametersRequest dbParameterGroupsRequest;
        if (flag == 0) {
            dbParameterGroupsRequest = DescribeDbParametersRequest.builder()
                .dbParameterGroupName(dbGroupName)
                .build();
        } else {
            dbParameterGroupsRequest = DescribeDbParametersRequest.builder()
                .dbParameterGroupName(dbGroupName)
                .source("user")
                .build();
        }

        DescribeDbParametersResponse response =
rdsClient.describeDBParameters(dbParameterGroupsRequest);
        List<Parameter> dbParameters = response.parameters();
        String paraName;
        for (Parameter para : dbParameters) {
            // Only print out information about either auto_increment_offset or
            // auto_increment_increment.
            paraName = para.parameterName();
            if ((paraName.compareTo("auto_increment_offset") == 0)
                || (paraName.compareTo("auto_increment_increment ") == 0)) {
                System.out.println("*** The parameter name is " + paraName);
            }
        }
    }
}
```

```
        System.out.println("**** The parameter value is " +
para.parameterValue());
        System.out.println("**** The parameter data type is " +
para.dataType());
        System.out.println("**** The parameter description is " +
para.description());
        System.out.println("**** The parameter allowed values is " +
para.allowedValues());
    }
}

} catch (RdsException e) {
    System.out.println(e.getLocalizedMessage());
    System.exit(1);
}
}
```

- For API details, see [DescribeDBParameters](#) in *AWS SDK for Java 2.x API Reference*.

GenerateRDSAuthToken

The following code example shows how to use `GenerateRDSAuthToken`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Use the [RdsUtilities](#) class to generate an authentication token.

```
public class GenerateRDSAuthToken {
    public static void main(String[] args) {
        final String usage = """
Usage:
<dbInstanceIdentifier> <masterUsername>

Where:
```

```
        dbInstanceIdentifier - The database instance identifier.\s
        masterUsername - The master user name.\s
    """;

    if (args.length != 2) {
        System.out.println(usage);
        System.exit(1);
    }

    String dbInstanceIdentifier = args[0];
    String masterUsername = args[1];
    Region region = Region.US_WEST_2;
    RdsClient rdsClient = RdsClient.builder()
        .region(region)
        .build();

    String token = getAuthToken(rdsClient, dbInstanceIdentifier,
masterUsername);
    System.out.println("The token response is " + token);
}

public static String getAuthToken(RdsClient rdsClient, String
dbInstanceIdentifier, String masterUsername) {

    RdsUtilities utilities = rdsClient.utilities();
    try {
        GenerateAuthenticationTokenRequest tokenRequest =
GenerateAuthenticationTokenRequest.builder()
            .credentialsProvider(ProfileCredentialsProvider.create())
            .username(masterUsername)
            .port(3306)
            .hostname(dbInstanceIdentifier)
            .build();

        return utilities.generateAuthenticationToken(tokenRequest);

    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
    return "";
}
```

- For API details, see [GenerateRDSAuthToken](#) in *AWS SDK for Java 2.x API Reference*.

ModifyDBInstance

The following code example shows how to use `ModifyDBInstance`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rds.RdsClient;
import software.amazon.awssdk.services.rds.model.ModifyDbInstanceRequest;
import software.amazon.awssdk.services.rds.model.ModifyDbInstanceResponse;
import software.amazon.awssdk.services.rds.model.RdsException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ModifyDBInstance {
    public static void main(String[] args) {
        final String usage = """
            Usage:
                <dbInstanceIdentifier> <dbSnapshotIdentifier>\s
            Where:
                dbInstanceIdentifier - The database instance identifier.\s
                masterUserPassword - The updated password that corresponds to
            the master user name.\s
            """;
    }
}
```

```
if (args.length != 2) {
    System.out.println(usage);
    System.exit(1);
}

String dbInstanceIdentifier = args[0];
String masterUserPassword = args[1];
Region region = Region.US_WEST_2;
RdsClient rdsClient = RdsClient.builder()
    .region(region)
    .build();

updateIntance(rdsClient, dbInstanceIdentifier, masterUserPassword);
rdsClient.close();
}

public static void updateIntance(RdsClient rdsClient, String
dbInstanceIdentifier, String masterUserPassword) {
    try {
        // For a demo - modify the DB instance by modifying the master password.
        ModifyDbInstanceRequest modifyDbInstanceRequest =
ModifyDbInstanceRequest.builder()
            .dbInstanceIdentifier(dbInstanceIdentifier)
            .publiclyAccessible(true)
            .masterUserPassword(masterUserPassword)
            .build();

        ModifyDbInstanceResponse instanceResponse =
rdsClient.modifyDBInstance(modifyDbInstanceRequest);
        System.out.print("The ARN of the modified database is: " +
instanceResponse.dbInstance().dbInstanceArn());

    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [ModifyDBInstance](#) in *AWS SDK for Java 2.x API Reference*.

ModifyDBParameterGroup

The following code example shows how to use `ModifyDBParameterGroup`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
// Modify auto_increment_offset and auto_increment_increment parameters.
public static void modifyDBParas(RdsClient rdsClient, String dbGroupName) {
    try {
        Parameter parameter1 = Parameter.builder()
            .parameterName("auto_increment_offset")
            .applyMethod("immediate")
            .parameterValue("5")
            .build();

        List<Parameter> paraList = new ArrayList<>();
        paraList.add(parameter1);
        ModifyDbParameterGroupRequest groupRequest =
        ModifyDbParameterGroupRequest.builder()
            .dBParameterGroupName(dbGroupName)
            .parameters(paraList)
            .build();

        ModifyDbParameterGroupResponse response =
        rdsClient.modifyDBParameterGroup(groupRequest);
        System.out.println("The parameter group " +
response.dBParameterGroupName() + " was successfully modified");

    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}
```

- For API details, see [ModifyDBParameterGroup](#) in *AWS SDK for Java 2.x API Reference*.

RebootDBInstance

The following code example shows how to use RebootDBInstance.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rds.RdsClient;
import software.amazon.awssdk.services.rds.model.RebootDbInstanceRequest;
import software.amazon.awssdk.services.rds.model.RebootDbInstanceResponse;
import software.amazon.awssdk.services.rds.model.RdsException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class RebootDBInstance {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <dbInstanceIdentifier>\s
            Where:
            dbInstanceIdentifier - The database instance identifier\s
            """;
        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }
        String dbInstanceIdentifier = args[0];
```

```
Region region = Region.US_WEST_2;
RdsClient rdsClient = RdsClient.builder()
    .region(region)
    .build();

rebootInstance(rdsClient, dbInstanceIdentifier);
rdsClient.close();
}

public static void rebootInstance(RdsClient rdsClient, String
dbInstanceIdentifier) {
    try {
        RebootDbInstanceRequest rebootDbInstanceRequest =
RebootDbInstanceRequest.builder()
            .dbInstanceIdentifier(dbInstanceIdentifier)
            .build();

        RebootDbInstanceResponse instanceResponse =
rdsClient.rebootDBInstance(rebootDbInstanceRequest);
        System.out.print("The database " +
instanceResponse.dbInstance().dbInstanceArn() + " was rebooted");

    } catch (RdsException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [RebootDBInstance](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Create an Aurora Serverless work item tracker

The following code example shows how to create a web application that tracks work items in an Amazon Aurora Serverless database and uses Amazon Simple Email Service (Amazon SES) to send reports.

SDK for Java 2.x

Shows how to create a web application that tracks and reports on work items stored in an Amazon RDS database.

For complete source code and instructions on how to set up a Spring REST API that queries Amazon Aurora Serverless data and for use by a React application, see the full example on [GitHub](#).

For complete source code and instructions on how to set up and run an example that uses the JDBC API, see the full example on [GitHub](#).

Services used in this example

- Aurora
- Amazon RDS
- Amazon RDS Data Service
- Amazon SES

Serverless examples

Connecting to an Amazon RDS database in a Lambda function

The following code example shows how to implement a Lambda function that connects to an RDS database. The function makes a simple database request and returns the result.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [Serverless examples](#) repository.

Connecting to an Amazon RDS database in a Lambda function using Java.

```
import com.amazonaws.services.lambda.runtime.Context;
import com.amazonaws.services.lambda.runtime.RequestHandler;
import com.amazonaws.services.lambda.runtime.events.APIGatewayProxyRequestEvent;
import com.amazonaws.services.lambda.runtime.events.APIGatewayProxyResponseEvent;
import software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider;
```

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rdsdata.RdsDataClient;
import software.amazon.awssdk.services.rdsdata.model.ExecuteStatementRequest;
import software.amazon.awssdk.services.rdsdata.model.ExecuteStatementResponse;
import software.amazon.awssdk.services.rdsdata.model.Field;

import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.PreparedStatement;
import java.sql.ResultSet;

public class RdsLambdaHandler implements RequestHandler<APIGatewayProxyRequestEvent,
    APIGatewayProxyResponseEvent> {

    @Override
    public APIGatewayProxyResponseEvent handleRequest(APIGatewayProxyRequestEvent event, Context context) {
        APIGatewayProxyResponseEvent response = new APIGatewayProxyResponseEvent();

        try {
            // Obtain auth token
            String token = createAuthToken();

            // Define connection configuration
            String connectionString = String.format("jdbc:mysql://%" + System.getenv("ProxyHostName") + ":" + System.getenv("Port") + "/" + System.getenv("DBName") +
useSSL=true&requireSSL=true",
                System.getenv("ProxyHostName"),
                System.getenv("Port"),
                System.getenv("DBName"));

            // Establish a connection to the database
            try (Connection connection =
DriverManager.getConnection(connectionString, System.getenv("DBUserName"), token);
                PreparedStatement statement = connection.prepareStatement("SELECT ? + ? AS sum")) {

                statement.setInt(1, 3);
                statement.setInt(2, 2);

                try (ResultSet resultSet = statement.executeQuery()) {
                    if (resultSet.next()) {
                        int sum = resultSet.getInt("sum");
                        response.setStatusCode(200);
                        response.setBody("The selected sum is: " + sum);
                    }
                }
            }
        }
    }
}
```

```
        }
    }

} catch (Exception e) {
    response.setStatusCode(500);
    response.setBody("Error: " + e.getMessage());
}

return response;
}

private String createAuthToken() {
    // Create RDS Data Service client
    RdsDataClient rdsDataClient = RdsDataClient.builder()
        .region(Region.of(System.getenv("AWS_REGION")))
        .credentialsProvider(DefaultCredentialsProvider.create())
        .build();

    // Define authentication request
    ExecuteStatementRequest request = ExecuteStatementRequest.builder()
        .resourceArn(System.getenv("ProxyHostName"))
        .secretArn(System.getenv("DBUserName"))
        .database(System.getenv("DBName"))
        .sql("SELECT 'RDS IAM Authentication'")
        .build();

    // Execute request and obtain authentication token
    ExecuteStatementResponse response = rdsDataClient.executeStatement(request);
    Field tokenField = response.records().get(0).get(0);

    return tokenField.stringValue();
}
}
```

Amazon RDS Data Service examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon RDS Data Service.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Scenarios](#)

Scenarios

Create an Aurora Serverless work item tracker

The following code example shows how to create a web application that tracks work items in an Amazon Aurora Serverless database and uses Amazon Simple Email Service (Amazon SES) to send reports.

SDK for Java 2.x

Shows how to create a web application that tracks and reports on work items stored in an Amazon RDS database.

For complete source code and instructions on how to set up a Spring REST API that queries Amazon Aurora Serverless data and for use by a React application, see the full example on [GitHub](#).

For complete source code and instructions on how to set up and run an example that uses the JDBC API, see the full example on [GitHub](#).

Services used in this example

- Aurora
- Amazon RDS
- Amazon RDS Data Service
- Amazon SES

Amazon Redshift examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon Redshift.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello Amazon Redshift

The following code examples show how to get started using Amazon Redshift.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.redshift.RedshiftClient;
import software.amazon.awssdk.services.redshift.paginators.DescribeClustersIterable;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
```

```
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
*/
public class HelloRedshift {
    public static void main(String[] args) {
        Region region = Region.US_EAST_1;
        RedshiftClient redshiftClient = RedshiftClient.builder()
            .region(region)
            .build();

        listClustersPaginator(redshiftClient);
    }

    public static void listClustersPaginator(RedshiftClient redshiftClient) {
        DescribeClustersIterable clustersIterable =
        redshiftClient.describeClustersPaginator();
        clustersIterable.stream()
            .flatMap(r -> r.clusters().stream())
            .forEach(cluster -> System.out
                .println(" Cluster identifier: " + cluster.clusterIdentifier() + " "
status = " + cluster.clusterStatus()));
    }
}
```

- For API details, see [DescribeClusters](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Basics](#)
- [Actions](#)
- [Scenarios](#)

Basics

Learn the basics

The following code example shows how to learn core operations for Amazon Redshift using an AWS SDK.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Run an interactive scenario demonstrating Amazon Redshift features.

```
import com.example.redshift.User;
import com.google.gson.Gson;
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.redshift.model.ClusterAlreadyExistsException;
import software.amazon.awssdk.services.redshift.model.CreateClusterResponse;
import software.amazon.awssdk.services.redshift.model.DeleteClusterResponse;
import software.amazon.awssdk.services.redshift.model.ModifyClusterResponse;
import software.amazon.awssdk.services.redshift.model.RedshiftException;
import software.amazon.awssdk.services.redshiftdata.model.ExecuteStatementResponse;
import software.amazon.awssdk.services.redshiftdata.model.RedshiftDataException;
import java.util.Scanner;
import java.util.concurrent.CompletableFuture;
import software.amazon.awssdk.services.secretsmanager.SecretsManagerClient;
import software.amazon.awssdk.services.secretsmanager.model.GetSecretValueRequest;
import software.amazon.awssdk.services.secretsmanager.model.GetSecretValueResponse;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 *
 *
 * This example requires an AWS Secrets Manager secret that contains the
 * database credentials. If you do not create a
 * secret that specifies user name and password, this example will not work. For
 * details, see:
 *
```

```
* https://docs.aws.amazon.com/secretsmanager/latest/userguide/integrating_how-
services-use-secrets_RS.html
*
This Java example performs these tasks:
*
* 1. Prompts the user for a unique cluster ID or use the default value.
* 2. Creates a Redshift cluster with the specified or default cluster Id value.
* 3. Waits until the Redshift cluster is available for use.
* 4. Lists all databases using a pagination API call.
* 5. Creates a table named "Movies" with fields ID, title, and year.
* 6. Inserts a specified number of records into the "Movies" table by reading the
Movies JSON file.
* 7. Prompts the user for a movie release year.
* 8. Runs a SQL query to retrieve movies released in the specified year.
* 9. Modifies the Redshift cluster.
* 10. Prompts the user for confirmation to delete the Redshift cluster.
* 11. If confirmed, deletes the specified Redshift cluster.
*/
public class RedshiftScenario {
    public static final String DASHES = new String(new char[80]).replace("\0", "-");
    private static final Logger logger =
    LoggerFactory.getLogger(RedshiftScenario.class);

    static RedshiftActions redshiftActions = new RedshiftActions();
    public static void main(String[] args) throws Exception {
        final String usage = """
        Usage:
            <jsonFilePath> <secretName>\s

        Where:
            jsonFilePath - The path to the Movies JSON file (you can locate that
file in ../../resources/sample_files/movies.json)
            secretName - The name of the secret that belongs to Secret Manager
that stores the user name and password used in this scenario.
        """;

        if (args.length != 2) {
            logger.info(usage);
            return;
        }

        String jsonFilePath = args[0];
```

```
String secretName = args[1];
Scanner scanner = new Scanner(System.in);
logger.info(DASHES);
logger.info("Welcome to the Amazon Redshift SDK Basics scenario.");
logger.info("")  
This Java program demonstrates how to interact with Amazon Redshift by  
using the AWS SDK for Java (v2).\s
```

Amazon Redshift is a fully managed, petabyte-scale data warehouse service hosted in the cloud.

The program's primary functionalities include cluster creation, verification of cluster readiness,\s

list databases, table creation, data population within the table, and execution of SQL statements.

Furthermore, it demonstrates the process of querying data from the Movie table.\s

Upon completion of the program, all AWS resources are cleaned up.
""");

```
logger.info("Lets get started...");  
logger.info("")
```

First, we will retrieve the user name and password from Secrets Manager.

Using Amazon Secrets Manager to store Redshift credentials provides several security benefits.

It allows you to securely store and manage sensitive information, such as passwords, API keys, and

database credentials, without embedding them directly in your application code.

More information can be found here:

```
https://docs.aws.amazon.com/secretsmanager/latest/userguide/integrating\_how-services-use-secrets\_RS.html  
""");  
Gson gson = new Gson();  
User user = gson.fromJson(String.valueOf(getSecretValues(secretName)),  
User.class);  
waitForInputToContinue(scanner);  
logger.info(DASHES);  
  
try {  
    runScenario(user, scanner, jsonFilePath);
```

```
        } catch (RuntimeException e) {
            e.printStackTrace();
        } catch (Throwable e) {
            throw new RuntimeException(e);
        }
    }

    private static void runScenario(User user, Scanner scanner, String
jsonFilePath) throws Throwable {
    String databaseName = "dev";
    System.out.println(DASHES);
    logger.info("Create a Redshift Cluster");
    logger.info("A Redshift cluster refers to the collection of computing
resources and storage that work together to process and analyze large volumes of
data.");
    logger.info("Enter a cluster id value or accept the default by hitting Enter
(default is redshift-cluster-movies): ");
    String userClusterId = scanner.nextLine();
    String clusterId = userClusterId.isEmpty() ? "redshift-cluster-movies" :
userClusterId;
    try {
        CompletableFuture<CreateClusterResponse> future =
redshiftActions.createClusterAsync(clusterId, user.getUserName(),
user.getUserPassword());
        CreateClusterResponse response = future.join();
        logger.info("Cluster successfully created. Cluster Identifier {} ",
response.cluster().clusterIdentifier());
    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof ClusterAlreadyExistsException) {
            logger.info("The Cluster {} already exists. Moving on...", clusterId);
        } else {
            logger.info("An unexpected error occurred: " + rt.getMessage());
        }
    }
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("Wait until {} is available.", clusterId);
    waitForInputToContinue(scanner);
    try {
```

```
        CompletableFuture<Void> future =
redshiftActions.waitForClusterReadyAsync(clusterId);
        future.join();
        logger.info("Cluster is ready!");

    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof RedshiftException redshiftEx) {
            logger.info("Redshift error occurred: Error message: {}, Error code {}",
redshiftEx.getMessage(), redshiftEx.awsErrorDetails().errorCode());
        } else {
            logger.info("An unexpected error occurred: " + rt.getMessage());
        }
        throw cause;
    }
logger.info(DASHES);

logger.info(DASHES);
String databaseInfo = """
When you created $clusteridD, the dev database is created by default and
used in this scenario.\s

To create a custom database, you need to have a CREATEDB privilege.\s
For more information, see the documentation here: https://docs.aws.amazon.com/redshift/latest/dg/r\_CREATE\_DATABASE.html.
""".replace("$clusteridD", clusterId);

logger.info(databaseInfo);
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("List databases in {}",clusterId);
waitForInputToContinue(scanner);
try {
    CompletableFuture<Void> future =
redshiftActions.listAllDatabasesAsync(clusterId, user.getUserName(), "dev");
    future.join();
    logger.info("Databases listed successfully.");
}

} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof RedshiftDataException redshiftEx) {
```

```
        logger.error("Redshift Data error occurred: {} Error code: {}", redshiftEx.getMessage(), redshiftEx.awsErrorDetails().errorCode());
    } else {
        logger.error("An unexpected error occurred: {}", rt.getMessage());
    }
    throw cause;
}
logger.info(DASHES);

logger.info(DASHES);
logger.info("Now you will create a table named Movies.");
waitForInputToContinue(scanner);
try {
    CompletableFuture<ExecuteStatementResponse> future =
redshiftActions.createTableAsync(clusterId, databaseName, user.getUserName());
    future.join();

} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof RedshiftDataException redshiftEx) {
        logger.info("Redshift Data error occurred: {} Error code: {}", redshiftEx.getMessage(), redshiftEx.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: {}", rt.getMessage());
    }
    throw cause;
}
logger.info(DASHES);

logger.info(DASHES);
logger.info("Populate the Movies table using the Movies.json file.");
logger.info("Specify the number of records you would like to add to the
Movies Table.");
logger.info("Please enter a value between 50 and 200.");
int numRecords;
do {
    logger.info("Enter a value: ");
    while (!scanner.hasNextInt()) {
        logger.info("Invalid input. Please enter a value between 50 and
200.");
        logger.info("Enter a year: ");
        scanner.next();
    }
    numRecords = scanner.nextInt();
}
```

```
        } while (numRecords < 50 || numRecords > 200);
        try {
            redshiftActions.popTableAsync(clusterId, databaseName,
user.getUserName(), jsonFilePath, numRecords).join(); // Wait for the operation to
complete
        } catch (RuntimeException rt) {
            Throwable cause = rt.getCause();
            if (cause instanceof RedshiftDataException redshiftEx) {
                logger.info("Redshift Data error occurred: {} Error code: {}", redshiftEx.getMessage(),
redshiftEx.awsErrorDetails().errorCode());
            } else {
                logger.info("An unexpected error occurred: {}", rt.getMessage());
            }
            throw cause;
        }
        waitForInputToContinue(scanner);
        logger.info(DASHES);

        logger.info(DASHES);
        logger.info("Query the Movies table by year. Enter a value between
2012-2014.");
        int movieYear;
        do {
            logger.info("Enter a year: ");
            while (!scanner.hasNextInt()) {
                logger.info("Invalid input. Please enter a valid year between 2012
and 2014.");
                logger.info("Enter a year: ");
                scanner.next();
            }
            movieYear = scanner.nextInt();
            scanner.nextLine();
        } while (movieYear < 2012 || movieYear > 2014);

        String id;
        try {
            CompletableFuture<String> future =
redshiftActions.queryMoviesByYearAsync(databaseName, user.getUserName(), movieYear,
clusterId);
            id = future.join();

        } catch (RuntimeException rt) {
            Throwable cause = rt.getCause();
            if (cause instanceof RedshiftDataException redshiftEx) {
```

```
        logger.info("Redshift Data error occurred: {} Error code: {}",  
redshiftEx.getMessage(), redshiftEx.awsErrorDetails().errorCode());  
    } else {  
        logger.info("An unexpected error occurred: {}", rt.getMessage());  
    }  
    throw cause;  
}  
  
logger.info("The identifier of the statement is " + id);  
waitForInputToContinue(scanner);  
try {  
    CompletableFuture<Void> future =  
redshiftActions.checkStatementAsync(id);  
    future.join();  
  
} catch (RuntimeException rt) {  
    Throwable cause = rt.getCause();  
    if (cause instanceof RedshiftDataException redshiftEx) {  
        logger.info("Redshift Data error occurred: {} Error code: {}",  
redshiftEx.getMessage(), redshiftEx.awsErrorDetails().errorCode());  
    } else {  
        logger.info("An unexpected error occurred: {}", rt.getMessage());  
    }  
    throw cause;  
}  
waitForInputToContinue(scanner);  
try {  
    CompletableFuture<Void> future = redshiftActions.getResultsAsync(id);  
    future.join();  
  
} catch (RuntimeException rt) {  
    Throwable cause = rt.getCause();  
    if (cause instanceof RedshiftDataException redshiftEx) {  
        logger.info("Redshift Data error occurred: {} Error code: {}",  
redshiftEx.getMessage(), redshiftEx.awsErrorDetails().errorCode());  
    } else {  
        logger.info("An unexpected error occurred: {}", rt.getMessage());  
    }  
    throw cause;  
}  
waitForInputToContinue(scanner);  
logger.info(DASHES);  
  
logger.info(DASHES);
```

```
logger.info("Now you will modify the Redshift cluster.");
waitForInputToContinue(scanner);
try {
    CompletableFuture<ModifyClusterResponse> future =
redshiftActions.modifyClusterAsync(clusterId);;
    future.join();

} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof RedshiftDataException redshiftEx) {
        logger.info("Redshift Data error occurred: {} Error code: {}",
redshiftEx.getMessage(), redshiftEx.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: {}", rt.getMessage());
    }
    throw cause;
}
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("Would you like to delete the Amazon Redshift cluster? (y/n)");
String delAns = scanner.nextLine().trim();
if (delAns.equalsIgnoreCase("y")) {
    logger.info("You selected to delete {} ", clusterId);
    waitForInputToContinue(scanner);
    try {
        CompletableFuture<DeleteClusterResponse> future =
redshiftActions.deleteRedshiftClusterAsync(clusterId);;
        future.join();

    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof RedshiftDataException redshiftEx) {
            logger.info("Redshift Data error occurred: {} Error code: {}",
redshiftEx.getMessage(), redshiftEx.awsErrorDetails().errorCode());
        } else {
            logger.info("An unexpected error occurred: {}", rt.getMessage());
        }
        throw cause;
    }
} else {
    logger.info("The {} was not deleted", clusterId);
}
```

```
        }

        logger.info(DASHES);

        logger.info(DASHES);
        logger.info("This concludes the Amazon Redshift SDK Basics scenario.");
        logger.info(DASHES);
    }

private static SecretsManagerClient getSecretClient() {
    Region region = Region.US_EAST_1;
    return SecretsManagerClient.builder()
        .region(region)
        .build();
}

private static void waitForInputToContinue(Scanner scanner) {
    while (true) {
        System.out.println("");
        System.out.println("Enter 'c' followed by <ENTER> to continue:");
        String input = scanner.nextLine();

        if (input.trim().equalsIgnoreCase("c")) {
            System.out.println("Continuing with the program...");
            System.out.println("");
            break;
        } else {
            // Handle invalid input.
            System.out.println("Invalid input. Please try again.");
        }
    }
}

// Get the Amazon Redshift credentials from AWS Secrets Manager.
private static String getSecretValues(String secretName) {
    SecretsManagerClient secretClient = getSecretClient();
    GetSecretValueRequest valueRequest = GetSecretValueRequest.builder()
        .secretId(secretName)
        .build();

    GetSecretValueResponse valueResponse =
secretClient.getSecretValue(valueRequest);
    return valueResponse.secretString();
}
}
```

A wrapper class for Amazon Redshift SDK methods.

```
public class RedshiftActions {

    private static final Logger logger =
LoggerFactory.getLogger(RedshiftActions.class);
    private static RedshiftDataAsyncClient redshiftDataAsyncClient;

    private static RedshiftAsyncClient redshiftAsyncClient;

    private static RedshiftAsyncClient getAsyncClient() {
        if (redshiftAsyncClient == null) {
            SdkAsyncHttpClient httpClient = NettyNioAsyncHttpClient.builder()
                .maxConcurrency(100)
                .connectionTimeout(Duration.ofSeconds(60))
                .readTimeout(Duration.ofSeconds(60))
                .writeTimeout(Duration.ofSeconds(60))
                .build();

            ClientOverrideConfiguration overrideConfig =
ClientOverrideConfiguration.builder()
                .apiCallTimeout(Duration.ofMinutes(2))
                .apiCallAttemptTimeout(Duration.ofSeconds(90))
                .retryStrategy(RetryMode.STANDARD)
                .build();

            redshiftAsyncClient = RedshiftAsyncClient.builder()
                .httpClient(httpClient)
                .overrideConfiguration(overrideConfig)

            .credentialsProvider(EnvironmentVariableCredentialsProvider.create())
                .build();
        }
        return redshiftAsyncClient;
    }

    private static RedshiftDataAsyncClient getAsyncDataClient() {
        if (redshiftDataAsyncClient == null) {
            SdkAsyncHttpClient httpClient = NettyNioAsyncHttpClient.builder()
                .maxConcurrency(100)
                .connectionTimeout(Duration.ofSeconds(60))
                .readTimeout(Duration.ofSeconds(60))
                .writeTimeout(Duration.ofSeconds(60))
                .build();

            redshiftDataAsyncClient = RedshiftDataAsyncClient.builder()
                .httpClient(httpClient)
                .overrideConfiguration(overrideConfig);

            .credentialsProvider(EnvironmentVariableCredentialsProvider.create())
                .build();
        }
        return redshiftDataAsyncClient;
    }
}
```

```
.readTimeout(Duration.ofSeconds(60))
.writeTimeout(Duration.ofSeconds(60))
.build();

ClientOverrideConfiguration overrideConfig =
ClientOverrideConfiguration.builder()
    .apiCallTimeout(Duration.ofMinutes(2))
    .apiCallAttemptTimeout(Duration.ofSeconds(90))
    .retryStrategy(RetryMode.STANDARD)
    .build();

redshiftDataAsyncClient = RedshiftDataAsyncClient.builder()
    .httpClient(httpClient)
    .overrideConfiguration(overrideConfig)

.credentialsProvider(EnvironmentVariableCredentialsProvider.create())
    .build();
}

return redshiftDataAsyncClient;
}

/**
 * Creates a new Amazon Redshift cluster asynchronously.
 * @param clusterId      the unique identifier for the cluster
 * @param username        the username for the administrative user
 * @param userPassword   the password for the administrative user
 * @return a CompletableFuture<CreateClusterResponse> that represents the asynchronous operation of
 * creating the cluster
 * @throws RuntimeException if the cluster creation fails
 */
public CompletableFuture<CreateClusterResponse> createClusterAsync(String
clusterId, String username, String userPassword) {
    CreateClusterRequest clusterRequest = CreateClusterRequest.builder()
        .clusterIdentifier(clusterId)
        .masterUsername(username)
        .masterUserPassword(userPassword)
        .nodeType("ra3.4xlarge")
        .publiclyAccessible(true)
        .numberOfNodes(2)
        .build();

    return getAsyncClient().createCluster(clusterRequest)
        .whenComplete((response, exception) -> {
            if (response != null) {
```

```
        logger.info("Created cluster ");
    } else {
        throw new RuntimeException("Failed to create cluster: " +
exception.getMessage(), exception);
    }
});

/**
 * Waits asynchronously for the specified cluster to become available.
 * @param clusterId the identifier of the cluster to wait for
 * @return a {@link CompletableFuture} that completes when the cluster is ready
 */
public CompletableFuture<Void> waitForClusterReadyAsync(String clusterId) {
    DescribeClustersRequest clustersRequest = DescribeClustersRequest.builder()
        .clusterIdentifier(clusterId)
        .build();

    logger.info("Waiting for cluster to become available. This may take a few
minutes.");
    long startTime = System.currentTimeMillis();

    // Recursive method to poll the cluster status.
    return checkClusterStatusAsync(clustersRequest, startTime);
}

private CompletableFuture<Void> checkClusterStatusAsync(DescribeClustersRequest
clustersRequest, long startTime) {
    return getAsyncClient().describeClusters(clustersRequest)
        .thenCompose(clusterResponse -> {
            List<Cluster> clusterList = clusterResponse.clusters();
            boolean clusterReady = false;
            for (Cluster cluster : clusterList) {
                if ("available".equals(cluster.clusterStatus())) {
                    clusterReady = true;
                    break;
                }
            }

            if (clusterReady) {
                logger.info(String.format("Cluster is available!"));
                return CompletableFuture.completedFuture(null);
            } else {
                long elapsedTimeMillis = System.currentTimeMillis() - startTime;
```

```
        long elapsedSeconds = elapsedTimeMillis / 1000;
        long minutes = elapsedSeconds / 60;
        long seconds = elapsedSeconds % 60;
        System.out.printf("\rElapsed Time: %02d:%02d - Waiting for
cluster...", minutes, seconds);
        System.out.flush();

        // Wait 1 second before the next status check
        return CompletableFuture.runAsync(() -> {
            try {
                TimeUnit.SECONDS.sleep(1);
            } catch (InterruptedException e) {
                throw new RuntimeException("Error during sleep: " +
e.getMessage(), e);
            }
        }).thenCompose(ignored ->
checkClusterStatusAsync(clustersRequest, startTime));
    }
}).exceptionally(exception -> {
    throw new RuntimeException("Failed to get cluster status: " +
exception.getMessage(), exception);
});
}

/**
 * Lists all databases asynchronously for the specified cluster, database user,
and database.
 * @param clusterId the identifier of the cluster to list databases for
 * @param dbUser the database user to use for the list databases request
 * @param database the database to list databases for
 * @return a {@link CompletableFuture} that completes when the database listing
is complete, or throws a {@link RuntimeException} if there was an error
 */
public CompletableFuture<Void> listAllDatabasesAsync(String clusterId, String
dbUser, String database) {
    ListDatabasesRequest databasesRequest = ListDatabasesRequest.builder()
        .clusterIdentifier(clusterId)
        .dbUser(dbUser)
        .database(database)
        .build();

    // Asynchronous paginator for listing databases.
    ListDatabasesPublisher databasesPaginator =
getAsyncDataClient().listDatabasesPaginator(databasesRequest);
```

```
CompletableFuture<Void> future = databasesPaginator.subscribe(response -> {
    response.databases().forEach(db -> {
        logger.info("The database name is {} ", db);
    });
});

// Return the future for asynchronous handling.
return future.exceptionally(exception -> {
    throw new RuntimeException("Failed to list databases: " +
exception.getMessage(), exception);
});
}

/**
 * Creates an asynchronous task to execute a SQL statement for creating a new
table.
 *
 * @param clusterId      the identifier of the Amazon Redshift cluster
 * @param databaseName   the name of the database to create the table in
 * @param userName       the username to use for the database connection
 * @return a {@link CompletableFuture} that completes with the result of the SQL
statement execution
 * @throws RuntimeException if there is an error creating the table
 */
public CompletableFuture<ExecuteStatementResponse> createTableAsync(String
clusterId, String databaseName, String userName) {
    ExecuteStatementRequest createTableRequest =
    ExecuteStatementRequest.builder()
        .clusterIdentifier(clusterId)
        .dbUser(userName)
        .database(databaseName)
        .sql("CREATE TABLE Movies (" +
            "id INT PRIMARY KEY, " +
            "title VARCHAR(100), " +
            "year INT)")
        .build();

    return getAsyncDataClient().executeStatement(createTableRequest)
        .whenComplete((response, exception) -> {
            if (exception != null) {
                throw new RuntimeException("Error creating table: " +
exception.getMessage(), exception);
            } else {
                logger.info("Table created: Movies");
            }
        });
}
```

```
        }
    });

/***
 * Asynchronously pops a table from a JSON file.
 *
 * @param clusterId    the ID of the cluster
 * @param databaseName the name of the database
 * @param userName     the username
 * @param fileName      the name of the JSON file
 * @param number        the number of records to process
 * @return a CompletableFuture that completes with the number of records added
to the Movies table
 */
public CompletableFuture<Integer> popTableAsync(String clusterId, String
databaseName, String userName, String fileName, int number) {
    return CompletableFuture.supplyAsync(() -> {
        try {
            JsonParser parser = new JsonFactory().createParser(new
File(fileName));
            JsonNode rootNode = new ObjectMapper().readTree(parser);
            Iterator<JsonNode> iter = rootNode.iterator();
            return iter;
        } catch (IOException e) {
            throw new RuntimeException("Failed to read or parse JSON file: " +
e.getMessage(), e);
        }
    }).thenCompose(iter -> processNodesAsync(clusterId, databaseName,
userName, iter, number))
    .whenComplete((result, exception) -> {
        if (exception != null) {
            logger.info("Error {} ", exception.getMessage());
        } else {
            logger.info("{} records were added to the Movies table." ,
result);
        }
    });
}

private CompletableFuture<Integer> processNodesAsync(String clusterId, String
databaseName, String userName, Iterator<JsonNode> iter, int number) {
    return CompletableFuture.supplyAsync(() -> {
        int t = 0;
```

```
try {
    while (iter.hasNext()) {
        if (t == number)
            break;
        JsonNode currentNode = iter.next();
        int year = currentNode.get("year").asInt();
        String title = currentNode.get("title").asText();

        // Use SqlParameter to avoid SQL injection.
        List<SqlParameter> parameterList = new ArrayList<>();
        String sqlStatement = "INSERT INTO Movies
VALUES( :id , :title, :year);";
        SqlParameter idParam = SqlParameter.builder()
            .name("id")
            .value(String.valueOf(t))
            .build();

        SqlParameter titleParam = SqlParameter.builder()
            .name("title")
            .value(title)
            .build();

        SqlParameter yearParam = SqlParameter.builder()
            .name("year")
            .value(String.valueOf(year))
            .build();
        parameterList.add(idParam);
        parameterList.add(titleParam);
        parameterList.add(yearParam);

        ExecuteStatementRequest insertStatementRequest =
ExecuteStatementRequest.builder()
            .clusterIdentifier(clusterId)
            .sql(sqlStatement)
            .database(databaseName)
            .dbUser(userName)
            .parameters(parameterList)
            .build();

        getAsyncDataClient().executeStatement(insertStatementRequest);
        logger.info("Inserted: " + title + " (" + year + ")");
        t++;
    }
} catch (RedshiftDataException e) {
```

```
        throw new RuntimeException("Error inserting data: " +
e.getMessage(), e);
    }
    return t;
});

}

/***
 * Checks the status of an SQL statement asynchronously and handles the
completion of the statement.
*
 * @param sqlId the ID of the SQL statement to check
 * @return a {@link CompletableFuture} that completes when the SQL statement's
status is either "FINISHED" or "FAILED"
*/
public CompletableFuture<Void> checkStatementAsync(String sqlId) {
    DescribeStatementRequest statementRequest =
DescribeStatementRequest.builder()
    .id(sqlId)
    .build();

    return getAsyncDataClient().describeStatement(statementRequest)
        .thenCompose(response -> {
            String status = response.statusAsString();
            logger.info("... Status: {} ", status);

            if ("FAILED".equals(status)) {
                throw new RuntimeException("The Query Failed. Ending program");
            } else if ("FINISHED".equals(status)) {
                return CompletableFuture.completedFuture(null);
            } else {
                // Sleep for 1 second and recheck status
                return CompletableFuture.runAsync(() -> {
                    try {
                        TimeUnit.SECONDS.sleep(1);
                    } catch (InterruptedException e) {
                        throw new RuntimeException("Error during sleep: " +
e.getMessage(), e);
                    }
                }).thenCompose(ignore -> checkStatementAsync(sqlId)); //
Recursively call until status is FINISHED or FAILED
            }
        }).whenComplete((result, exception) -> {
            if (exception != null) {
```

```
// Handle exceptions
    logger.info("Error: {} ", exception.getMessage());
} else {
    logger.info("The statement is finished!");
}
});

}

/**
 * Asynchronously retrieves the results of a statement execution.
 *
 * @param statementId the ID of the statement for which to retrieve the results
 * @return a {@link CompletableFuture} that completes when the statement result
 * has been processed
 */
public CompletableFuture<Void> getResultsAsync(String statementId) {
    GetStatementResultRequest resultRequest =
GetStatementResultRequest.builder()
    .id(statementId)
    .build();

    return getAsyncDataClient().getStatementResult(resultRequest)
        .handle((response, exception) -> {
            if (exception != null) {
                logger.info("Error getting statement result {} ",
exception.getMessage());
                    throw new RuntimeException("Error getting statement result: " +
exception.getMessage(), exception);
            }

            // Extract and print the field values using streams if the response
is valid.
            response.records().stream()
                .flatMap(List::stream)
                .map(Field::stringValue)
                .filter(value -> value != null)
                .forEach(value -> System.out.println("The Movie title field is "
+ value));

            return response;
        }).thenAccept(response -> {
            // Optionally add more logic here if needed after handling the
response
        });
}
```

```
}

/**
 * Asynchronously queries movies by a given year from a Redshift database.
 *
 * @param database      the name of the database to query
 * @param dbUser        the user to connect to the database with
 * @param year          the year to filter the movies by
 * @param clusterId    the identifier of the Redshift cluster to connect to
 * @return a {@link CompletableFuture} containing the response ID of the
executed SQL statement
*/
public CompletableFuture<String> queryMoviesByYearAsync(String database,
                                                       String dbUser,
                                                       int year,
                                                       String clusterId)
{

    String sqlStatement = "SELECT * FROM Movies WHERE year = :year";
    SqlParameter yearParam = SqlParameter.builder()
        .name("year")
        .value(String.valueOf(year))
        .build();

    ExecuteStatementRequest statementRequest = ExecuteStatementRequest.builder()
        .clusterIdentifier(clusterId)
        .database(database)
        .dbUser(dbUser)
        .parameters(yearParam)
        .sql(sqlStatement)
        .build();

    return CompletableFuture.supplyAsync(() -> {
        try {
            ExecuteStatementResponse response =
getAsyncDataClient().executeStatement(statementRequest).join(); // Use join() to
wait for the result
            return response.id();
        } catch (RedshiftDataException e) {
            throw new RuntimeException("Error executing statement: " +
e.getMessage(), e);
        }
    }).exceptionally(exception -> {
```

```
        logger.info("Error: {}", exception.getMessage());
        return "";
    });

}

/** 
 * Modifies an Amazon Redshift cluster asynchronously.
 *
 * @param clusterId the identifier of the cluster to be modified
 * @return a {@link CompletableFuture} that completes when the cluster
modification is complete
 */
public CompletableFuture<ModifyClusterResponse> modifyClusterAsync(String
clusterId) {
    ModifyClusterRequest modifyClusterRequest = ModifyClusterRequest.builder()
        .clusterIdentifier(clusterId)
        .preferredMaintenanceWindow("wed:07:30-wed:08:00")
        .build();

    return getAsyncClient().modifyCluster(modifyClusterRequest)
        .whenComplete((clusterResponse, exception) -> {
            if (exception != null) {
                if (exception.getCause() instanceof RedshiftException) {
                    logger.info("Error: {} ", exception.getMessage());
                } else {
                    logger.info("Unexpected error: {} ",
exception.getMessage());
                }
            } else {
                logger.info("The modified cluster was successfully modified and
has "
                    + clusterResponse.cluster().preferredMaintenanceWindow() + " "
as the maintenance window");
            }
        });
}

/** 
 * Deletes a Redshift cluster asynchronously.
 *
 * @param clusterId the identifier of the Redshift cluster to be deleted
 * @return a {@link CompletableFuture} that represents the asynchronous
operation of deleting the Redshift cluster
 */

```

```
public CompletableFuture<DeleteClusterResponse>
deleteRedshiftClusterAsync(String clusterId) {
    DeleteClusterRequest deleteClusterRequest = DeleteClusterRequest.builder()
        .clusterIdentifier(clusterId)
        .skipFinalClusterSnapshot(true)
        .build();

    return getAsyncClient().deleteCluster(deleteClusterRequest)
        .whenComplete((response, exception) -> {
            if (exception != null) {
                // Handle exceptions
                if (exception.getCause() instanceof RedshiftException) {
                    logger.info("Error: {}", exception.getMessage());
                } else {
                    logger.info("Unexpected error: {}", exception.getMessage());
                }
            } else {
                // Handle successful response
                logger.info("The status is {}", response.cluster().clusterStatus());
            }
        });
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [CreateCluster](#)
- [DescribeClusters](#)
- [DescribeStatement](#)
- [ExecuteStatement](#)
- [GetStatementResult](#)
- [ListDatabasesPaginator](#)
- [ModifyCluster](#)

Actions

CreateCluster

The following code example shows how to use CreateCluster.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Create the cluster.

```
/**  
 * Creates a new Amazon Redshift cluster asynchronously.  
 * @param clusterId      the unique identifier for the cluster  
 * @param username        the username for the administrative user  
 * @param userPassword   the password for the administrative user  
 * @return a CompletableFuture<CreateClusterResponse> that represents the asynchronous operation of  
 * creating the cluster  
 * @throws RuntimeException if the cluster creation fails  
 */  
public CompletableFuture<CreateClusterResponse> createClusterAsync(String  
clusterId, String username, String userPassword) {  
    CreateClusterRequest clusterRequest = CreateClusterRequest.builder()  
        .clusterIdentifier(clusterId)  
        .masterUsername(username)  
        .masterUserPassword(userPassword)  
        .nodeType("ra3.4xlarge")  
        .publiclyAccessible(true)  
        .numberOfNodes(2)  
        .build();  
  
    return getAsyncClient().createCluster(clusterRequest)  
        .whenComplete((response, exception) -> {  
            if (response != null) {  
                logger.info("Created cluster ");  
            } else {  
                throw new RuntimeException("Failed to create cluster: " +  
exception.getMessage(), exception);  
            }  
        });  
}
```

- For API details, see [CreateCluster](#) in *AWS SDK for Java 2.x API Reference*.

DeleteCluster

The following code example shows how to use DeleteCluster.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Delete the cluster.

```
/**  
 * Deletes a Redshift cluster asynchronously.  
 *  
 * @param clusterId the identifier of the Redshift cluster to be deleted  
 * @return a {@link CompletableFuture} that represents the asynchronous  
 * operation of deleting the Redshift cluster  
 */  
public CompletableFuture<DeleteClusterResponse>  
deleteRedshiftClusterAsync(String clusterId) {  
    DeleteClusterRequest deleteClusterRequest = DeleteClusterRequest.builder()  
        .clusterIdentifier(clusterId)  
        .skipFinalClusterSnapshot(true)  
        .build();  
  
    return getAsyncClient().deleteCluster(deleteClusterRequest)  
        .whenComplete((response, exception) -> {  
            if (exception != null) {  
                // Handle exceptions  
                if (exception.getCause() instanceof RedshiftException) {  
                    logger.info("Error: {}", exception.getMessage());  
                } else {  
                    logger.info("Unexpected error: {}", exception.getMessage());  
                }  
            } else {  
                // Handle successful response  
            }  
        });  
}
```

```
        logger.info("The status is {}",  
response.cluster().clusterStatus());  
    }  
});  
}
```

- For API details, see [DeleteCluster](#) in *AWS SDK for Java 2.x API Reference*.

DescribeClusters

The following code example shows how to use `DescribeClusters`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Describe the cluster.

```
/**  
 * Waits asynchronously for the specified cluster to become available.  
 * @param clusterId the identifier of the cluster to wait for  
 * @return a {@link CompletableFuture} that completes when the cluster is ready  
 */  
public CompletableFuture<Void> waitForClusterReadyAsync(String clusterId) {  
    DescribeClustersRequest clustersRequest = DescribeClustersRequest.builder()  
        .clusterIdentifier(clusterId)  
        .build();  
  
    logger.info("Waiting for cluster to become available. This may take a few  
minutes.");  
    long startTime = System.currentTimeMillis();  
  
    // Recursive method to poll the cluster status.  
    return checkClusterStatusAsync(clustersRequest, startTime);  
}
```

```
private CompletableFuture<Void> checkClusterStatusAsync(DescribeClustersRequest clustersRequest, long startTime) {
    return getAsyncClient().describeClusters(clustersRequest)
        .thenCompose(clusterResponse -> {
            List<Cluster> clusterList = clusterResponse.clusters();
            boolean clusterReady = false;
            for (Cluster cluster : clusterList) {
                if ("available".equals(cluster.clusterStatus())) {
                    clusterReady = true;
                    break;
                }
            }

            if (clusterReady) {
                logger.info(String.format("Cluster is available!"));
                return CompletableFuture.completedFuture(null);
            } else {
                long elapsedTimeMillis = System.currentTimeMillis() - startTime;
                long elapsedSeconds = elapsedTimeMillis / 1000;
                long minutes = elapsedSeconds / 60;
                long seconds = elapsedSeconds % 60;
                System.out.printf("\rElapsed Time: %02d:%02d - Waiting for
cluster...", minutes, seconds);
                System.out.flush();

                // Wait 1 second before the next status check
                return CompletableFuture.runAsync(() -> {
                    try {
                        TimeUnit.SECONDS.sleep(1);
                    } catch (InterruptedException e) {
                        throw new RuntimeException("Error during sleep: " +
e.getMessage(), e);
                    }
                }).thenCompose(ignored ->
checkClusterStatusAsync(clustersRequest, startTime));
            }
        }).exceptionally(exception -> {
            throw new RuntimeException("Failed to get cluster status: " +
exception.getMessage(), exception);
        });
}
```

- For API details, see [DescribeClusters](#) in *AWS SDK for Java 2.x API Reference*.

DescribeStatement

The following code example shows how to use `DescribeStatement`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Checks the status of an SQL statement asynchronously and handles the  
completion of the statement.  
 *  
 * @param sqlId the ID of the SQL statement to check  
 * @return a {@link CompletableFuture} that completes when the SQL statement's  
status is either "FINISHED" or "FAILED"  
 */  
public CompletableFuture<Void> checkStatementAsync(String sqlId) {  
    DescribeStatementRequest statementRequest =  
        DescribeStatementRequest.builder()  
            .id(sqlId)  
            .build();  
  
    return getAsyncDataClient().describeStatement(statementRequest)  
        .thenCompose(response -> {  
            String status = response.statusAsString();  
            logger.info("... Status: {} ", status);  
  
            if ("FAILED".equals(status)) {  
                throw new RuntimeException("The Query Failed. Ending program");  
            } else if ("FINISHED".equals(status)) {  
                return CompletableFuture.completedFuture(null);  
            } else {  
                // Sleep for 1 second and recheck status  
                return CompletableFuture.runAsync(() -> {  
                    try {  
                        TimeUnit.SECONDS.sleep(1);  
                    } catch (InterruptedException e) {  
                        throw new RuntimeException("Error during sleep: " +  
                            e.getMessage(), e);  
                });  
            }  
        });  
}
```

```
        }
        .thenCompose(ignore -> checkStatementAsync(sqlId)); //  
Recursively call until status is FINISHED or FAILED
    }
}).whenComplete((result, exception) -> {
    if (exception != null) {
        // Handle exceptions
        logger.info("Error: {} ", exception.getMessage());
    } else {
        logger.info("The statement is finished!");
    }
});
}
```

- For API details, see [DescribeStatement](#) in *AWS SDK for Java 2.x API Reference*.

ExecuteStatement

The following code example shows how to use ExecuteStatement.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Executes a SQL statement to create a database table.

```
/**  
 * Creates an asynchronous task to execute a SQL statement for creating a new  
 * table.  
 *  
 * @param clusterId      the identifier of the Amazon Redshift cluster  
 * @param databaseName   the name of the database to create the table in  
 * @param userName       the username to use for the database connection  
 * @return a {@link CompletableFuture} that completes with the result of the SQL  
 * statement execution  
 * @throws RuntimeException if there is an error creating the table
```

```
/*
 public CompletableFuture<ExecuteStatementResponse> createTableAsync(String
clusterId, String databaseName, String userName) {
    ExecuteStatementRequest createTableRequest =
ExecuteStatementRequest.builder()
    .clusterIdentifier(clusterId)
    .dbUser(userName)
    .database(databaseName)
    .sql("CREATE TABLE Movies (" +
        "id INT PRIMARY KEY, " +
        "title VARCHAR(100), " +
        "year INT)")
    .build();

    return getAsyncDataClient().executeStatement(createTableRequest)
        .whenComplete((response, exception) -> {
            if (exception != null) {
                throw new RuntimeException("Error creating table: " +
exception.getMessage(), exception);
            } else {
                logger.info("Table created: Movies");
            }
        });
}
```

Executes a SQL statement to insert data into a database table.

```
/**
 * Asynchronously pops a table from a JSON file.
 *
 * @param clusterId    the ID of the cluster
 * @param databaseName the name of the database
 * @param userName     the username
 * @param fileName      the name of the JSON file
 * @param number        the number of records to process
 * @return a CompletableFuture that completes with the number of records added
to the Movies table
 */
public CompletableFuture<Integer> popTableAsync(String clusterId, String
databaseName, String userName, String fileName, int number) {
    return CompletableFuture.supplyAsync(() -> {
        try {
```

```
JsonParser parser = new JsonFactory().createParser(new
File(fileName));
    JsonNode rootNode = new ObjectMapper().readTree(parser);
    Iterator<JsonNode> iter = rootNode.iterator();
    return iter;
} catch (IOException e) {
    throw new RuntimeException("Failed to read or parse JSON file: "
+ e.getMessage(), e);
}
}).thenCompose(iter -> processNodesAsync(clusterId, databaseName,
userName, iter, number))
.whenComplete((result, exception) -> {
    if (exception != null) {
        logger.info("Error {} ", exception.getMessage());
    } else {
        logger.info("{} records were added to the Movies table." ,
result);
    }
});
}

private CompletableFuture<Integer> processNodesAsync(String clusterId, String
databaseName, String userName, Iterator<JsonNode> iter, int number) {
    return CompletableFuture.supplyAsync(() -> {
        int t = 0;
        try {
            while (iter.hasNext()) {
                if (t == number)
                    break;
                JsonNode currentNode = iter.next();
                int year = currentNode.get("year").asInt();
                String title = currentNode.get("title").asText();

                // Use SqlParameter to avoid SQL injection.
                List<SqlParameter> parameterList = new ArrayList<>();
                String sqlStatement = "INSERT INTO Movies
VALUES( :id , :title, :year);";
                SqlParameter idParam = SqlParameter.builder()
                    .name("id")
                    .value(String.valueOf(t))
                    .build();

                SqlParameter titleParam = SqlParameter.builder()
                    .name("title")
```

```
        .value(title)
        .build();

    SqlParameter yearParam = SqlParameter.builder()
        .name("year")
        .value(String.valueOf(year))
        .build();
    parameterList.add(idParam);
    parameterList.add(titleParam);
    parameterList.add(yearParam);

    ExecuteStatementRequest insertStatementRequest =
ExecuteStatementRequest.builder()
        .clusterIdentifier(clusterId)
        .sql(sqlStatement)
        .database(databaseName)
        .dbUser(userName)
        .parameters(parameterList)
        .build();

    getAsyncDataClient().executeStatement(insertStatementRequest);
    logger.info("Inserted: " + title + " (" + year + ")");
    t++;
}
} catch (RedshiftDataException e) {
    throw new RuntimeException("Error inserting data: " +
e.getMessage(), e);
}
return t;
});
}
```

Executes a SQL statement to query a database table.

```
/**
 * Asynchronously queries movies by a given year from a Redshift database.
 *
 * @param database      the name of the database to query
 * @param dbUser        the user to connect to the database with
 * @param year          the year to filter the movies by
 * @param clusterId    the identifier of the Redshift cluster to connect to
```

```
* @return a {@link CompletableFuture} containing the response ID of the
executed SQL statement
*/
public CompletableFuture<String> queryMoviesByYearAsync(String database,
                                                       String dbUser,
                                                       int year,
                                                       String clusterId)
{

    String sqlStatement = "SELECT * FROM Movies WHERE year = :year";
    SqlParameter yearParam = SqlParameter.builder()
        .name("year")
        .value(String.valueOf(year))
        .build();

    ExecuteStatementRequest statementRequest = ExecuteStatementRequest.builder()
        .clusterIdentifier(clusterId)
        .database(database)
        .dbUser(dbUser)
        .parameters(yearParam)
        .sql(sqlStatement)
        .build();

    return CompletableFuture.supplyAsync(() -> {
        try {
            ExecuteStatementResponse response =
getAsyncDataClient().executeStatement(statementRequest).join(); // Use join() to
wait for the result
            return response.id();
        } catch (RedshiftDataException e) {
            throw new RuntimeException("Error executing statement: " +
e.getMessage(), e);
        }
    }).exceptionally(exception -> {
        logger.info("Error: {}", exception.getMessage());
        return "";
    });
}
}
```

- For API details, see [ExecuteStatement](#) in *AWS SDK for Java 2.x API Reference*.

GetStatementResult

The following code example shows how to use GetStatementResult.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Check the statement result.

```
/**  
 * Asynchronously retrieves the results of a statement execution.  
 *  
 * @param statementId the ID of the statement for which to retrieve the results  
 * @return a {@link CompletableFuture} that completes when the statement result  
 has been processed  
 */  
public CompletableFuture<Void> getResultsAsync(String statementId) {  
    GetStatementResultRequest resultRequest =  
        GetStatementResultRequest.builder()  
            .id(statementId)  
            .build();  
  
    return getAsyncDataClient().getStatementResult(resultRequest)  
        .handle((response, exception) -> {  
            if (exception != null) {  
                logger.info("Error getting statement result {} ",  
                    exception.getMessage());  
                throw new RuntimeException("Error getting statement result: " +  
                    exception.getMessage(), exception);  
            }  
  
            // Extract and print the field values using streams if the response  
            // is valid.  
            response.records().stream()  
                .flatMap(List::stream)  
                .map(Field::stringValue)  
                .filter(value -> value != null)  
        });  
}
```

```
        .forEach(value -> System.out.println("The Movie title field is "
+ value));

        return response;
    }).thenAccept(response -> {
        // Optionally add more logic here if needed after handling the
response
    });
}
```

- For API details, see [GetStatementResult](#) in *AWS SDK for Java 2.x API Reference*.

ListDatabases

The following code example shows how to use `ListDatabases`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Lists all databases asynchronously for the specified cluster, database user,
and database.
 * @param clusterId the identifier of the cluster to list databases for
 * @param dbUser the database user to use for the list databases request
 * @param database the database to list databases for
 * @return a {@link CompletableFuture} that completes when the database listing
is complete, or throws a {@link RuntimeException} if there was an error
 */
public CompletableFuture<Void> listAllDatabasesAsync(String clusterId, String
dbUser, String database) {
    ListDatabasesRequest databasesRequest = ListDatabasesRequest.builder()
        .clusterIdentifier(clusterId)
        .dbUser(dbUser)
        .database(database)
        .build();
```

```
// Asynchronous paginator for listing databases.  
ListDatabasesPublisher databasesPaginator =  
getAsyncDataClient().listDatabasesPaginator(databasesRequest);  
CompletableFuture<Void> future = databasesPaginator.subscribe(response -> {  
    response.databases().forEach(db -> {  
        logger.info("The database name is {} ", db);  
    });  
});  
  
// Return the future for asynchronous handling.  
return future.exceptionally(exception -> {  
    throw new RuntimeException("Failed to list databases: " +  
exception.getMessage(), exception);  
});  
}
```

- For API details, see [ListDatabases](#) in *AWS SDK for Java 2.x API Reference*.

ModifyCluster

The following code example shows how to use `ModifyCluster`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Modify a cluster.

```
/**  
 * Modifies an Amazon Redshift cluster asynchronously.  
 *  
 * @param clusterId the identifier of the cluster to be modified  
 * @return a {@link CompletableFuture} that completes when the cluster  
modification is complete  
*/
```

```
public CompletableFuture<ModifyClusterResponse> modifyClusterAsync(String clusterId) {
    ModifyClusterRequest modifyClusterRequest = ModifyClusterRequest.builder()
        .clusterIdentifier(clusterId)
        .preferredMaintenanceWindow("wed:07:30-wed:08:00")
        .build();

    return getAsyncClient().modifyCluster(modifyClusterRequest)
        .whenComplete((clusterResponse, exception) -> {
            if (exception != null) {
                if (exception.getCause() instanceof RedshiftException) {
                    logger.info("Error: {} ", exception.getMessage());
                } else {
                    logger.info("Unexpected error: {} ",
                        exception.getMessage());
                }
            } else {
                logger.info("The modified cluster was successfully modified and
has "
                    + clusterResponse.cluster().preferredMaintenanceWindow() + " "
as the maintenance window");
            }
        });
}
```

- For API details, see [ModifyCluster](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Create a web application to track Amazon Redshift data

The following code example shows how to create a web application that tracks and reports on work items using an Amazon Redshift database.

SDK for Java 2.x

Shows how to create a web application that tracks and reports on work items stored in an Amazon Redshift database.

For complete source code and instructions on how to set up a Spring REST API that queries Amazon Redshift data and for use by a React application, see the full example on [GitHub](#).

Services used in this example

- Amazon Redshift
- Amazon SES

Amazon Rekognition examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon Rekognition.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)
- [Scenarios](#)

Actions

CompareFaces

The following code example shows how to use CompareFaces.

For more information, see [Comparing faces in images](#).

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rekognition.RekognitionClient;
import software.amazon.awssdk.services.rekognition.model.RekognitionException;
import software.amazon.awssdk.services.rekognition.model.Image;
import software.amazon.awssdk.services.rekognition.model.CompareFacesRequest;
import software.amazon.awssdk.services.rekognition.model.CompareFacesResponse;
import software.amazon.awssdk.services.rekognition.model.CompareFacesMatch;
import software.amazon.awssdk.services.rekognition.model.ComparedFace;
import software.amazon.awssdk.services.rekognition.model.BoundingBox;
import software.amazon.awssdk.core.SdkBytes;
import java.io.FileInputStream;
import java.io.FileNotFoundException;
import java.io.InputStream;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class CompareFaces {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <pathSource> <pathTarget>
            Where:
            pathSource - The path to the source image (for example, C:\\AWS\\
            \\pic1.png).\\s
            pathTarget - The path to the target image (for example, C:\\AWS\\
            \\pic2.png).\\s
            """;
        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }
        Float similarityThreshold = 70F;
        String sourceImage = args[0];
    }
}
```

```
String targetImage = args[1];
Region region = Region.US_EAST_1;
RekognitionClient rekClient = RekognitionClient.builder()
    .region(region)
    .build();

compareTwoFaces(rekClient, similarityThreshold, sourceImage, targetImage);
rekClient.close();
}

public static void compareTwoFaces(RekognitionClient rekClient, Float
similarityThreshold, String sourceImage,
String targetImage) {
try {
    InputStream sourceStream = new FileInputStream(sourceImage);
    InputStream tarStream = new FileInputStream(targetImage);
    SdkBytes sourceBytes = SdkBytes.fromInputStream(sourceStream);
    SdkBytes targetBytes = SdkBytes.fromInputStream(tarStream);

    // Create an Image object for the source image.
    Image souImage = Image.builder()
        .bytes(sourceBytes)
        .build();

    Image tarImage = Image.builder()
        .bytes(targetBytes)
        .build();

    CompareFacesRequest facesRequest = CompareFacesRequest.builder()
        .sourceImage(souImage)
        .targetImage(tarImage)
        .similarityThreshold(similarityThreshold)
        .build();

    // Compare the two images.
    CompareFacesResponse compareFacesResult =
rekClient.compareFaces(facesRequest);
    List<CompareFacesMatch> faceDetails = compareFacesResult.faceMatches();
    for (CompareFacesMatch match : faceDetails) {
        ComparedFace face = match.face();
        BoundingBox position = face.boundingBox();
        System.out.println("Face at " + position.left().toString()
            + " " + position.top()
            + " matches with " + face.confidence().toString())
    }
}
```

```
        + "% confidence.");

    }

    List<ComparedFace> uncompered = compareFacesResult.unmatchedFaces();
    System.out.println("There was " + uncompered.size() + " face(s) that did
not match");
    System.out.println("Source image rotation: " +
compareFacesResult.sourceImageOrientationCorrection());
    System.out.println("target image rotation: " +
compareFacesResult.targetImageOrientationCorrection());

} catch (RekognitionException | FileNotFoundException e) {
    System.out.println("Failed to load source image " + sourceImage);
    System.exit(1);
}
}
```

- For API details, see [CompareFaces](#) in *AWS SDK for Java 2.x API Reference*.

CreateCollection

The following code example shows how to use CreateCollection.

For more information, see [Creating a collection](#).

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rekognition.RekognitionClient;
import software.amazon.awssdk.services.rekognition.model.CreateCollectionResponse;
import software.amazon.awssdk.services.rekognition.model.CreateCollectionRequest;
import software.amazon.awssdk.services.rekognition.model.RekognitionException;

/**
```

```
* Before running this Java V2 code example, set up your development
* environment, including your credentials.
*
* For more information, see the following documentation topic:
*
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
*/
public class CreateCollection {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <collectionName>\s
            Where:
            collectionName - The name of the collection.\s
            """;
        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }
        String collectionId = args[0];
        Region region = Region.US_EAST_1;
        RekognitionClient rekClient = RekognitionClient.builder()
            .region(region)
            .build();
        System.out.println("Creating collection: " + collectionId);
        createMyCollection(rekClient, collectionId);
        rekClient.close();
    }
    public static void createMyCollection(RekognitionClient rekClient, String
collectionId) {
        try {
            CreateCollectionRequest collectionRequest =
CreateCollectionRequest.builder()
                .collectionId(collectionId)
                .build();
            CreateCollectionResponse collectionResponse =
rekClient.createCollection(collectionRequest);
        }
    }
}
```

```
        System.out.println("CollectionArn: " +
collectionResponse.collectionArn());
        System.out.println("Status code: " +
collectionResponse.statusCode().toString());

    } catch (RekognitionException e) {
        System.out.println(e.getMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [CreateCollection](#) in *AWS SDK for Java 2.x API Reference*.

DeleteCollection

The following code example shows how to use DeleteCollection.

For more information, see [Deleting a collection](#).

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rekognition.RekognitionClient;
import software.amazon.awssdk.services.rekognition.model.DeleteCollectionRequest;
import software.amazon.awssdk.services.rekognition.model.DeleteCollectionResponse;
import software.amazon.awssdk.services.rekognition.model.RekognitionException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html

```

```
/*
public class DeleteCollection {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <collectionId>\s
            Where:
            collectionId - The id of the collection to delete.\s
            """;
        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }
        String collectionId = args[0];
        Region region = Region.US_EAST_1;
        RekognitionClient rekClient = RekognitionClient.builder()
            .region(region)
            .build();
        System.out.println("Deleting collection: " + collectionId);
        deleteMyCollection(rekClient, collectionId);
        rekClient.close();
    }

    public static void deleteMyCollection(RekognitionClient rekClient, String
collectionId) {
        try {
            DeleteCollectionRequest deleteCollectionRequest =
DeleteCollectionRequest.builder()
                .collectionId(collectionId)
                .build();

            DeleteCollectionResponse deleteCollectionResponse =
rekClient.deleteCollection(deleteCollectionRequest);
            System.out.println(collectionId + ": " +
deleteCollectionResponse.statusCode().toString());
        } catch (RekognitionException e) {
            System.out.println(e.getMessage());
            System.exit(1);
        }
    }
}
```

```
    }  
}
```

- For API details, see [DeleteCollection](#) in *AWS SDK for Java 2.x API Reference*.

DeleteFaces

The following code example shows how to use DeleteFaces.

For more information, see [Deleting faces from a collection](#).

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;  
import software.amazon.awssdk.services.rekognition.RekognitionClient;  
import software.amazon.awssdk.services.rekognition.model.DeleteFacesRequest;  
import software.amazon.awssdk.services.rekognition.model.RekognitionException;  
  
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
public class DeleteFacesFromCollection {  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:      <collectionId> <faceId>\s  
  
            Where:  
                collectionId - The id of the collection from which faces are  
deleted.\s
```

```
    faceId - The id of the face to delete.\s
    """;

if (args.length != 1) {
    System.out.println(usage);
    System.exit(1);
}

String collectionId = args[0];
String faceId = args[1];
Region region = Region.US_EAST_1;
RekognitionClient rekClient = RekognitionClient.builder()
    .region(region)
    .build();

System.out.println("Deleting collection: " + collectionId);
deleteFacesCollection(rekClient, collectionId, faceId);
rekClient.close();
}

public static void deleteFacesCollection(RekognitionClient rekClient,
    String collectionId,
    String faceId) {

try {
    DeleteFacesRequest deleteFacesRequest = DeleteFacesRequest.builder()
        .collectionId(collectionId)
        .faceIds(faceId)
        .build();

    rekClient.deleteFaces(deleteFacesRequest);
    System.out.println("The face was deleted from the collection.");

} catch (RekognitionException e) {
    System.out.println(e.getMessage());
    System.exit(1);
}
}
}
```

- For API details, see [DeleteFaces](#) in *AWS SDK for Java 2.x API Reference*.

DescribeCollection

The following code example shows how to use `DescribeCollection`.

For more information, see [Describing a collection](#).

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rekognition.RekognitionClient;
import software.amazon.awssdk.services.rekognition.model.DescribeCollectionRequest;
import software.amazon.awssdk.services.rekognition.model.DescribeCollectionResponse;
import software.amazon.awssdk.services.rekognition.model.RekognitionException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DescribeCollection {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <collectionName>
            Where:
            collectionName - The name of the Amazon Rekognition collection.\s
            """;
        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }
    }
}
```

```
String collectionName = args[0];
Region region = Region.US_EAST_1;
RekognitionClient rekClient = RekognitionClient.builder()
    .region(region)
    .build();

describeColl(rekClient, collectionName);
rekClient.close();
}

public static void describeColl(RekognitionClient rekClient, String
collectionName) {
    try {
        DescribeCollectionRequest describeCollectionRequest =
DescribeCollectionRequest.builder()
            .collectionId(collectionName)
            .build();

        DescribeCollectionResponse describeCollectionResponse = rekClient
            .describeCollection(describeCollectionRequest);
        System.out.println("Collection Arn : " +
describeCollectionResponse.collectionARN());
        System.out.println("Created : " +
describeCollectionResponse.creationTimestamp().toString());

    } catch (RekognitionException e) {
        System.out.println(e.getMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [DescribeCollection](#) in *AWS SDK for Java 2.x API Reference*.

DetectFaces

The following code example shows how to use DetectFaces.

For more information, see [Detecting faces in an image](#).

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rekognition.RekognitionClient;
import software.amazon.awssdk.services.rekognition.model.RekognitionException;
import software.amazon.awssdk.services.rekognition.model.DetectFacesRequest;
import software.amazon.awssdk.services.rekognition.model.DetectFacesResponse;
import software.amazon.awssdk.services.rekognition.model.Image;
import software.amazon.awssdk.services.rekognition.model.Attribute;
import software.amazon.awssdk.services.rekognition.model.FaceDetail;
import software.amazon.awssdk.services.rekognition.model.AgeRange;
import software.amazon.awssdk.core.SdkBytes;
import java.io.FileInputStream;
import java.io.FileNotFoundException;
import java.io.InputStream;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DetectFaces {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <sourceImage>
            Where:
            sourceImage - The path to the image (for example, C:\\AWS\\
            \\pic1.png).\\s
            """;
```

```
if (args.length != 1) {
    System.out.println(usage);
    System.exit(1);
}

String sourceImage = args[0];
Region region = Region.US_EAST_1;
RekognitionClient rekClient = RekognitionClient.builder()
    .region(region)
    .build();

detectFacesinImage(rekClient, sourceImage);
rekClient.close();
}

public static void detectFacesinImage(RekognitionClient rekClient, String
sourceImage) {
    try {
        InputStream sourceStream = new FileInputStream(sourceImage);
        SdkBytes sourceBytes = SdkBytes.fromInputStream(sourceStream);

        // Create an Image object for the source image.
        Image souImage = Image.builder()
            .bytes(sourceBytes)
            .build();

        DetectFacesRequest facesRequest = DetectFacesRequest.builder()
            .attributes(Attribute.ALL)
            .image(souImage)
            .build();

        DetectFacesResponse facesResponse = rekClient.detectFaces(facesRequest);
        List<FaceDetail> faceDetails = facesResponse.faceDetails();
        for (FaceDetail face : faceDetails) {
            AgeRange ageRange = face.ageRange();
            System.out.println("The detected face is estimated to be between "
                + ageRange.low().toString() + " and " +
ageRange.high().toString()
                + " years old.");

            System.out.println("There is a smile : " +
face.smile().value().toString());
        }
    }
}
```

```
        } catch (RekognitionException | FileNotFoundException e) {
            System.out.println(e.getMessage());
            System.exit(1);
        }
    }
}
```

- For API details, see [DetectFaces](#) in *AWS SDK for Java 2.x API Reference*.

DetectLabels

The following code example shows how to use DetectLabels.

For more information, see [Detecting labels in an image](#).

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rekognition.RekognitionClient;
import software.amazon.awssdk.services.rekognition.model.Image;
import software.amazon.awssdk.services.rekognition.model.DetectLabelsRequest;
import software.amazon.awssdk.services.rekognition.model.DetectLabelsResponse;
import software.amazon.awssdk.services.rekognition.model.Label;
import software.amazon.awssdk.services.rekognition.model.RekognitionException;
import java.io.FileInputStream;
import java.io.FileNotFoundException;
import java.io.InputStream;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
```

```
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
public class DetectLabels {  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:      <sourceImage>  
  
            Where:  
            sourceImage - The path to the image (for example, C:\\AWS\\  
\pic1.png).\\s  
            """;  
  
        if (args.length != 1) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String sourceImage = args[0];  
        Region region = Region.US_EAST_1;  
        RekognitionClient rekClient = RekognitionClient.builder()  
            .region(region)  
            .build();  
  
        detectImageLabels(rekClient, sourceImage);  
        rekClient.close();  
    }  
  
    public static void detectImageLabels(RekognitionClient rekClient, String  
sourceImage) {  
        try {  
            InputStream sourceStream = new FileInputStream(sourceImage);  
            SdkBytes sourceBytes = SdkBytes.fromInputStream(sourceStream);  
  
            // Create an Image object for the source image.  
            Image souImage = Image.builder()  
                .bytes(sourceBytes)  
                .build();  
  
            DetectLabelsRequest detectLabelsRequest = DetectLabelsRequest.builder()  
                .image(souImage)  
                .maxLabels(10)  
                .build();
```

```
        DetectLabelsResponse labelsResponse =
rekClient.detectLabels(detectLabelsRequest);
        List<Label> labels = labelsResponse.labels();
        System.out.println("Detected labels for the given photo");
        for (Label label : labels) {
            System.out.println(label.name() + ": " +
label.confidence().toString());
        }

    } catch (RekognitionException | FileNotFoundException e) {
        System.out.println(e.getMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [DetectLabels](#) in *AWS SDK for Java 2.x API Reference*.

DetectModerationLabels

The following code example shows how to use DetectModerationLabels.

For more information, see [Detecting inappropriate images](#).

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rekognition.RekognitionClient;
import software.amazon.awssdk.services.rekognition.model.RekognitionException;
import software.amazon.awssdk.services.rekognition.model.Image;
import
software.amazon.awssdk.services.rekognition.model.DetectModerationLabelsRequest;
```

```
import software.amazon.awssdk.services.rekognition.model.DetectModerationLabelsResponse;
import software.amazon.awssdk.services.rekognition.model.ModerationLabel;
import java.io.FileInputStream;
import java.io.FileNotFoundException;
import java.io.InputStream;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DetectModerationLabels {

    public static void main(String[] args) {
        final String usage = """
            Usage:      <sourceImage>
            Where:
            sourceImage - The path to the image (for example, C:\\AWS\\
            \\pic1.png).\s
            """;
        if (args.length < 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String sourceImage = args[0];
        Region region = Region.US_EAST_1;
        RekognitionClient rekClient = RekognitionClient.builder()
            .region(region)
            .build();

        detectModLabels(rekClient, sourceImage);
        rekClient.close();
    }
}
```

```
public static void detectModLabels(RekognitionClient rekClient, String sourceImage) {
    try {
        InputStream sourceStream = new FileInputStream(sourceImage);
        SdkBytes sourceBytes = SdkBytes.fromInputStream(sourceStream);
        Image souImage = Image.builder()
            .bytes(sourceBytes)
            .build();

        DetectModerationLabelsRequest moderationLabelsRequest =
DetectModerationLabelsRequest.builder()
            .image(souImage)
            .minConfidence(60F)
            .build();

        DetectModerationLabelsResponse moderationLabelsResponse = rekClient
            .detectModerationLabels(moderationLabelsRequest);
        List<ModerationLabel> labels =
moderationLabelsResponse.moderationLabels();
        System.out.println("Detected labels for image");
        for (ModerationLabel label : labels) {
            System.out.println("Label: " + label.name()
                + "\n Confidence: " + label.confidence().toString() + "%"
                + "\n Parent:" + label.parentName());
        }
    } catch (RekognitionException | FileNotFoundException e) {
        e.printStackTrace();
        System.exit(1);
    }
}
```

- For API details, see [DetectModerationLabels](#) in *AWS SDK for Java 2.x API Reference*.

DetectText

The following code example shows how to use DetectText.

For more information, see [Detecting text in an image](#).

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rekognition.RekognitionClient;
import software.amazon.awssdk.services.rekognition.model.DetectTextRequest;
import software.amazon.awssdk.services.rekognition.model.Image;
import software.amazon.awssdk.services.rekognition.model.DetectTextResponse;
import software.amazon.awssdk.services.rekognition.model.TextDetection;
import software.amazon.awssdk.services.rekognition.model.RekognitionException;
import java.io.FileInputStream;
import java.io.FileNotFoundException;
import java.io.InputStream;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DetectText {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <sourceImage>
            Where:
            sourceImage - The path to the image that contains text (for
example, C:\\AWS\\pic1.png).\\s
            """;
        if (args.length != 1) {
            System.out.println(usage);
        }
    }
}
```

```
        System.exit(1);
    }

    String sourceImage = args[0];
    Region region = Region.US_EAST_1;
    RekognitionClient rekClient = RekognitionClient.builder()
        .region(region)
        .build();

    detectTextLabels(rekClient, sourceImage);
    rekClient.close();
}

public static void detectTextLabels(RekognitionClient rekClient, String
sourceImage) {
    try {
        InputStream sourceStream = new FileInputStream(sourceImage);
        SdkBytes sourceBytes = SdkBytes.fromInputStream(sourceStream);
        Image souImage = Image.builder()
            .bytes(sourceBytes)
            .build();

        DetectTextRequest textRequest = DetectTextRequest.builder()
            .image(souImage)
            .build();

        DetectTextResponse textResponse = rekClient.detectText(textRequest);
        List<TextDetection> textCollection = textResponse.textDetections();
        System.out.println("Detected lines and words");
        for (TextDetection text : textCollection) {
            System.out.println("Detected: " + text.detectedText());
            System.out.println("Confidence: " + text.confidence().toString());
            System.out.println("Id : " + text.id());
            System.out.println("Parent Id: " + text.parentId());
            System.out.println("Type: " + text.type());
            System.out.println();
        }
    }

} catch (RekognitionException | FileNotFoundException e) {
    System.out.println(e.getMessage());
    System.exit(1);
}
}
```

- For API details, see [DetectText](#) in *AWS SDK for Java 2.x API Reference*.

IndexFaces

The following code example shows how to use IndexFaces.

For more information, see [Adding faces to a collection](#).

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rekognition.RekognitionClient;
import software.amazon.awssdk.services.rekognition.model.IndexFacesResponse;
import software.amazon.awssdk.services.rekognition.model.IndexFacesRequest;
import software.amazon.awssdk.services.rekognition.model.Image;
import software.amazon.awssdk.services.rekognition.model.QualityFilter;
import software.amazon.awssdk.services.rekognition.model.Attribute;
import software.amazon.awssdk.services.rekognition.model.FaceRecord;
import software.amazon.awssdk.services.rekognition.model.UnindexedFace;
import software.amazon.awssdk.services.rekognition.model.RekognitionException;
import software.amazon.awssdk.services.rekognition.model.Reason;
import java.io.FileInputStream;
import java.io.FileNotFoundException;
import java.io.InputStream;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
```

```
/*
public class AddFacesToCollection {
    public static void main(String[] args) {

        final String usage = """

            Usage:      <collectionId> <sourceImage>

            Where:
                collectionName - The name of the collection.
                sourceImage - The path to the image (for example, C:\\AWS\\
\\pic1.png).\s
"""

        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }

        String collectionId = args[0];
        String sourceImage = args[1];
        Region region = Region.US_EAST_1;
        RekognitionClient rekClient = RekognitionClient.builder()
            .region(region)
            .build();

        addToCollection(rekClient, collectionId, sourceImage);
        rekClient.close();
    }

    public static void addToCollection(RekognitionClient rekClient, String
collectionId, String sourceImage) {
        try {
            InputStream sourceStream = new FileInputStream(sourceImage);
            SdkBytes sourceBytes = SdkBytes.fromInputStream(sourceStream);
            Image souImage = Image.builder()
                .bytes(sourceBytes)
                .build();

            IndexFacesRequest facesRequest = IndexFacesRequest.builder()
                .collectionId(collectionId)
                .image(souImage)
                .maxFaces(1)
                .qualityFilter(QualityFilter.AUTO)
        }
    }
}
```

```
        .detectionAttributes(Attribute.DEFAULT)
        .build();

IndexFacesResponse facesResponse = rekClient.indexFaces(facesRequest);
System.out.println("Results for the image");
System.out.println("\n Faces indexed:");
List<FaceRecord> faceRecords = facesResponse.faceRecords();
for (FaceRecord faceRecord : faceRecords) {
    System.out.println(" Face ID: " + faceRecord.face().faceId());
    System.out.println(" Location:" +
faceRecord.faceDetail().boundingBox().toString());
}

List<UnindexedFace> unindexedFaces = facesResponse.unindexedFaces();
System.out.println("Faces not indexed:");
for (UnindexedFace unindexedFace : unindexedFaces) {
    System.out.println(" Location:" +
unindexedFace.faceDetail().boundingBox().toString());
    System.out.println(" Reasons:");
    for (Reason reason : unindexedFace.reasons()) {
        System.out.println("Reason: " + reason);
    }
}

} catch (RekognitionException | FileNotFoundException e) {
    System.out.println(e.getMessage());
    System.exit(1);
}
}
```

- For API details, see [IndexFaces](#) in *AWS SDK for Java 2.x API Reference*.

ListCollections

The following code example shows how to use `ListCollections`.

For more information, see [Listing collections](#).

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rekognition.RekognitionClient;
import software.amazon.awssdk.services.rekognition.model.ListCollectionsRequest;
import software.amazon.awssdk.services.rekognition.model.ListCollectionsResponse;
import software.amazon.awssdk.services.rekognition.model.RekognitionException;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ListCollections {
    public static void main(String[] args) {
        Region region = Region.US_EAST_1;
        RekognitionClient rekClient = RekognitionClient.builder()
            .region(region)
            .build();

        System.out.println("Listing collections");
        listAllCollections(rekClient);
        rekClient.close();
    }

    public static void listAllCollections(RekognitionClient rekClient) {
        try {
            ListCollectionsRequest listCollectionsRequest =
ListCollectionsRequest.builder()
                .maxResults(10)
                .build();
        }
    }
}
```

```
        ListCollectionsResponse response =
rekClient.listCollections(listCollectionsRequest);
        List<String> collectionIds = response.collectionIds();
        for (String resultId : collectionIds) {
            System.out.println(resultId);
        }

    } catch (RekognitionException e) {
        System.out.println(e.getMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [ListCollections](#) in *AWS SDK for Java 2.x API Reference*.

ListFaces

The following code example shows how to use ListFaces.

For more information, see [Listing faces in a collection](#).

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rekognition.RekognitionClient;
import software.amazon.awssdk.services.rekognition.model.Face;
import software.amazon.awssdk.services.rekognition.model.ListFacesRequest;
import software.amazon.awssdk.services.rekognition.model.ListFacesResponse;
import software.amazon.awssdk.services.rekognition.model.RekognitionException;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.

```

```
*  
* For more information, see the following documentation topic:  
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
public class ListFacesInCollection {  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:      <collectionId>  
  
            Where:  
                collectionId - The name of the collection.\s  
                """;  
  
        if (args.length < 1) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String collectionId = args[0];  
        Region region = Region.US_EAST_1;  
        RekognitionClient rekClient = RekognitionClient.builder()  
            .region(region)  
            .build();  
  
        System.out.println("Faces in collection " + collectionId);  
        listFacesCollection(rekClient, collectionId);  
        rekClient.close();  
    }  
  
    public static void listFacesCollection(RekognitionClient rekClient, String collectionId) {  
        try {  
            ListFacesRequest facesRequest = ListFacesRequest.builder()  
                .collectionId(collectionId)  
                .maxResults(10)  
                .build();  
  
            ListFacesResponse facesResponse = rekClient.listFaces(facesRequest);  
            List<Face> faces = facesResponse.faces();  
            for (Face face : faces) {  
                System.out.println("Confidence level there is a face: " +  
                    face.confidence());  
        }  
    }  
}
```

```
        System.out.println("The face Id value is " + face.faceId());
    }

} catch (RekognitionException e) {
    System.out.println(e.getMessage());
    System.exit(1);
}
}
```

- For API details, see [ListFaces](#) in *AWS SDK for Java 2.x API Reference*.

RecognizeCelebrities

The following code example shows how to use `RecognizeCelebrities`.

For more information, see [Recognizing celebrities in an image](#).

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rekognition.RekognitionClient;
import software.amazon.awssdk.core.SdkBytes;
import java.io.FileInputStream;
import java.io.FileNotFoundException;
import java.io.InputStream;
import java.util.List;
import
software.amazon.awssdk.services.rekognition.model.RecognizeCelebritiesRequest;
import
software.amazon.awssdk.services.rekognition.model.RecognizeCelebritiesResponse;
import software.amazon.awssdk.services.rekognition.model.RekognitionException;
import software.amazon.awssdk.services.rekognition.model.Image;
import software.amazon.awssdk.services.rekognition.model.Celebrity;
```

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
public class RecognizeCelebrities {  
    public static void main(String[] args) {  
        final String usage = """  
            Usage:      <sourceImage>  
  
            Where:  
            sourceImage - The path to the image (for example, C:\\AWS\\  
\\pic1.png).\\s  
            """;  
  
        if (args.length != 1) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String sourceImage = args[0];  
        Region region = Region.US_EAST_1;  
        RekognitionClient rekClient = RekognitionClient.builder()  
            .region(region)  
            .build();  
  
        System.out.println("Locating celebrities in " + sourceImage);  
        recognizeAllCelebrities(rekClient, sourceImage);  
        rekClient.close();  
    }  
  
    public static void recognizeAllCelebrities(RekognitionClient rekClient, String  
sourceImage) {  
        try {  
            InputStream sourceStream = new FileInputStream(sourceImage);  
            SdkBytes sourceBytes = SdkBytes.fromInputStream(sourceStream);  
            Image souImage = Image.builder()  
                .bytes(sourceBytes)  
                .build();
```

```
        RecognizeCelebritiesRequest request =
RecognizeCelebritiesRequest.builder()
    .image(souImage)
    .build();

        RecognizeCelebritiesResponse result =
rekClient.recognizeCelebrities(request);
    List<Celebrity> celebs = result.celebrityFaces();
    System.out.println(celebs.size() + " celebrity(s) were recognized.\n");
    for (Celebrity celebrity : celebs) {
        System.out.println("Celebrity recognized: " + celebrity.name());
        System.out.println("Celebrity ID: " + celebrity.id());

        System.out.println("Further information (if available):");
        for (String url : celebrity.urls()) {
            System.out.println(url);
        }
        System.out.println();
    }
    System.out.println(result.unrecognizedFaces().size() + " face(s) were
unrecognized.");

} catch (RekognitionException | FileNotFoundException e) {
    System.out.println(e.getMessage());
    System.exit(1);
}
}
```

- For API details, see [RecognizeCelebrities](#) in *AWS SDK for Java 2.x API Reference*.

SearchFaces

The following code example shows how to use SearchFaces.

For more information, see [Searching for a face \(face ID\)](#).

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rekognition.RekognitionClient;
import software.amazon.awssdk.services.rekognition.model.RekognitionException;
import software.amazon.awssdk.services.rekognition.model.SearchFacesByImageRequest;
import software.amazon.awssdk.services.rekognition.model.Image;
import software.amazon.awssdk.services.rekognition.model.SearchFacesByImageResponse;
import software.amazon.awssdk.services.rekognition.model.FaceMatch;
import java.io.File;
import java.io.FileInputStream;
import java.io.FileNotFoundException;
import java.io.InputStream;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class SearchFaceMatchingImageCollection {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <collectionId> <sourceImage>
            Where:
            collectionId - The id of the collection. \s
            sourceImage - The path to the image (for example, C:\\AWS\\
            \\pic1.png).\s
            """;
```

```
if (args.length != 2) {
    System.out.println(usage);
    System.exit(1);
}

String collectionId = args[0];
String sourceImage = args[1];
Region region = Region.US_EAST_1;
RekognitionClient rekClient = RekognitionClient.builder()
    .region(region)
    .build();

System.out.println("Searching for a face in a collections");
searchFaceInCollection(rekClient, collectionId, sourceImage);
rekClient.close();
}

public static void searchFaceInCollection(RekognitionClient rekClient, String
collectionId, String sourceImage) {
try {
    InputStream sourceStream = new FileInputStream(new File(sourceImage));
    SdkBytes sourceBytes = SdkBytes.fromInputStream(sourceStream);
    Image souImage = Image.builder()
        .bytes(sourceBytes)
        .build();

    SearchFacesByImageRequest facesByImageRequest =
SearchFacesByImageRequest.builder()
        .image(souImage)
        .maxFaces(10)
        .faceMatchThreshold(70F)
        .collectionId(collectionId)
        .build();

    SearchFacesByImageResponse imageResponse =
rekClient.searchFacesByImage(facesByImageRequest);
    System.out.println("Faces matching in the collection");
    List<FaceMatch> faceImageMatches = imageResponse.faceMatches();
    for (FaceMatch face : faceImageMatches) {
        System.out.println("The similarity level is " + face.similarity());
        System.out.println();
    }
}
```

```
        } catch (RekognitionException | FileNotFoundException e) {
            System.out.println(e.getMessage());
            System.exit(1);
        }
    }
}
```

- For API details, see [SearchFaces](#) in *AWS SDK for Java 2.x API Reference*.

SearchFacesByImage

The following code example shows how to use SearchFacesByImage.

For more information, see [Searching for a face \(image\)](#).

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rekognition.RekognitionClient;
import software.amazon.awssdk.services.rekognition.model.SearchFacesRequest;
import software.amazon.awssdk.services.rekognition.model.SearchFacesResponse;
import software.amazon.awssdk.services.rekognition.model.FaceMatch;
import software.amazon.awssdk.services.rekognition.model.RekognitionException;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class SearchFaceMatchingIdCollection {
    public static void main(String[] args) {
```

```
final String usage = """  
  
    Usage:      <collectionId> <sourceImage>  
  
    Where:  
        collectionId - The id of the collection. \s  
        sourceImage - The path to the image (for example, C:\\AWS\\  
\pic1.png).\s  
        """;  
  
    if (args.length != 2) {  
        System.out.println(usage);  
        System.exit(1);  
    }  
  
    String collectionId = args[0];  
    String faceId = args[1];  
    Region region = Region.US_EAST_1;  
    RekognitionClient rekClient = RekognitionClient.builder()  
        .region(region)  
        .build();  
  
    System.out.println("Searching for a face in a collections");  
    searchFacebyId(rekClient, collectionId, faceId);  
    rekClient.close();  
}  
  
public static void searchFacebyId(RekognitionClient rekClient, String  
collectionId, String faceId) {  
    try {  
        SearchFacesRequest searchFacesRequest = SearchFacesRequest.builder()  
            .collectionId(collectionId)  
            .faceId(faceId)  
            .faceMatchThreshold(70F)  
            .maxFaces(2)  
            .build();  
  
        SearchFacesResponse imageResponse =  
rekClient.searchFaces(searchFacesRequest);  
        System.out.println("Faces matching in the collection");  
        List<FaceMatch> faceImageMatches = imageResponse.faceMatches();  
        for (FaceMatch face : faceImageMatches) {  
            System.out.println("The similarity level is " + face.similarity());  
            System.out.println();  
    }  
}
```

```
        }

    } catch (RekognitionException e) {
    System.out.println(e.getMessage());
    System.exit(1);
}
}

}
```

- For API details, see [SearchFacesByImage](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Create a serverless application to manage photos

The following code example shows how to create a serverless application that lets users manage photos using labels.

SDK for Java 2.x

Shows how to develop a photo asset management application that detects labels in images using Amazon Rekognition and stores them for later retrieval.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

For a deep dive into the origin of this example see the post on [AWS Community](#).

Services used in this example

- API Gateway
- DynamoDB
- Lambda
- Amazon Rekognition
- Amazon S3
- Amazon SNS

Detect PPE in images

The following code example shows how to build an app that uses Amazon Rekognition to detect Personal Protective Equipment (PPE) in images.

SDK for Java 2.x

Shows how to create an AWS Lambda function that detects images with Personal Protective Equipment.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- DynamoDB
- Amazon Rekognition
- Amazon S3
- Amazon SES

Detect information in videos

The following code example shows how to:

- Start Amazon Rekognition jobs to detect elements like people, objects, and text in videos.
- Check job status until jobs finish.
- Output the list of elements detected by each job.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Get celebrity results from a video located in an Amazon S3 bucket.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rekognition.RekognitionClient;
```

```
import software.amazon.awssdk.services.rekognition.model.S3Object;
import software.amazon.awssdk.services.rekognition.model.NotificationChannel;
import software.amazon.awssdk.services.rekognition.model.Video;
import
software.amazon.awssdk.services.rekognition.model.StartCelebrityRecognitionResponse;
import software.amazon.awssdk.services.rekognition.model.RekognitionException;
import software.amazon.awssdk.services.rekognition.model.CelebrityRecognitionSortBy;
import software.amazon.awssdk.services.rekognition.model.VideoMetadata;
import software.amazon.awssdk.services.rekognition.model.CelebrityRecognition;
import software.amazon.awssdk.services.rekognition.model.CelebrityDetail;
import
software.amazon.awssdk.services.rekognition.model.StartCelebrityRecognitionRequest;
import
software.amazon.awssdk.services.rekognition.model.GetCelebrityRecognitionRequest;
import
software.amazon.awssdk.services.rekognition.model.GetCelebrityRecognitionResponse;
import java.util.List;

/**
 * To run this code example, ensure that you perform the Prerequisites as stated
 * in the Amazon Rekognition Guide:
 * https://docs.aws.amazon.com/rekognition/latest/dg/video-analyzing-with-sqs.html
 *
 * Also, ensure that set up your development environment, including your
 * credentials.
 *
 * For information, see this documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */

public class VideoCelebrityDetection {
    private static String startJobId = "";

    public static void main(String[] args) {
        final String usage = """

            Usage:      <bucket> <video> <topicArn> <roleArn>

            Where:
                bucket - The name of the bucket in which the video is located
                (for example, (for example, myBucket).\s
                video - The name of video (for example, people.mp4).\s

```

```
topicArn - The ARN of the Amazon Simple Notification Service
(Amazon SNS) topic.\s
roleArn - The ARN of the AWS Identity and Access Management (IAM)
role to use.\s
""";\n\nif (args.length != 4) {
    System.out.println(usage);
    System.exit(1);
}\n\nString bucket = args[0];
String video = args[1];
String topicArn = args[2];
String roleArn = args[3];
Region region = Region.US_EAST_1;
RekognitionClient rekClient = RekognitionClient.builder()
    .region(region)
    .build();\n\nNotificationChannel channel = NotificationChannel.builder()
    .snsTopicArn(topicArn)
    .roleArn(roleArn)
    .build();\n\nstartCelebrityDetection(rekClient, channel, bucket, video);
getCelebrityDetectionResults(rekClient);
System.out.println("This example is done!");
rekClient.close();
}\n\npublic static void startCelebrityDetection(RekognitionClient rekClient,
    NotificationChannel channel,
    String bucket,
    String video) {
try {
    S3Object s3Obj = S3Object.builder()
        .bucket(bucket)
        .name(video)
        .build();\n\n    Video vidOb = Video.builder()
        .s3Object(s3Obj)
        .build();
```

```
        StartCelebrityRecognitionRequest recognitionRequest =
StartCelebrityRecognitionRequest.builder()
            .jobTag("Celebrities")
            .notificationChannel(channel)
            .video(vid0b)
            .build();

        StartCelebrityRecognitionResponse startCelebrityRecognitionResult =
rekClient
            .startCelebrityRecognition(recognitionRequest);
        startJobId = startCelebrityRecognitionResult.jobId();

    } catch (RekognitionException e) {
        System.out.println(e.getMessage());
        System.exit(1);
    }
}

public static void getCelebrityDetectionResults(RekognitionClient rekClient) {

    try {
        String paginationToken = null;
        GetCelebrityRecognitionResponse recognitionResponse = null;
        boolean finished = false;
        String status;
        int yy = 0;

        do {
            if (recognitionResponse != null)
                paginationToken = recognitionResponse.nextToken();

            GetCelebrityRecognitionRequest recognitionRequest =
GetCelebrityRecognitionRequest.builder()
                .jobId(startJobId)
                .nextToken(paginationToken)
                .sortBy(CelebrityRecognitionSortBy.TIMESTAMP)
                .maxResults(10)
                .build();

            // Wait until the job succeeds
            while (!finished) {
                recognitionResponse =
rekClient.getCelebrityRecognition(recognitionRequest);
```

```
        status = recognitionResponse.jobStatusAsString();

        if (status.compareTo("SUCCEEDED") == 0)
            finished = true;
        else {
            System.out.println(yy + " status is: " + status);
            Thread.sleep(1000);
        }
        yy++;
    }

    finished = false;

    // Proceed when the job is done - otherwise VideoMetadata is null.
    VideoMetadata videoMetaData = recognitionResponse.videoMetadata();
    System.out.println("Format: " + videoMetaData.format());
    System.out.println("Codec: " + videoMetaData.codec());
    System.out.println("Duration: " + videoMetaData.durationMillis());
    System.out.println("FrameRate: " + videoMetaData.frameRate());
    System.out.println("Job");

    List<CelebrityRecognition> celebs =
recognitionResponse.celebrities();
    for (CelebrityRecognition celeb : celebs) {
        long seconds = celeb.timestamp() / 1000;
        System.out.print("Sec: " + seconds + " ");
        CelebrityDetail details = celeb.celebrity();
        System.out.println("Name: " + details.name());
        System.out.println("Id: " + details.id());
        System.out.println();
    }

} while (recognitionResponse.nextToken() != null);

} catch (RekognitionException | InterruptedException e) {
    System.out.println(e.getMessage());
    System.exit(1);
}
}
```

Detect labels in a video by a label detection operation.

```
import com.fasterxml.jackson.core.JsonProcessingException;
import com.fasterxml.jackson.databind.JsonMappingException;
import com.fasterxml.jackson.databind.JsonNode;
import com.fasterxml.jackson.databind.ObjectMapper;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rekognition.RekognitionClient;
import
software.amazon.awssdk.services.rekognition.model.StartLabelDetectionResponse;
import software.amazon.awssdk.services.rekognition.model.NotificationChannel;
import software.amazon.awssdk.services.rekognition.model.S3Object;
import software.amazon.awssdk.services.rekognition.model.Video;
import software.amazon.awssdk.services.rekognition.model.StartLabelDetectionRequest;
import software.amazon.awssdk.services.rekognition.model.GetLabelDetectionRequest;
import software.amazon.awssdk.services.rekognition.model.GetLabelDetectionResponse;
import software.amazon.awssdk.services.rekognition.model.RekognitionException;
import software.amazon.awssdk.services.rekognition.model.LabelDetectionSortBy;
import software.amazon.awssdk.services.rekognition.model.VideoMetadata;
import software.amazon.awssdk.services.rekognition.model.LabelDetection;
import software.amazon.awssdk.services.rekognition.model.Label;
import software.amazon.awssdk.services.rekognition.model.Instance;
import software.amazon.awssdk.services.rekognition.model.Parent;
import software.amazon.awssdk.services.sqs.SqsClient;
import software.amazon.awssdk.services.sqs.model.Message;
import software.amazon.awssdk.services.sqs.model.ReceiveMessageRequest;
import software.amazon.awssdk.services.sqs.model.DeleteMessageRequest;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class VideoDetect {
    private static String startJobId = "";

    public static void main(String[] args) {
        final String usage = """
Usage:      <bucket> <video> <queueUrl> <topicArn> <roleArn>
```

Where:

```
bucket - The name of the bucket in which the video is located
(for example, (for example, myBucket).\s
video - The name of the video (for example, people.mp4).\s
queueUrl- The URL of a SQS queue.\s
topicArn - The ARN of the Amazon Simple Notification Service
(Amazon SNS) topic.\s
roleArn - The ARN of the AWS Identity and Access Management (IAM)
role to use.\s
""";\n\nif (args.length != 5) {
    System.out.println(usage);
    System.exit(1);
}\n\nString bucket = args[0];
String video = args[1];
String queueUrl = args[2];
String topicArn = args[3];
String roleArn = args[4];
Region region = Region.US_EAST_1;
RekognitionClient rekClient = RekognitionClient.builder()
    .region(region)
    .build();\n\nSqsClient sqs = SqsClient.builder()
    .region(Region.US_EAST_1)
    .build();\n\nNotificationChannel channel = NotificationChannel.builder()
    .snsTopicArn(topicArn)
    .roleArn(roleArn)
    .build();\n\nstartLabels(rekClient, channel, bucket, video);
getLabelJob(rekClient, sqs, queueUrl);
System.out.println("This example is done!");
sqs.close();
rekClient.close();
}\n\npublic static void startLabels(RekognitionClient rekClient,
    NotificationChannel channel,
```

```
        String bucket,
        String video) {
    try {
        S3Object s3Obj = S3Object.builder()
            .bucket(bucket)
            .name(video)
            .build();

        Video vidOb = Video.builder()
            .s3Object(s3Obj)
            .build();

        StartLabelDetectionRequest labelDetectionRequest =
StartLabelDetectionRequest.builder()
            .jobTag("DetectingLabels")
            .notificationChannel(channel)
            .video(vidOb)
            .minConfidence(50F)
            .build();

        StartLabelDetectionResponse labelDetectionResponse =
rekClient.startLabelDetection(labelDetectionRequest);
        startJobId = labelDetectionResponse.jobId();

        boolean ans = true;
        String status = "";
        int yy = 0;
        while (ans) {

            GetLabelDetectionRequest detectionRequest =
GetLabelDetectionRequest.builder()
                .jobId(startJobId)
                .maxResults(10)
                .build();

            GetLabelDetectionResponse result =
rekClient.getLabelDetection(detectionRequest);
            status = result.jobStatusAsString();

            if (status.compareTo("SUCCEEDED") == 0)
                ans = false;
            else
                System.out.println(yy + " status is: " + status);
        }
    }
}
```

```
        Thread.sleep(1000);
        yy++;
    }

    System.out.println(startJobId + " status is: " + status);

} catch (RekognitionException | InterruptedException e) {
    e.getMessage();
    System.exit(1);
}

}

public static void getLabelJob(RekognitionClient rekClient, SqsClient sqs,
String queueUrl) {
    List<Message> messages;
    ReceiveMessageRequest messageRequest = ReceiveMessageRequest.builder()
        .queueUrl(queueUrl)
        .build();

    try {
        messages = sqs.receiveMessage(messageRequest).messages();

        if (!messages.isEmpty()) {
            for (Message message : messages) {
                String notification = message.body();

                // Get the status and job id from the notification
                ObjectMapper mapper = new ObjectMapper();
                JsonNode jsonMessageTree = mapper.readTree(notification);
                JsonNode messageBodyText = jsonMessageTree.get("Message");
                ObjectMapper operationResultMapper = new ObjectMapper();
                JsonNode jsonResultTree =
operationResultMapper.readTree(messageBodyText.textValue());
                JsonNode operationJobId = jsonResultTree.get("JobId");
                JsonNode operationStatus = jsonResultTree.get("Status");
                System.out.println("Job found in JSON is " + operationJobId);

                DeleteMessageRequest deleteMessageRequest =
DeleteMessageRequest.builder()
                    .queueUrl(queueUrl)
                    .build();

                String jobId = operationJobId.textValue();
                if (startJobId.compareTo(jobId) == 0) {
```

```
        System.out.println("Job id: " + operationJobId);
        System.out.println("Status : " +
operationStatus.toString());

        if (operationStatus.asText().equals("SUCCEEDED"))
            getResultsLabels(rekClient);
        else
            System.out.println("Video analysis failed");

        sqs.deleteMessage(deleteMessageRequest);
    } else {
        System.out.println("Job received was not job " +
startJobId);
        sqs.deleteMessage(deleteMessageRequest);
    }
}

}

} catch (RekognitionException e) {
    e.getMessage();
    System.exit(1);
} catch (JsonMappingException e) {
    e.printStackTrace();
} catch (JsonProcessingException e) {
    e.printStackTrace();
}
}

// Gets the job results by calling GetLabelDetection
private static void getResultsLabels(RekognitionClient rekClient) {

    int maxResults = 10;
    String paginationToken = null;
    GetLabelDetectionResponse labelDetectionResult = null;

    try {
        do {
            if (labelDetectionResult != null)
                paginationToken = labelDetectionResult.nextToken();

            GetLabelDetectionRequest labelDetectionRequest =
GetLabelDetectionRequest.builder()
                .jobId(startJobId)
                .sortBy(LabelDetectionSortBy.TIMESTAMP)
```

```
        .maxResults(maxResults)
        .nextToken(paginationToken)
        .build();

    labelDetectionResult =
rekClient.getLabelDetection(labelDetectionRequest);
    VideoMetadata videoMetaData = labelDetectionResult.videoMetadata();
    System.out.println("Format: " + videoMetaData.format());
    System.out.println("Codec: " + videoMetaData.codec());
    System.out.println("Duration: " + videoMetaData.durationMillis());
    System.out.println("FrameRate: " + videoMetaData.frameRate());

    List<LabelDetection> detectedLabels = labelDetectionResult.labels();
    for (LabelDetection detectedLabel : detectedLabels) {
        long seconds = detectedLabel.timestamp();
        Label label = detectedLabel.label();
        System.out.println("Millisecond: " + seconds + " ");

        System.out.println("    Label:" + label.name());
        System.out.println("    Confidence:" +
detectedLabel.label().confidence().toString());

        List<Instance> instances = label.instances();
        System.out.println("    Instances of " + label.name());

        if (instances.isEmpty()) {
            System.out.println("        " + "None");
        } else {
            for (Instance instance : instances) {
                System.out.println("        Confidence: " +
instance.confidence().toString());
                System.out.println("        Bounding box: " +
instance.boundingBox().toString());
            }
        }
        System.out.println("    Parent labels for " + label.name() +
":");
        List<Parent> parents = label.parents();

        if (parents.isEmpty()) {
            System.out.println("        None");
        } else {
            for (Parent parent : parents) {
                System.out.println("        " + parent.name());
            }
        }
    }
}
```

```
        }
    }
    System.out.println();
}
} while (labelDetectionResult != null &&
labelDetectionResult.nextToken() != null);

} catch (RekognitionException e) {
    e.getMessage();
    System.exit(1);
}
}
}
```

Detect faces in a video stored in an Amazon S3 bucket.

```
import com.fasterxml.jackson.core.JsonProcessingException;
import com.fasterxml.jackson.databind.JsonMappingException;
import com.fasterxml.jackson.databind.JsonNode;
import com.fasterxml.jackson.databind.ObjectMapper;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rekognition.RekognitionClient;
import
software.amazon.awssdk.services.rekognition.model.StartLabelDetectionResponse;
import software.amazon.awssdk.services.rekognition.model.NotificationChannel;
import software.amazon.awssdk.services.rekognition.model.S3Object;
import software.amazon.awssdk.services.rekognition.model.Video;
import software.amazon.awssdk.services.rekognition.model.StartLabelDetectionRequest;
import software.amazon.awssdk.services.rekognition.model.GetLabelDetectionRequest;
import software.amazon.awssdk.services.rekognition.model.GetLabelDetectionResponse;
import software.amazon.awssdk.services.rekognition.model.RekognitionException;
import software.amazon.awssdk.services.rekognition.model.LabelDetectionSortBy;
import software.amazon.awssdk.services.rekognition.model.VideoMetadata;
import software.amazon.awssdk.services.rekognition.model.LabelDetection;
import software.amazon.awssdk.services.rekognition.model.Label;
import software.amazon.awssdk.services.rekognition.model.Instance;
import software.amazon.awssdk.services.rekognition.model.Parent;
import software.amazon.awssdk.services.sqs.SqsClient;
import software.amazon.awssdk.services.sqs.model.Message;
import software.amazon.awssdk.services.sqs.model.ReceiveMessageRequest;
import software.amazon.awssdk.services.sqs.model.DeleteMessageRequest;
import java.util.List;
```

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
public class VideoDetect {  
    private static String startJobId = "";  
  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:      <bucket> <video> <queueUrl> <topicArn> <roleArn>  
  
            Where:  
                bucket - The name of the bucket in which the video is located  
(for example, (for example, myBucket).\s  
                video - The name of the video (for example, people.mp4).\s  
                queueUrl- The URL of a SQS queue.\s  
                topicArn - The ARN of the Amazon Simple Notification Service  
(Amazon SNS) topic.\s  
                roleArn - The ARN of the AWS Identity and Access Management (IAM)  
role to use.\s  
            """;  
  
        if (args.length != 5) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String bucket = args[0];  
        String video = args[1];  
        String queueUrl = args[2];  
        String topicArn = args[3];  
        String roleArn = args[4];  
        Region region = Region.US_EAST_1;  
        RekognitionClient rekClient = RekognitionClient.builder()  
            .region(region)  
            .build();  
  
        SqsClient sqs = SqsClient.builder()
```

```
        .region(Region.US_EAST_1)
        .build();

    NotificationChannel channel = NotificationChannel.builder()
        .snsTopicArn(topicArn)
        .roleArn(roleArn)
        .build();

    startLabels(rekClient, channel, bucket, video);
    getLabelJob(rekClient, sqs, queueUrl);
    System.out.println("This example is done!");
    sqs.close();
    rekClient.close();
}

public static void startLabels(RekognitionClient rekClient,
    NotificationChannel channel,
    String bucket,
    String video) {
try {
    S3Object s30bj = S3Object.builder()
        .bucket(bucket)
        .name(video)
        .build();

    Video vid0b = Video.builder()
        .s3Object(s30bj)
        .build();

    StartLabelDetectionRequest labelDetectionRequest =
StartLabelDetectionRequest.builder()
        .jobTag("DetectingLabels")
        .notificationChannel(channel)
        .video(vid0b)
        .minConfidence(50F)
        .build();

    StartLabelDetectionResponse labelDetectionResponse =
rekClient.startLabelDetection(labelDetectionRequest);
    startJobId = labelDetectionResponse.jobId();

    boolean ans = true;
    String status = "";
    int yy = 0;
```

```
        while (ans) {

            GetLabelDetectionRequest detectionRequest =
GetLabelDetectionRequest.builder()
                .jobId(startJobId)
                .maxResults(10)
                .build();

            GetLabelDetectionResponse result =
rekClient.getLabelDetection(detectionRequest);
            status = result.jobStatusAsString();

            if (status.compareTo("SUCCEEDED") == 0)
                ans = false;
            else
                System.out.println(yy + " status is: " + status);

            Thread.sleep(1000);
            yy++;
        }

        System.out.println(startJobId + " status is: " + status);

    } catch (RekognitionException | InterruptedException e) {
        e.getMessage();
        System.exit(1);
    }
}

public static void getLabelJob(RekognitionClient rekClient, SqsClient sqs,
String queueUrl) {
    List<Message> messages;
    ReceiveMessageRequest messageRequest = ReceiveMessageRequest.builder()
        .queueUrl(queueUrl)
        .build();

    try {
        messages = sqs.receiveMessage(messageRequest).messages();

        if (!messages.isEmpty()) {
            for (Message message : messages) {
                String notification = message.body();

                // Get the status and job id from the notification

```

```
        ObjectMapper mapper = new ObjectMapper();
        JsonNode jsonMessageTree = mapper.readTree(notification);
        JsonNode messageBodyText = jsonMessageTree.get("Message");
        ObjectMapper operationResultMapper = new ObjectMapper();
        JsonNode jsonResultTree =
operationResultMapper.readTree(messageBodyText.textValue());
        JsonNode operationJobId = jsonResultTree.get("JobId");
        JsonNode operationStatus = jsonResultTree.get("Status");
        System.out.println("Job found in JSON is " + operationJobId);

        DeleteMessageRequest deleteMessageRequest =
DeleteMessageRequest.builder()
                    .queueUrl(queueUrl)
                    .build();

        String jobId = operationJobId.textValue();
        if (startJobId.compareTo(jobId) == 0) {
            System.out.println("Job id: " + operationJobId);
            System.out.println("Status : " +
operationStatus.toString());

            if (operationStatus.asText().equals("SUCCEEDED"))
                getResultsLabels(rekClient);
            else
                System.out.println("Video analysis failed");

            sqs.deleteMessage(deleteMessageRequest);
        } else {
            System.out.println("Job received was not job " +
startJobId);
            sqs.deleteMessage(deleteMessageRequest);
        }
    }

} catch (RekognitionException e) {
    e.getMessage();
    System.exit(1);
} catch (JsonMappingException e) {
    e.printStackTrace();
} catch (JsonProcessingException e) {
    e.printStackTrace();
}
}
```

```
// Gets the job results by calling GetLabelDetection
private static void getResultsLabels(RekognitionClient rekClient) {

    int maxResults = 10;
    String paginationToken = null;
    GetLabelDetectionResponse labelDetectionResult = null;

    try {
        do {
            if (labelDetectionResult != null)
                paginationToken = labelDetectionResult.nextToken();

            GetLabelDetectionRequest labelDetectionRequest =
GetLabelDetectionRequest.builder()
                .jobId(startJobId)
                .sortBy(LabelDetectionSortBy.TIMESTAMP)
                .maxResults(maxResults)
                .nextToken(paginationToken)
                .build();

            labelDetectionResult =
rekClient.getLabelDetection(labelDetectionRequest);
            VideoMetadata videoMetaData = labelDetectionResult.videoMetadata();
            System.out.println("Format: " + videoMetaData.format());
            System.out.println("Codec: " + videoMetaData.codec());
            System.out.println("Duration: " + videoMetaData.durationMillis());
            System.out.println("FrameRate: " + videoMetaData.frameRate());

            List<LabelDetection> detectedLabels = labelDetectionResult.labels();
            for (LabelDetection detectedLabel : detectedLabels) {
                long seconds = detectedLabel.timestamp();
                Label label = detectedLabel.label();
                System.out.println("Millisecond: " + seconds + " ");

                System.out.println("    Label:" + label.name());
                System.out.println("    Confidence:" +
detectedLabel.label().confidence().toString());

                List<Instance> instances = label.instances();
                System.out.println("    Instances of " + label.name());

                if (instances.isEmpty()) {
                    System.out.println("        " + "None");
                }
            }
        } while (paginationToken != null);
    } catch (AmazonRekognitionException e) {
        System.out.println("Error calling GetLabelDetection: " + e.getMessage());
    }
}
```

```
        } else {
            for (Instance instance : instances) {
                System.out.println("      Confidence: " +
instance.confidence().toString());
                System.out.println("      Bounding box: " +
instance.boundingBox().toString());
            }
        }
        System.out.println("  Parent labels for " + label.name() +
":");
        List<Parent> parents = label.parents();

        if (parents.isEmpty()) {
            System.out.println("    None");
        } else {
            for (Parent parent : parents) {
                System.out.println("    " + parent.name());
            }
        }
        System.out.println();
    }
} while (labelDetectionResult != null &&
labelDetectionResult.nextToken() != null);

} catch (RekognitionException e) {
    e.getMessage();
    System.exit(1);
}
}
}
```

Detect inappropriate or offensive content in a video stored in an Amazon S3 bucket.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rekognition.RekognitionClient;
import software.amazon.awssdk.services.rekognition.model.NotificationChannel;
import software.amazon.awssdk.services.rekognition.model.S3Object;
import software.amazon.awssdk.services.rekognition.model.Video;
import
software.amazon.awssdk.services.rekognition.model.StartContentModerationRequest;
import
software.amazon.awssdk.services.rekognition.model.StartContentModerationResponse;
```

```
import software.amazon.awssdk.services.rekognition.model.RekognitionException;
import
software.amazon.awssdk.services.rekognition.model.GetContentModerationResponse;
import
software.amazon.awssdk.services.rekognition.model.GetContentModerationRequest;
import software.amazon.awssdk.services.rekognition.model.VideoMetadata;
import software.amazon.awssdk.services.rekognition.model.ContentModerationDetection;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class VideoDetectInappropriate {
    private static String startJobId = "";

    public static void main(String[] args) {

        final String usage = """

            Usage:      <bucket> <video> <topicArn> <roleArn>

            Where:
                bucket - The name of the bucket in which the video is located
                (for example, (for example, myBucket).\s
                video - The name of video (for example, people.mp4).\s
                topicArn - The ARN of the Amazon Simple Notification Service
                (Amazon SNS) topic.\s
                roleArn - The ARN of the AWS Identity and Access Management (IAM)
                role to use.\s
            """;

        if (args.length != 4) {
            System.out.println(usage);
            System.exit(1);
        }

        String bucket = args[0];
        String video = args[1];
        String topicArn = args[2];
    }
}
```

```
String roleArn = args[3];
Region region = Region.US_EAST_1;
RekognitionClient rekClient = RekognitionClient.builder()
    .region(region)
    .build();

NotificationChannel channel = NotificationChannel.builder()
    .snsTopicArn(topicArn)
    .roleArn(roleArn)
    .build();

startModerationDetection(rekClient, channel, bucket, video);
getModResults(rekClient);
System.out.println("This example is done!");
rekClient.close();
}

public static void startModerationDetection(RekognitionClient rekClient,
    NotificationChannel channel,
    String bucket,
    String video) {

    try {
        S3Object s3Obj = S3Object.builder()
            .bucket(bucket)
            .name(video)
            .build();

        Video vidObj = Video.builder()
            .s3Object(s3Obj)
            .build();

        StartContentModerationRequest modDetectionRequest =
StartContentModerationRequest.builder()
            .jobTag("Moderation")
            .notificationChannel(channel)
            .video(vidObj)
            .build();

        StartContentModerationResponse startModDetectionResult = rekClient
            .startContentModeration(modDetectionRequest);
        startJobId = startModDetectionResult.jobId();

    } catch (RekognitionException e) {
```

```
        System.out.println(e.getMessage());
        System.exit(1);
    }

    public static void getModResults(RekognitionClient rekClient) {
        try {
            String paginationToken = null;
            GetContentModerationResponse modDetectionResponse = null;
            boolean finished = false;
            String status;
            int yy = 0;

            do {
                if (modDetectionResponse != null)
                    paginationToken = modDetectionResponse.nextToken();

                GetContentModerationRequest modRequest =
GetContentModerationRequest.builder()
                    .jobId(startJobId)
                    .nextToken(paginationToken)
                    .maxResults(10)
                    .build();

                // Wait until the job succeeds.
                while (!finished) {
                    modDetectionResponse =
rekClient.getContentModeration(modRequest);
                    status = modDetectionResponse.jobStatusAsString();

                    if (status.compareTo("SUCCEEDED") == 0)
                        finished = true;
                    else {
                        System.out.println(yy + " status is: " + status);
                        Thread.sleep(1000);
                    }
                    yy++;
                }

                finished = false;

                // Proceed when the job is done - otherwise VideoMetadata is null.
                VideoMetadata videoMetaData = modDetectionResponse.videoMetadata();
                System.out.println("Format: " + videoMetaData.format());
            }
        }
    }
}
```

```
        System.out.println("Codec: " + videoMetaData.codec());
        System.out.println("Duration: " + videoMetaData.durationMillis());
        System.out.println("FrameRate: " + videoMetaData.frameRate());
        System.out.println("Job");

        List<ContentModerationDetection> mods =
modDetectionResponse.moderationLabels();
        for (ContentModerationDetection mod : mods) {
            long seconds = mod.timestamp() / 1000;
            System.out.print("Mod label: " + seconds + " ");
            System.out.println(mod.moderationLabel().toString());
            System.out.println();
        }

    } while (modDetectionResponse != null &&
modDetectionResponse.nextToken() != null);

} catch (RekognitionException | InterruptedException e) {
    System.out.println(e.getMessage());
    System.exit(1);
}
}
```

Detect technical cue segments and shot detection segments in a video stored in an Amazon S3 bucket.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rekognition.RekognitionClient;
import software.amazon.awssdk.services.rekognition.model.S3Object;
import software.amazon.awssdk.services.rekognition.model.NotificationChannel;
import software.amazon.awssdk.services.rekognition.model.Video;
import software.amazon.awssdk.services.rekognition.model.StartShotDetectionFilter;
import
software.amazon.awssdk.services.rekognition.model.StartTechnicalCueDetectionFilter;
import
software.amazon.awssdk.services.rekognition.model.StartSegmentDetectionFilters;
import
software.amazon.awssdk.services.rekognition.model.StartSegmentDetectionRequest;
import
software.amazon.awssdk.services.rekognition.model.StartSegmentDetectionResponse;
import software.amazon.awssdk.services.rekognition.model.RekognitionException;
```

```
import software.amazon.awssdk.services.rekognition.model.GetSegmentDetectionResponse;
import software.amazon.awssdk.services.rekognition.model.GetSegmentDetectionRequest;
import software.amazon.awssdk.services.rekognition.model.VideoMetadata;
import software.amazon.awssdk.services.rekognition.model.SegmentDetection;
import software.amazon.awssdk.services.rekognition.model.TechnicalCueSegment;
import software.amazon.awssdk.services.rekognition.model.ShotSegment;
import software.amazon.awssdk.services.rekognition.model.SegmentType;
import software.amazon.awssdk.services.sqs.SqsClient;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class VideoDetectSegment {
    private static String startJobId = "";

    public static void main(String[] args) {
        final String usage = """
            Usage:      <bucket> <video> <topicArn> <roleArn>
            Where:
            bucket - The name of the bucket in which the video is located
            (for example, (for example, myBucket).\s
            video - The name of video (for example, people.mp4).\s
            topicArn - The ARN of the Amazon Simple Notification Service
            (Amazon SNS) topic.\s
            roleArn - The ARN of the AWS Identity and Access Management (IAM)
            role to use.\s
            """;
        if (args.length != 4) {
            System.out.println(usage);
            System.exit(1);
        }

        String bucket = args[0];
        String video = args[1];
```

```
String topicArn = args[2];
String roleArn = args[3];

Region region = Region.US_EAST_1;
RekognitionClient rekClient = RekognitionClient.builder()
    .region(region)
    .build();

SqsClient sqs = SqsClient.builder()
    .region(Region.US_EAST_1)
    .build();

NotificationChannel channel = NotificationChannel.builder()
    .snsTopicArn(topicArn)
    .roleArn(roleArn)
    .build();

startSegmentDetection(rekClient, channel, bucket, video);
getSegmentResults(rekClient);
System.out.println("This example is done!");
sqs.close();
rekClient.close();
}

public static void startSegmentDetection(RekognitionClient rekClient,
    NotificationChannel channel,
    String bucket,
    String video) {
try {
    S3Object s3Obj = S3Object.builder()
        .bucket(bucket)
        .name(video)
        .build();

    Video vidOb = Video.builder()
        .s3Object(s3Obj)
        .build();

    StartShotDetectionFilter cueDetectionFilter =
StartShotDetectionFilter.builder()
        .minSegmentConfidence(60F)
        .build();
}
```

```
        StartTechnicalCueDetectionFilter technicalCueDetectionFilter =
StartTechnicalCueDetectionFilter.builder()
        .minSegmentConfidence(60F)
        .build();

        StartSegmentDetectionFilters filters =
StartSegmentDetectionFilters.builder()
        .shotFilter(cueDetectionFilter)
        .technicalCueFilter(technicalCueDetectionFilter)
        .build();

        StartSegmentDetectionRequest segDetectionRequest =
StartSegmentDetectionRequest.builder()
        .jobTag("DetectingLabels")
        .notificationChannel(channel)
        .segmentTypes(SegmentType.TECHNICAL_CUE, SegmentType.SHOT)
        .video(vid0b)
        .filters(filters)
        .build();

        StartSegmentDetectionResponse segDetectionResponse =
rekClient.startSegmentDetection(segDetectionRequest);
        startJobId = segDetectionResponse.jobId();

    } catch (RekognitionException e) {
        e.getMessage();
        System.exit(1);
    }
}

public static void getSegmentResults(RekognitionClient rekClient) {
    try {
        String paginationToken = null;
        GetSegmentDetectionResponse segDetectionResponse = null;
        boolean finished = false;
        String status;
        int yy = 0;

        do {
            if (segDetectionResponse != null)
                paginationToken = segDetectionResponse.nextToken();

            GetSegmentDetectionRequest recognitionRequest =
GetSegmentDetectionRequest.builder()
```

```
.jobId(startJobId)
.nextToken(paginationToken)
.maxResults(10)
.build();

// Wait until the job succeeds.
while (!finished) {
    segDetectionResponse =
rekClient.getSegmentDetection(recognitionRequest);
    status = segDetectionResponse.jobStatusAsString();

    if (status.compareTo("SUCCEEDED") == 0)
        finished = true;
    else {
        System.out.println(yy + " status is: " + status);
        Thread.sleep(1000);
    }
    yy++;
}
finished = false;

// Proceed when the job is done - otherwise VideoMetadata is null.
List<VideoMetadata> videoMetaData =
segDetectionResponse.videoMetadata();
for (VideoMetadata metaData : videoMetaData) {
    System.out.println("Format: " + metaData.format());
    System.out.println("Codec: " + metaData.codec());
    System.out.println("Duration: " + metaData.durationMillis());
    System.out.println("FrameRate: " + metaData.frameRate());
    System.out.println("Job");
}

List<SegmentDetection> detectedSegments =
segDetectionResponse.segments();
for (SegmentDetection detectedSegment : detectedSegments) {
    String type = detectedSegment.type().toString();
    if (type.contains(SegmentType.TECHNICAL_CUE.toString())) {
        System.out.println("Technical Cue");
        TechnicalCueSegment segmentCue =
detectedSegment.technicalCueSegment();
        System.out.println("\tType: " + segmentCue.type());
        System.out.println("\tConfidence: " +
segmentCue.confidence().toString());
    }
}
```

```
        if (type.contains(SegmentType.SHOT.toString())) {
            System.out.println("Shot");
            ShotSegment segmentShot = detectedSegment.shotSegment();
            System.out.println("\tIndex " + segmentShot.index());
            System.out.println("\tConfidence: " +
segmentShot.confidence().toString());
        }

        long seconds = detectedSegment.durationMillis();
        System.out.println("\tDuration : " + seconds + " milliseconds");
        System.out.println("\tStart time code: " +
detectedSegment.startTimecodeSMPTE());
        System.out.println("\tEnd time code: " +
detectedSegment.endTimecodeSMPTE());
        System.out.println("\tDuration time code: " +
detectedSegment.durationSMPTE());
        System.out.println();
    }

} while (segDetectionResponse != null &&
segDetectionResponse.nextToken() != null);

} catch (RekognitionException | InterruptedException e) {
    System.out.println(e.getMessage());
    System.exit(1);
}
}
```

Detect text in a video stored in a video stored in an Amazon S3 bucket.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rekognition.RekognitionClient;
import software.amazon.awssdk.services.rekognition.model.S3Object;
import software.amazon.awssdk.services.rekognition.model.NotificationChannel;
import software.amazon.awssdk.services.rekognition.model.Video;
import software.amazon.awssdk.services.rekognition.model.StartTextDetectionRequest;
import software.amazon.awssdk.services.rekognition.model.StartTextDetectionResponse;
import software.amazon.awssdk.services.rekognition.model.RekognitionException;
import software.amazon.awssdk.services.rekognition.model.GetTextDetectionResponse;
import software.amazon.awssdk.services.rekognition.model.GetTextDetectionRequest;
```

```
import software.amazon.awssdk.services.rekognition.model.VideoMetadata;
import software.amazon.awssdk.services.rekognition.model.TextDetectionResult;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class VideoDetectText {
    private static String startJobId = "";

    public static void main(String[] args) {
        final String usage = """
            Usage:      <bucket> <video> <topicArn> <roleArn>
            Where:
            bucket - The name of the bucket in which the video is located
            (for example, (for example, myBucket).\s
            video - The name of video (for example, people.mp4).\s
            topicArn - The ARN of the Amazon Simple Notification Service
            (Amazon SNS) topic.\s
            roleArn - The ARN of the AWS Identity and Access Management (IAM)
            role to use.\s
            """;
        if (args.length != 4) {
            System.out.println(usage);
            System.exit(1);
        }

        String bucket = args[0];
        String video = args[1];
        String topicArn = args[2];
        String roleArn = args[3];

        Region region = Region.US_EAST_1;
        RekognitionClient rekClient = RekognitionClient.builder()
            .region(region)
            .build();
    }
}
```

```
NotificationChannel channel = NotificationChannel.builder()
    .snsTopicArn(topicArn)
    .roleArn(roleArn)
    .build();

startTextLabels(rekClient, channel, bucket, video);
getTextResults(rekClient);
System.out.println("This example is done!");
rekClient.close();
}

public static void startTextLabels(RekognitionClient rekClient,
    NotificationChannel channel,
    String bucket,
    String video) {
try {
    S3Object s3Obj = S3Object.builder()
        .bucket(bucket)
        .name(video)
        .build();

    Video vidOb = Video.builder()
        .s3Object(s3Obj)
        .build();

    StartTextDetectionRequest labelDetectionRequest =
StartTextDetectionRequest.builder()
        .jobTag("DetectingLabels")
        .notificationChannel(channel)
        .video(vidOb)
        .build();

    StartTextDetectionResponse labelDetectionResponse =
rekClient.startTextDetection(labelDetectionRequest);
    startJobId = labelDetectionResponse.jobId();

} catch (RekognitionException e) {
    System.out.println(e.getMessage());
    System.exit(1);
}
}

public static void getTextResults(RekognitionClient rekClient) {
```

```
try {
    String paginationToken = null;
    GetTextDetectionResponse textDetectionResponse = null;
    boolean finished = false;
    String status;
    int yy = 0;

    do {
        if (textDetectionResponse != null)
            paginationToken = textDetectionResponse.nextToken();

        GetTextDetectionRequest recognitionRequest =
GetTextDetectionRequest.builder()
        .jobId(startJobId)
        .nextToken(paginationToken)
        .maxResults(10)
        .build();

        // Wait until the job succeeds.
        while (!finished) {
            textDetectionResponse =
rekClient.getTextDetection(recognitionRequest);
            status = textDetectionResponse.jobStatusAsString();

            if (status.compareTo("SUCCEEDED") == 0)
                finished = true;
            else {
                System.out.println(yy + " status is: " + status);
                Thread.sleep(1000);
            }
            yy++;
        }

        finished = false;

        // Proceed when the job is done - otherwise VideoMetadata is null.
        VideoMetadata videoMetaData = textDetectionResponse.videoMetadata();
        System.out.println("Format: " + videoMetaData.format());
        System.out.println("Codec: " + videoMetaData.codec());
        System.out.println("Duration: " + videoMetaData.durationMillis());
        System.out.println("FrameRate: " + videoMetaData.frameRate());
        System.out.println("Job");
    }
}
```

```
        List<TextDetectionResult> labels =
textDetectionResponse.textDetections();
        for (TextDetectionResult detectedText : labels) {
            System.out.println("Confidence: " +
detectedText.textDetection().confidence().toString());
            System.out.println("Id : " + detectedText.textDetection().id());
            System.out.println("Parent Id: " +
detectedText.textDetection().parentId());
            System.out.println("Type: " +
detectedText.textDetection().type());
            System.out.println("Text: " +
detectedText.textDetection().detectedText());
            System.out.println();
        }

    } while (textDetectionResponse != null &&
textDetectionResponse.nextToken() != null);

} catch (RekognitionException | InterruptedException e) {
    System.out.println(e.getMessage());
    System.exit(1);
}
}
```

Detect people in a video stored in a video stored in an Amazon S3 bucket.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.rekognition.RekognitionClient;
import software.amazon.awssdk.services.rekognition.model.S3Object;
import software.amazon.awssdk.services.rekognition.model.NotificationChannel;
import software.amazon.awssdk.services.rekognition.model.StartPersonTrackingRequest;
import software.amazon.awssdk.services.rekognition.model.Video;
import
software.amazon.awssdk.services.rekognition.model.StartPersonTrackingResponse;
import software.amazon.awssdk.services.rekognition.model.RekognitionException;
import software.amazon.awssdk.services.rekognition.model.GetPersonTrackingResponse;
import software.amazon.awssdk.services.rekognition.model.GetPersonTrackingRequest;
import software.amazon.awssdk.services.rekognition.model.VideoMetadata;
import software.amazon.awssdk.services.rekognition.model.PersonDetection;
import java.util.List;
```

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
public class VideoPersonDetection {  
    private static String startJobId = "";  
  
    public static void main(String[] args) {  
  
        final String usage = """  
  
            Usage:      <bucket> <video> <topicArn> <roleArn>  
  
            Where:  
                bucket - The name of the bucket in which the video is located  
(for example, (for example, myBucket).\s  
                video - The name of video (for example, people.mp4).\s  
                topicArn - The ARN of the Amazon Simple Notification Service  
(Amazon SNS) topic.\s  
                roleArn - The ARN of the AWS Identity and Access Management (IAM)  
role to use.\s  
        """;  
  
        if (args.length != 4) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String bucket = args[0];  
        String video = args[1];  
        String topicArn = args[2];  
        String roleArn = args[3];  
        Region region = Region.US_EAST_1;  
        RekognitionClient rekClient = RekognitionClient.builder()  
            .region(region)  
            .build();  
  
        NotificationChannel channel = NotificationChannel.builder()  
            .snsTopicArn(topicArn)  
            .roleArn(roleArn)
```

```
        .build();

    startPersonLabels(rekClient, channel, bucket, video);
    getPersonDetectionResults(rekClient);
    System.out.println("This example is done!");
    rekClient.close();
}

public static void startPersonLabels(RekognitionClient rekClient,
    NotificationChannel channel,
    String bucket,
    String video) {
try {
    S3Object s3Obj = S3Object.builder()
        .bucket(bucket)
        .name(video)
        .build();

    Video vidObj = Video.builder()
        .s3Object(s3Obj)
        .build();

    StartPersonTrackingRequest personTrackingRequest =
StartPersonTrackingRequest.builder()
        .jobTag("DetectingLabels")
        .video(vidObj)
        .notificationChannel(channel)
        .build();

    StartPersonTrackingResponse labelDetectionResponse =
rekClient.startPersonTracking(personTrackingRequest);
    startJobId = labelDetectionResponse.jobId();

} catch (RekognitionException e) {
    System.out.println(e.getMessage());
    System.exit(1);
}
}

public static void getPersonDetectionResults(RekognitionClient rekClient) {
try {
    String paginationToken = null;
    GetPersonTrackingResponse personTrackingResult = null;
    boolean finished = false;
```

```
String status;
int yy = 0;

do {
    if (personTrackingResult != null)
        paginationToken = personTrackingResult.nextToken();

    GetPersonTrackingRequest recognitionRequest =
GetPersonTrackingRequest.builder()
    .jobId(startJobId)
    .nextToken(paginationToken)
    .maxResults(10)
    .build();

    // Wait until the job succeeds
    while (!finished) {

        personTrackingResult =
rekClient.getPersonTracking(recognitionRequest);
        status = personTrackingResult.jobStatusAsString();

        if (status.compareTo("SUCCEEDED") == 0)
            finished = true;
        else {
            System.out.println(yy + " status is: " + status);
            Thread.sleep(1000);
        }
        yy++;
    }

    finished = false;

    // Proceed when the job is done - otherwise VideoMetadata is null.
    VideoMetadata videoMetaData = personTrackingResult.videoMetadata();

    System.out.println("Format: " + videoMetaData.format());
    System.out.println("Codec: " + videoMetaData.codec());
    System.out.println("Duration: " + videoMetaData.durationMillis());
    System.out.println("FrameRate: " + videoMetaData.frameRate());
    System.out.println("Job");

    List<PersonDetection> detectedPersons =
personTrackingResult.persons();
    for (PersonDetection detectedPerson : detectedPersons) {
```

```
        long seconds = detectedPerson.timestamp() / 1000;
        System.out.print("Sec: " + seconds + " ");
        System.out.println("Person Identifier: " +
detectedPerson.person().index());
        System.out.println();
    }

} while (personTrackingResult != null &&
personTrackingResult.nextToken() != null);

} catch (RekognitionException | InterruptedException e) {
    System.out.println(e.getMessage());
    System.exit(1);
}
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [GetCelebrityRecognition](#)
- [GetContentModeration](#)
- [GetLabelDetection](#)
- [GetPersonTracking](#)
- [GetSegmentDetection](#)
- [GetTextDetection](#)
- [StartCelebrityRecognition](#)
- [StartContentModeration](#)
- [StartLabelDetection](#)
- [StartPersonTracking](#)
- [StartSegmentDetection](#)
- [StartTextDetection](#)

Detect objects in images

The following code example shows how to build an app that uses Amazon Rekognition to detect objects by category in images.

SDK for Java 2.x

Shows how to use Amazon Rekognition Java API to create an app that uses Amazon Rekognition to identify objects by category in images located in an Amazon Simple Storage Service (Amazon S3) bucket. The app sends the admin an email notification with the results using Amazon Simple Email Service (Amazon SES).

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- Amazon Rekognition
- Amazon S3
- Amazon SES

Detect people and objects in a video

The following code example shows how to detect people and objects in a video with Amazon Rekognition.

SDK for Java 2.x

Shows how to use Amazon Rekognition Java API to create an app to detect faces and objects in videos located in an Amazon Simple Storage Service (Amazon S3) bucket. The app sends the admin an email notification with the results using Amazon Simple Email Service (Amazon SES).

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- Amazon Rekognition
- Amazon S3
- Amazon SES

Route 53 domain registration examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Route 53 domain registration.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello Route 53 domain registration

The following code examples show how to get started using Route 53 domain registration.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.route53domains.Route53DomainsClient;
import software.amazon.awssdk.services.route53.model.Route53Exception;
import software.amazon.awssdk.services.route53domains.model.DomainPrice;
import software.amazon.awssdk.services.route53domains.model.ListPricesRequest;
import software.amazon.awssdk.services.route53domains.model.ListPricesResponse;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 *
 * This Java code examples performs the following operation:
 *
 * 1. Invokes ListPrices for at least one domain type, such as the "com" type
 * and displays the prices for Registration and Renewal.
 */
```

```
*/  
public class HelloRoute53 {  
    public static final String DASHES = new String(new char[80]).replace("\0", "-");  
  
    public static void main(String[] args) {  
        final String usage = "\n" +  
            "Usage:\n" +  
            "  <hostedZoneId> \n\n" +  
            "Where:\n" +  
            "  hostedZoneId - The id value of an existing hosted zone. \n";  
  
        if (args.length != 1) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String domainType = args[0];  
        Region region = Region.US_EAST_1;  
        Route53DomainsClient route53DomainsClient = Route53DomainsClient.builder()  
            .region(region)  
            .build();  
  
        System.out.println(DASHES);  
        System.out.println("Invokes ListPrices for at least one domain type.");  
        listPrices(route53DomainsClient, domainType);  
        System.out.println(DASHES);  
    }  
  
    public static void listPrices(Route53DomainsClient route53DomainsClient, String  
        domainType) {  
        try {  
            ListPricesRequest pricesRequest = ListPricesRequest.builder()  
                .maxItems(10)  
                .tld(domainType)  
                .build();  
  
            ListPricesResponse response =  
route53DomainsClient.listPrices(pricesRequest);  
            List<DomainPrice> prices = response.prices();  
            for (DomainPrice pr : prices) {  
                System.out.println("Name: " + pr.name());  
                System.out.println(  
                    "Registration: " + pr.registrationPrice().price() + " " +  
                    pr.registrationPrice().currency());  
        }  
    }  
}
```

```
        System.out.println("Renewal: " + pr.renewalPrice().price() + " " +
pr.renewalPrice().currency());
        System.out.println("Transfer: " + pr.transferPrice().price() + " " +
pr.transferPrice().currency());
        System.out.println("Transfer: " + pr.transferPrice().price() + " " +
pr.transferPrice().currency());
        System.out.println("Change Ownership: " +
pr.changeOwnershipPrice().price() + " "
+ pr.changeOwnershipPrice().currency());
        System.out.println(
"Restoration: " + pr.restorationPrice().price() + " " +
pr.restorationPrice().currency());
        System.out.println(" ");
    }

} catch (Route53Exception e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
}
```

- For API details, see [ListPrices](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Basics](#)
- [Actions](#)

Basics

Learn the basics

The following code example shows how to:

- List current domains, and list operations in the past year.
- View billing for the past year, and view prices for domain types.
- Get domain suggestions.
- Check domain availability and transferability.

- Optionally, request a domain registration.
- Get an operation detail.
- Optionally, get a domain detail.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 *  
 * This example uses pagination methods where applicable. For example, to list  
 * domains, the  
 * listDomainsPaginator method is used. For more information about pagination,  
 * see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/pagination.html  
 *  
 * This Java code example performs the following operations:  
 *  
 * 1. List current domains.  
 * 2. List operations in the past year.  
 * 3. View billing for the account in the past year.  
 * 4. View prices for domain types.  
 * 5. Get domain suggestions.  
 * 6. Check domain availability.  
 * 7. Check domain transferability.  
 * 8. Request a domain registration.  
 * 9. Get operation details.  
 * 10. Optionally, get domain details.  
 */
```

```
public class Route53Scenario {  
    public static final String DASHES = new String(new char[80]).replace("\0", "-");  
  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:  
            <domainType> <phoneNumber> <email> <domainSuggestions>  
<firstName> <lastName> <city>  
  
            Where:  
            domainType - The domain type (for example, com).\s  
            phoneNumber - The phone number to use (for example,  
+91.9966564xxx)      email - The email address to use.      domainSuggestions - The  
domain suggestion (for example, findmy.accountants).\s  
            firstName - The first name to use to register a domain.\s  
            lastName - The last name to use to register a domain.\s  
            city - the city to use to register a domain.\s  
            """;  
  
        if (args.length != 7) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String domainType = args[0];  
        String phoneNumber = args[1];  
        String email = args[2];  
        String domainSuggestions = args[3];  
        String firstName = args[4];  
        String lastName = args[5];  
        String city = args[6];  
        Region region = Region.US_EAST_1;  
        Route53DomainsClient route53DomainsClient = Route53DomainsClient.builder()  
            .region(region)  
            .build();  
  
        System.out.println(DASHES);  
        System.out.println("Welcome to the Amazon Route 53 domains example  
scenario.");  
        System.out.println(DASHES);  
  
        System.out.println(DASHES);  
        System.out.println("1. List current domains.");
```

```
listDomains(route53DomainsClient);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("2. List operations in the past year.");
listOperations(route53DomainsClient);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("3. View billing for the account in the past year.");
listBillingRecords(route53DomainsClient);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("4. View prices for domain types.");
listPrices(route53DomainsClient, domainType);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("5. Get domain suggestions.");
listDomainSuggestions(route53DomainsClient, domainSuggestion);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("6. Check domain availability.");
checkDomainAvailability(route53DomainsClient, domainSuggestion);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("7. Check domain transferability.");
checkDomainTransferability(route53DomainsClient, domainSuggestion);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("8. Request a domain registration.");
String opId = requestDomainRegistration(route53DomainsClient,
domainSuggestion, phoneNumber, email, firstName,
lastName, city);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("9. Get operation details.");
getOperationalDetail(route53DomainsClient, opId);
System.out.println(DASHES);
```

```
System.out.println(DASHES);
System.out.println("10. Get domain details.");
System.out.println("Note: You must have a registered domain to get
details.");
System.out.println("Otherwise, an exception is thrown that states ");
System.out.println("Domain xxxxxxx not found in xxxxxxx account.");
getDomainDetails(route53DomainsClient, domainSuggestion);
System.out.println(DASHES);
}

public static void getDomainDetails(Route53DomainsClient route53DomainsClient,
String domainSuggestion) {
    try {
        GetDomainDetailRequest detailRequest = GetDomainDetailRequest.builder()
            .domainName(domainSuggestion)
            .build();

        GetDomainDetailResponse response =
route53DomainsClient.getDomainDetail(detailRequest);
        System.out.println("The contact first name is " +
response.registrantContact().firstName());
        System.out.println("The contact last name is " +
response.registrantContact().lastName());
        System.out.println("The contact org name is " +
response.registrantContact().organizationName());

    } catch (Route53Exception e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}

public static void getOperationalDetail(Route53DomainsClient
route53DomainsClient, String operationId) {
    try {
        GetOperationDetailRequest detailRequest =
GetOperationDetailRequest.builder()
            .operationId(operationId)
            .build();

        GetOperationDetailResponse response =
route53DomainsClient.getOperationDetail(detailRequest);
        System.out.println("Operation detail message is " + response.message());
    }
}
```

```
        } catch (Route53Exception e) {
            System.err.println(e.getMessage());
            System.exit(1);
        }
    }

    public static String requestDomainRegistration(Route53DomainsClient
route53DomainsClient,
                                                String domainSuggestion,
                                                String phoneNumber,
                                                String email,
                                                String firstName,
                                                String lastName,
                                                String city) {

    try {
        ContactDetail contactDetail = ContactDetail.builder()
            .contactType(ContactType.COMPANY)
            .state("LA")
            .countryCode(CountryCode.IN)
            .email(email)
            .firstName(firstName)
            .lastName(lastName)
            .city(city)
            .phoneNumber(phoneNumber)
            .organizationName("My Org")
            .addressLine1("My Address")
            .zipCode("123 123")
            .build();

        RegisterDomainRequest domainRequest = RegisterDomainRequest.builder()
            .adminContact(contactDetail)
            .registrantContact(contactDetail)
            .techContact(contactDetail)
            .domainName(domainSuggestion)
            .autoRenew(true)
            .durationInYears(1)
            .build();

        RegisterDomainResponse response =
route53DomainsClient.registerDomain(domainRequest);
        System.out.println("Registration requested. Operation Id: " +
response.operationId());
    }
}
```

```
        return response.operationId();

    } catch (Route53Exception e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
    return "";
}

public static void checkDomainTransferability(Route53DomainsClient route53DomainsClient, String domainSuggestion) {
    try {
        CheckDomainTransferabilityRequest transferabilityRequest =
CheckDomainTransferabilityRequest.builder()
            .domainName(domainSuggestion)
            .build();

        CheckDomainTransferabilityResponse response = route53DomainsClient
            .checkDomainTransferability(transferabilityRequest);
        System.out.println("Transferability: " +
response.transferability().transferable().toString());

    } catch (Route53Exception e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}

public static void checkDomainAvailability(Route53DomainsClient route53DomainsClient, String domainSuggestion) {
    try {
        CheckDomainAvailabilityRequest availabilityRequest =
CheckDomainAvailabilityRequest.builder()
            .domainName(domainSuggestion)
            .build();

        CheckDomainAvailabilityResponse response = route53DomainsClient
            .checkDomainAvailability(availabilityRequest);
        System.out.println(domainSuggestion + " is " +
response.availability().toString());

    } catch (Route53Exception e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

```
        }
    }

    public static void listDomainSuggestions(Route53DomainsClient route53DomainsClient, String domainuggestion) {
        try {
            GetDomainSuggestionsRequest suggestionsRequest =
GetDomainSuggestionsRequest.builder()
                .domainName(domainuggestion)
                .suggestionCount(5)
                .onlyAvailable(true)
                .build();

            GetDomainSuggestionsResponse response =
route53DomainsClient.getDomainSuggestions(suggestionsRequest);
            List<DomainSuggestion> suggestions = response.suggestionsList();
            for (DomainSuggestion suggestion : suggestions) {
                System.out.println("Suggestion Name: " + suggestion.domainName());
                System.out.println("Availability: " + suggestion.availability());
                System.out.println(" ");
            }
        } catch (Route53Exception e) {
            System.err.println(e.getMessage());
            System.exit(1);
        }
    }

    public static void listPrices(Route53DomainsClient route53DomainsClient, String domainType) {
        try {
            ListPricesRequest pricesRequest = ListPricesRequest.builder()
                .tld(domainType)
                .build();

            ListPricesIterable listRes =
route53DomainsClient.listPricesPaginator(pricesRequest);
            listRes.stream()
                .flatMap(r -> r.prices().stream())
                .forEach(content -> System.out.println(" Name: " +
content.name() +
                    " Registration: " + content.registrationPrice().price() +
" " +
                    + content.registrationPrice().currency() +
"
```

```
        " Renewal: " + content.renewalPrice().price() + " " +
content.renewalPrice().currency()));

    } catch (Route53Exception e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}

public static void listBillingRecords(Route53DomainsClient route53DomainsClient)
{
    try {
        Date currentDate = new Date();
        LocalDateTime localDateTime =
currentDate.toInstant().atZone(ZoneId.systemDefault()).toLocalDateTime();
        ZoneOffset zoneOffset = ZoneOffset.of("+01:00");
        LocalDateTime localDateTime2 = localDateTime.minusYears(1);
        Instant myStartTime = localDateTime2.toInstant(zoneOffset);
        Instant myEndTime = localDateTime.toInstant(zoneOffset);

        ViewBillingRequest viewBillingRequest = ViewBillingRequest.builder()
            .start(myStartTime)
            .end(myEndTime)
            .build();

        ViewBillingIterable listRes =
route53DomainsClient.viewBillingPaginator(viewBillingRequest);
        listRes.stream()
            .flatMap(r -> r.billingRecords().stream())
            .forEach(content -> System.out.println(" Bill Date:: " +
content.billDate() +
                " Operation: " + content.operationAsString() +
                " Price: " + content.price()));

    } catch (Route53Exception e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}

public static void listOperations(Route53DomainsClient route53DomainsClient) {
    try {
        Date currentDate = new Date();
```

```
        LocalDateTime localDateTime =
currentDate.toInstant().atZone(ZoneId.systemDefault()).toLocalDateTime();
        ZoneOffset zoneOffset = ZoneOffset.of("+01:00");
        localDateTime = localDateTime.minusYears(1);
        Instant myTime = localDateTime.toInstant(zoneOffset);

        ListOperationsRequest operationsRequest =
ListOperationsRequest.builder()
        .submittedSince(myTime)
        .build();

        ListOperationsIterable listRes =
route53DomainsClient.listOperationsPaginator(operationsRequest);
        listRes.stream()
        .flatMap(r -> r.operations().stream())
        .forEach(content -> System.out.println(" Operation Id: " +
content.operationId() +
                " Status: " + content.statusAsString() +
                " Date: " + content.submittedDate()));

    } catch (Route53Exception e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}

public static void listDomains(Route53DomainsClient route53DomainsClient) {
    try {
        ListDomainsIterable listRes =
route53DomainsClient.listDomainsPaginator();
        listRes.stream()
        .flatMap(r -> r.domains().stream())
        .forEach(content -> System.out.println("The domain name is " +
content.domainName()));

    } catch (Route53Exception e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [CheckDomainAvailability](#)
- [CheckDomainTransferability](#)
- [GetDomainDetail](#)
- [GetDomainSuggestions](#)
- [GetOperationDetail](#)
- [ListDomains](#)
- [ListOperations](#)
- [ListPrices](#)
- [RegisterDomain](#)
- [ViewBilling](#)

Actions

CheckDomainAvailability

The following code example shows how to use CheckDomainAvailability.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void checkDomainAvailability(Route53DomainsClient route53DomainsClient, String domainSuggestion) {
    try {
        CheckDomainAvailabilityRequest availabilityRequest =
CheckDomainAvailabilityRequest.builder()
            .domainName(domainSuggestion)
            .build();

        CheckDomainAvailabilityResponse response = route53DomainsClient
            .checkDomainAvailability(availabilityRequest);
        System.out.println(domainSuggestion + " is " +
response.availability().toString());
```

```
        } catch (Route53Exception e) {
            System.err.println(e.getMessage());
            System.exit(1);
        }
    }
```

- For API details, see [CheckDomainAvailability](#) in *AWS SDK for Java 2.x API Reference*.

CheckDomainTransferability

The following code example shows how to use `CheckDomainTransferability`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void checkDomainTransferability(Route53DomainsClient
route53DomainsClient, String domainSuggestion) {
    try {
        CheckDomainTransferabilityRequest transferabilityRequest =
CheckDomainTransferabilityRequest.builder()
            .domainName(domainSuggestion)
            .build();

        CheckDomainTransferabilityResponse response = route53DomainsClient
            .checkDomainTransferability(transferabilityRequest);
        System.out.println("Transferability: " +
response.transferability().transferable().toString());

    } catch (Route53Exception e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

- For API details, see [CheckDomainTransferability](#) in *AWS SDK for Java 2.x API Reference*.

GetDomainDetail

The following code example shows how to use GetDomainDetail.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void getDomainDetails(Route53DomainsClient route53DomainsClient,
String domainSuggestion) {
    try {
        GetDomainDetailRequest detailRequest = GetDomainDetailRequest.builder()
            .domainName(domainSuggestion)
            .build();

        GetDomainDetailResponse response =
route53DomainsClient.getDomainDetail(detailRequest);
        System.out.println("The contact first name is " +
response.registrantContact().firstName());
        System.out.println("The contact last name is " +
response.registrantContact().lastName());
        System.out.println("The contact org name is " +
response.registrantContact().organizationName());

    } catch (Route53Exception e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

- For API details, see [GetDomainDetail](#) in *AWS SDK for Java 2.x API Reference*.

GetDomainSuggestions

The following code example shows how to use GetDomainSuggestions.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void listDomainSuggestions(Route53DomainsClient
route53DomainsClient, String domainSuggestion) {
    try {
        GetDomainSuggestionsRequest suggestionsRequest =
GetDomainSuggestionsRequest.builder()
            .domainName(domainSuggestion)
            .suggestionCount(5)
            .onlyAvailable(true)
            .build();

        GetDomainSuggestionsResponse response =
route53DomainsClient.getDomainSuggestions(suggestionsRequest);
        List<DomainSuggestion> suggestions = response.suggestionsList();
        for (DomainSuggestion suggestion : suggestions) {
            System.out.println("Suggestion Name: " + suggestion.domainName());
            System.out.println("Availability: " + suggestion.availability());
            System.out.println(" ");
        }
    } catch (Route53Exception e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

- For API details, see [GetDomainSuggestions](#) in *AWS SDK for Java 2.x API Reference*.

GetOperationDetail

The following code example shows how to use GetOperationDetail.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void getOperationalDetail(Route53DomainsClient route53DomainsClient, String operationId) {
    try {
        GetOperationDetailRequest detailRequest =
            GetOperationDetailRequest.builder()
                .operationId(operationId)
                .build();

        GetOperationDetailResponse response =
            route53DomainsClient.getOperationDetail(detailRequest);
        System.out.println("Operation detail message is " + response.message());

    } catch (Route53Exception e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

- For API details, see [GetOperationDetail](#) in *AWS SDK for Java 2.x API Reference*.

ListDomains

The following code example shows how to use ListDomains.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void listDomains(Route53DomainsClient route53DomainsClient) {  
    try {  
        ListDomainsIterable listRes =  
route53DomainsClient.listDomainsPaginator();  
        listRes.stream()  
            .flatMap(r -> r.domains().stream())  
            .forEach(content -> System.out.println("The domain name is " +  
content.domainName()));  
  
    } catch (Route53Exception e) {  
        System.err.println(e.getMessage());  
        System.exit(1);  
    }  
}
```

- For API details, see [ListDomains](#) in *AWS SDK for Java 2.x API Reference*.

ListOperations

The following code example shows how to use ListOperations.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void listOperations(Route53DomainsClient route53DomainsClient) {
```

```
try {
    Date currentDate = new Date();
    LocalDateTime localDateTime =
currentDate.toInstant().atZone(ZoneId.systemDefault()).toLocalDateTime();
    ZoneOffset zoneOffset = ZoneOffset.of("+01:00");
    localDateTime = localDateTime.minusYears(1);
    Instant myTime = localDateTime.toInstant(zoneOffset);

    ListOperationsRequest operationsRequest =
ListOperationsRequest.builder()
        .submittedSince(myTime)
        .build();

    ListOperationsIterable listRes =
route53DomainsClient.listOperationsPaginator(operationsRequest);
    listRes.stream()
        .flatMap(r -> r.operations().stream())
        .forEach(content -> System.out.println(" Operation Id: " +
content.operationId() +
                    " Status: " + content.statusAsString() +
                    " Date: " + content.submittedDate()));

} catch (Route53Exception e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
}
```

- For API details, see [ListOperations](#) in *AWS SDK for Java 2.x API Reference*.

ListPrices

The following code example shows how to use ListPrices.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void listPrices(Route53DomainsClient route53DomainsClient, String domainType) {
    try {
        ListPricesRequest pricesRequest = ListPricesRequest.builder()
            .tld(domainType)
            .build();

        ListPricesIterable listRes =
route53DomainsClient.listPricesPaginator(pricesRequest);
        listRes.stream()
            .flatMap(r -> r.prices().stream())
            .forEach(content -> System.out.println(" Name: " +
content.name() +
                    " Registration: " + content.registrationPrice().price()
+ " "
                    + content.registrationPrice().currency() +
                    " Renewal: " + content.renewalPrice().price() + " " +
content.renewalPrice().currency()));

    } catch (Route53Exception e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

- For API details, see [ListPrices](#) in *AWS SDK for Java 2.x API Reference*.

RegisterDomain

The following code example shows how to use RegisterDomain.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String requestDomainRegistration(Route53DomainsClient
route53DomainsClient,
        String domainSuggestion,
        String phoneNumber,
        String email,
        String firstName,
        String lastName,
        String city) {

    try {
        ContactDetail contactDetail = ContactDetail.builder()
            .contactType(ContactType.COMPANY)
            .state("LA")
            .countryCode(CountryCode.IN)
            .email(email)
            .firstName(firstName)
            .lastName(lastName)
            .city(city)
            .phoneNumber(phoneNumber)
            .organizationName("My Org")
            .addressLine1("My Address")
            .zipCode("123 123")
            .build();

        RegisterDomainRequest domainRequest = RegisterDomainRequest.builder()
            .adminContact(contactDetail)
            .registrantContact(contactDetail)
            .techContact(contactDetail)
            .domainName(domainSuggestion)
            .autoRenew(true)
            .durationInYears(1)
            .build();

        RegisterDomainResponse response =
route53DomainsClient.registerDomain(domainRequest);
        System.out.println("Registration requested. Operation Id: " +
response.operationId());
        return response.operationId();

    } catch (Route53Exception e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

```
        return "";
    }
```

- For API details, see [RegisterDomain](#) in *AWS SDK for Java 2.x API Reference*.

ViewBilling

The following code example shows how to use ViewBilling.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void listBillingRecords(Route53DomainsClient route53DomainsClient)
{
    try {
        Date currentDate = new Date();
        LocalDateTime localDateTime =
currentDate.toInstant().atZone(ZoneId.systemDefault()).toLocalDateTime();
        ZoneOffset zoneOffset = ZoneOffset.of("+01:00");
        LocalDateTime localDateTime2 = localDateTime.minusYears(1);
        Instant myStartTime = localDateTime2.toInstant(zoneOffset);
        Instant myEndTime = localDateTime.toInstant(zoneOffset);

        ViewBillingRequest viewBillingRequest = ViewBillingRequest.builder()
            .start(myStartTime)
            .end(myEndTime)
            .build();

        ViewBillingIterable listRes =
route53DomainsClient.viewBillingPaginator(viewBillingRequest);
        listRes.stream()
            .flatMap(r -> r.billingRecords().stream())
            .forEach(content -> System.out.println(" Bill Date:: " +
content.billDate() +
                " Operation: " + content.operationAsString() +
                " Price: " + content.price())));
    }
}
```

```
        } catch (Route53Exception e) {
            System.err.println(e.getMessage());
            System.exit(1);
        }
    }
```

- For API details, see [ViewBilling](#) in *AWS SDK for Java 2.x API Reference*.

Amazon S3 examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon S3.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello Amazon S3

The following code examples show how to get started using Amazon S3.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.Bucket;
import software.amazon.awssdk.services.s3.model.ListBucketsResponse;
import software.amazon.awssdk.services.s3.model.S3Exception;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 * <p>
 * For more information, see the following documentation topic:
 * <p>
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class HelloS3 {
    public static void main(String[] args) {
        Region region = Region.US_EAST_1;
        S3Client s3 = S3Client.builder()
            .region(region)
            .build();

        listBuckets(s3);
    }

    /**
     * Lists all the S3 buckets associated with the provided AWS S3 client.
     *
     * @param s3 the S3Client instance used to interact with the AWS S3 service
     */
    public static void listBuckets(S3Client s3) {
        try {
            ListBucketsResponse response = s3.listBuckets();
            List<Bucket> bucketList = response.buckets();
            bucketList.forEach(bucket -> {
                System.out.println("Bucket Name: " + bucket.name());
            });

        } catch (S3Exception e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
}
```

- For API details, see [ListBuckets](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Basics](#)
- [Actions](#)
- [Scenarios](#)
- [Serverless examples](#)

Basics

Learn the basics

The following code example shows how to:

- Create a bucket and upload a file to it.
- Download an object from a bucket.
- Copy an object to a subfolder in a bucket.
- List the objects in a bucket.
- Delete the bucket objects and the bucket.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

A scenario example.

```
import java.io.IOException;
import java.util.Scanner;
import java.util.UUID;
import java.util.concurrent.CompletableFuture;
```

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.services.s3.model.PutObjectResponse;
import software.amazon.awssdk.services.s3.model.S3Exception;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 *
 * This Java code example performs the following tasks:
 *
 * 1. Creates an Amazon S3 bucket.
 * 2. Uploads an object to the bucket.
 * 3. Downloads the object to another local file.
 * 4. Uploads an object using multipart upload.
 * 5. List all objects located in the Amazon S3 bucket.
 * 6. Copies the object to another Amazon S3 bucket.
 * 7. Copy the object to another Amazon S3 bucket using multi copy.
 * 8. Deletes the object from the Amazon S3 bucket.
 * 9. Deletes the Amazon S3 bucket.
 */

public class S3Scenario {

    public static Scanner scanner = new Scanner(System.in);
    static S3Actions s3Actions = new S3Actions();
    public static final String DASHES = new String(new char[80]).replace("\0", "-");
    private static final Logger logger = LoggerFactory.getLogger(S3Scenario.class);
    public static void main(String[] args) throws IOException {
        final String usage = """
            Usage:
            <bucketName> <key> <objectPath> <savePath> <toBucket>
        Where:
            bucketName - The name of the S3 bucket.
            key - The unique identifier for the object stored in the S3 bucket.
            objectPath - The full file path of the object within the S3 bucket
            (e.g., "documents/reports/annual_report.pdf").
            savePath - The local file path where the object will be downloaded
            and saved (e.g., "C:/Users/username/Downloads/annual_report.pdf").
        
```

```
        toBucket - The name of the S3 bucket to which the object will be
copied.
```

```
""";
```

```
if (args.length != 5) {
    logger.info(usage);
    return;
}
```

```
String bucketName = args[0];
String key = args[1];
String objectPath = args[2];
String savePath = args[3];
String toBucket = args[4];
```

```
logger.info(DASHES);
```

```
logger.info("Welcome to the Amazon Simple Storage Service (S3) example
scenario.");
```

```
logger.info("""
```

```
        Amazon S3 is a highly scalable and durable object storage
        service provided by Amazon Web Services (AWS). It is designed to store
and retrieve
```

```
        any amount of data, from anywhere on the web, at any time.
```

The `S3AsyncClient` interface in the AWS SDK for Java 2.x provides a set of methods to

programmatically interact with the Amazon S3 (Simple Storage Service) service. This allows

developers to automate the management and manipulation of S3 buckets and objects as

part of their application deployment pipelines. With S3, teams can focus on building

and deploying their applications without having to worry about the underlying storage

```
        infrastructure required to host and manage large amounts of data.
```

This scenario walks you through how to perform key operations for this service.

```
Let's get started...
```

```
""");
```

```
waitForInputToContinue(scanner);
logger.info(DASHES);
```

```
try {
```

```
// Run the methods that belong to this scenario.  
runScenario(bucketName, key, objectPath, savePath, toBucket);  
  
} catch (Throwable rt) {  
    Throwable cause = rt.getCause();  
    if (cause instanceof S3Exception kmsEx) {  
        logger.info("KMS error occurred: Error message: {}, Error code {}",  
kmsEx.getMessage(), kmsEx.awsErrorDetails().errorCode());  
    } else {  
        logger.info("An unexpected error occurred: " + rt.getMessage());  
    }  
}  
}  
  
private static void runScenario(String bucketName, String key, String  
objectPath, String savePath, String toBucket) throws Throwable {  
    logger.info(DASHES);  
    logger.info("1. Create an Amazon S3 bucket.");  
    try {  
        CompletableFuture<Void> future =  
s3Actions.createBucketAsync(bucketName);  
        future.join();  
        waitForInputToContinue(scanner);  
  
    } catch (RuntimeException rt) {  
        Throwable cause = rt.getCause();  
        if (cause instanceof S3Exception s3Ex) {  
            logger.info("S3 error occurred: Error message: {}, Error code {}",  
s3Ex.getMessage(), s3Ex.awsErrorDetails().errorCode());  
        } else {  
            logger.info("An unexpected error occurred: " + rt.getMessage());  
        }  
        throw cause;  
    }  
    logger.info(DASHES);  
  
    logger.info(DASHES);  
    logger.info("2. Upload a local file to the Amazon S3 bucket.");  
    waitForInputToContinue(scanner);  
    try {  
        CompletableFuture<PutObjectResponse> future =  
s3Actions.uploadLocalFileAsync(bucketName, key, objectPath);  
        future.join();  
    }
```

```
        logger.info("File uploaded successfully to {} / {}", bucketName, key);

    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof S3Exception s3Ex) {
            logger.info("S3 error occurred: Error message: {}, Error code {}", s3Ex.getMessage(), s3Ex.awsErrorDetails().errorCode());
        } else {
            logger.info("An unexpected error occurred: " + rt.getMessage());
        }
        throw cause;
    }
    waitForInputToContinue(scanner);
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("3. Download the object to another local file.");
    waitForInputToContinue(scanner);
    try {
        CompletableFuture<Void> future =
s3Actions.getObjectBytesAsync(bucketName, key, savePath);
        future.join();
        logger.info("Successfully obtained bytes from S3 object and wrote to file {}", savePath);
    } catch (RuntimeException rt) {
        Throwable cause = rt.getCause();
        if (cause instanceof S3Exception s3Ex) {
            logger.info("S3 error occurred: Error message: {}, Error code {}", s3Ex.getMessage(), s3Ex.awsErrorDetails().errorCode());
        } else {
            logger.info("An unexpected error occurred: " + rt.getMessage());
        }
        throw cause;
    }
    waitForInputToContinue(scanner);
    logger.info(DASHES);

    logger.info(DASHES);
    logger.info("4. Perform a multipart upload.");
    waitForInputToContinue(scanner);
    String multipartKey = "multiPartKey";
    try {
```

```
// Call the multipartUpload method
CompletableFuture<Void> future = s3Actions.multipartUpload(bucketName,
multipartKey);
future.join();
logger.info("Multipart upload completed successfully for bucket '{}' and
key '{}'", bucketName, multipartKey);

} catch (RuntimeException rt) {
Throwable cause = rt.getCause();
if (cause instanceof S3Exception s3Ex) {
logger.info("S3 error occurred: Error message: {}, Error code {}",
s3Ex.getMessage(), s3Ex.awsErrorDetails().errorCode());
} else {
logger.info("An unexpected error occurred: " + rt.getMessage());
}
throw cause;
}
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("5. List all objects located in the Amazon S3 bucket.");
waitForInputToContinue(scanner);
try {
CompletableFuture<Void> future =
s3Actions.listAllObjectsAsync(bucketName);
future.join();
logger.info("Object listing completed successfully.");

} catch (RuntimeException rt) {
Throwable cause = rt.getCause();
if (cause instanceof S3Exception s3Ex) {
logger.info("S3 error occurred: Error message: {}, Error code {}",
s3Ex.getMessage(), s3Ex.awsErrorDetails().errorCode());
} else {
logger.info("An unexpected error occurred: " + rt.getMessage());
}
throw cause;
}
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("6. Copy the object to another Amazon S3 bucket.");
```

```
waitForInputToContinue(scanner);
try {
    CompletableFuture<String> future =
s3Actions.copyBucketObjectAsync(bucketName, key, toBucket);
    String result = future.join();
    logger.info("Copy operation result: {}", result);

} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof S3Exception s3Ex) {
        logger.info("S3 error occurred: Error message: {}, Error code {}",
s3Ex.getMessage(), s3Ex.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: " + rt.getMessage());
    }
    throw cause;
}
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("7. Copy the object to another Amazon S3 bucket using multi
copy.");
waitForInputToContinue(scanner);

try {
    CompletableFuture<String> future = s3Actions.performMultiCopy(toBucket,
bucketName, key);
    String result = future.join();
    logger.info("Copy operation result: {}", result);

} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof S3Exception s3Ex) {
        logger.info("KMS error occurred: Error message: {}, Error code {}",
s3Ex.getMessage(), s3Ex.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: " + rt.getMessage());
    }
}
waitForInputToContinue(scanner);
logger.info(DASHES);
```

```
logger.info(DASHES);
logger.info("8. Delete objects from the Amazon S3 bucket.");
waitForInputToContinue(scanner);
try {
    CompletableFuture<Void> future =
s3Actions.deleteObjectFromBucketAsync(bucketName, key);
    future.join();

} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof S3Exception s3Ex) {
        logger.info("S3 error occurred: Error message: {}, Error code {}",
s3Ex.getMessage(), s3Ex.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: " + rt.getMessage());
    }
    throw cause;
}
try {
    CompletableFuture<Void> future =
s3Actions.deleteObjectFromBucketAsync(bucketName, "multiPartKey");
    future.join();

} catch (RuntimeException rt) {
    Throwable cause = rt.getCause();
    if (cause instanceof S3Exception s3Ex) {
        logger.info("S3 error occurred: Error message: {}, Error code {}",
s3Ex.getMessage(), s3Ex.awsErrorDetails().errorCode());
    } else {
        logger.info("An unexpected error occurred: " + rt.getMessage());
    }
    throw cause;
}
waitForInputToContinue(scanner);
logger.info(DASHES);

logger.info(DASHES);
logger.info("9. Delete the Amazon S3 bucket.");
waitForInputToContinue(scanner);
try {
    CompletableFuture<Void> future =
s3Actions.deleteBucketAsync(bucketName);
    future.join();
```

```
        } catch (RuntimeException rt) {
            Throwable cause = rt.getCause();
            if (cause instanceof S3Exception s3Ex) {
                logger.info("S3 error occurred: Error message: {}, Error code {}", s3Ex.getMessage(), s3Ex.awsErrorDetails().errorCode());
            } else {
                logger.info("An unexpected error occurred: " + rt.getMessage());
            }
            throw cause;
        }
        waitForInputToContinue(scanner);
        logger.info(DASHES);

        logger.info(DASHES);
        logger.info("You successfully completed the Amazon S3 scenario.");
        logger.info(DASHES);
    }

    private static void waitForInputToContinue(Scanner scanner) {
        while (true) {
            logger.info("");
            logger.info("Enter 'c' followed by <ENTER> to continue:");
            String input = scanner.nextLine();

            if (input.trim().equalsIgnoreCase("c")) {
                logger.info("Continuing with the program...");
                logger.info("");
                break;
            } else {
                // Handle invalid input.
                logger.info("Invalid input. Please try again.");
            }
        }
    }
}
```

A wrapper class that contains the operations.

```
public class S3Actions {

    private static final Logger logger = LoggerFactory.getLogger(S3Actions.class);
    private static S3AsyncClient s3AsyncClient;
```

```
public static S3AsyncClient getAsyncClient() {
    if (s3AsyncClient == null) {
        /*
         * The `NettyNioAsyncHttpClient` class is part of the AWS SDK for Java,
         * version 2,
         * and it is designed to provide a high-performance, asynchronous HTTP
         * client for interacting with AWS services.
         * It uses the Netty framework to handle the underlying network
         * communication and the Java NIO API to
         * provide a non-blocking, event-driven approach to HTTP requests and
         * responses.
        */
        SdkAsyncHttpClient httpClient = NettyNioAsyncHttpClient.builder()
            .maxConcurrency(50) // Adjust as needed.
            .connectionTimeout(Duration.ofSeconds(60)) // Set the connection
            timeout.
            .readTimeout(Duration.ofSeconds(60)) // Set the read timeout.
            .writeTimeout(Duration.ofSeconds(60)) // Set the write timeout.
            .build();

        ClientOverrideConfiguration overrideConfig =
        ClientOverrideConfiguration.builder()
            .apiCallTimeout(Duration.ofMinutes(2)) // Set the overall API call
            timeout.
            .apiCallAttemptTimeout(Duration.ofSeconds(90)) // Set the
            individual call attempt timeout.
            .retryStrategy(RetryMode.STANDARD)
            .build();

        s3AsyncClient = S3AsyncClient.builder()
            .region(Region.US_EAST_1)
            .httpClient(httpClient)
            .overrideConfiguration(overrideConfig)
            .build();
    }
    return s3AsyncClient;
}

/**
 * Creates an S3 bucket asynchronously.
 *
```

```
* @param bucketName the name of the S3 bucket to create
 * @return a {@link CompletableFuture} that completes when the bucket is created
and ready
 * @throws RuntimeException if there is a failure while creating the bucket
 */
public CompletableFuture<Void> createBucketAsync(String bucketName) {
    CreateBucketRequest bucketRequest = CreateBucketRequest.builder()
        .bucket(bucketName)
        .build();

    CompletableFuture<CreateBucketResponse> response =
getAsyncClient().createBucket(bucketRequest);
    return response.thenCompose(resp -> {
        S3AsyncWaiter s3Waiter = getAsyncClient().waiter();
        HeadBucketRequest bucketRequestWait = HeadBucketRequest.builder()
            .bucket(bucketName)
            .build();

        CompletableFuture<WaiterResponse<HeadBucketResponse>>
waiterResponseFuture =
            s3Waiter.waitUntilBucketExists(bucketRequestWait);
        return waiterResponseFuture.thenAccept(waiterResponse -> {
            waiterResponse.matched().response().ifPresent(headBucketResponse ->
{
                logger.info(bucketName + " is ready");
            });
        });
    }).whenComplete((resp, ex) -> {
        if (ex != null) {
            throw new RuntimeException("Failed to create bucket", ex);
        }
    });
}

/**
 * Uploads a local file to an AWS S3 bucket asynchronously.
 *
 * @param bucketName the name of the S3 bucket to upload the file to
 * @param key          the key (object name) to use for the uploaded file
 * @param objectPath   the local file path of the file to be uploaded
 * @return a {@link CompletableFuture} that completes with the {@link
PutObjectResponse} when the upload is successful, or throws a {@link
RuntimeException} if the upload fails
```

```
/*
 public CompletableFuture<PutObjectResponse> uploadLocalFileAsync(String
bucketName, String key, String objectPath) {
    PutObjectRequest objectRequest = PutObjectRequest.builder()
        .bucket(bucketName)
        .key(key)
        .build();

    CompletableFuture<PutObjectResponse> response =
getAsyncClient().putObject(objectRequest,
AsyncRequestBody.fromFile(Paths.get(objectPath)));
    return response.whenComplete((resp, ex) -> {
        if (ex != null) {
            throw new RuntimeException("Failed to upload file", ex);
        }
    });
}

/***
 * Asynchronously retrieves the bytes of an object from an Amazon S3 bucket and
writes them to a local file.
 *
 * @param bucketName the name of the S3 bucket containing the object
 * @param keyName      the key (or name) of the S3 object to retrieve
 * @param path         the local file path where the object's bytes will be
written
 * @return a {@link CompletableFuture} that completes when the object bytes have
been written to the local file
 */
public CompletableFuture<Void> getObjectBytesAsync(String bucketName, String
keyName, String path) {
    GetObjectRequest objectRequest = GetObjectRequest.builder()
        .key(keyName)
        .bucket(bucketName)
        .build();

    CompletableFuture<ResponseBytes<GetObjectResponse>> response =
getAsyncClient().getObject(objectRequest, AsyncResponseTransformer.toBytes());
    return response.thenAccept(objectBytes -> {
        try {
            byte[] data = objectBytes.asByteArray();
            Path filePath = Paths.get(path);
            Files.write(filePath, data);
        }
    });
}
```

```
        logger.info("Successfully obtained bytes from an S3 object");
    } catch (IOException ex) {
        throw new RuntimeException("Failed to write data to file", ex);
    }
}).whenComplete((resp, ex) -> {
    if (ex != null) {
        throw new RuntimeException("Failed to get object bytes from S3",
ex);
    }
});

}

/***
 * Asynchronously lists all objects in the specified S3 bucket.
 *
 * @param bucketName the name of the S3 bucket to list objects for
 * @return a {@link CompletableFuture} that completes when all objects have been
listed
 */
public CompletableFuture<Void> listAllObjectsAsync(String bucketName) {
    ListObjectsV2Request initialRequest = ListObjectsV2Request.builder()
        .bucket(bucketName)
        .maxKeys(1)
        .build();

    ListObjectsV2Publisher paginator =
getAsyncClient().listObjectsV2Paginator(initialRequest);
    return paginator.subscribe(response -> {
        response.contents().forEach(s3Object -> {
            logger.info("Object key: " + s3Object.key());
        });
    }).thenRun(() -> {
        logger.info("Successfully listed all objects in the bucket: " +
bucketName);
    }).exceptionally(ex -> {
        throw new RuntimeException("Failed to list objects", ex);
    });
}

/***
 * Asynchronously copies an object from one S3 bucket to another.
 *
```

```
* @param fromBucket the name of the source S3 bucket
* @param objectKey the key (name) of the object to be copied
* @param toBucket the name of the destination S3 bucket
* @return a {@link CompletableFuture} that completes with the copy result as a
{@link String}
* @throws RuntimeException if the URL could not be encoded or an S3 exception
occurred during the copy
*/
public CompletableFuture<String> copyBucketObjectAsync(String fromBucket, String
objectKey, String toBucket) {
    CopyObjectRequest copyReq = CopyObjectRequest.builder()
        .sourceBucket(fromBucket)
        .sourceKey(objectKey)
        .destinationBucket(toBucket)
        .destinationKey(objectKey)
        .build();

    CompletableFuture<CopyObjectResponse> response =
getAsyncClient().copyObject(copyReq);
    response.whenComplete((copyRes, ex) -> {
        if (copyRes != null) {
            logger.info("The " + objectKey + " was copied to " + toBucket);
        } else {
            throw new RuntimeException("An S3 exception occurred during copy",
ex);
        }
    });
}

return response.thenApply(CopyObjectResponse::copyObjectResult)
    .thenApply(0bject::toString);
}

/**
 * Performs a multipart upload to an Amazon S3 bucket.
 *
 * @param bucketName the name of the S3 bucket to upload the file to
 * @param key the key (name) of the file to be uploaded
 * @return a {@link CompletableFuture} that completes when the multipart upload
is successful
*/
public CompletableFuture<Void> multipartUpload(String bucketName, String key) {
    int mB = 1024 * 1024;
```

```
        CreateMultipartUploadRequest createMultipartUploadRequest =
CreateMultipartUploadRequest.builder()
    .bucket(bucketName)
    .key(key)
    .build();

    return getAsyncClient().createMultipartUpload(createMultipartUploadRequest)
        .thenCompose(createResponse -> {
            String uploadId = createResponse.uploadId();
            System.out.println("Upload ID: " + uploadId);

            // Upload part 1.
            UploadPartRequest uploadPartRequest1 = UploadPartRequest.builder()
                .bucket(bucketName)
                .key(key)
                .uploadId(uploadId)
                .partNumber(1)
                .contentLength((long) (5 * mB)) // Specify the content length
                .build();

            CompletableFuture<CompletedPart> part1Future =
getAsyncClient().uploadPart(uploadPartRequest1,
                           AsyncRequestBody.fromByteBuffer(getRandomByteBuffer(5 *
mB)))
                .thenApply(uploadPartResponse -> CompletedPart.builder()
                    .partNumber(1)
                    .eTag(uploadPartResponse.eTag())
                    .build());

            // Upload part 2.
            UploadPartRequest uploadPartRequest2 = UploadPartRequest.builder()
                .bucket(bucketName)
                .key(key)
                .uploadId(uploadId)
                .partNumber(2)
                .contentLength((long) (3 * mB))
                .build();

            CompletableFuture<CompletedPart> part2Future =
getAsyncClient().uploadPart(uploadPartRequest2,
                           AsyncRequestBody.fromByteBuffer(getRandomByteBuffer(3 *
mB)))
                .thenApply(uploadPartResponse -> CompletedPart.builder()
                    .partNumber(2)
```

```
        .eTag(uploadPartResponse.eTag())
        .build());

        // Combine the results of both parts.
        return CompletableFuture.allOf(part1Future, part2Future)
            .thenCompose(v -> {
                CompletedPart part1 = part1Future.join();
                CompletedPart part2 = part2Future.join();

                CompletedMultipartUpload completedMultipartUpload =
CompletedMultipartUpload.builder()
                .parts(part1, part2)
                .build();

                CompleteMultipartUploadRequest
completeMultipartUploadRequest = CompleteMultipartUploadRequest.builder()
                    .bucket(bucketName)
                    .key(key)
                    .uploadId(uploadId)
                    .multipartUpload(completedMultipartUpload)
                    .build();

                // Complete the multipart upload
                return
getAsyncClient().completeMultipartUpload(completeMultipartUploadRequest);
            });
        })
        .thenAccept(response -> System.out.println("Multipart upload completed
successfully"))
        .exceptionally(ex -> {
            System.err.println("Failed to complete multipart upload: " +
ex.getMessage());
            throw new RuntimeException(ex);
        });
    }

}

/**
 * Deletes an object from an S3 bucket asynchronously.
 *
 * @param bucketName the name of the S3 bucket
 * @param key         the key (file name) of the object to be deleted
 * @return a {@link CompletableFuture} that completes when the object has been
deleted

```

```
*/  
    public CompletableFuture<Void> deleteObjectFromBucketAsync(String bucketName,  
String key) {  
        DeleteObjectRequest deleteObjectRequest = DeleteObjectRequest.builder()  
            .bucket(bucketName)  
            .key(key)  
            .build();  
  
        CompletableFuture<DeleteObjectResponse> response =  
getAsyncClient().deleteObject(deleteObjectRequest);  
        response.whenComplete((deleteRes, ex) -> {  
            if (deleteRes != null) {  
                logger.info(key + " was deleted");  
            } else {  
                throw new RuntimeException("An S3 exception occurred during delete",  
ex);  
            }  
        });  
  
        return response.thenApply(r -> null);  
    }  
  
/**  
 * Deletes an S3 bucket asynchronously.  
 *  
 * @param bucket the name of the bucket to be deleted  
 * @return a {@link CompletableFuture} that completes when the bucket deletion  
is successful, or throws a {@link RuntimeException}  
 * if an error occurs during the deletion process  
 */  
public CompletableFuture<Void> deleteBucketAsync(String bucket) {  
    DeleteBucketRequest deleteBucketRequest = DeleteBucketRequest.builder()  
        .bucket(bucket)  
        .build();  
  
    CompletableFuture<DeleteBucketResponse> response =  
getAsyncClient().deleteBucket(deleteBucketRequest);  
    response.whenComplete((deleteRes, ex) -> {  
        if (deleteRes != null) {  
            logger.info(bucket + " was deleted.");  
        } else {  
            throw new RuntimeException("An S3 exception occurred during bucket  
deletion", ex);  
        }  
    });  
}
```

```
        }

    });

    return response.thenApply(r -> null);
}

public CompletableFuture<String> performMultiCopy(String toBucket, String
bucketName, String key) {
    CreateMultipartUploadRequest createMultipartUploadRequest =
CreateMultipartUploadRequest.builder()
    .bucket(toBucket)
    .key(key)
    .build();

    getAsyncClient().createMultipartUpload(createMultipartUploadRequest)
    .thenApply(createMultipartUploadResponse -> {
        String uploadId = createMultipartUploadResponse.uploadId();
        System.out.println("Upload ID: " + uploadId);

        UploadPartCopyRequest uploadPartCopyRequest =
UploadPartCopyRequest.builder()
    .sourceBucket(bucketName)
    .destinationBucket(toBucket)
    .sourceKey(key)
    .destinationKey(key)
    .uploadId(uploadId) // Use the valid uploadId.
    .partNumber(1) // Ensure the part number is correct.
    .copySourceRange("bytes=0-1023") // Adjust range as needed
    .build();

        return getAsyncClient().uploadPartCopy(uploadPartCopyRequest);
    })
    .thenCompose(uploadPartCopyFuture -> uploadPartCopyFuture)
    .whenComplete((uploadPartCopyResponse, exception) -> {
        if (exception != null) {
            // Handle any exceptions.
            logger.error("Error during upload part copy: " +
exception.getMessage());
        } else {
            // Successfully completed the upload part copy.
            System.out.println("Upload Part Copy completed successfully.
ETag: " + uploadPartCopyResponse.copyPartResult().eTag());
        }
    });
    return null;
}
```

```
    }

    private static ByteBuffer getRandomByteBuffer(int size) {
        ByteBuffer buffer = ByteBuffer.allocate(size);
        for (int i = 0; i < size; i++) {
            buffer.put((byte) (Math.random() * 256));
        }
        buffer.flip();
        return buffer;
    }
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [CopyObject](#)
- [CreateBucket](#)
- [DeleteBucket](#)
- [DeleteObjects](#)
- [GetObject](#)
- [ListObjectsV2](#)
- [PutObject](#)

Actions

AbortMultipartUpload

The following code example shows how to use AbortMultipartUpload.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import org.slf4j.Logger;
```

```
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.core.exception.SdkException;
import software.amazon.awssdk.core.sync.RequestBody;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.AbortMultipartUploadRequest;
import software.amazon.awssdk.services.s3.model.AbortMultipartUploadResponse;
import software.amazon.awssdk.services.s3.model.CompletedMultipartUpload;
import software.amazon.awssdk.services.s3.model.CompletedPart;
import software.amazon.awssdk.services.s3.model.CreateMultipartUploadResponse;
import software.amazon.awssdk.services.s3.model.LifecycleRule;
import software.amazon.awssdk.services.s3.model.ListMultipartUploadsRequest;
import software.amazon.awssdk.services.s3.model.ListMultipartUploadsResponse;
import software.amazon.awssdk.services.s3.model.MultipartUpload;
import
software.amazon.awssdk.services.s3.model.PutBucketLifecycleConfigurationResponse;
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.services.s3.model.UploadPartRequest;
import software.amazon.awssdk.services.s3.model.UploadPartResponse;
import software.amazon.awssdk.services.s3.waiters.S3Waiter;
import software.amazon.awssdk.services.sts.StsClient;
import software.amazon.awssdk.utils.builder.SdkBuilder;

import java.io.IOException;
import java.io.RandomAccessFile;
import java.net.URISyntaxException;
import java.net.URL;
import java.nio.ByteBuffer;
import java.time.Duration;
import java.time.Instant;
import java.util.ArrayList;
import java.util.Collection;
import java.util.List;
import java.util.Objects;
import java.util.UUID;

import static software.amazon.awssdk.transfer.s3.SizeConstant.KB;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 * <p>
 * For more information, see the following documentation topic:
 * <p>
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html

```

```
*/  
  
public class AbortMultipartUploadExamples {  
    static final String bucketName = "amzn-s3-demo-bucket" + UUID.randomUUID(); //  
    Change bucket name.  
    static final String key = UUID.randomUUID().toString();  
    static final String classPathFilePath = "/multipartUploadFiles/s3-  
    userguide.pdf";  
    static final String filePath = getFullPath(classPathFilePath);  
    static final S3Client s3Client = S3Client.create();  
    private static final Logger logger =  
        LoggerFactory.getLogger(AbortMultipartUploadExamples.class);  
    private static String accountId = getAccountId();  
  
    public static void main(String[] args) {  
        doAbortIncompleteMultipartUploadsFromList();  
        doAbortMultipartUploadUsingUploadId();  
        doAbortIncompleteMultipartUploadsOlderThan();  
        doAbortMultipartUploadsUsingLifecycleConfig();  
    }  
  
    // A wrapper method that sets up the multipart upload environment for  
    abortIncompleteMultipartUploadsFromList().  
    public static void doAbortIncompleteMultipartUploadsFromList() {  
        createBucket();  
        initiateAndInterruptMultiPartUpload("uploadThread");  
        abortIncompleteMultipartUploadsFromList();  
        deleteResources();  
    }  
  
    /**  
     * Aborts all incomplete multipart uploads from the specified S3 bucket.  
     * <p>  
     * This method retrieves a list of all incomplete multipart uploads in the  
     * specified S3 bucket,  
     * and then aborts each of those uploads.  
     */  
    public static void abortIncompleteMultipartUploadsFromList() {  
        ListMultipartUploadsRequest listMultipartUploadsRequest =  
            ListMultipartUploadsRequest.builder()  
                .bucket(bucketName)  
                .build();  
    }  
}
```

```
        ListMultipartUploadsResponse response =
s3Client.listMultipartUploads(listMultipartUploadsRequest);
        List<MultipartUpload> uploads = response/uploads();

        AbortMultipartUploadRequest abortMultipartUploadRequest;
        for (MultipartUpload upload : uploads) {
            abortMultipartUploadRequest = AbortMultipartUploadRequest.builder()
                .bucket(bucketName)
                .key(upload.key())
                .expectedBucketOwner(accountId)
                .uploadId(upload.uploadId())
                .build();

            AbortMultipartUploadResponse abortMultipartUploadResponse =
s3Client.abortMultipartUpload(abortMultipartUploadRequest);
            if (abortMultipartUploadResponse.sdkHttpResponse().isSuccessful()) {
                logger.info("Upload ID [{}] to bucket [{}] successfully aborted.",
upload.uploadId(), bucketName);
            }
        }
    }

// A wrapper method that sets up the multipart upload environment for
abortIncompleteMultipartUploadsOlderThan().
static void doAbortIncompleteMultipartUploadsOlderThan() {
    createBucket();
    Instant secondUploadInstant = initiateAndInterruptTwoUploads();
    abortIncompleteMultipartUploadsOlderThan(secondUploadInstant);
    deleteResources();
}

static void abortIncompleteMultipartUploadsOlderThan(Instant pointInTime) {
    ListMultipartUploadsRequest listMultipartUploadsRequest =
ListMultipartUploadsRequest.builder()
    .bucket(bucketName)
    .build();

    ListMultipartUploadsResponse response =
s3Client.listMultipartUploads(listMultipartUploadsRequest);
    List<MultipartUpload> uploads = response/uploads();

    AbortMultipartUploadRequest abortMultipartUploadRequest;
    for (MultipartUpload upload : uploads) {
```

```
        logger.info("Found multipartUpload with upload ID [{}], initiated [{}]",  
upload.uploadId(), upload.initiated());  
        if (upload.initiated().isBefore(pointInTime)) {  
            abortMultipartUploadRequest = AbortMultipartUploadRequest.builder()  
                .bucket(bucketName)  
                .key(upload.key())  
                .expectedBucketOwner(accountId)  
                .uploadId(upload.uploadId())  
                .build();  
  
            AbortMultipartUploadResponse abortMultipartUploadResponse =  
s3Client.abortMultipartUpload(abortMultipartUploadRequest);  
            if (abortMultipartUploadResponse.sdkHttpResponse().isSuccessful()) {  
                logger.info("Upload ID [{}] to bucket [{}] successfully  
aborted.", upload.uploadId(), bucketName);  
            }  
        }  
    }  
  
    // A wrapper method that sets up the multipart upload environment for  
    // abortMultipartUploadUsingUploadId().  
    static void doAbortMultipartUploadUsingUploadId() {  
        createBucket();  
        try {  
            abortMultipartUploadUsingUploadId();  
        } catch (S3Exception e) {  
            logger.error(e.getMessage());  
        } finally {  
            deleteResources();  
        }  
    }  
  
    static void abortMultipartUploadUsingUploadId() {  
        String uploadId = startUploadReturningUploadId();  
        AbortMultipartUploadResponse response = s3Client.abortMultipartUpload(b ->  
            .uploadId(uploadId)  
            .bucket(bucketName)  
            .key(key));  
  
        if (response.sdkHttpResponse().isSuccessful()) {  
            logger.info("Upload ID [{}] to bucket [{}] successfully aborted.",  
uploadId, bucketName);  
        }  
    }
```

```
}

// A wrapper method that sets up the multipart upload environment for
abortMultipartUploadsUsingLifecycleConfig();

static void doAbortMultipartUploadsUsingLifecycleConfig() {
    createBucket();
    try {
        abortMultipartUploadsUsingLifecycleConfig();
    } catch (S3Exception e) {
        logger.error(e.getMessage());
    } finally {
        deleteResources();
    }
}

static void abortMultipartUploadsUsingLifecycleConfig() {
    Collection<LifecycleRule> lifeCycleRules = List.of(LifecycleRule.builder()
        .abortIncompleteMultipartUpload(b -> b.
            daysAfterInitiation(7)
            .status("Enabled")
            .filter(SdkBuilder::build) // Filter element is required.
            .build()));

    // If the action is successful, the service sends back an HTTP 200 response
    // with an empty HTTP body.
    PutBucketLifecycleConfigurationResponse response =
    s3Client.putBucketLifecycleConfiguration(b -> b
        .bucket(bucketName)
        .lifecycleConfiguration(b1 -> b1.rules(lifeCycleRules)));

    if (response.sdkHttpResponse().isSuccessful()) {
        logger.info("Rule to abort incomplete multipart uploads added to
bucket.");
    } else {
        logger.error("Unsuccessfully applied rule. HTTP status code is [{}]",
        response.sdkHttpResponse().statusCode());
    }
}

/******************
 * Multipart upload methods
 ******************/

static void initiateAndInterruptMultiPartUpload(String threadName) {
```

```
Runnable upload = () -> {
    try {
        AbortMultipartUploadExamples.doMultipartUpload();
    } catch (SdkException e) {
        logger.error(e.getMessage());
    }
};

Thread uploadThread = new Thread(upload, threadName);
uploadThread.start();
try {
    Thread.sleep(Duration.ofSeconds(1).toMillis()); // Give the multipart
upload time to register.
} catch (InterruptedException e) {
    logger.error(e.getMessage());
}
uploadThread.interrupt();
}

static Instant initiateAndInterruptTwoUploads() {
    Instant firstUploadInstant = Instant.now();
    initiateAndInterruptMultiPartUpload("uploadThread1");
    try {
        Thread.sleep(Duration.ofSeconds(5).toMillis());
    } catch (InterruptedException e) {
        logger.error(e.getMessage());
    }
    Instant secondUploadInstant = Instant.now();
    initiateAndInterruptMultiPartUpload("uploadThread2");
    return secondUploadInstant;
}

static void doMultipartUpload() {
    String uploadId = step1CreateMultipartUpload();
    List<CompletedPart> completedParts = step2UploadParts(uploadId);
    step3CompleteMultipartUpload(uploadId, completedParts);
}

static String step1CreateMultipartUpload() {
    CreateMultipartUploadResponse createMultipartUploadResponse =
s3Client.createMultipartUpload(b -> b
        .bucket(bucketName)
        .key(key));
    return createMultipartUploadResponse.uploadId();
}
```

```
static List<CompletedPart> step2UploadParts(String uploadId) {
    int partNumber = 1;
    List<CompletedPart> completedParts = new ArrayList<>();
    ByteBuffer bb = ByteBuffer.allocate(Long.valueOf(1024 * KB).intValue());

    try (RandomAccessFile file = new RandomAccessFile(filePath, "r")) {
        long fileSize = file.length();
        long position = 0;
        while (position < fileSize) {
            file.seek(position);
            long read = file.getChannel().read(bb);

            bb.flip(); // Swap position and limit before reading from the
buffer.

            UploadPartRequest uploadPartRequest = UploadPartRequest.builder()
                .bucket(bucketName)
                .key(key)
                .uploadId(uploadId)
                .partNumber(partNumber)
                .build();

            UploadPartResponse partResponse = s3Client.uploadPart(
                uploadPartRequest,
                RequestBody.fromByteBuffer(bb));

            CompletedPart part = CompletedPart.builder()
                .partNumber(partNumber)
                .eTag(partResponse.eTag())
                .build();
            completedParts.add(part);
            logger.info("Part {} upload", partNumber);

            bb.clear();
            position += read;
            partNumber++;
        }
    } catch (IOException | S3Exception e) {
        logger.error(e.getMessage());
        return null;
    }
    return completedParts;
}
```

```
static void step3CompleteMultipartUpload(String uploadId, List<CompletedPart> completedParts) {
    s3Client.completeMultipartUpload(b -> b
        .bucket(bucketName)
        .key(key)
        .uploadId(uploadId)

    .multipartUpload(CompletedMultipartUpload.builder().parts(completedParts).build()));
}

static String startUploadReturningUploadId() {
    String uploadId = step1CreateMultipartUpload();
    doMultipartUploadWithUploadId(uploadId);
    return uploadId;

}

static void doMultipartUploadWithUploadId(String uploadId) {
    new Thread(() -> {
        try {
            List<CompletedPart> completedParts = step2UploadParts(uploadId);
            step3CompleteMultipartUpload(uploadId, completedParts);
        } catch (SdkException e) {
            logger.error(e.getMessage());
        }
    }, "upload thread").start();
    try {
        Thread.sleep(Duration.ofSeconds(2L).toMillis());
    } catch (InterruptedException e) {
        logger.error(e.getMessage());
        System.exit(1);
    }
}

/*************************************
 * Resource handling methods
 *****/

```

```
static void createBucket() {
    logger.info("Creating bucket: [{}]", bucketName);
    s3Client.createBucket(b -> b.bucket(bucketName));
    try (S3Waiter s3Waiter = s3Client.waiter()) {
        s3Waiter.waitUntilBucketExists(b -> b.bucket(bucketName));
    }
}
```

```
        logger.info("Bucket created.");
    }

    static void deleteResources() {
        logger.info("Deleting resources ...");
        s3Client.deleteObject(b -> b.bucket(bucketName).key(key));
        s3Client.deleteBucket(b -> b.bucket(bucketName));
        try (S3Waiter s3Waiter = s3Client.waiter()) {
            s3Waiter.waitUntilBucketNotExists(b -> b.bucket(bucketName));
        }
        logger.info("Resources deleted.");
    }

    private static String getAccountId() {
        try (StsClient stsClient = StsClient.create()) {
            return stsClient.getCallerIdentity().account();
        }
    }

    static String getFullPath(String filePath) {
        URL uploadDirectoryURL = PerformMultiPartUpload.class.getResource(filePath);
        String fullFilePath;
        try {
            fullFilePath =
Objects.requireNonNull(uploadDirectoryURL).toURI().getPath();
        } catch (URISyntaxException e) {
            throw new RuntimeException(e);
        }
        return fullFilePath;
    }
}
```

- For API details, see [AbortMultipartUpload](#) in *AWS SDK for Java 2.x API Reference*.

CopyObject

The following code example shows how to use CopyObject.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Copy an object using an [S3Client](#).

```
/**  
 * Asynchronously copies an object from one S3 bucket to another.  
 *  
 * @param fromBucket the name of the source S3 bucket  
 * @param objectKey  the key (name) of the object to be copied  
 * @param toBucket   the name of the destination S3 bucket  
 * @return a {@link CompletableFuture} that completes with the copy result as a  
{@link String}  
 * @throws RuntimeException if the URL could not be encoded or an S3 exception  
occurred during the copy  
 */  
public CompletableFuture<String> copyBucketObjectAsync(String fromBucket, String  
objectKey, String toBucket) {  
    CopyObjectRequest copyReq = CopyObjectRequest.builder()  
        .sourceBucket(fromBucket)  
        .sourceKey(objectKey)  
        .destinationBucket(toBucket)  
        .destinationKey(objectKey)  
        .build();  
  
    CompletableFuture<CopyObjectResponse> response =  
getAsyncClient().copyObject(copyReq);  
    response.whenComplete((copyRes, ex) -> {  
        if (copyRes != null) {  
            logger.info("The " + objectKey + " was copied to " + toBucket);  
        } else {  
            throw new RuntimeException("An S3 exception occurred during copy",  
ex);  
        }  
    });  
  
    return response.thenApply(CopyObjectResponse::copyObjectResult)
```

```
        .thenApply(Object::toString);
    }
```

Use an [S3TransferManager](#) to [copy an object](#) from one bucket to another. View the [complete file](#) and [test](#).

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.core.sync.RequestBody;
import software.amazon.awssdk.services.s3.model.CopyObjectRequest;
import software.amazon.awssdk.transfer.s3.S3TransferManager;
import software.amazon.awssdk.transfer.s3.model.CompletedCopy;
import software.amazon.awssdk.transfer.s3.model.Copy;
import software.amazon.awssdk.transfer.s3.model.CopyRequest;

import java.util.UUID;

public String copyObject(S3TransferManager transferManager, String bucketName,
        String key, String destinationBucket, String destinationKey) {
    CopyObjectRequest copyObjectRequest = CopyObjectRequest.builder()
        .sourceBucket(bucketName)
        .sourceKey(key)
        .destinationBucket(destinationBucket)
        .destinationKey(destinationKey)
        .build();

    CopyRequest copyRequest = CopyRequest.builder()
        .copyObjectRequest(copyObjectRequest)
        .build();

    Copy copy = transferManager.copy(copyRequest);

    CompletedCopy completedCopy = copy.completionFuture().join();
    return completedCopy.response().copyObjectResult().eTag();
}
```

- For API details, see [CopyObject](#) in *AWS SDK for Java 2.x API Reference*.

CreateBucket

The following code example shows how to use CreateBucket.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Create a bucket.

```
/**  
 * Creates an S3 bucket asynchronously.  
 *  
 * @param bucketName the name of the S3 bucket to create  
 * @return a {@link CompletableFuture} that completes when the bucket is created  
 and ready  
 * @throws RuntimeException if there is a failure while creating the bucket  
 */  
public CompletableFuture<Void> createBucketAsync(String bucketName) {  
    CreateBucketRequest bucketRequest = CreateBucketRequest.builder()  
        .bucket(bucketName)  
        .build();  
  
    CompletableFuture<CreateBucketResponse> response =  
getAsyncClient().createBucket(bucketRequest);  
    return response.thenCompose(resp -> {  
        S3AsyncWaiter s3Waiter = getAsyncClient().waiter();  
        HeadBucketRequest bucketRequestWait = HeadBucketRequest.builder()  
            .bucket(bucketName)  
            .build();  
  
        CompletableFuture<WaiterResponse<HeadBucketResponse>>  
waiterResponseFuture =  
            s3Waiter.waitUntilBucketExists(bucketRequestWait);  
        return waiterResponseFuture.thenAccept(waiterResponse -> {  
            waiterResponse.matched().response().ifPresent(headBucketResponse ->  
{  
                logger.info(bucketName + " is ready");  
            }  
        });  
    });  
}
```

```
        });
    });
}).whenComplete((resp, ex) -> {
    if (ex != null) {
        throw new RuntimeException("Failed to create bucket", ex);
    }
});
}
```

Create a bucket with object lock enabled.

```
// Create a new Amazon S3 bucket with object lock options.
public void createBucketWithLockOptions(boolean enableObjectLock, String
bucketName) {
    S3Waiter s3Waiter = getClient().waiter();
    CreateBucketRequest bucketRequest = CreateBucketRequest.builder()
        .bucket(bucketName)
        .objectLockEnabledForBucket(enableObjectLock)
        .build();

    getClient().createBucket(bucketRequest);
    HeadBucketRequest bucketRequestWait = HeadBucketRequest.builder()
        .bucket(bucketName)
        .build();

    // Wait until the bucket is created and print out the response.
    s3Waiter.waitUntilBucketExists(bucketRequestWait);
    System.out.println(bucketName + " is ready");
}
```

- For API details, see [CreateBucket](#) in *AWS SDK for Java 2.x API Reference*.

DeleteBucket

The following code example shows how to use DeleteBucket.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Deletes an S3 bucket asynchronously.  
 *  
 * @param bucket the name of the bucket to be deleted  
 * @return a {@link CompletableFuture} that completes when the bucket deletion  
 * is successful, or throws a {@link RuntimeException}  
 * if an error occurs during the deletion process  
 */  
public CompletableFuture<Void> deleteBucketAsync(String bucket) {  
    DeleteBucketRequest deleteBucketRequest = DeleteBucketRequest.builder()  
        .bucket(bucket)  
        .build();  
  
    CompletableFuture<DeleteBucketResponse> response =  
        getAsyncClient().deleteBucket(deleteBucketRequest);  
    response.whenComplete((deleteRes, ex) -> {  
        if (deleteRes != null) {  
            logger.info(bucket + " was deleted.");  
        } else {  
            throw new RuntimeException("An S3 exception occurred during bucket  
deletion", ex);  
        }  
    });  
    return response.thenApply(r -> null);  
}
```

- For API details, see [DeleteBucket](#) in *AWS SDK for Java 2.x API Reference*.

DeleteBucketPolicy

The following code example shows how to use `DeleteBucketPolicy`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.DeleteBucketPolicyRequest;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */

public class DeleteBucketPolicy {
    public static void main(String[] args) {

        final String usage = """
            Usage:
            <bucketName>

            Where:
            bucketName - The Amazon S3 bucket to delete the policy from (for
            example, bucket1).""";

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String bucketName = args[0];
        System.out.format("Deleting policy from bucket: \"%s\"\n\n", bucketName);
        Region region = Region.US_EAST_1;
```

```
S3Client s3 = S3Client.builder()
    .region(region)
    .build();

deleteS3BucketPolicy(s3, bucketName);
s3.close();
}

/**
 * Deletes the S3 bucket policy for the specified bucket.
 *
 * @param s3 the {@link S3Client} instance to use for the operation
 * @param bucketName the name of the S3 bucket for which the policy should be deleted
 *
 * @throws S3Exception if there is an error deleting the bucket policy
 */
public static void deleteS3BucketPolicy(S3Client s3, String bucketName) {
    DeleteBucketPolicyRequest delReq = DeleteBucketPolicyRequest.builder()
        .bucket(bucketName)
        .build();

    try {
        s3.deleteBucketPolicy(delReq);
        System.out.println("Done!");

    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [DeleteBucketPolicy](#) in *AWS SDK for Java 2.x API Reference*.

DeleteBucketWebsite

The following code example shows how to use `DeleteBucketWebsite`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.DeleteBucketWebsiteRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 * <p>
 * For more information, see the following documentation topic:
 * <p>
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */

public class DeleteWebsiteConfiguration {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <bucketName>
            Where:
            bucketName - The Amazon S3 bucket to delete the website
            configuration from.
            """;
        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }
        String bucketName = args[0];
        System.out.format("Deleting website configuration for Amazon S3 bucket: %s
\n", bucketName);
```

```
Region region = Region.US_EAST_1;
S3Client s3 = S3Client.builder()
    .region(region)
    .build();

deleteBucketWebsiteConfig(s3, bucketName);
System.out.println("Done!");
s3.close();
}

/**
 * Deletes the website configuration for an Amazon S3 bucket.
 *
 * @param s3 The {@link S3Client} instance used to interact with Amazon S3.
 * @param bucketName The name of the S3 bucket for which the website
configuration should be deleted.
 * @throws S3Exception If an error occurs while deleting the website
configuration.
 */
public static void deleteBucketWebsiteConfig(S3Client s3, String bucketName) {
    DeleteBucketWebsiteRequest delReq = DeleteBucketWebsiteRequest.builder()
        .bucket(bucketName)
        .build();

    try {
        s3.deleteBucketWebsite(delReq);

    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.out.println("Failed to delete website configuration!");
        System.exit(1);
    }
}
}
```

- For API details, see [DeleteBucketWebsite](#) in *AWS SDK for Java 2.x API Reference*.

DeleteObject

The following code example shows how to use `DeleteObject`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Deletes an object from an S3 bucket asynchronously.  
 *  
 * @param bucketName the name of the S3 bucket  
 * @param key          the key (file name) of the object to be deleted  
 * @return a {@link CompletableFuture} that completes when the object has been  
 deleted  
 */  
public CompletableFuture<Void> deleteObjectFromBucketAsync(String bucketName,  
String key) {  
    DeleteObjectRequest deleteObjectRequest = DeleteObjectRequest.builder()  
        .bucket(bucketName)  
        .key(key)  
        .build();  
  
    CompletableFuture<DeleteObjectResponse> response =  
getAsyncClient().deleteObject(deleteObjectRequest);  
    response.whenComplete((deleteRes, ex) -> {  
        if (deleteRes != null) {  
            logger.info(key + " was deleted");  
        } else {  
            throw new RuntimeException("An S3 exception occurred during delete",  
ex);  
        }  
    });  
  
    return response.thenApply(r -> null);  
}
```

- For API details, see [DeleteObject](#) in *AWS SDK for Java 2.x API Reference*.

DeleteObjects

The following code example shows how to use DeleteObjects.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.core.sync.RequestBody;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.PutObjectRequest;
import software.amazon.awssdk.services.s3.model.ObjectIdentifier;
import software.amazon.awssdk.services.s3.model.Delete;
import software.amazon.awssdk.services.s3.model.DeleteObjectsRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;

import java.util.ArrayList;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 * <p>
 * For more information, see the following documentation topic:
 * <p>
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */

public class DeleteMultiObjects {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <bucketName>
            Where:
                bucketName - the Amazon S3 bucket name.
            """;
    }
}
```

```
if (args.length != 1) {
    System.out.println(usage);
    System.exit(1);
}

String bucketName = args[0];
Region region = Region.US_EAST_1;
S3Client s3 = S3Client.builder()
    .region(region)
    .build();

deleteBucketObjects(s3, bucketName);
s3.close();
}

/**
 * Deletes multiple objects from an Amazon S3 bucket.
 *
 * @param s3 An Amazon S3 client object.
 * @param bucketName The name of the Amazon S3 bucket to delete objects from.
 */
public static void deleteBucketObjects(S3Client s3, String bucketName) {
    // Upload three sample objects to the specified Amazon S3 bucket.
    ArrayList<ObjectIdentifier> keys = new ArrayList<>();
    PutObjectRequest put0b;
    ObjectIdentifier objectId;

    for (int i = 0; i < 3; i++) {
        String keyName = "delete object example " + i;
        objectId = ObjectIdentifier.builder()
            .key(keyName)
            .build();

        put0b = PutObjectRequest.builder()
            .bucket(bucketName)
            .key(keyName)
            .build();

        s3.putObject(put0b, RequestBody.fromString(keyName));
        keys.add(objectId);
    }

    System.out.println(keys.size() + " objects successfully created.");
}
```

```
// Delete multiple objects in one request.  
Delete del = Delete.builder()  
    .objects(keys)  
    .build();  
  
try {  
    DeleteObjectsRequest multiObjectDeleteRequest =  
DeleteObjectsRequest.builder()  
    .bucket(bucketName)  
    .delete(del)  
    .build();  
  
    s3.deleteObjects(multiObjectDeleteRequest);  
    System.out.println("Multiple objects are deleted!");  
  
} catch (S3Exception e) {  
    System.err.println(e.awsErrorDetails().errorMessage());  
    System.exit(1);  
}  
}  
}  
}
```

- For API details, see [DeleteObjects](#) in *AWS SDK for Java 2.x API Reference*.

GetBucketAcl

The following code example shows how to use GetBucketAcl.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.s3.model.S3Exception;  
import software.amazon.awssdk.regions.Region;  
import software.amazon.awssdk.services.s3.S3Client;  
import software.amazon.awssdk.services.s3.model.GetObjectAclRequest;
```

```
import software.amazon.awssdk.services.s3.model.GetObjectAclResponse;
import software.amazon.awssdk.services.s3.model.Grant;

import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 * <p>
 * For more information, see the following documentation topic:
 * <p>
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */

public class GetAcl {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <bucketName> <objectKey>

            Where:
            bucketName - The Amazon S3 bucket to get the access control list (ACL)
            for.
            objectKey - The object to get the ACL for.\s
            """;
        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }

        String bucketName = args[0];
        String objectKey = args[1];
        System.out.println("Retrieving ACL for object: " + objectKey);
        System.out.println("in bucket: " + bucketName);
        Region region = Region.US_EAST_1;
        S3Client s3 = S3Client.builder()
            .region(region)
            .build();

        getBucketACL(s3, objectKey, bucketName);
        s3.close();
        System.out.println("Done!");
    }
}
```

```
}

/**
 * Retrieves the Access Control List (ACL) for an object in an Amazon S3 bucket.
 *
 * @param s3 The S3Client object used to interact with the Amazon S3 service.
 * @param objectKey The key of the object for which the ACL is to be retrieved.
 * @param bucketName The name of the bucket containing the object.
 * @return The ID of the grantee who has permission on the object, or an empty
string if an error occurs.
 */
public static String getBucketACL(S3Client s3, String objectKey, String
bucketName) {
    try {
        GetObjectAclRequest aclReq = GetObjectAclRequest.builder()
            .bucket(bucketName)
            .key(objectKey)
            .build();

        GetObjectAclResponse aclRes = s3.getObjectAcl(aclReq);
        List<Grant> grants = aclRes.grants();
        String grantee = "";
        for (Grant grant : grants) {
            System.out.format(" %s: %s\n", grant.grantee().id(),
grant.permission());
            grantee = grant.grantee().id();
        }

        return grantee;
    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }

    return "";
}
}
```

- For API details, see [GetBucketAcl](#) in *AWS SDK for Java 2.x API Reference*.

GetBucketPolicy

The following code example shows how to use GetBucketPolicy.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.GetBucketPolicyRequest;
import software.amazon.awssdk.services.s3.model.GetBucketPolicyResponse;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 * <p>
 * For more information, see the following documentation topic:
 * <p>
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */

public class GetBucketPolicy {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <bucketName>

            Where:
            bucketName - The Amazon S3 bucket to get the policy from.
            """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }
    }
}
```

```
String bucketName = args[0];
System.out.format("Getting policy for bucket: \"%s\"\n\n", bucketName);
Region region = Region.US_EAST_1;
S3Client s3 = S3Client.builder()
    .region(region)
    .build();

String polText = getPolicy(s3, bucketName);
System.out.println("Policy Text: " + polText);
s3.close();
}

/**
 * Retrieves the policy for the specified Amazon S3 bucket.
 *
 * @param s3 the {@link S3Client} instance to use for making the request
 * @param bucketName the name of the S3 bucket for which to retrieve the policy
 * @return the policy text for the specified bucket, or an empty string if an
error occurs
 */
public static String getPolicy(S3Client s3, String bucketName) {
    String policyText;
    System.out.format("Getting policy for bucket: \"%s\"\n\n", bucketName);
    GetBucketPolicyRequest policyReq = GetBucketPolicyRequest.builder()
        .bucket(bucketName)
        .build();

    try {
        GetBucketPolicyResponse policyRes = s3.getBucketPolicy(policyReq);
        policyText = policyRes.policy();
        return policyText;
    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }

    return "";
}
}
```

- For API details, see [GetBucketPolicy](#) in *AWS SDK for Java 2.x API Reference*.

GetBucketReplication

The following code example shows how to use GetBucketReplication.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Retrieves the replication details for the specified S3 bucket.  
 *  
 * @param s3Client the S3 client used to interact with the S3 service  
 * @param sourceBucketName the name of the S3 bucket to retrieve the  
 * replication details for  
 *  
 * @throws S3Exception if there is an error retrieving the replication details  
 */  
public static void getReplicationDetails(S3Client s3Client, String  
sourceBucketName) {  
    GetBucketReplicationRequest getRequest =  
    GetBucketReplicationRequest.builder()  
        .bucket(sourceBucketName)  
        .build();  
  
    try {  
        ReplicationConfiguration replicationConfig =  
s3Client.getBucketReplication(getRequest).replicationConfiguration();  
        ReplicationRule rule = replicationConfig.rules().get(0);  
        System.out.println("Retrieved destination bucket: " +  
rule.destination().bucket());  
        System.out.println("Retrieved priority: " + rule.priority());  
        System.out.println("Retrieved source-bucket replication rule status: " +  
rule.status());  
  
    } catch (S3Exception e) {  
        System.err.println("Failed to retrieve replication details: " +  
e.awsErrorDetails().errorMessage());  
    }  
}
```

- For API details, see [GetBucketReplication](#) in *AWS SDK for Java 2.x API Reference*.

GetObject

The following code example shows how to use GetObject.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Read data as a byte array using an [S3Client](#).

```
/**  
 * Asynchronously retrieves the bytes of an object from an Amazon S3 bucket and  
 writes them to a local file.  
 *  
 * @param bucketName the name of the S3 bucket containing the object  
 * @param keyName    the key (or name) of the S3 object to retrieve  
 * @param path       the local file path where the object's bytes will be  
 written  
 * @return a {@link CompletableFuture} that completes when the object bytes have  
 been written to the local file  
 */  
public CompletableFuture<Void> getObjectBytesAsync(String bucketName, String  
keyName, String path) {  
    GetObjectRequest objectRequest = GetObjectRequest.builder()  
        .key(keyName)  
        .bucket(bucketName)  
        .build();  
  
    CompletableFuture<ResponseBytes<GetObjectResponse>> response =  
getAsyncClient().getObject(objectRequest, AsyncResponseTransformer.toBytes());  
    return response.thenAccept(objectBytes -> {  
        try {  
            byte[] data = objectBytes.asByteArray();  
        } catch (IOException e) {  
            logger.error("Error reading object bytes", e);  
        }  
    });  
}
```

```
        Path filePath = Paths.get(path);
        Files.write(filePath, data);
        logger.info("Successfully obtained bytes from an S3 object");
    } catch (IOException ex) {
        throw new RuntimeException("Failed to write data to file", ex);
    }
}).whenComplete((resp, ex) -> {
    if (ex != null) {
        throw new RuntimeException("Failed to get object bytes from S3",
ex);
    }
});
}
```

Use an [S3TransferManager](#) to [download an object](#) in an S3 bucket to a local file. View the [complete file](#) and [test](#).

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.core.sync.RequestBody;
import software.amazon.awssdk.transfer.s3.S3TransferManager;
import software.amazon.awssdk.transfer.s3.model.CompletedFileDownload;
import software.amazon.awssdk.transfer.s3.model.DownloadFileRequest;
import software.amazon.awssdk.transfer.s3.model.FileDownload;
import software.amazon.awssdk.transfer.s3.progress.LoggingTransferListener;

import java.io.IOException;
import java.net.URISyntaxException;
import java.net.URL;
import java.nio.file.Files;
import java.nio.file.Path;
import java.nio.file.Paths;
import java.util.UUID;

public Long downloadFile(S3TransferManager transferManager, String bucketName,
                        String key, String downloadedFilePath) {
    DownloadFileRequest downloadFileRequest = DownloadFileRequest.builder()
        .getObjectRequest(b -> b.bucket(bucketName).key(key))
        .destination(Paths.get(downloadedFilePath))
        .build();
```

```
    FileDownload downloadFile =
transferManager.downloadFile(downloadFileRequest);

    CompletedFileDownload downloadResult =
downloadFile.completionFuture().join();
    logger.info("Content length [{}]",
downloadResult.response().contentLength());
    return downloadResult.response().contentLength();
}
```

Read tags that belong to an object using an [S3Client](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.GetObjectTaggingRequest;
import software.amazon.awssdk.services.s3.model.GetObjectTaggingResponse;
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.services.s3.model.Tag;

import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 * <p>
 * For more information, see the following documentation topic:
 * <p>
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */

public class GetObjectTags {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <bucketName> <keyName>\s
            Where:
            bucketName - The Amazon S3 bucket name.\s
            keyName - A key name that represents the object.\s
            """;
```

```
if (args.length != 2) {
    System.out.println(usage);
    System.exit(1);
}

String bucketName = args[0];
String keyName = args[1];
Region region = Region.US_EAST_1;
S3Client s3 = S3Client.builder()
    .region(region)
    .build();

listTags(s3, bucketName, keyName);
s3.close();
}

/**
 * Lists the tags associated with an Amazon S3 object.
 *
 * @param s3 the S3Client object used to interact with the Amazon S3 service
 * @param bucketName the name of the S3 bucket that contains the object
 * @param keyName the key (name) of the S3 object
 */
public static void listTags(S3Client s3, String bucketName, String keyName) {
    try {
        GetObjectTaggingRequest getTaggingRequest = GetObjectTaggingRequest
            .builder()
            .key(keyName)
            .bucket(bucketName)
            .build();

        GetObjectTaggingResponse tags = s3.getObjectTagging(getTaggingRequest);
        List<Tag> tagSet = tags.tagSet();
        for (Tag tag : tagSet) {
            System.out.println(tag.key());
            System.out.println(tag.value());
        }
    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

```
}
```

Get a URL for an object using an [S3Client](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.GetUrlRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;

import java.net.URL;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 * <p>
 * For more information, see the following documentation topic:
 * <p>
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */

public class GetObjectUrl {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <bucketName> <keyName>\s
            Where:
            bucketName - The Amazon S3 bucket name.
            keyName - A key name that represents the object.\s
        """;
        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }

        String bucketName = args[0];
        String keyName = args[1];
        Region region = Region.US_EAST_1;
        S3Client s3 = S3Client.builder()
```

```
        .region(region)
        .build();

    getURL(s3, bucketName, keyName);
    s3.close();
}

/**
 * Retrieves the URL for a specific object in an Amazon S3 bucket.
 *
 * @param s3 the S3Client object used to interact with the Amazon S3 service
 * @param bucketName the name of the S3 bucket where the object is stored
 * @param keyName the name of the object for which the URL should be retrieved
 * @throws S3Exception if there is an error retrieving the URL for the specified
object
 */
public static void getURL(S3Client s3, String bucketName, String keyName) {
    try {
        GetUrlRequest request = GetUrlRequest.builder()
            .bucket(bucketName)
            .key(keyName)
            .build();

        URL url = s3.utilities().getUrl(request);
        System.out.println("The URL for " + keyName + " is " + url);

    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

Get an object by using the `S3Presigner` client object using an [S3Client](#).

```
import java.io.IOException;
import java.io.InputStream;
import java.io.OutputStream;
import java.net.HttpURLConnection;
import java.time.Duration;
```

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.model.GetObjectRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.services.s3.presigner.model.GetObjectPresignRequest;
import software.amazon.awssdk.services.s3.presigner.model.PresignedGetObjectRequest;
import software.amazon.awssdk.services.s3.presigner.S3Presigner;
import software.amazon.awssdk.utils.IoUtils;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 * <p>
 * For more information, see the following documentation topic:
 * <p>
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class GetObjectPresignedUrl {
    public static void main(String[] args) {
        final String USAGE = """
            Usage:
            <bucketName> <keyName>\s
            Where:
            bucketName - The Amazon S3 bucket name.\s
            keyName - A key name that represents a text file.\s
            """;
        if (args.length != 2) {
            System.out.println(USAGE);
            System.exit(1);
        }

        String bucketName = args[0];
        String keyName = args[1];
        Region region = Region.US_EAST_1;
        S3Presigner presigner = S3Presigner.builder()
            .region(region)
            .build();

        getPresignedUrl(presigner, bucketName, keyName);
        presigner.close();
    }
}
```

```
/**  
 * Generates a pre-signed URL for an Amazon S3 object.  
 *  
 * @param presigner The {@link S3Presigner} instance to use for generating the  
 * pre-signed URL.  
 * @param bucketName The name of the Amazon S3 bucket where the object is  
 * stored.  
 * @param keyName The key name (file name) of the object in the Amazon S3  
 * bucket.  
 *  
 * @throws S3Exception If there is an error interacting with the Amazon S3  
 * service.  
 * @throws IOException If there is an error opening the HTTP connection or  
 * reading/writing the request/response.  
 */  
public static void getPresignedUrl(S3Presigner presigner, String bucketName,  
String keyName) {  
    try {  
        GetObjectRequest getObjectRequest = GetObjectRequest.builder()  
            .bucket(bucketName)  
            .key(keyName)  
            .build();  
  
        GetObjectPresignRequest getObjectPresignRequest =  
GetObjectPresignRequest.builder()  
            .signatureDuration(Duration.ofMinutes(60))  
            .getObjectRequest(getObjectRequest)  
            .build();  
  
        PresignedGetObjectRequest presignedGetObjectRequest =  
presigner.presignGetObject(getObjectPresignRequest);  
        String theUrl = presignedGetObjectRequest.url().toString();  
        System.out.println("Presigned URL: " + theUrl);  
        HttpURLConnection connection = (HttpURLConnection)  
presignedGetObjectRequest.url().openConnection();  
        presignedGetObjectRequest.httpRequest().headers().forEach((header,  
values) -> {  
            values.forEach(value -> {  
                connection.addRequestProperty(header, value);  
            });  
        });  
  
        // Send any request payload that the service needs (not needed when  
        // isBrowserExecutable is true).  
    }  
}
```

```
        if (presignedGetObjectRequest.signedPayload().isPresent()) {
            connection.setDoOutput(true);

            try (InputStream signedPayload =
presignedGetObjectRequest.signedPayload().get().asInputStream();
                OutputStream httpOutputStream = connection.getOutputStream()) {
                IoUtils.copy(signedPayload, httpOutputStream);
            }
        }

        // Download the result of executing the request.
        try (InputStream content = connection.getInputStream()) {
            System.out.println("Service returned response: ");
            IoUtils.copy(content, System.out);
        }

    } catch (S3Exception | IOException e) {
        e.printStackTrace();
    }
}
}
```

Get an object by using a ResponseTransformer object and [S3Client](#).

```
import software.amazon.awssdk.core.ResponseBytes;
import software.amazon.awssdk.core.sync.ResponseTransformer;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.GetObjectRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.services.s3.model.GetObjectResponse;

import java.io.File;
import java.io.FileOutputStream;
import java.io.IOException;
import java.io.OutputStream;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 * <p>
```

```
* For more information, see the following documentation topic:  
* <p>  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
  
public class GetObjectData {  
    public static void main(String[] args) {  
        final String usage = """  
  
        Usage:  
            <bucketName> <keyName> <path>  
  
        Where:  
            bucketName - The Amazon S3 bucket name.\s  
            keyName - The key name.\s  
            path - The path where the file is written to.\s  
        """;  
  
        if (args.length != 3) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String bucketName = args[0];  
        String keyName = args[1];  
        String path = args[2];  
        Region region = Region.US_EAST_1;  
        S3Client s3 = S3Client.builder()  
            .region(region)  
            .build();  
  
        getgetBytes(s3, bucketName, keyName, path);  
        s3.close();  
    }  
  
    /**  
     * Retrieves the bytes of an object stored in an Amazon S3 bucket and saves them  
     * to a local file.  
     *  
     * @param s3 The S3Client instance used to interact with the Amazon S3 service.  
     * @param bucketName The name of the S3 bucket where the object is stored.  
     * @param keyName The key (or name) of the S3 object.  
     * @param path The local file path where the object's bytes will be saved.  
    */
```

```
* @throws IOException If an I/O error occurs while writing the bytes to the
local file.
* @throws S3Exception If an error occurs while retrieving the object from the
S3 bucket.
*/
public static void getObjectType(S3Client s3, String bucketName, String
keyName, String path) {
    try {
        GetObjectRequest objectRequest = GetObjectRequest
            .builder()
            .key(keyName)
            .bucket(bucketName)
            .build();

        ResponseBytes<GetObjectResponse> objectBytes =
s3.getObject(objectRequest, ResponseTransformer.toBytes());
        byte[] data = objectBytes.asByteArray();

        // Write the data to a local file.
        File myFile = new File(path);
        OutputStream os = new FileOutputStream(myFile);
        os.write(data);
        System.out.println("Successfully obtained bytes from an S3 object");
        os.close();

    } catch (IOException ex) {
        ex.printStackTrace();
    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [GetObject](#) in *AWS SDK for Java 2.x API Reference*.

GetObjectLegalHold

The following code example shows how to use `GetObjectLegalHold`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
// Get the legal hold details for an S3 object.
public ObjectLockLegalHold getObjectLegalHold(String bucketName, String
objectKey) {
    try {
        GetObjectLegalHoldRequest legalHoldRequest =
GetObjectLegalHoldRequest.builder()
            .bucket(bucketName)
            .key(objectKey)
            .build();

        GetObjectLegalHoldResponse response =
getClient().getObjectLegalHold(legalHoldRequest);
        System.out.println("Object legal hold for " + objectKey + " in " +
bucketName +
            ":\n\tStatus: " + response.legalHold().status());
        return response.legalHold();

    } catch (S3Exception ex) {
        System.out.println("\tUnable to fetch legal hold: '" + ex.getMessage() +
"\"");
    }

    return null;
}
```

- For API details, see [GetObjectLegalHold](#) in *AWS SDK for Java 2.x API Reference*.

GetObjectLockConfiguration

The following code example shows how to use `GetObjectLockConfiguration`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
// Get the object lock configuration details for an S3 bucket.  
public void getBucketObjectLockConfiguration(String bucketName) {  
    GetObjectLockConfigurationRequest objectLockConfigurationRequest =  
    GetObjectLockConfigurationRequest.builder()  
        .bucket(bucketName)  
        .build();  
  
    GetObjectLockConfigurationResponse response =  
    getClient().getGetObjectLockConfiguration(objectLockConfigurationRequest);  
    System.out.println("Bucket object lock config for "+bucketName+": ");  
    System.out.println("\tEnabled:  
"+response.objectLockConfiguration().objectLockEnabled());  
    System.out.println("\tRule: "+  
    response.objectLockConfiguration().rule().defaultRetention());  
}
```

- For API details, see [GetObjectLockConfiguration](#) in *AWS SDK for Java 2.x API Reference*.

GetObjectRetention

The following code example shows how to use GetObjectRetention.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
// Get the retention period for an S3 object.
```

```
public ObjectLockRetention getObjectRetention(String bucketName, String key){  
    try {  
        GetObjectRetentionRequest retentionRequest =  
GetObjectRetentionRequest.builder()  
            .bucket(bucketName)  
            .key(key)  
            .build();  
  
        GetObjectRetentionResponse response =  
getClient().getObjectRetention(retentionRequest);  
        System.out.println("Object retention for "+key+" in "+bucketName+":  
" + response.retention().mode() +" until "+ response.retention().retainUntilDate()  
+".");  
        return response.retention();  
  
    } catch (S3Exception e) {  
        System.err.println(e.awsErrorDetails().errorMessage());  
        return null;  
    }  
}
```

- For API details, see [GetObjectRetention](#) in *AWS SDK for Java 2.x API Reference*.

HeadObject

The following code example shows how to use HeadObject.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Determine the content type of an object.

```
import software.amazon.awssdk.regions.Region;  
import software.amazon.awssdk.services.s3.S3Client;  
import software.amazon.awssdk.services.s3.model.HeadObjectRequest;
```

```
import software.amazon.awssdk.services.s3.model.HeadObjectResponse;
import software.amazon.awssdk.services.s3.model.S3Exception;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 * <p>
 * For more information, see the following documentation topic:
 * <p>
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class GetObjectContentType {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <bucketName> <keyName>
            Where:
            bucketName - The Amazon S3 bucket name.\s
            keyName - The key name.\s
            """;
        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }

        String bucketName = args[0];
        String keyName = args[1];
        Region region = Region.US_EAST_1;
        S3Client s3 = S3Client.builder()
            .region(region)
            .build();

        getContentType(s3, bucketName, keyName);
        s3.close();
    }

    /**
     * Retrieves the content type of an object stored in an Amazon S3 bucket.
     *
     * @param s3 an instance of the {@link S3Client} class, which is used to
     * interact with the Amazon S3 service
    
```

```
* @param bucketName the name of the S3 bucket where the object is stored
* @param keyName the key (file name) of the object in the S3 bucket
*/
public static void getContentType(S3Client s3, String bucketName, String
keyName) {
    try {
        HeadObjectRequest objectRequest = HeadObjectRequest.builder()
            .key(keyName)
            .bucket(bucketName)
            .build();

        HeadObjectResponse objectHead = s3.headObject(objectRequest);
        String type = objectHead.contentType();
        System.out.println("The object content type is " + type);

    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

Get the restore status of an object.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.HeadObjectRequest;
import software.amazon.awssdk.services.s3.model.HeadObjectResponse;
import software.amazon.awssdk.services.s3.model.S3Exception;

public class GetObjectRestoreStatus {
    public static void main(String[] args) {
        final String usage = """
Usage:
<bucketName> <keyName>\s
Where:
    bucketName - The Amazon S3 bucket name.\s
    keyName - A key name that represents the object.\s
""";
```

```
if (args.length != 2) {
    System.out.println(usage);
    System.exit(1);
}

String bucketName = args[0];
String keyName = args[1];
Region region = Region.US_EAST_1;
S3Client s3 = S3Client.builder()
    .region(region)
    .build();

checkStatus(s3, bucketName, keyName);
s3.close();
}

/**
 * Checks the restoration status of an Amazon S3 object.
 *
 * @param s3      an instance of the {@link S3Client} class used to interact
 * with the Amazon S3 service
 * @param bucketName  the name of the Amazon S3 bucket where the object is stored
 * @param keyName    the name of the Amazon S3 object to be checked
 * @throws S3Exception if an error occurs while interacting with the Amazon S3
 * service
 */
public static void checkStatus(S3Client s3, String bucketName, String keyName) {
    try {
        HeadObjectRequest headObjectRequest = HeadObjectRequest.builder()
            .bucket(bucketName)
            .key(keyName)
            .build();

        HeadObjectResponse response = s3.headObject(headObjectRequest);
        System.out.println("The Amazon S3 object restoration status is " +
response.restore());

    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [HeadObject](#) in *AWS SDK for Java 2.x API Reference*.

ListBuckets

The following code example shows how to use ListBuckets.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.Bucket;
import software.amazon.awssdk.services.s3.model.ListBucketsResponse;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ListBuckets {
    public static void main(String[] args) {
        Region region = Region.US_EAST_1;
        S3Client s3 = S3Client.builder()
            .region(region)
            .build();

        listAllBuckets(s3);

    }
}
```

```
* Lists all the S3 buckets available in the current AWS account.  
*  
* @param s3 The {@link S3Client} instance to use for interacting with the  
Amazon S3 service.  
*/  
public static void listAllBuckets(S3Client s3) {  
    ListBucketsResponse response = s3.listBuckets();  
    List<Bucket> bucketList = response.buckets();  
    for (Bucket bucket: bucketList) {  
        System.out.println("Bucket name "+bucket.name());  
    }  
}  
}
```

- For API details, see [ListBuckets](#) in *AWS SDK for Java 2.x API Reference*.

ListMultipartUploads

The following code example shows how to use `ListMultipartUploads`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;  
import software.amazon.awssdk.services.s3.S3Client;  
import software.amazon.awssdk.services.s3.model.ListMultipartUploadsRequest;  
import software.amazon.awssdk.services.s3.model.ListMultipartUploadsResponse;  
import software.amazon.awssdk.services.s3.model.MultipartUpload;  
import software.amazon.awssdk.services.s3.model.S3Exception;  
import java.util.List;  
  
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation topic:  
 */
```

```
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
  
public class ListMultipartUploads {  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:  
            <bucketName>\s  
  
            Where:  
            bucketName - The name of the Amazon S3 bucket where an in-  
            progress multipart upload is occurring.  
            """;  
  
        if (args.length != 1) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String bucketName = args[0];  
        Region region = Region.US_EAST_1;  
        S3Client s3 = S3Client.builder()  
            .region(region)  
            .build();  
        listUploads(s3, bucketName);  
        s3.close();  
    }  
  
    /**  
     * Lists the multipart uploads currently in progress in the specified Amazon S3  
     * bucket.  
     *  
     * @param s3 the S3Client object used to interact with Amazon S3  
     * @param bucketName the name of the Amazon S3 bucket to list the multipart  
     * uploads for  
     */  
    public static void listUploads(S3Client s3, String bucketName) {  
        try {  
            ListMultipartUploadsRequest listMultipartUploadsRequest =  
ListMultipartUploadsRequest.builder()  
                .bucket(bucketName)  
                .build();  
        }  
    }  
}
```

```
        ListMultipartUploadsResponse response =
s3.listMultipartUploads(listMultipartUploadsRequest);
        List<MultipartUpload> uploads = response/uploads();
        for (MultipartUpload upload : uploads) {
            System.out.println("Upload in progress: Key = \\" + upload.key() +
"\\", id = " + upload.uploadId());
        }

    } catch (S3Exception e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
}

}
```

- For API details, see [ListMultipartUploads](#) in *AWS SDK for Java 2.x API Reference*.

ListObjectsV2

The following code example shows how to use ListObjectsV2.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Asynchronously lists all objects in the specified S3 bucket.
 *
 * @param bucketName the name of the S3 bucket to list objects for
 * @return a {@link CompletableFuture} that completes when all objects have been
 * listed
 */
public CompletableFuture<Void> listAllObjectsAsync(String bucketName) {
    ListObjectsV2Request initialRequest = ListObjectsV2Request.builder()
        .bucket(bucketName)
```

```
.maxKeys(1)
.build();

ListObjectsV2Publisher paginator =
getAsyncClient().listObjectsV2Paginator(initialRequest);
return paginator.subscribe(response -> {
    response.contents().forEach(s3Object -> {
        logger.info("Object key: " + s3Object.key());
    });
}).thenRun(() -> {
    logger.info("Successfully listed all objects in the bucket: " +
bucketName);
}).exceptionally(ex -> {
    throw new RuntimeException("Failed to list objects", ex);
});
}
```

List objects using pagination.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.ListObjectsV2Request;
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.services.s3.paginators.ListObjectsV2Iterable;

public class ListObjectsPaginated {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <bucketName>\s
            Where:
            bucketName - The Amazon S3 bucket from which objects are read.\s
            """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }
    }
}
```

```
String bucketName = args[0];
Region region = Region.US_EAST_1;
S3Client s3 = S3Client.builder()
    .region(region)
    .build();

listBucketObjects(s3, bucketName);
s3.close();
}

/**
 * Lists the objects in the specified S3 bucket.
 *
 * @param s3 the S3Client instance used to interact with Amazon S3
 * @param bucketName the name of the S3 bucket to list the objects from
 */
public static void listBucketObjects(S3Client s3, String bucketName) {
    try {
        ListObjectsV2Request listReq = ListObjectsV2Request.builder()
            .bucket(bucketName)
            .maxKeys(1)
            .build();

        ListObjectsV2Iterable listRes = s3.listObjectsV2Paginator(listReq);
        listRes.stream()
            .flatMap(r -> r.contents().stream())
            .forEach(content -> System.out.println(" Key: " + content.key() + " size = " + content.size()));

    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [ListObjectsV2](#) in *AWS SDK for Java 2.x API Reference*.

PutBucketAcl

The following code example shows how to use PutBucketAcl.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.AccessControlPolicy;
import software.amazon.awssdk.services.s3.model.Grant;
import software.amazon.awssdk.services.s3.model.Permission;
import software.amazon.awssdk.services.s3.model.PutBucketAclRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.services.s3.model.Type;

import java.util.ArrayList;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 * <p>
 * For more information, see the following documentation topic:
 * <p>
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class SetAcl {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <bucketName> <id>\s

            Where:
            bucketName - The Amazon S3 bucket to grant permissions on.\s
            id - The ID of the owner of this bucket (you can get this value from
            the AWS Management Console).
            """;
```

```
if (args.length != 2) {
    System.out.println(usage);
    return;
}

String bucketName = args[0];
String id = args[1];
System.out.format("Setting access \n");
System.out.println(" in bucket: " + bucketName);
Region region = Region.US_EAST_1;
S3Client s3 = S3Client.builder()
    .region(region)
    .build();

setBucketAcl(s3, bucketName, id);
System.out.println("Done!");
s3.close();
}

/**
 * Sets the Access Control List (ACL) for an Amazon S3 bucket.
 *
 * @param s3 the S3Client instance to be used for the operation
 * @param bucketName the name of the S3 bucket to set the ACL for
 * @param id the ID of the AWS user or account that will be granted full control
 * of the bucket
 * @throws S3Exception if an error occurs while setting the bucket ACL
 */
public static void setBucketAcl(S3Client s3, String bucketName, String id) {
    try {
        Grant ownerGrant = Grant.builder()
            .grantee(builder -> builder.id(id))
            .type(Type.CANONICAL_USER))
            .permission(Permission.FULL_CONTROL)
            .build();

        List<Grant> grantList2 = new ArrayList<>();
        grantList2.add(ownerGrant);

        AccessControlPolicy acl = AccessControlPolicy.builder()
            .owner(builder -> builder.id(id))
            .grants(grantList2)
            .build();
    }
}
```

```
        PutBucketAclRequest putAclReq = PutBucketAclRequest.builder()
            .bucket(bucketName)
            .accessControlPolicy(acl)
            .build();

        s3.putBucketAcl(putAclReq);

    } catch (S3Exception e) {
        e.printStackTrace();
        System.exit(1);
    }
}
```

- For API details, see [PutBucketAcl](#) in *AWS SDK for Java 2.x API Reference*.

PutBucketCors

The following code example shows how to use PutBucketCors.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;

import java.util.ArrayList;
import java.util.List;

import software.amazon.awssdk.services.s3.model.GetBucketCorsRequest;
import software.amazon.awssdk.services.s3.model.GetBucketCorsResponse;
import software.amazon.awssdk.services.s3.model.DeleteBucketCorsRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.services.s3.model.CORSRule;
import software.amazon.awssdk.services.s3.model.CORSConfiguration;
```

```
import software.amazon.awssdk.services.s3.model.PutBucketCorsRequest;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 * <p>
 * For more information, see the following documentation topic:
 * <p>
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */

public class S3Cors {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <bucketName> <accountId>\s

            Where:
            bucketName - The Amazon S3 bucket to upload an object into.
            accountId - The id of the account that owns the Amazon S3 bucket.
            """;

        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }

        String bucketName = args[0];
        String accountId = args[1];
        Region region = Region.US_EAST_1;
        S3Client s3 = S3Client.builder()
            .region(region)
            .build();

        setCorsInformation(s3, bucketName, accountId);
        getBucketCorsInformation(s3, bucketName, accountId);
        deleteBucketCorsInformation(s3, bucketName, accountId);
        s3.close();
    }

    /**
     * Deletes the CORS (Cross-Origin Resource Sharing) configuration for an Amazon
     * S3 bucket.
     *

```

```
* @param s3           the {@link S3Client} instance used to interact with the
Amazon S3 service
* @param bucketName   the name of the Amazon S3 bucket for which the CORS
configuration should be deleted
* @param accountId     the expected AWS account ID of the bucket owner
*
* @throws S3Exception if an error occurs while deleting the CORS configuration
for the bucket
*/
public static void deleteBucketCorsInformation(S3Client s3, String bucketName,
String accountId) {
    try {
        DeleteBucketCorsRequest bucketCorsRequest =
DeleteBucketCorsRequest.builder()
            .bucket(bucketName)
            .expectedBucketOwner(accountId)
            .build();

        s3.deleteBucketCors(bucketCorsRequest);

    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

/**
 * Retrieves the CORS (Cross-Origin Resource Sharing) configuration for the
specified S3 bucket.
*
* @param s3 the S3Client instance to use for the operation
* @param bucketName the name of the S3 bucket to retrieve the CORS
configuration for
* @param accountId the expected bucket owner's account ID
*
* @throws S3Exception if there is an error retrieving the CORS configuration
*/
public static void getBucketCorsInformation(S3Client s3, String bucketName,
String accountId) {
    try {
        GetBucketCorsRequest bucketCorsRequest = GetBucketCorsRequest.builder()
            .bucket(bucketName)
            .expectedBucketOwner(accountId)
            .build();
    }
}
```

```
        GetBucketCorsResponse corsResponse =
s3.getBucketCors(bucketCorsRequest);
        List<CORSRule> corsRules = corsResponse.corsRules();
        for (CORSRule rule : corsRules) {
            System.out.println("allowOrigins: " + rule.allowedOrigins());
            System.out.println("AllowedMethod: " + rule.allowedMethods());
        }

    } catch (S3Exception e) {

        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

/**
 * Sets the Cross-Origin Resource Sharing (CORS) rules for an Amazon S3 bucket.
 *
 * @param s3 The S3Client object used to interact with the Amazon S3 service.
 * @param bucketName The name of the S3 bucket to set the CORS rules for.
 * @param accountId The AWS account ID of the bucket owner.
 */
public static void setCorsInformation(S3Client s3, String bucketName, String
accountId) {
    List<String> allowMethods = new ArrayList<>();
    allowMethods.add("PUT");
    allowMethods.add("POST");
    allowMethods.add("DELETE");

    List<String> allowOrigins = new ArrayList<>();
    allowOrigins.add("http://example.com");
    try {
        // Define CORS rules.
        CORSRule corsRule = CORSRule.builder()
            .allowedMethods(allowMethods)
            .allowedOrigins(allowOrigins)
            .build();

        List<CORSRule> corsRules = new ArrayList<>();
        corsRules.add(corsRule);
        CORSConfiguration configuration = CORSConfiguration.builder()
            .corsRules(corsRules)
            .build();
    }
}
```

```
        PutBucketCorsRequest putBucketCorsRequest =
PutBucketCorsRequest.builder()
    .bucket(bucketName)
    .corsConfiguration(configuration)
    .expectedBucketOwner(accountId)
    .build();

    s3.putBucketCors(putBucketCorsRequest);

} catch (S3Exception e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

- For API details, see [PutBucketCors](#) in *AWS SDK for Java 2.x API Reference*.

PutBucketLifecycleConfiguration

The following code example shows how to use `PutBucketLifecycleConfiguration`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.LifecycleRuleFilter;
import software.amazon.awssdk.services.s3.model.Transition;
import
software.amazon.awssdk.services.s3.model.GetBucketLifecycleConfigurationRequest;
import
software.amazon.awssdk.services.s3.model.GetBucketLifecycleConfigurationResponse;
import software.amazon.awssdk.services.s3.model.DeleteBucketLifecycleRequest;
```

```
import software.amazon.awssdk.services.s3.model.TransitionStorageClass;
import software.amazon.awssdk.services.s3.model.LifecycleRule;
import software.amazon.awssdk.services.s3.model.ExpirationStatus;
import software.amazon.awssdk.services.s3.model.BucketLifecycleConfiguration;
import
software.amazon.awssdk.services.s3.model.PutBucketLifecycleConfigurationRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;
import java.util.ArrayList;
import java.util.List;

/*
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 * <p>
 * For more information, see the following documentation topic:
 * <p>
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */

public class LifecycleConfiguration {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <bucketName> <accountId>\s

            Where:
            bucketName - The Amazon Simple Storage Service (Amazon S3) bucket to
            upload an object into.
            accountId - The id of the account that owns the Amazon S3 bucket.
            """;

        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }

        String bucketName = args[0];
        String accountId = args[1];
        Region region = Region.US_EAST_1;
        S3Client s3 = S3Client.builder()
            .region(region)
            .build();
    }
}
```

```
        setLifecycleConfig(s3, bucketName, accountId);
        getLifecycleConfig(s3, bucketName, accountId);
        deleteLifecycleConfig(s3, bucketName, accountId);
        System.out.println("You have successfully created, updated, and deleted a
Lifecycle configuration");
        s3.close();
    }

/**
 * Sets the lifecycle configuration for an Amazon S3 bucket.
 *
 * @param s3           The Amazon S3 client to use for the operation.
 * @param bucketName   The name of the Amazon S3 bucket.
 * @param accountId    The expected owner of the Amazon S3 bucket.
 *
 * @throws S3Exception if there is an error setting the lifecycle configuration.
 */
public static void setLifecycleConfig(S3Client s3, String bucketName, String
accountId) {
    try {
        // Create a rule to archive objects with the "glacierobjects/" prefix to
the
        // S3 Glacier Flexible Retrieval storage class immediately.
        LifecycleRuleFilter ruleFilter = LifecycleRuleFilter.builder()
            .prefix("glacierobjects/")
            .build();

        Transition transition = Transition.builder()
            .storageClass(TransitionStorageClass.GLACIER)
            .days(0)
            .build();

        LifecycleRule rule1 = LifecycleRule.builder()
            .id("Archive immediately rule")
            .filter(ruleFilter)
            .transitions(transition)
            .status(ExpirationStatus.ENABLED)
            .build();

        // Create a second rule.
        Transition transition2 = Transition.builder()
            .storageClass(TransitionStorageClass.GLACIER)
            .days(0)
            .build();
    }
}
```

```
        List<Transition> transitionList = new ArrayList<>();
        transitionList.add(transition2);

        LifecycleRuleFilter ruleFilter2 = LifecycleRuleFilter.builder()
            .prefix("glacierobjects/")
            .build();

        LifecycleRule rule2 = LifecycleRule.builder()
            .id("Archive and then delete rule")
            .filter(ruleFilter2)
            .transitions(transitionList)
            .status(ExpirationStatus.ENABLED)
            .build();

        // Add the LifecycleRule objects to an ArrayList.
        ArrayList<LifecycleRule> ruleList = new ArrayList<>();
        ruleList.add(rule1);
        ruleList.add(rule2);

        BucketLifecycleConfiguration lifecycleConfiguration =
BucketLifecycleConfiguration.builder()
            .rules(ruleList)
            .build();

        PutBucketLifecycleConfigurationRequest
putBucketLifecycleConfigurationRequest = PutBucketLifecycleConfigurationRequest
            .builder()
            .bucket(bucketName)
            .lifecycleConfiguration(lifecycleConfiguration)
            .expectedBucketOwner(accountId)
            .build();

s3.putBucketLifecycleConfiguration(putBucketLifecycleConfigurationRequest);

    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

/**
```

```
* Retrieves the lifecycle configuration for an Amazon S3 bucket and adds a new
lifecycle rule to it.
*
* @param s3 the S3Client instance used to interact with Amazon S3
* @param bucketName the name of the Amazon S3 bucket
* @param accountId the expected owner of the Amazon S3 bucket
*/
public static void getLifecycleConfig(S3Client s3, String bucketName, String
accountId) {
    try {
        GetBucketLifecycleConfigurationRequest
getBucketLifecycleConfigurationRequest = GetBucketLifecycleConfigurationRequest
            .builder()
            .bucket(bucketName)
            .expectedBucketOwner(accountId)
            .build();

        GetBucketLifecycleConfigurationResponse response = s3

.getBucketLifecycleConfiguration(getBucketLifecycleConfigurationRequest);
        List<LifecycleRule> newList = new ArrayList<>();
        List<LifecycleRule> rules = response.rules();
        for (LifecycleRule rule : rules) {
            newList.add(rule);
        }

        // Add a new rule with both a prefix predicate and a tag predicate.
        LifecycleRuleFilter ruleFilter = LifecycleRuleFilter.builder()
            .prefix("YearlyDocuments/")
            .build();

        Transition transition = Transition.builder()
            .storageClass(TransitionStorageClass.GLACIER)
            .days(3650)
            .build();

        LifecycleRule rule1 = LifecycleRule.builder()
            .id("NewRule")
            .filter(ruleFilter)
            .transitions(transition)
            .status(ExpirationStatus.ENABLED)
            .build();

        // Add the new rule to the list.
```

```
        newList.add(rule1);
        BucketLifecycleConfiguration lifecycleConfiguration =
BucketLifecycleConfiguration.builder()
            .rules(newList)
            .build();

        PutBucketLifecycleConfigurationRequest
putBucketLifecycleConfigurationRequest = PutBucketLifecycleConfigurationRequest
        .builder()
        .bucket(bucketName)
        .lifecycleConfiguration(lifecycleConfiguration)
        .expectedBucketOwner(accountId)
        .build();

s3.putBucketLifecycleConfiguration(putBucketLifecycleConfigurationRequest);

    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

/**
 * Deletes the lifecycle configuration for an Amazon S3 bucket.
 *
 * @param s3 the {@link S3Client} to use for the operation
 * @param bucketName the name of the S3 bucket
 * @param accountId the expected account owner of the S3 bucket
 *
 * @throws S3Exception if an error occurs while deleting the lifecycle
 * configuration
 */
public static void deleteLifecycleConfig(S3Client s3, String bucketName, String
accountId) {
    try {
        DeleteBucketLifecycleRequest deleteBucketLifecycleRequest =
DeleteBucketLifecycleRequest
            .builder()
            .bucket(bucketName)
            .expectedBucketOwner(accountId)
            .build();

        s3.deleteBucketLifecycle(deleteBucketLifecycleRequest);
```

```
        } catch (S3Exception e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
}
```

- For API details, see [PutBucketLifecycleConfiguration](#) in *AWS SDK for Java 2.x API Reference*.

PutBucketPolicy

The following code example shows how to use PutBucketPolicy.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.PutBucketPolicyRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.regions.Region;

import java.io.IOException;
import java.nio.charset.StandardCharsets;
import java.nio.file.Files;
import java.nio.file.Paths;
import java.util.List;

import com.fasterxml.jackson.core.JsonParser;
import com.fasterxml.jackson.databind.ObjectMapper;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 * <p>
```

```
* For more information, see the following documentation topic:  
* <p>  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
  
public class SetBucketPolicy {  
    public static void main(String[] args) {  
        final String usage = """  
  
        Usage:  
            <bucketName> <polFile>  
  
        Where:  
            bucketName - The Amazon S3 bucket to set the policy on.  
            polFile - A JSON file containing the policy (see the Amazon S3  
Readme for an example).\s  
        """;  
  
        if (args.length != 2) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String bucketName = args[0];  
        String polFile = args[1];  
        String policyText = getBucketPolicyFromFile(polFile);  
        Region region = Region.US_EAST_1;  
        S3Client s3 = S3Client.builder()  
            .region(region)  
            .build();  
  
        setPolicy(s3, bucketName, policyText);  
        s3.close();  
    }  
  
    /**  
     * Sets the policy for an Amazon S3 bucket.  
     *  
     * @param s3          the {@link S3Client} object used to interact with the  
     * Amazon S3 service  
     * @param bucketName the name of the Amazon S3 bucket  
     * @param policyText the text of the policy to be set on the bucket  
     * @throws S3Exception if there is an error setting the bucket policy  
     */
```

```
public static void setPolicy(S3Client s3, String bucketName, String policyText)
{
    System.out.println("Setting policy:");
    System.out.println("----");
    System.out.println(policyText);
    System.out.println("----");
    System.out.format("On Amazon S3 bucket: \"%s\"\n", bucketName);

    try {
        PutBucketPolicyRequest policyReq = PutBucketPolicyRequest.builder()
            .bucket(bucketName)
            .policy(policyText)
            .build();

        s3.putBucketPolicy(policyReq);

    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }

    System.out.println("Done!");
}

/**
 * Retrieves the bucket policy from a specified file.
 *
 * @param policyFile the path to the file containing the bucket policy
 * @return the content of the bucket policy file as a string
 */
public static String getBucketPolicyFromFile(String policyFile) {
    StringBuilder fileText = new StringBuilder();
    try {
        List<String> lines = Files.readAllLines(Paths.get(policyFile),
StandardCharsets.UTF_8);
        for (String line : lines) {
            fileText.append(line);
        }
    } catch (IOException e) {
        System.out.format("Problem reading file: \"%s\"", policyFile);
        System.out.println(e.getMessage());
    }
}
```

```
        try {
            final JsonParser parser = new
ObjectMapper().getFactory().createParser(fileText.toString());
            while (parser.nextToken() != null) {
                }

            } catch (IOException jpe) {
                jpe.printStackTrace();
            }
            return fileText.toString();
        }
    }
```

- For API details, see [PutBucketPolicy](#) in *AWS SDK for Java 2.x API Reference*.

PutBucketReplication

The following code example shows how to use PutBucketReplication.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Sets the replication configuration for an Amazon S3 bucket.
 *
 * @param s3Client          the S3Client instance to use for the operation
 * @param sourceBucketName   the name of the source bucket
 * @param destBucketName     the name of the destination bucket
 * @param destinationBucketARN the Amazon Resource Name (ARN) of the destination
 *                            bucket
 * @param roleARN           the ARN of the IAM role to use for the
 *                            replication configuration
 */
public static void setReplication(S3Client s3Client, String sourceBucketName,
String destBucketName, String destinationBucketARN, String roleARN) {
    try {
```

```
Destination destination = Destination.builder()
    .bucket(destinationBucketARN)
    .storageClass(StorageClass.STANDARD)
    .build();

    // Define a prefix filter for replication.
    ReplicationRuleFilter ruleFilter = ReplicationRuleFilter.builder()
        .prefix("documents/")
        .build();

    // Define delete marker replication setting.
    DeleteMarkerReplication deleteMarkerReplication =
DeleteMarkerReplication.builder()
    .status(DeleteMarkerReplicationStatus.DISABLED)
    .build();

    // Create the replication rule.
    ReplicationRule replicationRule = ReplicationRule.builder()
        .priority(1)
        .filter(ruleFilter)
        .status(ReplicationRuleStatus.ENABLED)
        .deleteMarkerReplication(deleteMarkerReplication)
        .destination(destination)
        .build();

List<ReplicationRule> replicationRuleList = new ArrayList<>();
replicationRuleList.add(replicationRule);

    // Define the replication configuration with IAM role.
    ReplicationConfiguration configuration =
ReplicationConfiguration.builder()
    .role(roleARN)
    .rules(replicationRuleList)
    .build();

    // Apply the replication configuration to the source bucket.
    PutBucketReplicationRequest replicationRequest =
PutBucketReplicationRequest.builder()
    .bucket(sourceBucketName)
    .replicationConfiguration(configuration)
    .build();

    s3Client.putBucketReplication(replicationRequest);
    System.out.println("Replication configuration set successfully.");
```

```
        } catch (IllegalArgumentException e) {
            System.err.println("Configuration error: " + e.getMessage());
        } catch (S3Exception e) {
            System.err.println("S3 Exception: " +
e.awsErrorDetails().errorMessage());
            System.err.println("Status Code: " + e.statusCode());
            System.err.println("Error Code: " + e.awsErrorDetails().errorCode());
        }
    }
}
```

- For API details, see [PutBucketReplication](#) in *AWS SDK for Java 2.x API Reference*.

PutBucketVersioning

The following code example shows how to use PutBucketVersioning.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Enables bucket versioning for the specified S3 bucket.
 *
 * @param s3Client the S3 client to use for the operation
 * @param bucketName the name of the S3 bucket to enable versioning for
 */
public static void enableBucketVersioning(S3Client s3Client, String bucketName){
    VersioningConfiguration versioningConfiguration =
VersioningConfiguration.builder()
    .status(BucketVersioningStatus.ENABLED)
    .build();
```

```
PutBucketVersioningRequest versioningRequest =
PutBucketVersioningRequest.builder()
    .bucket(bucketName)
    .versioningConfiguration(versioningConfiguration)
    .build();

s3Client.putBucketVersioning(versioningRequest);
System.out.println("Bucket versioning has been enabled for "+bucketName);
}
```

- For API details, see [PutBucketVersioning](#) in *AWS SDK for Java 2.x API Reference*.

PutBucketWebsite

The following code example shows how to use PutBucketWebsite.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.IndexDocument;
import software.amazon.awssdk.services.s3.model.PutBucketWebsiteRequest;
import software.amazon.awssdk.services.s3.model.WebsiteConfiguration;
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.regions.Region;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 * <p>
 * For more information, see the following documentation topic:
 * <p>
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
```

```
public class SetWebsiteConfiguration {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <bucketName> [indexdoc]\s
            Where:
                bucketName - The Amazon S3 bucket to set the website configuration
on.\s
                indexdoc - The index document, ex. 'index.html'
                           If not specified, 'index.html' will be set.
            """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String bucketName = args[0];
        String indexDoc = "index.html";
        Region region = Region.US_EAST_1;
        S3Client s3 = S3Client.builder()
            .region(region)
            .build();

        setWebsiteConfig(s3, bucketName, indexDoc);
        s3.close();
    }

    /**
     * Sets the website configuration for an Amazon S3 bucket.
     *
     * @param s3 The {@link S3Client} instance to use for the AWS SDK operations.
     * @param bucketName The name of the S3 bucket to configure.
     * @param indexDoc The name of the index document to use for the website
     * configuration.
     */
    public static void setWebsiteConfig(S3Client s3, String bucketName, String
indexDoc) {
        try {
            WebsiteConfiguration websiteConfig = WebsiteConfiguration.builder()
                .indexDocument(IndexDocument.builder().suffix(indexDoc).build())
                .build();
        }
    }
}
```

```
PutBucketWebsiteRequest pubWebsiteReq =  
PutBucketWebsiteRequest.builder()  
    .bucket(bucketName)  
    .websiteConfiguration(websiteConfig)  
    .build();  
  
s3.putBucketWebsite(pubWebsiteReq);  
System.out.println("The call was successful");  
  
} catch (S3Exception e) {  
    System.err.println(e.awsErrorDetails().errorMessage());  
    System.exit(1);  
}  
}  
}  
}
```

- For API details, see [PutBucketWebsite](#) in *AWS SDK for Java 2.x API Reference*.

PutObject

The following code example shows how to use PutObject.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Upload a file to a bucket using an [S3Client](#).

```
/**  
 * Uploads a local file to an AWS S3 bucket asynchronously.  
 *  
 * @param bucketName the name of the S3 bucket to upload the file to  
 * @param key         the key (object name) to use for the uploaded file  
 * @param objectPath the local file path of the file to be uploaded
```

```
* @return a {@link CompletableFuture} that completes with the {@link PutObjectResponse} when the upload is successful, or throws a {@link RuntimeException} if the upload fails
*/
public CompletableFuture<PutObjectResponse> uploadLocalFileAsync(String
bucketName, String key, String objectPath) {
    PutObjectRequest objectRequest = PutObjectRequest.builder()
        .bucket(bucketName)
        .key(key)
        .build();

    CompletableFuture<PutObjectResponse> response =
getAsyncClient().putObject(objectRequest,
AsyncRequestBody.fromFile(Paths.get(objectPath)));
    return response.whenComplete((resp, ex) -> {
        if (ex != null) {
            throw new RuntimeException("Failed to upload file", ex);
        }
    });
}
```

Use an [S3TransferManager](#) to [upload a file](#) to a bucket. View the [complete file](#) and [test](#).

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.transfer.s3.S3TransferManager;
import software.amazon.awssdk.transfer.s3.model.CompletedFileUpload;
import software.amazon.awssdk.transfer.s3.model.FileUpload;
import software.amazon.awssdk.transfer.s3.model.UploadFileRequest;
import software.amazon.awssdk.transfer.s3.progress.LoggingTransferListener;
import java.net.URI;
import java.net.URISyntaxException;
import java.net.URL;
import java.nio.file.Paths;
import java.util.UUID;

public String uploadFile(S3TransferManager transferManager, String bucketName,
                        String key, URI filePathURI) {
    UploadFileRequest uploadFileRequest = UploadFileRequest.builder()
        .putObjectRequest(b -> b.bucket(bucketName).key(key))
        .source(Paths.get(filePathURI))
        .build();
```

```
    FileUpload fileUpload = transferManager.uploadFile(uploadFileRequest);

    CompletedFileUpload uploadResult = fileUpload.completionFuture().join();
    return uploadResult.response().eTag();
}
```

Upload an object to a bucket and set tags using an [S3Client](#).

```
/**
 * Puts tags on an Amazon S3 object.
 *
 * @param s3 An {@link S3Client} object that represents the Amazon S3 client.
 * @param bucketName The name of the Amazon S3 bucket.
 * @param objectKey The key of the Amazon S3 object.
 * @param objectPath The file path of the object to be uploaded.
 */
public static void putS3ObjectTags(S3Client s3, String bucketName, String
objectKey, String objectPath) {
    try {
        Tag tag1 = Tag.builder()
            .key("Tag 1")
            .value("This is tag 1")
            .build();

        Tag tag2 = Tag.builder()
            .key("Tag 2")
            .value("This is tag 2")
            .build();

        List<Tag> tags = new ArrayList<>();
        tags.add(tag1);
        tags.add(tag2);

        Tagging allTags = Tagging.builder()
            .tagSet(tags)
            .build();

        PutObjectRequest putOb = PutObjectRequest.builder()
            .bucket(bucketName)
            .key(objectKey)
            .tagging(allTags)
```

```
        .build();

        s3.putObject(putOb, RequestBody.fromBytes(getObjectFile(objectPath)));

    } catch (S3Exception e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}

/**
 * Updates the tags associated with an object in an Amazon S3 bucket.
 *
 * @param s3 an instance of the S3Client class, which is used to interact with
 * the Amazon S3 service
 * @param bucketName the name of the S3 bucket containing the object
 * @param objectKey the key (or name) of the object in the S3 bucket
 * @throws S3Exception if there is an error updating the object's tags
 */
public static void updateObjectTags(S3Client s3, String bucketName, String
objectKey) {
    try {
        GetObjectTaggingRequest taggingRequest =
GetObjectTaggingRequest.builder()
            .bucket(bucketName)
            .key(objectKey)
            .build();

        GetObjectTaggingResponse getTaggingRes =
s3.getObjectTagging(taggingRequest);
        List<Tag> obTags = getTaggingRes.tagSet();
        for (Tag sinTag : obTags) {
            System.out.println("The tag key is: " + sinTag.key());
            System.out.println("The tag value is: " + sinTag.value());
        }

        // Replace the object's tags with two new tags.
        Tag tag3 = Tag.builder()
            .key("Tag 3")
            .value("This is tag 3")
            .build();

        Tag tag4 = Tag.builder()
            .key("Tag 4")
```

```
.value("This is tag 4")
.build();

List<Tag> tags = new ArrayList<>();
tags.add(tag3);
tags.add(tag4);

Tagging updatedTags = Tagging.builder()
    .tagSet(tags)
    .build();

PutObjectTaggingRequest taggingRequest1 =
PutObjectTaggingRequest.builder()
    .bucket(bucketName)
    .key(objectKey)
    .tagging(updatedTags)
    .build();

s3.putObjectTagging(taggingRequest1);
GetObjectTaggingResponse getTaggingRes2 =
s3.getObjectTagging(taggingRequest);
List<Tag> modTags = getTaggingRes2.tagSet();
for (Tag sinTag : modTags) {
    System.out.println("The tag key is: " + sinTag.key());
    System.out.println("The tag value is: " + sinTag.value());
}

} catch (S3Exception e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
}

/**
 * Retrieves the contents of a file as a byte array.
 *
 * @param filePath the path of the file to be read
 * @return a byte array containing the contents of the file, or null if an error occurs
 */
private static byte[] getObjectFile(String filePath) {
    FileInputStream fileInputStream = null;
    byte[] bytesArray = null;
```

```
try {
    File file = new File(filePath);
    bytesArray = new byte[(int) file.length()];
    fileInputStream = new FileInputStream(file);
    fileInputStream.read(bytesArray);

} catch (IOException e) {
    e.printStackTrace();
} finally {
    if (fileInputStream != null) {
        try {
            fileInputStream.close();
        } catch (IOException e) {
            e.printStackTrace();
        }
    }
}

return bytesArray;
}
}
```

Upload an object to a bucket and set metadata using an [S3Client](#).

```
import software.amazon.awssdk.core.sync.RequestBody;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.PutObjectRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;

import java.io.File;
import java.util.HashMap;
import java.util.Map;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 * <p>
 * For more information, see the following documentation topic:
 * <p>
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
```

```
/*
public class PutObjectMetadata {
    public static void main(String[] args) {
        final String USAGE = """"

            Usage:
            <bucketName> <objectKey> <objectPath>\s

            Where:
            bucketName - The Amazon S3 bucket to upload an object into.
            objectKey - The object to upload (for example, book.pdf).
            objectPath - The path where the file is located (for example, C:/AWS/
book2.pdf).\s
        """;

        if (args.length != 3) {
            System.out.println(USAGE);
            System.exit(1);
        }

        String bucketName = args[0];
        String objectKey = args[1];
        String objectPath = args[2];
        System.out.println("Putting object " + objectKey + " into bucket " +
bucketName);
        System.out.println("  in bucket: " + bucketName);
        Region region = Region.US_EAST_1;
        S3Client s3 = S3Client.builder()
            .region(region)
            .build();

        putS3Object(s3, bucketName, objectKey, objectPath);
        s3.close();
    }

    /**
     * Uploads an object to an Amazon S3 bucket with metadata.
     *
     * @param s3 the S3Client object used to interact with the Amazon S3 service
     * @param bucketName the name of the S3 bucket to upload the object to
     * @param objectKey the name of the object to be uploaded
     * @param objectPath the local file path of the object to be uploaded
     */
}
```

```
public static void putS3Object(S3Client s3, String bucketName, String objectKey,
String objectPath) {
    try {
        Map<String, String> metadata = new HashMap<>();
        metadata.put("author", "Mary Doe");
        metadata.put("version", "1.0.0.0");

        PutObjectRequest putOb = PutObjectRequest.builder()
            .bucket(bucketName)
            .key(objectKey)
            .metadata(metadata)
            .build();

        s3.putObject(putOb, RequestBody.fromFile(new File(objectPath)));
        System.out.println("Successfully placed " + objectKey + " into bucket "
+ bucketName);

    } catch (S3Exception e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
}
```

Upload an object to a bucket and set an object retention value using an [S3Client](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.PutObjectRetentionRequest;
import software.amazon.awssdk.services.s3.model.ObjectLockRetention;
import software.amazon.awssdk.services.s3.model.S3Exception;

import java.time.Instant;
import java.time.LocalDate;
import java.time.LocalDateTime;
import java.time.ZoneOffset;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 * <p>
```

```
* For more information, see the following documentation topic:  
* <p>  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
  
public class PutObjectRetention {  
    public static void main(String[] args) {  
        final String usage = """  
  
        Usage:  
        <key> <bucketName>\s  
  
        Where:  
        key - The name of the object (for example, book.pdf).\s  
        bucketName - The Amazon S3 bucket name that contains the object (for  
example, bucket1).\s  
        """;  
  
        if (args.length != 2) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String key = args[0];  
        String bucketName = args[1];  
        Region region = Region.US_EAST_1;  
        S3Client s3 = S3Client.builder()  
            .region(region)  
            .build();  
  
        setRetentionPeriod(s3, key, bucketName);  
        s3.close();  
    }  
  
    /**  
     * Sets the retention period for an object in an Amazon S3 bucket.  
     *  
     * @param s3      the S3Client object used to interact with the Amazon S3 service  
     * @param key     the key (name) of the object in the S3 bucket  
     * @param bucket the name of the S3 bucket where the object is stored  
     *  
     * @throws S3Exception if an error occurs while setting the object retention  
     * period  
     */
```

```
public static void setRetentionPeriod(S3Client s3, String key, String bucket) {  
    try {  
        LocalDate localDate = LocalDate.parse("2020-07-17");  
        LocalDateTime localDateTime = localDate.atStartOfDay();  
        Instant instant = localDateTime.toInstant(ZoneOffset.UTC);  
  
        ObjectLockRetention lockRetention = ObjectLockRetention.builder()  
            .mode("COMPLIANCE")  
            .retainUntilDate(instant)  
            .build();  
  
        PutObjectRetentionRequest retentionRequest =  
PutObjectRetentionRequest.builder()  
            .bucket(bucket)  
            .key(key)  
            .bypassGovernanceRetention(true)  
            .retention(lockRetention)  
            .build();  
  
        // To set Retention on an object, the Amazon S3 bucket must support  
object  
        // locking, otherwise an exception is thrown.  
        s3.putObjectRetention(retentionRequest);  
        System.out.print("An object retention configuration was successfully  
placed on the object");  
  
    } catch (S3Exception e) {  
        System.err.println(e.awsErrorDetails().errorMessage());  
        System.exit(1);  
    }  
}  
}
```

- For API details, see [PutObject](#) in *AWS SDK for Java 2.x API Reference*.

PutObjectLegalHold

The following code example shows how to use PutObjectLegalHold.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
// Set or modify a legal hold on an object in an S3 bucket.
public void modifyObjectLegalHold(String bucketName, String objectKey, boolean
legalHoldOn) {
    ObjectLockLegalHold legalHold ;
    if (legalHoldOn) {
        legalHold = ObjectLockLegalHold.builder()
            .status(ObjectLockLegalHoldStatus.ON)
            .build();
    } else {
        legalHold = ObjectLockLegalHold.builder()
            .status(ObjectLockLegalHoldStatus.OFF)
            .build();
    }

    PutObjectLegalHoldRequest legalHoldRequest =
PutObjectLegalHoldRequest.builder()
    .bucket(bucketName)
    .key(objectKey)
    .legalHold(legalHold)
    .build();

    getClient().putObjectLegalHold(legalHoldRequest) ;
    System.out.println("Modified legal hold for "+ objectKey +" in "+bucketName
+ ".");
}
```

- For API details, see [PutObjectLegalHold](#) in *AWS SDK for Java 2.x API Reference*.

PutObjectLockConfiguration

The following code example shows how to use `PutObjectLockConfiguration`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Set the object lock configuration of a bucket.

```
// Enable object lock on an existing bucket.
public void enableObjectLockOnBucket(String bucketName) {
    try {
        VersioningConfiguration versioningConfiguration =
VersioningConfiguration.builder()
            .status(BucketVersioningStatus.ENABLED)
            .build();

        PutBucketVersioningRequest putBucketVersioningRequest =
PutBucketVersioningRequest.builder()
            .bucket(bucketName)
            .versioningConfiguration(versioningConfiguration)
            .build();

        // Enable versioning on the bucket.
        getClient().putBucketVersioning(putBucketVersioningRequest);
        PutObjectLockConfigurationRequest request =
PutObjectLockConfigurationRequest.builder()
            .bucket(bucketName)
            .objectLockConfiguration(ObjectLockConfiguration.builder()
                .objectLockEnabled(ObjectLockEnabled.ENABLED)
                .build())
            .build();

        getClient().putObjectLockConfiguration(request);
        System.out.println("Successfully enabled object lock on "+bucketName);

    } catch (S3Exception ex) {
        System.out.println("Error modifying object lock: '" + ex.getMessage() +
""");
    }
}
```

Set the default retention period of a bucket.

```
// Set or modify a retention period on an S3 bucket.
public void modifyBucketDefaultRetention(String bucketName) {
    VersioningConfiguration versioningConfiguration =
VersioningConfiguration.builder()
    .mfaDelete(MFADelete.DISABLED)
    .status(BucketVersioningStatus.ENABLED)
    .build();

    PutBucketVersioningRequest versioningRequest =
PutBucketVersioningRequest.builder()
    .bucket(bucketName)
    .versioningConfiguration(versioningConfiguration)
    .build();

    getClient().putBucketVersioning(versioningRequest);
    DefaultRetention rention = DefaultRetention.builder()
        .days(1)
        .mode(ObjectLockRetentionMode.GOVERNANCE)
        .build();

    ObjectLockRule lockRule = ObjectLockRule.builder()
        .defaultRetention(rention)
        .build();

    ObjectLockConfiguration objectLockConfiguration =
ObjectLockConfiguration.builder()
    .objectLockEnabled(ObjectLockEnabled.ENABLED)
    .rule(lockRule)
    .build();

    PutObjectLockConfigurationRequest putObjectLockConfigurationRequest =
PutObjectLockConfigurationRequest.builder()
    .bucket(bucketName)
    .objectLockConfiguration(objectLockConfiguration)
    .build();

    getClient().putObjectLockConfiguration(putObjectLockConfigurationRequest) ;
    System.out.println("Added a default retention to bucket "+bucketName +".");
}
```

- For API details, see [PutObjectLockConfiguration](#) in *AWS SDK for Java 2.x API Reference*.

PutObjectRetention

The following code example shows how to use PutObjectRetention.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
// Set or modify a retention period on an object in an S3 bucket.
public void modifyObjectRetentionPeriod(String bucketName, String objectKey) {
    // Calculate the instant one day from now.
    Instant futureInstant = Instant.now().plus(1, ChronoUnit.DAYS);

    // Convert the Instant to a ZonedDateTime object with a specific time zone.
    ZonedDateTime zonedDateTime = futureInstant.atZone(ZoneId.systemDefault());

    // Define a formatter for human-readable output.
    DateTimeFormatter formatter = DateTimeFormatter.ofPattern("yyyy-MM-dd
HH:mm:ss");

    // Format the ZonedDateTime object to a human-readable date string.
    String humanReadableDate = formatter.format(zonedDateTime);

    // Print the formatted date string.
    System.out.println("Formatted Date: " + humanReadableDate);
    ObjectLockRetention retention = ObjectLockRetention.builder()
        .mode(ObjectLockRetentionMode.GOVERNANCE)
        .retainUntilDate(futureInstant)
        .build();

    PutObjectRetentionRequest retentionRequest =
    PutObjectRetentionRequest.builder()
        .bucket(bucketName)
        .key(objectKey)
```

```
        .retention(retention)
        .build();

    getClient().putObjectRetention(retentionRequest);
    System.out.println("Set retention for "+objectKey +" in " +bucketName +" until "+ humanReadableDate +".");
}
```

- For API details, see [PutObjectRetention](#) in *AWS SDK for Java 2.x API Reference*.

RestoreObject

The following code example shows how to use `RestoreObject`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.RestoreRequest;
import software.amazon.awssdk.services.s3.model.GlacierJobParameters;
import software.amazon.awssdk.services.s3.model.RestoreObjectRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.services.s3.model.Tier;

/*
 * For more information about restoring an object, see "Restoring an archived
 * object" at
 * https://docs.aws.amazon.com/AmazonS3/latest/userguide/restoring-objects.html
 *
 * Before running this Java V2 code example, set up your development environment,
 * including your credentials.
 *
 * For more information, see the following documentation topic:
 */
```

```
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
*/
public class RestoreObject {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <bucketName> <keyName> <expectedBucketOwner>

            Where:
            bucketName - The Amazon S3 bucket name.\s
            keyName - The key name of an object with a Storage class value of
Glacier.\s
            expectedBucketOwner - The account that owns the bucket (you can
obtain this value from the AWS Management Console).\s
        """;

        if (args.length != 3) {
            System.out.println(usage);
            System.exit(1);
        }

        String bucketName = args[0];
        String keyName = args[1];
        String expectedBucketOwner = args[2];
        Region region = Region.US_EAST_1;
        S3Client s3 = S3Client.builder()
            .region(region)
            .build();

        restoreS3Object(s3, bucketName, keyName, expectedBucketOwner);
        s3.close();
    }

    /**
     * Restores an S3 object from the Glacier storage class.
     *
     * @param s3             an instance of the {@link S3Client} to be used
for interacting with Amazon S3
     * @param bucketName      the name of the S3 bucket where the object is
stored
     * @param keyName         the key (object name) of the S3 object to be
restored
     * @param expectedBucketOwner the AWS account ID of the expected bucket owner
    */
}
```

```
/*
public static void restoreS3Object(S3Client s3, String bucketName, String
keyName, String expectedBucketOwner) {
    try {
        RestoreRequest restoreRequest = RestoreRequest.builder()
            .days(10)

        .glacierJobParameters(GlacierJobParameters.builder().tier(Tier.STANDARD).build())
            .build();

        RestoreObjectRequest objectRequest = RestoreObjectRequest.builder()
            .expectedBucketOwner(expectedBucketOwner)
            .bucket(bucketName)
            .key(keyName)
            .restoreRequest(restoreRequest)
            .build();

        s3.restoreObject(objectRequest);

    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [RestoreObject](#) in *AWS SDK for Java 2.x API Reference*.

SelectObjectContent

The following code example shows how to use `SelectObjectContent`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

The following example shows a query using a JSON object. The [complete example](#) also shows the use of a CSV object.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.core.async.AsyncRequestBody;
import software.amazon.awssdk.core.async.BlockingInputStreamAsyncRequestBody;
import software.amazon.awssdk.core.exception.SdkException;
import software.amazon.awssdk.services.s3.S3AsyncClient;
import software.amazon.awssdk.services.s3.model.CSVInput;
import software.amazon.awssdk.services.s3.model.CSVOutput;
import software.amazon.awssdk.services.s3.model.CompressionType;
import software.amazon.awssdk.services.s3.model.ExpressionType;
import software.amazon.awssdk.services.s3.model.FileHeaderInfo;
import software.amazon.awssdk.services.s3.model.InputSerialization;
import software.amazon.awssdk.services.s3.model.JSONInput;
import software.amazon.awssdk.services.s3.model.JSONOutput;
import software.amazon.awssdk.services.s3.model.JSONType;
import software.amazon.awssdk.services.s3.model.ObjectIdentifier;
import software.amazon.awssdk.services.s3.model.OutputSerialization;
import software.amazon.awssdk.services.s3.model.Progress;
import software.amazon.awssdk.services.s3.model.PutObjectResponse;
import software.amazon.awssdk.services.s3.model.SelectObjectContentRequest;
import software.amazon.awssdk.services.s3.model.SelectObjectContentResponseHandler;
import software.amazon.awssdk.services.s3.model.Stats;

import java.io.IOException;
import java.net.URL;
import java.util.ArrayList;
import java.util.List;
import java.util.UUID;
import java.util.concurrent.CompletableFuture;

public class SelectObjectContentExample {
    static final Logger logger =
        LoggerFactory.getLogger(SelectObjectContentExample.class);
    static final String BUCKET_NAME = "amzn-s3-demo-bucket-" + UUID.randomUUID();
    static final S3AsyncClient s3AsyncClient = S3AsyncClient.create();
    static String FILE_CSV = "csv";
    static String FILE_JSON = "json";
    static String URL_CSV = "https://raw.githubusercontent.com/mledoze/countries/
master/dist/countries.csv";
```

```
static String URL_JSON = "https://raw.githubusercontent.com/mledoze/countries/master/dist/countries.json";

public static void main(String[] args) {
    SelectObjectContentExample selectObjectContentExample = new SelectObjectContentExample();
    try {
        SelectObjectContentExample.setUp();
        selectObjectContentExample.runSelectObjectContentMethodForJSON();
        selectObjectContentExample.runSelectObjectContentMethodForCSV();
    } catch (SdkException e) {
        logger.error(e.getMessage(), e);
        System.exit(1);
    } finally {
        SelectObjectContentExample.tearDown();
    }
}

EventStreamInfo runSelectObjectContentMethodForJSON() {
    // Set up request parameters.
    final String queryExpression = "select * from s3object[*][*] c where c.area < 350000";
    final String fileType = FILE_JSON;

    InputSerialization inputSerialization = InputSerialization.builder()
        .json(JSONInput.builder().type(JSONType.DOCUMENT).build())
        .compressionType(CompressionType.NONE)
        .build();

    OutputSerialization outputSerialization = OutputSerialization.builder()
        .json(JSONOutput.builder().recordDelimiter(null).build())
        .build();

    // Build the SelectObjectContentRequest.
    SelectObjectContentRequest select = SelectObjectContentRequest.builder()
        .bucket(BUCKET_NAME)
        .key(FILE_JSON)
        .expression(queryExpression)
        .expressionType(ExpressionType.SQL)
        .inputSerialization(inputSerialization)
        .outputSerialization(outputSerialization)
        .build();

    EventStreamInfo eventStreamInfo = new EventStreamInfo();
```

```
// Call the selectObjectContent method with the request and a response
// handler.
// Supply an EventStreamInfo object to the response handler to gather
// records and information from the response.
s3AsyncClient.selectObjectContent(select,
buildResponseHandler(eventStreamInfo)).join();

// Log out information gathered while processing the response stream.
long recordCount = eventStreamInfo.getRecords().stream().mapToInt(record ->
    record.split("\n").length
).sum();
logger.info("Total records {}: {}", fileType, recordCount);
logger.info("Visitor onRecords for fileType {} called {} times", fileType,
eventStreamInfo.getCountOnRecordsCalled());
logger.info("Visitor onStats for fileType {}, {}", fileType,
eventStreamInfo.getStats());
logger.info("Visitor onContinuations for fileType {}, {}", fileType,
eventStreamInfo.getCountContinuationEvents());
return eventStreamInfo;
}

static SelectObjectContentResponseHandler buildResponseHandler(EventStreamInfo
eventStreamInfo) {
    // Use a Visitor to process the response stream. This visitor logs
    // information and gathers details while processing.
    final SelectObjectContentResponseHandler.Visitor visitor =
SelectObjectContentResponseHandler.Visitor.builder()
        .onRecords(r -> {
            logger.info("Record event received.");
            eventStreamInfo.addRecord(r.payload().asUtf8String());
            eventStreamInfo.incrementOnRecordsCalled();
        })
        .onCont(ce -> {
            logger.info("Continuation event received.");
            eventStreamInfo.incrementContinuationEvents();
        })
        .onProgress(pe -> {
            Progress progress = pe.details();
            logger.info("Progress event received:\n bytesScanned:
{}\\nbytesProcessed: {}\\nbytesReturned:{}",
                progress.bytesScanned(),
                progress.bytesProcessed(),
                progress.bytesReturned());
        })
}
```

```
        .onEnd(ee -> logger.info("End event received."))
        .onStats(se -> {
            logger.info("Stats event received.");
            eventStreamInfo.addStats(se.details());
        })
        .build();

    // Build the SelectObjectContentResponseHandler with the visitor that
    processes the stream.
    return SelectObjectContentResponseHandler.builder()
        .subscriber(visitor).build();
}

// The EventStreamInfo class is used to store information gathered while
processing the response stream.
static class EventStreamInfo {
    private final List<String> records = new ArrayList<>();
    private Integer countOnRecordsCalled = 0;
    private Integer countContinuationEvents = 0;
    private Stats stats;

    void incrementOnRecordsCalled() {
        countOnRecordsCalled++;
    }

    void incrementContinuationEvents() {
        countContinuationEvents++;
    }

    void addRecord(String record) {
        records.add(record);
    }

    void addStats(Stats stats) {
        this.stats = stats;
    }

    public List<String> getRecords() {
        return records;
    }

    public Integer getCountOnRecordsCalled() {
        return countOnRecordsCalled;
    }
}
```

```
public Integer getCountContinuationEvents() {
    return countContinuationEvents;
}

public Stats getStats() {
    return stats;
}
}
```

- For API details, see [SelectObjectContent](#) in *AWS SDK for Java 2.x API Reference*.

UploadPartCopy

The following code example shows how to use `UploadPartCopy`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public CompletableFuture<String> performMultiCopy(String toBucket, String
bucketName, String key) {
    CreateMultipartUploadRequest createMultipartUploadRequest =
CreateMultipartUploadRequest.builder()
    .bucket(toBucket)
    .key(key)
    .build();

    getAsyncClient().createMultipartUpload(createMultipartUploadRequest)
        .thenApply(createMultipartUploadResponse -> {
            String uploadId = createMultipartUploadResponse.uploadId();
            System.out.println("Upload ID: " + uploadId);

            UploadPartCopyRequest uploadPartCopyRequest =
UploadPartCopyRequest.builder()
                .sourceBucket(bucketName)
```

```
        .destinationBucket(toBucket)
        .sourceKey(key)
        .destinationKey(key)
        .uploadId(uploadId) // Use the valid uploadId.
        .partNumber(1) // Ensure the part number is correct.
        .copySourceRange("bytes=0-1023") // Adjust range as needed
        .build();

    return getAsyncClient().uploadPartCopy(uploadPartCopyRequest);
})
.thenCompose(uploadPartCopyFuture -> uploadPartCopyFuture)
.whenComplete((uploadPartCopyResponse, exception) -> {
    if (exception != null) {
        // Handle any exceptions.
        logger.error("Error during upload part copy: " +
exception.getMessage());
    } else {
        // Successfully completed the upload part copy.
        System.out.println("Upload Part Copy completed successfully.
ETag: " + uploadPartCopyResponse.copyPartResult().eTag());
    }
});
return null;
}
```

- For API details, see [UploadPartCopy](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Check if a bucket exists

The following code example shows how to check if a bucket exists.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

You can use the following `doesBucketExists` method as a replacement for the the SDK for Java V1 [AmazonS3Client#doesBucketExistV2\(String\)](#) method.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.awscore.exception.AwsServiceException;
import software.amazon.awssdk.http.HttpStatusCode;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.utils.Validate;

public class DoesBucketExist {
    private static final Logger logger =
        LoggerFactory.getLogger(DoesBucketExist.class);

    public static void main(String[] args) {
        DoesBucketExist doesBucketExist = new DoesBucketExist();

        final S3Client s3SyncClient = S3Client.builder().build();
        final String bucketName = "amzn-s3-demo-bucket"; // Change to the bucket
name that you want to check.

        boolean exists = doesBucketExist.doesBucketExist(bucketName, s3SyncClient);
        logger.info("Bucket exists: {}", exists);
    }

    /**
     * Checks if the specified bucket exists. Amazon S3 buckets are named in a
     * global namespace; use this method to
     * determine if a specified bucket name already exists, and therefore can't be
     * used to create a new bucket.
     *
     * <p>
     * Internally this method uses the <a
     * href="https://sdk.amazonaws.com/java/api/latest/software/amazon/awssdk/
     services/s3/
     S3Client.html#getBucketAcl(java.util.function.Consumer)">S3Client.getBucketAcl(String)</
     a>
     * operation to determine whether the bucket exists.
     *
     * <p>
     * This method is equivalent to the AWS SDK for Java V1's <a
     * href="https://docs.aws.amazon.com/AWSJavaSDK/latest/javadoc/
     com/amazonaws/services/s3/AmazonS3Client.html#doesBucketExistV2-
     java.lang.String->AmazonS3Client#doesBucketExistV2(String)</a>.
    
```

```
* @param bucketName The name of the bucket to check.
 * @param s3SyncClient An <code>S3Client</code> instance. The method checks for
the bucket in the AWS Region
 *           configured on the instance.
 * @return The value true if the specified bucket exists in Amazon S3; the value
false if there is no bucket in
 *           Amazon S3 with that name.
 */
public boolean doesBucketExist(String bucketName, S3Client s3SyncClient) {
    try {
        Validate.notEmpty(bucketName, "The bucket name must not be null or an
empty string.", "");
        s3SyncClient.getBucketAcl(r -> r.bucket(bucketName));
        return true;
    } catch (AwsServiceException ase) {
        // A redirect error or an AccessDenied exception means the bucket exists
but it's not in this region
        // or we don't have permissions to it.
        if ((ase.statusCode() == HttpStatusCode.MOVED_PERMANENTLY) ||
"AccessDenied".equals(ase.awsErrorDetails().errorCode())) {
            return true;
        }
        if (ase.statusCode() == HttpStatusCode.NOT_FOUND) {
            return false;
        }
        throw ase;
    }
}
}
```

- For API details, see [GetBucketAcl](#) in *AWS SDK for Java 2.x API Reference*.

Create a presigned URL

The following code example shows how to create a presigned URL for Amazon S3 and upload an object.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

The following shows three examples of how to create presigned URLs and use the URLs with HTTP client libraries:

- An HTTP GET request that uses the URL with three HTTP client libraries
- An HTTP PUT request with metadata in headers that uses the URL with three HTTP client libraries
- An HTTP PUT request with query parameters that uses the URL with one HTTP client library

Generate a pre-signed URL for an object, then download it (GET request).

Imports.

```
import com.example.s3.util.PresignUrlUtils;
import org.slf4j.Logger;
import software.amazon.awssdk.http.HttpExecuteRequest;
import software.amazon.awssdk.http.HttpExecuteResponse;
import software.amazon.awssdk.http.SdkHttpClient;
import software.amazon.awssdk.http.SdkHttpMethod;
import software.amazon.awssdk.http.SdkHttpRequest;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.GetObjectRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.services.s3.presigner.S3Presigner;
import software.amazon.awssdk.services.s3.presigner.model.GetObjectPresignRequest;
import software.amazon.awssdk.services.s3.presigner.model.PresignedGetObjectRequest;
import software.amazon.awssdk.utils.IoUtils;

import java.io.ByteArrayOutputStream;
import java.io.File;
import java.io.IOException;
import java.io.InputStream;
import java.net.HttpURLConnection;
import java.net.URISyntaxException;
```

```
import java.net.URL;
import java.net.http.HttpClient;
import java.net.http.HttpRequest;
import java.net.http.HttpResponse;
import java.nio.file.Paths;
import java.time.Duration;
import java.util.UUID;
```

Generate the URL.

```
/* Create a pre-signed URL to download an object in a subsequent GET request. */
public String createPresignedGetUrl(String bucketName, String keyName) {
    try (S3Presigner presigner = S3Presigner.create()) {

        GetObjectRequest objectRequest = GetObjectRequest.builder()
            .bucket(bucketName)
            .key(keyName)
            .build();

        GetObjectPresignRequest presignRequest =
        GetObjectPresignRequest.builder()
            .signatureDuration(Duration.ofMinutes(10)) // The URL will
        expire in 10 minutes.
            .getObjectRequest(objectRequest)
            .build();

        PresignedGetObjectRequest presignedRequest =
        presigner.presignGetObject(presignRequest);
        logger.info("Presigned URL: {}", presignedRequest.url().toString());
        logger.info("HTTP method: {}",
        presignedRequest.httpRequest().method());

        return presignedRequest.url().toExternalForm();
    }
}
```

Download the object by using any one of the following three approaches.

Use JDK HttpURLConnection (since v1.1) class to do the download.

```
/* Use the JDK HttpURLConnection (since v1.1) class to do the download. */
```

```
public byte[] useHttpURLConnectionToGet(String presignedUrlString) {
    ByteArrayOutputStream byteArrayOutputStream = new
ByteArrayOutputStream(); // Capture the response body to a byte array.

    try {
        URL presignedUrl = new URL(presignedUrlString);
        HttpURLConnection connection = (HttpURLConnection)
presignedUrl.openConnection();
        connection.setRequestMethod("GET");
        // Download the result of executing the request.
        try (InputStream content = connection.getInputStream()) {
            IoUtils.copy(content, byteArrayOutputStream);
        }
        logger.info("HTTP response code is " + connection.getResponseCode());
    } catch (S3Exception | IOException e) {
        logger.error(e.getMessage(), e);
    }
    return byteArrayOutputStream.toByteArray();
}
```

Use JDK HttpClient (since v11) class to do the download.

```
/* Use the JDK HttpClient (since v11) class to do the download. */
public byte[] useHttpClientToGet(String presignedUrlString) {
    ByteArrayOutputStream byteArrayOutputStream = new
ByteArrayOutputStream(); // Capture the response body to a byte array.

    HttpRequest.Builder requestBuilder = HttpRequest.newBuilder();
    HttpClient httpClient = HttpClient.newHttpClient();
    try {
        URL presignedUrl = new URL(presignedUrlString);
        HttpResponse<InputStream> response = httpClient.send(requestBuilder
                .uri(presignedUrl.toURI())
                .GET()
                .build(),
                HttpResponse.BodyHandlers.ofInputStream());

        IoUtils.copy(response.body(), byteArrayOutputStream);

        logger.info("HTTP response code is " + response.statusCode());
    }
```

```
        } catch (URISyntaxException | InterruptedException | IOException e) {
            logger.error(e.getMessage(), e);
        }
        return byteArrayOutputStream.toByteArray();
    }
```

Use the AWS SDK for Java SdkHttpClient class to do the download.

```
/* Use the AWS SDK for Java SdkHttpClient class to do the download. */
public byte[] useSdkHttpClientToPut(String presignedUrlString) {

    ByteArrayOutputStream byteArrayOutputStream = new
ByteArrayOutputStream(); // Capture the response body to a byte array.
    try {
        URL presignedUrl = new URL(presignedUrlString);
        SdkHttpRequest request = SdkHttpRequest.builder()
            .method(SdkHttpMethod.GET)
            .uri(presignedUrl.toURI())
            .build();

        HttpExecuteRequest executeRequest = HttpExecuteRequest.builder()
            .request(request)
            .build();

        try (SdkHttpClient sdkHttpClient = ApacheHttpClient.create()) {
            HttpExecuteResponse response =
        sdkHttpClient.prepareRequest(executeRequest).call();
            response.responseBody().ifPresentOrElse(
                abortableInputStream -> {
                    try {
                        IoUtils.copy(abortableInputStream,
byteArrayOutputStream);
                    } catch (IOException e) {
                        throw new RuntimeException(e);
                    }
                },
                () -> logger.error("No response body."));
        }

        logger.info("HTTP Response code is {}",
response.httpResponse().statusCode());
    }
} catch (URISyntaxException | IOException e) {
```

```
        logger.error(e.getMessage(), e);
    }
    return byteArrayOutputStream.toByteArray();
}
```

Generate a pre-signed URL with metadata in headers for an upload, then upload a file (PUT request).

Imports.

```
import com.example.s3.util.PresignUrlUtils;
import org.slf4j.Logger;
import software.amazon.awssdk.core.internal.sync.FileContentStreamProvider;
import software.amazon.awssdk.http.HttpExecuteRequest;
import software.amazon.awssdk.http.HttpExecuteResponse;
import software.amazon.awssdk.http.SdkHttpClient;
import software.amazon.awssdk.http.SdkHttpMethod;
import software.amazon.awssdk.http.SdkHttpRequest;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.PutObjectRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.services.s3.presigner.S3Presigner;
import software.amazon.awssdk.services.s3.presigner.model.PresignedPutObjectRequest;
import software.amazon.awssdk.services.s3.presigner.model.PutObjectPresignRequest;

import java.io.File;
import java.io.IOException;
import java.io.OutputStream;
import java.io.RandomAccessFile;
import java.net.HttpURLConnection;
import java.net.URISyntaxException;
import java.net.URL;
import java.net.http.HttpClient;
import java.net.http.HttpRequest;
import java.net.http.HttpResponse;
import java.nio.ByteBuffer;
import java.nio.channels.FileChannel;
import java.nio.file.Path;
import java.nio.file.Paths;
import java.time.Duration;
import java.util.Map;
```

```
import java.util.UUID;
```

Generate the URL.

```
/* Create a presigned URL to use in a subsequent PUT request */
public String createPresignedUrl(String bucketName, String keyName, Map<String, String> metadata) {
    try (S3Presigner presigner = S3Presigner.create()) {

        PutObjectRequest objectRequest = PutObjectRequest.builder()
            .bucket(bucketName)
            .key(keyName)
            .metadata(metadata)
            .build();

        PutObjectPresignRequest presignRequest =
PutObjectPresignRequest.builder()
            .signatureDuration(Duration.ofMinutes(10)) // The URL expires
in 10 minutes.
            .putObjectRequest(objectRequest)
            .build();

        PresignedPutObjectRequest presignedRequest =
presigner.presignPutObject(presignRequest);
        String myURL = presignedRequest.url().toString();
        logger.info("Presigned URL to upload a file to: [{}]", myURL);
        logger.info("HTTP method: [{}]",
presignedRequest.httpRequest().method());

        return presignedRequest.url().toExternalForm();
    }
}
```

Upload a file object by using any one of the following three approaches.

Use the JDK HttpURLConnection (since v1.1) class to do the upload.

```
/* Use the JDK HttpURLConnection (since v1.1) class to do the upload. */
public void useHttpURLConnectionToPut(String presignedUrlString, File fileToPut,
Map<String, String> metadata) {
```

```
logger.info("Begin [{}] upload", fileToPut.toString());
try {
    URL presignedUrl = new URL(presignedUrlString);
    HttpURLConnection connection = (HttpURLConnection)
presignedUrl.openConnection();
    connection.setDoOutput(true);
    metadata.forEach((k, v) -> connection.setRequestProperty("x-amz-meta-" +
k, v));
    connection.setRequestMethod("PUT");
    OutputStream out = connection.getOutputStream();

    try (RandomAccessFile file = new RandomAccessFile(fileToPut, "r");
        FileChannel inChannel = file.getChannel()) {
        ByteBuffer buffer = ByteBuffer.allocate(8192); //Buffer size is 8k

        while (inChannel.read(buffer) > 0) {
            buffer.flip();
            for (int i = 0; i < buffer.limit(); i++) {
                out.write(buffer.get());
            }
            buffer.clear();
        }
    } catch (IOException e) {
        logger.error(e.getMessage(), e);
    }

    out.close();
    connection.getResponseCode();
    logger.info("HTTP response code is " + connection.getResponseCode());

} catch (S3Exception | IOException e) {
    logger.error(e.getMessage(), e);
}
}
```

Use the JDK HttpClient (since v11) class to do the upload.

```
/* Use the JDK HttpClient (since v11) class to do the upload. */
public void useHttpClientToPut(String presignedUrlString, File fileToPut,
Map<String, String> metadata) {
    logger.info("Begin [{}] upload", fileToPut.toString());
```

```
HttpRequest.Builder requestBuilder = HttpRequest.newBuilder();
metadata.forEach((k, v) -> requestBuilder.header("x-amz-meta-" + k, v));

HttpClient httpClient = HttpClient.newHttpClient();
try {
    final HttpResponse<Void> response = httpClient.send(requestBuilder
        .uri(new URL(presignedUrlString).toURI()))

.PUT(HttpRequest.BodyPublishers.ofFile(Path.of(fileToPut.toURI())))
    .build(),
    HttpResponse.BodyHandlers.discard();

    logger.info("HTTP response code is " + response.statusCode());

} catch (URISyntaxException | InterruptedException | IOException e) {
    logger.error(e.getMessage(), e);
}
}
```

Use the AWS for Java V2 SdkHttpClient class to do the upload.

```
/* Use the AWS SDK for Java V2 SdkHttpClient class to do the upload. */
public void useSdkHttpClientToPut(String presignedUrlString, File fileToPut,
Map<String, String> metadata) {
    logger.info("Begin [{}] upload", fileToPut.toString());

    try {
        URL presignedUrl = new URL(presignedUrlString);

        SdkHttpRequest.Builder requestBuilder = SdkHttpRequest.builder()
            .method(SdkHttpMethod.PUT)
            .uri(presignedUrl.toURI());
        // Add headers
        metadata.forEach((k, v) -> requestBuilder.putHeader("x-amz-meta-" + k,
v));
        // Finish building the request.
        SdkHttpRequest request = requestBuilder.build();

        HttpExecuteRequest executeRequest = HttpExecuteRequest.builder()
            .request(request)
            .contentStreamProvider(new
FileContentStreamProvider(fileToPut.toPath()))
    }
```

```
        .build();

        try (SdkHttpClient sdkHttpClient = ApacheHttpClient.create()) {
            HttpExecuteResponse response =
                sdkHttpClient.prepareRequest(executeRequest).call();
            logger.info("Response code: {}", response.httpResponse().statusCode());
        }
    } catch (URISyntaxException | IOException e) {
        logger.error(e.getMessage(), e);
    }
}
```

Generate a pre-signed URL with query parameters for an upload, then upload a file (PUT request).

Imports.

```
import com.example.s3.util.PresignUrlUtils;
import org.slf4j.Logger;
import software.amazon.awssdk.awscore.AwsRequestOverrideConfiguration;
import software.amazon.awssdk.core.internal.sync.FileContentStreamProvider;
import software.amazon.awssdk.http.HttpExecuteRequest;
import software.amazon.awssdk.http.HttpExecuteResponse;
import software.amazon.awssdk.http.SdkHttpClient;
import software.amazon.awssdk.http.SdkHttpMethod;
import software.amazon.awssdk.http.SdkHttpRequest;
import software.amazon.awssdk.http.apache.ApacheHttpClient;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.PutObjectRequest;
import software.amazon.awssdk.services.s3.presigner.S3Presigner;
import software.amazon.awssdk.services.s3.presigner.model.PresignedPutObjectRequest;
import software.amazon.awssdk.services.s3.presigner.model.PutObjectPresignRequest;

import java.io.File;
import java.io.IOException;
import java.net.URISyntaxException;
import java.net.URL;
import java.nio.file.Paths;
import java.time.Duration;
import java.util.Map;
import java.util.UUID;
```

Generate the URL.

```
/**  
 * Creates a presigned URL to use in a subsequent HTTP PUT request. The code  
 adds query parameters  
 * to the request instead of using headers. By using query parameters, you do  
 not need to add the  
 * the parameters as headers when the PUT request is eventually sent.  
 *  
 * @param bucketName Bucket name where the object will be uploaded.  
 * @param keyName Key name of the object that will be uploaded.  
 * @param queryParams Query string parameters to be added to the presigned URL.  
 * @return  
 */  
public String createPresignedUrl(String bucketName, String keyName, Map<String,  
String> queryParams) {  
    try (S3Presigner presigner = S3Presigner.create()) {  
        // Create an override configuration to store the query parameters.  
        AwsRequestOverrideConfiguration.Builder overrideConfigurationBuilder =  
AwsRequestOverrideConfiguration.builder();  
  
        queryParams.forEach(overrideConfigurationBuilder::putRawQueryParameter);  
  
        PutObjectRequest objectRequest = PutObjectRequest.builder()  
            .bucket(bucketName)  
            .key(keyName)  
            .overrideConfiguration(overrideConfigurationBuilder.build()) //  
Add the override configuration.  
            .build();  
  
        PutObjectPresignRequest presignRequest =  
PutObjectPresignRequest.builder()  
            .signatureDuration(Duration.ofMinutes(10)) // The URL expires  
in 10 minutes.  
            .putObjectRequest(objectRequest)  
            .build();  
  
        PresignedPutObjectRequest presignedRequest =  
presigner.presignPutObject(presignRequest);  
        String myURL = presignedRequest.url().toString();  
    }  
}
```

```
        logger.info("Presigned URL to upload a file to: {}", myURL);
        logger.info("HTTP method: {}", presignedRequest.httpRequest().method());

        return presignedRequest.url().toExternalForm();
    }
}
```

Use the AWS for Java V2 SdkHttpClient class to do the upload.

```
/**
 * Use the AWS SDK for Java V2 SdkHttpClient class to execute the PUT request.
 Since the
 * URL contains the query parameters, no headers are needed for metadata, SSE
 settings, or ACL settings.
 *
 * @param presignedUrlString The URL for the PUT request.
 * @param fileToPut File to uplaod
 */
public void useSdkHttpClientToPut(String presignedUrlString, File fileToPut) {
    logger.info("Begin [{}] upload", fileToPut.toString());

    try {
        URL presignedUrl = new URL(presignedUrlString);

        SdkHttpRequest.Builder requestBuilder = SdkHttpRequest.builder()
            .method(SdkHttpMethod.PUT)
            .uri(presignedUrl.toURI());

        SdkHttpRequest request = requestBuilder.build();

        HttpExecuteRequest executeRequest = HttpExecuteRequest.builder()
            .request(request)
            .contentStreamProvider(new
FileContentStreamProvider(fileToPut.toPath()))
            .build();

        try (SdkHttpClient sdkHttpClient = ApacheHttpClient.create()) {
            HttpExecuteResponse response =
sdkHttpClient.prepareRequest(executeRequest).call();
            logger.info("Response code: {}", response.httpResponse().statusCode());
        }
    }
}
```

```
        }
    } catch (URISyntaxException | IOException e) {
        logger.error(e.getMessage(), e);
    }
}
```

Create a serverless application to manage photos

The following code example shows how to create a serverless application that lets users manage photos using labels.

SDK for Java 2.x

Shows how to develop a photo asset management application that detects labels in images using Amazon Rekognition and stores them for later retrieval.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

For a deep dive into the origin of this example see the post on [AWS Community](#).

Services used in this example

- API Gateway
- DynamoDB
- Lambda
- Amazon Rekognition
- Amazon S3
- Amazon SNS

Delete incomplete multipart uploads

The following code example shows how to delete or stop incomplete Amazon S3 multipart uploads.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

To stop multipart uploads that are in-progress or incomplete for any reason, you can get a list uploads and then delete them as shown in the following example.

```
/**  
 * Aborts all incomplete multipart uploads from the specified S3 bucket.  
 * <p>  
 * This method retrieves a list of all incomplete multipart uploads in the  
 * specified S3 bucket,  
 * and then aborts each of those uploads.  
 */  
public static void abortIncompleteMultipartUploadsFromList() {  
    ListMultipartUploadsRequest listMultipartUploadsRequest =  
    ListMultipartUploadsRequest.builder()  
        .bucket(bucketName)  
        .build();  
  
    ListMultipartUploadsResponse response =  
    s3Client.listMultipartUploads(listMultipartUploadsRequest);  
    List<MultipartUpload> uploads = response/uploads();  
  
    AbortMultipartUploadRequest abortMultipartUploadRequest;  
    for (MultipartUpload upload : uploads) {  
        abortMultipartUploadRequest = AbortMultipartUploadRequest.builder()  
            .bucket(bucketName)  
            .key(upload.key())  
            .expectedBucketOwner(accountId)  
            .uploadId(upload.uploadId())  
            .build();  
  
        AbortMultipartUploadResponse abortMultipartUploadResponse =  
        s3Client.abortMultipartUpload(abortMultipartUploadRequest);  
        if (abortMultipartUploadResponse.sdkHttpResponse().isSuccessful()) {  
            logger.info("Upload ID [{}] to bucket [{}] successfully aborted.",  
            upload.uploadId(), bucketName);  
    }  
}
```

```
    }
}
}
```

To delete incomplete multipart uploads that were initiated before or after a date, you can selectively delete multipart uploads based on a point in time as shown in the following example.

```
static void abortIncompleteMultipartUploadsOlderThan(Instant pointInTime) {
    ListMultipartUploadsRequest listMultipartUploadsRequest =
ListMultipartUploadsRequest.builder()
    .bucket(bucketName)
    .build();

    ListMultipartUploadsResponse response =
s3Client.listMultipartUploads(listMultipartUploadsRequest);
    List<MultipartUpload> uploads = response/uploads();

    AbortMultipartUploadRequest abortMultipartUploadRequest;
    for (MultipartUpload upload : uploads) {
        logger.info("Found multipartUpload with upload ID [{}], initiated [{}]",
upload.uploadId(), upload.initiated());
        if (upload.initiated().isBefore(pointInTime)) {
            abortMultipartUploadRequest = AbortMultipartUploadRequest.builder()
                .bucket(bucketName)
                .key(upload.key())
                .expectedBucketOwner(accountId)
                .uploadId(upload.uploadId())
                .build();

            AbortMultipartUploadResponse abortMultipartUploadResponse =
s3Client.abortMultipartUpload(abortMultipartUploadRequest);
            if (abortMultipartUploadResponse.sdkHttpResponse().isSuccessful()) {
                logger.info("Upload ID [{}] to bucket [{}] successfully
aborted.", upload.uploadId(), bucketName);
            }
        }
    }
}
```

If you have access to the upload ID after you begin a multipart upload, you can delete the in-progress upload by using the ID.

```
static void abortMultipartUploadUsingUploadId() {
    String uploadId = startUploadReturningUploadId();
    AbortMultipartUploadResponse response = s3Client.abortMultipartUpload(b -> b
        .uploadId(uploadId)
        .bucket(bucketName)
        .key(key));

    if (response.sdkHttpResponse().isSuccessful()) {
        logger.info("Upload ID [{}] to bucket [{}] successfully aborted.", uploadId, bucketName);
    }
}
```

To consistently delete incomplete multipart uploads older than a certain number of days, set up a bucket lifecycle configuration for the bucket. The following example shows how to create a rule to delete incomplete uploads older than 7 days.

```
static void abortMultipartUploadsUsingLifecycleConfig() {
    Collection<LifecycleRule> lifeCycleRules = List.of(LifecycleRule.builder()
        .abortIncompleteMultipartUpload(b -> b
            .daysAfterInitiation(7))
        .status("Enabled")
        .filter(SdkBuilder::build) // Filter element is required.
        .build());

    // If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.
    PutBucketLifecycleConfigurationResponse response =
    s3Client.putBucketLifecycleConfiguration(b -> b
        .bucket(bucketName)
        .lifecycleConfiguration(b1 -> b1.rules(lifeCycleRules)));

    if (response.sdkHttpResponse().isSuccessful()) {
        logger.info("Rule to abort incomplete multipart uploads added to bucket.");
    } else {
        logger.error("Unsuccessfully applied rule. HTTP status code is [{}]", response.sdkHttpResponse().statusCode());
    }
}
```

```
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.
 - [AbortMultipartUpload](#)
 - [ListMultipartUploads](#)
 - [PutBucketLifecycleConfiguration](#)

Detect PPE in images

The following code example shows how to build an app that uses Amazon Rekognition to detect Personal Protective Equipment (PPE) in images.

SDK for Java 2.x

Shows how to create an AWS Lambda function that detects images with Personal Protective Equipment.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- DynamoDB
- Amazon Rekognition
- Amazon S3
- Amazon SES

Detect objects in images

The following code example shows how to build an app that uses Amazon Rekognition to detect objects by category in images.

SDK for Java 2.x

Shows how to use Amazon Rekognition Java API to create an app that uses Amazon Rekognition to identify objects by category in images located in an Amazon Simple Storage Service (Amazon S3) bucket. The app sends the admin an email notification with the results using Amazon Simple Email Service (Amazon SES).

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- Amazon Rekognition
- Amazon S3
- Amazon SES

Download S3 'directories'

The following code example shows how to download and filter the contents of Amazon S3 bucket 'directories'.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

This example show how to use the [S3TransferManager](#) in the AWS SDK for Java 2.x to download 'directories' from an Amazon S3 bucket. It also demonstrates how to use [DownloadFilters](#) in the request.

```
/**  
 * For standard buckets, S3 provides the illusion of a directory structure  
 * through the use of keys. When you upload  
 * an object to an S3 bucket, you specify a key, which is essentially the "path"  
 * to the object. The key can contain  
 * forward slashes ("/") to make it appear as if the object is stored in a  
 * directory structure, but this is just a  
 * logical representation, not an actual directory.  
 * <p><pre>  
 * In this example, our S3 bucket contains the following objects:  
 *  
 * folder1/file1.txt  
 * folder1/file2.txt  
 * folder1/file3.txt  
 * folder2/file1.txt
```

```
* folder2/file2.txt
* folder2/file3.txt
* folder3/file1.txt
* folder3/file2.txt
* folder3/file3.txt
*
* When method `downloadS3Directories` is invoked with
* `destinationPathURI` set to `/test`, the downloaded
* directory looks like:
*
* |- test
*   |- folder1
*     |- file1.txt
*     |- file2.txt
*     |- file3.txt
*   |- folder3
*     |- file1.txt
*     |- file2.txt
*     |- file3.txt
* </pre>
*
* @param transferManager An S3TransferManager instance.
* @param destinationPathURI local directory to hold the downloaded S3
'directories' and files.
* @param bucketName      The S3 bucket that contains the 'directories' to
download.
* @return The number of objects (files, in this case) that were downloaded.
*/
public Integer downloadS3Directories(S3TransferManager transferManager,
                                     URI destinationPathURI, String bucketName)
{
    // Define the filters for which 'directories' we want to download.
    DownloadFilter folder1Filter = (S3Object s3Object) ->
s3Object.key().startsWith("folder1/");
    DownloadFilter folder3Filter = (S3Object s3Object) ->
s3Object.key().startsWith("folder3/");
    DownloadFilter folderFilter = s3Object ->
folder1Filter.or(folder3Filter).test(s3Object);

    DirectoryDownload directoryDownload =
transferManager.downloadDirectory(DownloadDirectoryRequest.builder()
        .destination(Paths.get(destinationPathURI))
        .bucket(bucketName)
```

```
        .filter(folderFilter)
        .build());
CompletedDirectoryDownload completedDirectoryDownload =
directoryDownload.completionFuture().join();

    Integer numFilesInFolder1 =
Paths.get(destinationPathURI).resolve("folder1").toFile().list().length;
    Integer numFilesInFolder3 =
Paths.get(destinationPathURI).resolve("folder3").toFile().list().length;

    try {
        assert numFilesInFolder1 == 3;
        assert numFilesInFolder3 == 3;
        assert !
Paths.get(destinationPathURI).resolve("folder2").toFile().exists(); // `folder2` was
not downloaded.
    } catch (AssertionError e) {
        logger.error("An assertion failed.");
    }

    completedDirectoryDownload.failedTransfers()
        .forEach(fail -> logger.warn("Object failed to transfer  [{}]", fail.exception().getMessage()));
    return numFilesInFolder1 + numFilesInFolder3;
}
```

Download objects to a local directory

The following code example shows how to download all objects in an Amazon Simple Storage Service (Amazon S3) bucket to a local directory.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Use an [S3TransferManager](#) to [download all S3 objects](#) in the same S3 bucket. View the [complete file and test](#).

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.core.sync.RequestBody;
import software.amazon.awssdk.services.s3.model.ObjectIdentifier;
import software.amazon.awssdk.transfer.s3.S3TransferManager;
import software.amazon.awssdk.transfer.s3.model.CompletedDirectoryDownload;
import software.amazon.awssdk.transfer.s3.model.DirectoryDownload;
import software.amazon.awssdk.transfer.s3.model.DownloadDirectoryRequest;
import java.io.IOException;
import java.net.URI;
import java.net.URISyntaxException;
import java.nio.file.Files;
import java.nio.file.Path;
import java.nio.file.Paths;
import java.util.HashSet;
import java.util.Set;
import java.util.UUID;
import java.util.stream.Collectors;

public Integer downloadObjectsToDirectory(S3TransferManager transferManager,
    URI destinationPathURI, String bucketName) {
    DirectoryDownload directoryDownload =
        transferManager.downloadDirectory(DownloadDirectoryRequest.builder()
            .destination(Paths.get(destinationPathURI))
            .bucket(bucketName)
            .build());
    CompletedDirectoryDownload completedDirectoryDownload =
        directoryDownload.completionFuture().join();

    completedDirectoryDownload.failedTransfers()
        .forEach(fail -> logger.warn("Object [{}] failed to transfer",
fail.toString()));
    return completedDirectoryDownload.failedTransfers().size();
}
```

- For API details, see [DownloadDirectory](#) in *AWS SDK for Java 2.x API Reference*.

Lock Amazon S3 objects

The following code example shows how to work with S3 object lock features.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Run an interactive scenario demonstrating Amazon S3 object lock features.

```
import software.amazon.awssdk.services.s3.model.ObjectLockLegalHold;
import software.amazon.awssdk.services.s3.model.ObjectLockRetention;
import java.io.BufferedWriter;
import java.io.IOException;
import java.util.ArrayList;
import java.util.List;
import java.util.Scanner;
import java.util.stream.Collectors;

/*
Before running this Java V2 code example, set up your development
environment, including your credentials.

For more information, see the following documentation topic:
https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/setup.html

This Java example performs the following tasks:
1. Create test Amazon Simple Storage Service (S3) buckets with different lock
policies.
2. Upload sample objects to each bucket.
3. Set some Legal Hold and Retention Periods on objects and buckets.
4. Investigate lock policies by viewing settings or attempting to delete or
overwrite objects.
5. Clean up objects and buckets.
*/
public class S3ObjectLockWorkflow {

    public static final String DASHES = new String(new char[80]).replace("\0", "-");
    static String bucketName;
```

```
static S3LockActions s3LockActions;
private static final List<String> bucketNames = new ArrayList<>();
private static final List<String> fileNames = new ArrayList<>();

public static void main(String[] args) {
    final String usage = """
        Usage:
            <bucketName> \s

        Where:
            bucketName - The Amazon S3 bucket name.
        """;

    if (args.length != 1) {
        System.out.println(usage);
        System.exit(1);
    }
    s3LockActions = new S3LockActions();
    bucketName = args[0];
    Scanner scanner = new Scanner(System.in);

    System.out.println(DASHES);
    System.out.println("Welcome to the Amazon Simple Storage Service (S3) Object Locking Workflow Scenario.");
    System.out.println("Press Enter to continue...");
    scanner.nextLine();
    configurationSetup();
    System.out.println(DASHES);

    System.out.println(DASHES);
    setup();
    System.out.println("Setup is complete. Press Enter to continue...");
    scanner.nextLine();
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("Lets present the user with choices.");
    System.out.println("Press Enter to continue...");
    scanner.nextLine();
    demoActionChoices() ;
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("Would you like to clean up the resources? (y/n)");
}
```

```
String delAns = scanner.nextLine().trim();
if (delAns.equalsIgnoreCase("y")) {
    cleanup();
    System.out.println("Clean up is complete.");
}

System.out.println("Press Enter to continue...");
scanner.nextLine();
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("Amazon S3 Object Locking Workflow is complete.");
System.out.println(DASHES);
}

// Present the user with the demo action choices.
public static void demoActionChoices() {
    String[] choices = {
        "List all files in buckets.",
        "Attempt to delete a file.",
        "Attempt to delete a file with retention period bypass.",
        "Attempt to overwrite a file.",
        "View the object and bucket retention settings for a file.",
        "View the legal hold settings for a file.",
        "Finish the workflow."
    };

    int choice = 0;
    while (true) {
        System.out.println(DASHES);
        choice = getChoiceResponse("Explore the S3 locking features by selecting one of the following choices:", choices);
        System.out.println(DASHES);
        System.out.println("You selected "+choices[choice]);
        switch (choice) {
            case 0 -> {
                s3LockActions.listBucketsAndObjects(bucketNames, true);
            }

            case 1 -> {
                System.out.println("Enter the number of the object to delete:");
                List<S3InfoObject> allFiles =
s3LockActions.listBucketsAndObjects(bucketNames, true);
```

```
        List<String> fileKeys = allFiles.stream().map(f ->
f.getKeyName()).collect(Collectors.toList());
        String[] fileKeysArray = fileKeys.toArray(new String[0]);
        int fileChoice = getChoiceResponse(null, fileKeysArray);
        String objectKey = fileKeys.get(fileChoice);
        String bucketName = allFiles.get(fileChoice).getBucketName();
        String version = allFiles.get(fileChoice).getVersion();
        s3LockActions.deleteObjectFromBucket(bucketName, objectKey,
false, version);
    }

    case 2 -> {
        System.out.println("Enter the number of the object to delete:");
        List<S3InfoObject> allFiles =
s3LockActions.listBucketsAndObjects(bucketNames, true);
        List<String> fileKeys = allFiles.stream().map(f ->
f.getKeyName()).collect(Collectors.toList());
        String[] fileKeysArray = fileKeys.toArray(new String[0]);
        int fileChoice = getChoiceResponse(null, fileKeysArray);
        String objectKey = fileKeys.get(fileChoice);
        String bucketName = allFiles.get(fileChoice).getBucketName();
        String version = allFiles.get(fileChoice).getVersion();
        s3LockActions.deleteObjectFromBucket(bucketName, objectKey,
true, version);
    }

    case 3 -> {
        System.out.println("Enter the number of the object to
overwrite:");
        List<S3InfoObject> allFiles =
s3LockActions.listBucketsAndObjects(bucketNames, true);
        List<String> fileKeys = allFiles.stream().map(f ->
f.getKeyName()).collect(Collectors.toList());
        String[] fileKeysArray = fileKeys.toArray(new String[0]);
        int fileChoice = getChoiceResponse(null, fileKeysArray);
        String objectKey = fileKeys.get(fileChoice);
        String bucketName = allFiles.get(fileChoice).getBucketName();

        // Attempt to overwrite the file.
        try (BufferedWriter writer = new BufferedWriter(new
java.io.FileWriter(objectKey))) {
            writer.write("This is a modified text.");
        } catch (IOException e) {
```

```
        e.printStackTrace();
    }
    s3LockActions.uploadFile(bucketName, objectKey, objectKey);
}

case 4 -> {
    System.out.println("Enter the number of the object to
overwrite:");
    List<S3InfoObject> allFiles =
s3LockActions.listBucketsAndObjects(bucketNames, true);
    List<String> fileKeys = allFiles.stream().map(f ->
f.getKeyName()).collect(Collectors.toList());
    String[] fileKeysArray = fileKeys.toArray(new String[0]);
    int fileChoice = getChoiceResponse(null, fileKeysArray);
    String objectKey = fileKeys.get(fileChoice);
    String bucketName = allFiles.get(fileChoice).getBucketName();
    s3LockActions.getObjectRetention(bucketName, objectKey);
}

case 5 -> {
    System.out.println("Enter the number of the object to view:");
    List<S3InfoObject> allFiles =
s3LockActions.listBucketsAndObjects(bucketNames, true);
    List<String> fileKeys = allFiles.stream().map(f ->
f.getKeyName()).collect(Collectors.toList());
    String[] fileKeysArray = fileKeys.toArray(new String[0]);
    int fileChoice = getChoiceResponse(null, fileKeysArray);
    String objectKey = fileKeys.get(fileChoice);
    String bucketName = allFiles.get(fileChoice).getBucketName();
    s3LockActions.getObjectLegalHold(bucketName, objectKey);
    s3LockActions.getBucketObjectLockConfiguration(bucketName);
}

case 6 -> {
    System.out.println("Exiting the workflow...");
    return;
}

default -> {
    System.out.println("Invalid choice. Please select again.");
}
}
```

```
// Clean up the resources from the scenario.
private static void cleanup() {
    List<S3InfoObject> allFiles =
s3LockActions.listBucketsAndObjects(bucketNames, false);
    for (S3InfoObject fileInfo : allFiles) {
        String bucketName = fileInfo.getBucketName();
        String key = fileInfo.getKeyName();
        String version = fileInfo.getVersion();
        if (bucketName.contains("lock-enabled") ||
(bucketName.contains("retention-after-creation"))) {
            ObjectLockLegalHold legalHold =
s3LockActions.getObjectLegalHold(bucketName, key);
            if (legalHold != null) {
                String holdStatus = legalHold.status().name();
                System.out.println(holdStatus);
                if (holdStatus.compareTo("ON") == 0) {
                    s3LockActions.modifyObjectLegalHold(bucketName, key, false);
                }
            }
            // Check for a retention period.
            ObjectLockRetention retention =
s3LockActions.getObjectRetention(bucketName, key);
            boolean hasRetentionPeriod ;
            hasRetentionPeriod = retention != null;
            s3LockActions.deleteObjectFromBucket(bucketName,
key,hasRetentionPeriod, version);

        } else {
            System.out.println(bucketName +" objects do not have a legal lock");
            s3LockActions.deleteObjectFromBucket(bucketName, key, false,
version);
        }
    }

    // Delete the buckets.
    System.out.println("Delete "+bucketName);
    for (String bucket : bucketNames){
        s3LockActions.deleteBucketByName(bucket);
    }
}

private static void setup() {
    Scanner scanner = new Scanner(System.in);
```

```
System.out.println(""  
    For this workflow, we will use the AWS SDK for Java to create  
several S3  
    buckets and files to demonstrate working with S3 locking features.  
    """);  
  
System.out.println("S3 buckets can be created either with or without object  
lock enabled.");  
System.out.println("Press Enter to continue...");  
scanner.nextLine();  
  
// Create three S3 buckets.  
s3LockActions.createBucketWithLockOptions(false, bucketNames.get(0));  
s3LockActions.createBucketWithLockOptions(true, bucketNames.get(1));  
s3LockActions.createBucketWithLockOptions(false, bucketNames.get(2));  
System.out.println("Press Enter to continue.");  
scanner.nextLine();  
  
System.out.println("Bucket "+bucketNames.get(2)+" will be configured to use  
object locking with a default retention period.");  
s3LockActions.modifyBucketDefaultRetention(bucketNames.get(2));  
System.out.println("Press Enter to continue.");  
scanner.nextLine();  
  
System.out.println("Object lock policies can also be added to existing  
buckets. For this example, we will use "+bucketNames.get(1));  
s3LockActions.enableObjectLockOnBucket(bucketNames.get(1));  
System.out.println("Press Enter to continue.");  
scanner.nextLine();  
  
// Upload some files to the buckets.  
System.out.println("Now let's add some test files:");  
String fileName = "exampleFile.txt";  
int fileCount = 2;  
try (BufferedWriter writer = new BufferedWriter(new  
java.io.FileWriter(fileName))) {  
    writer.write("This is a sample file for uploading to a bucket.");  
  
} catch (IOException e) {  
    e.printStackTrace();  
}  
  
for (String bucketName : bucketNames){  
    for (int i = 0; i < fileCount; i++) {
```

```
// Get the file name without extension.  
String fileNameWithoutExtension =  
java.nio.file.Paths.get(fileName).getFileName().toString();  
int extensionIndex = fileNameWithoutExtension.lastIndexOf('.');  
if (extensionIndex > 0) {  
    fileNameWithoutExtension = fileNameWithoutExtension.substring(0,  
extensionIndex);  
}  
  
// Create the numbered file names.  
String numberedFileName = fileNameWithoutExtension + i +  
getFileExtension(fileName);  
fileNames.add(numberedFileName);  
s3LockActions.uploadFile(bucketName, numberedFileName, fileName);  
}  
}  
  
String question = null;  
System.out.print("Press Enter to continue...");  
scanner.nextLine();  
System.out.println("Now we can set some object lock policies on individual  
files:");  
for (String bucketName : bucketNames) {  
    for (int i = 0; i < fileNames.size(); i++) {  
  
        // No modifications to the objects in the first bucket.  
        if (!bucketName.equals(bucketNames.get(0))) {  
            String exampleFileName = fileNames.get(i);  
            switch (i) {  
                case 0 -> {  
                    question = "Would you like to add a legal hold to " +  
exampleFileName + " in " + bucketName + " (y/n)?";  
                    System.out.println(question);  
                    String ans = scanner.nextLine().trim();  
                    if (ans.equalsIgnoreCase("y")) {  
                        System.out.println("**** You have selected to put a  
legal hold " + exampleFileName);  
  
                        // Set a legal hold.  
                        s3LockActions.modifyObjectLegalHold(bucketName,  
exampleFileName, true);  
                    }  
                }  
                case 1 -> {  
                    question = "Would you like to add a legal hold to " +  
exampleFileName + " in " + bucketName + " (y/n)?";  
                    System.out.println(question);  
                    String ans = scanner.nextLine().trim();  
                    if (ans.equalsIgnoreCase("y")) {  
                        System.out.println("**** You have selected to put a  
legal hold " + exampleFileName);  
  
                        // Set a legal hold.  
                        s3LockActions.modifyObjectLegalHold(bucketName,  
exampleFileName, true);  
                    }  
                }  
            }  
        }  
    }  
}
```

```
"""
    Would you like to add a 1 day Governance retention
period to %s in %s (y/n)?
    Reminder: Only a user with the
s3:BypassGovernanceRetention permission will be able to delete this file or its
bucket until the retention period has expired.
        """.formatted(exampleFileName, bucketName);
    System.out.println(question);
    String ans2 = scanner.nextLine().trim();
    if (ans2.equalsIgnoreCase("y")) {

s3LockActions.modifyObjectRetentionPeriod(bucketName, exampleFileName);
    }
}
}
}
}
}

// Get file extension.
private static String getFileExtension(String fileName) {
    int dotIndex = fileName.lastIndexOf('.');
    if (dotIndex > 0) {
        return fileName.substring(dotIndex);
    }
    return "";
}

public static void configurationSetup() {
    String noLockBucketName = bucketName + "-no-lock";
    String lockEnabledBucketName = bucketName + "-lock-enabled";
    String retentionAfterCreationBucketName = bucketName + "-retention-after-
creation";
    bucketNames.add(noLockBucketName);
    bucketNames.add(lockEnabledBucketName);
    bucketNames.add(retentionAfterCreationBucketName);
}

public static int getChoiceResponse(String question, String[] choices) {
    Scanner scanner = new Scanner(System.in);
    if (question != null) {
        System.out.println(question);
        for (int i = 0; i < choices.length; i++) {
```

```
        System.out.println("\t" + (i + 1) + ". " + choices[i]);
    }

    int choiceNumber = 0;
    while (choiceNumber < 1 || choiceNumber > choices.length) {
        String choice = scanner.nextLine();
        try {
            choiceNumber = Integer.parseInt(choice);
        } catch (NumberFormatException e) {
            System.out.println("Invalid choice. Please enter a valid number.");
        }
    }

    return choiceNumber - 1;
}
}
```

A wrapper class for S3 functions.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.BucketVersioningStatus;
import software.amazon.awssdk.services.s3.model.ChecksumAlgorithm;
import software.amazon.awssdk.services.s3.model.CreateBucketRequest;
import software.amazon.awssdk.services.s3.model.DefaultRetention;
import software.amazon.awssdk.services.s3.model.DeleteBucketRequest;
import software.amazon.awssdk.services.s3.model.DeleteObjectRequest;
import software.amazon.awssdk.services.s3.model.GetObjectLegalHoldRequest;
import software.amazon.awssdk.services.s3.model.GetObjectLegalHoldResponse;
import software.amazon.awssdk.services.s3.model.GetObjectLockConfigurationRequest;
import software.amazon.awssdk.services.s3.model.GetObjectLockConfigurationResponse;
import software.amazon.awssdk.services.s3.model.GetObjectRetentionRequest;
import software.amazon.awssdk.services.s3.model.GetObjectRetentionResponse;
import software.amazon.awssdk.services.s3.model.HeadBucketRequest;
import software.amazon.awssdk.services.s3.model.ListObjectVersionsRequest;
import software.amazon.awssdk.services.s3.model.ListObjectVersionsResponse;
import software.amazon.awssdk.services.s3.model.MFADelete;
import software.amazon.awssdk.services.s3.model.ObjectLockConfiguration;
import software.amazon.awssdk.services.s3.model.ObjectLockEnabled;
import software.amazon.awssdk.services.s3.model.ObjectLockLegalHold;
import software.amazon.awssdk.services.s3.model.ObjectLockLegalHoldStatus;
```

```
import software.amazon.awssdk.services.s3.model.ObjectLockRetention;
import software.amazon.awssdk.services.s3.model.ObjectLockRetentionMode;
import software.amazon.awssdk.services.s3.model.ObjectLockRule;
import software.amazon.awssdk.services.s3.model.PutBucketVersioningRequest;
import software.amazon.awssdk.services.s3.model.PutObjectLegalHoldRequest;
import software.amazon.awssdk.services.s3.model.PutObjectLockConfigurationRequest;
import software.amazon.awssdk.services.s3.model.PutObjectRequest;
import software.amazon.awssdk.services.s3.model.PutObjectResponse;
import software.amazon.awssdk.services.s3.model.PutObjectRetentionRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.services.s3.model.VersioningConfiguration;
import software.amazon.awssdk.services.s3.waiters.S3Waiter;
import java.nio.file.Path;
import java.nio.file.Paths;
import java.time.Instant;
import java.time.ZoneId;
import java.time.ZonedDateTime;
import java.time.format.DateTimeFormatter;
import java.time.temporal.ChronoUnit;
import java.util.List;
import java.util.concurrent.atomic.AtomicInteger;
import java.util.stream.Collectors;

// Contains application logic for the Amazon S3 operations used in this workflow.
public class S3LockActions {

    private static S3Client getClient() {
        return S3Client.builder()
            .region(Region.US_EAST_1)
            .build();
    }

    // Set or modify a retention period on an object in an S3 bucket.
    public void modifyObjectRetentionPeriod(String bucketName, String objectKey) {
        // Calculate the instant one day from now.
        Instant futureInstant = Instant.now().plus(1, ChronoUnit.DAYS);

        // Convert the Instant to a ZonedDateTime object with a specific time zone.
        ZonedDateTime zonedDateTime = futureInstant.atZone(ZoneId.systemDefault());

        // Define a formatter for human-readable output.
        DateTimeFormatter formatter = DateTimeFormatter.ofPattern("yyyy-MM-dd
HH:mm:ss");
    }
}
```

```
// Format the ZonedDateTime object to a human-readable date string.  
String humanReadableDate = formatter.format(zonedDateTime);  
  
// Print the formatted date string.  
System.out.println("Formatted Date: " + humanReadableDate);  
ObjectLockRetention retention = ObjectLockRetention.builder()  
    .mode(ObjectLockRetentionMode.GOVERNANCE)  
    .retainUntilDate(futureInstant)  
    .build();  
  
PutObjectRetentionRequest retentionRequest =  
PutObjectRetentionRequest.builder()  
    .bucket(bucketName)  
    .key(objectKey)  
    .retention(retention)  
    .build();  
  
getClient().putObjectRetention(retentionRequest);  
System.out.println("Set retention for "+objectKey +" in " +bucketName +"  
until "+ humanReadableDate +".");  
}  
  
// Get the legal hold details for an S3 object.  
public ObjectLockLegalHold getObjectLegalHold(String bucketName, String  
objectKey) {  
    try {  
        GetObjectLegalHoldRequest legalHoldRequest =  
GetObjectLegalHoldRequest.builder()  
            .bucket(bucketName)  
            .key(objectKey)  
            .build();  
  
        GetObjectLegalHoldResponse response =  
getClient().getObjectLegalHold(legalHoldRequest);  
        System.out.println("Object legal hold for " + objectKey + " in " +  
bucketName +  
            ":\n\tStatus: " + response.legalHold().status());  
        return response.legalHold();  
    } catch (S3Exception ex) {  
        System.out.println("\tUnable to fetch legal hold: '" + ex.getMessage() +  
"');  
    }  
}
```

```
        return null;
    }

    // Create a new Amazon S3 bucket with object lock options.
    public void createBucketWithLockOptions(boolean enableObjectLock, String
bucketName) {
    S3Waiter s3Waiter = getClient().waiter();
    CreateBucketRequest bucketRequest = CreateBucketRequest.builder()
        .bucket(bucketName)
        .objectLockEnabledForBucket(enableObjectLock)
        .build();

    getClient().createBucket(bucketRequest);
    HeadBucketRequest bucketRequestWait = HeadBucketRequest.builder()
        .bucket(bucketName)
        .build();

    // Wait until the bucket is created and print out the response.
    s3Waiter.waitUntilBucketExists(bucketRequestWait);
    System.out.println(bucketName + " is ready");
}

public List<S3InfoObject> listBucketsAndObjects(List<String> bucketNames,
Boolean interactive) {
    AtomicInteger counter = new AtomicInteger(0); // Initialize counter.
    return bucketNames.stream()
        .flatMap(bucketName ->
listBucketObjectsAndVersions(bucketName).versions().stream()
            .map(version -> {
                S3InfoObject s3InfoObject = new S3InfoObject();
                s3InfoObject.setBucketName(bucketName);
                s3InfoObject.setVersion(version.versionId());
                s3InfoObject.setKeyName(version.key());
                return s3InfoObject;
            }))
        .peek(s3InfoObject -> {
            int i = counter.incrementAndGet(); // Increment and get the updated
value.
            if (interactive) {
                System.out.println(i + ": " + s3InfoObject.getKeyName());
                System.out.printf("%5s Bucket name: %s\n", "", s3InfoObject.getBucketName());
                System.out.printf("%5s Version: %s\n", "", s3InfoObject.getVersion());
            }
        });
}
```

```
        }
    })
    .collect(Collectors.toList());
}

public ListObjectVersionsResponse listBucketObjectsAndVersions(String
bucketName) {
    ListObjectVersionsRequest versionsRequest =
ListObjectVersionsRequest.builder()
    .bucket(bucketName)
    .build();

    return getClient().listObjectVersions(versionsRequest);
}

// Set or modify a retention period on an S3 bucket.
public void modifyBucketDefaultRetention(String bucketName) {
    VersioningConfiguration versioningConfiguration =
VersioningConfiguration.builder()
    .mfaDelete(MFADelete.DISABLED)
    .status(BucketVersioningStatus.ENABLED)
    .build();

    PutBucketVersioningRequest versioningRequest =
PutBucketVersioningRequest.builder()
    .bucket(bucketName)
    .versioningConfiguration(versioningConfiguration)
    .build();

    getClient().putBucketVersioning(versioningRequest);
    DefaultRetention rention = DefaultRetention.builder()
        .days(1)
        .mode(ObjectLockRetentionMode.GOVERNANCE)
        .build();

    ObjectLockRule lockRule = ObjectLockRule.builder()
        .defaultRetention(rention)
        .build();

    ObjectLockConfiguration objectLockConfiguration =
ObjectLockConfiguration.builder()
    .objectLockEnabled(ObjectLockEnabled.ENABLED)
    .rule(lockRule)
    .build();
}
```

```
PutObjectLockConfigurationRequest putObjectLockConfigurationRequest =
PutObjectLockConfigurationRequest.builder()
    .bucket(bucketName)
    .objectLockConfiguration(objectLockConfiguration)
    .build();

getClient().putObjectLockConfiguration(putObjectLockConfigurationRequest) ;
System.out.println("Added a default retention to bucket "+bucketName +".");
}

// Enable object lock on an existing bucket.
public void enableObjectLockOnBucket(String bucketName) {
    try {
        VersioningConfiguration versioningConfiguration =
VersioningConfiguration.builder()
            .status(BucketVersioningStatus.ENABLED)
            .build();

        PutBucketVersioningRequest putBucketVersioningRequest =
PutBucketVersioningRequest.builder()
            .bucket(bucketName)
            .versioningConfiguration(versioningConfiguration)
            .build();

        // Enable versioning on the bucket.
        getClient().putBucketVersioning(putBucketVersioningRequest);
        PutObjectLockConfigurationRequest request =
PutObjectLockConfigurationRequest.builder()
            .bucket(bucketName)
            .objectLockConfiguration(ObjectLockConfiguration.builder()
                .objectLockEnabled(ObjectLockEnabled.ENABLED)
                .build())
            .build();

        getClient().putObjectLockConfiguration(request);
        System.out.println("Successfully enabled object lock on "+bucketName);

    } catch (S3Exception ex) {
        System.out.println("Error modifying object lock: '" + ex.getMessage() +
""");
    }
}
```

```
public void uploadFile(String bucketName, String objectName, String filePath) {  
    Path file = Paths.get(filePath);  
    PutObjectRequest request = PutObjectRequest.builder()  
        .bucket(bucketName)  
        .key(objectName)  
        .checksumAlgorithm(ChecksumAlgorithm.SHA256)  
        .build();  
  
    PutObjectResponse response = getClient().putObject(request, file);  
    if (response != null) {  
        System.out.println("\tSuccessfully uploaded " + objectName + " to " +  
            bucketName + ".");  
    } else {  
        System.out.println("\tCould not upload " + objectName + " to " +  
            bucketName + ".");  
    }  
}  
  
// Set or modify a legal hold on an object in an S3 bucket.  
public void modifyObjectLegalHold(String bucketName, String objectKey, boolean  
legalHoldOn) {  
    ObjectLockLegalHold legalHold ;  
    if (legalHoldOn) {  
        legalHold = ObjectLockLegalHold.builder()  
            .status(ObjectLockLegalHoldStatus.ON)  
            .build();  
    } else {  
        legalHold = ObjectLockLegalHold.builder()  
            .status(ObjectLockLegalHoldStatus.OFF)  
            .build();  
    }  
  
    PutObjectLegalHoldRequest legalHoldRequest =  
    PutObjectLegalHoldRequest.builder()  
        .bucket(bucketName)  
        .key(objectKey)  
        .legalHold(legalHold)  
        .build();  
  
    getClient().putObjectLegalHold(legalHoldRequest) ;  
    System.out.println("Modified legal hold for "+ objectKey +" in "+bucketName  
+".");  
}
```

```
// Delete an object from a specific bucket.
public void deleteObjectFromBucket(String bucketName, String objectKey, boolean
hasRetention, String versionId) {
    try {
        DeleteObjectRequest objectRequest;
        if (hasRetention) {
            objectRequest = DeleteObjectRequest.builder()
                .bucket(bucketName)
                .key(objectKey)
                .versionId(versionId)
                .bypassGovernanceRetention(true)
                .build();
        } else {
            objectRequest = DeleteObjectRequest.builder()
                .bucket(bucketName)
                .key(objectKey)
                .versionId(versionId)
                .build();
        }
        getClient().deleteObject(objectRequest) ;
        System.out.println("The object was successfully deleted");
    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
    }
}

// Get the retention period for an S3 object.
public ObjectLockRetention getObjectRetention(String bucketName, String key){
    try {
        GetObjectRetentionRequest retentionRequest =
GetObjectRetentionRequest.builder()
            .bucket(bucketName)
            .key(key)
            .build();

        GetObjectRetentionResponse response =
getClient().getObjectContext(retentionRequest);
        System.out.println("GetObject retention for "+key +" in "+ bucketName +":"
" " + response.retention().mode() +" until "+ response.retention().retainUntilDate()
+".");
        return response.retention();
    }
}
```

```
        } catch (S3Exception e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            return null;
        }
    }

    public void deleteBucketByName(String bucketName) {
        try {
            DeleteBucketRequest request = DeleteBucketRequest.builder()
                .bucket(bucketName)
                .build();

            getClient().deleteBucket(request);
            System.out.println(bucketName +" was deleted.");
        } catch (S3Exception e) {
            System.err.println(e.awsErrorDetails().errorMessage());
        }
    }

    // Get the object lock configuration details for an S3 bucket.
    public void getBucketObjectLockConfiguration(String bucketName) {
        GetObjectLockConfigurationRequest objectLockConfigurationRequest =
GetObjectLockConfigurationRequest.builder()
        .bucket(bucketName)
        .build();

        GetObjectLockConfigurationResponse response =
getClient().getObjectLockConfiguration(objectLockConfigurationRequest);
        System.out.println("Bucket object lock config for "+bucketName +":  ");
        System.out.println("\tEnabled:
"+response.objectLockConfiguration().objectLockEnabled());
        System.out.println("\tRule: "+
response.objectLockConfiguration().rule().defaultRetention());
    }
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.
 - [GetObjectLegalHold](#)
 - [GetObjectLockConfiguration](#)
 - [GetObjectRetention](#)

- [PutObjectLegalHold](#)
- [PutObjectLockConfiguration](#)
- [PutObjectRetention](#)

Parse URIs

The following code example shows how to parse Amazon S3 URIs to extract important components like the bucket name and object key.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Parse an Amazon S3 URI by using the [S3Uri](#) class.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.S3Uri;
import software.amazon.awssdk.services.s3.S3Utilities;

import java.net.URI;
import java.util.List;
import java.util.Map;

/**
 *
 * @param s3Client      - An S3Client through which you acquire an S3Uri instance.
 * @param s3ObjectUrl  - A complex URL (String) that is used to demonstrate S3Uri
 *                      capabilities.
 */
public static void parseS3UriExample(S3Client s3Client, String s3ObjectUrl) {
    logger.info(s3ObjectUrl);
    // Console output:
    // 'https://s3.us-west-1.amazonaws.com/myBucket/resources/doc.txt?
versionId=abc123&partNumber=77&partNumber=88'.
```

```
// Create an S3Utilities object using the configuration of the s3Client.
S3Utilities s3Utilities = s3Client.utilities();

// From a String URL create a URI object to pass to the parseUri() method.
URI uri = URI.create(s3ObjectUrl);
S3Uri s3Uri = s3Utilities.parseUri(uri);

// If the URI contains no value for the Region, bucket or key, the SDK
returns
// an empty Optional.
// The SDK returns decoded URI values.

Region region = s3Uri.region().orElse(null);
log("region", region);
// Console output: 'region: us-west-1'.

String bucket = s3Uri.bucket().orElse(null);
log("bucket", bucket);
// Console output: 'bucket: myBucket'.

String key = s3Uri.key().orElse(null);
log("key", key);
// Console output: 'key: resources/doc.txt'.

Boolean isPathStyle = s3Uri.isPathStyle();
log("isPathStyle", isPathStyle);
// Console output: 'isPathStyle: true'.

// If the URI contains no query parameters, the SDK returns an empty map.
Map<String, List<String>> queryParams = s3Uri.rawQueryParameters();
log("rawQueryParameters", queryParams);
// Console output: 'rawQueryParameters: {versionId=[abc123], partNumber=[77,
// 88]}'.

// Retrieve the first or all values for a query parameter as shown in the
// following code.
String versionId =
s3Uri.firstMatchingRawQueryParameter("versionId").orElse(null);
log("firstMatchingRawQueryParameter-versionId", versionId);
// Console output: 'firstMatchingRawQueryParameter-versionId: abc123'.

String partNumber =
s3Uri.firstMatchingRawQueryParameter("partNumber").orElse(null);
```

```
    log("firstMatchingRawQueryParameter-partNumber", partNumber);
    // Console output: 'firstMatchingRawQueryParameter-partNumber: 77'.
```



```
    List<String> partNumbers =
s3Uri.firstMatchingRawQueryParameters("partNumber");
    log("firstMatchingRawQueryParameter", partNumbers);
    // Console output: 'firstMatchingRawQueryParameter: [77, 88]'.
```



```
/*
 * Object keys and query parameters with reserved or unsafe characters, must
be
 * URL-encoded.
 * For example replace whitespace " " with "%20".
 * Valid:
 * "https://s3.us-west-1.amazonaws.com/myBucket/object%20key?query=
%5Bbrackets%5D"
 * Invalid:
 * "https://s3.us-west-1.amazonaws.com/myBucket/object key?query=[brackets]"
 *
 * Virtual-hosted-style URIs with bucket names that contain a dot, ".", the
dot
 * must not be URL-encoded.
 * Valid: "https://my.Bucket.s3.us-west-1.amazonaws.com/key"
 * Invalid: "https://my%2EBucket.s3.us-west-1.amazonaws.com/key"
 */
}
```



```
private static void log(String s3UriElement, Object element) {
    if (element == null) {
        logger.info("{}: {}", s3UriElement, "null");
    } else {
        logger.info("{}: {}", s3UriElement, element);
    }
}
```

Process S3 event notifications

The following code example shows how to work with S3 event notifications in an object-oriented way.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

This example show how to process S3 notification event by using Amazon SQS.

```
/**  
 * This method receives S3 event notifications by using an SqsAsyncClient.  
 * After the client receives the messages it deserializes the JSON payload and  
 * logs them. It uses  
 * the S3EventNotification class (part of the S3 event notification API for  
 * Java) to deserialize  
 * the JSON payload and access the messages in an object-oriented way.  
 *  
 * @param queueUrl The URL of the AWS SQS queue that receives the S3 event  
 * notifications.  
 * @see <a href="https://sdk.amazonaws.com/java/api/latest/software/amazon/  
 * awssdk/eventnotifications/s3/model/package-summary.html">S3EventNotification API</a>.  
 * <p>  
 * To use S3 event notification serialization/deserialization to objects, add  
 * the following  
 * dependency to your Maven pom.xml file.  
 * <dependency>  
 * <groupId>software.amazon.awssdk</groupId>  
 * <artifactId>s3-event-notifications</artifactId>  
 * <version><LATEST></version>  
 * </dependency>  
 * <p>  
 * The S3 event notification API became available with version 2.25.11 of the  
 * Java SDK.  
 * <p>  
 * This example shows the use of the API with AWS SQS, but it can be used to  
 * process S3 event notifications  
 * in AWS SNS or AWS Lambda as well.  
 * <p>  
 * Note: The S3EventNotification class does not work with messages routed  
 * through AWS EventBridge.  
 */
```

```
static void processS3Events(String bucketName, String queueUrl, String queueArn)
{
    try {
        // Configure the bucket to send Object Created and Object Tagging
        notifications to an existing SQS queue.
        s3Client.putBucketNotificationConfiguration(b -> b
            .notificationConfiguration(ncb -> ncb
                .queueConfigurations(qcb -> qcb
                    .events(Event.S3_OBJECT_CREATED,
Event.S3_OBJECT_TAGGING)
                    .queueArn(queueArn)))
            .bucket(bucketName)
        ).join();

        triggerS3EventNotifications(bucketName);
        // Wait for event notifications to propagate.
        Thread.sleep(Duration.ofSeconds(5).toMillis());

        boolean didReceiveMessages = true;
        while (didReceiveMessages) {
            // Display the number of messages that are available in the queue.
            sqsClient.getQueueAttributes(b -> b
                .queueUrl(queueUrl)

.attributeNames(QueueAttributeName.APPROXIMATE_NUMBER_OF_MESSAGES)
            ).thenAccept(attributeResponse ->
                logger.info("Approximate number of messages in the
queue: {}",

attributeResponse.attributes().get(QueueAttributeName.APPROXIMATE_NUMBER_OF_MESSAGES)))
            .join();

            // Receive the messages.
            ReceiveMessageResponse response = sqsClient.receiveMessage(b -> b
                .queueUrl(queueUrl)
            ).get();
            logger.info("Count of received messages: {}",
response.messages().size());
            didReceiveMessages = !response.messages().isEmpty();

            // Create a collection to hold the received message for deletion
            // after we log the messages.
            HashSet<DeleteMessageBatchRequestEntry> messagesToDelete = new
HashSet<>();
        }
    }
}
```

```
// Process each message.  
response.messages().forEach(message -> {  
    logger.info("Message id: {}", message.messageId());  
    // Deserialize JSON message body to a S3EventNotification object  
    // to access messages in an object-oriented way.  
    S3EventNotification event =  
        S3EventNotification.fromJson(message.body());  
  
    // Log the S3 event notification record details.  
    if (event.getRecords() != null) {  
        event.getRecords().forEach(record -> {  
            String eventName = record.geteventName();  
            String key = record.getS3().getObject().getKey();  
            logger.info(record.toString());  
            logger.info("Event name is {} and key is {}", eventName,  
key);  
        });  
    }  
    // Add logged messages to collection for batch deletion.  
    messagesToDelete.add(DeleteMessageBatchRequestEntry.builder()  
        .id(message.messageId())  
        .receiptHandle(message.receiptHandle())  
        .build());  
});  
// Delete messages.  
if (!messagesToDelete.isEmpty()) {  
    sqsClient.deleteMessageBatch(DeleteMessageBatchRequest.builder()  
        .queueUrl(queueUrl)  
        .entries(messagesToDelete)  
        .build()  
    ).join();  
}  
}  
} // End of while block.  
} catch (InterruptedException | ExecutionException e) {  
    throw new RuntimeException(e);  
}  
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [DeleteMessageBatch](#)
- [GetQueueAttributes](#)

- [PutBucketNotificationConfiguration](#)
- [ReceiveMessage](#)

Send event notifications to EventBridge

The following code example shows how to enable a bucket to send S3 event notifications to EventBridge and route notifications to an Amazon SNS topic and Amazon SQS queue.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/** This method configures a bucket to send events to AWS EventBridge and
creates a rule
 * to route the S3 object created events to a topic and a queue.
 *
 * @param bucketName Name of existing bucket
 * @param topicArn ARN of existing topic to receive S3 event notifications
 * @param queueArn ARN of existing queue to receive S3 event notifications
 *
 * An AWS CloudFormation stack sets up the bucket, queue, topic before the
method runs.
 */
public static String setBucketNotificationToEventBridge(String bucketName,
String topicArn, String queueArn) {
    try {
        // Enable bucket to emit S3 Event notifications to EventBridge.
        s3Client.putBucketNotificationConfiguration(b -> b
            .bucket(bucketName)
            .notificationConfiguration(b1 -> b1
                .eventBridgeConfiguration(
                    SdkBuilder::build)
            ).build()).join();

        // Create an EventBridge rule to route Object Created notifications.
        PutRuleRequest putRuleRequest = PutRuleRequest.builder()
            .name(RULE_NAME)
```

```
.eventPattern(""""
    {
        "source": ["aws.s3"],
        "detail-type": ["Object Created"],
        "detail": {
            "bucket": {
                "name": ["%s"]
            }
        }
    }
""".formatted(bucketName))
.build();

// Add the rule to the default event bus.
PutRuleResponse putRuleResponse =
eventBridgeClient.putRule(putRuleRequest)
    .whenComplete((r, t) -> {
        if (t != null) {
            logger.error("Error creating event bus rule: " +
t.getMessage(), t);
            throw new RuntimeException(t.getCause().getMessage(),
t);
        }
        logger.info("Event bus rule creation request sent
successfully. ARN is: {}", r.ruleArn());
    }).join();

// Add the existing SNS topic and SQS queue as targets to the rule.
eventBridgeClient.putTargets(b -> b
    .eventBusName("default")
    .rule(RULE_NAME)
    .targets(List.of(
        Target.builder()
            .arn(queueArn)
            .id("Queue")
            .build(),
        Target.builder()
            .arn(topicArn)
            .id("Topic")
            .build()
    )
).join());
return putRuleResponse.ruleArn();
} catch (S3Exception e) {
```

```
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return null;
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [PutBucketNotificationConfiguration](#)
- [PutRule](#)
- [PutTargets](#)

Track uploads and downloads

The following code example shows how to track an Amazon S3 object upload or download.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Track the progress of a file upload.

```
public void trackUploadFile(S3TransferManager transferManager, String
bucketName,
                            String key, URI filePathURI) {
    UploadFileRequest uploadFileRequest = UploadFileRequest.builder()
        .putObjectRequest(b -> b.bucket(bucketName).key(key))
        .addTransferListener(LoggingTransferListener.create()) // Add
listener.
        .source(Paths.get(filePathURI))
        .build();

    FileUpload fileUpload = transferManager.uploadFile(uploadFileRequest);

    fileUpload.completionFuture().join();
    /*
```

The SDK provides a `LoggingTransferListener` implementation of the `TransferListener` interface.

You can also implement the interface to provide your own logic.

Configure log4J2 with settings such as the following.

```
<Configuration status="WARN">
    <Appenders>
        <Console name="AlignedConsoleAppender" target="SYSTEM_OUT">
            <PatternLayout pattern="%m%n"/>
        </Console>
    </Appenders>

    <Loggers>
        <logger
name="software.amazon.awssdk.transfer.s3.progress.LoggingTransferListener"
level="INFO" additivity="false">
            <AppenderRef ref="AlignedConsoleAppender"/>
        </logger>
    </Loggers>
</Configuration>
```

Log4J2 logs the progress. The following is example output for a 21.3 MB file upload.

```
Transfer initiated...
|          | 0.0%
|====      | 21.1%
|==========| 60.5%
|===========| 100.0%
Transfer complete!
*/
}
```

Track the progress of a file download.

```
public void trackDownloadFile(S3TransferManager transferManager, String
bucketName,
                               String key, String downloadedFilePath) {
    DownloadFileRequest downloadFileRequest = DownloadFileRequest.builder()
        .getObjectRequest(b -> b.bucket(bucketName).key(key))
        .addTransferListener(LoggingTransferListener.create()) // Add
listener.
        .destination(Paths.get(downloadedFilePath))
```

```
.build();

FileDownload downloadFile =
transferManager.downloadFile(downloadFileRequest);

CompletedFileDownload downloadResult =
downloadFile.completionFuture().join();
/*
The SDK provides a LoggingTransferListener implementation of the
TransferListener interface.

You can also implement the interface to provide your own logic.

Configure log4J2 with settings such as the following.

<Configuration status="WARN">
    <Appenders>
        <Console name="AlignedConsoleAppender" target="SYSTEM_OUT">
            <PatternLayout pattern="%m%n"/>
        </Console>
    </Appenders>

    <Loggers>
        <logger
name="software.amazon.awssdk.transfer.s3.progress.LoggingTransferListener"
level="INFO" additivity="false">
            <AppenderRef ref="AlignedConsoleAppender"/>
        </logger>
    </Loggers>
</Configuration>

Log4J2 logs the progress. The following is example output for a 21.3 MB
file download.

Transfer initiated...
|=====
|=====
|=====
|=====| 39.4%
|=====
|=====
|=====
|=====| 78.8%
|=====
|=====
|=====| 100.0%
Transfer complete!
*/
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [GetObject](#)
- [PutObject](#)

Upload directory to a bucket

The following code example shows how to upload a local directory recursively to an Amazon Simple Storage Service (Amazon S3) bucket.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Use an [S3TransferManager](#) to [upload a local directory](#). View the [complete file](#) and [test](#).

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.services.s3.model.ObjectIdentifier;
import software.amazon.awssdk.transfer.s3.S3TransferManager;
import software.amazon.awssdk.transfer.s3.model.CompletedDirectoryUpload;
import software.amazon.awssdk.transfer.s3.model.DirectoryUpload;
import software.amazon.awssdk.transfer.s3.model.UploadDirectoryRequest;

import java.net.URI;
import java.net.URISyntaxException;
import java.net.URL;
import java.nio.file.Paths;
import java.util.UUID;

public Integer uploadDirectory(S3TransferManager transferManager,
                               URI sourceDirectory, String bucketName) {
    DirectoryUpload directoryUpload =
        transferManager.uploadDirectory(UploadDirectoryRequest.builder()
            .source(Paths.get(sourceDirectory))
            .bucket(bucketName)
            .build());

    CompletedDirectoryUpload completedDirectoryUpload =
        directoryUpload.completionFuture().join();
    completedDirectoryUpload.failedTransfers()
        .forEach(fail -> logger.warn("Object [{}] failed to transfer",
        fail.toString()));
    return completedDirectoryUpload.failedTransfers().size();
```

```
}
```

- For API details, see [UploadDirectory](#) in *AWS SDK for Java 2.x API Reference*.

Upload or download large files

The following code example shows how to upload or download large files to and from Amazon S3.

For more information, see [Uploading an object using multipart upload](#).

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Call functions that transfer files to and from an S3 bucket using the `S3TransferManager`.

```
public Integer downloadObjectsToDirectory(S3TransferManager transferManager,
                                         URI destinationPathURI, String bucketName) {
    DirectoryDownload directoryDownload =
        transferManager.downloadDirectory(DownloadDirectoryRequest.builder()
            .destination(Paths.get(destinationPathURI))
            .bucket(bucketName)
            .build());
    CompletedDirectoryDownload completedDirectoryDownload =
        directoryDownload.completionFuture().join();

    completedDirectoryDownload.failedTransfers()
        .forEach(fail -> logger.warn("Object [{}] failed to transfer",
        fail.toString()));
    return completedDirectoryDownload.failedTransfers().size();
}
```

Upload an entire local directory.

```
public Integer uploadDirectory(S3TransferManager transferManager,
```

```
        URI sourceDirectory, String bucketName) {
    DirectoryUpload directoryUpload =
transferManager.uploadDirectory(UploadDirectoryRequest.builder()
        .source(Paths.get(sourceDirectory))
        .bucket(bucketName)
        .build());

    CompletedDirectoryUpload completedDirectoryUpload =
directoryUpload.completionFuture().join();
    completedDirectoryUpload.failedTransfers()
        .forEach(fail -> logger.warn("Object [{}] failed to transfer",
fail.toString()));
    return completedDirectoryUpload.failedTransfers().size();
}
```

Upload a single file.

```
public String uploadFile(S3TransferManager transferManager, String bucketName,
                        String key, URI filePathURI) {
    UploadFileRequest uploadFileRequest = UploadFileRequest.builder()
        .putObjectRequest(b -> b.bucket(bucketName).key(key))
        .source(Paths.get(filePathURI))
        .build();

    FileUpload fileUpload = transferManager.uploadFile(uploadFileRequest);

    CompletedFileUpload uploadResult = fileUpload.completionFuture().join();
    return uploadResult.response().eTag();
}
```

The code examples use the following imports.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.core.exception.SdkException;
import software.amazon.awssdk.core.sync.RequestBody;
import software.amazon.awssdk.services.s3.S3AsyncClient;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.CompletedMultipartUpload;
import software.amazon.awssdk.services.s3.model.CompletedPart;
```

```
import software.amazon.awssdk.services.s3.model.CreateMultipartUploadResponse;
import software.amazon.awssdk.services.s3.model.PutObjectResponse;
import software.amazon.awssdk.services.s3.model.UploadPartRequest;
import software.amazon.awssdk.services.s3.model.UploadPartResponse;
import software.amazon.awssdk.services.s3.waiters.S3Waiter;
import software.amazon.awssdk.transfer.s3.S3TransferManager;
import software.amazon.awssdk.transfer.s3.model.FileUpload;
import software.amazon.awssdk.transfer.s3.model.UploadFileRequest;

import java.io.IOException;
import java.io.RandomAccessFile;
import java.net.URISyntaxException;
import java.net.URL;
import java.nio.ByteBuffer;
import java.nio.file.Paths;
import java.util.ArrayList;
import java.util.List;
import java.util.Objects;
import java.util.UUID;
import java.util.concurrent.CompletableFuture;
```

Use the [S3 Transfer Manager](#) on top of the [AWS CRT-based S3 client](#) to transparently perform a multipart upload when the size of the content exceeds a threshold. The default threshold size is 8 MB.

```
/**
 * Uploads a file to an Amazon S3 bucket using the S3TransferManager.
 *
 * @param filePath the file path of the file to be uploaded
 */
public void multipartUploadWithTransferManager(String filePath) {
    S3TransferManager transferManager = S3TransferManager.create();
    UploadFileRequest uploadFileRequest = UploadFileRequest.builder()
        .putObjectRequest(b -> b
            .bucket(bucketName)
            .key(key))
        .source(Paths.get(filePath))
        .build();
    FileUpload fileUpload = transferManager.uploadFile(uploadFileRequest);
    fileUpload.completionFuture().join();
    transferManager.close();
}
```

Use the [S3Client API](#) to perform a multipart upload.

```
/**  
 * Performs a multipart upload to Amazon S3 using the provided S3 client.  
 *  
 * @param filePath the path to the file to be uploaded  
 */  
public void multipartUploadWithS3Client(String filePath) {  
  
    // Initiate the multipart upload.  
    CreateMultipartUploadResponse createMultipartUploadResponse =  
    s3Client.createMultipartUpload(b -> b  
        .bucket(bucketName)  
        .key(key));  
    String uploadId = createMultipartUploadResponse.uploadId();  
  
    // Upload the parts of the file.  
    int partNumber = 1;  
    List<CompletedPart> completedParts = new ArrayList<>();  
    ByteBuffer bb = ByteBuffer.allocate(1024 * 1024 * 5); // 5 MB byte buffer  
  
    try (RandomAccessFile file = new RandomAccessFile(filePath, "r")) {  
        long fileSize = file.length();  
        long position = 0;  
        while (position < fileSize) {  
            file.seek(position);  
            long read = file.getChannel().read(bb);  
  
            bb.flip(); // Swap position and limit before reading from the  
buffer.  
            UploadPartRequest uploadPartRequest = UploadPartRequest.builder()  
                .bucket(bucketName)  
                .key(key)  
                .uploadId(uploadId)  
                .partNumber(partNumber)  
                .build();  
  
            UploadPartResponse partResponse = s3Client.uploadPart(  
                uploadPartRequest,  
                RequestBody.fromByteBuffer(bb));  
    }  
}
```

```
        CompletedPart part = CompletedPart.builder()
            .partNumber(partNumber)
            .eTag(partResponse.eTag())
            .build();
        completedParts.add(part);

        bb.clear();
        position += read;
        partNumber++;
    }

} catch (IOException e) {
    logger.error(e.getMessage());
}

// Complete the multipart upload.
s3Client.completeMultipartUpload(b -> b
    .bucket(bucketName)
    .key(key)
    .uploadId(uploadId)

.multipartUpload(CompletedMultipartUpload.builder().parts(completedParts).build()));
}
```

Use the [S3AsyncClient API](#) with multipart support enabled to perform a multipart upload.

```
/**
 * Uploads a file to an S3 bucket using the S3AsyncClient and enabling multipart
support.
 *
 * @param filePath the local file path of the file to be uploaded
 */
public void multipartUploadWithS3AsyncClient(String filePath) {
    // Enable multipart support.
    S3AsyncClient s3AsyncClient = S3AsyncClient.builder()
        .multipartEnabled(true)
        .build();

    CompletableFuture<PutObjectResponse> response = s3AsyncClient.putObject(b ->
        b
            .bucket(bucketName)
            .key(key),
```

```
        Paths.get(filePath));

    response.join();
    logger.info("File uploaded in multiple 8 MiB parts using S3AsyncClient.");
}
```

Upload stream of unknown size

The following code example shows how to upload a stream of unknown size to an Amazon S3 object.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Use the [AWS CRT-based S3 Client](#).

```
import com.example.s3.util.AsyncExampleUtils;
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.core.async.AsyncRequestBody;
import software.amazon.awssdk.core.async.BlockingInputStreamAsyncRequestBody;
import software.amazon.awssdk.core.exception.SdkException;
import software.amazon.awssdk.services.s3.S3AsyncClient;
import software.amazon.awssdk.services.s3.model.PutObjectResponse;

import java.io.ByteArrayInputStream;
import java.util.UUID;
import java.util.concurrent.CompletableFuture;

/**
 * @param s33CrtAsyncClient - To upload content from a stream of unknown size,
 * use the AWS CRT-based S3 client. For more information, see
 *          https://docs.aws.amazon.com/sdk-for-java/latest/
 * developer-guide/crt-based-s3-client.html.
 * @param bucketName - The name of the bucket.
 */
```

```
* @param key - The name of the object.
 * @return software.amazon.awssdk.services.s3.model.PutObjectResponse - Returns
metadata pertaining to the put object operation.
*/
public PutObjectResponse putObjectFromStream(S3AsyncClient s33CrtAsyncClient,
String bucketName, String key) {

    BlockingInputStreamAsyncRequestBody body =
        AsyncRequestBody.forBlockingInputStream(null); // 'null' indicates a
stream will be provided later.

    CompletableFuture<PutObjectResponse> responseFuture =
        s33CrtAsyncClient.putObject(r -> r.bucket(bucketName).key(key),
body);

    // AsyncExampleUtils.randomString() returns a random string up to 100
characters.
    String randomString = AsyncExampleUtils.randomString();
    logger.info("random string to upload: {}: length={}", randomString,
randomString.length());

    // Provide the stream of data to be uploaded.
    body.writeInputStream(new ByteArrayInputStream(randomString.getBytes()));

    PutObjectResponse response = responseFuture.join(); // Wait for the
response.
    logger.info("Object {} uploaded to bucket {}.", key, bucketName);
    return response;
}
}
```

Use the [Amazon S3 Transfer Manager](#).

```
import com.example.s3.util.AsyncExampleUtils;
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.core.async.AsyncRequestBody;
import software.amazon.awssdk.core.async.BlockingInputStreamAsyncRequestBody;
import software.amazon.awssdk.core.exception.SdkException;
import software.amazon.awssdk.transfer.s3.S3TransferManager;
import software.amazon.awssdk.transfer.s3.model.CompletedUpload;
import software.amazon.awssdk.transfer.s3.model.Upload;
```

```
import java.io.ByteArrayInputStream;
import java.util.UUID;

/**
 * @param transferManager - To upload content from a stream of unknown size, use
 * the S3TransferManager based on the AWS CRT-based S3 client.
 *          For more information, see https://docs.aws.amazon.com/
 * sdk-for-java/latest/developer-guide/transfer-manager.html.
 * @param bucketName - The name of the bucket.
 * @param key - The name of the object.
 * @return - software.amazon.awssdk.transfer.s3.model.CompletedUpload - The
 * result of the completed upload.
 */
public CompletedUpload uploadStream(S3TransferManager transferManager, String
bucketName, String key) {

    BlockingInputStreamAsyncRequestBody body =
        AsyncRequestBody.forBlockingInputStream(null); // 'null' indicates a
    stream will be provided later.

    Upload upload = transferManager.upload(builder -> builder
        .requestBody(body)
        .putObjectRequest(req -> req.bucket(bucketName).key(key))
        .build());

    // AsyncExampleUtils.randomString() returns a random string up to 100
    characters.
    String randomString = AsyncExampleUtils.randomString();
    logger.info("random string to upload: {}: length={}", randomString,
    randomString.length());

    // Provide the stream of data to be uploaded.
    body.writeInputStream(new ByteArrayInputStream(randomString.getBytes()));

    return upload.completionFuture().join();
}
}
```

Use checksums

The following code example shows how to use checksums to work with an Amazon S3 object.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

The code examples use a subset of the following imports.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.core.exception.SdkException;
import software.amazon.awssdk.core.sync.RequestBody;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.ChecksumAlgorithm;
import software.amazon.awssdk.services.s3.model.ChecksumMode;
import software.amazon.awssdk.services.s3.model.CompletedMultipartUpload;
import software.amazon.awssdk.services.s3.model.CompletedPart;
import software.amazon.awssdk.services.s3.model.CreateMultipartUploadResponse;
import software.amazon.awssdk.services.s3.model.GetObjectResponse;
import software.amazon.awssdk.services.s3.model.UploadPartRequest;
import software.amazon.awssdk.services.s3.model.UploadPartResponse;
import software.amazon.awssdk.services.s3.waiters.S3Waiter;
import software.amazon.awssdk.transfer.s3.S3TransferManager;
import software.amazon.awssdk.transfer.s3.model.FileUpload;
import software.amazon.awssdk.transfer.s3.model.UploadFileRequest;

import java.io.FileInputStream;
import java.io.IOException;
import java.io.RandomAccessFile;
import java.net.URISyntaxException;
import java.net.URL;
import java.nio.ByteBuffer;
import java.nio.file.Paths;
import java.security.DigestInputStream;
import java.security.MessageDigest;
import java.security.NoSuchAlgorithmException;
import java.util.ArrayList;
import java.util.Base64;
import java.util.List;
import java.util.Objects;
```

```
import java.util.UUID;
```

Specify a checksum algorithm for the `putObject` method when you [build the `PutObjectRequest`](#).

```
public void putObjectWithChecksum() {
    s3Client.putObject(b -> b
        .bucket(bucketName)
        .key(key)
        .checksumAlgorithm(ChecksumAlgorithm.CRC32),
        RequestBody.fromString("This is a test"));
}
```

Verify the checksum for the `getObject` method when you [build the `GetObjectRequest`](#).

```
public GetObjectResponse getObjectWithChecksum() {
    return s3Client.getObject(b -> b
        .bucket(bucketName)
        .key(key)
        .checksumMode(ChecksumMode.ENABLED))
        .response();
}
```

Pre-calculate a checksum for the `putObject` method when you [build the `PutObjectRequest`](#).

```
public void putObjectWithPrecalculatedChecksum(String filePath) {
    String checksum = calculateChecksum(filePath, "SHA-256");

    s3Client.putObject((b -> b
        .bucket(bucketName)
        .key(key)
        .checksumSHA256(checksum)),
        RequestBody.fromFile(Paths.get(filePath)));
}
```

Use the [S3 Transfer Manager](#) on top of the [AWS CRT-based S3 client](#) to transparently perform a multipart upload when the size of the content exceeds a threshold. The default threshold size is 8 MB.

You can specify a checksum algorithm for the SDK to use. By default, the SDK uses the CRC32 algorithm.

```
public void multipartUploadWithChecksumTm(String filePath) {  
    S3TransferManager transferManager = S3TransferManager.create();  
    UploadFileRequest uploadFileRequest = UploadFileRequest.builder()  
        .putObjectRequest(b -> b  
            .bucket(bucketName)  
            .key(key)  
            .checksumAlgorithm(ChecksumAlgorithm.SHA1))  
        .source(Paths.get(filePath))  
        .build();  
    FileUpload fileUpload = transferManager.uploadFile(uploadFileRequest);  
    fileUpload.completionFuture().join();  
    transferManager.close();  
}
```

Use the [S3Client API](#) or [\(S3AsyncClient API\)](#) to perform a multipart upload. If you specify an additional checksum, you must specify the algorithm to use on the initiation of the upload. You must also specify the algorithm for each part request and provide the checksum calculated for each part after it is uploaded.

```
public void multipartUploadWithChecksumS3Client(String filePath) {  
    ChecksumAlgorithm algorithm = ChecksumAlgorithm.CRC32;  
  
    // Initiate the multipart upload.  
    CreateMultipartUploadResponse createMultipartUploadResponse =  
        s3Client.createMultipartUpload(b -> b  
            .bucket(bucketName)  
            .key(key)  
            .checksumAlgorithm(algorithm)); // Checksum specified on initiation.  
    String uploadId = createMultipartUploadResponse.uploadId();  
  
    // Upload the parts of the file.  
    int partNumber = 1;  
    List<CompletedPart> completedParts = new ArrayList<>();  
    ByteBuffer bb = ByteBuffer.allocate(1024 * 1024 * 5); // 5 MB byte buffer
```

```
try (RandomAccessFile file = new RandomAccessFile(filePath, "r")) {
    long fileSize = file.length();
    long position = 0;
    while (position < fileSize) {
        file.seek(position);
        long read = file.getChannel().read(bb);

        bb.flip(); // Swap position and limit before reading from the
buffer.

        UploadPartRequest uploadPartRequest = UploadPartRequest.builder()
            .bucket(bucketName)
            .key(key)
            .uploadId(uploadId)
            .checksumAlgorithm(algorithm) // Checksum specified on each
part.

            .partNumber(partNumber)
            .build();

        UploadPartResponse partResponse = s3Client.uploadPart(
            uploadPartRequest,
            RequestBody.fromByteBuffer(bb));

        CompletedPart part = CompletedPart.builder()
            .partNumber(partNumber)
            .checksumCRC32(partResponse.checksumCRC32()) // Provide the
calculated checksum.

            .eTag(partResponse.eTag())
            .build();
        completedParts.add(part);

        bb.clear();
        position += read;
        partNumber++;
    }
} catch (IOException e) {
    System.err.println(e.getMessage());
}

// Complete the multipart upload.
s3Client.completeMultipartUpload(b -> b
    .bucket(bucketName)
    .key(key)
    .uploadId(uploadId)
```

```
.multipartUpload(CompletedMultipartUpload.builder().parts(completedParts).build()));  
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.
 - [CompleteMultipartUpload](#)
 - [CreateMultipartUpload](#)
 - [UploadPart](#)

Serverless examples

Invoke a Lambda function from an Amazon S3 trigger

The following code example shows how to implement a Lambda function that receives an event triggered by uploading an object to an S3 bucket. The function retrieves the S3 bucket name and object key from the event parameter and calls the Amazon S3 API to retrieve and log the content type of the object.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [Serverless examples](#) repository.

Consuming an S3 event with Lambda using Java.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.  
// SPDX-License-Identifier: Apache-2.0  
package example;  
  
import software.amazon.awssdk.services.s3.model.HeadObjectRequest;  
import software.amazon.awssdk.services.s3.model.HeadObjectResponse;  
import software.amazon.awssdk.services.s3.S3Client;  
  
import com.amazonaws.services.lambda.runtime.Context;  
import com.amazonaws.services.lambda.runtime.RequestHandler;  
import com.amazonaws.services.lambda.runtime.events.S3Event;
```

```
import com.amazonaws.services.lambda.runtime.events.models.s3.S3EventNotification.S3EventNotificat

import org.slf4j.Logger;
import org.slf4j.LoggerFactory;

public class Handler implements RequestHandler<S3Event, String> {
    private static final Logger logger = LoggerFactory.getLogger(Handler.class);
    @Override
    public String handleRequest(S3Event s3event, Context context) {
        try {
            S3EventNotificationRecord record = s3event.getRecords().get(0);
            String srcBucket = record.getS3().getBucket().getName();
            String srcKey = record.getS3().getObject().getUrlDecodedKey();

            S3Client s3Client = S3Client.builder().build();
            HeadObjectResponse headObject = getHeadObject(s3Client, srcBucket,
srcKey);

            logger.info("Successfully retrieved " + srcBucket + "/" + srcKey + " of
type " + headObject.contentType());

            return "Ok";
        } catch (Exception e) {
            throw new RuntimeException(e);
        }
    }

    private HeadObjectResponse getHeadObject(S3Client s3Client, String bucket,
String key) {
        HeadObjectRequest headObjectRequest = HeadObjectRequest.builder()
            .bucket(bucket)
            .key(key)
            .build();
        return s3Client.headObject(headObjectRequest);
    }
}
```

Amazon S3 Control examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon S3 Control.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello Amazon S3 Control

The following code example shows how to get started using Amazon S3 Control.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.auth.credentials.EnvironmentVariableCredentialsProvider;
import software.amazon.awssdk.core.client.config.ClientOverrideConfiguration;
import software.amazon.awssdk.core.retry.RetryMode;
import software.amazon.awssdk.core.retry.RetryPolicy;
import software.amazon.awssdk.http.async.SdkAsyncHttpClient;
import software.amazon.awssdk.http.nio.netty.NettyNioAsyncHttpClient;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3control.S3ControlAsyncClient;
import software.amazon.awssdk.services.s3control.model.JobListDescriptor;
import software.amazon.awssdk.services.s3control.model.JobStatus;
import software.amazon.awssdk.services.s3control.model.ListJobsRequest;
import software.amazon.awssdk.services.s3control.paginators.ListJobsPublisher;
import java.time.Duration;
import java.util.List;
import java.util.concurrent.CompletableFuture;
import java.util.concurrent.CompletionException;

/**
 * Before running this example:
 * <p/>
```

```
* The SDK must be able to authenticate AWS requests on your behalf. If you have not
configured
* authentication for SDKs and tools, see https://docs.aws.amazon.com/sdkref/latest/guide/access.html in the AWS SDKs and Tools Reference Guide.
* <p/>
* You must have a runtime environment configured with the Java SDK.
* See https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/setup.html in
the Developer Guide if this is not set up.
*/
public class HelloS3Batch {
    private static S3ControlAsyncClient asyncClient;

    public static void main(String[] args) {
        S3BatchActions actions = new S3BatchActions();
        String accountId = actions.getAccountId();
        try {
            listBatchJobsAsync(accountId)
                .exceptionally(ex -> {
                    System.err.println("List batch jobs failed: " +
ex.getMessage());
                    return null;
                })
                .join();

        } catch (CompletionException ex) {
            System.err.println("Failed to list batch jobs: " + ex.getMessage());
        }
    }

    /**
     * Retrieves the asynchronous S3 Control client instance.
     * <p>
     * This method creates and returns a singleton instance of the {@link
S3ControlAsyncClient}. If the instance
     * has not been created yet, it will be initialized with the following
configuration:
     * <ul>
     *   <li>Maximum concurrency: 100</li>
     *   <li>Connection timeout: 60 seconds</li>
     *   <li>Read timeout: 60 seconds</li>
     *   <li>Write timeout: 60 seconds</li>
     *   <li>API call timeout: 2 minutes</li>
     *   <li>API call attempt timeout: 90 seconds</li>
     *   <li>Retry policy: 3 retries</li>
```

```
*      <li>Region: US_EAST_1</li>
*      <li>Credentials provider: {@link EnvironmentVariableCredentialsProvider}</
li>
*     </ul>
*
*     * @return the asynchronous S3 Control client instance
*/
private static S3ControlAsyncClient getAsyncClient() {
    if (asyncClient == null) {
        SdkAsyncHttpClient httpClient = NettyNioAsyncHttpClient.builder()
            .maxConcurrency(100)
            .connectionTimeout(Duration.ofSeconds(60))
            .readTimeout(Duration.ofSeconds(60))
            .writeTimeout(Duration.ofSeconds(60))
            .build();

        ClientOverrideConfiguration overrideConfig =
ClientOverrideConfiguration.builder()
            .apiCallTimeout(Duration.ofMinutes(2))
            .apiCallAttemptTimeout(Duration.ofSeconds(90))
            .retryStrategy(RetryMode.STANDARD)
            .build();

        asyncClient = S3ControlAsyncClient.builder()
            .region(Region.US_EAST_1)
            .httpClient(httpClient)
            .overrideConfiguration(overrideConfig)

.credentialsProvider(EnvironmentVariableCredentialsProvider.create())
            .build();
    }
    return asyncClient;
}

/**
 * Asynchronously lists batch jobs that have completed for the specified
account.
 *
 * @param accountId the ID of the account to list jobs for
 * @return a CompletableFuture that completes when the job listing operation is
finished
 */
public static CompletableFuture<Void> listBatchJobsAsync(String accountId) {
    ListJobsRequest jobsRequest = ListJobsRequest.builder()
```

```
.jobStatuses(JobStatus.COMPLETE)
.accountId(accountId)
.maxResults(10)
.build();

ListJobsPublisher publisher =
getAsyncClient().listJobsPaginator(jobsRequest);
return publisher.subscribe(response -> {
    List<JobListDescriptor> jobs = response.jobs();
    for (JobListDescriptor job : jobs) {
        System.out.println("The job id is " + job.jobId());
        System.out.println("The job priority is " + job.priority());
    }
}).thenAccept(response -> {
    System.out.println("Listing batch jobs completed");
}).exceptionally(ex -> {
    System.err.println("Failed to list batch jobs: " + ex.getMessage());
    throw new RuntimeException(ex);
});
}
```

- For API details, see [ListJobs](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Basics](#)
- [Actions](#)

Basics

Learn the basics

The following code example shows how to learn core operations for Amazon S3 Control.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Learn core operations.

```
package com.example.s3.batch;

import software.amazon.awssdk.services.s3.model.S3Exception;
import java.io.IOException;
import java.util.Map;
import java.util.Scanner;
import java.util.UUID;
import java.util.concurrent.CompletionException;

public class S3BatchScenario {

    public static final String DASHES = new String(new char[80]).replace("\0", "-");
    private static final String STACK_NAME = "MyS3Stack";
    public static void main(String[] args) throws IOException {
        S3BatchActions actions = new S3BatchActions();
        String accountId = actions.getAccountId();
        String uuid = java.util.UUID.randomUUID().toString();
        Scanner scanner = new Scanner(System.in);

        System.out.println(DASHES);
        System.out.println("Welcome to the Amazon S3 Batch basics scenario.");
        System.out.println(""""

        S3 Batch operations enables efficient and cost-effective processing of
        large-scale
            data stored in Amazon S3. It automatically scales resources to handle
            varying workloads
            without the need for manual intervention.

        One of the key features of S3 Batch is its ability to perform tagging
        operations on objects stored in
            S3 buckets. Users can leverage S3 Batch to apply, update, or remove tags
            on thousands or millions of
                objects in a single operation, streamlining the management and
                organization of their data.

        This can be particularly useful for tasks such as cost allocation,
        lifecycle management, or
            metadata-driven workflows, where consistent and accurate tagging is
            essential.
        S3 Batch's scalability and serverless nature make it an ideal solution
        for organizations with
            growing data volumes and complex data management requirements.
```

This Java program walks you through Amazon S3 Batch operations.

Let's get started...

```
""");
waitForInputToContinue(scanner);
// Use CloudFormation to stand up the resource required for this scenario.
System.out.println("Use CloudFormation to stand up the resource required for
this scenario.");
CloudFormationHelper.deployCloudFormationStack(STACK_NAME);

Map<String, String> stackOutputs =
CloudFormationHelper.getStackOutputs(STACK_NAME);
String iamRoleArn = stackOutputs.get("S3BatchRoleArn");
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("Setup the required bucket for this scenario.");
waitForInputToContinue(scanner);
String bucketName = "amzn-s3-demo-bucket-" + UUID.randomUUID(); // Change
bucket name.
actions.createBucket(bucketName);
String reportBucketName = "arn:aws:s3::::"+bucketName;
String manifestLocation = "arn:aws:s3::::"+bucketName+"/job-manifest.csv";
System.out.println("Populate the bucket with the required files.");
String[] fileNames = {"job-manifest.csv", "object-key-1.txt", "object-
key-2.txt", "object-key-3.txt", "object-key-4.txt"};
actions.uploadFilesToBucket(bucketName, fileNames, actions);
waitForInputToContinue(scanner);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("1. Create a S3 Batch Job");
System.out.println("This job tags all objects listed in the manifest file
with tags");
waitForInputToContinue(scanner);
String jobId ;
try {
    jobId = actions.createS3JobAsync(accountId, iamRoleArn,
manifestLocation, reportBucketName, uuid).join();
    System.out.println("The Job id is " + jobId);
}

} catch (S3Exception e) {
```

```
        System.err.println("SSM error: " + e.getMessage());
        return;
    } catch (RuntimeException e) {
        System.err.println("Unexpected error: " + e.getMessage());
        return;
    }

    waitForInputToContinue(scanner);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("2. Update an existing S3 Batch Operations job's priority");
    System.out.println(""""

        In this step, we modify the job priority value. The higher the number, the higher the priority.

        So, a job with a priority of `30` would have a higher priority than a job with
        a priority of `20`. This is a common way to represent the priority of a task
        or job, with higher numbers indicating a higher priority.

        Ensure that the job status allows for priority updates. Jobs in
        certain
        states (e.g., Cancelled, Failed, or Completed) cannot have their
        priorities
        updated. Only jobs in the Active or Suspended state typically allow
        priority
        updates.
        """);

    try {
        actions.updateJobPriorityAsync(jobId, accountId)
            .exceptionally(ex -> {
                System.err.println("Update job priority failed: " +
ex.getMessage());
                return null;
            })
            .join();
    } catch (CompletionException ex) {
        System.err.println("Failed to update job priority: " + ex.getMessage());
    }
    waitForInputToContinue(scanner);
    System.out.println(DASHES);
```

```
System.out.println(DASHES);
System.out.println("3. Cancel the S3 Batch job");
System.out.print("Do you want to cancel the Batch job? (y/n): ");
String cancelAns = scanner.nextLine();
if (cancelAns != null && cancelAns.trim().equalsIgnoreCase("y")) {
    try {
        actions.cancelJobAsync(jobId, accountId)
            .exceptionally(ex -> {
                System.err.println("Cancel job failed: " + ex.getMessage());
                return null;
            })
            .join();
    } catch (CompletionException ex) {
        System.err.println("Failed to cancel job: " + ex.getMessage());
    }
} else {
    System.out.println("Job " + jobId +" was not canceled.");
}
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("4. Describe the job that was just created");
waitForInputToContinue(scanner);
try {
    actions.describeJobAsync(jobId, accountId)
        .exceptionally(ex -> {
            System.err.println("Describe job failed: " + ex.getMessage());
            return null;
        })
        .join();
} catch (CompletionException ex) {
    System.err.println("Failed to describe job: " + ex.getMessage());
}
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("5. Describe the tags associated with the job");
waitForInputToContinue(scanner);
try {
    actions.getJobTagsAsync(jobId, accountId)
        .exceptionally(ex -> {
            System.err.println("Get job tags failed: " + ex.getMessage());
            return null;
        })
        .join();
}
```

```
        })
        .join();
    } catch (CompletionException ex) {
        System.err.println("Failed to get job tags: " + ex.getMessage());
    }
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("6. Update Batch Job Tags");
    waitForInputToContinue(scanner);
    try {
        actions.putJobTaggingAsync(jobId, accountId)
            .exceptionally(ex -> {
                System.err.println("Put job tagging failed: " +
ex.getMessage());
                return null;
            })
            .join();
    } catch (CompletionException ex) {
        System.err.println("Failed to put job tagging: " + ex.getMessage());
    }
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("7. Delete the Amazon S3 Batch job tagging.");
    System.out.print("Do you want to delete Batch job tagging? (y/n)");
    String delAns = scanner.nextLine();
    if (delAns != null && delAns.trim().equalsIgnoreCase("y")) {
        try {
            actions.deleteBatchJobTagsAsync(jobId, accountId)
                .exceptionally(ex -> {
                    System.err.println("Delete batch job tags failed: " +
ex.getMessage());
                    return null;
                })
                .join();
        } catch (CompletionException ex) {
            System.err.println("Failed to delete batch job tags: " +
ex.getMessage());
        }
    } else {
        System.out.println("Tagging was not deleted.");
    }
    System.out.println(DASHES);
```

```
System.out.println(DASHES);
System.out.print("Do you want to delete the AWS resources used in this
scenario? (y/n)");
String delResAns = scanner.nextLine();
if (delResAns != null && delResAns.trim().equalsIgnoreCase("y")) {
    actions.deleteFilesFromBucket(bucketName, fileNames, actions);
    actions.deleteBucketFolderAsync(bucketName);
    actions.deleteBucket(bucketName)
        .thenRun(() -> System.out.println("Bucket deletion completed"))
        .exceptionally(ex -> {
            System.err.println("Error occurred: " + ex.getMessage());
            return null;
        });
    CloudFormationHelper.destroyCloudFormationStack(STACK_NAME);
} else {
    System.out.println("The AWS resources were not deleted.");
}
System.out.println("The Amazon S3 Batch scenario has successfully
completed.");
System.out.println(DASHES);
}

private static void waitForInputToContinue(Scanner scanner) {
    while (true) {
        System.out.println();
        System.out.println("Enter 'c' followed by <ENTER> to continue:");
        String input = scanner.nextLine();

        if (input.trim().equalsIgnoreCase("c")) {
            System.out.println("Continuing with the program...");
            System.out.println();
            break;
        } else {
            // Handle invalid input.
            System.out.println("Invalid input. Please try again.");
        }
    }
}

}
```

An action class that wraps operations.

```
public class S3BatchActions {

    private static S3ControlAsyncClient asyncClient;

    private static S3AsyncClient s3AsyncClient ;
    /**
     * Retrieves the asynchronous S3 Control client instance.
     * <p>
     * This method creates and returns a singleton instance of the {@link
     S3ControlAsyncClient}. If the instance
     * has not been created yet, it will be initialized with the following
     configuration:
     * <ul>
     *   <li>Maximum concurrency: 100</li>
     *   <li>Connection timeout: 60 seconds</li>
     *   <li>Read timeout: 60 seconds</li>
     *   <li>Write timeout: 60 seconds</li>
     *   <li>API call timeout: 2 minutes</li>
     *   <li>API call attempt timeout: 90 seconds</li>
     *   <li>Retry policy: 3 retries</li>
     *   <li>Region: US_EAST_1</li>
     *   <li>Credentials provider: {@link EnvironmentVariableCredentialsProvider}</
li>
     * </ul>
     *
     * @return the asynchronous S3 Control client instance
     */
    private static S3ControlAsyncClient getAsyncClient() {
        if (asyncClient == null) {
            SdkAsyncHttpClient httpClient = NettyNioAsyncHttpClient.builder()
                .maxConcurrency(100)
                .connectionTimeout(Duration.ofSeconds(60))
                .readTimeout(Duration.ofSeconds(60))
                .writeTimeout(Duration.ofSeconds(60))
                .build();

            ClientOverrideConfiguration overrideConfig =
ClientOverrideConfiguration.builder()
                .apiCallTimeout(Duration.ofMinutes(2))
                .apiCallAttemptTimeout(Duration.ofSeconds(90))
                .retryPolicy(RetryPolicy.builder()
                    .numRetries(3)
```

```
        .build())
    .build();

    asyncClient = S3ControlAsyncClient.builder()
        .region(Region.US_EAST_1)
        .httpClient(httpClient)
        .overrideConfiguration(overrideConfig)

.credentialsProvider(EnvironmentVariableCredentialsProvider.create())
    .build();
}

return asyncClient;
}

private static S3AsyncClient getS3AsyncClient() {
    if (asyncClient == null) {
        SdkAsyncHttpClient httpClient = NettyNioAsyncHttpClient.builder()
            .maxConcurrency(100)
            .connectionTimeout(Duration.ofSeconds(60))
            .readTimeout(Duration.ofSeconds(60))
            .writeTimeout(Duration.ofSeconds(60))
            .build();

        ClientOverrideConfiguration overrideConfig =
ClientOverrideConfiguration.builder()
            .apiCallTimeout(Duration.ofMinutes(2))
            .apiCallAttemptTimeout(Duration.ofSeconds(90))
            .retryStrategy(RetryMode.STANDARD)
            .build();

        s3AsyncClient = S3AsyncClient.builder()
            .region(Region.US_EAST_1)
            .httpClient(httpClient)
            .overrideConfiguration(overrideConfig)

.credentialsProvider(EnvironmentVariableCredentialsProvider.create())
    .build();
}

return s3AsyncClient;
}

/**
 * Cancels a job asynchronously.

```

```
* @param jobId The ID of the job to be canceled.
* @param accountId The ID of the account associated with the job.
* @return A {@link CompletableFuture} that completes when the job status has
been updated to "CANCELLED".
*         If an error occurs during the update, the returned future will
complete exceptionally.
*/
public CompletableFuture<Void> cancelJobAsync(String jobId, String accountId) {
    UpdateJobStatusRequest updateJobStatusRequest =
        UpdateJobStatusRequest.builder()
            .accountId(accountId)
            .jobId(jobId)
            .requestedJobStatus(String.valueOf(JobStatus.CANCELLED))
            .build();

    return asyncClient.updateJobStatus(updateJobStatusRequest)
        .thenAccept(updateJobStatusResponse -> {
            System.out.println("Job status updated to: " +
                updateJobStatusResponse.status());
        })
        .exceptionally(ex -> {
            System.err.println("Failed to cancel job: " + ex.getMessage());
            throw new RuntimeException(ex); // Propagate the exception
        });
}

/**
 * Updates the priority of a job asynchronously.
 *
 * @param jobId      the ID of the job to update
 * @param accountId the ID of the account associated with the job
 * @return a {@link CompletableFuture} that represents the asynchronous
operation, which completes when the job priority has been updated or an error has
occurred
 */
public CompletableFuture<Void> updateJobPriorityAsync(String jobId, String
accountId) {
    UpdateJobPriorityRequest priorityRequest =
        UpdateJobPriorityRequest.builder()
            .accountId(accountId)
            .jobId(jobId)
            .priority(60)
            .build();
```

```
CompletableFuture<Void> future = new CompletableFuture<>();
getAsyncClient().updateJobPriority(priorityRequest)
    .thenAccept(response -> {
        System.out.println("The job priority was updated");
        future.complete(null); // Complete the CompletableFuture on
successful execution
    })
    .exceptionally(ex -> {
        System.err.println("Failed to update job priority: " +
ex.getMessage());
        future.completeExceptionally(ex); // Complete the CompletableFuture
exceptionally on error
    })
    .return null; // Return null to handle the exception
});

return future;
}

/**
 * Asynchronously retrieves the tags associated with a specific job in an AWS
account.
*
* @param jobId      the ID of the job for which to retrieve the tags
* @param accountId the ID of the AWS account associated with the job
* @return a {@link CompletableFuture} that completes when the job tags have
been retrieved, or with an exception if the operation fails
* @throws RuntimeException if an error occurs while retrieving the job tags
*/
public CompletableFuture<Void> getJobTagsAsync(String jobId, String accountId) {
    GetJobTaggingRequest request = GetJobTaggingRequest.builder()
        .jobId(jobId)
        .accountId(accountId)
        .build();

    return asyncClient.getJobTagging(request)
        .thenAccept(response -> {
            List<S3Tag> tags = response.tags();
            if (tags.isEmpty()) {
                System.out.println("No tags found for job ID: " + jobId);
            } else {
                for (S3Tag tag : tags) {
                    System.out.println("Tag key is: " + tag.key());
                    System.out.println("Tag value is: " + tag.value());
                }
            }
        })
        .return null; // Return null to handle the exception
}
```

```
        }
    }
})
.exceptionally(ex -> {
    System.err.println("Failed to get job tags: " + ex.getMessage());
    throw new RuntimeException(ex); // Propagate the exception
});
}

/**
 * Asynchronously deletes the tags associated with a specific batch job.
 *
 * @param jobId      The ID of the batch job whose tags should be deleted.
 * @param accountId The ID of the account associated with the batch job.
 * @return A CompletableFuture that completes when the job tags have been
successfully deleted, or an exception is thrown if the deletion fails.
 */
public CompletableFuture<Void> deleteBatchJobTagsAsync(String jobId, String
accountId) {
    DeleteJobTaggingRequest jobTaggingRequest =
DeleteJobTaggingRequest.builder()
    .accountId(accountId)
    .jobId(jobId)
    .build();

    return asyncClient.deleteJobTagging(jobTaggingRequest)
    .thenAccept(response -> {
        System.out.println("You have successfully deleted " + jobId + " tagging.");
    })
    .exceptionally(ex -> {
        System.err.println("Failed to delete job tags: " + ex.getMessage());
        throw new RuntimeException(ex);
    });
}

/**
 * Asynchronously describes the specified job.
 *
 * @param jobId      the ID of the job to describe
 * @param accountId the ID of the AWS account associated with the job
 * @return a {@link CompletableFuture} that completes when the job description
is available
 * @throws RuntimeException if an error occurs while describing the job
}
```

```
/*
public CompletableFuture<Void> describeJobAsync(String jobId, String accountId)
{
    DescribeJobRequest jobRequest = DescribeJobRequest.builder()
        .jobId(jobId)
        .accountId(accountId)
        .build();

    return getAsyncClient().describeJob(jobRequest)
        .thenAccept(response -> {
            System.out.println("Job ID: " + response.job().jobId());
            System.out.println("Description: " + response.job().description());
            System.out.println("Status: " + response.job().statusAsString());
            System.out.println("Role ARN: " + response.job().roleArn());
            System.out.println("Priority: " + response.job().priority());
            System.out.println("Progress Summary: " +
response.job().progressSummary());

            // Print out details about the job manifest.
            JobManifest manifest = response.job().manifest();
            System.out.println("Manifest Location: " +
manifest.location().objectArn());
            System.out.println("Manifest ETag: " + manifest.location().eTag());

            // Print out details about the job operation.
            JobOperation operation = response.job().operation();
            if (operation.s3PutObjectTagging() != null) {
                System.out.println("Operation: S3 Put Object Tagging");
                System.out.println("Tag Set: " +
operation.s3PutObjectTagging().tagSet());
            }

            // Print out details about the job report.
            JobReport report = response.job().report();
            System.out.println("Report Bucket: " + report.bucket());
            System.out.println("Report Prefix: " + report.prefix());
            System.out.println("Report Format: " + report.format());
            System.out.println("Report Enabled: " + report.enabled());
            System.out.println("Report Scope: " + report.reportScopeAsString());
        })
        .exceptionally(ex -> {
            System.err.println("Failed to describe job: " + ex.getMessage());
            throw new RuntimeException(ex);
        });
}
```

```
}

/**
 * Creates an asynchronous S3 job using the AWS Java SDK.
 *
 * @param accountId          the AWS account ID associated with the job
 * @param iamRoleArn         the ARN of the IAM role to be used for the job
 * @param manifestLocation   the location of the job manifest file in S3
 * @param reportBucketName   the name of the S3 bucket to store the job report
 * @param uuid                a unique identifier for the job
 * @return a CompletableFuture that represents the asynchronous creation of the
S3 job.
 *         The CompletableFuture will return the job ID if the job is created
successfully,
 *         or throw an exception if there is an error.
 */
public CompletableFuture<String> createS3JobAsync(String accountId, String
iamRoleArn,
                                                 String manifestLocation,
String reportBucketName, String uuid) {

    String[] bucketName = new String[]{""};
    String[] parts = reportBucketName.split(":::");
    if (parts.length > 1) {
        bucketName[0] = parts[1];
    } else {
        System.out.println("The input string does not contain the expected
format.");
    }

    return CompletableFuture.supplyAsync(() -> getETag(bucketName[0], "job-
manifest.csv"))
        .thenCompose(eTag -> {
            ArrayList<S3Tag> tagSet = new ArrayList<>();
            S3Tag s3Tag = S3Tag.builder()
                .key("keyOne")
                .value("ValueOne")
                .build();
            S3Tag s3Tag2 = S3Tag.builder()
                .key("keyTwo")
                .value("ValueTwo")
                .build();
            tagSet.add(s3Tag);
            tagSet.add(s3Tag2);
        });
}
```

```
S3SetObjectTaggingOperation objectTaggingOperation =
S3SetObjectTaggingOperation.builder()
    .tagSet(tagSet)
    .build();

JobOperation jobOperation = JobOperation.builder()
    .s3PutObjectTagging(objectTaggingOperation)
    .build();

JobManifestLocation jobManifestLocation =
JobManifestLocation.builder()
    .objectArn(manifestLocation)
    .eTag(eTag)
    .build();

JobManifestSpec manifestSpec = JobManifestSpec.builder()
    .fieldsWithStrings("Bucket", "Key")
    .format("S3BatchOperations_CSV_20180820")
    .build();

JobManifest jobManifest = JobManifest.builder()
    .spec(manifestSpec)
    .location(jobManifestLocation)
    .build();

JobReport jobReport = JobReport.builder()
    .bucket(reportBucketName)
    .prefix("reports")
    .format("Report_CSV_20180820")
    .enabled(true)
    .reportScope("AllTasks")
    .build();

CreateJobRequest jobRequest = CreateJobRequest.builder()
    .accountId(accountId)
    .description("Job created using the AWS Java SDK")
    .manifest(jobManifest)
    .operation(jobOperation)
    .report(jobReport)
    .priority(42)
    .roleArn(iamRoleArn)
    .clientRequestToken(uuid)
    .confirmationRequired(false)
```

```
        .build();

        // Create the job asynchronously.
        return getAsyncClient().createJob(jobRequest)
            .thenApply(CreateJobResponse::jobId);
    })
    .handle((jobId, ex) -> {
        if (ex != null) {
            Throwable cause = (ex instanceof CompletionException) ?
                ex.getCause() : ex;
            if (cause instanceof S3ControlException) {
                throw new CompletionException(cause);
            } else {
                throw new RuntimeException(cause);
            }
        }
        return jobId;
});
}

/**
 * Retrieves the ETag (Entity Tag) for an object stored in an Amazon S3 bucket.
 *
 * @param bucketName the name of the Amazon S3 bucket where the object is stored
 * @param key the key (file name) of the object in the Amazon S3 bucket
 * @return the ETag of the object
 */
public String getETag(String bucketName, String key) {
    S3Client s3Client = S3Client.builder()
        .region(Region.US_EAST_1)
        .build();

    HeadObjectRequest headObjectRequest = HeadObjectRequest.builder()
        .bucket(bucketName)
        .key(key)
        .build();

    HeadObjectResponse headObjectResponse =
        s3Client.headObject(headObjectRequest);
    return headObjectResponse.eTag();
}

/**
 * Asynchronously adds tags to a job in the system.
```

```
*  
 * @param jobId      the ID of the job to add tags to  
 * @param accountId the account ID associated with the job  
 * @return a CompletableFuture that completes when the tagging operation is  
finished  
 */  
 public CompletableFuture<Void> putJobTaggingAsync(String jobId, String  
accountId) {  
    S3Tag departmentTag = S3Tag.builder()  
        .key("department")  
        .value("Marketing")  
        .build();  
  
    S3Tag fiscalYearTag = S3Tag.builder()  
        .key("FiscalYear")  
        .value("2020")  
        .build();  
  
    PutJobTaggingRequest putJobTaggingRequest = PutJobTaggingRequest.builder()  
        .jobId(jobId)  
        .accountId(accountId)  
        .tags(departmentTag, fiscalYearTag)  
        .build();  
  
    return asyncClient.putJobTagging(putJobTaggingRequest)  
        .thenRun(() -> {  
            System.out.println("Additional Tags were added to job " + jobId);  
        })  
        .exceptionally(ex -> {  
            System.err.println("Failed to add tags to job: " + ex.getMessage());  
            throw new RuntimeException(ex); // Propagate the exception  
        });  
}  
  
// Setup the S3 bucket required for this scenario.  
/**  
 * Creates an Amazon S3 bucket with the specified name.  
 *  
 * @param bucketName the name of the S3 bucket to create  
 * @throws S3Exception if there is an error creating the bucket  
 */  
public void createBucket(String bucketName) {  
    try {  
        S3Client s3Client = S3Client.builder()
```

```
.region(Region.US_EAST_1)
.build();
```

```
S3Waiter s3Waiter = s3Client.waiter();
CreateBucketRequest bucketRequest = CreateBucketRequest.builder()
    .bucket(bucketName)
    .build();
```

```
s3Client.createBucket(bucketRequest);
HeadBucketRequest bucketRequestWait = HeadBucketRequest.builder()
    .bucket(bucketName)
    .build();
```

```
// Wait until the bucket is created and print out the response.
WaiterResponse<HeadBucketResponse> waiterResponse =
s3Waiter.waitUntilBucketExists(bucketRequestWait);
    waiterResponse.matched().response().ifPresent(System.out::println);
    System.out.println(bucketName + " is ready");
```

```
} catch (S3Exception e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
```

```
}
```

```
/***
 * Uploads a file to an Amazon S3 bucket asynchronously.
 *
 * @param bucketName the name of the S3 bucket to upload the file to
 * @param fileName the name of the file to be uploaded
 * @throws RuntimeException if an error occurs during the file upload
 */
public void populateBucket(String bucketName, String fileName) {
    // Define the path to the directory.
    Path filePath = Paths.get("src/main/resources/batch/",
fileName).toAbsolutePath();
    PutObjectRequest put0b = PutObjectRequest.builder()
        .bucket(bucketName)
        .key(fileName)
        .build();

    CompletableFuture<PutObjectResponse> future =
getS3AsyncClient().putObject(put0b, AsyncRequestBody.fromFile(filePath));
```

```
        future.whenComplete((result, ex) -> {
            if (ex != null) {
                System.err.println("Error uploading file: " + ex.getMessage());
            } else {
                System.out.println("Successfully placed " + fileName + " into bucket
" + bucketName);
            }
        }).join();
    }

// Update the bucketName in CSV.
public void updateCSV(String newValue) {
    Path csvFilePath = Paths.get("src/main/resources/batch/job-
manifest.csv").toAbsolutePath();
    try {
        // Read all lines from the CSV file.
        List<String> lines = Files.readAllLines(csvFilePath);

        // Update the first value in each line.
        List<String> updatedLines = lines.stream()
            .map(line -> {
                String[] parts = line.split(",");
                parts[0] = newValue;
                return String.join(",", parts);
            })
            .collect(Collectors.toList());

        // Write the updated lines back to the CSV file
        Files.write(csvFilePath, updatedLines);
        System.out.println("CSV file updated successfully.");
    } catch (Exception e) {
        e.printStackTrace();
    }
}

/**
 * Deletes an object from an Amazon S3 bucket asynchronously.
 *
 * @param bucketName The name of the S3 bucket where the object is stored.
 * @param objectName The name of the object to be deleted.
 * @return A {@link CompletableFuture} that completes when the object has been
 * deleted,

```

```
*      or throws a {@link RuntimeException} if an error occurs during the
deletion.
*/
public CompletableFuture<Void> deleteBucketObjects(String bucketName, String
objectName) {
    ArrayList<ObjectIdentifier> toDelete = new ArrayList<>();
    toDelete.add(ObjectIdentifier.builder()
        .key(objectName)
        .build());

    DeleteObjectsRequest dor = DeleteObjectsRequest.builder()
        .bucket(bucketName)
        .delete(Delete.builder()
            .objects(toDelete).build())
        .build();

    return getS3AsyncClient().deleteObjects(dor)
        .thenAccept(result -> {
            System.out.println("The object was deleted!");
        })
        .exceptionally(ex -> {
            throw new RuntimeException("Error deleting object: " +
ex.getMessage(), ex);
        });
}

/**
 * Deletes a folder and all its contents asynchronously from an Amazon S3
bucket.
 *
 * @param bucketName the name of the S3 bucket containing the folder to be
deleted
 * @return a {@link CompletableFuture} that completes when the folder and its
contents have been deleted
 * @throws RuntimeException if any error occurs during the deletion process
 */
public void deleteBucketFolderAsync(String bucketName) {
    String folderName = "reports/";
    ListObjectsV2Request request = ListObjectsV2Request.builder()
        .bucket(bucketName)
        .prefix(folderName)
        .build();
```

```
        CompletableFuture<ListObjectsV2Response> listObjectsFuture =
getS3AsyncClient().listObjectsV2(request);
        listObjectsFuture.thenCompose(response -> {
            List<CompletableFuture<DeleteObjectResponse>> deleteFutures =
response.contents().stream()
            .map(obj -> {
                DeleteObjectRequest deleteRequest =
DeleteObjectRequest.builder()
                    .bucket(bucketName)
                    .key(obj.key())
                    .build();
                return getS3AsyncClient().deleteObject(deleteRequest)
                    .thenApply(deleteResponse -> {
                        System.out.println("Deleted object: " + obj.key());
                        return deleteResponse;
                    });
            })
            .collect(Collectors.toList());

        return CompletableFuture.allOf(deleteFutures.toArray(new
CompletableFuture[0]))
            .thenCompose(v -> {
                // Delete the folder.
                DeleteObjectRequest deleteRequest =
DeleteObjectRequest.builder()
                    .bucket(bucketName)
                    .key(folderName)
                    .build();
                return getS3AsyncClient().deleteObject(deleteRequest)
                    .thenApply(deleteResponse -> {
                        System.out.println("Deleted folder: " + folderName);
                        return deleteResponse;
                    });
            });
        }).join();
    }

    /**
     * Deletes an Amazon S3 bucket.
     *
     * @param bucketName the name of the bucket to delete
     * @return a {@link CompletableFuture} that completes when the bucket has been
     * deleted, or exceptionally if there is an error
     * @throws RuntimeException if there is an error deleting the bucket

```

```
/*
public CompletableFuture<Void> deleteBucket(String bucketName) {
    S3AsyncClient s3Client = getS3AsyncClient();
    return s3Client.deleteBucket(DeleteBucketRequest.builder()
        .bucket(bucketName)
        .build())
    .thenAccept(deleteBucketResponse -> {
        System.out.println(bucketName + " was deleted");
    })
    .exceptionally(ex -> {
        // Handle the exception or rethrow it.
        throw new RuntimeException("Failed to delete bucket: " + bucketName,
ex);
    });
}

/***
 * Uploads a set of files to an Amazon S3 bucket.
 *
 * @param bucketName the name of the S3 bucket to upload the files to
 * @param fileNames an array of file names to be uploaded
 * @param actions an instance of {@link S3BatchActions} that provides the
implementation for the necessary S3 operations
 * @throws IOException if there's an error creating the text files or uploading
the files to the S3 bucket
 */
public static void uploadFilesToBucket(String bucketName, String[] fileNames,
S3BatchActions actions) throws IOException {
    actions.updateCSV(bucketName);
    createTextFiles(fileNames);
    for (String fileName : fileNames) {
        actions.populateBucket(bucketName, fileName);
    }
    System.out.println("All files are placed in the S3 bucket " + bucketName);
}

/***
 * Deletes the specified files from the given S3 bucket.
 *
 * @param bucketName the name of the S3 bucket
 * @param fileNames an array of file names to be deleted from the bucket
 * @param actions the S3BatchActions instance to be used for the file deletion
 * @throws IOException if an I/O error occurs during the file deletion
 */

```

```
public void deleteFilesFromBucket(String bucketName, String[] fileNames,
S3BatchActions actions) throws IOException {
    for (String fileName : fileNames) {
        actions.deleteBucketObjects(bucketName, fileName)
            .thenRun(() -> System.out.println("Object deletion completed"))
            .exceptionally(ex -> {
                System.err.println("Error occurred: " + ex.getMessage());
                return null;
            });
    }
    System.out.println("All files have been deleted from the bucket " +
bucketName);
}

public static void createTextFiles(String[] fileNames) {
    String currentDirectory = System.getProperty("user.dir");
    String directoryPath = currentDirectory + "\\src\\main\\resources\\batch";
    Path path = Paths.get(directoryPath);

    try {
        // Create the directory if it doesn't exist.
        if (!Files.exists(path)) {
            Files.createDirectories(path);
            System.out.println("Created directory: " + path.toString());
        } else {
            System.out.println("Directory already exists: " + path.toString());
        }

        for (String fileName : fileNames) {
            // Check if the file is a .txt file.
            if (fileName.endsWith(".txt")) {
                // Define the path for the new file.
                Path filePath = path.resolve(fileName);
                System.out.println("Attempting to create file: " +
filePath.toString());

                // Create and write content to the new file.
                Files.write(filePath, "This is a test".getBytes());

                // Verify the file was created.
                if (Files.exists(filePath)) {
                    System.out.println("Successfully created file: " +
filePath.toString());
                } else {

```

```
        System.out.println("Failed to create file: " +
    filePath.toString());
}
}

} catch (IOException e) {
    System.err.println("An error occurred: " + e.getMessage());
    e.printStackTrace();
}
}

public String getAccountId() {
    StsClient stsClient = StsClient.builder()
        .region(Region.US_EAST_1)
        .build();

    GetCallerIdentityResponse callerIdentityResponse =
stsClient.getCallerIdentity();
    return callerIdentityResponse.account();
}
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [CreateJob](#)
- [DeleteJobTagging](#)
- [DescribeJob](#)
- [GetJobTagging](#)
- [ListJobs](#)
- [PutJobTagging](#)
- [UpdateJobPriority](#)
- [UpdateJobStatus](#)

Actions

CreateJob

The following code example shows how to use CreateJob.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Create an asynchronous S3 job.

```
/**  
 * Creates an asynchronous S3 job using the AWS Java SDK.  
 *  
 * @param accountId           the AWS account ID associated with the job  
 * @param iamRoleArn          the ARN of the IAM role to be used for the job  
 * @param manifestLocation    the location of the job manifest file in S3  
 * @param reportBucketName    the name of the S3 bucket to store the job report  
 * @param uuid                 a unique identifier for the job  
 * @return a CompletableFuture that represents the asynchronous creation of the  
S3 job.  
 *         The CompletableFuture will return the job ID if the job is created  
successfully,  
 *         or throw an exception if there is an error.  
 */  
public CompletableFuture<String> createS3JobAsync(String accountId, String  
iamRoleArn,  
                                                String manifestLocation,  
String reportBucketName, String uuid) {  
  
    String[] bucketName = new String[]{"<>"};  
    String[] parts = reportBucketName.split(":::");  
    if (parts.length > 1) {  
        bucketName[0] = parts[1];  
    } else {  
        System.out.println("The input string does not contain the expected  
format.");  
    }  
  
    return CompletableFuture.supplyAsync(() -> getETag(bucketName[0], "job-  
manifest.csv"))  
        .thenCompose(eTag -> {  
            ArrayList<S3Tag> tagSet = new ArrayList<>();  
            S3Tag s3Tag = S3Tag.builder()  
        })  
}
```

```
.key("keyOne")
.value("ValueOne")
.build();
S3Tag s3Tag2 = S3Tag.builder()
.key("keyTwo")
.value("ValueTwo")
.build();
tagSet.add(s3Tag);
tagSet.add(s3Tag2);

S3SetObjectTaggingOperation objectTaggingOperation =
S3SetObjectTaggingOperation.builder()
.tagSet(tagSet)
.build();

JobOperation jobOperation = JobOperation.builder()
.s3PutObjectTagging(objectTaggingOperation)
.build();

JobManifestLocation jobManifestLocation =
JobManifestLocation.builder()
.objectArn(manifestLocation)
.eTag(eTag)
.build();

JobManifestSpec manifestSpec = JobManifestSpec.builder()
.fieldsWithStrings("Bucket", "Key")
.format("S3BatchOperations_CSV_20180820")
.build();

JobManifest jobManifest = JobManifest.builder()
.spec(manifestSpec)
.location(jobManifestLocation)
.build();

JobReport jobReport = JobReport.builder()
.bucket(reportBucketName)
.prefix("reports")
.format("Report_CSV_20180820")
.enabled(true)
.reportScope("AllTasks")
.build();

CreateJobRequest jobRequest = CreateJobRequest.builder()
```

```
.accountId(accountId)
.description("Job created using the AWS Java SDK")
.manifest(jobManifest)
.operation(jobOperation)
.report(jobReport)
.priority(42)
.roleArn(iamRoleArn)
.clientRequestToken(uuid)
.confirmationRequired(false)
.build();

// Create the job asynchronously.
return getAsyncClient().createJob(jobRequest)
    .thenApply(CreateJobResponse::jobId);
})
.handle((jobId, ex) -> {
    if (ex != null) {
        Throwable cause = (ex instanceof CompletionException) ?
            ex.getCause() : ex;
        if (cause instanceof S3ControlException) {
            throw new CompletionException(cause);
        } else {
            throw new RuntimeException(cause);
        }
    }
    return jobId;
});
}
```

Create a compliance retention job.

```
/**
 * Creates a compliance retention job in Amazon S3 Control.
 * <p>
 * A compliance retention job in Amazon S3 Control is a feature that allows you
to
 * set a retention period for objects stored in an S3 bucket.
 * This feature is particularly useful for organizations that need to comply
with
 * regulatory requirements or internal policies that mandate the retention of
data for
```

```
* a specific duration.  
*  
* @param s3ControlClient The S3ControlClient instance to use for the API call.  
* @return The job ID of the created compliance retention job.  
*/  
public static String createComplianceRetentionJob(final S3ControlClient  
s3ControlClient, String roleArn, String bucketName, String accountId) {  
    final String manifestObjectArn = "arn:aws:s3:::amzn-s3-demo-manifest-bucket/  
compliance-objects-manifest.csv";  
    final String manifestObjectVersionId = "your-object-version-Id";  
  
    Instant jan2025 = Instant.parse("2025-01-01T00:00:00Z");  
    JobOperation jobOperation = JobOperation.builder()  
        .s3PutObjectRetention(S3SetObjectRetentionOperation.builder()  
            .retention(S3Retention.builder()  
                .mode(S3ObjectLockRetentionMode.COMPLIANCE)  
                .retainUntilDate(jan2025)  
                .build())  
            .build())  
        .build();  
  
    JobManifestLocation manifestLocation = JobManifestLocation.builder()  
        .objectArn(manifestObjectArn)  
        .eTag(manifestObjectVersionId)  
        .build();  
  
    JobManifestSpec manifestSpec = JobManifestSpec.builder()  
        .fieldsWithStrings("Bucket", "Key")  
        .format("S3BatchOperations_CSV_20180820")  
        .build();  
  
    JobManifest manifestToPublicApi = JobManifest.builder()  
        .location(manifestLocation)  
        .spec(manifestSpec)  
        .build();  
  
    // Report details.  
    final String jobReportBucketArn = "arn:aws:s3:::" + bucketName;  
    final String jobReportPrefix = "reports/compliance-objects-bops";  
  
    JobReport jobReport = JobReport.builder()  
        .enabled(true)  
        .reportScope(JobReportScope.ALL_TASKS)  
        .bucket(jobReportBucketArn)
```

```
.prefix(jobReportPrefix)
.format(JobReportFormat.REPORT_CSV_20180820)
.build();

final Boolean requiresConfirmation = true;
final int priority = 10;
CreateJobRequest request = CreateJobRequest.builder()
    .accountId(accountId)
    .description("Set compliance retain-until to 1 Jan 2025")
    .manifest(manifestToPublicApi)
    .operation(jobOperation)
    .priority(priority)
    .roleArn(roleArn)
    .report(jobReport)
    .confirmationRequired(requiresConfirmation)
    .build();

// Create the job and get the result.
CreateJobResponse result = s3ControlClient.createJob(request);
return result.jobId();
}
```

Create a legal hold off job.

```
/**
 * Creates a compliance retention job in Amazon S3 Control.
 * <p>
 * A compliance retention job in Amazon S3 Control is a feature that allows you
 * to
 * set a retention period for objects stored in an S3 bucket.
 * This feature is particularly useful for organizations that need to comply
 * with
 * regulatory requirements or internal policies that mandate the retention of
 * data for
 * a specific duration.
 *
 * @param s3ControlClient The S3ControlClient instance to use for the API call.
 * @return The job ID of the created compliance retention job.
 */
public static String createComplianceRetentionJob(final S3ControlClient
s3ControlClient, String roleArn, String bucketName, String accountId) {
```

```
final String manifestObjectArn = "arn:aws:s3:::amzn-s3-demo-manifest-bucket/compliance-objects-manifest.csv";
final String manifestObjectVersionId = "your-object-version-Id";

Instant jan2025 = Instant.parse("2025-01-01T00:00:00Z");
JobOperation jobOperation = JobOperation.builder()
    .s3PutObjectRetention(S3SetObjectRetentionOperation.builder()
        .retention(S3Retention.builder()
            .mode(S3ObjectLockRetentionMode.COMPLIANCE)
            .retainUntilDate(jan2025)
            .build())
        .build())
    .build();

JobManifestLocation manifestLocation = JobManifestLocation.builder()
    .objectArn(manifestObjectArn)
    .eTag(manifestObjectVersionId)
    .build();

JobManifestSpec manifestSpec = JobManifestSpec.builder()
    .fieldsWithStrings("Bucket", "Key")
    .format("S3BatchOperations_CSV_20180820")
    .build();

JobManifest manifestToPublicApi = JobManifest.builder()
    .location(manifestLocation)
    .spec(manifestSpec)
    .build();

// Report details.
final String jobReportBucketArn = "arn:aws:s3:::" + bucketName;
final String jobReportPrefix = "reports/compliance-objects-bops";

JobReport jobReport = JobReport.builder()
    .enabled(true)
    .reportScope(JobReportScope.ALL_TASKS)
    .bucket(jobReportBucketArn)
    .prefix(jobReportPrefix)
    .format(JobReportFormat.REPORT_CSV_20180820)
    .build();

final Boolean requiresConfirmation = true;
final int priority = 10;
CreateJobRequest request = CreateJobRequest.builder()
```

```
.accountId(accountId)
.description("Set compliance retain-until to 1 Jan 2025")
.manifest(manifestToPublicApi)
.operation(jobOperation)
.priority(priority)
.roleArn(roleArn)
.report(jobReport)
.confirmationRequired(requiresConfirmation)
.build();

// Create the job and get the result.
CreateJobResponse result = s3ControlClient.createJob(request);
return result.jobId();
}
```

Create a new governance retention job.

```
/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class CreateGovernanceRetentionJob {

    public static void main(String[] args) throws ParseException {
        final String usage = """

            Usage:
                <manifestObjectArn> <jobReportBucketArn> <roleArn> <accountId>
                <manifestObjectVersionId>

            Where:
                manifestObjectArn - The Amazon Resource Name (ARN) of the S3 object
                that contains the manifest file for the governance objects.\s
                bucketName - The ARN of the S3 bucket where the job report will be
                stored.
                roleArn - The ARN of the IAM role that will be used to perform the
                governance retention operation.
                accountId - Your AWS account Id.
        """;
    }
}
```

```
        manifestObjectVersionId = A unique value that is used as the `eTag`  
property of the `JobManifestLocation` object.  
        """;  
  
        if (args.length != 4) {  
            System.out.println(usage);  
            return;  
        }  
  
        String manifestObjectArn = args[0];  
        String jobReportBucketArn = args[1];  
        String roleArn = args[2];  
        String accountId = args[3];  
        String manifestObjectVersionId = args[4];  
  
        S3ControlClient s3ControlClient = S3ControlClient.create();  
        createGovernanceRetentionJob(s3ControlClient, manifestObjectArn,  
jobReportBucketArn, roleArn, accountId, manifestObjectVersionId);  
    }  
  
    public static String createGovernanceRetentionJob(final S3ControlClient  
s3ControlClient, String manifestObjectArn, String jobReportBucketArn, String  
roleArn, String accountId, String manifestObjectVersionId) throws ParseException {  
        final JobManifestLocation manifestLocation = JobManifestLocation.builder()  
            .objectArn(manifestObjectArn)  
            .eTag(manifestObjectVersionId)  
            .build();  
  
        final JobManifestSpec manifestSpec = JobManifestSpec.builder()  
            .format(JobManifestFormat.S3_BATCH_OPERATIONS_CSV_20180820)  
            .fields(Arrays.asList(JobManifestFieldName.BUCKET,  
JobManifestFieldName.KEY))  
            .build();  
  
        final JobManifest manifestToPublicApi = JobManifest.builder()  
            .location(manifestLocation)  
            .spec(manifestSpec)  
            .build();  
  
        final String jobReportPrefix = "reports/governance-objects";  
        final JobReport jobReport = JobReport.builder()  
            .enabled(true)  
            .reportScope(JobReportScope.ALL_TASKS)  
            .bucket(jobReportBucketArn)
```

```
.prefix(jobReportPrefix)
.format(JobReportFormat.REPORT_CSV_20180820)
.build();

final SimpleDateFormat format = new SimpleDateFormat("dd/MM/yyyy");
final Date jan30th = format.parse("30/01/2025");

final S3SetObjectRetentionOperation s3SetObjectRetentionOperation =
S3SetObjectRetentionOperation.builder()
    .retention(S3Retention.builder()
        .mode(S3ObjectLockRetentionMode.GOVERNANCE)
        .retainUntilDate(jan30th.toInstant())
        .build())
    .build();
}

final JobOperation jobOperation = JobOperation.builder()
    .s3PutObjectRetention(s3SetObjectRetentionOperation)
    .build();

final Boolean requiresConfirmation = true;
final int priority = 10;

final CreateJobRequest request = CreateJobRequest.builder()
    .accountId(accountId)
    .description("Put governance retention")
    .manifest(manifestToPublicApi)
    .operation(jobOperation)
    .priority(priority)
    .roleArn(roleArn)
    .report(jobReport)
    .confirmationRequired(requiresConfirmation)
    .build();

final CreateJobResponse result = s3ControlClient.createJob(request);
return result.jobId();
}
}
```

- For API details, see [CreateJob](#) in *AWS SDK for Java 2.x API Reference*.

DeleteJobTagging

The following code example shows how to use DeleteJobTagging.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Asynchronously deletes the tags associated with a specific batch job.  
 *  
 * @param jobId      The ID of the batch job whose tags should be deleted.  
 * @param accountId The ID of the account associated with the batch job.  
 * @return A CompletableFuture that completes when the job tags have been  
 successfully deleted, or an exception is thrown if the deletion fails.  
 */  
public CompletableFuture<Void> deleteBatchJobTagsAsync(String jobId, String  
accountId) {  
    DeleteJobTaggingRequest jobTaggingRequest =  
DeleteJobTaggingRequest.builder()  
        .accountId(accountId)  
        .jobId(jobId)  
        .build();  
  
    return asyncClient.deleteJobTagging(jobTaggingRequest)  
        .thenAccept(response -> {  
            System.out.println("You have successfully deleted " + jobId + "  
tagging.");  
        })  
        .exceptionally(ex -> {  
            System.err.println("Failed to delete job tags: " + ex.getMessage());  
            throw new RuntimeException(ex);  
        });  
}
```

- For API details, see [DeleteJobTagging](#) in *AWS SDK for Java 2.x API Reference*.

DescribeJob

The following code example shows how to use `DescribeJob`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Asynchronously describes the specified job.  
 *  
 * @param jobId      the ID of the job to describe  
 * @param accountId the ID of the AWS account associated with the job  
 * @return a {@link CompletableFuture} that completes when the job description  
 * is available  
 * @throws RuntimeException if an error occurs while describing the job  
 */  
public CompletableFuture<Void> describeJobAsync(String jobId, String accountId)  
{  
    DescribeJobRequest jobRequest = DescribeJobRequest.builder()  
        .jobId(jobId)  
        .accountId(accountId)  
        .build();  
  
    return getAsyncClient().describeJob(jobRequest)  
        .thenAccept(response -> {  
            System.out.println("Job ID: " + response.job().jobId());  
            System.out.println("Description: " + response.job().description());  
            System.out.println("Status: " + response.job().statusAsString());  
            System.out.println("Role ARN: " + response.job().roleArn());  
            System.out.println("Priority: " + response.job().priority());  
            System.out.println("Progress Summary: " +  
response.job().progressSummary());  
  
            // Print out details about the job manifest.  
            JobManifest manifest = response.job().manifest();  
            System.out.println("Manifest Location: " +  
manifest.location().objectArn());  
            System.out.println("Manifest ETag: " + manifest.location().eTag());  
        });  
}
```

```
// Print out details about the job operation.  
JobOperation operation = response.job().operation();  
if (operation.s3PutObjectTagging() != null) {  
    System.out.println("Operation: S3 Put Object Tagging");  
    System.out.println("Tag Set: " +  
operation.s3PutObjectTagging().tagSet());  
}  
  
// Print out details about the job report.  
JobReport report = response.job().report();  
System.out.println("Report Bucket: " + report.bucket());  
System.out.println("Report Prefix: " + report.prefix());  
System.out.println("Report Format: " + report.format());  
System.out.println("Report Enabled: " + report.enabled());  
System.out.println("Report Scope: " + report.reportScopeAsString());  
}  
.exceptionally(ex -> {  
    System.err.println("Failed to describe job: " + ex.getMessage());  
    throw new RuntimeException(ex);  
});  
}
```

- For API details, see [DescribeJob](#) in *AWS SDK for Java 2.x API Reference*.

GetJobTagging

The following code example shows how to use GetJobTagging.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Asynchronously retrieves the tags associated with a specific job in an AWS  
account.
```

```
*  
* @param jobId      the ID of the job for which to retrieve the tags  
* @param accountId the ID of the AWS account associated with the job  
* @return a {@link CompletableFuture} that completes when the job tags have  
been retrieved, or with an exception if the operation fails  
* @throws RuntimeException if an error occurs while retrieving the job tags  
*/  
public CompletableFuture<Void> getJobTagsAsync(String jobId, String accountId) {  
    GetJobTaggingRequest request = GetJobTaggingRequest.builder()  
        .jobId(jobId)  
        .accountId(accountId)  
        .build();  
  
    return asyncClient.getJobTagging(request)  
        .thenAccept(response -> {  
            List<S3Tag> tags = response.tags();  
            if (tags.isEmpty()) {  
                System.out.println("No tags found for job ID: " + jobId);  
            } else {  
                for (S3Tag tag : tags) {  
                    System.out.println("Tag key is: " + tag.key());  
                    System.out.println("Tag value is: " + tag.value());  
                }  
            }  
        })  
        .exceptionally(ex -> {  
            System.err.println("Failed to get job tags: " + ex.getMessage());  
            throw new RuntimeException(ex); // Propagate the exception  
        });  
}
```

- For API details, see [GetJobTagging](#) in *AWS SDK for Java 2.x API Reference*.

PutJobTagging

The following code example shows how to use PutJobTagging.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Asynchronously adds tags to a job in the system.  
 *  
 * @param jobId      the ID of the job to add tags to  
 * @param accountId the account ID associated with the job  
 * @return a CompletableFuture that completes when the tagging operation is  
 finished  
 */  
public CompletableFuture<Void> putJobTaggingAsync(String jobId, String  
accountId) {  
    S3Tag departmentTag = S3Tag.builder()  
        .key("department")  
        .value("Marketing")  
        .build();  
  
    S3Tag fiscalYearTag = S3Tag.builder()  
        .key("FiscalYear")  
        .value("2020")  
        .build();  
  
    PutJobTaggingRequest putJobTaggingRequest = PutJobTaggingRequest.builder()  
        .jobId(jobId)  
        .accountId(accountId)  
        .tags(departmentTag, fiscalYearTag)  
        .build();  
  
    return asyncClient.putJobTagging(putJobTaggingRequest)  
        .thenRun(() -> {  
            System.out.println("Additional Tags were added to job " + jobId);  
        })  
        .exceptionally(ex -> {  
            System.err.println("Failed to add tags to job: " + ex.getMessage());  
            throw new RuntimeException(ex); // Propagate the exception  
        });
```

```
}
```

- For API details, see [PutJobTagging](#) in *AWS SDK for Java 2.x API Reference*.

UpdateJobPriority

The following code example shows how to use `UpdateJobPriority`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Updates the priority of a job asynchronously.  
 *  
 * @param jobId      the ID of the job to update  
 * @param accountId the ID of the account associated with the job  
 * @return a {@link CompletableFuture} that represents the asynchronous  
 operation, which completes when the job priority has been updated or an error has  
 occurred  
 */  
public CompletableFuture<Void> updateJobPriorityAsync(String jobId, String  
accountId) {  
    UpdateJobPriorityRequest priorityRequest =  
        UpdateJobPriorityRequest.builder()  
            .accountId(accountId)  
            .jobId(jobId)  
            .priority(60)  
            .build();  
  
    CompletableFuture<Void> future = new CompletableFuture<>();  
    getAsyncClient().updateJobPriority(priorityRequest)  
        .thenAccept(response -> {  
            System.out.println("The job priority was updated");  
            future.complete(null); // Complete the CompletableFuture on  
            successful execution  
        });  
    return future;  
}
```

```
        })
        .exceptionally(ex -> {
            System.err.println("Failed to update job priority: " +
ex.getMessage());
            future.completeExceptionally(ex); // Complete the CompletableFuture
exceptionally on error
            return null; // Return null to handle the exception
        });

        return future;
    }
}
```

- For API details, see [UpdateJobPriority](#) in *AWS SDK for Java 2.x API Reference*.

UpdateJobStatus

The following code example shows how to use UpdateJobStatus.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
 * Cancels a job asynchronously.
 *
 * @param jobId The ID of the job to be canceled.
 * @param accountId The ID of the account associated with the job.
 * @return A {@link CompletableFuture} that completes when the job status has
been updated to "CANCELLED".
 *         If an error occurs during the update, the returned future will
complete exceptionally.
 */
public CompletableFuture<Void> cancelJobAsync(String jobId, String accountId) {
    UpdateJobStatusRequest updateJobStatusRequest =
        UpdateJobStatusRequest.builder()
            .accountId(accountId)
```

```
        .jobId(jobId)
        .requestedJobStatus(String.valueOf(JobStatus.CANCELLED))
        .build();

    return asyncClient.updateJobStatus(updateJobStatusRequest)
        .thenAccept(updateJobStatusResponse -> {
            System.out.println("Job status updated to: " +
updateJobStatusResponse.status());
        })
        .exceptionally(ex -> {
            System.err.println("Failed to cancel job: " + ex.getMessage());
            throw new RuntimeException(ex); // Propagate the exception
        });
}
```

- For API details, see [UpdateJobStatus](#) in *AWS SDK for Java 2.x API Reference*.

S3 Directory Buckets examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with S3 Directory Buckets.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello Amazon S3 directory buckets

The following code example shows how to get started using Amazon S3 directory buckets.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
package com.example.s3.directorybucket;

import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.Bucket;
import software.amazon.awssdk.services.s3.model.BucketInfo;
import software.amazon.awssdk.services.s3.model.BucketType;
import software.amazon.awssdk.services.s3.model.CreateBucketConfiguration;
import software.amazon.awssdk.services.s3.model.CreateBucketRequest;
import software.amazon.awssdk.services.s3.model.CreateBucketResponse;
import software.amazon.awssdk.services.s3.model.DataRedundancy;
import software.amazon.awssdk.services.s3.model.DeleteBucketRequest;
import software.amazon.awssdk.services.s3.model.ListDirectoryBucketsRequest;
import software.amazon.awssdk.services.s3.model.ListDirectoryBucketsResponse;
import software.amazon.awssdk.services.s3.model.LocationInfo;
import software.amazon.awssdk.services.s3.model.LocationType;
import software.amazon.awssdk.services.s3.model.S3Exception;

import java.util.List;
import java.util.stream.Collectors;

import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;

/**
 * Before running this example:
 * <p>
 * The SDK must be able to authenticate AWS requests on your behalf. If you have
 * not configured
 * authentication for SDKs and tools, see
 * https://docs.aws.amazon.com/sdkref/latest/guide/access.html in the AWS SDKs
 */
```

```
* and Tools Reference Guide.  
* <p>  
* You must have a runtime environment configured with the Java SDK.  
* See  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/setup.html in  
* the Developer Guide if this is not set up.  
* <p>  
* To use S3 directory buckets, configure a gateway VPC endpoint. This is the  
* recommended method to enable directory bucket traffic without  
* requiring an internet gateway or NAT device. For more information on  
* configuring VPC gateway endpoints, visit  
* https://docs.aws.amazon.com/AmazonS3/latest/userguide/s3-express-networking.html#s3-express-networking-vpc-gateway.  
* <p>  
* Directory buckets are available in specific AWS Regions and Zones. For  
* details on Regions and Zones supporting directory buckets, see  
* https://docs.aws.amazon.com/AmazonS3/latest/userguide/s3-express-networking.html#s3-express-endpoints.  
*/  
  
public class HelloS3DirectoryBuckets {  
    private static final Logger logger =  
        LoggerFactory.getLogger(HelloS3DirectoryBuckets.class);  
  
    public static void main(String[] args) {  
        String bucketName = "test-bucket-" + System.currentTimeMillis() + "--usw2-az1--x-s3";  
        Region region = Region.US_WEST_2;  
        String zone = "usw2-az1";  
        S3Client s3Client = createS3Client(region);  
  
        try {  
            // Create the directory bucket  
            createDirectoryBucket(s3Client, bucketName, zone);  
            logger.info("Created bucket: {}", bucketName);  
  
            // List all directory buckets  
            List<String> bucketNames = listDirectoryBuckets(s3Client);  
            bucketNames.forEach(name -> logger.info("Bucket Name: {}", name));  
        } catch (S3Exception e) {  
            logger.error("An error occurred during S3 operations: {} - Error code: {}",  
                e.awsErrorDetails().errorMessage(),  
                e.awsErrorDetails().errorCode(), e);  
    }  
}
```

```
        } finally {
            try {
                // Delete the created bucket
                deleteDirectoryBucket(s3Client, bucketName);
                logger.info("Deleted bucket: {}", bucketName);
            } catch (S3Exception e) {
                logger.error("Failed to delete the bucket due to S3 error: {} - Error code: {}",
                            e.awsErrorDetails().errorMessage(),
                            e.awsErrorDetails().errorCode(), e);
            } catch (RuntimeException e) {
                logger.error("Failed to delete the bucket due to unexpected error: {}",
                            e.getMessage(), e);
            } finally {
                s3Client.close();
            }
        }
    }

    /**
     * Creates a new S3 directory bucket in a specified Zone (For example, a
     * specified Availability Zone in this code example).
     *
     * @param s3Client The S3 client used to create the bucket
     * @param bucketName The name of the bucket to be created
     * @param zone The region where the bucket will be created
     * @throws S3Exception if there's an error creating the bucket
     */
    public static void createDirectoryBucket(S3Client s3Client, String bucketName,
String zone) throws S3Exception {
    logger.info("Creating bucket: {}", bucketName);

    CreateBucketConfiguration bucketConfiguration =
CreateBucketConfiguration.builder()
        .location(LocationInfo.builder()
            .type(LocationType.AVAILABILITY_ZONE)
            .name(zone).build())
        .bucket(BucketInfo.builder()
            .type(BucketType.DIRECTORY)
            .dataRedundancy(DataRedundancy.SINGLE_AVAILABILITY_ZONE)
            .build())
        .build();
    try {
        CreateBucketRequest bucketRequest = CreateBucketRequest.builder()
```

```
        .bucket(bucketName)
        .createBucketConfiguration(bucketConfiguration).build();
CreateBucketResponse response = s3Client.createBucket(bucketRequest);
logger.info("Bucket created successfully with location: {}", response.location());
    } catch (S3Exception e) {
        logger.error("Error creating bucket: {} - Error code: {}", e.awsErrorDetails().errorMessage(),
                    e.awsErrorDetails().errorCode(), e);
        throw e;
    }
}

/**
 * Lists all S3 directory buckets.
 *
 * @param s3Client The S3 client used to interact with S3
 * @return A list of bucket names
 */
public static List<String> listDirectoryBuckets(S3Client s3Client) {
    logger.info("Listing all directory buckets");

    try {
        // Create a ListBucketsRequest
        ListDirectoryBucketsRequest listBucketsRequest =
ListDirectoryBucketsRequest.builder().build();

        // Retrieve the list of buckets
        ListDirectoryBucketsResponse response =
s3Client.listDirectoryBuckets(listBucketsRequest);

        // Extract bucket names
        List<String> bucketNames = response.buckets().stream()
            .map(Bucket::name)
            .collect(Collectors.toList());

        return bucketNames;
    } catch (S3Exception e) {
        logger.error("Failed to list buckets: {} - Error code: {}", e.awsErrorDetails().errorMessage(),
                    e.awsErrorDetails().errorCode(), e);
        throw e;
    }
}
```

```
/**  
 * Deletes the specified S3 directory bucket.  
 *  
 * @param s3Client The S3 client used to interact with S3  
 * @param bucketName The name of the bucket to delete  
 */  
public static void deleteDirectoryBucket(S3Client s3Client, String bucketName) {  
    try {  
        DeleteBucketRequest deleteBucketRequest = DeleteBucketRequest.builder()  
            .bucket(bucketName)  
            .build();  
        s3Client.deleteBucket(deleteBucketRequest);  
    } catch (S3Exception e) {  
        logger.error("Failed to delete bucket: " + bucketName + " - Error code:  
" + e.awsErrorDetails().errorCode(),  
                    e);  
        throw e;  
    }  
}  
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.
 - [CreateBucket](#)
 - [ListDirectoryBuckets](#)

Topics

- [Actions](#)
- [Scenarios](#)

Actions

AbortMultipartUpload

The following code example shows how to use AbortMultipartUpload.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Abort a multipart upload in a directory bucket.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.AbortMultipartUploadRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;

import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;
import static
    com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucketMultipartUpload;
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;

/**
 * Aborts a specific multipart upload for the specified S3 directory bucket.
 *
 * @param s3Client The S3 client used to interact with S3
 * @param bucketName The name of the directory bucket
 * @param objectKey The key (name) of the object to be uploaded
 * @param uploadId The upload ID of the multipart upload to abort
 * @return True if the multipart upload is successfully aborted, false otherwise
 */
public static boolean abortDirectoryBucketMultipartUpload(S3Client s3Client,
String bucketName,
    String objectKey, String uploadId) {
    logger.info("Aborting multipart upload: {} for bucket: {}", uploadId,
bucketName);
    try {
        // Abort the multipart upload
        AbortMultipartUploadRequest abortMultipartUploadRequest =
AbortMultipartUploadRequest.builder()
            .bucket(bucketName)
```

```
        .key(objectKey)
        .uploadId(uploadId)
        .build();

    s3Client.abortMultipartUpload(abortMultipartUploadRequest);
    logger.info("Aborted multipart upload: {} for object: {}", uploadId,
objectKey);
    return true;
} catch (S3Exception e) {
    logger.error("Failed to abort multipart upload: {} - Error code: {}",
e.awsErrorDetails().errorMessage(),
e.awsErrorDetails().errorCode(), e);
    return false;
}
}
```

- For API details, see [AbortMultipartUpload](#) in *AWS SDK for Java 2.x API Reference*.

CompleteMultipartUpload

The following code example shows how to use `CompleteMultipartUpload`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Complete a multipart upload in a directory bucket.

```
import com.example.s3.util.S3DirectoryBucketUtils;
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.CompleteMultipartUploadRequest;
import software.amazon.awssdk.services.s3.model.CompleteMultipartUploadResponse;
import software.amazon.awssdk.services.s3.model.CompletedMultipartUpload;
```

```
import software.amazon.awssdk.services.s3.model.CompletedPart;
import software.amazon.awssdk.services.s3.model.S3Exception;

import java.io.IOException;
import java.nio.file.Path;
import java.util.List;

import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;
import static
    com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucketMultipartUpload;
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;
import static
    com.example.s3.util.S3DirectoryBucketUtils.deleteAllObjectsInDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.getFilePath;
import static
    com.example.s3.util.S3DirectoryBucketUtils.multipartUploadForDirectoryBucket;

/**
 * This method completes the multipart upload request by collating all the
 * upload parts.
 *
 * @param s3Client      The S3 client used to interact with S3
 * @param bucketName   The name of the directory bucket
 * @param objectKey     The key (name) of the object to be uploaded
 * @param uploadId      The upload ID used to track the multipart upload
 * @param uploadParts   The list of completed parts
 * @return True if the multipart upload is successfully completed, false
 *         otherwise
 */
public static boolean completeDirectoryBucketMultipartUpload(S3Client s3Client,
String bucketName, String objectKey,
        String uploadId, List<CompletedPart> uploadParts) {
    try {
        CompletedMultipartUpload completedMultipartUpload =
CompletedMultipartUpload.builder()
            .parts(uploadParts)
            .build();
        CompleteMultipartUploadRequest completeMultipartUploadRequest =
CompleteMultipartUploadRequest.builder()
            .bucket(bucketName)
            .key(objectKey)
            .uploadId(uploadId)
```

```
        .multipartUpload(completedMultipartUpload)
        .build();

        CompleteMultipartUploadResponse response =
s3Client.completeMultipartUpload(completeMultipartUploadRequest);
        logger.info("Multipart upload completed. ETag: {}", response.eTag());
        return true;
    } catch (S3Exception e) {
        logger.error("Failed to complete multipart upload: {} - Error code: {}",
e.awsErrorDetails().errorMessage(),
                e.awsErrorDetails().errorCode(), e);
        return false;
    }
}
```

- For API details, see [CompleteMultipartUpload](#) in *AWS SDK for Java 2.x API Reference*.

CopyObject

The following code example shows how to use CopyObject.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Copy an object from a directory bucket to a directory bucket.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.CopyObjectRequest;
import software.amazon.awssdk.services.s3.model.CopyObjectResponse;
import software.amazon.awssdk.services.s3.model.S3Exception;

import java.nio.file.Path;
```

```
import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;
import static
    com.example.s3.util.S3DirectoryBucketUtils.deleteAllObjectsInDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.getFilePath;
import static com.example.s3.util.S3DirectoryBucketUtils.putDirectoryBucketObject;

/**
 * Copies an object from one S3 general purpose bucket to one S3 directory
 * bucket.
 *
 * @param s3Client      The S3 client used to interact with S3
 * @param sourceBucket The name of the source bucket
 * @param objectKey     The key (name) of the object to be copied
 * @param targetBucket The name of the target bucket
 */
public static void copyDirectoryBucketObject(S3Client s3Client, String
sourceBucket, String objectKey,
                                             String targetBucket) {
    logger.info("Copying object: {} from bucket: {} to bucket: {}", objectKey,
sourceBucket, targetBucket);

    try {
        // Create a CopyObjectRequest
        CopyObjectRequest copyReq = CopyObjectRequest.builder()
            .sourceBucket(sourceBucket)
            .sourceKey(objectKey)
            .destinationBucket(targetBucket)
            .destinationKey(objectKey)
            .build();

        // Copy the object
        CopyObjectResponse copyRes = s3Client.copyObject(copyReq);
        logger.info("Successfully copied {} from bucket {} into bucket {}.
CopyObjectResponse: {}",
                    objectKey, sourceBucket, targetBucket,
copyRes.copyObjectResult().toString());

    } catch (S3Exception e) {
        logger.error("Failed to copy object: {} - Error code: {}",
e.awsErrorDetails().errorMessage(),
                    e.awsErrorDetails().errorCode(), e);
    }
}
```

```
        throw e;
    }
}
```

- For API details, see [CopyObject](#) in *AWS SDK for Java 2.x API Reference*.

CreateBucket

The following code example shows how to use CreateBucket.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Create an S3 directory bucket.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.BucketInfo;
import software.amazon.awssdk.services.s3.model.BucketType;
import software.amazon.awssdk.services.s3.model.CreateBucketConfiguration;
import software.amazon.awssdk.services.s3.model.CreateBucketRequest;
import software.amazon.awssdk.services.s3.model.CreateBucketResponse;
import software.amazon.awssdk.services.s3.model.DataRedundancy;
import software.amazon.awssdk.services.s3.model.LocationInfo;
import software.amazon.awssdk.services.s3.model.LocationType;
import software.amazon.awssdk.services.s3.model.S3Exception;

import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;

/**
 * Creates a new S3 directory bucket in a specified Zone (For example, a
```

```
* specified Availability Zone in this code example).
*
* @param s3Client    The S3 client used to create the bucket
* @param bucketName The name of the bucket to be created
* @param zone        The region where the bucket will be created
* @throws S3Exception if there's an error creating the bucket
*/
public static void createDirectoryBucket(S3Client s3Client, String bucketName,
String zone) throws S3Exception {
    logger.info("Creating bucket: {}", bucketName);

    CreateBucketConfiguration bucketConfiguration =
CreateBucketConfiguration.builder()
        .location(LocationInfo.builder()
            .type(LocationType.AVAILABILITY_ZONE)
            .name(zone).build())
        .bucket(BucketInfo.builder()
            .type(BucketType.DIRECTORY)
            .dataRedundancy(DataRedundancy.SINGLE_AVAILABILITY_ZONE)
            .build())
        .build());
    try {
        CreateBucketRequest bucketRequest = CreateBucketRequest.builder()
            .bucket(bucketName)
            .createBucketConfiguration(bucketConfiguration).build();
        CreateBucketResponse response = s3Client.createBucket(bucketRequest);
        logger.info("Bucket created successfully with location: {}",
response.location());
    } catch (S3Exception e) {
        logger.error("Error creating bucket: {} - Error code: {}",
e.awsErrorDetails().errorMessage(),
e.awsErrorDetails().errorCode(), e);
        throw e;
    }
}
```

- For API details, see [CreateBucket](#) in *AWS SDK for Java 2.x API Reference*.

CreateMultipartUpload

The following code example shows how to use CreateMultipartUpload.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Create a multipart upload in a directory bucket.

```
import com.example.s3.util.S3DirectoryBucketUtils;
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.CreateMultipartUploadRequest;
import software.amazon.awssdk.services.s3.model.CreateMultipartUploadResponse;
import software.amazon.awssdk.services.s3.model.S3Exception;

import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;

/**
 * This method creates a multipart upload request that generates a unique upload
 * ID used to track
 * all the upload parts.
 *
 * @param s3Client The S3 client used to interact with S3
 * @param bucketName The name of the directory bucket
 * @param objectKey The key (name) of the object to be uploaded
 * @return The upload ID used to track the multipart upload
 */
public static String createDirectoryBucketMultipartUpload(S3Client s3Client,
String bucketName, String objectKey) {
    logger.info("Creating multipart upload for object: {} in bucket: {}", objectKey, bucketName);

    try {
        // Create a CreateMultipartUploadRequest
        CreateMultipartUploadRequest createMultipartUploadRequest =
CreateMultipartUploadRequest.builder()
            .bucket(bucketName)
```

```
        .key(objectKey)
        .build();

        // Initiate the multipart upload
        CreateMultipartUploadResponse response =
s3Client.createMultipartUpload(createMultipartUploadRequest);
        String uploadId = response.uploadId();
        logger.info("Multipart upload initiated. Upload ID: {}", uploadId);
        return uploadId;

    } catch (S3Exception e) {
        logger.error("Failed to create multipart upload: {} - Error code: {}",
e.awsErrorDetails().errorMessage(),
                e.awsErrorDetails().errorCode(), e);
        throw e;
    }
}
```

- For API details, see [CreateMultipartUpload](#) in *AWS SDK for Java 2.x API Reference*.

DeleteBucket

The following code example shows how to use DeleteBucket.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Delete an S3 directory bucket.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.DeleteBucketRequest;
```

```
import software.amazon.awssdk.services.s3.model.S3Exception;

import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;

/**
 * Deletes the specified S3 directory bucket.
 *
 * @param s3Client The S3 client used to interact with S3
 * @param bucketName The name of the directory bucket to delete
 */
public static void deleteDirectoryBucket(S3Client s3Client, String bucketName) {
    logger.info("Deleting bucket: {}", bucketName);

    try {
        // Create a DeleteBucketRequest
        DeleteBucketRequest deleteBucketRequest = DeleteBucketRequest.builder()
            .bucket(bucketName)
            .build();

        // Delete the bucket
        s3Client.deleteBucket(deleteBucketRequest);
        logger.info("Successfully deleted bucket: {}", bucketName);

    } catch (S3Exception e) {
        logger.error("Failed to delete bucket: {} - Error code: {}",
e.awsErrorDetails().errorMessage(),
e.awsErrorDetails().errorCode(), e);
        throw e;
    }
}
```

- For API details, see [DeleteBucket](#) in *AWS SDK for Java 2.x API Reference*.

DeleteBucketEncryption

The following code example shows how to use DeleteBucketEncryption.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Delete the encryption configuration for a directory bucket.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.DeleteBucketEncryptionRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;

import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;

/**
 * Deletes the encryption configuration from an S3 bucket.
 *
 * @param s3Client The S3 client used to interact with S3
 * @param bucketName The name of the directory bucket
 */
public static void deleteDirectoryBucketEncryption(S3Client s3Client, String
bucketName) {
    DeleteBucketEncryptionRequest deleteRequest =
DeleteBucketEncryptionRequest.builder()
        .bucket(bucketName)
        .build();

    try {
        s3Client.deleteBucketEncryption(deleteRequest);
        logger.info("Bucket encryption deleted for bucket: {}", bucketName);
    } catch (S3Exception e) {
        logger.error("Failed to delete bucket encryption: {} - Error code: {}",
e.awsErrorDetails().errorMessage(),
                e.awsErrorDetails().errorCode(), e);
        throw e;
    }
}
```

```
}
```

- For API details, see [DeleteBucketEncryption](#) in *AWS SDK for Java 2.x API Reference*.

DeleteBucketPolicy

The following code example shows how to use DeleteBucketPolicy.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Delete a bucket policy for a directory bucket.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.DeleteBucketPolicyRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;

import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.getAwsAccountId;
import static com.example.s3.util.S3DirectoryBucketUtils.putDirectoryBucketPolicy;

import org.slf4j.Logger;
import org.slf4j.LoggerFactory;

/**
 * Deletes the bucket policy for the specified S3 directory bucket.
 *
 * @param s3Client The S3 client used to interact with S3
 * @param bucketName The name of the directory bucket
 */
```

```
public static void deleteDirectoryBucketPolicy(S3Client s3Client, String bucketName) {
    logger.info("Deleting policy for bucket: {}", bucketName);

    try {
        // Create a DeleteBucketPolicyRequest
        DeleteBucketPolicyRequest deletePolicyReq =
DeleteBucketPolicyRequest.builder()
            .bucket(bucketName)
            .build();

        // Delete the bucket policy
        s3Client.deleteBucketPolicy(deletePolicyReq);
        logger.info("Successfully deleted bucket policy");

    } catch (S3Exception e) {
        logger.error("Failed to delete bucket policy: {} - Error code: {}", e.awsErrorDetails().errorMessage(),
                    e.awsErrorDetails().errorCode(), e);
        throw e;
    }
}
```

- For API details, see [DeleteBucketPolicy](#) in *AWS SDK for Java 2.x API Reference*.

DeleteObject

The following code example shows how to use DeleteObject.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Delete an object in a directory bucket.

```
import org.slf4j.Logger;
```

```
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.DeleteObjectRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;

import java.nio.file.Path;

import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.getFilePath;
import static com.example.s3.util.S3DirectoryBucketUtils.putDirectoryBucketObject;

/**
 * Deletes an object from the specified S3 directory bucket.
 *
 * @param s3Client The S3 client used to interact with S3
 * @param bucketName The name of the directory bucket
 * @param objectKey The key (name) of the object to be deleted
 */
public static void deleteDirectoryBucketObject(S3Client s3Client, String
bucketName, String objectKey) {
    logger.info("Deleting object: {} from bucket: {}", objectKey, bucketName);

    try {
        // Create a DeleteObjectRequest
        DeleteObjectRequest deleteObjectRequest = DeleteObjectRequest.builder()
            .bucket(bucketName)
            .key(objectKey)
            .build();

        // Delete the object
        s3Client.deleteObject(deleteObjectRequest);
        logger.info("Object {} has been deleted", objectKey);

    } catch (S3Exception e) {
        logger.error("Failed to delete object: {} - Error code: {}",
e.awsErrorDetails().errorMessage(),
e.awsErrorDetails().errorCode(), e);
        throw e;
    }
}
```

```
    }  
}
```

- For API details, see [DeleteObject](#) in *AWS SDK for Java 2.x API Reference*.

DeleteObjects

The following code example shows how to use DeleteObjects.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Delete multiple objects in a directory bucket.

```
import software.amazon.awssdk.regions.Region;  
import software.amazon.awssdk.services.s3.S3Client;  
import software.amazon.awssdk.services.s3.model.Delete;  
import software.amazon.awssdk.services.s3.model.DeleteObjectsRequest;  
import software.amazon.awssdk.services.s3.model.DeleteObjectsResponse;  
import software.amazon.awssdk.services.s3.model.ObjectIdentifier;  
import software.amazon.awssdk.services.s3.model.S3Exception;  
  
import java.net.URISyntaxException;  
import java.nio.file.Path;  
import java.nio.file.Paths;  
import java.util.List;  
  
import org.slf4j.Logger;  
import org.slf4j.LoggerFactory;  
  
import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;  
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;  
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;  
import static com.example.s3.util.S3DirectoryBucketUtils.getFilePath;  
import static com.example.s3.util.S3DirectoryBucketUtils.putDirectoryBucketObject;
```

```
/**  
 * Deletes multiple objects from the specified S3 directory bucket.  
 *  
 * @param s3Client The S3 client used to interact with S3  
 * @param bucketName The name of the directory bucket  
 * @param objectKeys The list of keys (names) of the objects to be deleted  
 */  
public static void deleteDirectoryBucketObjects(S3Client s3Client, String  
bucketName, List<String> objectKeys) {  
    logger.info("Deleting objects from bucket: {}", bucketName);  
  
    try {  
        // Create a list of ObjectIdentifier  
        List<ObjectIdentifier> identifiers = objectKeys.stream()  
            .map(key -> ObjectIdentifier.builder().key(key).build())  
            .toList();  
  
        // Create a Delete object  
        Delete delete = Delete.builder()  
            .objects(identifiers)  
            .build();  
  
        // Create a DeleteObjectsRequest  
        DeleteObjectsRequest deleteObjectsRequest =  
DeleteObjectsRequest.builder()  
            .bucket(bucketName)  
            .delete(delete)  
            .build();  
  
        // Delete the objects  
        DeleteObjectsResponse deleteObjectsResponse =  
s3Client.deleteObjects(deleteObjectsRequest);  
        deleteObjectsResponse.deleted().forEach(deleted -> logger.info("Deleted  
object: {}", deleted.key()));  
  
    } catch (S3Exception e) {  
        logger.error("Failed to delete objects: {} - Error code: {}",  
e.awsErrorDetails().errorMessage(),  
            e.awsErrorDetails().errorCode(), e);  
        throw e;  
    }  
}
```

- For API details, see [DeleteObjects](#) in *AWS SDK for Java 2.x API Reference*.

GetBucketEncryption

The following code example shows how to use GetBucketEncryption.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Get the encryption configuration of a directory bucket.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.GetBucketEncryptionRequest;
import software.amazon.awssdk.services.s3.model.GetBucketEncryptionResponse;
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.services.s3.model.ServerSideEncryptionRule;

import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;

/**
 * Retrieves the encryption configuration for an S3 directory bucket.
 *
 * @param s3Client The S3 client used to interact with S3
 * @param bucketName The name of the directory bucket
 * @return The type of server-side encryption applied to the bucket (e.g.,
 *         AES256, aws:kms)
 */
public static String getDirectoryBucketEncryption(S3Client s3Client, String
bucketName) {
```

```
try {
    // Create a GetBucketEncryptionRequest
    GetBucketEncryptionRequest getRequest =
GetBucketEncryptionRequest.builder()
        .bucket(bucketName)
        .build();

    // Retrieve the bucket encryption configuration
    GetBucketEncryptionResponse response =
s3Client.getBucketEncryption(getRequest);
    ServerSideEncryptionRule rule =
response.serverSideEncryptionConfiguration().rules().get(0);

    String encryptionType =
rule.applyServerSideEncryptionByDefault().sseAlgorithmAsString();
    logger.info("Bucket encryption algorithm: {}", encryptionType);
    logger.info("KMS Customer Managed Key ID: {}", rule.applyServerSideEncryptionByDefault().kmsMasterKeyID());
    logger.info("Bucket Key Enabled: {}", rule.bucketKeyEnabled());

    return encryptionType;
} catch (S3Exception e) {
    logger.error("Failed to get bucket encryption: {} - Error code: {}",
e.awsErrorDetails().errorMessage(),
            e.awsErrorDetails().errorCode(), e);
    throw e;
}
}
```

- For API details, see [GetBucketEncryption](#) in *AWS SDK for Java 2.x API Reference*.

GetBucketPolicy

The following code example shows how to use `GetBucketPolicy`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Get the policy of a directory bucket.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.GetBucketPolicyRequest;
import software.amazon.awssdk.services.s3.model.GetBucketPolicyResponse;
import software.amazon.awssdk.services.s3.model.S3Exception;

import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.getAwsAccountId;
import static com.example.s3.util.S3DirectoryBucketUtils.putDirectoryBucketPolicy;

/**
 * Retrieves the bucket policy for the specified S3 directory bucket.
 *
 * @param s3Client The S3 client used to interact with S3
 * @param bucketName The name of the directory bucket
 * @return The bucket policy text
 */
public static String getDirectoryBucketPolicy(S3Client s3Client, String
bucketName) {
    logger.info("Getting policy for bucket: {}", bucketName);

    try {
        // Create a GetBucketPolicyRequest
        GetBucketPolicyRequest policyReq = GetBucketPolicyRequest.builder()
            .bucket(bucketName)
            .build();

        // Retrieve the bucket policy
        GetBucketPolicyResponse response = s3Client.getBucketPolicy(policyReq);

        // Print and return the policy text
        String policyText = response.policy();
        logger.info("Bucket policy: {}", policyText);
        return policyText;

    } catch (S3Exception e) {
```

```
        logger.error("Failed to get bucket policy: {} - Error code: {}",  
        e.awsErrorDetails().errorMessage(),  
        e.awsErrorDetails().errorCode(), e);  
    throw e;  
}  
}
```

- For API details, see [GetBucketPolicy](#) in *AWS SDK for Java 2.x API Reference*.

GetObject

The following code example shows how to use GetObject.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Get an object from a directory bucket.

```
import org.slf4j.Logger;  
import org.slf4j.LoggerFactory;  
import software.amazon.awssdk.core.ResponseBytes;  
import software.amazon.awssdk.regions.Region;  
import software.amazon.awssdk.services.s3.S3Client;  
import software.amazon.awssdk.services.s3.model.GetObjectRequest;  
import software.amazon.awssdk.services.s3.model.GetObjectResponse;  
import software.amazon.awssdk.services.s3.model.S3Exception;  
  
import java.nio.charset.StandardCharsets;  
import java.nio.file.Path;  
  
import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;  
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;  
import static  
    com.example.s3.util.S3DirectoryBucketUtils.deleteAllObjectsInDirectoryBucket;
```

```
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.getFilePath;
import static com.example.s3.util.S3DirectoryBucketUtils.putDirectoryBucketObject;

/**
 * Retrieves an object from the specified S3 directory bucket.
 *
 * @param s3Client The S3 client used to interact with S3
 * @param bucketName The name of the directory bucket
 * @param objectKey The key (name) of the object to be retrieved
 * @return The retrieved object as a ResponseInputStream
 */
public static boolean getDirectoryBucketObject(S3Client s3Client, String
bucketName, String objectKey) {
    logger.info("Retrieving object: {} from bucket: {}", objectKey, bucketName);

    try {
        // Create a GetObjectRequest
        GetObjectRequest objectRequest = GetObjectRequest.builder()
            .key(objectKey)
            .bucket(bucketName)
            .build();

        // Retrieve the object as bytes
        ResponseBytes<GetObjectResponse> objectBytes =
s3Client.getObjectAsBytes(objectRequest);
        byte[] data = objectBytes.asByteArray();

        // Print object contents to console
        String objectContent = new String(data, StandardCharsets.UTF_8);
        logger.info("Object contents: \n{}", objectContent);

        return true;
    } catch (S3Exception e) {
        logger.error("Failed to retrieve object: {} - Error code: {}",
e.awsErrorDetails().errorMessage(),
            e.awsErrorDetails().errorCode(), e);
        return false;
    }
}
```

- For API details, see [GetObject](#) in *AWS SDK for Java 2.x API Reference*.

GetObjectAttributes

The following code example shows how to use GetObjectAttributes.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Get an object attributes from a directory bucket.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.GetObjectAttributesRequest;
import software.amazon.awssdk.services.s3.model.GetObjectAttributesResponse;
import software.amazon.awssdk.services.s3.model.ObjectAttributes;
import software.amazon.awssdk.services.s3.model.S3Exception;

import java.nio.file.Path;

import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;
import static
    com.example.s3.util.S3DirectoryBucketUtils.deleteAllObjectsInDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.getFilePath;
import static com.example.s3.util.S3DirectoryBucketUtils.putDirectoryBucketObject;

/**
 * Retrieves attributes for an object in the specified S3 directory bucket.
 *
 * @param s3Client The S3 client used to interact with S3
 * @param bucketName The name of the directory bucket
 * @param objectKey The key (name) of the object to retrieve attributes for
 * @return True if the object attributes are successfully retrieved, false
 *         otherwise
 */
```

```
public static boolean getDirectoryBucketObjectAttributes(S3Client s3Client,
String bucketName, String objectKey) {
    logger.info("Retrieving attributes for object: {} from bucket: {}",
objectKey, bucketName);

    try {
        // Create a GetObjectAttributesRequest
        GetObjectAttributesRequest getObjectAttributesRequest =
GetObjectAttributesRequest.builder()
            .bucket(bucketName)
            .key(objectKey)
            .objectAttributes(ObjectAttributes.E_TAG,
ObjectAttributes.STORAGE_CLASS,
                ObjectAttributes.OBJECT_SIZE)
            .build();

        // Retrieve the object attributes
        GetObjectAttributesResponse response =
s3Client.getObjectAttributes(getObjectAttributesRequest);
        logger.info("Attributes for object {}:", objectKey);
        logger.info("ETag: {}", response.eTag());
        logger.info("Storage Class: {}", response.storageClass());
        logger.info("Object Size: {}", response.objectSize());
        return true;

    } catch (S3Exception e) {
        logger.error("Failed to retrieve object attributes: {} - Error code:
{}",
e.awsErrorDetails().errorMessage(),
e.awsErrorDetails().errorCode(), e);
        return false;
    }
}
```

- For API details, see [GetObjectAttributes](#) in *AWS SDK for Java 2.x API Reference*.

HeadBucket

The following code example shows how to use HeadBucket.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Checks if the specified S3 directory bucket exists and is accessible.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.HeadBucketRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;

import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;

/**
 * Checks if the specified S3 directory bucket exists and is accessible.
 *
 * @param s3Client The S3 client used to interact with S3
 * @param bucketName The name of the directory bucket to check
 * @return True if the bucket exists and is accessible, false otherwise
 */
public static boolean headDirectoryBucket(S3Client s3Client, String bucketName)
{
    logger.info("Checking if bucket exists: {}", bucketName);

    try {
        // Create a HeadBucketRequest
        HeadBucketRequest headBucketRequest = HeadBucketRequest.builder()
            .bucket(bucketName)
            .build();
        // If the bucket doesn't exist, the following statement throws
        NoSuchBucketException,
        // which is a subclass of S3Exception.
        s3Client.headBucket(headBucketRequest);
        logger.info("Amazon S3 directory bucket: \"{}\" found.", bucketName);
    }
}
```

```
        return true;

    } catch (S3Exception e) {
        logger.error("Failed to access bucket: {} - Error code: {}", e.awsErrorDetails().errorMessage(),
                    e.awsErrorDetails().errorCode(), e);
        throw e;
    }
}
```

- For API details, see [HeadBucket](#) in *AWS SDK for Java 2.x API Reference*.

HeadObject

The following code example shows how to use HeadObject.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Get metadata of an object in a directory bucket.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.HeadObjectRequest;
import software.amazon.awssdk.services.s3.model.HeadObjectResponse;
import software.amazon.awssdk.services.s3.model.S3Exception;

import java.nio.file.Path;

import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;
import static
com.example.s3.util.S3DirectoryBucketUtils.deleteAllObjectsInDirectoryBucket;
```

```
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.getFilePath;
import static com.example.s3.util.S3DirectoryBucketUtils.putDirectoryBucketObject;

/**
 * Retrieves metadata for an object in the specified S3 directory bucket.
 *
 * @param s3Client The S3 client used to interact with S3
 * @param bucketName The name of the directory bucket
 * @param objectKey The key (name) of the object to retrieve metadata for
 * @return True if the object exists, false otherwise
 */
public static boolean headDirectoryBucketObject(S3Client s3Client, String
bucketName, String objectKey) {
    logger.info("Retrieving metadata for object: {} from bucket: {}", objectKey,
bucketName);

    try {
        // Create a HeadObjectRequest
        HeadObjectRequest headObjectRequest = HeadObjectRequest.builder()
            .bucket(bucketName)
            .key(objectKey)
            .build();

        // Retrieve the object metadata
        HeadObjectResponse response = s3Client.headObject(headObjectRequest);
        logger.info("Amazon S3 object: \"{}\" found in bucket: \"{}\" with ETag:
\"{}\"", objectKey, bucketName,
            response.eTag());
        logger.info("Content-Type: {}", response.contentType());
        logger.info("Content-Length: {}", response.contentLength());
        logger.info("Last Modified: {}", response.lastModified());
        return true;
    } catch (S3Exception e) {
        logger.error("Failed to retrieve object metadata: {} - Error code: {}",
e.awsErrorDetails().errorMessage(),
            e.awsErrorDetails().errorCode(), e);
        return false;
    }
}
```

- For API details, see [HeadObject](#) in *AWS SDK for Java 2.x API Reference*.

ListDirectoryBuckets

The following code example shows how to use `ListDirectoryBuckets`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

List all directory buckets.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.Bucket;
import software.amazon.awssdk.services.s3.model.ListDirectoryBucketsRequest;
import software.amazon.awssdk.services.s3.model.ListDirectoryBucketsResponse;
import software.amazon.awssdk.services.s3.model.S3Exception;

import java.util.List;
import java.util.UUID;
import java.util.stream.Collectors;

import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;

/**
 * Lists all S3 directory buckets and no general purpose buckets.
 *
 * @param s3Client The S3 client used to interact with S3
 * @return A list of bucket names
 */
public static List<String> listDirectoryBuckets(S3Client s3Client) {
    logger.info("Listing all directory buckets");

    try {
        // Create a ListBucketsRequest
```

```
        ListDirectoryBucketsRequest listDirectoryBucketsRequest =
ListDirectoryBucketsRequest.builder().build();

        // Retrieve the list of buckets
        ListDirectoryBucketsResponse response =
s3Client.listDirectoryBuckets(listDirectoryBucketsRequest);

        // Extract bucket names
        List<String> bucketNames = response.buckets().stream()
            .map(Bucket::name)
            .collect(Collectors.toList());

        return bucketNames;
    } catch (S3Exception e) {
        logger.error("Failed to list buckets: {} - Error code: {}",
e.awsErrorDetails().errorMessage(),
e.awsErrorDetails().errorCode());
        throw e;
    }
}
```

- For API details, see [ListDirectoryBuckets](#) in *AWS SDK for Java 2.x API Reference*.

ListMultipartUploads

The following code example shows how to use `ListMultipartUploads`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

List multipart uploads in a directory bucket.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.regions.Region;
```

```
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.ListMultipartUploadsRequest;
import software.amazon.awssdk.services.s3.model.ListMultipartUploadsResponse;
import software.amazon.awssdk.services.s3.model.MultipartUpload;
import software.amazon.awssdk.services.s3.model.S3Exception;

import java.io.IOException;
import java.nio.file.Path;
import java.util.List;

import static
    com.example.s3.util.S3DirectoryBucketUtils.abortDirectoryBucketMultipartUploads;
import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;
import static
    com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucketMultipartUpload;
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.getFilePath;
import static
    com.example.s3.util.S3DirectoryBucketUtils.multipartUploadForDirectoryBucket;

/**
 * Lists multipart uploads for the specified S3 directory bucket.
 *
 * @param s3Client The S3 client used to interact with S3
 * @param bucketName The name of the directory bucket
 * @return A list of MultipartUpload objects representing the multipart uploads
 */
public static List<MultipartUpload> listDirectoryBucketMultipartUploads(S3Client s3Client, String bucketName) {
    logger.info("Listing in-progress multipart uploads for bucket: {}", bucketName);

    try {
        // Create a ListMultipartUploadsRequest
        ListMultipartUploadsRequest listMultipartUploadsRequest =
ListMultipartUploadsRequest.builder()
            .bucket(bucketName)
            .build();

        // List the multipart uploads
        ListMultipartUploadsResponse response =
s3Client.listMultipartUploads(listMultipartUploadsRequest);
```

```
        List<MultipartUpload> uploads = response.uploads();
        for (MultipartUpload upload : uploads) {
            logger.info("In-progress multipart upload: Upload ID: {}, Key: {}, Initiated: {}",
                    upload.uploadId(), upload.key(), upload.initiated());
        }
        return uploads;

    } catch (S3Exception e) {
        logger.error("Failed to list multipart uploads: {} - Error code: {}",
                e.awsErrorDetails().errorMessage(),
                e.awsErrorDetails().errorCode());
        return List.of(); // Return an empty list if an exception is thrown
    }
}
```

- For API details, see [ListMultipartUploads](#) in *AWS SDK for Java 2.x API Reference*.

ListObjectsV2

The following code example shows how to use ListObjectsV2.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

List objects in a directory bucket.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.ListObjectsV2Request;
import software.amazon.awssdk.services.s3.model.ListObjectsV2Response;
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.services.s3.model.S3Object;
```

```
import java.nio.file.Path;
import java.util.List;
import java.util.stream.Collectors;

import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;
import static
    com.example.s3.util.S3DirectoryBucketUtils.deleteAllObjectsInDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.getFilePath;
import static com.example.s3.util.S3DirectoryBucketUtils.putDirectoryBucketObject;

/**
 * Lists objects in the specified S3 directory bucket.
 *
 * @param s3Client The S3 client used to interact with S3
 * @param bucketName The name of the directory bucket
 * @return A list of object keys in the bucket
 */
public static List<String> listDirectoryBucketObjectsV2(S3Client s3Client,
String bucketName) {
    logger.info("Listing objects in bucket: {}", bucketName);

    try {
        // Create a ListObjectsV2Request
        ListObjectsV2Request listObjectsV2Request =
ListObjectsV2Request.builder()
        .bucket(bucketName)
        .build();

        // Retrieve the list of objects
        ListObjectsV2Response response =
s3Client.listObjectsV2(listObjectsV2Request);

        // Extract and return the object keys
        return response.contents().stream()
            .map(S3Object::key)
            .collect(Collectors.toList());
    } catch (S3Exception e) {
        logger.error("Failed to list objects: {} - Error code: {}",
e.awsErrorDetails().errorMessage(),
e.awsErrorDetails().errorCode());
    }
}
```

```
        throw e;
    }
}
```

- For API details, see [ListObjectsV2](#) in *AWS SDK for Java 2.x API Reference*.

ListParts

The following code example shows how to use `ListParts`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

List parts of a multipart upload in a directory bucket.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.ListPartsRequest;
import software.amazon.awssdk.services.s3.model.ListPartsResponse;
import software.amazon.awssdk.services.s3.model.Part;
import software.amazon.awssdk.services.s3.model.S3Exception;

import java.io.IOException;
import java.nio.file.Path;
import java.util.List;

import static
    com.example.s3.util.S3DirectoryBucketUtils.abortDirectoryBucketMultipartUploads;
import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;
import static
    com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucketMultipartUpload;
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;
```

```
import static com.example.s3.util.S3DirectoryBucketUtils.getFilePath;
import static
com.example.s3.util.S3DirectoryBucketUtils.multipartUploadForDirectoryBucket;

/**
 * Lists the parts of a multipart upload for the specified S3 directory bucket.
 *
 * @param s3Client The S3 client used to interact with S3
 * @param bucketName The name of the directory bucket
 * @param objectKey The key (name) of the object being uploaded
 * @param uploadId The upload ID used to track the multipart upload
 * @return A list of Part representing the parts of the multipart upload
 */
public static List<Part> listDirectoryBucketMultipartUploadParts(S3Client
s3Client, String bucketName,
        String objectKey, String uploadId) {
    logger.info("Listing parts for object: {} in bucket: {}", objectKey,
bucketName);

    try {
        // Create a ListPartsRequest
        ListPartsRequest listPartsRequest = ListPartsRequest.builder()
            .bucket(bucketName)
            .uploadId(uploadId)
            .key(objectKey)
            .build();

        // List the parts of the multipart upload
        ListPartsResponse response = s3Client.listParts(listPartsRequest);
        List<Part> parts = response.parts();
        for (Part part : parts) {
            logger.info("Uploaded part: Part number = \"{}\", etag = {}",
part.partNumber(), part.eTag());
        }
        return parts;
    } catch (S3Exception e) {
        logger.error("Failed to list parts: {} - Error code: {}",
e.awsErrorDetails().errorMessage(),
                e.awsErrorDetails().errorCode());
        return List.of(); // Return an empty list if an exception is thrown
    }
}
```

- For API details, see [ListParts](#) in *AWS SDK for Java 2.x API Reference*.

PutBucketEncryption

The following code example shows how to use PutBucketEncryption.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Set bucket encryption to a directory bucket.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.kms.KmsClient;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.PutBucketEncryptionRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.services.s3.model.ServerSideEncryption;
import software.amazon.awssdk.services.s3.model.ServerSideEncryptionByDefault;
import software.amazon.awssdk.services.s3.model.ServerSideEncryptionConfiguration;
import software.amazon.awssdk.services.s3.model.ServerSideEncryptionRule;

import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.createKmsClient;
import static com.example.s3.util.S3DirectoryBucketUtils.createKmsKey;
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.scheduleKeyDeletion;

/**
 * Sets the default encryption configuration for an S3 bucket as SSE-KMS.
 *
 * @param s3Client The S3 client used to interact with S3
 * @param bucketName The name of the directory bucket

```

```
* @param kmsKeyId    The ID of the customer-managed KMS key
*/
public static void putDirectoryBucketEncryption(S3Client s3Client, String
bucketName, String kmsKeyId) {
    // Define the default encryption configuration to use SSE-KMS. For directory
    // buckets, AWS managed KMS keys aren't supported. Only customer-managed
    // keys
    // are supported.
    ServerSideEncryptionByDefault encryptionByDefault =
ServerSideEncryptionByDefault.builder()
        .sseAlgorithm(ServerSideEncryption.AWS_KMS)
        .kmsMasterKeyID(kmsKeyId)
        .build();

    // Create a server-side encryption rule to apply the default encryption
    // configuration. For directory buckets, the bucketKeyEnabled field is
    enforced
    // to be true.
    ServerSideEncryptionRule rule = ServerSideEncryptionRule.builder()
        .bucketKeyEnabled(true)
        .applyServerSideEncryptionByDefault(encryptionByDefault)
        .build();

    // Create the server-side encryption configuration for the bucket
    ServerSideEncryptionConfiguration encryptionConfiguration =
ServerSideEncryptionConfiguration.builder()
        .rules(rule)
        .build();

    // Create the PutBucketEncryption request
    PutBucketEncryptionRequest putRequest = PutBucketEncryptionRequest.builder()
        .bucket(bucketName)
        .serverSideEncryptionConfiguration(encryptionConfiguration)
        .build();

    // Set the bucket encryption
    try {
        s3Client.putBucketEncryption(putRequest);
        logger.info("SSE-KMS Bucket encryption configuration set for the
directory bucket: {}", bucketName);
    } catch (S3Exception e) {
        logger.error("Failed to set bucket encryption: {} - Error code: {}",
e.awsErrorDetails().errorMessage(),
e.awsErrorDetails().errorCode());
    }
}
```

```
        throw e;
    }
}
```

- For API details, see [PutBucketEncryption](#) in *AWS SDK for Java 2.x API Reference*.

PutBucketPolicy

The following code example shows how to use `PutBucketPolicy`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Apply a bucket policy to a directory bucket.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.PutBucketPolicyRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;

import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.getAwsAccountId;

/**
 * Sets the following bucket policy for the specified S3 directory bucket.
 *<pre>
 * {
 *     "Version": "2012-10-17",
 *     "Statement": [
 *         {

```

```
*         "Sid": "AdminPolicy",
*         "Effect": "Allow",
*         "Principal": {
*             "AWS": "arn:aws:iam::<ACCOUNT_ID>:root"
*         },
*         "Action": "s3express:*",
*         "Resource": "arn:aws:s3express:us-west-2:<ACCOUNT_ID>:bucket/
<DIR_BUCKET_NAME>
*     }
*   ]
* }
* </pre>
* This policy grants all S3 directory bucket actions to identities in the same
account as the bucket.
*
* @param s3Client The S3 client used to interact with S3
* @param bucketName The name of the directory bucket
* @param policyText The policy text to be applied
*/
public static void putDirectoryBucketPolicy(S3Client s3Client, String
bucketName, String policyText) {
    logger.info("Setting policy on bucket: {}", bucketName);
    logger.info("Policy: {}", policyText);

    try {
        PutBucketPolicyRequest policyReq = PutBucketPolicyRequest.builder()
            .bucket(bucketName)
            .policy(policyText)
            .build();

        s3Client.putBucketPolicy(policyReq);
        logger.info("Bucket policy set successfully!");

    } catch (S3Exception e) {
        logger.error("Failed to set bucket policy: {} - Error code: {}",
e.awsErrorDetails().errorMessage(),
e.awsErrorDetails().errorCode(), e);
        throw e;
    }
}
```

- For API details, see [PutBucketPolicy](#) in *AWS SDK for Java 2.x API Reference*.

PutObject

The following code example shows how to use PutObject.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Put an object into a directory bucket.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.awscore.exception.AwsErrorDetails;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.PutObjectRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;

import java.io.UncheckedIOException;
import java.nio.file.Path;

import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;
import static
    com.example.s3.util.S3DirectoryBucketUtils.deleteAllObjectsInDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.getFilePath;

/**
 * Puts an object into the specified S3 directory bucket.
 *
 * @param s3Client The S3 client used to interact with S3
 * @param bucketName The name of the directory bucket
 * @param objectKey The key (name) of the object to be placed in the bucket
 * @param filePath The path of the file to be uploaded
 */
public static void putDirectoryBucketObject(S3Client s3Client, String
bucketName, String objectKey, Path filePath) {
```

```
logger.info("Putting object: {} into bucket: {}", objectKey, bucketName);

try {
    // Create a PutObjectRequest
    PutObjectRequest putObj = PutObjectRequest.builder()
        .bucket(bucketName)
        .key(objectKey)
        .build();

    // Upload the object
    s3Client.putObject(putObj, filePath);
    logger.info("Successfully placed {} into bucket {}", objectKey,
    bucketName);

} catch (UncheckedIOException e) {
    throw S3Exception.builder().message("Failed to read the file: " +
e.getMessage()).cause(e)
        .awsErrorDetails(AwsErrorDetails.builder()
            .errorCode("ClientSideException:FailedToReadFile")
            .errorMessage(e.getMessage())
            .build())
        .build();
} catch (S3Exception e) {
    logger.error("Failed to put object: {}", e.getMessage(), e);
    throw e;
}
}
```

- For API details, see [PutObject](#) in *AWS SDK for Java 2.x API Reference*.

UploadPart

The following code example shows how to use UploadPart.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Upload part of a multipart upload for a directory bucket.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.core.sync.RequestBody;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.CompletedPart;
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.services.s3.model.UploadPartRequest;
import software.amazon.awssdk.services.s3.model.UploadPartResponse;

import java.io.IOException;
import java.io.RandomAccessFile;
import java.nio.ByteBuffer;
import java.nio.file.Path;
import java.util.ArrayList;
import java.util.List;

import static
    com.example.s3.util.S3DirectoryBucketUtils.abortDirectoryBucketMultipartUploads;
import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;
import static
    com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucketMultipartUpload;
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;
import static
    com.example.s3.util.S3DirectoryBucketUtils.deleteAllObjectsInDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.getFilePath;

/**
 * This method creates part requests and uploads individual parts to S3.
 * While it uses the UploadPart API to upload a single part, it does so
 * sequentially to handle multiple parts of a file, returning all the completed
 * parts.
 *
 * @param s3Client The S3 client used to interact with S3
 * @param bucketName The name of the directory bucket
 * @param objectKey The key (name) of the object to be uploaded
 * @param uploadId The upload ID used to track the multipart upload
 * @param filePath The path to the file to be uploaded
 * @return A list of uploaded parts
 * @throws IOException if an I/O error occurs
 */
```

```
/*
 * This example shows how to upload a file to S3 using multipart upload.
 * Multipart upload is used when you want to upload large files or
 * when you want to upload a file to a bucket that has already reached its
 * storage quota.
 *
 * In this example, we will upload a file to a bucket named "mybucket".
 * We will use a single part number for the entire file.
 */

public static List<CompletedPart> multipartUploadForDirectoryBucket(S3Client s3Client, String bucketName, String objectKey, String uploadId, Path filePath) throws IOException {
    logger.info("Uploading parts for object: {} in bucket: {}", objectKey, bucketName);

    int partNumber = 1;
    List<CompletedPart> uploadedParts = new ArrayList<>();
    ByteBuffer bb = ByteBuffer.allocate(1024 * 1024 * 5); // 5 MB byte buffer

    // Read the local file, break down into chunks and process
    try (RandomAccessFile file = new RandomAccessFile(filePath.toFile(), "r")) {
        long fileSize = file.length();
        int position = 0;

        // Sequentially upload parts of the file
        while (position < fileSize) {
            file.seek(position);
            int read = file.getChannel().read(bb);

            bb.flip(); // Swap position and limit before reading from the buffer
            UploadPartRequest uploadPartRequest = UploadPartRequest.builder()
                .bucket(bucketName)
                .key(objectKey)
                .uploadId(uploadId)
                .partNumber(partNumber)
                .build();

            UploadPartResponse partResponse = s3Client.uploadPart(
                uploadPartRequest,
                RequestBody.fromByteBuffer(bb));

            // Build the uploaded part
            CompletedPart uploadedPart = CompletedPart.builder()
                .partNumber(partNumber)
                .eTag(partResponse.eTag())
                .build();

            // Add the uploaded part to the list
            uploadedParts.add(uploadedPart);

            // Log to indicate the part upload is done
            logger.info("Uploaded part {} of size {} to bucket {}", partNumber, fileSize, bucketName);
        }
    }
}
```

```
        logger.info("Uploaded part number: {} with ETag: {}", partNumber,
partResponse.eTag());

        bb.clear();
        position += read;
        partNumber++;
    }
} catch (S3Exception e) {
    logger.error("Failed to list parts: {} - Error code: {}", e.awsErrorDetails().errorMessage(),
e.awsErrorDetails().errorCode());
    throw e;
}
return uploadedParts;
}
```

- For API details, see [UploadPart](#) in *AWS SDK for Java 2.x API Reference*.

UploadPartCopy

The following code example shows how to use UploadPartCopy.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Create copy parts based on source object size and copy over individual parts to a directory bucket.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.CompletedPart;
import software.amazon.awssdk.services.s3.model.HeadObjectRequest;
import software.amazon.awssdk.services.s3.model.HeadObjectResponse;
```

```
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.services.s3.model.UploadPartCopyRequest;
import software.amazon.awssdk.services.s3.model.UploadPartCopyResponse;

import java.io.IOException;
import java.nio.file.Path;
import java.util.ArrayList;
import java.util.List;

import static
    com.example.s3.util.S3DirectoryBucketUtils.abortDirectoryBucketMultipartUploads;
import static
    com.example.s3.util.S3DirectoryBucketUtils.completeDirectoryBucketMultipartUpload;
import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;
import static
    com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucketMultipartUpload;
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;
import static
    com.example.s3.util.S3DirectoryBucketUtils.deleteAllObjectsInDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.getFilePath;
import static
    com.example.s3.util.S3DirectoryBucketUtils.multipartUploadForDirectoryBucket;

/**
 * Creates copy parts based on source object size and copies over individual
 * parts.
 *
 * @param s3Client      The S3 client used to interact with S3
 * @param sourceBucket  The name of the source bucket
 * @param sourceKey     The key (name) of the source object
 * @param destinationBucket The name of the destination bucket
 * @param destinationKey   The key (name) of the destination object
 * @param uploadId       The upload ID used to track the multipart upload
 * @return A list of completed parts
 */
public static List<CompletedPart> multipartUploadCopyForDirectoryBucket(S3Client
s3Client, String sourceBucket,
                           String sourceKey, String destinationBucket, String destinationKey,
String uploadId) {
    // Get the object size to track the end of the copy operation
    HeadObjectRequest headObjectRequest = HeadObjectRequest.builder()
        .bucket(sourceBucket)
        .key(sourceKey)
```

```
        .build();
    HeadObjectResponse headObjectResponse =
s3Client.headObject(headObjectRequest);
    long objectSize = headObjectResponse.contentLength();

    logger.info("Source Object size: {}", objectSize);

    // Copy the object using 20 MB parts
    long partSize = 20 * 1024 * 1024; // 20 MB
    long bytePosition = 0;
    int partNum = 1;
    List<CompletedPart> uploadedParts = new ArrayList<>();

    while (bytePosition < objectSize) {
        long lastByte = Math.min(bytePosition + partSize - 1, objectSize - 1);
        logger.info("Part Number: {}, Byte Position: {}, Last Byte: {}",
partNum, bytePosition, lastByte);

        try {
            UploadPartCopyRequest uploadPartCopyRequest =
UploadPartCopyRequest.builder()
                .sourceBucket(sourceBucket)
                .sourceKey(sourceKey)
                .destinationBucket(destinationBucket)
                .destinationKey(destinationKey)
                .uploadId(uploadId)
                .copySourceRange("bytes=" + bytePosition + "-" + lastByte)
                .partNumber(partNum)
                .build();
            UploadPartCopyResponse uploadPartCopyResponse =
s3Client.uploadPartCopy(uploadPartCopyRequest);

            CompletedPart part = CompletedPart.builder()
                .partNumber(partNum)
                .eTag(uploadPartCopyResponse.copyPartResult().eTag())
                .build();
            uploadedParts.add(part);

            bytePosition += partSize;
            partNum++;
        } catch (S3Exception e) {
            logger.error("Failed to copy part number {}: {} - Error code: {}",
partNum,
```

```
        e.awsErrorDetails().errorMessage(),
        e.awsErrorDetails().errorCode());
    throw e;
}

return uploadedParts;
}
```

- For API details, see [UploadPartCopy](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Create a presigned URL to get an object

The following code example shows how to create a presigned URL for S3 directory buckets and get an object.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Generate a presigned GET URL for accessing an object in an S3 directory bucket.

```
import org.slf4j.Logger;
import org.slf4j.LoggerFactory;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.s3.S3Client;
import software.amazon.awssdk.services.s3.model.GetObjectRequest;
import software.amazon.awssdk.services.s3.model.S3Exception;
import software.amazon.awssdk.services.s3.presigner.S3Presigner;
import software.amazon.awssdk.services.s3.presigner.model.GetObjectPresignRequest;
import software.amazon.awssdk.services.s3.presigner.model.PresignedGetObjectRequest;

import java.nio.file.Path;
import java.time.Duration;
```

```
import static com.example.s3.util.S3DirectoryBucketUtils.createDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Client;
import static com.example.s3.util.S3DirectoryBucketUtils.createS3Presigner;
import static
    com.example.s3.util.S3DirectoryBucketUtils.deleteAllObjectsInDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.deleteDirectoryBucket;
import static com.example.s3.util.S3DirectoryBucketUtils.getFilePath;
import static com.example.s3.util.S3DirectoryBucketUtils.putDirectoryBucketObject;

/**
 * Generates a presigned URL for accessing an object in the specified S3
 * directory bucket.
 *
 * @param s3Presigner The S3 presigner client used to generate the presigned URL
 * @param bucketName The name of the directory bucket
 * @param objectKey   The key (name) of the object to access
 * @return A presigned URL for accessing the specified object
 */
public static String generatePresignedGetURLForDirectoryBucket(S3Presigner
s3Presigner, String bucketName,
    String objectKey) {
    logger.info("Generating presigned URL for object: {} in bucket: {}",

objectKey, bucketName);

    try {
        // Create a GetObjectRequest
        GetObjectRequest getObjectRequest = GetObjectRequest.builder()
            .bucket(bucketName)
            .key(objectKey)
            .build();

        // Create a GetObjectPresignRequest
        GetObjectPresignRequest getObjectPresignRequest =
GetObjectPresignRequest.builder()
            .signatureDuration(Duration.ofMinutes(10)) // Presigned URL
valid for 10 minutes
            .getObjectRequest(getObjectRequest)
            .build();

        // Generate the presigned URL
        PresignedGetObjectRequest presignedGetObjectRequest =
s3Presigner.presignGetObject(getObjectPresignRequest);
```

```
// Get the presigned URL
String presignedURL = presignedGetObjectRequest.url().toString();
logger.info("Presigned URL: {}", presignedURL);
return presignedURL;

} catch (S3Exception e) {
    logger.error("Failed to generate presigned URL: {} - Error code: {}",
e.awsErrorDetails().errorMessage(),
e.awsErrorDetails().errorCode(), e);
    throw e;
}
}
```

- For API details, see [GetObject](#) in *AWS SDK for Java 2.x API Reference*.

S3 Glacier examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with S3 Glacier.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)

Actions

CreateVault

The following code example shows how to use CreateVault.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.glacier.GlacierClient;
import software.amazon.awssdk.services.glacier.model.CreateVaultRequest;
import software.amazon.awssdk.services.glacier.model.CreateVaultResponse;
import software.amazon.awssdk.services.glacier.model.GlacierException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class CreateVault {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <vaultName>
            Where:
            vaultName - The name of the vault to create.

            """;
        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String vaultName = args[0];
        GlacierClient glacier = GlacierClient.builder()
            .region(Region.US_EAST_1)
            .build();
    }
}
```

```
        createGlacierVault(glacier, vaultName);
        glacier.close();
    }

    public static void createGlacierVault(GlacierClient glacier, String vaultName) {
        try {
            CreateVaultRequest vaultRequest = CreateVaultRequest.builder()
                .vaultName(vaultName)
                .build();

            CreateVaultResponse createVaultResult =
glacier.createVault(vaultRequest);
            System.out.println("The URI of the new vault is " +
createVaultResult.location());

        } catch (GlacierException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
}
```

- For API details, see [CreateVault](#) in *AWS SDK for Java 2.x API Reference*.

DeleteArchive

The following code example shows how to use DeleteArchive.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.glacier.GlacierClient;
import software.amazon.awssdk.services.glacier.model.DeleteArchiveRequest;
import software.amazon.awssdk.services.glacier.model.GlacierException;
```

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
public class DeleteArchive {  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:      <vaultName> <accountId> <archiveId>  
  
            Where:  
            vaultName - The name of the vault that contains the archive to  
            delete.  
            accountId - The account ID value.  
            archiveId - The archive ID value.  
        """;  
  
        if (args.length != 3) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String vaultName = args[0];  
        String accountId = args[1];  
        String archiveId = args[2];  
        GlacierClient glacier = GlacierClient.builder()  
            .region(Region.US_EAST_1)  
            .build();  
  
        deleteGlacierArchive(glacier, vaultName, accountId, archiveId);  
        glacier.close();  
    }  
  
    public static void deleteGlacierArchive(GlacierClient glacier, String vaultName,  
    String accountId,  
        String archiveId) {  
        try {  
            DeleteArchiveRequest delArcRequest = DeleteArchiveRequest.builder()  
                .vaultName(vaultName)
```

```
        .accountId(accountId)
        .archiveId(archiveId)
        .build();

    glacier.deleteArchive(delArcRequest);
    System.out.println("The archive was deleted.");

} catch (GlacierException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

- For API details, see [DeleteArchive](#) in *AWS SDK for Java 2.x API Reference*.

DeleteVault

The following code example shows how to use DeleteVault.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.glacier.GlacierClient;
import software.amazon.awssdk.services.glacier.model.DeleteVaultRequest;
import software.amazon.awssdk.services.glacier.model.GlacierException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html

```

```
/*
public class DeleteVault {
    public static void main(String[] args) {

        final String usage = """

            Usage:      <vaultName>

            Where:
            vaultName - The name of the vault to delete.\s
            """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String vaultName = args[0];
        GlacierClient glacier = GlacierClient.builder()
            .region(Region.US_EAST_1)
            .build();

        deleteGlacierVault(glacier, vaultName);
        glacier.close();
    }

    public static void deleteGlacierVault(GlacierClient glacier, String vaultName) {
        try {
            DeleteVaultRequest delVaultRequest = DeleteVaultRequest.builder()
                .vaultName(vaultName)
                .build();

            glacier.deleteVault(delVaultRequest);
            System.out.println("The vault was deleted!");

        } catch (GlacierException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
}
```

- For API details, see [DeleteVault](#) in *AWS SDK for Java 2.x API Reference*.

InitiateJob

The following code example shows how to use `InitiateJob`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Retrieve a vault inventory.

```
import software.amazon.awssdk.core.ResponseBytes;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.glacier.GlacierClient;
import software.amazon.awssdk.services.glacier.model.JobParameters;
import software.amazon.awssdk.services.glacier.model.InitiateJobResponse;
import software.amazon.awssdk.services.glacier.model.GlacierException;
import software.amazon.awssdk.services.glacier.model.InitiateJobRequest;
import software.amazon.awssdk.services.glacier.model.DescribeJobRequest;
import software.amazon.awssdk.services.glacier.model.DescribeJobResponse;
import software.amazon.awssdk.services.glacier.model.GetJobOutputRequest;
import software.amazon.awssdk.services.glacier.model.GetJobOutputResponse;
import java.io.File;
import java.io.FileOutputStream;
import java.io.IOException;
import java.io.OutputStream;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ArchiveDownload {
    public static void main(String[] args) {

        final String usage = """
```

```
Usage:      <vaultName> <accountId> <path>

Where:
    vaultName - The name of the vault.
    accountId - The account ID value.
    path - The path where the file is written to.
    """;

if (args.length != 3) {
    System.out.println(usage);
    System.exit(1);
}

String vaultName = args[0];
String accountId = args[1];
String path = args[2];
GlacierClient glacier = GlacierClient.builder()
    .region(Region.US_EAST_1)
    .build();

String jobNum = createJob(glacier, vaultName, accountId);
checkJob(glacier, jobNum, vaultName, accountId, path);
glacier.close();
}

public static String createJob(GlacierClient glacier, String vaultName, String
accountId) {
    try {
        JobParameters job = JobParameters.builder()
            .type("inventory-retrieval")
            .build();

        InitiateJobRequest initJob = InitiateJobRequest.builder()
            .jobParameters(job)
            .accountId(accountId)
            .vaultName(vaultName)
            .build();

        InitiateJobResponse response = glacier.initiateJob(initJob);
        System.out.println("The job ID is: " + response.jobId());
        System.out.println("The relative URI path of the job is: " +
response.location());
        return response.jobId();
    }
}
```

```
        } catch (GlacierException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);

        }
        return "";
    }

// Poll S3 Glacier = Polling a Job may take 4-6 hours according to the
// Documentation.
public static void checkJob(GlacierClient glacier, String jobId, String name,
String account, String path) {
    try {
        boolean finished = false;
        String jobStatus;
        int yy = 0;

        while (!finished) {
            DescribeJobRequest jobRequest = DescribeJobRequest.builder()
                .jobId(jobId)
                .accountId(account)
                .vaultName(name)
                .build();

            DescribeJobResponse response = glacier.describeJob(jobRequest);
            jobStatus = response.statusCodeAsString();

            if (jobStatus.compareTo("Succeeded") == 0)
                finished = true;
            else {
                System.out.println(yy + " status is: " + jobStatus);
                Thread.sleep(1000);
            }
            yy++;
        }

        System.out.println("Job has Succeeded");
        GetJobOutputRequest jobOutputRequest = GetJobOutputRequest.builder()
            .jobId(jobId)
            .vaultName(name)
            .accountId(account)
            .build();
    }
}
```

```
        ResponseBytes<GetJobOutputResponse> objectBytes =
glacier.getJobOutputAsBytes(jobOutputRequest);
    // Write the data to a local file.
    byte[] data = objectBytes.asByteArray();
    File myFile = new File(path);
    OutputStream os = new FileOutputStream(myFile);
    os.write(data);
    System.out.println("Successfully obtained bytes from a Glacier vault");
    os.close();

} catch (GlacierException | InterruptedException | IOException e) {
    System.out.println(e.getMessage());
    System.exit(1);

}
}
```

- For API details, see [InitiateJob](#) in *AWS SDK for Java 2.x API Reference*.

ListVaults

The following code example shows how to use ListVaults.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.glacier.model.ListVaultsRequest;
import software.amazon.awssdk.services.glacier.model.ListVaultsResponse;
import software.amazon.awssdk.services.glacier.GlacierClient;
import software.amazon.awssdk.services.glacier.model.DescribeVaultOutput;
import software.amazon.awssdk.services.glacier.model.GlacierException;
import java.util.List;

/**
```

```
* Before running this Java V2 code example, set up your development
* environment, including your credentials.
*
* For more information, see the following documentation topic:
*
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
*/
public class ListVaults {
    public static void main(String[] args) {
        GlacierClient glacier = GlacierClient.builder()
            .region(Region.US_EAST_1)
            .build();

        listAllVault(glacier);
        glacier.close();
    }

    public static void listAllVault(GlacierClient glacier) {
        boolean listComplete = false;
        String newMarker = null;
        int totalVaults = 0;
        System.out.println("Your Amazon Glacier vaults:");
        try {
            while (!listComplete) {
                ListVaultsResponse response = null;
                if (newMarker != null) {
                    ListVaultsRequest request = ListVaultsRequest.builder()
                        .marker(newMarker)
                        .build();

                    response = glacier.listVaults(request);
                } else {
                    ListVaultsRequest request = ListVaultsRequest.builder()
                        .build();
                    response = glacier.listVaults(request);
                }

                List<DescribeVaultOutput> vaultList = response.vaultList();
                for (DescribeVaultOutput v : vaultList) {
                    totalVaults += 1;
                    System.out.println("* " + v.vaultName());
                }
            }
        }
    }
}
```

```
        newMarker = response.marker();
        if (newMarker == null) {
            listComplete = true;
        }
    }

    if (totalVaults == 0) {
        System.out.println("No vaults found.");
    }

} catch (GlacierException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}

}
```

- For API details, see [ListVaults](#) in *AWS SDK for Java 2.x API Reference*.

UploadArchive

The following code example shows how to use UploadArchive.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.glacier.GlacierClient;
import software.amazon.awssdk.services.glacier.model.UploadArchiveRequest;
import software.amazon.awssdk.services.glacier.model.UploadArchiveResponse;
import software.amazon.awssdk.services.glacier.model.GlacierException;
import java.io.File;
import java.nio.file.Path;
import java.nio.file.Paths;
import java.io.FileInputStream;
import java.io.IOException;
```

```
import java.security.MessageDigest;
import java.security.NoSuchAlgorithmException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class UploadArchive {

    static final int ONE_MB = 1024 * 1024;

    public static void main(String[] args) {
        final String usage = """
            Usage: <strPath> <vaultName>\s
            Where:
            strPath - The path to the archive to upload (for example, C:\\AWS\\test.pdf).
            vaultName - The name of the vault.
            """;
        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }

        String strPath = args[0];
        String vaultName = args[1];
        File myFile = new File(strPath);
        Path path = Paths.get(strPath);
        GlacierClient glacier = GlacierClient.builder()
            .region(Region.US_EAST_1)
            .build();

        String archiveId = uploadContent(glacier, path, vaultName, myFile);
        System.out.println("The ID of the archived item is " + archiveId);
        glacier.close();
    }
}
```

```
public static String uploadContent(GlacierClient glacier, Path path, String
vaultName, File myFile) {
    // Get an SHA-256 tree hash value.
    String checkVal = computeSHA256(myFile);
    try {
        UploadArchiveRequest uploadRequest = UploadArchiveRequest.builder()
            .vaultName(vaultName)
            .checksum(checkVal)
            .build();

        UploadArchiveResponse res = glacier.uploadArchive(uploadRequest, path);
        return res.archiveId();
    } catch (GlacierException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}

private static String computeSHA256(File inputFile) {
    try {
        byte[] treeHash = computeSHA256TreeHash(inputFile);
        System.out.printf("SHA-256 tree hash = %s\n", toHex(treeHash));
        return toHex(treeHash);

    } catch (IOException ioe) {
        System.err.format("Exception when reading from file %s: %s",
            inputFile, ioe.getMessage());
        System.exit(-1);

    } catch (NoSuchAlgorithmException nsae) {
        System.err.format("Cannot locate MessageDigest algorithm for SHA-256:
%s", nsae.getMessage());
        System.exit(-1);
    }
    return "";
}

public static byte[] computeSHA256TreeHash(File inputFile) throws IOException,
    NoSuchAlgorithmException {

    byte[][][] chunkSHA256Hashes = getChunkSHA256Hashes(inputFile);
    return computeSHA256TreeHash(chunkSHA256Hashes);
```

```
}

/**
 * Computes an SHA256 checksum for each 1 MB chunk of the input file. This
 * includes the checksum for the last chunk, even if it's smaller than 1 MB.
 */
public static byte[][] getChunkSHA256Hashes(File file) throws IOException,
    NoSuchAlgorithmException {

    MessageDigest md = MessageDigest.getInstance("SHA-256");
    long numChunks = file.length() / ONE_MB;
    if (file.length() % ONE_MB > 0) {
        numChunks++;
    }

    if (numChunks == 0) {
        return new byte[][] { md.digest() };
    }

    byte[][] chunkSHA256Hashes = new byte[(int) numChunks][];
    FileInputStream fileStream = null;

    try {
        fileStream = new FileInputStream(file);
        byte[] buff = new byte[ONE_MB];

        int bytesRead;
        int idx = 0;

        while ((bytesRead = fileStream.read(buff, 0, ONE_MB)) > 0) {
            md.reset();
            md.update(buff, 0, bytesRead);
            chunkSHA256Hashes[idx++] = md.digest();
        }

        return chunkSHA256Hashes;
    } finally {
        if (fileStream != null) {
            try {
                fileStream.close();
            } catch (IOException ioe) {
                System.err.printf("Exception while closing %s.\n %s",
file.getName(),
```

```
        ioe.getMessage());
    }
}
}

/**
 * Computes the SHA-256 tree hash for the passed array of 1 MB chunk
 * checksums.
 */
public static byte[] computeSHA256TreeHash(byte[][] chunkSHA256Hashes)
    throws NoSuchAlgorithmException {

    MessageDigest md = MessageDigest.getInstance("SHA-256");
    byte[][] prevLvlHashes = chunkSHA256Hashes;
    while (prevLvlHashes.length > 1) {
        int len = prevLvlHashes.length / 2;
        if (prevLvlHashes.length % 2 != 0) {
            len++;
        }

        byte[][] currLvlHashes = new byte[len][];
        int j = 0;
        for (int i = 0; i < prevLvlHashes.length; i = i + 2, j++) {

            // If there are at least two elements remaining.
            if (prevLvlHashes.length - i > 1) {

                // Calculate a digest of the concatenated nodes.
                md.reset();
                md.update(prevLvlHashes[i]);
                md.update(prevLvlHashes[i + 1]);
                currLvlHashes[j] = md.digest();

            } else { // Take care of the remaining odd chunk
                currLvlHashes[j] = prevLvlHashes[i];
            }
        }

        prevLvlHashes = currLvlHashes;
    }

    return prevLvlHashes[0];
}
```

```
/**  
 * Returns the hexadecimal representation of the input byte array  
 */  
public static String toHex(byte[] data) {  
    StringBuilder sb = new StringBuilder(data.length * 2);  
    for (byte datum : data) {  
        String hex = Integer.toHexString(datum & 0xFF);  
  
        if (hex.length() == 1) {  
            // Append leading zero.  
            sb.append("0");  
        }  
        sb.append(hex);  
    }  
    return sb.toString().toLowerCase();  
}  
}  
}
```

- For API details, see [UploadArchive](#) in *AWS SDK for Java 2.x API Reference*.

SageMaker AI examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with SageMaker AI.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello SageMaker AI

The following code examples show how to get started using SageMaker AI.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
  
public class HelloSageMaker {  
    public static void main(String[] args) {  
        Region region = Region.US_WEST_2;  
        SageMakerClient sageMakerClient = SageMakerClient.builder()  
            .region(region)  
            .build();  
  
        listBooks(sageMakerClient);  
        sageMakerClient.close();  
    }  
  
    public static void listBooks(SageMakerClient sageMakerClient) {  
        try {  
            ListNotebookInstancesResponse notebookInstancesResponse =  
sageMakerClient.listNotebookInstances();  
            List<NotebookInstanceSummary> items =  
notebookInstancesResponse.notebookInstances();  
            for (NotebookInstanceSummary item : items) {  
                System.out.println("The notebook name is: " +  
item.notebookInstanceName());  
            }  
  
        } catch (SageMakerException e) {  
            System.err.println(e.awsErrorDetails().errorMessage());  
            System.exit(1);  
        }  
    }  
}
```

```
    }  
}
```

- For API details, see [ListNotebookInstances](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Actions](#)
- [Scenarios](#)

Actions

CreatePipeline

The following code example shows how to use CreatePipeline.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
// Create a pipeline from the example pipeline JSON.  
public static void setupPipeline(SageMakerClient sageMakerClient, String  
filePath, String roleArn,  
        String functionArn, String pipelineName) {  
    System.out.println("Setting up the pipeline.");  
    JSONParser parser = new JSONParser();  
  
    // Read JSON and get pipeline definition.  
    try (FileReader reader = new FileReader(filePath)) {  
        Object obj = parser.parse(reader);  
        JSONObject jsonObject = (JSONObject) obj;  
        JSONArray stepsArray = (JSONArray) jsonObject.get("Steps");  
        for (Object stepObj : stepsArray) {  
            JSONObject step = (JSONObject) stepObj;  
            if (step.containsKey("FunctionArn")) {  
                step.put("FunctionArn", functionArn);  
            }  
        }  
    }  
}
```

```
        }
    }
    System.out.println(jsonObject);

    // Create the pipeline.
    CreatePipelineRequest pipelineRequest = CreatePipelineRequest.builder()
        .pipelineDescription("Java SDK example pipeline")
        .roleArn(roleArn)
        .pipelineName(pipelineName)
        .pipelineDefinition(jsonObject.toString())
        .build();

    sageMakerClient.createPipeline(pipelineRequest);

} catch (IamException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
} catch (IOException | ParseException e) {
    throw new RuntimeException(e);
}
}
```

- For API details, see [CreatePipeline](#) in *AWS SDK for Java 2.x API Reference*.

DeletePipeline

The following code example shows how to use DeletePipeline.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
// Delete a SageMaker pipeline by name.
public static void deletePipeline(SageMakerClient sageMakerClient, String
pipelineName) {
    DeletePipelineRequest pipelineRequest = DeletePipelineRequest.builder()
        .pipelineName(pipelineName)
```

```
        .build();

    sageMakerClient.deletePipeline(pipelineRequest);
    System.out.println("*** Successfully deleted " + pipelineName);
}
```

- For API details, see [DeletePipeline](#) in *AWS SDK for Java 2.x API Reference*.

DescribePipelineExecution

The following code example shows how to use `DescribePipelineExecution`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
// Check the status of a pipeline execution.
public static void waitForPipelineExecution(SageMakerClient sageMakerClient,
String executionArn)
    throws InterruptedException {
    String status;
    int index = 0;
    do {
        DescribePipelineExecutionRequest pipelineExecutionRequest =
DescribePipelineExecutionRequest.builder()
            .pipelineExecutionArn(executionArn)
            .build();

        DescribePipelineExecutionResponse response = sageMakerClient
            .describePipelineExecution(pipelineExecutionRequest);
        status = response.pipelineExecutionStatusAsString();
        System.out.println(index + ". The Status of the pipeline is " + status);
        TimeUnit.SECONDS.sleep(4);
        index++;
    } while ("Executing".equals(status));
    System.out.println("Pipeline finished with status " + status);
}
```

- For API details, see [DescribePipelineExecution](#) in *AWS SDK for Java 2.x API Reference*.

StartPipelineExecution

The following code example shows how to use StartPipelineExecution.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
// Start a pipeline run with job configurations.
public static String executePipeline(SageMakerClient sageMakerClient, String
bucketName, String queueUrl,
        String roleArn, String pipelineName) {
    System.out.println("Starting pipeline execution.");
    String inputBucketLocation = "s3://" + bucketName + "/samplefiles/
latlongtest.csv";
    String output = "s3://" + bucketName + "/outputfiles/";
    Gson gson = new GsonBuilder()
        .setFieldNamingPolicy(FieldNamingPolicy.UPPER_CAMEL_CASE)
        .setPrettyPrinting().create();

    // Set up all parameters required to start the pipeline.
    List<Parameter> parameters = new ArrayList<>();
    Parameter para1 = Parameter.builder()
        .name("parameter_execution_role")
        .value(roleArn)
        .build();

    Parameter para2 = Parameter.builder()
        .name("parameter_queue_url")
        .value(queueUrl)
        .build();

    String inputJSON = "{\n" +
        "  \"DataSourceConfig\": {\n" +
```

```
        "      \"S3Data\": {\n        \"S3Uri\": \"s3://" + bucketName + "/samplefiles/\nlatlongtest.csv\"\n        },\n        \"Type\": \"S3_DATA\"\n      },\n      \"DocumentType\": \"CSV\"\n    };\n\nSystem.out.println(inputJSON);\n\nParameter para3 = Parameter.builder()\n    .name("parameter_vej_input_config")\n    .value(inputJSON)\n    .build();\n\n// Create an ExportVectorEnrichmentJobOutputConfig object.\nVectorEnrichmentJobS3Data jobS3Data = VectorEnrichmentJobS3Data.builder()\n    .s3Uri(output)\n    .build();\n\nExportVectorEnrichmentJobOutputConfig outputConfig =\nExportVectorEnrichmentJobOutputConfig.builder()\n    .s3Data(jobS3Data)\n    .build();\n\nString gson4 = gson.toJson(outputConfig);\nParameter para4 = Parameter.builder()\n    .name("parameter_vej_export_config")\n    .value(gson4)\n    .build();\nSystem.out.println("parameter_vej_export_config:" +\ngson.toJson(outputConfig));\n\n// Create a VectorEnrichmentJobConfig object.\nReverseGeocodingConfig reverseGeocodingConfig =\nReverseGeocodingConfig.builder()\n    .xAttributeName("Longitude")\n    .yAttributeName("Latitude")\n    .build();\n\nVectorEnrichmentJobConfig jobConfig = VectorEnrichmentJobConfig.builder()\n    .reverseGeocodingConfig(reverseGeocodingConfig)\n    .build();
```

```
String para5JSON = "{\"MapMatchingConfig\":null,\"ReverseGeocodingConfig\":\":\n    {\\"XAttributeName\\\":\\\"Longitude\\\",\\\"YAttributeName\\\":\\\"Latitude\\\"}}\"};\n    Parameter para5 = Parameter.builder()\n        .name(\"parameter_step_1_vej_config\")\n        .value(para5JSON)\n        .build();\n\n    System.out.println(\"parameter_step_1_vej_config:\" + gson.toJson(jobConfig));\n    parameters.add(para1);\n    parameters.add(para2);\n    parameters.add(para3);\n    parameters.add(para4);\n    parameters.add(para5);\n\n    StartPipelineExecutionRequest pipelineExecutionRequest =\nStartPipelineExecutionRequest.builder()\n        .pipelineExecutionDescription(\"Created using Java SDK\")\n        .pipelineExecutionDisplayName(pipelineName + \"-example-execution\")\n        .pipelineParameters(parameters)\n        .pipelineName(pipelineName)\n        .build();\n\n    StartPipelineExecutionResponse response =\nsageMakerClient.startPipelineExecution(pipelineExecutionRequest);\n        return response.pipelineExecutionArn();\n    }
```

- For API details, see [StartPipelineExecution](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Get started with geospatial jobs and pipelines

The following code example shows how to:

- Set up resources for a pipeline.
- Set up a pipeline that executes a geospatial job.
- Start a pipeline execution.
- Monitor the status of the execution.

- View the output of the pipeline.
- Clean up resources.

For more information, see [Create and run SageMaker pipelines using AWS SDKs on Community.aws](#).

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public class SagemakerWorkflow {  
    public static final String DASHES = new String(new char[80]).replace("\0", "-");  
    private static String eventSourceMapping = "";  
  
    public static void main(String[] args) throws InterruptedException {  
        final String usage = "\n" +  
            "Usage:\n" +  
            "  <sageMakerRoleName> <lambdaRoleName> <functionFileLocation>  
<functionName> <queueName> <bucketName> <lnglatData> <spatialPipelinePath>  
<pipelineName>\n\n"  
            +  
            "Where:\n" +  
            "  sageMakerRoleName - The name of the Amazon SageMaker role.\n\n"  
        +  
            "  lambdaRoleName - The name of the AWS Lambda role.\n\n" +  
            "  functionFileLocation - The file location where the JAR file  
that represents the AWS Lambda function is located.\n\n"  
            +  
            "  functionName - The name of the AWS Lambda function (for  
example, SageMakerExampleFunction).\n\n" +  
            "  queueName - The name of the Amazon Simple Queue Service (Amazon  
SQS) queue.\n\n" +  
            "  bucketName - The name of the Amazon Simple Storage Service (Amazon  
S3) bucket.\n\n" +  
            "  lnglatData - The file location of the latlongtest.csv file  
required for this use case.\n\n" +
```

```
        "      spatialPipelinePath - The file location of the
GeoSpatialPipeline.json file required for this use case.\n\n"
        +
        "      pipelineName - The name of the pipeline to create (for example,
sagemaker-sdk-example-pipeline).\n\n";

    if (args.length != 9) {
        System.out.println(usage);
        System.exit(1);
    }

    String sageMakerRoleName = args[0];
    String lambdaRoleName = args[1];
    String functionFileLocation = args[2];
    String functionName = args[3];
    String queueName = args[4];
    String bucketName = args[5];
    String lnglatData = args[6];
    String spatialPipelinePath = args[7];
    String pipelineName = args[8];
    String handlerName = "org.example.SageMakerLambdaFunction::handleRequest";

    Region region = Region.US_WEST_2;
    SageMakerClient sageMakerClient = SageMakerClient.builder()
        .region(region)
        .build();

    IamClient iam = IamClient.builder()
        .region(region)
        .build();

    LambdaClient lambdaClient = LambdaClient.builder()
        .region(region)
        .build();

    SqsClient sqsClient = SqsClient.builder()
        .region(region)
        .build();

    S3Client s3Client = S3Client.builder()
        .region(region)
        .build();

    System.out.println(DASHES);
```

```
        System.out.println("Welcome to the Amazon SageMaker pipeline example scenario.");
        System.out.println(
            "\nThis example workflow will guide you through setting up and running an" +
                "\nAmazon SageMaker pipeline. The pipeline uses an AWS Lambda function and an" +
                    "\nAmazon SQS Queue. It runs a vector enrichment reverse geocode job to" +
                        "\nreverse geocode addresses in an input file and store the results in an export file.");
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("First, we will set up the roles, functions, and queue needed by the SageMaker pipeline.");
        String lambdaRoleArn = checkLambdaRole(iam, lambdaRoleName);
        String sageMakerRoleArn = checkSageMakerRole(iam, sageMakerRoleName);

        String functionArn = checkFunction(lambdaClient, functionName,
functionFileLocation, lambdaRoleArn,
            handlerName);
        String queueUrl = checkQueue(sqsClient, lambdaClient, queueName,
functionName);
        System.out.println("The queue URL is " + queueUrl);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("Setting up bucket " + bucketName);
        if (!checkBucket(s3Client, bucketName)) {
            setupBucket(s3Client, bucketName);
            System.out.println("Put " + lnglatData + " into " + bucketName);
            putS3Object(s3Client, bucketName, "latlongtest.csv", lnglatData);
        }
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("Now we can create and run our pipeline.");
        setupPipeline(sageMakerClient, spatialPipelinePath, sageMakerRoleArn,
functionArn, pipelineName);
        String pipelineExecutionARN = executePipeline(sageMakerClient, bucketName,
queueUrl, sageMakerRoleArn,
            pipelineName);
```

```
        System.out.println("The pipeline execution ARN value is " +
pipelineExecutionARN);
        waitForPipelineExecution(sageMakerClient, pipelineExecutionARN);
        System.out.println("Getting output results " + bucketName);
        getOutputResults(s3Client, bucketName);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("The pipeline has completed. To view the pipeline and
runs " +
                "in SageMaker Studio, follow these instructions:" +
                "\nhttps://docs.aws.amazon.com/sagemaker/latest/dg/pipelines-studio.html");
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("Do you want to delete the AWS resources used in this
Workflow? (y/n)");
        Scanner in = new Scanner(System.in);
        String delResources = in.nextLine();
        if (delResources.compareTo("y") == 0) {
            System.out.println("Lets clean up the AWS resources. Wait 30 seconds");
            TimeUnit.SECONDS.sleep(30);
            deleteEventSourceMapping(lambdaClient);
            deleteSQSQueue(sqsClient, queueName);
            listBucketObjects(s3Client, bucketName);
            deleteBucket(s3Client, bucketName);
            deleteLambdaFunction(lambdaClient, functionName);
            deleteLambdaRole(iam, lambdaRoleName);
            deleteSagemakerRole(iam, sageMakerRoleName);
            deletePipeline(sageMakerClient, pipelineName);
        } else {
            System.out.println("The AWS Resources were not deleted!");
        }
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("SageMaker pipeline scenario is complete.");
        System.out.println(DASHES);
    }

private static void readObject(S3Client s3Client, String bucketName, String key)
{
    System.out.println("Output file contents: \n");
```

```
GetObjectRequest objectRequest = GetObjectRequest.builder()
    .bucket(bucketName)
    .key(key)
    .build();

    ResponseBytes<GetObjectResponse> objectBytes =
s3Client.getObjectAsBytes(objectRequest);
    byte[] byteArray = objectBytes.asByteArray();
    String text = new String(byteArray, StandardCharsets.UTF_8);
    System.out.println("Text output: " + text);
}

// Display some results from the output directory.
public static void getOutputResults(S3Client s3Client, String bucketName) {
    System.out.println("Getting output results {bucketName}.");
    ListObjectsRequest listObjectsRequest = ListObjectsRequest.builder()
        .bucket(bucketName)
        .prefix("outputfiles/")
        .build();

    ListObjectsResponse response = s3Client.listObjects(listObjectsRequest);
    List<S3Object> s3Objects = response.contents();
    for (S3Object object : s3Objects) {
        readObject(s3Client, bucketName, object.key());
    }
}

// Check the status of a pipeline execution.
public static void waitForPipelineExecution(SageMakerClient sageMakerClient,
String executionArn)
    throws InterruptedException {
    String status;
    int index = 0;
    do {
        DescribePipelineExecutionRequest pipelineExecutionRequest =
DescribePipelineExecutionRequest.builder()
            .pipelineExecutionArn(executionArn)
            .build();

        DescribePipelineExecutionResponse response = sageMakerClient
            .describePipelineExecution(pipelineExecutionRequest);
        status = response.pipelineExecutionStatusAsString();
        System.out.println(index + ". The Status of the pipeline is " + status);
        TimeUnit.SECONDS.sleep(4);
    }
}
```

```
        index++;
    } while ("Executing".equals(status));
    System.out.println("Pipeline finished with status " + status);
}

// Delete a SageMaker pipeline by name.
public static void deletePipeline(SageMakerClient sageMakerClient, String
pipelineName) {
    DeletePipelineRequest pipelineRequest = DeletePipelineRequest.builder()
        .pipelineName(pipelineName)
        .build();

    sageMakerClient.deletePipeline(pipelineRequest);
    System.out.println("*** Successfully deleted " + pipelineName);
}

// Create a pipeline from the example pipeline JSON.
public static void setupPipeline(SageMakerClient sageMakerClient, String
filePath, String roleArn,
        String functionArn, String pipelineName) {
    System.out.println("Setting up the pipeline.");
    JSONParser parser = new JSONParser();

    // Read JSON and get pipeline definition.
    try (FileReader reader = new FileReader(filePath)) {
        Object obj = parser.parse(reader);
        JSONObject jsonObject = (JSONObject) obj;
        JSONArray stepsArray = (JSONArray) jsonObject.get("Steps");
        for (Object stepObj : stepsArray) {
            JSONObject step = (JSONObject) stepObj;
            if (step.containsKey("FunctionArn")) {
                step.put("FunctionArn", functionArn);
            }
        }
        System.out.println(jsonObject);

        // Create the pipeline.
        CreatePipelineRequest pipelineRequest = CreatePipelineRequest.builder()
            .pipelineDescription("Java SDK example pipeline")
            .roleArn(roleArn)
            .pipelineName(pipelineName)
            .pipelineDefinition(jsonObject.toString())
            .build();
    }
}
```

```
sageMakerClient.createPipeline(pipelineRequest);

} catch (IamException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
} catch (IOException | ParseException e) {
    throw new RuntimeException(e);
}

}

// Start a pipeline run with job configurations.
public static String executePipeline(SageMakerClient sageMakerClient, String
bucketName, String queueUrl,
        String roleArn, String pipelineName) {
    System.out.println("Starting pipeline execution.");
    String inputBucketLocation = "s3://" + bucketName + "/samplefiles/
latlongtest.csv";
    String output = "s3://" + bucketName + "/outputfiles/";
    Gson gson = new GsonBuilder()
        .setFieldNamingPolicy(FieldNamingPolicy.UPPER_CAMEL_CASE)
        .setPrettyPrinting().create();

    // Set up all parameters required to start the pipeline.
    List<Parameter> parameters = new ArrayList<>();
    Parameter para1 = Parameter.builder()
        .name("parameter_execution_role")
        .value(roleArn)
        .build();

    Parameter para2 = Parameter.builder()
        .name("parameter_queue_url")
        .value(queueUrl)
        .build();

    String inputJSON = "{\n" +
        "  \"DataSourceConfig\": {\n" +
        "    \"S3Data\": {\n" +
        "      \"S3Uri\": \"s3://" + bucketName + "/samplefiles/
latlongtest.csv\"\n" +
        "    },\n" +
        "    \"Type\": \"S3_DATA\"\n" +
        "  },\n" +
        "  \"DocumentType\": \"CSV\"\n" +
    "}";
}
```

```
System.out.println(inputJSON);

Parameter para3 = Parameter.builder()
    .name("parameter_vej_input_config")
    .value(inputJSON)
    .build();

// Create an ExportVectorEnrichmentJobOutputConfig object.
VectorEnrichmentJobS3Data jobS3Data = VectorEnrichmentJobS3Data.builder()
    .s3Uri(output)
    .build();

ExportVectorEnrichmentJobOutputConfig outputConfig =
ExportVectorEnrichmentJobOutputConfig.builder()
    .s3Data(jobS3Data)
    .build();

String gson4 = gson.toJson(outputConfig);
Parameter para4 = Parameter.builder()
    .name("parameter_vej_export_config")
    .value(gson4)
    .build();
System.out.println("parameter_vej_export_config:" +
gson.toJson(outputConfig));

// Create a VectorEnrichmentJobConfig object.
ReverseGeocodingConfig reverseGeocodingConfig =
ReverseGeocodingConfig.builder()
    .xAttributeName("Longitude")
    .yAttributeName("Latitude")
    .build();

VectorEnrichmentJobConfig jobConfig = VectorEnrichmentJobConfig.builder()
    .reverseGeocodingConfig(reverseGeocodingConfig)
    .build();

String para5JSON = "{\"MapMatchingConfig\":null,\"ReverseGeocodingConfig\":
{\\"XAttributeName\":\"Longitude\",\"YAttributeName\":\"Latitude\"}}";
Parameter para5 = Parameter.builder()
    .name("parameter_step_1_vej_config")
    .value(para5JSON)
    .build();
```

```
System.out.println("parameter_step_1_vej_config:" + gson.toJson(jobConfig));
parameters.add(para1);
parameters.add(para2);
parameters.add(para3);
parameters.add(para4);
parameters.add(para5);

StartPipelineExecutionRequest pipelineExecutionRequest =
StartPipelineExecutionRequest.builder()
    .pipelineExecutionDescription("Created using Java SDK")
    .pipelineExecutionDisplayName(pipelineName + "-example-execution")
    .pipelineParameters(parameters)
    .pipelineName(pipelineName)
    .build();

StartPipelineExecutionResponse response =
sageMakerClient.startPipelineExecution(pipelineExecutionRequest);
    return response.pipelineExecutionArn();
}

public static void deleteEventSourceMapping(LambdaClient lambdaClient) {
    DeleteEventSourceMappingRequest eventSourceMappingRequest =
DeleteEventSourceMappingRequest.builder()
    .uuid(eventSourceMapping)
    .build();

    lambdaClient.deleteEventSourceMapping(eventSourceMappingRequest);
}

public static void deleteSagemakerRole(IamClient iam, String roleName) {
    String[] sageMakerRolePolicies = getSageMakerRolePolicies();
    try {
        for (String policy : sageMakerRolePolicies) {
            // First the policy needs to be detached.
            DetachRolePolicyRequest rolePolicyRequest =
DetachRolePolicyRequest.builder()
            .policyArn(policy)
            .roleName(roleName)
            .build();

            iam.detachRolePolicy(rolePolicyRequest);
        }
    }

    // Delete the role.
}
```

```
        DeleteRoleRequest roleRequest = DeleteRoleRequest.builder()
            .roleName(roleName)
            .build();

        iam.deleteRole(roleRequest);
        System.out.println("*** Successfully deleted " + roleName);

    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

public static void deleteLambdaRole(IamClient iam, String roleName) {
    String[] lambdaRolePolicies = getLambdaRolePolicies();
    try {
        for (String policy : lambdaRolePolicies) {
            // First the policy needs to be detached.
            DetachRolePolicyRequest rolePolicyRequest =
DetachRolePolicyRequest.builder()
            .policyArn(policy)
            .roleName(roleName)
            .build();

            iam.detachRolePolicy(rolePolicyRequest);
        }

        // Delete the role.
        DeleteRoleRequest roleRequest = DeleteRoleRequest.builder()
            .roleName(roleName)
            .build();

        iam.deleteRole(roleRequest);
        System.out.println("*** Successfully deleted " + roleName);

    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

// Delete the specific AWS Lambda function.
public static void deleteLambdaFunction(LambdaClient awsLambda, String
functionName) {
```

```
try {
    DeleteFunctionRequest request = DeleteFunctionRequest.builder()
        .functionName(functionName)
        .build();

    awsLambda.deleteFunction(request);
    System.out.println("**** " + functionName + " was deleted");

} catch (LambdaException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}

// Delete the specific S3 bucket.
public static void deleteBucket(S3Client s3Client, String bucketName) {
    DeleteBucketRequest deleteBucketRequest = DeleteBucketRequest.builder()
        .bucket(bucketName)
        .build();
    s3Client.deleteBucket(deleteBucketRequest);
    System.out.println("**** " + bucketName + " was deleted.");
}

public static void listBucketObjects(S3Client s3, String bucketName) {
    try {
        ListObjectsRequest listObjects = ListObjectsRequest
            .builder()
            .bucket(bucketName)
            .build();

        ListObjectsResponse res = s3.listObjects(listObjects);
        List<S3Object> objects = res.contents();
        for (S3Object myValue : objects) {
            System.out.print("\n The name of the key is " + myValue.key());
            deleteBucketObjects(s3, bucketName, myValue.key());
        }
    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

```
public static void deleteBucketObjects(S3Client s3, String bucketName, String
objectName) {
    ArrayList<ObjectIdentifier> toDelete = new ArrayList<>();
    toDelete.add(ObjectIdentifier.builder()
        .key(objectName)
        .build());
    try {
        DeleteObjectsRequest dor = DeleteObjectsRequest.builder()
            .bucket(bucketName)
            .delete(Delete.builder()
                .objects(toDelete).build())
            .build();

        s3.deleteObjects(dor);
        System.out.println("*** " + bucketName + " objects were deleted.");
    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

// Delete the specific Amazon SQS queue.
public static void deleteSQSQueue(SqsClient sqsClient, String queueName) {
    try {
        GetQueueUrlRequest getQueueRequest = GetQueueUrlRequest.builder()
            .queueName(queueName)
            .build();

        String queueUrl = sqsClient.getQueueUrl(getQueueRequest).queueUrl();
        DeleteQueueRequest deleteQueueRequest = DeleteQueueRequest.builder()
            .queueUrl(queueUrl)
            .build();

        sqsClient.deleteQueue(deleteQueueRequest);

    } catch (SqsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

public static void putS3Object(S3Client s3, String bucketName, String objectKey,
String objectPath) {
```

```
try {
    Map<String, String> metadata = new HashMap<>();
    metadata.put("x-amz-meta-myVal", "test");
    PutObjectRequest putOb = PutObjectRequest.builder()
        .bucket(bucketName)
        .key("samplefiles/" + objectKey)
        .metadata(metadata)
        .build();

    s3.putObject(putOb, RequestBody.fromFile(new File(objectPath)));
    System.out.println("Successfully placed " + objectKey + " into bucket "
+ bucketName);

} catch (S3Exception e) {
    System.err.println(e.getMessage());
    System.exit(1);
}

}

public static void setupBucket(S3Client s3Client, String bucketName) {
    try {
        S3Waiter s3Waiter = s3Client.waiter();
        CreateBucketRequest bucketRequest = CreateBucketRequest.builder()
            .bucket(bucketName)
            .build();

        s3Client.createBucket(bucketRequest);
        HeadBucketRequest bucketRequestWait = HeadBucketRequest.builder()
            .bucket(bucketName)
            .build();

        // Wait until the bucket is created and print out the response.
        WaiterResponse<HeadBucketResponse> waiterResponse =
s3Waiter.waitUntilBucketExists(bucketRequestWait);
        waiterResponse.matched().response().ifPresent(System.out::println);
        System.out.println(bucketName + " is ready");

    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }

}

// Set up the SQS queue to use with the pipeline.
```

```
public static String setupQueue(SqsClient sqsClient, LambdaClient lambdaClient,
String queueName,
    String lambdaName) {
    System.out.println("Setting up queue named " + queueName);
    try {
        Map<QueueAttributeName, String> queueAtt = new HashMap<>();
        queueAtt.put(QueueAttributeName.DELAY_SECONDS, "5");
        queueAtt.put(QueueAttributeName.RECEIVE_MESSAGE_WAIT_TIME_SECONDS, "5");
        queueAtt.put(QueueAttributeName.VISIBILITY_TIMEOUT, "300");
        CreateQueueRequest createQueueRequest = CreateQueueRequest.builder()
            .queueName(queueName)
            .attributes(queueAtt)
            .build();

        sqsClient.createQueue(createQueueRequest);
        System.out.println("\nGet queue url");
        GetQueueUrlResponse getQueueUrlResponse = sqsClient
            .getQueueUrl(GetQueueUrlRequest.builder().queueName(queueName).build());
        TimeUnit.SECONDS.sleep(15);

        connectLambda(sqsClient, lambdaClient, getQueueUrlResponse.queueUrl(),
lambdaName);
        System.out.println("Queue ready with Url " +
getQueueUrlResponse.queueUrl());
        return getQueueUrlResponse.queueUrl();

    } catch (SqsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    } catch (InterruptedException e) {
        throw new RuntimeException(e);
    }
    return "";
}

// Connect the queue to the Lambda function as an event source.
public static void connectLambda(SqsClient sqsClient, LambdaClient lambdaClient,
String queueUrl,
    String lambdaName) {
    System.out.println("Connecting the Lambda function and queue for the
pipeline.");
    String queueArn = "";
```

```
// Specify the attributes to retrieve.  
List<QueueAttributeName> atts = new ArrayList<>();  
atts.add(QueueAttributeName.QUEUE_ARN);  
GetQueueAttributesRequest attributesRequest =  
GetQueueAttributesRequest.builder()  
    .queueUrl(queueUrl)  
    .attributeNames(atts)  
    .build();  
  
GetQueueAttributesResponse response =  
sqSClient.getQueueAttributes(attributesRequest);  
Map<String, String> queueAtts = response.attributesAsStrings();  
for (Map.Entry<String, String> queueAtt : queueAtts.entrySet()) {  
    System.out.println("Key = " + queueAtt.getKey() + ", Value = " +  
queueAtt.getValue());  
    queueArn = queueAtt.getValue();  
}  
  
CreateEventSourceMappingRequest eventSourceMappingRequest =  
CreateEventSourceMappingRequest.builder()  
    .eventSourceArn(queueArn)  
    .functionName(lambdaName)  
    .build();  
  
CreateEventSourceMappingResponse response1 =  
lambdaClient.createEventSourceMapping(eventSourceMappingRequest);  
eventSourceMapping = response1.uuid();  
System.out.println("The mapping between the event source and Lambda function  
was successful");  
}  
  
// Create an AWS Lambda function.  
public static String createLambdaFunction(LambdaClient awsLambda, String  
functionName, String filePath, String role,  
    String handler) {  
try {  
    LambdaWaiter waiter = awsLambda.waiter();  
    InputStream is = new FileInputStream(filePath);  
    SdkBytes fileToUpload = SdkBytes.fromInputStream(is);  
    FunctionCode code = FunctionCode.builder()  
        .zipFile(fileToUpload)  
        .build();  
  
CreateFunctionRequest functionRequest = CreateFunctionRequest.builder()
```

```
.functionName(functionName)
.description("SageMaker example function.")
.code(code)
.handler(handler)
.runtime(Runtime.JAVA11)
.timeout(200)
.memorySize(1024)
.role(role)
.build();

// Create a Lambda function using a waiter.
CreateFunctionResponse functionResponse =
awsLambda.createFunction(functionRequest);
GetFunctionRequest getFunctionRequest = GetFunctionRequest.builder()
    .functionName(functionName)
    .build();
WaiterResponse<GetFunctionResponse> waiterResponse =
waiter.waitUntilFunctionExists(getFunctionRequest);
waiterResponse.matched().response().ifPresent(System.out::println);
System.out.println("The function ARN is " +
functionResponse.functionArn());
return functionResponse.functionArn();

} catch (LambdaException | FileNotFoundException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
return "";
}

public static String createSageMakerRole(IamClient iam, String roleName) {
String[] sageMakerRolePolicies = getSageMakerRolePolicies();
System.out.println("Creating a role to use with SageMaker.");
String assumeRolePolicy = "{" +
    "\"Version\": \"2012-10-17\", " +
    "\"Statement\": [{" +
        "\"Effect\": \"Allow\", " +
        "\"Principal\": {" +
            "\"Service\": [" +
                "\"sagemaker.amazonaws.com\", " +
                "\"sagemaker-geospatial.amazonaws.com\", " +
                "\"lambda.amazonaws.com\", " +
                "\"s3.amazonaws.com\"" +
            "]"
    }
}
```

```
        "}, " +
        "\"Action\": \"sts:AssumeRole\""
    "]}" +
    "}";

try {
    CreateRoleRequest request = CreateRoleRequest.builder()
        .roleName(roleName)
        .assumeRolePolicyDocument(assumeRolePolicy)
        .description("Created using the AWS SDK for Java")
        .build();

    CreateRoleResponse roleResult = iam.createRole(request);

    // Attach the policies to the role.
    for (String policy : sageMakerRolePolicies) {
        AttachRolePolicyRequest attachRequest =
AttachRolePolicyRequest.builder()
        .roleName(roleName)
        .policyArn(policy)
        .build();

        iam.attachRolePolicy(attachRequest);
    }

    // Allow time for the role to be ready.
    TimeUnit.SECONDS.sleep(15);
    System.out.println("Role ready with ARN " + roleResult.role().arn());
    return roleResult.role().arn();
}

} catch (IamException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
} catch (InterruptedException e) {
    throw new RuntimeException(e);
}
return "";
}

private static String createLambdaRole(IamClient iam, String roleName) {
    String[] lambdaRolePolicies = getLambdaRolePolicies();
    String assumeRolePolicy = "{" +
        "\"Version\": \"2012-10-17\"," +
        "\"Statement\": [{" +
```

```
    "\"Effect\": \"Allow\", " +
    "\"Principal\": {" +
    "\"Service\": [" +
    "\"sagemaker.amazonaws.com\", " +
    "\"sagemaker-geospatial.amazonaws.com\", " +
    "\"lambda.amazonaws.com\", " +
    "\"s3.amazonaws.com\"" +
    "]" +
    "}, " +
    "\"Action\": \"sts:AssumeRole\"" +
    "}" +
    "}";

try {
    CreateRoleRequest request = CreateRoleRequest.builder()
        .roleName(roleName)
        .assumeRolePolicyDocument(assumeRolePolicy)
        .description("Created using the AWS SDK for Java")
        .build();

    CreateRoleResponse roleResult = iam.createRole(request);

    // Attach the policies to the role.
    for (String policy : lambdaRolePolicies) {
        AttachRolePolicyRequest attachRequest =
AttachRolePolicyRequest.builder()
            .roleName(roleName)
            .policyArn(policy)
            .build();

        iam.attachRolePolicy(attachRequest);
    }

    // Allow time for the role to be ready.
    TimeUnit.SECONDS.sleep(15);
    System.out.println("Role ready with ARN " + roleResult.role().arn());
    return roleResult.role().arn();
}

} catch (IamException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
}

} catch (InterruptedException e) {
    throw new RuntimeException(e);
}
```

```
        return "";
    }

    public static String checkFunction(LambdaClient lambdaClient, String
functionName, String filePath, String role,
        String handler) {
    System.out.println("Create an AWS Lambda function used in this workflow.");
    String functionArn;
    try {
        // Does this function already exist.
        GetFunctionRequest functionRequest = GetFunctionRequest.builder()
            .functionName(functionName)
            .build();

        GetFunctionResponse response =
lambdaClient.getFunction(functionRequest);
        functionArn = response.configuration().functionArn();

    } catch (LambdaException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        functionArn = createLambdaFunction(lambdaClient, functionName, filePath,
role, handler);
    }
    return functionArn;
}

// Check to see if the specific S3 bucket exists. If the S3 bucket exists, this
// method returns true.
public static boolean checkBucket(S3Client s3, String bucketName) {
    try {
        HeadBucketRequest headBucketRequest = HeadBucketRequest.builder()
            .bucket(bucketName)
            .build();

        s3.headBucket(headBucketRequest);
        System.out.println(bucketName + " exists");
        return true;

    } catch (S3Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
    }
    return false;
}
```

```
// Checks to see if the Amazon SQS queue exists. If not, this method creates a
// new queue
// and returns the ARN value.
public static String checkQueue(SqsClient sqsClient, LambdaClient lambdaClient,
String queueName,
    String lambdaName) {
    System.out.println("Creating a queue for this use case.");
    String queueUrl;
    try {
        GetQueueUrlRequest request = GetQueueUrlRequest.builder()
            .queueName(queueName)
            .build();

        GetQueueUrlResponse response = sqsClient.getQueueUrl(request);
        queueUrl = response.queueUrl();
        System.out.println(queueUrl);

    } catch (SqsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        queueUrl = setupQueue(sqsClient, lambdaClient, queueName, lambdaName);
    }
    return queueUrl;
}

// Checks to see if the Lambda role exists. If not, this method creates it.
public static String checkLambdaRole(IamClient iam, String roleName) {
    System.out.println("Creating a role to for AWS Lambda to use.");
    String roleArn;
    try {
        GetRoleRequest roleRequest = GetRoleRequest.builder()
            .roleName(roleName)
            .build();

        GetRoleResponse response = iam.getRole(roleRequest);
        roleArn = response.role().arn();
        System.out.println(roleArn);

    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        roleArn = createLambdaRole(iam, roleName);
    }
    return roleArn;
}
```

```
// Checks to see if the SageMaker role exists. If not, this method creates it.
public static String checkSageMakerRole(IamClient iam, String roleName) {
    System.out.println("Creating a role to for AWS SageMaker to use.");
    String roleArn;
    try {
        GetRoleRequest roleRequest = GetRoleRequest.builder()
            .roleName(roleName)
            .build();

        GetRoleResponse response = iam.getRole(roleRequest);
        roleArn = response.role().arn();
        System.out.println(roleArn);

    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        roleArn = createSageMakerRole(iam, roleName);
    }
    return roleArn;
}

private static String[] getSageMakerRolePolicies() {
    String[] sageMakerRolePolicies = new String[3];
    sageMakerRolePolicies[0] = "arn:aws:iam::aws:policy/
AmazonSageMakerFullAccess";
    sageMakerRolePolicies[1] = "arn:aws:iam::aws:policy/" +
"AmazonSageMakerGeospatialFullAccess";
    sageMakerRolePolicies[2] = "arn:aws:iam::aws:policy/AmazonSQSFullAccess";
    return sageMakerRolePolicies;
}

private static String[] getLambdaRolePolicies() {
    String[] lambdaRolePolicies = new String[5];
    lambdaRolePolicies[0] = "arn:aws:iam::aws:policy/AmazonSageMakerFullAccess";
    lambdaRolePolicies[1] = "arn:aws:iam::aws:policy/AmazonSQSFullAccess";
    lambdaRolePolicies[2] = "arn:aws:iam::aws:policy/service-role/" +
"AmazonSageMakerGeospatialFullAccess";
    lambdaRolePolicies[3] = "arn:aws:iam::aws:policy/service-role/" +
        "AmazonSageMakerServiceCatalogProductsLambdaServiceRolePolicy";
    lambdaRolePolicies[4] = "arn:aws:iam::aws:policy/service-role/" +
"AWSLambdaSQSQueueExecutionRole";
    return lambdaRolePolicies;
}
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.
 - [CreatePipeline](#)
 - [DeletePipeline](#)
 - [DescribePipelineExecution](#)
 - [StartPipelineExecution](#)
 - [UpdatePipeline](#)

Secrets Manager examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Secrets Manager.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)

Actions

GetSecretValue

The following code example shows how to use GetSecretValue.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.secretsmanager.SecretsManagerClient;
import software.amazon.awssdk.services.secretsmanager.model.GetSecretValueRequest;
import software.amazon.awssdk.services.secretsmanager.model.GetSecretValueResponse;
import software.amazon.awssdk.services.secretsmanager.model.SecretsManagerException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 *
 * We recommend that you cache your secret values by using client-side caching.
 *
 * Caching secrets improves speed and reduces your costs. For more information,
 * see the following documentation topic:
 *
 * https://docs.aws.amazon.com/secretsmanager/latest/userguide/retrieving-secrets.html
 */
public class GetSecretValue {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <secretName>\s
            Where:
            secretName - The name of the secret (for example, tutorials/
MyFirstSecret).\s
            """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String secretName = args[0];
        Region region = Region.US_EAST_1;
        SecretsManagerClient secretsClient = SecretsManagerClient.builder()
            .region(region)
```

```
        .build();

    getValue(secretsClient, secretName);
    secretsClient.close();
}

public static void getValue(SecretsManagerClient secretsClient, String
secretName) {
    try {
        GetSecretValueRequest valueRequest = GetSecretValueRequest.builder()
            .secretId(secretName)
            .build();

        GetSecretValueResponse valueResponse =
secretsClient.getSecretValue(valueRequest);
        String secret = valueResponse.secretString();
        System.out.println(secret);

    } catch (SecretsManagerException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [GetSecretValue](#) in *AWS SDK for Java 2.x API Reference*.

Amazon SES examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon SES.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)
- [Scenarios](#)

Actions

ListIdentities

The following code example shows how to use `ListIdentities`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ses.SesClient;
import software.amazon.awssdk.services.ses.model.ListIdentitiesResponse;
import software.amazon.awssdk.services.ses.model.SesException;
import java.io.IOException;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ListIdentities {

    public static void main(String[] args) throws IOException {
        Region region = Region.US_WEST_2;
        SesClient client = SesClient.builder()
            .region(region)
            .build();
```

```
        listSESIentities(client);
    }

    public static void listSESIentities(SesClient client) {
        try {
            ListIdentitiesResponse identitiesResponse = client.listIdentities();
            List<String> identities = identitiesResponse.identities();
            for (String identity : identities) {
                System.out.println("The identity is " + identity);
            }
        } catch (SesException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
}
```

- For API details, see [ListIdentities](#) in *AWS SDK for Java 2.x API Reference*.

ListTemplates

The following code example shows how to use `ListTemplates`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sesv2.SesV2Client;
import software.amazon.awssdk.services.sesv2.model.ListEmailTemplatesRequest;
import software.amazon.awssdk.services.sesv2.model.ListEmailTemplatesResponse;
import software.amazon.awssdk.services.sesv2.model.SesV2Exception;

public class ListTemplates {

    public static void main(String[] args) {
```

```
Region region = Region.US_EAST_1;
SesV2Client sesv2Client = SesV2Client.builder()
    .region(region)
    .build();

listAllTemplates(sesv2Client);
}

public static void listAllTemplates(SesV2Client sesv2Client) {
    try {
        ListEmailTemplatesRequest templatesRequest =
ListEmailTemplatesRequest.builder()
            .pageSize(1)
            .build();

        ListEmailTemplatesResponse response =
sesv2Client.listEmailTemplates(templatesRequest);
        response.templatesMetadata()
            .forEach(template -> System.out.println("Template name: " +
template.templateName()));

    } catch (SesV2Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [ListTemplates](#) in *AWS SDK for Java 2.x API Reference*.

SendEmail

The following code example shows how to use SendEmail.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ses.SesClient;
import software.amazon.awssdk.services.ses.model.Content;
import software.amazon.awssdk.services.ses.model.Destination;
import software.amazon.awssdk.services.ses.model.Message;
import software.amazon.awssdk.services.ses.model.Body;
import software.amazon.awssdk.services.ses.model.SendEmailRequest;
import software.amazon.awssdk.services.ses.model.SesException;

import javax.mail.MessagingException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class SendMessageEmailRequest {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <sender> <recipient> <subject>\n
            Where:
            sender - An email address that represents the sender.\n
            recipient - An email address that represents the recipient.\n
            subject - The subject line.\n
            """;
        if (args.length != 3) {
            System.out.println(usage);
            System.exit(1);
        }
        String sender = args[0];
        String recipient = args[1];
        String subject = args[2];
        Region region = Region.US_EAST_1;
        SesClient client = SesClient.builder()
```

```
.region(region)
.build();

// The HTML body of the email.
String bodyHTML = "<html>" + "<head></head>" + "<body>" + "<h1>Hello!</h1>" +
    "<p> See the list of customers.</p>" + "</body>" + "</html>";

try {
    send(client, sender, recipient, subject, bodyHTML);
    client.close();
    System.out.println("Done");
}

} catch (MessagingException e) {
    e.printStackTrace();
}
}

public static void send(SesClient client,
    String sender,
    String recipient,
    String subject,
    String bodyHTML) throws MessagingException {

    Destination destination = Destination.builder()
        .toAddresses(recipient)
        .build();

    Content content = Content.builder()
        .data(bodyHTML)
        .build();

    Content sub = Content.builder()
        .data(subject)
        .build();

    Body body = Body.builder()
        .html(content)
        .build();

    Message msg = Message.builder()
        .subject(sub)
        .body(body)
        .build();
}
```

```
        SendEmailRequest emailRequest = SendEmailRequest.builder()
            .destination(destination)
            .message(msg)
            .source(sender)
            .build();

        try {
            System.out.println("Attempting to send an email through Amazon SES " +
"using the AWS SDK for Java...\"");
            client.sendEmail(emailRequest);

        } catch (SesException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }

import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ses.SesClient;
import javax.activation.DataHandler;
import javax.activation.DataSource;
import javax.mail.Message;
import javax.mail.MessagingException;
import javax.mail.Session;
import javax.mail.internet.AddressException;
import javax.mail.internet.InternetAddress;
import javax.mail.internet.MimeMessage;
import javax.mail.internet.MimeMultipart;
import javax.mail.internet.MimeBodyPart;
import javax.mail.util.ByteArrayDataSource;
import java.io.ByteArrayOutputStream;
import java.io.IOException;
import java.nio.ByteBuffer;
import java.nio.file.Files;
import java.util.Properties;
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.services.ses.model.SendRawEmailRequest;
import software.amazon.awssdk.services.ses.model.RawMessage;
import software.amazon.awssdk.services.ses.model.SesException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
```

```
*  
* For more information, see the following documentation topic:  
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
  
public class SendMessageAttachment {  
    public static void main(String[] args) throws IOException {  
        final String usage = """  
  
            Usage:  
                <sender> <recipient> <subject> <fileLocation>\s  
  
            Where:  
                sender - An email address that represents the sender.\s  
                recipient - An email address that represents the recipient.\s  
                subject - The subject line.\s  
                fileLocation - The location of a Microsoft Excel file to use as  
an attachment (C:/AWS/customers.xls).\s  
                """;  
  
        if (args.length != 4) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String sender = args[0];  
        String recipient = args[1];  
        String subject = args[2];  
        String fileLocation = args[3];  
  
        // The email body for recipients with non-HTML email clients.  
        String bodyText = "Hello,\r\n" + "Please see the attached file for a list "  
            + "of customers to contact.";  
  
        // The HTML body of the email.  
        String bodyHTML = "<html>" + "<head></head>" + "<body>" + "<h1>Hello!</h1>"  
            + "<p>Please see the attached file for a " + "list of customers to  
contact.</p>" + "</body>"  
            + "</html>";  
  
        Region region = Region.US_WEST_2;  
        SesClient client = SesClient.builder()  
            .region(region)
```

```
        .build();

    try {
        sendemailAttachment(client, sender, recipient, subject, bodyText,
bodyHTML, fileLocation);
        client.close();
        System.out.println("Done");

    } catch (IOException | MessagingException e) {
        e.printStackTrace();
    }
}

public static void sendemailAttachment(SesClient client,
    String sender,
    String recipient,
    String subject,
    String bodyText,
    String bodyHTML,
    String fileLocation) throws AddressException, MessagingException,
IOException {

    java.io.File theFile = new java.io.File(fileLocation);
    byte[] fileContent = Files.readAllBytes(theFile.toPath());

    Session session = Session.getDefaultInstance(new Properties());

    // Create a new MimeMessage object.
    MimeMessage message = new MimeMessage(session);

    // Add subject, from and to lines.
    message.setSubject(subject, "UTF-8");
    message.setFrom(new InternetAddress(sender));
    message.setRecipients(Message.RecipientType.TO,
InternetAddress.parse(recipient));

    // Create a multipart/alternative child container.
    MimeMultipart msgBody = new MimeMultipart("alternative");

    // Create a wrapper for the HTML and text parts.
    MimeBodyPart wrap = new MimeBodyPart();

    // Define the text part.
    MimeBodyPart textPart = new MimeBodyPart();
```

```
textPart.setContent(bodyText, "text/plain; charset=UTF-8");

// Define the HTML part.
MimeBodyPart htmlPart = new MimeBodyPart();
htmlPart.setContent(bodyHTML, "text/html; charset=UTF-8");

// Add the text and HTML parts to the child container.
msgBody.addBodyPart(textPart);
msgBody.addBodyPart(htmlPart);

// Add the child container to the wrapper object.
wrap.setContent(msgBody);

// Create a multipart/mixed parent container.
MimeMultipart msg = new MimeMultipart("mixed");

// Add the parent container to the message.
message.setContent(msg);
msg.addBodyPart(wrap);

// Define the attachment.
MimeBodyPart att = new MimeBodyPart();
DataSource fds = new ByteArrayDataSource(fileContent,
    "application/vnd.openxmlformats-
officedocument.spreadsheetml.sheet");
att.setDataHandler(new DataHandler(fds));

String reportName = "WorkReport.xls";
att.setFileName(reportName);

// Add the attachment to the message.
msg.addBodyPart(att);

try {
    System.out.println("Attempting to send an email through Amazon SES " +
"using the AWS SDK for Java...");
    ByteArrayOutputStream outputStream = new ByteArrayOutputStream();
    message.writeTo(outputStream);

    ByteBuffer buf = ByteBuffer.wrap(outputStream.toByteArray());

    byte[] arr = new byte[buf.remaining()];
    buf.get(arr);
```

```
SdkBytes data = SdkBytes.fromByteArray(arr);
RawMessage rawMessage = RawMessage.builder()
    .data(data)
    .build();

SendRawEmailRequest rawEmailRequest = SendRawEmailRequest.builder()
    .rawMessage(rawMessage)
    .build();

client.sendRawEmail(rawEmailRequest);

} catch (SesException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
System.out.println("Email sent using SesClient with attachment");
}
```

- For API details, see [SendEmail](#) in *AWS SDK for Java 2.x API Reference*.

SendTemplatedEmail

The following code example shows how to use `SendTemplatedEmail`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sesv2.model.Destination;
import software.amazon.awssdk.services.sesv2.model.EmailContent;
import software.amazon.awssdk.services.sesv2.model.SendEmailRequest;
import software.amazon.awssdk.services.sesv2.model.SesV2Exception;
import software.amazon.awssdk.services.sesv2.SesV2Client;
import software.amazon.awssdk.services.sesv2.model.Template;
```

```
/**  
 * Before running this AWS SDK for Java (v2) example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 *  
 * Also, make sure that you create a template. See the following documentation  
 * topic:  
 *  
 * https://docs.aws.amazon.com/ses/latest/dg/send-personalized-email-api.html  
 */  
  
public class SendEmailTemplate {  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:  
            <template> <sender> <recipient>\s  
  
            Where:  
            template - The name of the email template.  
            sender - An email address that represents the sender.\s  
            recipient - An email address that represents the recipient.\s  
        """;  
  
        if (args.length != 3) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String templateName = args[0];  
        String sender = args[1];  
        String recipient = args[2];  
        Region region = Region.US_EAST_1;  
        SesV2Client sesv2Client = SesV2Client.builder()  
            .region(region)  
            .build();  
  
        send(sesv2Client, sender, recipient, templateName);  
    }  
}
```

```
public static void send(SesV2Client client, String sender, String recipient,
String templateName) {
    Destination destination = Destination.builder()
        .toAddresses(recipient)
        .build();

    /*
     * Specify both name and favorite animal (favoriteanimal) in your code when
     * defining the Template object.
     * If you don't specify all the variables in the template, Amazon SES
     doesn't
     * send the email.
     */
    Template myTemplate = Template.builder()
        .templateName(templateName)
        .templateData("{\n" +
            "  \"name\": \"Jason\"\n, " +
            "  \"favoriteanimal\": \"Cat\"\n" +
            "}")
        .build();

    EmailContent emailContent = EmailContent.builder()
        .template(myTemplate)
        .build();

    SendEmailRequest emailRequest = SendEmailRequest.builder()
        .destination(destination)
        .content(emailContent)
        .fromEmailAddress(sender)
        .build();

    try {
        System.out.println("Attempting to send an email based on a template
using the AWS SDK for Java (v2)...");
        client.sendEmail(emailRequest);
        System.out.println("email based on a template was sent");

    } catch (SesV2Exception e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [SendTemplatedEmail](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Create a web application to track DynamoDB data

The following code example shows how to create a web application that tracks work items in an Amazon DynamoDB table and uses Amazon Simple Email Service (Amazon SES) to send reports.

SDK for Java 2.x

Shows how to use the Amazon DynamoDB API to create a dynamic web application that tracks DynamoDB work data.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- DynamoDB
- Amazon SES

Create a web application to track Amazon Redshift data

The following code example shows how to create a web application that tracks and reports on work items using an Amazon Redshift database.

SDK for Java 2.x

Shows how to create a web application that tracks and reports on work items stored in an Amazon Redshift database.

For complete source code and instructions on how to set up a Spring REST API that queries Amazon Redshift data and for use by a React application, see the full example on [GitHub](#).

Services used in this example

- Amazon Redshift
- Amazon SES

Create an Aurora Serverless work item tracker

The following code example shows how to create a web application that tracks work items in an Amazon Aurora Serverless database and uses Amazon Simple Email Service (Amazon SES) to send reports.

SDK for Java 2.x

Shows how to create a web application that tracks and reports on work items stored in an Amazon RDS database.

For complete source code and instructions on how to set up a Spring REST API that queries Amazon Aurora Serverless data and for use by a React application, see the full example on [GitHub](#).

For complete source code and instructions on how to set up and run an example that uses the JDBC API, see the full example on [GitHub](#).

Services used in this example

- Aurora
- Amazon RDS
- Amazon RDS Data Service
- Amazon SES

Detect PPE in images

The following code example shows how to build an app that uses Amazon Rekognition to detect Personal Protective Equipment (PPE) in images.

SDK for Java 2.x

Shows how to create an AWS Lambda function that detects images with Personal Protective Equipment.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- DynamoDB
- Amazon Rekognition

- Amazon S3
- Amazon SES

Detect objects in images

The following code example shows how to build an app that uses Amazon Rekognition to detect objects by category in images.

SDK for Java 2.x

Shows how to use Amazon Rekognition Java API to create an app that uses Amazon Rekognition to identify objects by category in images located in an Amazon Simple Storage Service (Amazon S3) bucket. The app sends the admin an email notification with the results using Amazon Simple Email Service (Amazon SES).

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- Amazon Rekognition
- Amazon S3
- Amazon SES

Use Step Functions to invoke Lambda functions

The following code example shows how to create an AWS Step Functions state machine that invokes AWS Lambda functions in sequence.

SDK for Java 2.x

Shows how to create an AWS serverless workflow by using AWS Step Functions and the AWS SDK for Java 2.x. Each workflow step is implemented using an AWS Lambda function.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- DynamoDB
- Lambda

- Amazon SES
- Step Functions

Amazon SES API v2 examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon SES API v2.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)
- [Scenarios](#)

Actions

CreateContact

The following code example shows how to use CreateContact.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
try {  
    // Create a new contact with the provided email address in the  
    CreateContactRequest contactRequest = CreateContactRequest.builder()  
        .contactListName(CONTACT_LIST_NAME)
```

```
        .emailAddress(emailAddress)
        .build();

    sesClient.createContact(contactRequest);
    contacts.add(emailAddress);

    System.out.println("Contact created: " + emailAddress);

    // Send a welcome email to the new contact
    String welcomeHtml = Files.readString(Paths.get("resources/
coupon_newsletter/welcome.html"));
    String welcomeText = Files.readString(Paths.get("resources/
coupon_newsletter/welcome.txt"));

    SendEmailRequest welcomeEmailRequest = SendEmailRequest.builder()
        .fromEmailAddress(this.verifiedEmail)
        .destination(Destination.builder().toAddresses(emailAddress).build())
        .content(EmailContent.builder()
            .simple(
                Message.builder()
                    .subject(Content.builder().data("Welcome to the Weekly
Coupons Newsletter").build())
                    .body(Body.builder()
                        .text(Content.builder().data(welcomeText).build())
                        .html(Content.builder().data(welcomeHtml).build())
                        .build())
                    .build())
            .build())
        .build());
    SendEmailResponse welcomeEmailResponse =
sesClient.sendEmail(welcomeEmailRequest);
    System.out.println("Welcome email sent: " +
welcomeEmailResponse.messageId());
} catch (AlreadyExistsException e) {
    // If the contact already exists, skip this step for that contact and
proceed
    // with the next contact
    System.out.println("Contact already exists, skipping creation...");
} catch (Exception e) {
    System.err.println("Error occurred while processing email address " +
emailAddress + ": " + e.getMessage());
    throw e;
}
}
```

- For API details, see [CreateContact](#) in *AWS SDK for Java 2.x API Reference*.

CreateContactList

The following code example shows how to use CreateContactList.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
try {  
    // 2. Create a contact list  
    String contactListName = CONTACT_LIST_NAME;  
    CreateContactListRequest createContactListRequest =  
CreateContactListRequest.builder()  
    .contactListName(contactListName)  
    .build();  
    sesClient.createContactList(createContactListRequest);  
    System.out.println("Contact list created: " + contactListName);  
} catch (AlreadyExistsException e) {  
    System.out.println("Contact list already exists, skipping creation: weekly-  
coupons-newsletter");  
} catch (LimitExceededException e) {  
    System.err.println("Limit for contact lists has been exceeded.");  
    throw e;  
} catch (SesV2Exception e) {  
    System.err.println("Error creating contact list: " + e.getMessage());  
    throw e;  
}
```

- For API details, see [CreateContactList](#) in *AWS SDK for Java 2.x API Reference*.

CreateEmailIdentity

The following code example shows how to use `CreateEmailIdentity`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
try {
    CreateEmailIdentityRequest createEmailIdentityRequest =
CreateEmailIdentityRequest.builder()
    .emailIdentity(verifiedEmail)
    .build();
    sesClient.createEmailIdentity(createEmailIdentityRequest);
    System.out.println("Email identity created: " + verifiedEmail);
} catch (AlreadyExistsException e) {
    System.out.println("Email identity already exists, skipping creation: " +
verifiedEmail);
} catch (NotFoundException e) {
    System.err.println("The provided email address is not verified: " +
verifiedEmail);
    throw e;
} catch (LimitExceededException e) {
    System.err
        .println("You have reached the limit for email identities. Please remove
some identities and try again.");
    throw e;
} catch (SesV2Exception e) {
    System.err.println("Error creating email identity: " + e.getMessage());
    throw e;
}
```

- For API details, see [CreateEmailIdentity](#) in *AWS SDK for Java 2.x API Reference*.

CreateEmailTemplate

The following code example shows how to use `CreateEmailTemplate`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
try {
    // Create an email template named "weekly-coupons"
    String newsletterHtml = loadFile("resources/coupon_newsletter/coupon-
newsletter.html");
    String newsletterText = loadFile("resources/coupon_newsletter/coupon-
newsletter.txt");

    CreateEmailTemplateRequest templateRequest =
CreateEmailTemplateRequest.builder()
    .templateName(TEMPLATE_NAME)
    .templateContent(EmailTemplateContent.builder()
        .subject("Weekly Coupons Newsletter")
        .html(newsletterHtml)
        .text(newsletterText)
        .build())
    .build();
}

sesClient.createEmailTemplate(templateRequest);

System.out.println("Email template created: " + TEMPLATE_NAME);
} catch (AlreadyExistsException e) {
    // If the template already exists, skip this step and proceed with the next
    // operation
    System.out.println("Email template already exists, skipping creation...");
} catch (LimitExceededException e) {
    // If the limit for email templates is exceeded, fail the workflow and inform
    // the user
    System.err.println("You have reached the limit for email templates. Please
remove some templates and try again.");
    throw e;
} catch (Exception e) {
    System.err.println("Error occurred while creating email template: " +
e.getMessage());
    throw e;
}
```

```
}
```

- For API details, see [CreateEmailTemplate](#) in *AWS SDK for Java 2.x API Reference*.

DeleteContactList

The following code example shows how to use DeleteContactList.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
try {
    // Delete the contact list
    DeleteContactListRequest deleteContactListRequest =
DeleteContactListRequest.builder()
    .contactListName(CONTACT_LIST_NAME)
    .build();

    sesClient.deleteContactList(deleteContactListRequest);

    System.out.println("Contact list deleted: " + CONTACT_LIST_NAME);
} catch (NotFoundException e) {
    // If the contact list does not exist, log the error and proceed
    System.out.println("Contact list not found. Skipping deletion...");
} catch (Exception e) {
    System.err.println("Error occurred while deleting the contact list: " +
e.getMessage());
    e.printStackTrace();
}
```

- For API details, see [DeleteContactList](#) in *AWS SDK for Java 2.x API Reference*.

DeleteEmailIdentity

The following code example shows how to use DeleteEmailIdentity.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
try {
    // Delete the email identity
    DeleteEmailIdentityRequest deleteIdentityRequest =
DeleteEmailIdentityRequest.builder()
    .emailIdentity(this.verifiedEmail)
    .build();

    sesClient.deleteEmailIdentity(deleteIdentityRequest);

    System.out.println("Email identity deleted: " + this.verifiedEmail);
} catch (NotFoundException e) {
    // If the email identity does not exist, log the error and proceed
    System.out.println("Email identity not found. Skipping deletion...");
} catch (Exception e) {
    System.err.println("Error occurred while deleting the email identity: " +
e.getMessage());
    e.printStackTrace();
}
} else {
    System.out.println("Skipping email identity deletion.");
}
```

- For API details, see [DeleteEmailIdentity](#) in *AWS SDK for Java 2.x API Reference*.

DeleteEmailTemplate

The following code example shows how to use DeleteEmailTemplate.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
try {
    // Delete the template
    DeleteEmailTemplateRequest deleteTemplateRequest =
DeleteEmailTemplateRequest.builder()
    .templateName(TEMPLATE_NAME)
    .build();

    sesClient.deleteEmailTemplate(deleteTemplateRequest);

    System.out.println("Email template deleted: " + TEMPLATE_NAME);
} catch (NotFoundException e) {
    // If the email template does not exist, log the error and proceed
    System.out.println("Email template not found. Skipping deletion...");
} catch (Exception e) {
    System.err.println("Error occurred while deleting the email template: " +
e.getMessage());
    e.printStackTrace();
}
```

- For API details, see [DeleteEmailTemplate](#) in *AWS SDK for Java 2.x API Reference*.

ListContacts

The following code example shows how to use `ListContacts`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
ListContactsRequest contactListRequest = ListContactsRequest.builder()
    .contactListName(CONTACT_LIST_NAME)
    .build();

List<String> contactEmails;
try {
    ListContactsResponse contactListResponse =
sesClient.listContacts(contactListRequest);

    contactEmails = contactListResponse.contacts().stream()
        .map(Contact::emailAddress)
        .toList();
} catch (Exception e) {
    // TODO: Remove when listContacts's GET body issue is resolved.
    contactEmails = this.contacts;
}
```

- For API details, see [ListContacts](#) in *AWS SDK for Java 2.x API Reference*.

SendEmail

The following code example shows how to use SendEmail.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Sends a message.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sesv2.model.Body;
import software.amazon.awssdk.services.sesv2.model.Content;
import software.amazon.awssdk.services.sesv2.model.Destination;
import software.amazon.awssdk.services.sesv2.model.EmailContent;
import software.amazon.awssdk.services.sesv2.model.Message;
```

```
import software.amazon.awssdk.services.sesv2.model.SendEmailRequest;
import software.amazon.awssdk.services.sesv2.model.SesV2Exception;
import software.amazon.awssdk.services.sesv2.SesV2Client;

/**
 * Before running this AWS SDK for Java (v2) example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */

public class SendEmail {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <sender> <recipient> <subject>\s
            Where:
            sender - An email address that represents the
            sender.\s
            recipient - An email address that represents the
            recipient.\s
            subject - The subject line.\s
            """;
        if (args.length != 3) {
            System.out.println(usage);
            System.exit(1);
        }
        String sender = args[0];
        String recipient = args[1];
        String subject = args[2];
        Region region = Region.US_EAST_1;
        SesV2Client sesv2Client = SesV2Client.builder()
            .region(region)
            .build();
        // The HTML body of the email.
    }
}
```

```
        String bodyHTML = "<html>" + "<head></head>" + "<body>" +
    "<h1>Hello!</h1>" +
                + "<p> See the list of customers.</p>" + "</body>" +
    "</html>";

        send(sesv2Client, sender, recipient, subject, bodyHTML);
    }

public static void send(SesV2Client client,
                       String sender,
                       String recipient,
                       String subject,
                       String bodyHTML) {

    Destination destination = Destination.builder()
        .toAddresses(recipient)
        .build();

    Content content = Content.builder()
        .data(bodyHTML)
        .build();

    Content sub = Content.builder()
        .data(subject)
        .build();

    Body body = Body.builder()
        .html(content)
        .build();

    Message msg = Message.builder()
        .subject(sub)
        .body(body)
        .build();

    EmailContent emailContent = EmailContent.builder()
        .simple(msg)
        .build();

    SendEmailRequest emailRequest = SendEmailRequest.builder()
        .destination(destination)
        .content(emailContent)
        .fromEmailAddress(sender)
        .build();
}
```

```
        try {
            System.out.println("Attempting to send an email through
Amazon SES "
                               + "using the AWS SDK for Java...");
            client.sendEmail(emailRequest);
            System.out.println("email was sent");

        } catch (SesV2Exception e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
}
```

Sends a message using a template.

```
String coupons = Files.readString(Paths.get("resources/coupon_newsletter/
sample_coupons.json"));
for (String emailAddress : contactEmails) {
    SendEmailRequest newsletterRequest = SendEmailRequest.builder()
        .destination(Destination.builder().toAddresses(emailAddress).build())
        .content(EmailContent.builder()
            .template(Template.builder()
                .templateName(TEMPLATE_NAME)
                .templateData(coupons)
                .build())
            .build())
        .fromEmailAddress(this.verifiedEmail)
        .listManagementOptions(ListManagementOptions.builder()
            .contactListName(CONTACT_LIST_NAME)
            .build())
        .build());
    SendEmailResponse newsletterResponse =
sesClient.sendEmail(newsletterRequest);
    System.out.println("Newsletter sent to " + emailAddress + ": " +
newsletterResponse.messageId());
}
```

- For API details, see [SendEmail](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Newsletter workflow

The following code example shows how to run the Amazon SES API v2 newsletter workflow.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
try {
    // 2. Create a contact list
    String contactListName = CONTACT_LIST_NAME;
    CreateContactListRequest createContactListRequest =
CreateContactListRequest.builder()
    .contactListName(contactListName)
    .build();
    sesClient.createContactList(createContactListRequest);
    System.out.println("Contact list created: " + contactListName);
} catch (AlreadyExistsException e) {
    System.out.println("Contact list already exists, skipping creation: weekly-
coupons-newsletter");
} catch (LimitExceededException e) {
    System.err.println("Limit for contact lists has been exceeded.");
    throw e;
} catch (SesV2Exception e) {
    System.err.println("Error creating contact list: " + e.getMessage());
    throw e;
}

try {
    // Create a new contact with the provided email address in the
    CreateContactRequest contactRequest = CreateContactRequest.builder()
        .contactListName(CONTACT_LIST_NAME)
        .emailAddress(emailAddress)
        .build();

    sesClient.createContact(contactRequest);
```

```
contacts.add(emailAddress);

System.out.println("Contact created: " + emailAddress);

// Send a welcome email to the new contact
String welcomeHtml = Files.readString(Paths.get("resources/coupon_newsletter/welcome.html"));
String welcomeText = Files.readString(Paths.get("resources/coupon_newsletter/welcome.txt"));

SendEmailRequest welcomeEmailRequest = SendEmailRequest.builder()
    .fromEmailAddress(this.verifiedEmail)
    .destination(Destination.builder().toAddresses(emailAddress).build())
    .content>EmailContent.builder()
        .simple(
            Message.builder()
                .subject(Content.builder().data("Welcome to the Weekly Coupons Newsletter").build())
                .body(Body.builder()
                    .text(Content.builder().data(welcomeText).build())
                    .html(Content.builder().data(welcomeHtml).build())
                    .build())
                .build())
            .build())
        .build()
    .build();
SendEmailResponse welcomeEmailResponse =
sesClient.sendEmail(welcomeEmailRequest);
System.out.println("Welcome email sent: " +
welcomeEmailResponse.messageId());
} catch (AlreadyExistsException e) {
    // If the contact already exists, skip this step for that contact and proceed
    // with the next contact
    System.out.println("Contact already exists, skipping creation...");
} catch (Exception e) {
    System.err.println("Error occurred while processing email address " +
emailAddress + ": " + e.getMessage());
    throw e;
}
}

ListContactsRequest contactListRequest = ListContactsRequest.builder()
    .contactListName(CONTACT_LIST_NAME)
    .build();
```

```
List<String> contactEmails;
try {
    ListContactsResponse contactListResponse =
sesClient.listContacts(contactListRequest);

    contactEmails = contactListResponse.contacts().stream()
        .map(Contact::emailAddress)
        .toList();
} catch (Exception e) {
    // TODO: Remove when listContacts's GET body issue is resolved.
    contactEmails = this.contacts;
}

String coupons = Files.readString(Paths.get("resources/coupon_newsletter/
sample_coupons.json"));
for (String emailAddress : contactEmails) {
    SendEmailRequest newsletterRequest = SendEmailRequest.builder()
        .destination(Destination.builder().toAddresses(emailAddress).build())
        .content>EmailContent.builder()
            .template(Template.builder()
                .templateName(TEMPLATE_NAME)
                .templateData(coupons)
                .build())
            .build()
        .build()
        .fromEmailAddress(this.verifiedEmail)
        .listManagementOptions(ListManagementOptions.builder()
            .contactListName(CONTACT_LIST_NAME)
            .build())
        .build();
    SendEmailResponse newsletterResponse =
sesClient.sendEmail(newsletterRequest);
    System.out.println("Newsletter sent to " + emailAddress + ": " +
newsletterResponse.messageId());
}

try {
    CreateEmailIdentityRequest createEmailIdentityRequest =
CreateEmailIdentityRequest.builder()
        .emailIdentity(verifiedEmail)
        .build();
    sesClient.createEmailIdentity(createEmailIdentityRequest);
    System.out.println("Email identity created: " + verifiedEmail);
}
```

```
        } catch (AlreadyExistsException e) {
            System.out.println("Email identity already exists, skipping creation: " +
verifiedEmail);
        } catch (NotFoundException e) {
            System.err.println("The provided email address is not verified: " +
verifiedEmail);
            throw e;
        } catch (LimitExceededException e) {
            System.err
                .println("You have reached the limit for email identities. Please remove
some identities and try again.");
            throw e;
        } catch (SesV2Exception e) {
            System.err.println("Error creating email identity: " + e.getMessage());
            throw e;
        }

    }

    try {
        // Create an email template named "weekly-coupons"
        String newsletterHtml = loadFile("resources/coupon_newsletter/coupon-
newsletter.html");
        String newsletterText = loadFile("resources/coupon_newsletter/coupon-
newsletter.txt");

        CreateEmailTemplateRequest templateRequest =
CreateEmailTemplateRequest.builder()
            .templateName(TEMPLATE_NAME)
            .templateContent(EmailTemplateContent.builder()
                .subject("Weekly Coupons Newsletter")
                .html(newsletterHtml)
                .text(newsletterText)
                .build())
            .build();
    }

    sesClient.createEmailTemplate(templateRequest);

    System.out.println("Email template created: " + TEMPLATE_NAME);
} catch (AlreadyExistsException e) {
    // If the template already exists, skip this step and proceed with the next
    // operation
    System.out.println("Email template already exists, skipping creation...");
} catch (LimitExceededException e) {
    // If the limit for email templates is exceeded, fail the workflow and inform
    // the user
}
```

```
        System.err.println("You have reached the limit for email templates. Please  
remove some templates and try again.");  
        throw e;  
    } catch (Exception e) {  
        System.err.println("Error occurred while creating email template: " +  
e.getMessage());  
        throw e;  
    }  
  
    try {  
        // Delete the contact list  
        DeleteContactListRequest deleteContactListRequest =  
DeleteContactListRequest.builder()  
            .contactListName(CONTACT_LIST_NAME)  
            .build();  
  
        sesClient.deleteContactList(deleteContactListRequest);  
  
        System.out.println("Contact list deleted: " + CONTACT_LIST_NAME);  
    } catch (NotFoundException e) {  
        // If the contact list does not exist, log the error and proceed  
        System.out.println("Contact list not found. Skipping deletion...");  
    } catch (Exception e) {  
        System.err.println("Error occurred while deleting the contact list: " +  
e.getMessage());  
        e.printStackTrace();  
    }  
  
    try {  
        // Delete the email identity  
        DeleteEmailIdentityRequest deleteIdentityRequest =  
DeleteEmailIdentityRequest.builder()  
            .emailIdentity(this.verifiedEmail)  
            .build();  
  
        sesClient.deleteEmailIdentity(deleteIdentityRequest);  
  
        System.out.println("Email identity deleted: " + this.verifiedEmail);  
    } catch (NotFoundException e) {  
        // If the email identity does not exist, log the error and proceed  
        System.out.println("Email identity not found. Skipping deletion...");  
    } catch (Exception e) {  
        System.err.println("Error occurred while deleting the email identity: " +  
e.getMessage());  
    }
```

```
        e.printStackTrace();
    }
} else {
    System.out.println("Skipping email identity deletion.");
}

try {
    // Delete the template
    DeleteEmailTemplateRequest deleteTemplateRequest =
DeleteEmailTemplateRequest.builder()
    .templateName(TEMPLATE_NAME)
    .build();

    sesClient.deleteEmailTemplate(deleteTemplateRequest);

    System.out.println("Email template deleted: " + TEMPLATE_NAME);
} catch (NotFoundException e) {
    // If the email template does not exist, log the error and proceed
    System.out.println("Email template not found. Skipping deletion...");
} catch (Exception e) {
    System.err.println("Error occurred while deleting the email template: " +
e.getMessage());
    e.printStackTrace();
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [CreateContact](#)
- [CreateContactList](#)
- [CreateEmailIdentity](#)
- [CreateEmailTemplate](#)
- [DeleteContactList](#)
- [DeleteEmailIdentity](#)
- [DeleteEmailTemplate](#)
- [ListContacts](#)
- [SendEmail.simple](#)
- [SendEmail.template](#)

Amazon SNS examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon SNS.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello Amazon SNS

The following code examples show how to get started using Amazon SNS.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
package com.example.sns;

import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.SnsException;
import software.amazon.awssdk.services.sns.paginators.ListTopicsIterable;

public class HelloSNS {
    public static void main(String[] args) {
        SnsClient snsClient = SnsClient.builder()
            .region(Region.US_EAST_1)
            .build();
```

```
        listSNSTopics(snsClient);
        snsClient.close();
    }

    public static void listSNSTopics(SnsClient snsClient) {
        try {
            ListTopicsIterable listTopics = snsClient.listTopicsPaginator();
            listTopics.stream()
                .flatMap(r -> r.topics().stream())
                .forEach(content -> System.out.println(" Topic ARN: " +
content.topicArn()));
        } catch (SnsException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
}
```

- For API details, see [ListTopics](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Actions](#)
- [Scenarios](#)
- [Serverless examples](#)

Actions

CheckIfPhoneNumberIsOptedOut

The following code example shows how to use `CheckIfPhoneNumberIsOptedOut`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import
software.amazon.awssdk.services.sns.model.CheckIfPhoneNumberIsOptedOutRequest;
import
software.amazon.awssdk.services.sns.model.CheckIfPhoneNumberIsOptedOutResponse;
import software.amazon.awssdk.services.sns.model.SnsException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class CheckOptOut {
    public static void main(String[] args) {

        final String usage = """

                Usage:      <phoneNumber>

                Where:
                        phoneNumber - The mobile phone number to look up (for example,
+1XXX5550100).

                """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String phoneNumber = args[0];
        SnsClient snsClient = SnsClient.builder()
            .region(Region.US_EAST_1)
            .build();

        checkPhone(snsClient, phoneNumber);
        snsClient.close();
    }
}
```

```
public static void checkPhone(SnsClient snsClient, String phoneNumber) {  
    try {  
        CheckIfPhoneNumberIsOptedOutRequest request =  
CheckIfPhoneNumberIsOptedOutRequest.builder()  
            .phoneNumber(phoneNumber)  
            .build();  
  
        CheckIfPhoneNumberIsOptedOutResponse result =  
snsClient.checkIfPhoneNumberIsOptedOut(request);  
        System.out.println(  
            result.isOptedOut() + "Phone Number " + phoneNumber + " has  
Opted Out of receiving sns messages." +  
            "\n\nStatus was " +  
result.sdkHttpResponse().statusCode());  
  
    } catch (SnsException e) {  
        System.err.println(e.awsErrorDetails().errorMessage());  
        System.exit(1);  
    }  
}  
}
```

- For API details, see [CheckIfPhoneNumberIsOptedOut](#) in *AWS SDK for Java 2.x API Reference*.

ConfirmSubscription

The following code example shows how to use ConfirmSubscription.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;  
import software.amazon.awssdk.services.sns.SnsClient;  
import software.amazon.awssdk.services.sns.model.ConfirmSubscriptionRequest;  
import software.amazon.awssdk.services.sns.model.ConfirmSubscriptionResponse;  
import software.amazon.awssdk.services.sns.model.SnsException;
```

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
public class ConfirmSubscription {  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:      <subscriptionToken> <topicArn>  
  
            Where:  
                subscriptionToken - A short-lived token sent to an endpoint  
during the Subscribe action.  
                topicArn - The ARN of the topic.\s  
            """;  
  
        if (args.length != 2) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String subscriptionToken = args[0];  
        String topicArn = args[1];  
        SnsClient snsClient = SnsClient.builder()  
            .region(Region.US_EAST_1)  
            .build();  
  
        confirmSub(snsClient, subscriptionToken, topicArn);  
        snsClient.close();  
    }  
  
    public static void confirmSub(SnsClient snsClient, String subscriptionToken,  
String topicArn) {  
        try {  
            ConfirmSubscriptionRequest request =  
ConfirmSubscriptionRequest.builder()  
                .token(subscriptionToken)  
                .topicArn(topicArn)  
                .build();  
        }  
    }  
}
```

```
        ConfirmSubscriptionResponse result =
snsClient.confirmSubscription(request);
        System.out.println("\n\nStatus was " +
result.sdkHttpResponse().statusCode() + "\n\nSubscription Arn: \n\n"
+ result.subscriptionArn());

    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [ConfirmSubscription](#) in *AWS SDK for Java 2.x API Reference*.

CreateTopic

The following code example shows how to use CreateTopic.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.CreateTopicRequest;
import software.amazon.awssdk.services.sns.model.CreateTopicResponse;
import software.amazon.awssdk.services.sns.model.SnsException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html

```

```
/*
public class CreateTopic {
    public static void main(String[] args) {
        final String usage = """

            Usage:      <topicName>

            Where:
                topicName - The name of the topic to create (for example,
mytopic).

"""

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String topicName = args[0];
        System.out.println("Creating a topic with name: " + topicName);
        SnsClient snsClient = SnsClient.builder()
            .region(Region.US_EAST_1)
            .build();

        String arnVal = createSNSTopic(snsClient, topicName);
        System.out.println("The topic ARN is" + arnVal);
        snsClient.close();
    }

    public static String createSNSTopic(SnsClient snsClient, String topicName) {
        CreateTopicResponse result;
        try {
            CreateTopicRequest request = CreateTopicRequest.builder()
                .name(topicName)
                .build();

            result = snsClient.createTopic(request);
            return result.topicArn();
        } catch (SnsException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
        return "";
    }
}
```

```
    }  
}
```

- For API details, see [CreateTopic](#) in *AWS SDK for Java 2.x API Reference*.

DeleteTopic

The following code example shows how to use DeleteTopic.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;  
import software.amazon.awssdk.services.sns.SnsClient;  
import software.amazon.awssdk.services.sns.model.DeleteTopicRequest;  
import software.amazon.awssdk.services.sns.model.DeleteTopicResponse;  
import software.amazon.awssdk.services.sns.model.SnsException;  
  
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
public class DeleteTopic {  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:      <topicArn>  
  
            Where:  
                topicArn - The ARN of the topic to delete.  
            """;  
    }  
}
```

```
if (args.length != 1) {
    System.out.println(usage);
    System.exit(1);
}

String topicArn = args[0];
SnsClient snsClient = SnsClient.builder()
    .region(Region.US_EAST_1)
    .build();

System.out.println("Deleting a topic with name: " + topicArn);
deleteSNSTopic(snsClient, topicArn);
snsClient.close();
}

public static void deleteSNSTopic(SnsClient snsClient, String topicArn) {
    try {
        DeleteTopicRequest request = DeleteTopicRequest.builder()
            .topicArn(topicArn)
            .build();

        DeleteTopicResponse result = snsClient.deleteTopic(request);
        System.out.println("\n\nStatus was " +
result.sdkHttpResponse().statusCode());

    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [DeleteTopic](#) in *AWS SDK for Java 2.x API Reference*.

GetSMSAttributes

The following code example shows how to use GetSMSAttributes.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.GetSubscriptionAttributesRequest;
import software.amazon.awssdk.services.sns.model.GetSubscriptionAttributesResponse;
import software.amazon.awssdk.services.sns.model.SnsException;
import java.util.Iterator;
import java.util.Map;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class GetSMSAttributes {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <topicArn>
            Where:
            topicArn - The ARN of the topic from which to retrieve
            attributes.
            """;
        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String topicArn = args[0];
        SnsClient snsClient = SnsClient.builder()
```

```
.region(Region.US_EAST_1)
.build();

getSNSAttributes(snsClient, topicArn);
snsClient.close();
}

public static void getSNSAttributes(SnsClient snsClient, String topicArn) {
    try {
        GetSubscriptionAttributesRequest request =
GetSubscriptionAttributesRequest.builder()
            .subscriptionArn(topicArn)
            .build();

        // Get the Subscription attributes
        GetSubscriptionAttributesResponse res =
snsClient.getSubscriptionAttributes(request);
        Map<String, String> map = res.attributes();

        // Iterate through the map
        Iterator iter = map.entrySet().iterator();
        while (iter.hasNext()) {
            Map.Entry entry = (Map.Entry) iter.next();
            System.out.println("[Key] : " + entry.getKey() + " [Value] : " +
entry.getValue());
        }

    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }

    System.out.println("\n\nStatus was good");
}
}
```

- For API details, see [GetSMSAttributes](#) in *AWS SDK for Java 2.x API Reference*.

GetTopicAttributes

The following code example shows how to use GetTopicAttributes.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.GetTopicAttributesRequest;
import software.amazon.awssdk.services.sns.model.GetTopicAttributesResponse;
import software.amazon.awssdk.services.sns.model.SnsException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class GetTopicAttributes {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <topicArn>
            Where:
            topicArn - The ARN of the topic to look up.
            """;
        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }
        String topicArn = args[0];
        SnsClient snsClient = SnsClient.builder()
            .region(Region.US_EAST_1)
            .build();
    }
}
```

```
        System.out.println("Getting attributes for a topic with name: " + topicArn);
        getSNSTopicAttributes(snsClient, topicArn);
        snsClient.close();
    }

    public static void getSNSTopicAttributes(SnsClient snsClient, String topicArn) {
        try {
            GetTopicAttributesRequest request = GetTopicAttributesRequest.builder()
                .topicArn(topicArn)
                .build();

            GetTopicAttributesResponse result =
                snsClient.getTopicAttributes(request);
            System.out.println("\n\nStatus is " +
result.sdkHttpResponse().statusCode() + "\n\nAttributes: \n\n" +
                + result.attributes());

        } catch (SnsException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
}
```

- For API details, see [GetTopicAttributes](#) in *AWS SDK for Java 2.x API Reference*.

ListPhoneNumbersOptedOut

The following code example shows how to use `ListPhoneNumbersOptedOut`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
```

```
import software.amazon.awssdk.services.sns.model.ListPhoneNumbersOptedOutRequest;
import software.amazon.awssdk.services.sns.model.ListPhoneNumbersOptedOutResponse;
import software.amazon.awssdk.services.sns.model.SnsException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ListOptOut {
    public static void main(String[] args) {
        SnsClient snsClient = SnsClient.builder()
            .region(Region.US_EAST_1)
            .build();

        listOpts(snsClient);
        snsClient.close();
    }

    public static void listOpts(SnsClient snsClient) {
        try {
            ListPhoneNumbersOptedOutRequest request =
ListPhoneNumbersOptedOutRequest.builder().build();
            ListPhoneNumbersOptedOutResponse result =
snsClient.listPhoneNumbersOptedOut(request);
            System.out.println("Status is " + result.sdkHttpResponse().statusCode()
+ "\n\nPhone Numbers: \n\n" +
                + result.phoneNumbers());

        } catch (SnsException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
}
```

- For API details, see [ListPhoneNumbersOptedOut](#) in *AWS SDK for Java 2.x API Reference*.

ListSubscriptions

The following code example shows how to use `ListSubscriptions`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.ListSubscriptionsRequest;
import software.amazon.awssdk.services.sns.model.ListSubscriptionsResponse;
import software.amazon.awssdk.services.sns.model.SnsException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ListSubscriptions {
    public static void main(String[] args) {
        SnsClient snsClient = SnsClient.builder()
            .region(Region.US_EAST_1)
            .build();

        listSNSSubscriptions(snsClient);
        snsClient.close();
    }

    public static void listSNSSubscriptions(SnsClient snsClient) {
        try {
            ListSubscriptionsRequest request = ListSubscriptionsRequest.builder()
                .build();

            ListSubscriptionsResponse result = snsClient.listSubscriptions(request);
            System.out.println(result.subscriptions());
        }
    }
}
```

```
        } catch (SnsException e) {  
  
            System.err.println(e.awsErrorDetails().errorMessage());  
            System.exit(1);  
        }  
    }  
}
```

- For API details, see [ListSubscriptions](#) in *AWS SDK for Java 2.x API Reference*.

ListTopics

The following code example shows how to use `ListTopics`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;  
import software.amazon.awssdk.services.sns.SnsClient;  
import software.amazon.awssdk.services.sns.model.ListTopicsRequest;  
import software.amazon.awssdk.services.sns.model.ListTopicsResponse;  
import software.amazon.awssdk.services.sns.model.SnsException;  
  
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
public class ListTopics {  
    public static void main(String[] args) {  
        SnsClient snsClient = SnsClient.builder()  
            .region(Region.US_EAST_1)
```

```
        .build();

    listSNSTopics(snsClient);
    snsClient.close();
}

public static void listSNSTopics(SnsClient snsClient) {
    try {
        ListTopicsRequest request = ListTopicsRequest.builder()
            .build();

        ListTopicsResponse result = snsClient.listTopics(request);
        System.out.println(
            "Status was " + result.sdkHttpResponse().statusCode() + "\n"
"\nTopics\n\n" + result.topics());
    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [ListTopics](#) in *AWS SDK for Java 2.x API Reference*.

Publish

The following code example shows how to use Publish.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.PublishRequest;
import software.amazon.awssdk.services.sns.model.PublishResponse;
```

```
import software.amazon.awssdk.services.sns.model.SnsException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class PublishTopic {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <message> <topicArn>
            Where:
            message - The message text to send.
            topicArn - The ARN of the topic to publish.
            """;
        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }

        String message = args[0];
        String topicArn = args[1];
        SnsClient snsClient = SnsClient.builder()
            .region(Region.US_EAST_1)
            .build();
        pubTopic(snsClient, message, topicArn);
        snsClient.close();
    }

    public static void pubTopic(SnsClient snsClient, String message, String topicArn) {
        try {
            PublishRequest request = PublishRequest.builder()
                .message(message)
                .topicArn(topicArn)
                .build();

            PublishResponse result = snsClient.publish(request);
        }
    }
}
```

```
        System.out
            .println(result.messageId() + " Message sent. Status is " +
result.sdkHttpResponse().statusCode());

    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [Publish in AWS SDK for Java 2.x API Reference](#).

SetSMSAttributes

The following code example shows how to use SetSMSAttributes.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.SetSmsAttributesRequest;
import software.amazon.awssdk.services.sns.model.SetSmsAttributesResponse;
import software.amazon.awssdk.services.sns.model.SnsException;
import java.util.HashMap;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
```

```
public class SetSMSAttributes {  
    public static void main(String[] args) {  
        HashMap<String, String> attributes = new HashMap<>(1);  
        attributes.put("DefaultSMSType", "Transactional");  
        attributes.put("UsageReportS3Bucket", "janbucket");  
  
        SnsClient snsClient = SnsClient.builder()  
            .region(Region.US_EAST_1)  
            .build();  
        setSNSAttributes(snsClient, attributes);  
        snsClient.close();  
    }  
  
    public static void setSNSAttributes(SnsClient snsClient, HashMap<String, String>  
        attributes) {  
        try {  
            SetSmsAttributesRequest request = SetSmsAttributesRequest.builder()  
                .attributes(attributes)  
                .build();  
  
            SetSmsAttributesResponse result = snsClient.setSMSAttributes(request);  
            System.out.println("Set default Attributes to " + attributes + ". Status  
was "  
                + result.sdkHttpResponse().statusCode());  
  
        } catch (SnsException e) {  
            System.err.println(e.awsErrorDetails().errorMessage());  
            System.exit(1);  
        }  
    }  
}
```

- For API details, see [SetSMSAttributes](#) in *AWS SDK for Java 2.x API Reference*.

SetSubscriptionAttributes

The following code example shows how to use SetSubscriptionAttributes.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.SnsException;
import java.util.ArrayList;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class UseMessageFilterPolicy {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <subscriptionArn>
            Where:
            subscriptionArn - The ARN of a subscription.
"""
        """
        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String subscriptionArn = args[0];
        SnsClient snsClient = SnsClient.builder()
            .region(Region.US_EAST_1)
            .build();
    }
}
```

```
        usePolicy(snsClient, subscriptionArn);
        snsClient.close();
    }

    public static void usePolicy(SnsClient snsClient, String subscriptionArn) {
        try {
            SNSMessageFilterPolicy fp = new SNSMessageFilterPolicy();
            // Add a filter policy attribute with a single value
            fp.addAttribute("store", "example_corp");
            fp.addAttribute("event", "order_placed");

            // Add a prefix attribute
            fp.addAttributePrefix("customer_interests", "bas");

            // Add an anything-but attribute
            fp.addAttributeAnythingBut("customer_interests", "baseball");

            // Add a filter policy attribute with a list of values
            ArrayList<String> attributeValues = new ArrayList<>();
            attributeValues.add("rugby");
            attributeValues.add("soccer");
            attributeValues.add("hockey");
            fp.addAttribute("customer_interests", attributeValues);

            // Add a numeric attribute
            fp.addAttribute("price_usd", "=", 0);

            // Add a numeric attribute with a range
            fp.addAttributeRange("price_usd", ">", 0, "<=", 100);

            // Apply the filter policy attributes to an Amazon SNS subscription
            fp.apply(snsClient, subscriptionArn);
        } catch (SnsException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
}
```

- For API details, see [SetSubscriptionAttributes](#) in *AWS SDK for Java 2.x API Reference*.

SetTopicAttributes

The following code example shows how to use SetTopicAttributes.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.SetTopicAttributesRequest;
import software.amazon.awssdk.services.sns.model.SetTopicAttributesResponse;
import software.amazon.awssdk.services.sns.model.SnsException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class SetTopicAttributes {

    public static void main(String[] args) {
        final String usage = """

            Usage:      <attribute> <topicArn> <value>

            Where:
                attribute - The attribute action to use. Valid parameters are:
Policy | DisplayName | DeliveryPolicy .
                topicArn - The ARN of the topic.\s
                value - The value for the attribute.
            """;

        if (args.length < 3) {
            System.out.println(usage);
            System.exit(1);
        }
    }
}
```

```
}

String attribute = args[0];
String topicArn = args[1];
String value = args[2];

SnsClient snsClient = SnsClient.builder()
    .region(Region.US_EAST_1)
    .build();

setTopAttr(snsClient, attribute, topicArn, value);
snsClient.close();
}

public static void setTopAttr(SnsClient snsClient, String attribute, String
topicArn, String value) {
    try {
        SetTopicAttributesRequest request = SetTopicAttributesRequest.builder()
            .attributeName(attribute)
            .attributeValue(value)
            .topicArn(topicArn)
            .build();

        SetTopicAttributesResponse result =
snsClient.setTopicAttributes(request);
        System.out.println(
            "\n\nStatus was " + result.sdkHttpResponse().statusCode() + "\n"
"\nTopic " + request.topicArn()
            + " updated " + request.attributeName() + " to " +
request.attributeValue());

    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [SetTopicAttributes](#) in *AWS SDK for Java 2.x API Reference*.

Subscribe

The following code example shows how to use Subscribe.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Subscribe an email address to a topic.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.SnsException;
import software.amazon.awssdk.services.sns.model.SubscribeRequest;
import software.amazon.awssdk.services.sns.model.SubscribeResponse;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class SubscribeEmail {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <topicArn> <email>
            Where:
            topicArn - The ARN of the topic to subscribe.
            email - The email address to use.
            """;
        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }
    }
}
```

```
        String topicArn = args[0];
        String email = args[1];
        SnsClient snsClient = SnsClient.builder()
            .region(Region.US_EAST_1)
            .build();

        subEmail(snsClient, topicArn, email);
        snsClient.close();
    }

    public static void subEmail(SnsClient snsClient, String topicArn, String email)
    {
        try {
            SubscribeRequest request = SubscribeRequest.builder()
                .protocol("email")
                .endpoint(email)
                .returnSubscriptionArn(true)
                .topicArn(topicArn)
                .build();

            SubscribeResponse result = snsClient.subscribe(request);
            System.out.println("Subscription ARN: " + result.subscriptionArn() + "\n"
\n Status is "
                + result.sdkHttpResponse().statusCode());

        } catch (SnsException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
}
```

Subscribe an HTTP endpoint to a topic.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.SnsException;
import software.amazon.awssdk.services.sns.model.SubscribeRequest;
import software.amazon.awssdk.services.sns.model.SubscribeResponse;

/**
 * Before running this Java V2 code example, set up your development
```

```
* environment, including your credentials.  
*  
* For more information, see the following documentation topic:  
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
  
public class SubscribeHTTPS {  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:      <topicArn> <url>  
  
            Where:  
                topicArn - The ARN of the topic to subscribe.  
                url - The HTTPS endpoint that you want to receive notifications.  
            """;  
  
        if (args.length < 2) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String topicArn = args[0];  
        String url = args[1];  
        SnsClient snsClient = SnsClient.builder()  
            .region(Region.US_EAST_1)  
            .build();  
  
        subHTTPS(snsClient, topicArn, url);  
        snsClient.close();  
    }  
  
    public static void subHTTPS(SnsClient snsClient, String topicArn, String url) {  
        try {  
            SubscribeRequest request = SubscribeRequest.builder()  
                .protocol("https")  
                .endpoint(url)  
                .returnSubscriptionArn(true)  
                .topicArn(topicArn)  
                .build();  
  
            SubscribeResponse result = snsClient.subscribe(request);  
            System.out.println("Subscription ARN is " + result.subscriptionArn() +  
"\\n\\n Status is "  
    }
```

```
+ result.sdkHttpResponse().statusCode());  
  
} catch (SnsException e) {  
    System.err.println(e.awsErrorDetails().errorMessage());  
    System.exit(1);  
}  
}  
}
```

Subscribe a Lambda function to a topic.

```
import software.amazon.awssdk.regions.Region;  
import software.amazon.awssdk.services.sns.SnsClient;  
import software.amazon.awssdk.services.sns.model.SnsException;  
import software.amazon.awssdk.services.sns.model.SubscribeRequest;  
import software.amazon.awssdk.services.sns.model.SubscribeResponse;  
  
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
public class SubscribeLambda {  
  
    public static void main(String[] args) {  
  
        final String usage = """  
  
            Usage:      <topicArn> <lambdaArn>  
  
            Where:  
                topicArn - The ARN of the topic to subscribe.  
                lambdaArn - The ARN of an AWS Lambda function.  
        """;  
  
        if (args.length != 2) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
    }  
}
```

```
String topicArn = args[0];
String lambdaArn = args[1];
SnsClient snsClient = SnsClient.builder()
    .region(Region.US_EAST_1)
    .build();

String arnValue = subLambda(snsClient, topicArn, lambdaArn);
System.out.println("Subscription ARN: " + arnValue);
snsClient.close();
}

public static String subLambda(SnsClient snsClient, String topicArn, String
lambdaArn) {
    try {
        SubscribeRequest request = SubscribeRequest.builder()
            .protocol("lambda")
            .endpoint(lambdaArn)
            .returnSubscriptionArn(true)
            .topicArn(topicArn)
            .build();

        SubscribeResponse result = snsClient.subscribe(request);
        return result.subscriptionArn();

    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}
}
```

- For API details, see [Subscribe](#) in *AWS SDK for Java 2.x API Reference*.

TagResource

The following code example shows how to use TagResource.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.SnsException;
import software.amazon.awssdk.services.sns.model.Tag;
import software.amazon.awssdk.services.sns.model.TagResourceRequest;
import java.util.ArrayList;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class AddTags {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <topicArn>
            Where:
            topicArn - The ARN of the topic to which tags are added.
            """;
        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }
        String topicArn = args[0];
        SnsClient snsClient = SnsClient.builder()
```

```
        .region(Region.US_EAST_1)
        .build();

    addTopicTags(snsClient, topicArn);
    snsClient.close();
}

public static void addTopicTags(SnsClient snsClient, String topicArn) {
    try {
        Tag tag = Tag.builder()
            .key("Team")
            .value("Development")
            .build();

        Tag tag2 = Tag.builder()
            .key("Environment")
            .value("Gamma")
            .build();

        List<Tag> tagList = new ArrayList<>();
        tagList.add(tag);
        tagList.add(tag2);

        TagResourceRequest tagResourceRequest = TagResourceRequest.builder()
            .resourceArn(topicArn)
            .tags(tagList)
            .build();

        snsClient.tagResource(tagResourceRequest);
        System.out.println("Tags have been added to " + topicArn);

    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [TagResource](#) in *AWS SDK for Java 2.x API Reference*.

Unsubscribe

The following code example shows how to use Unsubscribe.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.SnsException;
import software.amazon.awssdk.services.sns.model.UnsubscribeRequest;
import software.amazon.awssdk.services.sns.model.UnsubscribeResponse;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class Unsubscribe {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <subscriptionArn>
            Where:
            subscriptionArn - The ARN of the subscription to delete.
            """;
        if (args.length < 1) {
            System.out.println(usage);
            System.exit(1);
        }
        String subscriptionArn = args[0];
        SnsClient snsClient = SnsClient.builder()
```

```
        .region(Region.US_EAST_1)
        .build();

    unSub(snsClient, subscriptionArn);
    snsClient.close();
}

public static void unSub(SnsClient snsClient, String subscriptionArn) {
    try {
        UnsubscribeRequest request = UnsubscribeRequest.builder()
            .subscriptionArn(subscriptionArn)
            .build();

        UnsubscribeResponse result = snsClient.unsubscribe(request);
        System.out.println("\n\nStatus was " +
result.sdkHttpResponse().statusCode()
            + "\n\nSubscription was removed for " +
request.subscriptionArn());
    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [Unsubscribe](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Build an app to submit data to a DynamoDB table

The following code example shows how to build an application that submits data to an Amazon DynamoDB table and notifies you when a user updates the table.

SDK for Java 2.x

Shows how to create a dynamic web application that submits data using the Amazon DynamoDB Java API and sends a text message using the Amazon Simple Notification Service Java API.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- DynamoDB
- Amazon SNS

Building an Amazon SNS application

The following code example shows how to create an application that has subscription and publish functionality and translates messages.

SDK for Java 2.x

Shows how to use the Amazon Simple Notification Service Java API to create a web application that has subscription and publish functionality. In addition, this example application also translates messages.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

For complete source code and instructions on how to set up and run the example that uses the Java Async API, see the full example on [GitHub](#).

Services used in this example

- Amazon SNS
- Amazon Translate

Create a platform endpoint for push notifications

The following code example shows how to create a platform endpoint for Amazon SNS push notifications.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.CreatePlatformEndpointRequest;
import software.amazon.awssdk.services.sns.model.CreatePlatformEndpointResponse;
import software.amazon.awssdk.services.sns.model.SnsException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 *
 * In addition, create a platform application using the AWS Management Console.
 * See this doc topic:
 *
 * https://docs.aws.amazon.com/sns/latest/dg/mobile-push-send-register.html
 *
 * Without the values created by following the previous link, this code examples
 * does not work.
 */

public class RegistrationExample {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <token> <platformApplicationArn>
            Where:
            token - The device token or registration ID of the mobile device.
            This is a unique
            identifier provided by the device platform (e.g., Apple Push
            Notification Service (APNS) for iOS devices, Firebase Cloud Messaging (FCM)
            for Android devices) when the mobile app is registered to receive
            push notifications.

            platformApplicationArn - The ARN value of platform application. You
            can get this value from the AWS Management Console.\s
            """;
        if (args.length != 2) {
```

```
        System.out.println(usage);
        return;
    }

    String token = args[0];
    String platformApplicationArn = args[1];
    SnsClient snsClient = SnsClient.builder()
        .region(Region.US_EAST_1)
        .build();

    createEndpoint(snsClient, token, platformApplicationArn);
}
public static void createEndpoint(SnsClient snsClient, String token, String
platformApplicationArn) {
    System.out.println("Creating platform endpoint with token " + token);
    try {
        CreatePlatformEndpointRequest endpointRequest =
CreatePlatformEndpointRequest.builder()
            .token(token)
            .platformApplicationArn(platformApplicationArn)
            .build();

        CreatePlatformEndpointResponse response =
snsClient.createPlatformEndpoint(endpointRequest);
        System.out.println("The ARN of the endpoint is " +
response.endpointArn());

    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
    }
}
}
```

Create a serverless application to manage photos

The following code example shows how to create a serverless application that lets users manage photos using labels.

SDK for Java 2.x

Shows how to develop a photo asset management application that detects labels in images using Amazon Rekognition and stores them for later retrieval.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

For a deep dive into the origin of this example see the post on [AWS Community](#).

Services used in this example

- API Gateway
- DynamoDB
- Lambda
- Amazon Rekognition
- Amazon S3
- Amazon SNS

Create and publish to a FIFO topic

The following code example shows how to create and publish to a FIFO Amazon SNS topic.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

This example

- creates an Amazon SNS FIFO topic, two Amazon SQS FIFO queues, and one Standard queue.
- subscribes the queues to the topic and publishes a message to the topic.

The [test](#) verifies the receipt of the message to each queue. The [complete example](#) also shows the addition of access policies and deletes the resources at the end.

```
public class PriceUpdateExample {  
    public final static SnsClient snsClient = SnsClient.create();
```

```
public final static SqsClient sqsClient = SqsClient.create();

public static void main(String[] args) {

    final String usage = "\n" +
        "Usage: " +
        "    <topicName> <wholesaleQueueFifoName> <retailQueueFifoName>
<analyticsQueueName>\n\n" +
        "Where:\n" +
        "    fifoTopicName - The name of the FIFO topic that you want to
create. \n\n" +
        "    wholesaleQueueARN - The name of a SQS FIFO queue that will be
created for the wholesale consumer. \n\n"
        +
        "    retailQueueARN - The name of a SQS FIFO queue that will created
for the retail consumer. \n\n" +
        "    analyticsQueueARN - The name of a SQS standard queue that will
be created for the analytics consumer. \n\n";
    if (args.length != 4) {
        System.out.println(usage);
        System.exit(1);
    }

    final String fifoTopicName = args[0];
    final String wholeSaleQueueName = args[1];
    final String retailQueueName = args[2];
    final String analyticsQueueName = args[3];

    // For convenience, the QueueData class holds metadata about a queue: ARN,
    URL,
    // name and type.
    List<QueueData> queues = List.of(
        new QueueData(wholeSaleQueueName, QueueType.FIFO),
        new QueueData(retailQueueName, QueueType.FIFO),
        new QueueData(analyticsQueueName, QueueType.Standard));

    // Create queues.
    createQueues(queues);

    // Create a topic.
    String topicARN = createFIFOTopic(fifoTopicName);

    // Subscribe each queue to the topic.
    subscribeQueues(queues, topicARN);
```

```
// Allow the newly created topic to send messages to the queues.
addAccessPolicyToQueuesFINAL(queues, topicARN);

// Publish a sample price update message with payload.
publishPriceUpdate(topicARN, "{\"product\": 214, \"price\": 79.99}",
"Consumables");

// Clean up resources.
deleteSubscriptions(queues);
deleteQueues(queues);
deleteTopic(topicARN);
}

public static String createFIFOTopic(String topicName) {
    try {
        // Create a FIFO topic by using the SNS service client.
        Map<String, String> topicAttributes = Map.of(
            "FifoTopic", "true",
            "ContentBasedDeduplication", "false");

        CreateTopicRequest topicRequest = CreateTopicRequest.builder()
            .name(topicName)
            .attributes(topicAttributes)
            .build();

        CreateTopicResponse response = snsClient.createTopic(topicRequest);
        String topicArn = response.topicArn();
        System.out.println("The topic ARN is" + topicArn);

        return topicArn;
    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}

public static void subscribeQueues(List<QueueData> queues, String topicARN) {
    queues.forEach(queue -> {
        SubscribeRequest subscribeRequest = SubscribeRequest.builder()
            .topicArn(topicARN)
            .endpoint(queue.queueARN)
```

```
        .protocol("sqS")
        .build();

    // Subscribe to the endpoint by using the SNS service client.
    // Only Amazon SQS queues can receive notifications from an Amazon SNS
FIFO
    // topic.
    SubscribeResponse subscribeResponse =
snsClient.subscribe(subscribeRequest);
    System.out.println("The queue [" + queue.queueARN + "] subscribed to the
topic [" + topicARN + "]");
    queue.subscriptionARN = subscribeResponse.subscriptionArn();
}
}

public static void publishPriceUpdate(String topicArn, String payload, String
groupId) {

    try {
        // Create and publish a message that updates the wholesale price.
        String subject = "Price Update";
        String dedupId = UUID.randomUUID().toString();
        String attributeName = "business";
        String attributeValue = "wholesale";

        MessageAttributeValue msgAttValue = MessageAttributeValue.builder()
            .dataType("String")
            .stringValue(attributeValue)
            .build();

        Map<String, MessageAttributeValue> attributes = new HashMap<>();
        attributes.put(attributeName, msgAttValue);
        PublishRequest pubRequest = PublishRequest.builder()
            .topicArn(topicArn)
            .subject(subject)
            .message(payload)
            .messageGroupId(groupId)
            .messageDuplicationId(dedupId)
            .messageAttributes(attributes)
            .build();

        final PublishResponse response = snsClient.publish(pubRequest);
        System.out.println(response.messageId());
        System.out.println(response.sequenceNumber());
    }
}
```

```
        System.out.println("Message was published to " + topicArn);

    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [CreateTopic](#)
- [Publish](#)
- [Subscribe](#)

Publish SMS messages to a topic

The following code example shows how to:

- Create an Amazon SNS topic.
- Subscribe phone numbers to the topic.
- Publish SMS messages to the topic so that all subscribed phone numbers receive the message at once.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Create a topic and return its ARN.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.CreateTopicRequest;
import software.amazon.awssdk.services.sns.model.CreateTopicResponse;
import software.amazon.awssdk.services.sns.model.SnsException;
```

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
public class CreateTopic {  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:      <topicName>  
  
            Where:  
                topicName - The name of the topic to create (for example,  
mytopic).  
  
            """;  
  
        if (args.length != 1) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String topicName = args[0];  
        System.out.println("Creating a topic with name: " + topicName);  
        SnsClient snsClient = SnsClient.builder()  
            .region(Region.US_EAST_1)  
            .build();  
  
        String arnVal = createSNSTopic(snsClient, topicName);  
        System.out.println("The topic ARN is" + arnVal);  
        snsClient.close();  
    }  
  
    public static String createSNSTopic(SnsClient snsClient, String topicName) {  
        CreateTopicResponse result;  
        try {  
            CreateTopicRequest request = CreateTopicRequest.builder()  
                .name(topicName)  
                .build();  
  
            result = snsClient.createTopic(request);  
        } catch (AmazonServiceException ase) {  
            System.out.println("Caught an AmazonServiceException, which means your request failed");  
            System.out.println("HTTP Status Code: " + ase.getStatusCode());  
            System.out.println("Error Code: " + ase.getErrorCode());  
            System.out.println("Error Message: " + ase.getMessage());  
            System.out.println("Request ID: " + ase.getRequestId());  
        } catch (AmazonClientException ace) {  
            System.out.println("Caught an AmazonClientException, which means the client encountered an error");  
            System.out.println("Error Message: " + ace.getMessage());  
        }  
    }  
}
```

```
        return result.topicArn();

    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}
}
```

Subscribe an endpoint to a topic.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.SnsException;
import software.amazon.awssdk.services.sns.model.SubscribeRequest;
import software.amazon.awssdk.services.sns.model.SubscribeResponse;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class SubscribeTextSMS {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <topicArn> <phoneNumber>
            Where:
            topicArn - The ARN of the topic to subscribe.
            phoneNumber - A mobile phone number that receives notifications
            (for example, +1XXX5550100).
            """;
        if (args.length < 2) {
            System.out.println(usage);
            System.exit(1);
        }
    }
}
```

```
String topicArn = args[0];
String phoneNumber = args[1];
SnsClient snsClient = SnsClient.builder()
    .region(Region.US_EAST_1)
    .build();

subTextSNS(snsClient, topicArn, phoneNumber);
snsClient.close();
}

public static void subTextSNS(SnsClient snsClient, String topicArn, String
phoneNumber) {
    try {
        SubscribeRequest request = SubscribeRequest.builder()
            .protocol("sms")
            .endpoint(phoneNumber)
            .returnSubscriptionArn(true)
            .topicArn(topicArn)
            .build();

        SubscribeResponse result = snsClient.subscribe(request);
        System.out.println("Subscription ARN: " + result.subscriptionArn() + "\n"
"\n Status is "
            + result.sdkHttpResponse().statusCode());

    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

Set attributes on the message, such as the ID of the sender, the maximum price, and its type. Message attributes are optional.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.SetSmsAttributesRequest;
import software.amazon.awssdk.services.sns.model.SetSmsAttributesResponse;
import software.amazon.awssdk.services.sns.model.SnsException;
import java.util.HashMap;
```

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
  
public class SetSMSAttributes {  
    public static void main(String[] args) {  
        HashMap<String, String> attributes = new HashMap<>(1);  
        attributes.put("DefaultSMSType", "Transactional");  
        attributes.put("UsageReportS3Bucket", "janbucket");  
  
        SnsClient snsClient = SnsClient.builder()  
            .region(Region.US_EAST_1)  
            .build();  
        setSNSAttributes(snsClient, attributes);  
        snsClient.close();  
    }  
  
    public static void setSNSAttributes(SnsClient snsClient, HashMap<String, String>  
    attributes) {  
        try {  
            SetSmsAttributesRequest request = SetSmsAttributesRequest.builder()  
                .attributes(attributes)  
                .build();  
  
            SetSmsAttributesResponse result = snsClient.setSMSAttributes(request);  
            System.out.println("Set default Attributes to " + attributes + ". Status  
was "  
                + result.sdkHttpResponse().statusCode());  
  
        } catch (SnsException e) {  
            System.err.println(e.awsErrorDetails().errorMessage());  
            System.exit(1);  
        }  
    }  
}
```

Publish a message to a topic. The message is sent to every subscriber.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.PublishRequest;
import software.amazon.awssdk.services.sns.model.PublishResponse;
import software.amazon.awssdk.services.sns.model.SnsException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class PublishTextSMS {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <message> <phoneNumber>
            Where:
            message - The message text to send.
            phoneNumber - The mobile phone number to which a message is sent
(for example, +1XXX5550100).\s
            """;
        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }

        String message = args[0];
        String phoneNumber = args[1];
        SnsClient snsClient = SnsClient.builder()
            .region(Region.US_EAST_1)
            .build();
        pubTextSMS(snsClient, message, phoneNumber);
        snsClient.close();
    }

    public static void pubTextSMS(SnsClient snsClient, String message, String
phoneNumber) {
        try {
```

```
PublishRequest request = PublishRequest.builder()
    .message(message)
    .phoneNumber(phoneNumber)
    .build();

PublishResponse result = snsClient.publish(request);
System.out
    .println(result.messageId() + " Message sent. Status was " +
result.sdkHttpResponse().statusCode());

} catch (SnsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

Publish an SMS text message

The following code example shows how to publish SMS messages using Amazon SNS.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.PublishRequest;
import software.amazon.awssdk.services.sns.model.PublishResponse;
import software.amazon.awssdk.services.sns.model.SnsException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:

```

```
*  
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
*/  
public class PublishTextSMS {  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:      <message> <phoneNumber>  
  
            Where:  
            message - The message text to send.  
            phoneNumber - The mobile phone number to which a message is sent  
(for example, +1XXX5550100).\s  
        """;  
  
        if (args.length != 2) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String message = args[0];  
        String phoneNumber = args[1];  
        SnsClient snsClient = SnsClient.builder()  
            .region(Region.US_EAST_1)  
            .build();  
        pubTextSMS(snsClient, message, phoneNumber);  
        snsClient.close();  
    }  
  
    public static void pubTextSMS(SnsClient snsClient, String message, String  
phoneNumber) {  
        try {  
            PublishRequest request = PublishRequest.builder()  
                .message(message)  
                .phoneNumber(phoneNumber)  
                .build();  
  
            PublishResponse result = snsClient.publish(request);  
            System.out  
                .println(result.messageId() + " Message sent. Status was " +  
result.sdkHttpResponse().statusCode());  
  
        } catch (SnsException e) {  
            System.err.println(e.awsErrorDetails().errorMessage());  
        }  
    }  
}
```

```
        System.exit(1);
    }
}
```

- For API details, see [Publish](#) in *AWS SDK for Java 2.x API Reference*.

Publish messages to queues

The following code example shows how to:

- Create topic (FIFO or non-FIFO).
- Subscribe several queues to the topic with an option to apply a filter.
- Publish messages to the topic.
- Poll the queues for messages received.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
package com.example.sns;

import
    software.amazon.awssdk.auth.credentials.EnvironmentVariableCredentialsProvider;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.CreateTopicRequest;
import software.amazon.awssdk.services.sns.model.CreateTopicResponse;
import software.amazon.awssdk.services.sns.model.DeleteTopicRequest;
import software.amazon.awssdk.services.sns.model.DeleteTopicResponse;
import software.amazon.awssdk.services.sns.model.MessageAttributeValue;
import software.amazon.awssdk.services.sns.model.PublishRequest;
import software.amazon.awssdk.services.sns.model.PublishResponse;
import software.amazon.awssdk.services.sns.model.SetSubscriptionAttributesRequest;
import software.amazon.awssdk.services.sns.model.SnsException;
```

```
import software.amazon.awssdk.services.sns.model.SubscribeRequest;
import software.amazon.awssdk.services.sns.model.SubscribeResponse;
import software.amazon.awssdk.services.sns.model.UnsubscribeRequest;
import software.amazon.awssdk.services.sns.model.UnsubscribeResponse;
import software.amazon.awssdk.services.sqs.SqsClient;
import software.amazon.awssdk.services.sqs.model.CreateQueueRequest;
import software.amazon.awssdk.services.sqs.model.DeleteMessageBatchRequest;
import software.amazon.awssdk.services.sqs.model.DeleteMessageBatchRequestEntry;
import software.amazon.awssdk.services.sqs.model.DeleteQueueRequest;
import software.amazon.awssdk.services.sqs.model.GetQueueAttributesRequest;
import software.amazon.awssdk.services.sqs.model.GetQueueAttributesResponse;
import software.amazon.awssdk.services.sqs.model.GetQueueUrlRequest;
import software.amazon.awssdk.services.sqs.model.GetQueueUrlResponse;
import software.amazon.awssdk.services.sqs.model.Message;
import software.amazon.awssdk.services.sqs.model.QueueAttributeName;
import software.amazon.awssdk.services.sqs.model.ReceiveMessageRequest;
import software.amazon.awssdk.services.sqs.model.SetQueueAttributesRequest;
import software.amazon.awssdk.services.sqs.model.SqsException;
import java.util.ArrayList;
import java.util.HashMap;
import java.util.List;
import java.util.Map;
import java.util.Scanner;
import com.google.gson.Gson;
import com.google.gson.JsonArray;
import com.google.gson.JsonObject;
import com.google.gson.JsonPrimitive;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 *
 * This Java example performs these tasks:
 *
 * 1. Gives the user three options to choose from.
 * 2. Creates an Amazon Simple Notification Service (Amazon SNS) topic.
 * 3. Creates an Amazon Simple Queue Service (Amazon SQS) queue.
 * 4. Gets the SQS queue Amazon Resource Name (ARN) attribute.
 * 5. Attaches an AWS Identity and Access Management (IAM) policy to the queue.
 * 6. Subscribes to the SQS queue.
```

```
* 7. Publishes a message to the topic.  
* 8. Displays the messages.  
* 9. Deletes the received message.  
* 10. Unsubscribes from the topic.  
* 11. Deletes the SNS topic.  
*/  
  
public class SNSWorkflow {  
    public static final String DASHES = new String(new char[80]).replace("\0", "-");  
  
    public static void main(String[] args) {  
        final String usage = "\n" +  
            "Usage:\n" +  
            "  <fifoQueueARN>\n\n" +  
            "Where:\n" +  
            "  accountId - Your AWS account Id value.";  
  
        // if (args.length != 1) {  
        // System.out.println(usage);  
        // System.exit(1);  
        // }  
  
        SnsClient snsClient = SnsClient.builder()  
            .region(Region.US_EAST_1)  
  
.credentialsProvider(EnvironmentVariableCredentialsProvider.create())  
            .build();  
  
        SqsClient sqsClient = SqsClient.builder()  
            .region(Region.US_EAST_1)  
  
.credentialsProvider(EnvironmentVariableCredentialsProvider.create())  
            .build();  
  
        Scanner in = new Scanner(System.in);  
        String accountId = "814548047983";  
        String useFIFO;  
        String duplication = "n";  
        String topicName;  
        String deduplicationID = null;  
        String groupId = null;  
  
        String topicArn;  
        String sqsQueueName;  
        String sqsQueueUrl;
```

```
String sqsQueueArn;
String subscriptionArn;
boolean selectFIFO = false;

String message;
List<Message> messageList;
List<String> filterList = new ArrayList<>();
String msgAttValue = "";

System.out.println(DASHES);
System.out.println("Welcome to messaging with topics and queues.");
System.out.println("In this workflow, you will create an SNS topic and
subscribe an SQS queue to the topic.\n" +
    "You can select from several options for configuring the topic and
the subscriptions for the queue.\n" +
    "You can then post to the topic and see the results in the queue.");
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("SNS topics can be configured as FIFO (First-In-First-
Out).\n" +
    "FIFO topics deliver messages in order and support deduplication and
message filtering.\n" +
    "Would you like to work with FIFO topics? (y/n)");
useFIFO = in.nextLine();
if (useFIFO.compareTo("y") == 0) {
    selectFIFO = true;
    System.out.println("You have selected FIFO");
    System.out.println(" Because you have chosen a FIFO topic, deduplication
is supported.\n" +
        "           Deduplication IDs are either set in the message or
automatically generated from content using a hash function.\n" +
        "           If a message is successfully published to an SNS FIFO
topic, any message published and determined to have the same deduplication ID,\n" +
        "           within the five-minute deduplication interval, is
accepted but not delivered.\n" +
        "           For more information about deduplication, see https://docs.aws.amazon.com/sns/latest/dg/fifo-message-dedup.html.");
}

System.out.println(
    "Would you like to use content-based deduplication instead of
entering a deduplication ID? (y/n)");
```

```
        duplication = in.nextLine();
        if (duplication.compareTo("y") == 0) {
            System.out.println("Please enter a group id value");
            groupId = in.nextLine();
        } else {
            System.out.println("Please enter deduplication Id value");
            deduplicationID = in.nextLine();
            System.out.println("Please enter a group id value");
            groupId = in.nextLine();
        }
    }
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("2. Create a topic.");
    System.out.println("Enter a name for your SNS topic.");
    topicName = in.nextLine();
    if (selectFIFO) {
        System.out.println("Because you have selected a FIFO topic, '.fifo' must
be appended to the topic name.");
        topicName = topicName + ".fifo";
        System.out.println("The name of the topic is " + topicName);
        topicArn = createFIFO(snsClient, topicName, duplication);
        System.out.println("The ARN of the FIFO topic is " + topicArn);
    } else {
        System.out.println("The name of the topic is " + topicName);
        topicArn = createSNSTopic(snsClient, topicName);
        System.out.println("The ARN of the non-FIFO topic is " + topicArn);
    }
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("3. Create an SQS queue.");
    System.out.println("Enter a name for your SQS queue.");
    sqsQueueName = in.nextLine();
    if (selectFIFO) {
        sqsQueueName = sqsQueueName + ".fifo";
    }
    sqsQueueUrl = createQueue(sqsClient, sqsQueueName, selectFIFO);
    System.out.println("The queue URL is " + sqsQueueUrl);
    System.out.println(DASHES);
```

```
System.out.println(DASHES);
System.out.println("4. Get the SQS queue ARN attribute.");
sqsQueueArn = getSQSQueueAttrs(sqsClient, sqsQueueUrl);
System.out.println("The ARN of the new queue is " + sqsQueueArn);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("5. Attach an IAM policy to the queue.");

// Define the policy to use. Make sure that you change the REGION if you are
// running this code
// in a different region.
String policy = "{\n" +
    "    \"Statement\": [\n" +
    "        {\n" +
    "            \"Effect\": \"Allow\", \n" +
    "            \"Principal\": {\n" +
    "                \"Service\": \"sns.amazonaws.com\"\n" +
    "            }, \n" +
    "            \"Action\": \"sns:SendMessage\", \n" +
    "            \"Resource\": \"arn:aws:sqs:us-east-1:" +
accountId + ":" + sqsQueueName + "\", \n" +
                "                \"Condition\": {\n" +
                "                    \"ArnEquals\": {\n" +
                    "                        \"aws:SourceArn\": \"arn:aws:sns:us-east-1:" +
accountId + ":" + topicName + "\"\n" +
                    "                }\n" +
                "            }\n" +
        "        ]\n" +
    "    ]\n";
}

setQueueAttr(sqsClient, sqsQueueUrl, policy);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("6. Subscribe to the SQS queue.");
if (selectFIFO) {
    System.out.println(
        "If you add a filter to this subscription, then only the
filtered messages will be received in the queue.\n"
        +
        "For information about message filtering, see https://docs.aws.amazon.com/sns/latest/dg/sns-message-filtering.html\n"
```

```
+  
        "For this example, you can filter messages by a \"tone\"  
attribute.");  
        System.out.println("Would you like to filter messages for " +  
sqSQueueName + "'s subscription to the topic "  
        + topicName + "? (y/n)");  
        String filterAns = in.nextLine();  
        if (filterAns.compareTo("y") == 0) {  
            boolean moreAns = false;  
            System.out.println("You can filter messages by one or more of the  
following \"tone\" attributes.");  
            System.out.println("1. cheerful");  
            System.out.println("2. funny");  
            System.out.println("3. serious");  
            System.out.println("4. sincere");  
            while (!moreAns) {  
                System.out.println("Select a number or choose 0 to end.");  
                String ans = in.nextLine();  
                switch (ans) {  
                    case "1":  
                        filterList.add("cheerful");  
                        break;  
                    case "2":  
                        filterList.add("funny");  
                        break;  
                    case "3":  
                        filterList.add("serious");  
                        break;  
                    case "4":  
                        filterList.add("sincere");  
                        break;  
                    default:  
                        moreAns = true;  
                        break;  
                }  
            }  
        }  
        subscriptionArn = subQueue(snsClient, topicArn, sqsQueueArn, filterList);  
        System.out.println(DASHES);  
  
        System.out.println(DASHES);  
        System.out.println("7. Publish a message to the topic.");  
        if (selectFIFO) {
```

```
System.out.println("Would you like to add an attribute to this message?  
(y/n)");  
String msgAns = in.nextLine();  
if (msgAns.compareTo("y") == 0) {  
    System.out.println("You can filter messages by one or more of the  
following \"tone\" attributes.");  
    System.out.println("1. cheerful");  
    System.out.println("2. funny");  
    System.out.println("3. serious");  
    System.out.println("4. sincere");  
    System.out.println("Select a number or choose 0 to end.");  
    String ans = in.nextLine();  
    switch (ans) {  
        case "1":  
            msgAttValue = "cheerful";  
            break;  
        case "2":  
            msgAttValue = "funny";  
            break;  
        case "3":  
            msgAttValue = "serious";  
            break;  
        default:  
            msgAttValue = "sincere";  
            break;  
    }  
  
    System.out.println("Selected value is " + msgAttValue);  
}  
System.out.println("Enter a message.");  
message = in.nextLine();  
pubMessageFIFO(snsClient, message, topicArn, msgAttValue, duplication,  
groupId, deduplicationID);  
  
} else {  
    System.out.println("Enter a message.");  
    message = in.nextLine();  
    pubMessage(snsClient, message, topicArn);  
}  
System.out.println(DASHES);  
  
System.out.println(DASHES);  
System.out.println("8. Display the message. Press any key to continue.");  
in.nextLine();
```

```
messageList = receiveMessages(sqsClient, sqsQueueUrl, msgAttValue);
for (Message mes : messageList) {
    System.out.println("Message Id: " + mes.messageId());
    System.out.println("Full Message: " + mes.body());
}
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("9. Delete the received message. Press any key to continue.");
in.nextLine();
deleteMessages(sqsClient, sqsQueueUrl, messageList);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("10. Unsubscribe from the topic and delete the queue.
Press any key to continue.");
in.nextLine();
unSub(snsClient, subscriptionArn);
deleteSQSQueue(sqsClient, sqsQueueName);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("11. Delete the topic. Press any key to continue.");
in.nextLine();
deleteSNSTopic(snsClient, topicArn);

System.out.println(DASHES);
System.out.println("The SNS/SQS workflow has completed successfully.");
System.out.println(DASHES);
}

public static void deleteSNSTopic(SnsClient snsClient, String topicArn) {
    try {
        DeleteTopicRequest request = DeleteTopicRequest.builder()
            .topicArn(topicArn)
            .build();

        DeleteTopicResponse result = snsClient.deleteTopic(request);
        System.out.println("Status was " +
result.sdkHttpResponse().statusCode());

    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
    }
}
```

```
        System.exit(1);
    }
}

public static void deleteSQSQueue(SqsClient sqsClient, String queueName) {
    try {
        GetQueueUrlRequest getQueueRequest = GetQueueUrlRequest.builder()
            .queueName(queueName)
            .build();

        String queueUrl = sqsClient.getQueueUrl(getQueueRequest).queueUrl();
        DeleteQueueRequest deleteQueueRequest = DeleteQueueRequest.builder()
            .queueUrl(queueUrl)
            .build();

        sqsClient.deleteQueue(deleteQueueRequest);
        System.out.println(queueName + " was successfully deleted.");
    } catch (SqsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

public static void unSub(SnsClient snsClient, String subscriptionArn) {
    try {
        UnsubscribeRequest request = UnsubscribeRequest.builder()
            .subscriptionArn(subscriptionArn)
            .build();

        UnsubscribeResponse result = snsClient.unsubscribe(request);
        System.out.println("Status was " + result.sdkHttpResponse().statusCode()
            + "\nSubscription was removed for " +
        request.subscriptionArn());
    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

public static void deleteMessages(SqsClient sqsClient, String queueUrl,
List<Message> messages) {
    try {
```

```
        List<DeleteMessageBatchRequestEntry> entries = new ArrayList<>();
        for (Message msg : messages) {
            DeleteMessageBatchRequestEntry entry =
DeleteMessageBatchRequestEntry.builder()
                .id(msg.messageId())
                .build();

            entries.add(entry);
        }

        DeleteMessageBatchRequest deleteMessageBatchRequest =
DeleteMessageBatchRequest.builder()
    .queueUrl(queueUrl)
    .entries(entries)
    .build();

    sqsClient.deleteMessageBatch(deleteMessageBatchRequest);
    System.out.println("The batch delete of messages was successful");

} catch (SqsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}

public static List<Message> receiveMessages(SqsClient sqsClient, String
queueUrl, String msgAttValue) {
    try {
        if (msgAttValue.isEmpty()) {
            ReceiveMessageRequest receiveMessageRequest =
ReceiveMessageRequest.builder()
                .queueUrl(queueUrl)
                .maxNumberOfMessages(5)
                .build();
            return sqsClient.receiveMessage(receiveMessageRequest).messages();
        } else {
            // We know there are filters on the message.
            ReceiveMessageRequest receiveRequest =
ReceiveMessageRequest.builder()
                .queueUrl(queueUrl)
                .messageAttributeNames(msgAttValue) // Include other message
attributes if needed.
                .maxNumberOfMessages(5)
                .build();
    }
}
```

```
        return sqsClient.receiveMessage(receiveRequest).messages();
    }

} catch (SqsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
return null;
}

public static void pubMessage(SnsClient snsClient, String message, String topicArn) {
    try {
        PublishRequest request = PublishRequest.builder()
            .message(message)
            .topicArn(topicArn)
            .build();

        PublishResponse result = snsClient.publish(request);
        System.out
            .println(result.messageId() + " Message sent. Status is " +
result.sdkHttpResponse().statusCode());

    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

public static void pubMessageFIFO(SnsClient snsClient,
        String message,
        String topicArn,
        String msgAttValue,
        String duplication,
        String groupId,
        String deduplicationID) {

    try {
        PublishRequest request;
        // Means the user did not choose to use a message attribute.
        if (msgAttValue.isEmpty()) {
            if (duplication.compareTo("y") == 0) {
                request = PublishRequest.builder()
```

```
        .message(message)
        .messageGroupId(groupId)
        .topicArn(topicArn)
        .build();

    } else {
        request = PublishRequest.builder()
            .message(message)
            .messageDeduplicationId(deduplicationID)
            .messageGroupId(groupId)
            .topicArn(topicArn)
            .build();
    }

} else {
    Map<String, MessageAttributeValue> messageAttributes = new
HashMap<>();
    messageAttributes.put(msgAttValue, MessageAttributeValue.builder()
        .dataType("String")
        .stringValue("true")
        .build());

    if (duplication.compareTo("y") == 0) {
        request = PublishRequest.builder()
            .message(message)
            .messageGroupId(groupId)
            .topicArn(topicArn)
            .build();
    } else {
        // Create a publish request with the message and attributes.
        request = PublishRequest.builder()
            .topicArn(topicArn)
            .message(message)
            .messageDeduplicationId(deduplicationID)
            .messageGroupId(groupId)
            .messageAttributes(messageAttributes)
            .build();
    }
}

// Publish the message to the topic.
PublishResponse result = snsClient.publish(request);
System.out
    .println(result.messageId() + " Message sent. Status was " +
result.sdkHttpResponse().statusCode());
```

```
        } catch (SnsException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }

    // Subscribe to the SQS queue.
    public static String subQueue(SnsClient snsClient, String topicArn, String
queueArn, List<String> filterList) {
    try {
        SubscribeRequest request;
        if (filterList.isEmpty()) {
            // No filter subscription is added.
            request = SubscribeRequest.builder()
                .protocol("sq")
                .endpoint(queueArn)
                .returnSubscriptionArn(true)
                .topicArn(topicArn)
                .build();

            SubscribeResponse result = snsClient.subscribe(request);
            System.out.println("The queue " + queueArn + " has been subscribed
to the topic " + topicArn + "\n" +
                    "with the subscription ARN " + result.subscriptionArn());
            return result.subscriptionArn();
        } else {
            request = SubscribeRequest.builder()
                .protocol("sq")
                .endpoint(queueArn)
                .returnSubscriptionArn(true)
                .topicArn(topicArn)
                .build();

            SubscribeResponse result = snsClient.subscribe(request);
            System.out.println("The queue " + queueArn + " has been subscribed
to the topic " + topicArn + "\n" +
                    "with the subscription ARN " + result.subscriptionArn());

            String attributeName = "FilterPolicy";
            Gson gson = new Gson();
            String jsonString = "{\"tone\": []}";
            JsonObject jsonObject = gson.fromJson(jsonString, JsonObject.class);
            JsonArray toneArray = jsonObject.getAsJsonArray("tone");
        }
    }
}
```

```
        for (String value : filterList) {
            toneArray.add(new JsonPrimitive(value));
        }

        String updatedJsonString = gson.toJson(jsonObject);
        System.out.println(updatedJsonString);
        SetSubscriptionAttributesRequest attRequest =
SetSubscriptionAttributesRequest.builder()
            .subscriptionArn(result.subscriptionArn())
            .attributeName(attributeName)
            .attributeValue(updatedJsonString)
            .build();

        snsClient.setSubscriptionAttributes(attRequest);
        return result.subscriptionArn();
    }

} catch (SnsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
return "";
}

// Attach a policy to the queue.
public static void setQueueAttr(SqsClient sqsClient, String queueUrl, String policy) {
    try {
        Map<software.amazon.awssdk.services.sqs.model.QueueAttributeName,
String> attrMap = new HashMap<>();
        attrMap.put(QueueAttributeName.POLICY, policy);

        SetQueueAttributesRequest attributesRequest =
SetQueueAttributesRequest.builder()
            .queueUrl(queueUrl)
            .attributes(attrMap)
            .build();

        sqsClient.setQueueAttributes(attributesRequest);
        System.out.println("The policy has been successfully attached.");

    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

```
        }

    }

    public static String getSQSQueueAttrs(SqsClient sqsClient, String queueUrl) {
        // Specify the attributes to retrieve.
        List<QueueAttributeName> attrs = new ArrayList<>();
        attrs.add(QueueAttributeName.QUEUE_ARN);

        GetQueueAttributesRequest attributesRequest =
GetQueueAttributesRequest.builder()
            .queueUrl(queueUrl)
            .attributeNames(attrs)
            .build();

        GetQueueAttributesResponse response =
sqsClient.getQueueAttributes(attributesRequest);
        Map<String, String> queueAttrs = response.attributesAsStrings();
        for (Map.Entry<String, String> queueAtt : queueAttrs.entrySet())
            return queueAtt.getValue();

        return "";
    }

    public static String createQueue(SqsClient sqsClient, String queueName, Boolean selectFIFO) {
        try {
            System.out.println("\nCreate Queue");
            if (selectFIFO) {
                Map<QueueAttributeName, String> attrs = new HashMap<>();
                attrs.put(QueueAttributeName.FIFO_QUEUE, "true");
                CreateQueueRequest createQueueRequest = CreateQueueRequest.builder()
                    .queueName(queueName)
                    .attributes(attrs)
                    .build();

                sqsClient.createQueue(createQueueRequest);
                System.out.println("\nGet queue url");
                GetQueueUrlResponse getQueueUrlResponse = sqsClient

                .getQueueUrl(GetQueueUrlRequest.builder().queueName(queueName).build());
                return getQueueUrlResponse.queueUrl();
            } else {
                CreateQueueRequest createQueueRequest = CreateQueueRequest.builder()
                    .queueName(queueName)
```

```
        .build();

        sqsClient.createQueue(createQueueRequest);
        System.out.println("\nGet queue url");
        GetQueueUrlResponse getQueueUrlResponse = sqsClient

.getQueueUrl(GetQueueUrlRequest.builder().queueName(queueName).build());
            return getQueueUrlResponse.queueUrl();
        }

    } catch (SqsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}

public static String createSNSTopic(SnsClient snsClient, String topicName) {
    CreateTopicResponse result;
    try {
        CreateTopicRequest request = CreateTopicRequest.builder()
            .name(topicName)
            .build();

        result = snsClient.createTopic(request);
        return result.topicArn();

    } catch (SnsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}

public static String createFIFO(SnsClient snsClient, String topicName, String
duplication) {
    try {
        // Create a FIFO topic by using the SNS service client.
        Map<String, String> topicAttributes = new HashMap<>();
        if (duplication.compareTo("n") == 0) {
            topicAttributes.put("FifoTopic", "true");
            topicAttributes.put("ContentBasedDeduplication", "false");
        } else {
            topicAttributes.put("FifoTopic", "true");
    
```

```
topicAttributes.put("ContentBasedDeduplication", "true");
}

CreateTopicRequest topicRequest = CreateTopicRequest.builder()
    .name(topicName)
    .attributes(topicAttributes)
    .build();

CreateTopicResponse response = snsClient.createTopic(topicRequest);
return response.topicArn();

} catch (SnsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
return "";
}
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [CreateQueue](#)
- [CreateTopic](#)
- [DeleteMessageBatch](#)
- [DeleteQueue](#)
- [DeleteTopic](#)
- [GetQueueAttributes](#)
- [Publish](#)
- [ReceiveMessage](#)
- [SetQueueAttributes](#)
- [Subscribe](#)
- [Unsubscribe](#)

Serverless examples

Invoke a Lambda function from an Amazon SNS trigger

The following code example shows how to implement a Lambda function that receives an event triggered by receiving messages from an SNS topic. The function retrieves the messages from the event parameter and logs the content of each message.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [Serverless examples](#) repository.

Consuming an SNS event with Lambda using Java.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
package example;

import com.amazonaws.services.lambda.runtime.Context;
import com.amazonaws.services.lambda.runtime.LambdaLogger;
import com.amazonaws.services.lambda.runtime.RequestHandler;
import com.amazonaws.services.lambda.runtime.events.SNSEvent;
import com.amazonaws.services.lambda.runtime.events.SNSEvent.SNSRecord;

import java.util.Iterator;
import java.util.List;

public class SNSEventHandler implements RequestHandler<SNSEvent, Boolean> {
    LambdaLogger logger;

    @Override
    public Boolean handleRequest(SNSEvent event, Context context) {
        logger = context.getLogger();
        List<SNSRecord> records = event.getRecords();
        if (!records.isEmpty()) {
            Iterator<SNSRecord> recordsIter = records.iterator();
            while (recordsIter.hasNext()) {
```

```
        processRecord(recordsIter.next());
    }
}

return Boolean.TRUE;
}

public void processRecord(SNSRecord record) {
    try {
        String message = record.getsns().getMessage();
        logger.log("message: " + message);
    } catch (Exception e) {
        throw new RuntimeException(e);
    }
}

}
```

Amazon SQS examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon SQS.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello Amazon SQS

The following code examples show how to get started using Amazon SQS.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sqs.SqsClient;
import software.amazon.awssdk.services.sqs.model.SqsException;
import software.amazon.awssdk.services.sqs.paginators.ListQueuesIterable;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class HelloSQS {
    public static void main(String[] args) {
        SqsClient sqsClient = SqsClient.builder()
            .region(Region.US_WEST_2)
            .build();

        listQueues(sqsClient);
        sqsClient.close();
    }

    public static void listQueues(SqsClient sqsClient) {
        try {
            ListQueuesIterable listQueues = sqsClient.listQueuesPaginator();
            listQueues.stream()
                .flatMap(r -> r.queueUrls().stream())
                .forEach(content -> System.out.println(" Queue URL: " +
content.toLowerCase()));

        } catch (SqsException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
}
```

```
    }
}
}
```

- For API details, see [ListQueues](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Actions](#)
- [Scenarios](#)
- [Serverless examples](#)

Actions

CreateQueue

The following code example shows how to use CreateQueue.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sqs.SqsClient;
import software.amazon.awssdk.services.sqs.model.ChangeMessageVisibilityRequest;
import software.amazon.awssdk.services.sqs.model.CreateQueueRequest;
import software.amazon.awssdk.services.sqs.model.DeleteMessageRequest;
import software.amazon.awssdk.services.sqs.model.GetQueueUrlRequest;
import software.amazon.awssdk.services.sqs.model.GetQueueUrlResponse;
import software.amazon.awssdk.services.sqs.model.ListQueuesRequest;
import software.amazon.awssdk.services.sqs.model.ListQueuesResponse;
import software.amazon.awssdk.services.sqs.model.Message;
import software.amazon.awssdk.services.sqs.model.ReceiveMessageRequest;
import software.amazon.awssdk.services.sqs.model.SendMessageBatchRequest;
import software.amazon.awssdk.services.sqs.model.SendMessageBatchRequestEntry;
```

```
import software.amazon.awssdk.services.sqs.model.SendMessageRequest;
import software.amazon.awssdk.services.sqs.model.SqsException;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class SQSExample {
    public static void main(String[] args) {
        String queueName = "queue" + System.currentTimeMillis();
        SqsClient sqsClient = SqsClient.builder()
            .region(Region.US_WEST_2)
            .build();

        // Perform various tasks on the Amazon SQS queue.
        String queueUrl = createQueue(sqsClient, queueName);
        listQueues(sqsClient);
        listQueuesFilter(sqsClient, queueUrl);
        List<Message> messages = receiveMessages(sqsClient, queueUrl);
        sendBatchMessages(sqsClient, queueUrl);
        changeMessages(sqsClient, queueUrl, messages);
        deleteMessages(sqsClient, queueUrl, messages);
        sqsClient.close();
    }

    public static String createQueue(SqsClient sqsClient, String queueName) {
        try {
            System.out.println("\nCreate Queue");

            CreateQueueRequest createQueueRequest = CreateQueueRequest.builder()
                .queueName(queueName)
                .build();

            sqsClient.createQueue(createQueueRequest);

            System.out.println("\nGet queue url");

            GetQueueUrlResponse getQueueUrlResponse = sqsClient
        }
    }
}
```

```
.getQueueUrl(GetQueueUrlRequest.builder().queueName(queueName).build());
    return getQueueUrlResponse.queueUrl();

} catch (SqsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
return "";
}

public static void listQueues(SqsClient sqsClient) {

    System.out.println("\nList Queues");
    String prefix = "que";

    try {
        ListQueuesRequest listQueuesRequest =
ListQueuesRequest.builder().queueNamePrefix(prefix).build();
        ListQueuesResponse listQueuesResponse =
sqsClient.listQueues(listQueuesRequest);
        for (String url : listQueuesResponse.queueUrls()) {
            System.out.println(url);
        }
    } catch (SqsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

public static void listQueuesFilter(SqsClient sqsClient, String queueUrl) {
    // List queues with filters
    String namePrefix = "queue";
    ListQueuesRequest filterListRequest = ListQueuesRequest.builder()
        .queueNamePrefix(namePrefix)
        .build();

    ListQueuesResponse listQueuesFilteredResponse =
sqsClient.listQueues(filterListRequest);
    System.out.println("Queue URLs with prefix: " + namePrefix);
    for (String url : listQueuesFilteredResponse.queueUrls()) {
        System.out.println(url);
    }
}
```

```
System.out.println("\nSend message");
try {
    sqsClient.sendMessage(SendMessageRequest.builder()
        .queueUrl(queueUrl)
        .messageBody("Hello world!")
        .delaySeconds(10)
        .build());

} catch (SqsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}

}

public static void sendBatchMessages(SqsClient sqsClient, String queueUrl) {

    System.out.println("\nSend multiple messages");
    try {
        SendMessageBatchRequest sendMessageBatchRequest =
SendMessageBatchRequest.builder()
    .queueUrl(queueUrl)

.entries(SendMessageBatchRequestEntry.builder().id("id1").messageBody("Hello from
msg 1").build(),

SendMessageBatchRequestEntry.builder().id("id2").messageBody("msg
2").delaySeconds(10)
    .build())
    .build();
    sqsClient.sendMessageBatch(sendMessageBatchRequest);

} catch (SqsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}

}

public static List<Message> receiveMessages(SqsClient sqsClient, String
queueUrl) {

    System.out.println("\nReceive messages");
    try {
```

```
        ReceiveMessageRequest receiveMessageRequest =
ReceiveMessageRequest.builder()
    .queueUrl(queueUrl)
    .maxNumberOfMessages(5)
    .build();
    return sqsClient.receiveMessage(receiveMessageRequest).messages();

} catch (SqsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
return null;
}

public static void changeMessages(SqsClient sqsClient, String queueUrl,
List<Message> messages) {

    System.out.println("\nChange Message Visibility");
    try {

        for (Message message : messages) {
            ChangeMessageVisibilityRequest req =
ChangeMessageVisibilityRequest.builder()
                .queueUrl(queueUrl)
                .receiptHandle(message.receiptHandle())
                .visibilityTimeout(100)
                .build();
            sqsClient.changeMessageVisibility(req);
        }
    } catch (SqsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

public static void deleteMessages(SqsClient sqsClient, String queueUrl,
List<Message> messages) {
    System.out.println("\nDelete Messages");

    try {
        for (Message message : messages) {
            DeleteMessageRequest deleteMessageRequest =
DeleteMessageRequest.builder()
```

```
        .queueUrl(queueUrl)
        .receiptHandle(message.receiptHandle())
        .build();
    sqsClient.deleteMessage(deleteMessageRequest);
}
} catch (SqsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

- For API details, see [CreateQueue](#) in *AWS SDK for Java 2.x API Reference*.

DeleteMessage

The following code example shows how to use DeleteMessage.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
try {
    for (Message message : messages) {
        DeleteMessageRequest deleteMessageRequest =
DeleteMessageRequest.builder()
        .queueUrl(queueUrl)
        .receiptHandle(message.receiptHandle())
        .build();
    sqsClient.deleteMessage(deleteMessageRequest);
}
} catch (SqsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
```

- For API details, see [DeleteMessage in AWS SDK for Java 2.x API Reference](#).

DeleteQueue

The following code example shows how to use DeleteQueue.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sqs.SqsClient;
import software.amazon.awssdk.services.sqs.model.GetQueueUrlRequest;
import software.amazon.awssdk.services.sqs.model.DeleteQueueRequest;
import software.amazon.awssdk.services.sqs.model.SqsException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DeleteQueue {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <queueName>
            Where:
            queueName - The name of the Amazon SQS queue to delete.

            """;
        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }
    }
}
```

```
}

String queueName = args[0];
SqsClient sqs = SqsClient.builder()
    .region(Region.US_WEST_2)
    .build();

deleteSQSQueue(sqs, queueName);
sqs.close();
}

public static void deleteSQSQueue(SqsClient sqsClient, String queueName) {
    try {
        GetQueueUrlRequest getQueueRequest = GetQueueUrlRequest.builder()
            .queueName(queueName)
            .build();

        String queueUrl = sqsClient.getQueueUrl(getQueueRequest).queueUrl();
        DeleteQueueRequest deleteQueueRequest = DeleteQueueRequest.builder()
            .queueUrl(queueUrl)
            .build();

        sqsClient.deleteQueue(deleteQueueRequest);

    } catch (SqsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [DeleteQueue](#) in *AWS SDK for Java 2.x API Reference*.

GetQueueUrl

The following code example shows how to use GetQueueUrl.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
GetQueueUrlResponse getQueueUrlResponse = sqsClient  
    .getQueueUrl(GetQueueUrlRequest.builder().queueName(queueName).build());  
    return getQueueUrlResponse.queueUrl();
```

- For API details, see [GetQueueUrl](#) in *AWS SDK for Java 2.x API Reference*.

ListQueues

The following code example shows how to use ListQueues.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
String prefix = "que";  
  
try {  
    ListQueuesRequest listQueuesRequest =  
        ListQueuesRequest.builder().queueNamePrefix(prefix).build();  
    ListQueuesResponse listQueuesResponse =  
        sqsClient.listQueues(listQueuesRequest);  
    for (String url : listQueuesResponse.queueUrls()) {  
        System.out.println(url);  
    }  
}
```

```
    } catch (SqsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
```

- For API details, see [ListQueues](#) in *AWS SDK for Java 2.x API Reference*.

ReceiveMessage

The following code example shows how to use ReceiveMessage.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
try {
    ReceiveMessageRequest receiveMessageRequest =
ReceiveMessageRequest.builder()
    .queueUrl(queueUrl)
    .maxNumberOfMessages(5)
    .build();
    return sqsClient.receiveMessage(receiveMessageRequest).messages();

} catch (SqsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
return null;
```

- For API details, see [ReceiveMessage](#) in *AWS SDK for Java 2.x API Reference*.

SendMessage

The following code example shows how to use SendMessage.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.auth.credentials.ProfileCredentialsProvider;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sqs.SqsClient;
import software.amazon.awssdk.services.sqs.model.CreateQueueRequest;
import software.amazon.awssdk.services.sqs.model.GetQueueUrlRequest;
import software.amazon.awssdk.services.sqs.model.SendMessageRequest;
import software.amazon.awssdk.services.sqs.model.SqsException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class SendMessages {
    public static void main(String[] args) {
        final String usage = """
            Usage:      <queueName> <message>
            Where:
            queueName - The name of the queue.
            message - The message to send.
        """;
        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }
        String queueName = args[0];
        String message = args[1];
    }
}
```

```
SqsClient sqsClient = SqsClient.builder()
    .region(Region.US_WEST_2)
    .build();
sendMessage(sqsClient, queueName, message);
sqsClient.close();
}

public static void sendMessage(SqsClient sqsClient, String queueName, String
message) {
    try {
        CreateQueueRequest request = CreateQueueRequest.builder()
            .queueName(queueName)
            .build();
        sqsClient.createQueue(request);

        GetQueueUrlRequest getQueueRequest = GetQueueUrlRequest.builder()
            .queueName(queueName)
            .build();

        String queueUrl = sqsClient.getQueueUrl(getQueueRequest).queueUrl();
        SendMessageRequest sendMsgRequest = SendMessageRequest.builder()
            .queueUrl(queueUrl)
            .messageBody(message)
            .delaySeconds(5)
            .build();

        sqsClient.sendMessage(sendMsgRequest);

    } catch (SqsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [SendMessage](#) in *AWS SDK for Java 2.x API Reference*.

SendMessageBatch

The following code example shows how to use SendMessageBatch.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
SendMessageBatchRequest sendMessageBatchRequest =  
SendMessageBatchRequest.builder()  
    .queueUrl(queueUrl)  
  
.entries(SendMessageBatchRequestEntry.builder().id("id1").messageBody("Hello from  
msg 1").build(),  
  
SendMessageBatchRequestEntry.builder().id("id2").messageBody("msg  
2").delaySeconds(10)  
    .build())  
    .build();  
sqSClient.sendMessageBatch(sendMessageBatchRequest);
```

- For API details, see [SendMessageBatch](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Create a messaging application

The following code example shows how to create a messaging application by using Amazon SQS.

SDK for Java 2.x

Shows how to use the Amazon SQS API to develop a Spring REST API that sends and retrieves messages.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- Amazon Comprehend

- Amazon SQS

Create and publish to a FIFO topic

The following code example shows how to create and publish to a FIFO Amazon SNS topic.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

This example

- creates an Amazon SNS FIFO topic, two Amazon SQS FIFO queues, and one Standard queue.
- subscribes the queues to the topic and publishes a message to the topic.

The [test](#) verifies the receipt of the message to each queue. The [complete example](#) also shows the addition of access policies and deletes the resources at the end.

```
public class PriceUpdateExample {  
    public final static SnsClient snsClient = SnsClient.create();  
    public final static SqsClient sqsClient = SqsClient.create();  
  
    public static void main(String[] args) {  
  
        final String usage = "\n" +  
            "Usage: " +  
            "    <topicName> <wholesaleQueueFifoName> <retailQueueFifoName>  
<analyticsQueueName>\n\n" +  
            "Where:\n" +  
            "    fifoTopicName - The name of the FIFO topic that you want to  
create. \n\n" +  
            "    wholesaleQueueARN - The name of a SQS FIFO queue that will be  
created for the wholesale consumer. \n\n"  
            +  
            "    retailQueueARN - The name of a SQS FIFO queue that will created  
for the retail consumer. \n\n" +  
            "    analyticsQueueARN - The name of a SQS standard queue that will  
be created for the analytics consumer. \n\n";
```

```
if (args.length != 4) {
    System.out.println(usage);
    System.exit(1);
}

final String fifoTopicName = args[0];
final String wholeSaleQueueName = args[1];
final String retailQueueName = args[2];
final String analyticsQueueName = args[3];

// For convenience, the QueueData class holds metadata about a queue: ARN,
URL,
// name and type.
List<QueueData> queues = List.of(
    new QueueData(wholeSaleQueueName, QueueType.FIFO),
    new QueueData(retailQueueName, QueueType.FIFO),
    new QueueData(analyticsQueueName, QueueType.Standard));

// Create queues.
createQueues(queues);

// Create a topic.
String topicARN = createFIFOTopic(fifoTopicName);

// Subscribe each queue to the topic.
subscribeQueues(queues, topicARN);

// Allow the newly created topic to send messages to the queues.
addAccessPolicyToQueuesFINAL(queues, topicARN);

// Publish a sample price update message with payload.
publishPriceUpdate(topicARN, "{\"product\": 214, \"price\": 79.99}",
"Consumables");

// Clean up resources.
deleteSubscriptions(queues);
deleteQueues(queues);
deleteTopic(topicARN);
}

public static String createFIFOTopic(String topicName) {
    try {
        // Create a FIFO topic by using the SNS service client.
        Map<String, String> topicAttributes = Map.of(
```

```
        "FifoTopic", "true",
        "ContentBasedDeduplication", "false");

    CreateTopicRequest topicRequest = CreateTopicRequest.builder()
        .name(topicName)
        .attributes(topicAttributes)
        .build();

    CreateTopicResponse response = snsClient.createTopic(topicRequest);
    String topicArn = response.topicArn();
    System.out.println("The topic ARN is" + topicArn);

    return topicArn;

} catch (SnsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
return "";
}

public static void subscribeQueues(List<QueueData> queues, String topicARN) {
    queues.forEach(queue -> {
        SubscribeRequest subscribeRequest = SubscribeRequest.builder()
            .topicArn(topicARN)
            .endpoint(queue.queueARN)
            .protocol("sqS")
            .build();

        // Subscribe to the endpoint by using the SNS service client.
        // Only Amazon SQS queues can receive notifications from an Amazon SNS
        FIFO
        // topic.
        SubscribeResponse subscribeResponse =
snsClient.subscribe(subscribeRequest);
        System.out.println("The queue [" + queue.queueARN + "] subscribed to the
topic [" + topicARN + "]");
        queue.subscriptionARN = subscribeResponse.subscriptionArn();
    });
}

public static void publishPriceUpdate(String topicArn, String payload, String
groupId) {
```

```
try {
    // Create and publish a message that updates the wholesale price.
    String subject = "Price Update";
    String dedupId = UUID.randomUUID().toString();
    String attributeName = "business";
    String attributeValue = "wholesale";

    MessageAttributeValue msgAttValue = MessageAttributeValue.builder()
        .dataType("String")
        .stringValue(attributeValue)
        .build();

    Map<String, MessageAttributeValue> attributes = new HashMap<>();
    attributes.put(attributeName, msgAttValue);
    PublishRequest pubRequest = PublishRequest.builder()
        .topicArn(topicArn)
        .subject(subject)
        .message(payload)
        .messageGroupId(groupId)
        .messageDuplicationId(dedupId)
        .messageAttributes(attributes)
        .build();

    final PublishResponse response = snsClient.publish(pubRequest);
    System.out.println(response.messageId());
    System.out.println(response.sequenceNumber());
    System.out.println("Message was published to " + topicArn);

} catch (SnsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [CreateTopic](#)
- [Publish](#)
- [Subscribe](#)

Process S3 event notifications

The following code example shows how to work with S3 event notifications in an object-oriented way.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

This example show how to process S3 notification event by using Amazon SQS.

```
/*
 * This method receives S3 event notifications by using an SqsAsyncClient.
 * After the client receives the messages it deserializes the JSON payload and
logs them. It uses
 * the S3EventNotification class (part of the S3 event notification API for
Java) to deserialize
 * the JSON payload and access the messages in an object-oriented way.
 *
 * @param queueUrl The URL of the AWS SQS queue that receives the S3 event
notifications.
 * @see <a href="https://sdk.amazonaws.com/java/api/latest/software/amazon/
awssdk/eventnotifications/s3/model/package-summary.html">S3EventNotification API</
a>.
 * <p>
 * To use S3 event notification serialization/deserialization to objects, add
the following
 * dependency to your Maven pom.xml file.
 * <dependency>
 * <groupId>software.amazon.awssdk</groupId>
 * <artifactId>s3-event-notifications</artifactId>
 * <version><LATEST></version>
 * </dependency>
 * <p>
 * The S3 event notification API became available with version 2.25.11 of the
Java SDK.
 * <p>
 * This example shows the use of the API with AWS SQS, but it can be used to
process S3 event notifications
```

```
* in AWS SNS or AWS Lambda as well.  
* <p>  
* Note: The S3EventNotification class does not work with messages routed  
through AWS EventBridge.  
*/  
static void processS3Events(String bucketName, String queueUrl, String queueArn)  
{  
    try {  
        // Configure the bucket to send Object Created and Object Tagging  
notifications to an existing SQS queue.  
        s3Client.putBucketNotificationConfiguration(b -> b  
            .notificationConfiguration(ncb -> ncb  
                .queueConfigurations(qcb -> qcb  
                    .events(Event.S3_OBJECT_CREATED,  
Event.S3_OBJECT_TAGGING)  
                    .queueArn(queueArn)))  
                .bucket(bucketName)  
        ).join();  
  
        triggerS3EventNotifications(bucketName);  
        // Wait for event notifications to propagate.  
        Thread.sleep(Duration.ofSeconds(5).toMillis());  
  
        boolean didReceiveMessages = true;  
        while (didReceiveMessages) {  
            // Display the number of messages that are available in the queue.  
            sqsClient.getQueueAttributes(b -> b  
                .queueUrl(queueUrl)  
  
.attributeNames(QueueAttributeName.APPROXIMATE_NUMBER_OF_MESSAGES)  
            ).thenAccept(attributeResponse ->  
                logger.info("Approximate number of messages in the  
queue: {}",  
  
attributeResponse.attributes().get(QueueAttributeName.APPROXIMATE_NUMBER_OF_MESSAGES))  
            .join();  
  
            // Receive the messages.  
            ReceiveMessageResponse response = sqsClient.receiveMessage(b -> b  
                .queueUrl(queueUrl)  
            ).get();  
            logger.info("Count of received messages: {}",  
response.messages().size());  
            didReceiveMessages = !response.messages().isEmpty();  
    }  
}
```

```
// Create a collection to hold the received message for deletion
// after we log the messages.
HashSet<DeleteMessageBatchRequestEntry> messagesToDelete = new
HashSet<>();
// Process each message.
response.messages().forEach(message -> {
    logger.info("Message id: {}", message.messageId());
    // Deserialize JSON message body to a S3EventNotification object
    // to access messages in an object-oriented way.
    S3EventNotification event =
S3EventNotification.fromJson(message.body());

    // Log the S3 event notification record details.
    if (event.getRecords() != null) {
        event.getRecords().forEach(record -> {
            String eventName = record.geteventName();
            String key = record.gets3().getObject().getKey();
            logger.info(record.toString());
            logger.info("Event name is {} and key is {}", eventName,
key);
        });
    }
    // Add logged messages to collection for batch deletion.
    messagesToDelete.add(DeleteMessageBatchRequestEntry.builder()
        .id(message.messageId())
        .receiptHandle(message.receiptHandle())
        .build());
});
// Delete messages.
if (!messagesToDelete.isEmpty()) {
    sqsClient.deleteMessageBatch(DeleteMessageBatchRequest.builder()
        .queueUrl(queueUrl)
        .entries(messagesToDelete)
        .build()
    ).join();
}
} // End of while block.
} catch (InterruptedException | ExecutionException e) {
    throw new RuntimeException(e);
}
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [DeleteMessageBatch](#)
- [GetQueueAttributes](#)
- [PutBucketNotificationConfiguration](#)
- [ReceiveMessage](#)

Publish messages to queues

The following code example shows how to:

- Create topic (FIFO or non-FIFO).
- Subscribe several queues to the topic with an option to apply a filter.
- Publish messages to the topic.
- Poll the queues for messages received.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
package com.example.sns;

import
    software.amazon.awssdk.auth.credentials.EnvironmentVariableCredentialsProvider;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sns.SnsClient;
import software.amazon.awssdk.services.sns.model.CreateTopicRequest;
import software.amazon.awssdk.services.sns.model.CreateTopicResponse;
import software.amazon.awssdk.services.sns.model.DeleteTopicRequest;
import software.amazon.awssdk.services.sns.model.DeleteTopicResponse;
import software.amazon.awssdk.services.sns.model.MessageAttributeValue;
import software.amazon.awssdk.services.sns.model.PublishRequest;
import software.amazon.awssdk.services.sns.model.PublishResponse;
```

```
import software.amazon.awssdk.services.sns.model.SetSubscriptionAttributesRequest;
import software.amazon.awssdk.services.sns.model.SnsException;
import software.amazon.awssdk.services.sns.model.SubscribeRequest;
import software.amazon.awssdk.services.sns.model.SubscribeResponse;
import software.amazon.awssdk.services.sns.model.UnsubscribeRequest;
import software.amazon.awssdk.services.sns.model.UnsubscribeResponse;
import software.amazon.awssdk.services.sqs.SqsClient;
import software.amazon.awssdk.services.sqs.model.CreateQueueRequest;
import software.amazon.awssdk.services.sqs.model.DeleteMessageBatchRequest;
import software.amazon.awssdk.services.sqs.model.DeleteMessageBatchRequestEntry;
import software.amazon.awssdk.services.sqs.model.DeleteQueueRequest;
import software.amazon.awssdk.services.sqs.model.GetQueueAttributesRequest;
import software.amazon.awssdk.services.sqs.model.GetQueueAttributesResponse;
import software.amazon.awssdk.services.sqs.model.GetQueueUrlRequest;
import software.amazon.awssdk.services.sqs.model.GetQueueUrlResponse;
import software.amazon.awssdk.services.sqs.model.Message;
import software.amazon.awssdk.services.sqs.model.QueueAttributeName;
import software.amazon.awssdk.services.sqs.model.ReceiveMessageRequest;
import software.amazon.awssdk.services.sqs.model.SetQueueAttributesRequest;
import software.amazon.awssdk.services.sqs.model.SqsException;
import java.util.ArrayList;
import java.util.HashMap;
import java.util.List;
import java.util.Map;
import java.util.Scanner;
import com.google.gson.Gson;
import com.google.gson.JsonArray;
import com.google.gson.JsonObject;
import com.google.gson.JsonPrimitive;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 *
 * This Java example performs these tasks:
 *
 * 1. Gives the user three options to choose from.
 * 2. Creates an Amazon Simple Notification Service (Amazon SNS) topic.
 * 3. Creates an Amazon Simple Queue Service (Amazon SQS) queue.
 * 4. Gets the SQS queue Amazon Resource Name (ARN) attribute.
```

```
* 5. Attaches an AWS Identity and Access Management (IAM) policy to the queue.  
* 6. Subscribes to the SQS queue.  
* 7. Publishes a message to the topic.  
* 8. Displays the messages.  
* 9. Deletes the received message.  
* 10. Unsubscribes from the topic.  
* 11. Deletes the SNS topic.  
*/  
public class SNSWorkflow {  
    public static final String DASHES = new String(new char[80]).replace("\0", "-");  
  
    public static void main(String[] args) {  
        final String usage = "\n" +  
            "Usage:\n" +  
            "  <fifoQueueARN>\n\n" +  
            "Where:\n" +  
            "  accountId - Your AWS account Id value.";  
  
        // if (args.length != 1) {  
        // System.out.println(usage);  
        // System.exit(1);  
        // }  
  
        SnsClient snsClient = SnsClient.builder()  
            .region(Region.US_EAST_1)  
  
.credentialsProvider(EnvironmentVariableCredentialsProvider.create())  
            .build();  
  
        SqsClient sqsClient = SqsClient.builder()  
            .region(Region.US_EAST_1)  
  
.credentialsProvider(EnvironmentVariableCredentialsProvider.create())  
            .build();  
  
        Scanner in = new Scanner(System.in);  
        String accountId = "814548047983";  
        String useFIFO;  
        String duplication = "n";  
        String topicName;  
        String deduplicationID = null;  
        String groupId = null;  
  
        String topicArn;
```

```
String sqsQueueName;
String sqsQueueUrl;
String sqsQueueArn;
String subscriptionArn;
boolean selectFIFO = false;

String message;
List<Message> messageList;
List<String> filterList = new ArrayList<>();
String msgAttValue = "";

System.out.println(DASHES);
System.out.println("Welcome to messaging with topics and queues.");
System.out.println("In this workflow, you will create an SNS topic and
subscribe an SQS queue to the topic.\n" +
    "You can select from several options for configuring the topic and
the subscriptions for the queue.\n" +
    "You can then post to the topic and see the results in the queue.");
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("SNS topics can be configured as FIFO (First-In-First-
Out).\n" +
    "FIFO topics deliver messages in order and support deduplication and
message filtering.\n" +
    "Would you like to work with FIFO topics? (y/n)");
useFIFO = in.nextLine();
if (useFIFO.compareTo("y") == 0) {
    selectFIFO = true;
    System.out.println("You have selected FIFO");
    System.out.println(" Because you have chosen a FIFO topic, deduplication
is supported.\n" +
        "           Deduplication IDs are either set in the message or
automatically generated from content using a hash function.\n"
        +
        "           If a message is successfully published to an SNS FIFO
topic, any message published and determined to have the same deduplication ID,\n"
        +
        "           within the five-minute deduplication interval, is
accepted but not delivered.\n" +
        "           For more information about deduplication, see https://docs.aws.amazon.com/sns/latest/dg/fifo-message-dedup.html.");
}

System.out.println(
```

```
"Would you like to use content-based deduplication instead of
entering a deduplication ID? (y/n)");
duplication = in.nextLine();
if (duplication.compareTo("y") == 0) {
    System.out.println("Please enter a group id value");
    groupId = in.nextLine();
} else {
    System.out.println("Please enter deduplication Id value");
    deduplicationID = in.nextLine();
    System.out.println("Please enter a group id value");
    groupId = in.nextLine();
}
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("2. Create a topic.");
System.out.println("Enter a name for your SNS topic.");
topicName = in.nextLine();
if (selectFIFO) {
    System.out.println("Because you have selected a FIFO topic, '.fifo' must
be appended to the topic name.");
    topicName = topicName + ".fifo";
    System.out.println("The name of the topic is " + topicName);
    topicArn = createFIFO(snsClient, topicName, duplication);
    System.out.println("The ARN of the FIFO topic is " + topicArn);
} else {
    System.out.println("The name of the topic is " + topicName);
    topicArn = createSNSTopic(snsClient, topicName);
    System.out.println("The ARN of the non-FIFO topic is " + topicArn);
}
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("3. Create an SQS queue.");
System.out.println("Enter a name for your SQS queue.");
sqQueueName = in.nextLine();
if (selectFIFO) {
    sqsQueueName = sqsQueueName + ".fifo";
}
sqQueueUrl = createQueue(sqsClient, sqsQueueName, selectFIFO);
System.out.println("The queue URL is " + sqsQueueUrl);
```

```
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("4. Get the SQS queue ARN attribute.");
sqSQueueArn = getSQSQueueAttrs(sqsClient, sqsQueueUrl);
System.out.println("The ARN of the new queue is " + sqsQueueArn);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("5. Attach an IAM policy to the queue.");

// Define the policy to use. Make sure that you change the REGION if you are
// running this code
// in a different region.
String policy = "{\n" +
    "    \"Statement\": [\n" +
    "        {\n" +
    "            \"Effect\": \"Allow\", \n" +
    "            \"Principal\": {\"n\" +
    "                \"Service\": \"sns.amazonaws.com\\n\" +
    "            }, \n" +
    "            \"Action\": \"sns:SendMessage\", \n" +
    "            \"Resource\": \"arn:aws:sqs:us-east-1:" +
accountId + ":" + sqsQueueName + "\", \n" +
                "\"Condition\": {\"n\" +
                "\"ArnEquals\": {\"n\" +
                "\"aws:SourceArn\": \"arn:aws:sns:us-east-1:" +
accountId + ":" + topicName + "\"\\n\" +
                    \"} \\n\" +
                    \"} \\n\" +
                    \"} \\n\" +
                    \"] \\n\" +
    \" }";

setQueueAttr(sqsClient, sqsQueueUrl, policy);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("6. Subscribe to the SQS queue.");
if (selectFIFO) {
    System.out.println(
        "If you add a filter to this subscription, then only the
        filtered messages will be received in the queue.\\n"
        +
        "
```

```
        "For information about message filtering, see https://  
docs.aws.amazon.com/sns/latest/dg/sns-message-filtering.html\n"  
        +  
        "For this example, you can filter messages by a \"tone\"  
attribute.");  
        System.out.println("Would you like to filter messages for " +  
sqSQueueName + "'s subscription to the topic "  
        + topicName + "? (y/n)");  
        String filterAns = in.nextLine();  
        if (filterAns.compareTo("y") == 0) {  
            boolean moreAns = false;  
            System.out.println("You can filter messages by one or more of the  
following \"tone\" attributes.");  
            System.out.println("1. cheerful");  
            System.out.println("2. funny");  
            System.out.println("3. serious");  
            System.out.println("4. sincere");  
            while (!moreAns) {  
                System.out.println("Select a number or choose 0 to end.");  
                String ans = in.nextLine();  
                switch (ans) {  
                    case "1":  
                        filterList.add("cheerful");  
                        break;  
                    case "2":  
                        filterList.add("funny");  
                        break;  
                    case "3":  
                        filterList.add("serious");  
                        break;  
                    case "4":  
                        filterList.add("sincere");  
                        break;  
                    default:  
                        moreAns = true;  
                        break;  
                }  
            }  
        }  
        subscriptionArn = subQueue(snsClient, topicArn, sqsQueueArn, filterList);  
        System.out.println(DASHES);  
  
        System.out.println(DASHES);
```

```
System.out.println("7. Publish a message to the topic.");
if (selectFIFO) {
    System.out.println("Would you like to add an attribute to this message?
(y/n)");
    String msgAns = in.nextLine();
    if (msgAns.compareTo("y") == 0) {
        System.out.println("You can filter messages by one or more of the
following \"tone\" attributes.");
        System.out.println("1. cheerful");
        System.out.println("2. funny");
        System.out.println("3. serious");
        System.out.println("4. sincere");
        System.out.println("Select a number or choose 0 to end.");
        String ans = in.nextLine();
        switch (ans) {
            case "1":
                msgAttValue = "cheerful";
                break;
            case "2":
                msgAttValue = "funny";
                break;
            case "3":
                msgAttValue = "serious";
                break;
            default:
                msgAttValue = "sincere";
                break;
        }
        System.out.println("Selected value is " + msgAttValue);
    }
    System.out.println("Enter a message.");
    message = in.nextLine();
    pubMessageFIFO(snsClient, message, topicArn, msgAttValue, duplication,
groupId, deduplicationID);
} else {
    System.out.println("Enter a message.");
    message = in.nextLine();
    pubMessage(snsClient, message, topicArn);
}
System.out.println(DASHES);

System.out.println(DASHES);
```

```
        System.out.println("8. Display the message. Press any key to continue.");
        in.nextLine();
        messageList = receiveMessages(sqsClient, sqsQueueUrl, msgAttValue);
        for (Message mes : messageList) {
            System.out.println("Message Id: " + mes.messageId());
            System.out.println("Full Message: " + mes.body());
        }
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("9. Delete the received message. Press any key to
continue.");
        in.nextLine();
        deleteMessages(sqsClient, sqsQueueUrl, messageList);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("10. Unsubscribe from the topic and delete the queue.
Press any key to continue.");
        in.nextLine();
        unSub(snsClient, subscriptionArn);
        deleteSQSQueue(sqsClient, sqsQueueName);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("11. Delete the topic. Press any key to continue.");
        in.nextLine();
        deleteSNSTopic(snsClient, topicArn);

        System.out.println(DASHES);
        System.out.println("The SNS/SQS workflow has completed successfully.");
        System.out.println(DASHES);
    }

    public static void deleteSNSTopic(SnsClient snsClient, String topicArn) {
        try {
            DeleteTopicRequest request = DeleteTopicRequest.builder()
                .topicArn(topicArn)
                .build();

            DeleteTopicResponse result = snsClient.deleteTopic(request);
            System.out.println("Status was " +
result.sdkHttpResponse().statusCode());
        }
    }
}
```

```
        } catch (SnsException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }

    public static void deleteSQSQueue(SqsClient sqsClient, String queueName) {
        try {
            GetQueueUrlRequest getQueueRequest = GetQueueUrlRequest.builder()
                .queueName(queueName)
                .build();

            String queueUrl = sqsClient.getQueueUrl(getQueueRequest).queueUrl();
            DeleteQueueRequest deleteQueueRequest = DeleteQueueRequest.builder()
                .queueUrl(queueUrl)
                .build();

            sqsClient.deleteQueue(deleteQueueRequest);
            System.out.println(queueName + " was successfully deleted.");
        } catch (SqsException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }

    public static void unSub(SnsClient snsClient, String subscriptionArn) {
        try {
            UnsubscribeRequest request = UnsubscribeRequest.builder()
                .subscriptionArn(subscriptionArn)
                .build();

            UnsubscribeResponse result = snsClient.unsubscribe(request);
            System.out.println("Status was " + result.sdkHttpResponse().statusCode()
                + "\nSubscription was removed for " +
            request.subscriptionArn());
        } catch (SnsException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
}
```

```
public static void deleteMessages(SqsClient sqsClient, String queueUrl,
List<Message> messages) {
    try {
        List<DeleteMessageBatchRequestEntry> entries = new ArrayList<>();
        for (Message msg : messages) {
            DeleteMessageBatchRequestEntry entry =
DeleteMessageBatchRequestEntry.builder()
                .id(msg.messageId())
                .build();

            entries.add(entry);
        }

        DeleteMessageBatchRequest deleteMessageBatchRequest =
DeleteMessageBatchRequest.builder()
            .queueUrl(queueUrl)
            .entries(entries)
            .build();

        sqsClient.deleteMessageBatch(deleteMessageBatchRequest);
        System.out.println("The batch delete of messages was successful");

    } catch (SqsException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

public static List<Message> receiveMessages(SqsClient sqsClient, String
queueUrl, String msgAttValue) {
    try {
        if (msgAttValue.isEmpty()) {
            ReceiveMessageRequest receiveMessageRequest =
ReceiveMessageRequest.builder()
                .queueUrl(queueUrl)
                .maxNumberOfMessages(5)
                .build();
            return sqsClient.receiveMessage(receiveMessageRequest).messages();
        } else {
            // We know there are filters on the message.
            ReceiveMessageRequest receiveRequest =
ReceiveMessageRequest.builder()
                .queueUrl(queueUrl)
```

```
        .messageAttributeNames(msgAttValue) // Include other message
attributes if needed.
        .maxNumberOfMessages(5)
        .build();

    return sqsClient.receiveMessage(receiveRequest).messages();
}

} catch (SqsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
return null;
}

public static void pubMessage(SnsClient snsClient, String message, String
topicArn) {
try {
    PublishRequest request = PublishRequest.builder()
        .message(message)
        .topicArn(topicArn)
        .build();

    PublishResponse result = snsClient.publish(request);
    System.out
        .println(result.messageId() + " Message sent. Status is " +
result.sdkHttpResponse().statusCode());

} catch (SnsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}

public static void pubMessageFIFO(SnsClient snsClient,
        String message,
        String topicArn,
        String msgAttValue,
        String duplication,
        String groupId,
        String deduplicationID) {

try {
    PublishRequest request;
```

```
// Means the user did not choose to use a message attribute.  
if (msgAttValue.isEmpty()) {  
    if (duplication.compareTo("y") == 0) {  
        request = PublishRequest.builder()  
            .message(message)  
            .messageGroupId(groupId)  
            .topicArn(topicArn)  
            .build();  
    } else {  
        request = PublishRequest.builder()  
            .message(message)  
            .messageDeduplicationId(deduplicationID)  
            .messageGroupId(groupId)  
            .topicArn(topicArn)  
            .build();  
    }  
  
} else {  
    Map<String, MessageAttributeValue> messageAttributes = new  
HashMap<>();  
    messageAttributes.put(msgAttValue, MessageAttributeValue.builder()  
        .dataType("String")  
        .stringValue("true")  
        .build());  
  
    if (duplication.compareTo("y") == 0) {  
        request = PublishRequest.builder()  
            .message(message)  
            .messageGroupId(groupId)  
            .topicArn(topicArn)  
            .build();  
    } else {  
        // Create a publish request with the message and attributes.  
        request = PublishRequest.builder()  
            .topicArn(topicArn)  
            .message(message)  
            .messageDeduplicationId(deduplicationID)  
            .messageGroupId(groupId)  
            .messageAttributes(messageAttributes)  
            .build();  
    }  
}  
  
// Publish the message to the topic.
```

```
PublishResponse result = snsClient.publish(request);
System.out
    .println(result.messageId() + " Message sent. Status was " +
result.sdkHttpResponse().statusCode());

} catch (SnsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}

// Subscribe to the SQS queue.
public static String subQueue(SnsClient snsClient, String topicArn, String
queueArn, List<String> filterList) {
    try {
        SubscribeRequest request;
        if (filterList.isEmpty()) {
            // No filter subscription is added.
            request = SubscribeRequest.builder()
                .protocol("sq")
                .endpoint(queueArn)
                .returnSubscriptionArn(true)
                .topicArn(topicArn)
                .build();

            SubscribeResponse result = snsClient.subscribe(request);
            System.out.println("The queue " + queueArn + " has been subscribed
to the topic " + topicArn + "\n" +
                    "with the subscription ARN " + result.subscriptionArn());
            return result.subscriptionArn();
        } else {
            request = SubscribeRequest.builder()
                .protocol("sq")
                .endpoint(queueArn)
                .returnSubscriptionArn(true)
                .topicArn(topicArn)
                .build();

            SubscribeResponse result = snsClient.subscribe(request);
            System.out.println("The queue " + queueArn + " has been subscribed
to the topic " + topicArn + "\n" +
                    "with the subscription ARN " + result.subscriptionArn());

            String attributeName = "FilterPolicy";
        }
    }
}
```

```
        Gson gson = new Gson();
        String jsonString = "{\"tone\": []}";
        JsonObject jsonObject = gson.fromJson(jsonString, JsonObject.class);
        JsonArray toneArray = jsonObject.getAsJsonArray("tone");
        for (String value : filterList) {
            toneArray.add(new JsonPrimitive(value));
        }

        String updatedJsonString = gson.toJson(jsonObject);
        System.out.println(updatedJsonString);
        SetSubscriptionAttributesRequest attRequest =
SetSubscriptionAttributesRequest.builder()
            .subscriptionArn(result.subscriptionArn())
            .attributeName(attributeName)
            .attributeValue(updatedJsonString)
            .build();

        snsClient.setSubscriptionAttributes(attRequest);
        return result.subscriptionArn();
    }

} catch (SnsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
return "";
}

// Attach a policy to the queue.
public static void setQueueAttr(SqsClient sqsClient, String queueUrl, String
policy) {
    try {
        Map<software.amazon.awssdk.services.sqs.model.QueueAttributeName,
String> attrMap = new HashMap<>();
        attrMap.put(QueueAttributeName.POLICY, policy);

        SetQueueAttributesRequest attributesRequest =
SetQueueAttributesRequest.builder()
            .queueUrl(queueUrl)
            .attributes(attrMap)
            .build();

        sqsClient.setQueueAttributes(attributesRequest);
        System.out.println("The policy has been successfully attached.");
    }
}
```

```
        } catch (SnsException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }

    public static String getSQSQueueAttrs(SqsClient sqsClient, String queueUrl) {
        // Specify the attributes to retrieve.
        List<QueueAttributeName> attrs = new ArrayList<>();
        attrs.add(QueueAttributeName.QUEUE_ARN);

        GetQueueAttributesRequest attributesRequest =
GetQueueAttributesRequest.builder()
            .queueUrl(queueUrl)
            .attributeNames(attrs)
            .build();

        GetQueueAttributesResponse response =
sqsClient.getQueueAttributes(attributesRequest);
        Map<String, String> queueAttrs = response.attributesAsStrings();
        for (Map.Entry<String, String> queueAtt : queueAttrs.entrySet())
            return queueAtt.getValue();

        return "";
    }

    public static String createQueue(SqsClient sqsClient, String queueName, Boolean selectFIFO) {
        try {
            System.out.println("\nCreate Queue");
            if (selectFIFO) {
                Map<QueueAttributeName, String> attrs = new HashMap<>();
                attrs.put(QueueAttributeName.FIFO_QUEUE, "true");
                CreateQueueRequest createQueueRequest = CreateQueueRequest.builder()
                    .queueName(queueName)
                    .attributes(attrs)
                    .build();

                sqsClient.createQueue(createQueueRequest);
                System.out.println("\nGet queue url");
                GetQueueUrlResponse getQueueUrlResponse = sqsClient
                    .getQueueUrl(GetQueueUrlRequest.builder().queueName(queueName).build());
            }
        }
    }
}
```

```
        return getQueueUrlResponse.queueUrl();
    } else {
        CreateQueueRequest createQueueRequest = CreateQueueRequest.builder()
            .queueName(queueName)
            .build();

        sqsClient.createQueue(createQueueRequest);
        System.out.println("\nGet queue url");
        GetQueueUrlResponse getQueueUrlResponse = sqsClient

.getQueueUrl(GetQueueUrlRequest.builder().queueName(queueName).build());
        return getQueueUrlResponse.queueUrl();
    }

} catch (SqsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
return "";
}

public static String createSNSTopic(SnsClient snsClient, String topicName) {
    CreateTopicResponse result;
    try {
        CreateTopicRequest request = CreateTopicRequest.builder()
            .name(topicName)
            .build();

        result = snsClient.createTopic(request);
        return result.topicArn();
    }

} catch (SnsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
return "";
}

public static String createFIFO(SnsClient snsClient, String topicName, String
duplication) {
    try {
        // Create a FIFO topic by using the SNS service client.
        Map<String, String> topicAttributes = new HashMap<>();
        if (duplication.compareTo("n") == 0) {
```

```
        topicAttributes.put("FifoTopic", "true");
        topicAttributes.put("ContentBasedDeduplication", "false");
    } else {
        topicAttributes.put("FifoTopic", "true");
        topicAttributes.put("ContentBasedDeduplication", "true");
    }

    CreateTopicRequest topicRequest = CreateTopicRequest.builder()
        .name(topicName)
        .attributes(topicAttributes)
        .build();

    CreateTopicResponse response = snsClient.createTopic(topicRequest);
    return response.topicArn();

} catch (SnsException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
return "";
}

}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [CreateQueue](#)
- [CreateTopic](#)
- [DeleteMessageBatch](#)
- [DeleteQueue](#)
- [DeleteTopic](#)
- [GetQueueAttributes](#)
- [Publish](#)
- [ReceiveMessage](#)
- [SetQueueAttributes](#)
- [Subscribe](#)
- [Unsubscribe](#)

Serverless examples

Invoke a Lambda function from an Amazon SQS trigger

The following code example shows how to implement a Lambda function that receives an event triggered by receiving messages from an SQS queue. The function retrieves the messages from the event parameter and logs the content of each message.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [Serverless examples](#) repository.

Consuming an SQS event with Lambda using Java.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
import com.amazonaws.services.lambda.runtime.Context;
import com.amazonaws.services.lambda.runtime.RequestHandler;
import com.amazonaws.services.lambda.runtime.events.SQSEvent;
import com.amazonaws.services.lambda.runtime.events.SQSEvent.SQSMessage;

public class Function implements RequestHandler<SQSEvent, Void> {
    @Override
    public Void handleRequest(SQSEvent sqsEvent, Context context) {
        for (SQSMessage msg : sqsEvent.getRecords()) {
            processMessage(msg, context);
        }
        context.getLogger().log("done");
        return null;
    }

    private void processMessage(SQSMessage msg, Context context) {
        try {
            context.getLogger().log("Processed message " + msg.getBody());
            // TODO: Do interesting work based on the new message
        } catch (Exception e) {
```

```
        context.getLogger().log("An error occurred");
        throw e;
    }

}
```

Reporting batch item failures for Lambda functions with an Amazon SQS trigger

The following code example shows how to implement partial batch response for Lambda functions that receive events from an SQS queue. The function reports the batch item failures in the response, signaling to Lambda to retry those messages later.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [Serverless examples](#) repository.

Reporting SQS batch item failures with Lambda using Java.

```
// Copyright Amazon.com, Inc. or its affiliates. All Rights Reserved.
// SPDX-License-Identifier: Apache-2.0
import com.amazonaws.services.lambda.runtime.Context;
import com.amazonaws.services.lambda.runtime.RequestHandler;
import com.amazonaws.services.lambda.runtime.events.SQSEvent;
import com.amazonaws.services.lambda.runtime.events.SQSBatchResponse;

import java.util.ArrayList;
import java.util.List;

public class ProcessSQSMessageBatch implements RequestHandler<SQSEvent,
SQSBatchResponse> {
    @Override
    public SQSBatchResponse handleRequest(SQSEvent sqsEvent, Context context) {

        List<SQSBatchResponse.BatchItemFailure> batchItemFailures = new
ArrayList<SQSBatchResponse.BatchItemFailure>();
        String messageId = "";
```

```
for (SQSEvent.SQSMessage message : sqsEvent.getRecords()) {  
    try {  
        //process your message  
        messageId = message.getMessageId();  
    } catch (Exception e) {  
        //Add failed message identifier to the batchItemFailures list  
        batchItemFailures.add(new  
SQSBatchResponse.BatchItemFailure(messageId));  
    }  
}  
return new SQSBatchResponse(batchItemFailures);  
}  
}
```

Step Functions examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Step Functions.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello Step Functions

The following code examples show how to get started using Step Functions.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Java version of Hello.

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sfn.SfnClient;
import software.amazon.awssdk.services.sfn.model.ListStateMachinesResponse;
import software.amazon.awssdk.services.sfn.model.SfnException;
import software.amazon.awssdk.services.sfn.model.StateMachineListItem;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ListStateMachines {
    public static void main(String[] args) {
        Region region = Region.US_EAST_1;
        SfnClient sfnClient = SfnClient.builder()
            .region(region)
            .build();

        listMachines(sfnClient);
        sfnClient.close();
    }

    public static void listMachines(SfnClient sfnClient) {
        try {
            ListStateMachinesResponse response = sfnClient.listStateMachines();
            List<StateMachineListItem> machines = response.stateMachines();
            for (StateMachineListItem machine : machines) {
                System.out.println("The name of the state machine is: " +
machine.name());
        }
    }
}
```

```
        System.out.println("The ARN value is : " +
machine.stateMachineArn());
    }

} catch (SfnException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}

}
```

- For API details, see [ListStateMachines](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Basics](#)
- [Actions](#)
- [Scenarios](#)

Basics

Learn the basics

The following code example shows how to:

- Create an activity.
- Create a state machine from an Amazon States Language definition that contains the previously created activity as a step.
- Run the state machine and respond to the activity with user input.
- Get the final status and output after the run completes, then clean up resources.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * You can obtain the JSON file to create a state machine in the following  
 * GitHub location.  
 *  
 * https://github.com/awsdocs/aws-doc-sdk-examples/tree/main/resources/sample_files  
 *  
 * To run this code example, place the chat_sfn_state_machine.json file into  
 * your project's resources folder.  
 *  
 * Also, set up your development environment, including your credentials.  
 *  
 * For information, see this documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 *  
 * This Java code example performs the following tasks:  
 *  
 * 1. Creates an activity.  
 * 2. Creates a state machine.  
 * 3. Describes the state machine.  
 * 4. Starts execution of the state machine and interacts with it.  
 * 5. Describes the execution.  
 * 6. Delete the activity.  
 * 7. Deletes the state machine.  
 */  
  
public class StepFunctionsScenario {  
    public static final String DASHES = new String(new char[80]).replace("\0", "-");  
  
    public static void main(String[] args) throws Exception {  
        final String usage = """  
  
            Usage:  
                <roleARN> <activityName> <stateMachineName>  
  
            Where:  
                roleName - The name of the IAM role to create for this state  
                machine.  
                activityName - The name of an activity to create.  
                stateMachineName - The name of the state machine to create.  
        """;  
  
        if (args.length != 3) {  
            System.out.println(usage);  
        }  
    }  
}
```

```
        System.exit(1);
    }

    String roleName = args[0];
    String activityName = args[1];
    String stateMachineName = args[2];
    String polJSON = "{\n" +
        "    \"Version\": \"2012-10-17\",\\n" +
        "    \"Statement\": [\n" +
        "        {\n" +
        "            \"Sid\": \"\",\\n" +
        "            \"Effect\": \"Allow\",\\n" +
        "            \"Principal\": {\\n" +
        "                \"Service\": \"states.amazonaws.com\\n\" +
        "            },\\n" +
        "            \"Action\": \"sts:AssumeRole\\n\" +
        "        }\n    ]\\n" +
    "}";

Scanner sc = new Scanner(System.in);
boolean action = false;

Region region = Region.US_EAST_1;
SfnClient sfnClient = SfnClient.builder()
    .region(region)
    .build();

Region regionGl = Region.AWS_GLOBAL;
IamClient iam = IamClient.builder()
    .region(regionGl)
    .build();

System.out.println(DASHES);
System.out.println("Welcome to the AWS Step Functions example scenario.");
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("1. Create an activity.");
String activityArn = createActivity(sfnClient, activityName);
System.out.println("The ARN of the activity is " + activityArn);
System.out.println(DASHES);
```

```
// Get JSON to use for the state machine and place the activityArn value
into
// it.
InputStream input = StepFunctionsScenario.class.getClassLoader()
    .getResourceAsStream("chat_sfn_state_machine.json");
ObjectMapper mapper = new ObjectMapper();
JsonNode jsonNode = mapper.readValue(input, JsonNode.class);
String jsonString = mapper.writeValueAsString(jsonNode);

// Modify the Resource node.
ObjectMapper objectMapper = new ObjectMapper();
JsonNode root = objectMapper.readTree(jsonString);
((ObjectNode) root.path("States").path("GetInput")).put("Resource",
activityArn);

// Convert the modified Java object back to a JSON string.
String stateDefinition = objectMapper.writeValueAsString(root);
System.out.println(stateDefinition);

System.out.println(DASHES);
System.out.println("2. Create a state machine.");
String roleARN = createIAMRole(iam, roleName, polJSON);
String stateMachineArn = createMachine(sfnClient, roleARN, stateMachineName,
stateDefinition);
System.out.println("The ARN of the state machine is " + stateMachineArn);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("3. Describe the state machine.");
describeStateMachine(sfnClient, stateMachineArn);
System.out.println("What should ChatSFN call you?");
String userName = sc.nextLine();
System.out.println("Hello " + userName);
System.out.println(DASHES);

System.out.println(DASHES);
// The JSON to pass to the StartExecution call.
String executionJson = "{ \"name\" : \"\" + userName + \" \" }";
System.out.println(executionJson);
System.out.println("4. Start execution of the state machine and interact
with it.");
String runArn = startWorkflow(sfnClient, stateMachineArn, executionJson);
System.out.println("The ARN of the state machine execution is " + runArn);
List<String> myList;
```

```
        while (!action) {
            myList = getActivityTask(sfClient, activityArn);
            System.out.println("ChatSFN: " + myList.get(1));
            System.out.println(userName + " please specify a value.");
            String myAction = sc.nextLine();
            if (myAction.compareTo("done") == 0)
                action = true;

            System.out.println("You have selected " + myAction);
            String taskJson = "{ \"action\" : \"" + myAction + "\" }";
            System.out.println(taskJson);
            sendTaskSuccess(sfClient, myList.get(0), taskJson);
        }
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("5. Describe the execution.");
        describeExe(sfClient, runArn);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("6. Delete the activity.");
        deleteActivity(sfClient, activityArn);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("7. Delete the state machines.");
        deleteMachine(sfClient, stateMachineArn);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("The AWS Step Functions example scenario is complete.");
        System.out.println(DASHES);
    }

    public static String createIAMRole(IamClient iam, String rolename, String polJSON) {
        try {
            CreateRoleRequest request = CreateRoleRequest.builder()
                .roleName(rolename)
                .assumeRolePolicyDocument(polJSON)
                .description("Created using the AWS SDK for Java")
                .build();
        }
    }
}
```

```
        CreateRoleResponse response = iam.createRole(request);
        return response.role().arn();

    } catch (IamException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}

public static void describeExe(SfnClient sfnClient, String executionArn) {
    try {
        DescribeExecutionRequest executionRequest =
DescribeExecutionRequest.builder()
            .executionArn(executionArn)
            .build();

        String status = "";
        boolean hasSucceeded = false;
        while (!hasSucceeded) {
            DescribeExecutionResponse response =
sfnClient.describeExecution(executionRequest);
            status = response.statusAsString();
            if (status.compareTo("RUNNING") == 0) {
                System.out.println("The state machine is still running, let's
wait for it to finish.");
                Thread.sleep(2000);
            } else if (status.compareTo("SUCCEEDED") == 0) {
                System.out.println("The Step Function workflow has succeeded");
                hasSucceeded = true;
            } else {
                System.out.println("The Status is neither running or
succeeded");
            }
        }
        System.out.println("The Status is " + status);

    } catch (SfnException | InterruptedException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

```
public static void sendTaskSuccess(SfnClient sfnClient, String token, String json) {
    try {
        SendTaskSuccessRequest successRequest = SendTaskSuccessRequest.builder()
            .taskToken(token)
            .output(json)
            .build();

        sfnClient.sendTaskSuccess(successRequest);

    } catch (SfnException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}

public static List<String> getActivityTask(SfnClient sfnClient, String actArn) {
    List<String> myList = new ArrayList<>();
    GetActivityTaskRequest getActivityTaskRequest =
GetActivityTaskRequest.builder()
    .activityArn(actArn)
    .build();

    GetActivityTaskResponse response =
sfnClient.getActivityTask(getActivityTaskRequest);
    myList.add(response.taskToken());
    myList.add(response.input());
    return myList;
}

public static void deleteActivity(SfnClient sfnClient, String actArn) {
    try {
        DeleteActivityRequest activityRequest = DeleteActivityRequest.builder()
            .activityArn(actArn)
            .build();

        sfnClient.deleteActivity(activityRequest);
        System.out.println("You have deleted " + actArn);

    } catch (SfnException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

```
public static void describeStateMachine(SfnClient sfnClient, String stateMachineArn) {
    try {
        DescribeStateMachineRequest stateMachineRequest =
DescribeStateMachineRequest.builder()
            .stateMachineArn(stateMachineArn)
            .build();

        DescribeStateMachineResponse response =
sfnClient.describeStateMachine(stateMachineRequest);
        System.out.println("The name of the State machine is " +
response.name());
        System.out.println("The status of the State machine is " +
response.status());
        System.out.println("The ARN value of the State machine is " +
response.stateMachineArn());
        System.out.println("The role ARN value is " + response.roleArn());

    } catch (SfnException e) {
        System.err.println(e.getMessage());
    }
}

public static void deleteMachine(SfnClient sfnClient, String stateMachineArn) {
    try {
        DeleteStateMachineRequest deleteStateMachineRequest =
DeleteStateMachineRequest.builder()
            .stateMachineArn(stateMachineArn)
            .build();

        sfnClient.deleteStateMachine(deleteStateMachineRequest);
        DescribeStateMachineRequest describeStateMachine =
DescribeStateMachineRequest.builder()
            .stateMachineArn(stateMachineArn)
            .build();

        while (true) {
            DescribeStateMachineResponse response =
sfnClient.describeStateMachine(describeStateMachine);
            System.out.println("The state machine is not deleted yet. The status is " +
response.status());
            Thread.sleep(3000);
        }
    }
}
```

```
        } catch (SfnException | InterruptedException e) {
            System.err.println(e.getMessage());
        }
        System.out.println(stateMachineArn + " was successfully deleted.");
    }

    public static String startWorkflow(SfnClient sfnClient, String stateMachineArn,
String jsonEx) {
    UUID uuid = UUID.randomUUID();
    String uuidValue = uuid.toString();
    try {
        StartExecutionRequest executionRequest = StartExecutionRequest.builder()
            .input(jsonEx)
            .stateMachineArn(stateMachineArn)
            .name(uuidValue)
            .build();

        StartExecutionResponse response =
sfnClient.startExecution(executionRequest);
        return response.executionArn();

    } catch (SfnException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}

    public static String createMachine(SfnClient sfnClient, String roleARN, String
stateMachineName, String json) {
    try {
        CreateStateMachineRequest machineRequest =
CreateStateMachineRequest.builder()
            .definition(json)
            .name(stateMachineName)
            .roleArn(roleARN)
            .type(StateMachineType.STANDARD)
            .build();

        CreateStateMachineResponse response =
sfnClient.createStateMachine(machineRequest);
        return response.stateMachineArn();
    }
}
```

```
        } catch (SfnException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
        return "";
    }

    public static String createActivity(SfnClient sfnClient, String activityName) {
        try {
            CreateActivityRequest activityRequest = CreateActivityRequest.builder()
                .name(activityName)
                .build();

            CreateActivityResponse response =
            sfnClient.createActivity(activityRequest);
            return response.activityArn();

        } catch (SfnException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
        return "";
    }
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [CreateActivity](#)
- [CreateStateMachine](#)
- [DeleteActivity](#)
- [DeleteStateMachine](#)
- [DescribeExecution](#)
- [DescribeStateMachine](#)
- [GetActivityTask](#)
- [ListActivities](#)
- [ListStateMachines](#)
- [SendTaskSuccess](#)
- [StartExecution](#)

- [StopExecution](#)

Actions

CreateActivity

The following code example shows how to use `CreateActivity`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String createActivity(SfnClient sfnClient, String activityName) {  
    try {  
        CreateActivityRequest activityRequest = CreateActivityRequest.builder()  
            .name(activityName)  
            .build();  
  
        CreateActivityResponse response =  
        sfnClient.createActivity(activityRequest);  
        return response.activityArn();  
  
    } catch (SfnException e) {  
        System.err.println(e.awsErrorDetails().errorMessage());  
        System.exit(1);  
    }  
    return "";  
}
```

- For API details, see [CreateActivity](#) in *AWS SDK for Java 2.x API Reference*.

CreateStateMachine

The following code example shows how to use `CreateStateMachine`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String createMachine(SfnClient sfnClient, String roleARN, String stateMachineName, String json) {
    try {
        CreateStateMachineRequest machineRequest =
CreateStateMachineRequest.builder()
            .definition(json)
            .name(stateMachineName)
            .roleArn(roleARN)
            .type(StateMachineType.STANDARD)
            .build();

        CreateStateMachineResponse response =
sfnClient.createStateMachine(machineRequest);
        return response.stateMachineArn();

    } catch (SfnException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}
```

- For API details, see [CreateStateMachine](#) in *AWS SDK for Java 2.x API Reference*.

DeleteActivity

The following code example shows how to use DeleteActivity.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void deleteActivity(SfnClient sfnClient, String actArn) {  
    try {  
        DeleteActivityRequest activityRequest = DeleteActivityRequest.builder()  
            .activityArn(actArn)  
            .build();  
  
        sfnClient.deleteActivity(activityRequest);  
        System.out.println("You have deleted " + actArn);  
  
    } catch (SfnException e) {  
        System.err.println(e.awsErrorDetails().errorMessage());  
        System.exit(1);  
    }  
}
```

- For API details, see [DeleteActivity](#) in *AWS SDK for Java 2.x API Reference*.

DeleteStateMachine

The following code example shows how to use DeleteStateMachine.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void deleteMachine(SfnClient sfnClient, String stateMachineArn) {
```

```
try {
    DeleteStateMachineRequest deleteStateMachineRequest =
DeleteStateMachineRequest.builder()
        .stateMachineArn(stateMachineArn)
        .build();

    sfnClient.deleteStateMachine(deleteStateMachineRequest);
    DescribeStateMachineRequest describeStateMachine =
DescribeStateMachineRequest.builder()
        .stateMachineArn(stateMachineArn)
        .build();

    while (true) {
        DescribeStateMachineResponse response =
sfnClient.describeStateMachine(describeStateMachine);
        System.out.println("The state machine is not deleted yet. The status
is " + response.status());
        Thread.sleep(3000);
    }

} catch (SfnException | InterruptedException e) {
    System.err.println(e.getMessage());
}
System.out.println(stateMachineArn + " was successfully deleted.");
}
```

- For API details, see [DeleteStateMachine](#) in *AWS SDK for Java 2.x API Reference*.

DescribeExecution

The following code example shows how to use `DescribeExecution`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void describeExe(SfnClient sfnClient, String executionArn) {
```

```
try {
    DescribeExecutionRequest executionRequest =
DescribeExecutionRequest.builder()
    .executionArn(executionArn)
    .build();

    String status = "";
    boolean hasSucceeded = false;
    while (!hasSucceeded) {
        DescribeExecutionResponse response =
sfnClient.describeExecution(executionRequest);
        status = response.statusAsString();
        if (status.compareTo("RUNNING") == 0) {
            System.out.println("The state machine is still running, let's
wait for it to finish.");
            Thread.sleep(2000);
        } else if (status.compareTo("SUCCEEDED") == 0) {
            System.out.println("The Step Function workflow has succeeded");
            hasSucceeded = true;
        } else {
            System.out.println("The Status is neither running or
succeeded");
        }
    }
    System.out.println("The Status is " + status);

} catch (SfnException | InterruptedException e) {
    System.err.println(e.getMessage());
    System.exit(1);
}
}
```

- For API details, see [DescribeExecution](#) in *AWS SDK for Java 2.x API Reference*.

DescribeStateMachine

The following code example shows how to use `DescribeStateMachine`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void describeStateMachine(SfnClient sfnClient, String stateMachineArn) {
    try {
        DescribeStateMachineRequest stateMachineRequest =
DescribeStateMachineRequest.builder()
            .stateMachineArn(stateMachineArn)
            .build();

        DescribeStateMachineResponse response =
sfnClient.describeStateMachine(stateMachineRequest);
        System.out.println("The name of the State machine is " +
response.name());
        System.out.println("The status of the State machine is " +
response.status());
        System.out.println("The ARN value of the State machine is " +
response.stateMachineArn());
        System.out.println("The role ARN value is " + response.roleArn());

    } catch (SfnException e) {
        System.err.println(e.getMessage());
    }
}
```

- For API details, see [DescribeStateMachine](#) in *AWS SDK for Java 2.x API Reference*.

GetActivityTask

The following code example shows how to use GetActivityTask.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static List<String> getActivityTask(SfnClient sfnClient, String actArn) {  
    List<String> myList = new ArrayList<>();  
    GetActivityTaskRequest getActivityTaskRequest =  
GetActivityTaskRequest.builder()  
        .activityArn(actArn)  
        .build();  
  
    GetActivityTaskResponse response =  
sfnClient.getActivityTask(getActivityTaskRequest);  
    myList.add(response.taskToken());  
    myList.add(response.input());  
    return myList;  
}  
  
/// <summary>  
/// Stop execution of a Step Functions workflow.  
/// </summary>  
/// <param name="executionArn">The Amazon Resource Name (ARN) of  
/// the Step Functions execution to stop.</param>  
/// <returns>A Boolean value indicating the success of the action.</returns>  
public async Task<bool> StopExecution(string executionArn)  
{  
    var response =  
        await _amazonStepFunctions.StopExecutionAsync(new StopExecutionRequest  
{ ExecutionArn = executionArn });  
    return response.HttpStatusCode == System.Net.HttpStatusCode.OK;  
}
```

- For API details, see [GetActivityTask](#) in *AWS SDK for Java 2.x API Reference*.

ListActivities

The following code example shows how to use `ListActivities`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sfn.SfnClient;
import software.amazon.awssdk.services.sfn.model.ListActivitiesRequest;
import software.amazon.awssdk.services.sfn.model.ListActivitiesResponse;
import software.amazon.awssdk.services.sfn.model.SfnException;
import software.amazon.awssdk.services.sfn.model.ActivityListItem;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class ListActivities {
    public static void main(String[] args) {
        Region region = Region.US_EAST_1;
        SfnClient sfnClient = SfnClient.builder()
            .region(region)
            .build();

        listAllActivites(sfnClient);
        sfnClient.close();
    }

    public static void listAllActivites(SfnClient sfnClient) {
        try {
            ListActivitiesRequest activitiesRequest =
ListActivitiesRequest.builder()
```

```
        .maxResults(10)
        .build();

        ListActivitiesResponse response =
sfnClient.listActivities(activitiesRequest);
        List<ActivityListItem> items = response.activities();
        for (ActivityListItem item : items) {
            System.out.println("The activity ARN is " + item.activityArn());
            System.out.println("The activity name is " + item.name());
        }

    } catch (SfnException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [ListActivities](#) in *AWS SDK for Java 2.x API Reference*.

ListExecutions

The following code example shows how to use ListExecutions.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void getExeHistory(SfnClient sfnClient, String exeARN) {
    try {
        GetExecutionHistoryRequest historyRequest =
GetExecutionHistoryRequest.builder()
        .executionArn(exeARN)
        .maxResults(10)
        .build();
```

```
        GetExecutionHistoryResponse historyResponse =
    sfnClient.getExecutionHistory(historyRequest);
    List<HistoryEvent> events = historyResponse.events();
    for (HistoryEvent event : events) {
        System.out.println("The event type is " + event.type().toString());
    }

} catch (SfnException e) {
    System.err.println(e.awsErrorDetails().errorMessage());
    System.exit(1);
}
}
```

- For API details, see [ListExecutions](#) in *AWS SDK for Java 2.x API Reference*.

ListStateMachines

The following code example shows how to use `ListStateMachines`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sfn.SfnClient;
import software.amazon.awssdk.services.sfn.model.ListStateMachinesResponse;
import software.amazon.awssdk.services.sfn.model.SfnException;
import software.amazon.awssdk.services.sfn.model.StateMachineListItem;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
```

```
* https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
*/
public class ListStateMachines {
    public static void main(String[] args) {
        Region region = Region.US_EAST_1;
        SfnClient sfnClient = SfnClient.builder()
            .region(region)
            .build();

        listMachines(sfnClient);
        sfnClient.close();
    }

    public static void listMachines(SfnClient sfnClient) {
        try {
            ListStateMachinesResponse response = sfnClient.listStateMachines();
            List<StateMachineListItem> machines = response.stateMachines();
            for (StateMachineListItem machine : machines) {
                System.out.println("The name of the state machine is: " +
machine.name());
                System.out.println("The ARN value is : " +
machine.stateMachineArn());
            }
        } catch (SfnException e) {
            System.err.println(e.awsErrorDetails().errorMessage());
            System.exit(1);
        }
    }
}
```

- For API details, see [ListStateMachines](#) in *AWS SDK for Java 2.x API Reference*.

SendTaskSuccess

The following code example shows how to use SendTaskSuccess.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void sendTaskSuccess(SfnClient sfnClient, String token, String json) {
    try {
        SendTaskSuccessRequest successRequest = SendTaskSuccessRequest.builder()
            .taskToken(token)
            .output(json)
            .build();

        sfnClient.sendTaskSuccess(successRequest);

    } catch (SfnException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
}
```

- For API details, see [SendTaskSuccess](#) in *AWS SDK for Java 2.x API Reference*.

StartExecution

The following code example shows how to use StartExecution.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String startWorkflow(SfnClient sfnClient, String stateMachineArn,
String jsonEx) {
    UUID uuid = UUID.randomUUID();
    String uuidValue = uuid.toString();
    try {
        StartExecutionRequest executionRequest = StartExecutionRequest.builder()
            .input(jsonEx)
            .stateMachineArn(stateMachineArn)
            .name(uuidValue)
            .build();

        StartExecutionResponse response =
sfnClient.startExecution(executionRequest);
        return response.executionArn();

    } catch (SfnException e) {
        System.err.println(e.awsErrorDetails().errorMessage());
        System.exit(1);
    }
    return "";
}
```

- For API details, see [StartExecution](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Use Step Functions to invoke Lambda functions

The following code example shows how to create an AWS Step Functions state machine that invokes AWS Lambda functions in sequence.

SDK for Java 2.x

Shows how to create an AWS serverless workflow by using AWS Step Functions and the AWS SDK for Java 2.x. Each workflow step is implemented using an AWS Lambda function.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- DynamoDB

- Lambda
- Amazon SES
- Step Functions

AWS STS examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with AWS STS.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)

Actions

AssumeRole

The following code example shows how to use AssumeRole.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.sts.StsClient;
import software.amazon.awssdk.services.sts.model.AssumeRoleRequest;
import software.amazon.awssdk.services.sts.model.StsException;
import software.amazon.awssdk.services.sts.model.AssumeRoleResponse;
import software.amazon.awssdk.services.sts.model.Credentials;
import java.time.Instant;
```

```
import java.time.ZoneId;
import java.time.format.DateTimeFormatter;
import java.time.format.FormatStyle;
import java.util.Locale;

/**
 * To make this code example work, create a Role that you want to assume.
 * Then define a Trust Relationship in the AWS Console. You can use this as an
 * example:
 *
 * {
 * "Version": "2012-10-17",
 * "Statement": [
 * {
 * "Effect": "Allow",
 * "Principal": {
 * "AWS": "<Specify the ARN of your IAM user you are using in this code
 * example>"
 * },
 * "Action": "sts:AssumeRole"
 * }
 * ]
 * }
 *
 * For more information, see "Editing the Trust Relationship for an Existing
 * Role" in the AWS Directory Service guide.
 *
 * Also, set up your development environment, including your credentials.
 *
 * For information, see this documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class AssumeRole {
    public static void main(String[] args) {
        final String usage = """
Usage:
<roleArn> <roleSessionName>\s
Where:
roleArn - The Amazon Resource Name (ARN) of the role to assume
(for example, rn:aws:iam::000008047983:role/s3role).\s

```

```
        roleSessionName - An identifier for the assumed role session
(for example, mysession).\s
        """;

    if (args.length != 2) {
        System.out.println(usage);
        System.exit(1);
    }

    String roleArn = args[0];
    String roleSessionName = args[1];
    Region region = Region.US_EAST_1;
    StsClient stsClient = StsClient.builder()
        .region(region)
        .build();

    assumeGivenRole(stsClient, roleArn, roleSessionName);
    stsClient.close();
}

public static void assumeGivenRole(StsClient stsClient, String roleArn, String
roleSessionName) {
    try {
        AssumeRoleRequest roleRequest = AssumeRoleRequest.builder()
            .roleArn(roleArn)
            .roleSessionName(roleSessionName)
            .build();

        AssumeRoleResponse roleResponse = stsClient.assumeRole(roleRequest);
        Credentials myCreds = roleResponse.credentials();

        // Display the time when the temp creds expire.
        Instant exTime = myCreds.expiration();
        String tokenInfo = myCreds.sessionToken();

        // Convert the Instant to readable date.
        DateTimeFormatter formatter =
DateTimeFormatter.ofLocalizedDateTime(FormatStyle.SHORT)
            .withLocale(Locale.US)
            .withZone(ZoneId.systemDefault());

        formatter.format(exTime);
        System.out.println("The token " + tokenInfo + " expires on " + exTime);
    }
}
```

```
        } catch (StsException e) {
            System.err.println(e.getMessage());
            System.exit(1);
        }
    }
```

- For API details, see [AssumeRole](#) in *AWS SDK for Java 2.x API Reference*.

AWS Support examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with AWS Support.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello AWS Support

The following code examples show how to get started using AWS Support.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.support.SupportClient;
import software.amazon.awssdk.services.support.model.Category;
import software.amazon.awssdk.services.support.model.DescribeServicesRequest;
```

```
import software.amazon.awssdk.services.support.model.DescribeServicesResponse;
import software.amazon.awssdk.services.support.model.Service;
import software.amazon.awssdk.services.support.model.SupportException;
import java.util.ArrayList;
import java.util.List;

/**
 * Before running this Java (v2) code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 *
 * In addition, you must have the AWS Business Support Plan to use the AWS
 * Support Java API. For more information, see:
 *
 * https://aws.amazon.com/premiumsupport/plans/
 *
 * This Java example performs the following task:
 *
 * 1. Gets and displays available services.
 *
 *
 * NOTE: To see multiple operations, see SupportScenario.
 */

public class HelloSupport {
    public static void main(String[] args) {
        Region region = Region.US_WEST_2;
        SupportClient supportClient = SupportClient.builder()
            .region(region)
            .build();

        System.out.println("***** Step 1. Get and display available services.");
        displayServices(supportClient);
    }

    // Return a List that contains a Service name and Category name.
    public static void displayServices(SupportClient supportClient) {
        try {
            DescribeServicesRequest servicesRequest =
                DescribeServicesRequest.builder()
                    .language("en")
```

```
        .build();

        DescribeServicesResponse response =
supportClient.describeServices(servicesRequest);
        List<Service> services = response.services();

        System.out.println("Get the first 10 services");
        int index = 1;
        for (Service service : services) {
            if (index == 11)
                break;

            System.out.println("The Service name is: " + service.name());

            // Display the Categories for this service.
            List<Category> categories = service.categories();
            for (Category cat : categories) {
                System.out.println("The category name is: " + cat.name());
            }
            index++;
        }

    } catch (SupportException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}
}
```

- For API details, see [DescribeServices](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Basics](#)
- [Actions](#)

Basics

Learn the basics

The following code example shows how to:

- Get and display available services and severity levels for cases.
- Create a support case using a selected service, category, and severity level.
- Get and display a list of open cases for the current day.
- Add an attachment set and a communication to the new case.
- Describe the new attachment and communication for the case.
- Resolve the case.
- Get and display a list of resolved cases for the current day.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Run various AWS Support operations.

```
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.support.SupportClient;
import software.amazon.awssdk.services.support.model.AddAttachmentsToSetResponse;
import software.amazon.awssdk.services.support.model.AddCommunicationToCaseRequest;
import software.amazon.awssdk.services.support.model.AddCommunicationToCaseResponse;
import software.amazon.awssdk.services.support.model.Attachment;
import software.amazon.awssdk.services.support.model.AttachmentDetails;
import software.amazon.awssdk.services.support.model.CaseDetails;
import software.amazon.awssdk.services.support.model.Category;
import software.amazon.awssdk.services.support.model.Communication;
import software.amazon.awssdk.services.support.model.CreateCaseRequest;
import software.amazon.awssdk.services.support.model.CreateCaseResponse;
import software.amazon.awssdk.services.support.model.DescribeAttachmentRequest;
import software.amazon.awssdk.services.support.model.DescribeAttachmentResponse;
import software.amazon.awssdk.services.support.model.DescribeCasesRequest;
import software.amazon.awssdk.services.support.model.DescribeCasesResponse;
import software.amazon.awssdk.services.support.model.DescribeCommunicationsRequest;
import software.amazon.awssdk.services.support.model.DescribeCommunicationsResponse;
import software.amazon.awssdk.services.support.model.DescribeServicesRequest;
import software.amazon.awssdk.services.support.model.DescribeServicesResponse;
```

```
import software.amazon.awssdk.services.support.model.DescribeSeverityLevelsRequest;
import software.amazon.awssdk.services.support.model.DescribeSeverityLevelsResponse;
import software.amazon.awssdk.services.support.model.ResolveCaseRequest;
import software.amazon.awssdk.services.support.model.ResolveCaseResponse;
import software.amazon.awssdk.services.support.model.Service;
import software.amazon.awssdk.services.support.model.SeverityLevel;
import software.amazon.awssdk.services.support.model.SupportException;
import software.amazon.awssdk.services.support.model.AddAttachmentsToSetRequest;
import java.io.File;
import java.io.FileInputStream;
import java.io.FileNotFoundException;
import java.io.InputStream;
import java.time.Instant;
import java.time.temporal.ChronoUnit;
import java.util.ArrayList;
import java.util.List;

/**
 * Before running this Java (v2) code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 *
 * In addition, you must have the AWS Business Support Plan to use the AWS
 * Support Java API. For more information, see:
 *
 * https://aws.amazon.com/premiumsupport/plans/
 *
 * This Java example performs the following tasks:
 *
 * 1. Gets and displays available services.
 * 2. Gets and displays severity levels.
 * 3. Creates a support case by using the selected service, category, and
 *    severity level.
 * 4. Gets a list of open cases for the current day.
 * 5. Creates an attachment set with a generated file.
 * 6. Adds a communication with the attachment to the support case.
 * 7. Lists the communications of the support case.
 * 8. Describes the attachment set included with the communication.
 * 9. Resolves the support case.
 * 10. Gets a list of resolved cases for the current day.
 */
```

```
public class SupportScenario {  
  
    public static final String DASHES = new String(new char[80]).replace("\0", "-");  
  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:  
            <fileAttachment>Where:  
            fileAttachment - The file can be a simple saved .txt file to use  
as an email attachment.\s  
        """;  
  
        if (args.length != 1) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String fileAttachment = args[0];  
        Region region = Region.US_WEST_2;  
        SupportClient supportClient = SupportClient.builder()  
            .region(region)  
            .build();  
  
        System.out.println(DASHES);  
        System.out.println("***** Welcome to the AWS Support case example  
scenario.");  
        System.out.println(DASHES);  
  
        System.out.println(DASHES);  
        System.out.println("1. Get and display available services.");  
        List<String> sevCatList = displayServices(supportClient);  
        System.out.println(DASHES);  
  
        System.out.println(DASHES);  
        System.out.println("2. Get and display Support severity levels.");  
        String sevLevel = displaySevLevels(supportClient);  
        System.out.println(DASHES);  
  
        System.out.println(DASHES);  
        System.out.println("3. Create a support case using the selected service,  
category, and severity level.");  
        String caseId = createSupportCase(supportClient, sevCatList, sevLevel);  
        if (caseId.compareTo("") == 0) {  
    }
```

```
        System.out.println("A support case was not successfully created!");
        System.exit(1);
    } else
        System.out.println("Support case " + caseId + " was successfully
created!");
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("4. Get open support cases.");
    getOpenCase(supportClient);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("5. Create an attachment set with a generated file to add
to the case.");
    String attachmentSetId = addAttachment(supportClient, fileAttachment);
    System.out.println("The Attachment Set id value is" + attachmentSetId);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("6. Add communication with the attachment to the support
case.");
    addAttachSupportCase(supportClient, caseId, attachmentSetId);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("7. List the communications of the support case.");
    String attachId = listCommunications(supportClient, caseId);
    System.out.println("The Attachment id value is" + attachId);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("8. Describe the attachment set included with the
communication.");
    describeAttachment(supportClient, attachId);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("9. Resolve the support case.");
    resolveSupportCase(supportClient, caseId);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("10. Get a list of resolved cases for the current day.");
```

```
        getResolvedCase(supportClient);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println("***** This Scenario has successfully completed");
        System.out.println(DASHES);
    }

    public static void getResolvedCase(SupportClient supportClient) {
        try {
            // Specify the start and end time.
            Instant now = Instant.now();
            java.time.LocalDate.now();
            Instant yesterday = now.minus(1, ChronoUnit.DAYS);

            DescribeCasesRequest describeCasesRequest =
DescribeCasesRequest.builder()
                .maxResults(30)
                .afterTime(yesterday.toString())
                .beforeTime(now.toString())
                .includeResolvedCases(true)
                .build();

            DescribeCasesResponse response =
supportClient.describeCases(describeCasesRequest);
            List<CaseDetails> cases = response.cases();
            for (CaseDetails sinCase : cases) {
                if (sinCase.status().compareTo("resolved") == 0)
                    System.out.println("The case status is " + sinCase.status());
            }
        } catch (SupportException e) {
            System.out.println(e.getLocalizedMessage());
            System.exit(1);
        }
    }

    public static void resolveSupportCase(SupportClient supportClient, String
caseId) {
        try {
            ResolveCaseRequest caseRequest = ResolveCaseRequest.builder()
                .caseId(caseId)
                .build();
        }
    }
}
```

```
        ResolveCaseResponse response = supportClient.resolveCase(caseRequest);
        System.out.println("The status of case " + caseId + " is " +
response.finalCaseStatus());

    } catch (SupportException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}

public static void describeAttachment(SupportClient supportClient, String
attachId) {
    try {
        DescribeAttachmentRequest attachmentRequest =
DescribeAttachmentRequest.builder()
            .attachmentId(attachId)
            .build();

        DescribeAttachmentResponse response =
supportClient.describeAttachment(attachmentRequest);
        System.out.println("The name of the file is " +
response.attachment().fileName());

    } catch (SupportException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}

public static String listCommunications(SupportClient supportClient, String
caseId) {
    try {
        String attachId = null;
        DescribeCommunicationsRequest communicationsRequest =
DescribeCommunicationsRequest.builder()
            .caseId(caseId)
            .maxResults(10)
            .build();

        DescribeCommunicationsResponse response =
supportClient.describeCommunications(communicationsRequest);
        List<Communication> communications = response.communications();
        for (Communication comm : communications) {
            System.out.println("the body is: " + comm.body());
        }
    }
}
```

```
// Get the attachment id value.
List<AttachmentDetails> attachments = comm.attachmentSet();
for (AttachmentDetails detail : attachments) {
    attachId = detail.attachmentId();
}
}
return attachId;

} catch (SupportException e) {
    System.out.println(e.getLocalizedMessage());
    System.exit(1);
}
return "";
}

public static void addAttachSupportCase(SupportClient supportClient, String
caseId, String attachmentSetId) {
try {
    AddCommunicationToCaseRequest caseRequest =
AddCommunicationToCaseRequest.builder()
        .caseId(caseId)
        .attachmentSetId(attachmentSetId)
        .communicationBody("Please refer to attachment for details.")
        .build();

    AddCommunicationToCaseResponse response =
supportClient.addCommunicationToCase(caseRequest);
    if (response.result())
        System.out.println("You have successfully added a communication to
an AWS Support case");
    else
        System.out.println("There was an error adding the communication to
an AWS Support case");

} catch (SupportException e) {
    System.out.println(e.getLocalizedMessage());
    System.exit(1);
}
}

public static String addAttachment(SupportClient supportClient, String
fileAttachment) {
try {
```

```
File myFile = new File(fileAttachment);
InputStream sourceStream = new FileInputStream(myFile);
SdkBytes sourceBytes = SdkBytes.fromInputStream(sourceStream);

Attachment attachment = Attachment.builder()
    .fileName(myFile.getName())
    .data(sourceBytes)
    .build();

AddAttachmentsToSetRequest setRequest =
AddAttachmentsToSetRequest.builder()
    .attachments(attachment)
    .build();

AddAttachmentsToSetResponse response =
supportClient.addAttachmentsToSet(setRequest);
return response.attachmentSetId();

} catch (SupportException | FileNotFoundException e) {
    System.out.println(e.getLocalizedMessage());
    System.exit(1);
}
return "";
}

public static void getOpenCase(SupportClient supportClient) {
try {
    // Specify the start and end time.
    Instant now = Instant.now();
    java.time.LocalDate.now();
    Instant yesterday = now.minus(1, ChronoUnit.DAYS);

    DescribeCasesRequest describeCasesRequest =
DescribeCasesRequest.builder()
    .maxResults(20)
    .afterTime(yesterday.toString())
    .beforeTime(now.toString())
    .build();

    DescribeCasesResponse response =
supportClient.describeCases(describeCasesRequest);
    List<CaseDetails> cases = response.cases();
    for (CaseDetails sinCase : cases) {
        System.out.println("The case status is " + sinCase.status());
    }
}
```

```
        System.out.println("The case Id is " + sinCase.caseId());
        System.out.println("The case subject is " + sinCase.subject());
    }

} catch (SupportException e) {
    System.out.println(e.getLocalizedMessage());
    System.exit(1);
}

}

public static String createSupportCase(SupportClient supportClient, List<String>
sevCatList, String sevLevel) {
    try {
        String serviceCode = sevCatList.get(0);
        String caseCat = sevCatList.get(1);
        CreateCaseRequest caseRequest = CreateCaseRequest.builder()
            .categoryCode(caseCat.toLowerCase())
            .serviceCode(serviceCode.toLowerCase())
            .severityCode(sevLevel.toLowerCase())
            .communicationBody("Test issue with " +
serviceCode.toLowerCase())
            .subject("Test case, please ignore")
            .language("en")
            .issueType("technical")
            .build();

        CreateCaseResponse response = supportClient.createCase(caseRequest);
        return response.caseId();

    } catch (SupportException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
    return "";
}

public static String displaySevLevels(SupportClient supportClient) {
    try {
        DescribeSeverityLevelsRequest severityLevelsRequest =
DescribeSeverityLevelsRequest.builder()
            .language("en")
            .build();
    }
}
```

```
        DescribeSeverityLevelsResponse response =
supportClient.describeSeverityLevels(severityLevelsRequest);
        List<SeverityLevel> severityLevels = response.severityLevels();
        String levelName = null;
        for (SeverityLevel sevLevel : severityLevels) {
            System.out.println("The severity level name is: " +
sevLevel.name());
            if (sevLevel.name().compareTo("High") == 0)
                levelName = sevLevel.name();
        }
        return levelName;

    } catch (SupportException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
    return "";
}

// Return a List that contains a Service name and Category name.
public static List<String> displayServices(SupportClient supportClient) {
    try {
        DescribeServicesRequest servicesRequest =
DescribeServicesRequest.builder()
            .language("en")
            .build();

        DescribeServicesResponse response =
supportClient.describeServices(servicesRequest);
        String serviceCode = null;
        String catName = null;
        List<String> sevCatList = new ArrayList<>();
        List<Service> services = response.services();

        System.out.println("Get the first 10 services");
        int index = 1;
        for (Service service : services) {
            if (index == 11)
                break;

            System.out.println("The Service name is: " + service.name());
            if (service.name().compareTo("Account") == 0)
                serviceCode = service.code();
```

```
// Get the Categories for this service.  
List<Category> categories = service.categories();  
for (Category cat : categories) {  
    System.out.println("The category name is: " + cat.name());  
    if (cat.name().compareTo("Security") == 0)  
        catName = cat.name();  
}  
index++;  
}  
  
// Push the two values to the list.  
sevCatList.add(serviceCode);  
sevCatList.add(catName);  
return sevCatList;  
  
} catch (SupportException e) {  
    System.out.println(e.getLocalizedMessage());  
    System.exit(1);  
}  
return null;  
}  
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.
 - [AddAttachmentsToSet](#)
 - [AddCommunicationToCase](#)
 - [CreateCase](#)
 - [DescribeAttachment](#)
 - [DescribeCases](#)
 - [DescribeCommunications](#)
 - [DescribeServices](#)
 - [DescribeSeverityLevels](#)
 - [ResolveCase](#)

Actions

AddAttachmentsToSet

The following code example shows how to use AddAttachmentsToSet.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String addAttachment(SupportClient supportClient, String fileAttachment) {
    try {
        File myFile = new File(fileAttachment);
        InputStream sourceStream = new FileInputStream(myFile);
        SdkBytes sourceBytes = SdkBytes.fromInputStream(sourceStream);

        Attachment attachment = Attachment.builder()
            .fileName(myFile.getName())
            .data(sourceBytes)
            .build();

        AddAttachmentsToSetRequest setRequest =
        AddAttachmentsToSetRequest.builder()
            .attachments(attachment)
            .build();

        AddAttachmentsToSetResponse response =
        supportClient.addAttachmentsToSet(setRequest);
        return response.attachmentSetId();

    } catch (SupportException | FileNotFoundException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
    return "";
}
```

- For API details, see [AddAttachmentsToSet](#) in *AWS SDK for Java 2.x API Reference*.

AddCommunicationToCase

The following code example shows how to use AddCommunicationToCase.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void addAttachSupportCase(SupportClient supportClient, String
caseId, String attachmentSetId) {
    try {
        AddCommunicationToCaseRequest caseRequest =
AddCommunicationToCaseRequest.builder()
        .caseId(caseId)
        .attachmentSetId(attachmentSetId)
        .communicationBody("Please refer to attachment for details.")
        .build();

        AddCommunicationToCaseResponse response =
supportClient.addCommunicationToCase(caseRequest);
        if (response.result())
            System.out.println("You have successfully added a communication to
an AWS Support case");
        else
            System.out.println("There was an error adding the communication to
an AWS Support case");

    } catch (SupportException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}
```

- For API details, see [AddCommunicationToCase](#) in *AWS SDK for Java 2.x API Reference*.

CreateCase

The following code example shows how to use CreateCase.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String createSupportCase(SupportClient supportClient, List<String> sevCatList, String sevLevel) {
    try {
        String serviceCode = sevCatList.get(0);
        String caseCat = sevCatList.get(1);
        CreateCaseRequest caseRequest = CreateCaseRequest.builder()
            .categoryCode(caseCat.toLowerCase())
            .serviceCode(serviceCode.toLowerCase())
            .severityCode(sevLevel.toLowerCase())
            .communicationBody("Test issue with " +
serviceCode.toLowerCase())
            .subject("Test case, please ignore")
            .language("en")
            .issueType("technical")
            .build();

        CreateCaseResponse response = supportClient.createCase(caseRequest);
        return response.caseId();

    } catch (SupportException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
    return "";
}
```

- For API details, see [CreateCase](#) in *AWS SDK for Java 2.x API Reference*.

DescribeAttachment

The following code example shows how to use `DescribeAttachment`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void describeAttachment(SupportClient supportClient, String attachId) {
    try {
        DescribeAttachmentRequest attachmentRequest =
DescribeAttachmentRequest.builder()
            .attachmentId(attachId)
            .build();

        DescribeAttachmentResponse response =
supportClient.describeAttachment(attachmentRequest);
        System.out.println("The name of the file is " +
response.attachment().fileName());

    } catch (SupportException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}
```

- For API details, see [DescribeAttachment](#) in *AWS SDK for Java 2.x API Reference*.

DescribeCases

The following code example shows how to use `DescribeCases`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void getOpenCase(SupportClient supportClient) {  
    try {  
        // Specify the start and end time.  
        Instant now = Instant.now();  
        java.time.LocalDate.now();  
        Instant yesterday = now.minus(1, ChronoUnit.DAYS);  
  
        DescribeCasesRequest describeCasesRequest =  
DescribeCasesRequest.builder()  
            .maxResults(20)  
            .afterTime(yesterday.toString())  
            .beforeTime(now.toString())  
            .build();  
  
        DescribeCasesResponse response =  
supportClient.describeCases(describeCasesRequest);  
        List<CaseDetails> cases = response.cases();  
        for (CaseDetails sinCase : cases) {  
            System.out.println("The case status is " + sinCase.status());  
            System.out.println("The case Id is " + sinCase.caseId());  
            System.out.println("The case subject is " + sinCase.subject());  
        }  
  
    } catch (SupportException e) {  
        System.out.println(e.getLocalizedMessage());  
        System.exit(1);  
    }  
}
```

- For API details, see [DescribeCases](#) in *AWS SDK for Java 2.x API Reference*.

DescribeCommunications

The following code example shows how to use `DescribeCommunications`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String listCommunications(SupportClient supportClient, String caseId) {
    try {
        String attachId = null;
        DescribeCommunicationsRequest communicationsRequest =
DescribeCommunicationsRequest.builder()
            .caseId(caseId)
            .maxResults(10)
            .build();

        DescribeCommunicationsResponse response =
supportClient.describeCommunications(communicationsRequest);
        List<Communication> communications = response.communications();
        for (Communication comm : communications) {
            System.out.println("the body is: " + comm.body());

            // Get the attachment id value.
            List<AttachmentDetails> attachments = comm.attachmentSet();
            for (AttachmentDetails detail : attachments) {
                attachId = detail.attachmentId();
            }
        }
        return attachId;
    } catch (SupportException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
    return "";
}
```

- For API details, see [DescribeCommunications](#) in *AWS SDK for Java 2.x API Reference*.

DescribeServices

The following code example shows how to use `DescribeServices`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
// Return a List that contains a Service name and Category name.
public static List<String> displayServices(SupportClient supportClient) {
    try {
        DescribeServicesRequest servicesRequest =
DescribeServicesRequest.builder()
            .language("en")
            .build();

        DescribeServicesResponse response =
supportClient.describeServices(servicesRequest);
        String serviceCode = null;
        String catName = null;
        List<String> sevCatList = new ArrayList<>();
        List<Service> services = response.services();

        System.out.println("Get the first 10 services");
        int index = 1;
        for (Service service : services) {
            if (index == 11)
                break;

            System.out.println("The Service name is: " + service.name());
            if (service.name().compareTo("Account") == 0)
                serviceCode = service.code();

            // Get the Categories for this service.
    }
}
```

```
        List<Category> categories = service.categories();
        for (Category cat : categories) {
            System.out.println("The category name is: " + cat.name());
            if (cat.name().compareTo("Security") == 0)
                catName = cat.name();
        }
        index++;
    }

    // Push the two values to the list.
    sevCatList.add(serviceCode);
    sevCatList.add(catName);
    return sevCatList;

} catch (SupportException e) {
    System.out.println(e.getLocalizedMessage());
    System.exit(1);
}
return null;
}
```

- For API details, see [DescribeServices](#) in *AWS SDK for Java 2.x API Reference*.

DescribeSeverityLevels

The following code example shows how to use `DescribeSeverityLevels`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String displaySevLevels(SupportClient supportClient) {
    try {
        DescribeSeverityLevelsRequest severityLevelsRequest =
DescribeSeverityLevelsRequest.builder()
        .language("en")
        .build();
```

```
        DescribeSeverityLevelsResponse response =
supportClient.describeSeverityLevels(severityLevelsRequest);
        List<SeverityLevel> severityLevels = response.severityLevels();
        String levelName = null;
        for (SeverityLevel sevLevel : severityLevels) {
            System.out.println("The severity level name is: " +
sevLevel.name());
            if (sevLevel.name().compareTo("High") == 0)
                levelName = sevLevel.name();
        }
        return levelName;

    } catch (SupportException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
    return "";
}
```

- For API details, see [DescribeSeverityLevels](#) in *AWS SDK for Java 2.x API Reference*.

ResolveCase

The following code example shows how to use ResolveCase.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void resolveSupportCase(SupportClient supportClient, String
caseId) {
    try {
        ResolveCaseRequest caseRequest = ResolveCaseRequest.builder()
            .caseId(caseId)
            .build();
```

```
        ResolveCaseResponse response = supportClient.resolveCase(caseRequest);
        System.out.println("The status of case " + caseId + " is " +
response.finalCaseStatus());

    } catch (SupportException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}
```

- For API details, see [ResolveCase](#) in *AWS SDK for Java 2.x API Reference*.

Systems Manager examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Systems Manager.

Basics are code examples that show you how to perform the essential operations within a service.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Get started

Hello Systems Manager

The following code examples show how to get started using Systems Manager.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
```

```
import software.amazon.awssdk.services.ssm.SsmClient;
import software.amazon.awssdk.services.ssm.model.DocumentFilter;
import software.amazon.awssdk.services.ssm.model.ListDocumentsRequest;
import software.amazon.awssdk.services.ssm.model.ListDocumentsResponse;

public class HelloSSM {

    public static void main(String[] args) {
        final String usage = """
            Usage:
            <awsAccount>

            Where:
            awsAccount - Your AWS Account number.
            """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String awsAccount = args[0] ;
        Region region = Region.US_EAST_1;
        SsmClient ssmClient = SsmClient.builder()
            .region(region)
            .build();

        listDocuments(ssmClient, awsAccount);
    }

    /*
     * This code automatically fetches the next set of results using the `nextToken` and stops once the desired maxResults (20 in this case) have been reached.
     */
    public static void listDocuments(SsmClient ssmClient, String awsAccount) {
        String nextToken = null;
        int totalDocumentsReturned = 0;
        int maxResults = 20;
        do {
            ListDocumentsRequest request = ListDocumentsRequest.builder()
                .documentFilterList(
                    DocumentFilter.builder()
```

```
        .key("Owner")
        .value(awsAccount)
        .build()
    )
    .maxResults(maxResults)
    .nextToken(nextToken)
    .build();

ListDocumentsResponse response = ssmClient.listDocuments(request);
response.documentIdentifiers().forEach(identifier ->
System.out.println("Document Name: " + identifier.name());
    nextToken = response.nextToken();
    totalDocumentsReturned += response.documentIdentifiers().size();
} while (nextToken != null && totalDocumentsReturned < maxResults);
}
}
```

- For API details, see [ListDocuments](#) in *AWS SDK for Java 2.x API Reference*.

Topics

- [Basics](#)
- [Actions](#)

Basics

Learn the basics

The following code example shows how to work with Systems Manager maintenance windows, documents, and OpsItems.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.services.ssm.model.DocumentAlreadyExistsException;
```

```
import software.amazon.awssdk.services.ssm.model.SsmException;

import java.util.Scanner;
public class SSMScenario {
    public static final String DASHES = new String(new char[80]).replace("\0", "-");

    public static void main(String[] args) {
        String usage = """
            Usage:
            <instanceId> <title> <source> <category> <severity>

            Where:
            instanceId - The Amazon EC2 Linux/UNIX instance Id that AWS Systems
            Manager uses (ie, i-0149338494ed95f06).
            title - The title of the parameter (default is Disk Space Alert).
            source - The source of the parameter (default is EC2).
            category - The category of the parameter. Valid values are
            'Availability', 'Cost', 'Performance', 'Recovery', 'Security' (default is
            Performance).
            severity - The severity of the parameter. Severity should be a
            number from 1 to 4 (default is 2).
            """;
        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        Scanner scanner = new Scanner(System.in);
        SSMActions actions = new SSMActions();
        String documentName;
        String windowName;
        String instanceId = args[0];
        String title = args[1];
        String source = args[2];
        String category = args[3];
        String severity = args[4];

        System.out.println(DASHES);
        System.out.println("""
            Welcome to the AWS Systems Manager SDK Basics scenario.
            This Java program demonstrates how to interact with AWS Systems
            Manager using the AWS SDK for Java (v2).
        """);
    }
}
```

AWS Systems Manager is the operations hub for your AWS applications and resources and a secure end-to-end management solution.

The program's primary functionalities include creating a maintenance window, creating a document, sending a command to a document,

listing documents, listing commands, creating an OpsItem, modifying an OpsItem, and deleting AWS SSM resources.

Upon completion of the program, all AWS resources are cleaned up.

Let's get started...

```
        """);
waitForInputToContinue(scanner);
System.out.println(DASHES);

System.out.println("1. Create an SSM maintenance window.");
System.out.println("Please enter the maintenance window name (default is ssm-maintenance-window):");
String win = scanner.nextLine();
windowName = win.isEmpty() ? "ssm-maintenance-window" : win;
String winId = null;
try {
    winId = actions.createMaintenanceWindow(windowName);
    waitForInputToContinue(scanner);
    System.out.println("The maintenance window ID is: " + winId);
} catch (DocumentAlreadyExistsException e) {
    System.err.println("The SSM maintenance window already exists.
Retrieving existing window ID...");
    String existingWinId = actions.createMaintenanceWindow(windowName);
    System.out.println("Existing window ID: " + existingWinId);
} catch (SsmException e) {
    System.err.println("SSM error: " + e.getMessage());
    return;
} catch (RuntimeException e) {
    System.err.println("Unexpected error: " + e.getMessage());
    return;
}
waitForInputToContinue(scanner);
System.out.println(DASHES);

System.out.println("2. Modify the maintenance window by changing the schedule");
waitForInputToContinue(scanner);
try {
    actions.updateSSMMaintenanceWindow(winId, windowName);
    waitForInputToContinue(scanner);
```

```
        System.out.println("The SSM maintenance window was successfully
updated");
    } catch (SsmException e) {
        System.err.println("SSM error: " + e.getMessage());
        return;
    } catch (RuntimeException e) {
        System.err.println("Unexpected error: " + e.getMessage());
        return;
    }
    waitForInputToContinue(scanner);
    System.out.println(DASHES);

    System.out.println("3. Create an SSM document that defines the actions that
Systems Manager performs on your managed nodes.");
    System.out.println("Please enter the document name (default is
ssmdocument):");
    String doc = scanner.nextLine();
    documentName = doc.isEmpty() ? "ssmdocument" : doc;
    try {
        actions.createSSMDoc(documentName);
        waitForInputToContinue(scanner);
        System.out.println("The SSM document was successfully created");
    } catch (DocumentAlreadyExistsException e) {
        System.err.println("The SSM document already exists. Moving on");
    } catch (SsmException e) {
        System.err.println("SSM error: " + e.getMessage());
        return;
    } catch (RuntimeException e) {
        System.err.println("Unexpected error: " + e.getMessage());
    }
    waitForInputToContinue(scanner);
    System.out.println(DASHES);

    System.out.println("4. Now we are going to run a command on an EC2
instance");
    waitForInputToContinue(scanner);
    String commandId="";
    try {
        commandId = actions.sendSSMCommand(documentName, instanceId);
        waitForInputToContinue(scanner);
        System.out.println("The command was successfully sent. Command ID: " +
commandId);
    } catch (SsmException e) {
        System.err.println("SSM error: " + e.getMessage());
```

```
        } catch (InterruptedException e) {
            System.err.println("Thread was interrupted: " + e.getMessage());
        } catch (RuntimeException e) {
            System.err.println("Unexpected error: " + e.getMessage());
        }
        waitForInputToContinue(scanner);
        System.out.println(DASHES);

        System.out.println("5. Lets get the time when the specific command was sent
to the specific managed node");
        waitForInputToContinue(scanner);
        try {
            actions.displayCommands(commandId);
            System.out.println("The command invocations were successfully
displayed.");
        } catch (SsmException e) {
            System.err.println("SSM error: " + e.getMessage());
            return;
        } catch (RuntimeException e) {
            System.err.println("Unexpected error: " + e.getMessage());
            return;
        }
        waitForInputToContinue(scanner);
        System.out.println(DASHES);

        System.out.println(DASHES);
        System.out.println(""""

    6. Now we will create an SSM OpsItem.

    A SSM OpsItem is a feature provided by Amazon's Systems Manager (SSM)
service.

    It is a type of operational data item that allows you to manage and
track various operational issues,
        events, or tasks within your AWS environment.

    You can create OpsItems to track and manage operational issues as they
arise.

    For example, you could create an OpsItem whenever your application
detects a critical error
        or an anomaly in your infrastructure.

    """);

    waitForInputToContinue(scanner);
    String opsItemId;
    try {
```

```
        opsItemId = actions.createSSMOpsItem(title, source, category, severity);
        System.out.println(opsItemId + " was created");
    } catch (SsmException e) {
        System.err.println("SSM error: " + e.getMessage());
        return;
    } catch (RuntimeException e) {
        System.err.println("Unexpected error: " + e.getMessage());
        return;
    }
    waitForInputToContinue(scanner);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("7. Now we will update the SSM OpsItem "+opsItemId);
    waitForInputToContinue(scanner);
    String description = "An update to "+opsItemId ;
    try {
        actions.updateOpsItem(opsItemId, title, description);
    } catch (SsmException e) {
        System.err.println("SSM error: " + e.getMessage());
        return;
    } catch (RuntimeException e) {
        System.err.println("Unexpected error: " + e.getMessage());
        return;
    }

    System.out.println(DASHES);
    System.out.println("8. Now we will get the status of the SSM OpsItem
"+opsItemId);
    waitForInputToContinue(scanner);
    try {
        actions.describeOpsItems(opsItemId);
    } catch (SsmException e) {
        System.err.println("SSM error: " + e.getMessage());
        return;
    } catch (RuntimeException e) {
        System.err.println("Unexpected error: " + e.getMessage());
        return;
    }

    System.out.println(DASHES);
    System.out.println("9. Now we will resolve the SSM OpsItem "+opsItemId);
    waitForInputToContinue(scanner);
    try {
```

```
        actions.resolveOpsItem(opsItemId);
    } catch (SsmException e) {
        System.err.println("SSM error: " + e.getMessage());
        return;
    } catch (RuntimeException e) {
        System.err.println("Unexpected error: " + e.getMessage());
        return;
    }

    System.out.println(DASHES);
    System.out.println("10. Would you like to delete the AWS Systems Manager resources? (y/n)");
    String delAns = scanner.nextLine().trim();
    if (delAns.equalsIgnoreCase("y")) {
        System.out.println("You selected to delete the resources.");
        waitForInputToContinue(scanner);
        try {
            actions.deleteMaintenanceWindow(winId);
            actions.deleteDoc(documentName);
        } catch (SsmException e) {
            System.err.println("SSM error: " + e.getMessage());
            return;
        } catch (RuntimeException e) {
            System.err.println("Unexpected error: " + e.getMessage());
            return;
        }
    } else {
        System.out.println("The AWS Systems Manager resources will not be deleted");
    }
    System.out.println(DASHES);

    System.out.println("This concludes the AWS Systems Manager SDK Basics scenario.");
    System.out.println(DASHES);
}

private static void waitForInputToContinue(Scanner scanner) {
    while (true) {
        System.out.println("");
        System.out.println("Enter 'c' followed by <ENTER> to continue:");
        String input = scanner.nextLine();

        if (input.trim().equalsIgnoreCase("c")) {
```

```
        System.out.println("Continuing with the program...");  
        System.out.println("");  
        break;  
    } else {  
        // Handle invalid input.  
        System.out.println("Invalid input. Please try again.");  
    }  
}  
}  
}
```

A wrapper class for Systems Manager SDK methods.

```
public class SSMActions {  
  
    private static SsmAsyncClient ssmAsyncClient;  
  
    private static SsmAsyncClient getAsyncClient() {  
        if (ssmAsyncClient == null) {  
            SdkAsyncHttpClient httpClient = NettyNioAsyncHttpClient.builder()  
                .maxConcurrency(100)  
                .connectionTimeout(Duration.ofSeconds(60))  
                .readTimeout(Duration.ofSeconds(60))  
                .writeTimeout(Duration.ofSeconds(60))  
                .build();  
  
            ClientOverrideConfiguration overrideConfig =  
ClientOverrideConfiguration.builder()  
                .apiCallTimeout(Duration.ofMinutes(2))  
                .apiCallAttemptTimeout(Duration.ofSeconds(90))  
                .retryPolicy(RetryPolicy.builder()  
                    .numRetries(3)  
                    .build())  
                .build();  
  
            ssmAsyncClient = SsmAsyncClient.builder()  
                .region(Region.US_EAST_1)  
                .httpClient(httpClient)  
                .overrideConfiguration(overrideConfig)  
  
.credentialsProvider(EnvironmentVariableCredentialsProvider.create())  
                .build();  
        }  
    }  
}
```

```
        }

        return ssmAsyncClient;
    }

    /**
     * Deletes an AWS SSM document asynchronously.
     *
     * @param documentName The name of the document to delete.
     * <p>
     * This method initiates an asynchronous request to delete an SSM document.
     * If an exception occurs, it handles the error appropriately.
     */
    public void deleteDoc(String documentName) {
        DeleteDocumentRequest documentRequest = DeleteDocumentRequest.builder()
            .name(documentName)
            .build();

        CompletableFuture<Void> future = CompletableFuture.runAsync(() -> {
            getAsyncClient().deleteDocument(documentRequest)
                .thenAccept(response -> {
                    System.out.println("The SSM document was successfully
deleted.");
                })
                .exceptionally(ex -> {
                    throw new CompletionException(ex);
                }).join();
        }).exceptionally(ex -> {
            Throwable cause = (ex instanceof CompletionException) ? ex.getCause() :
            ex;
            if (cause instanceof SsmException) {
                throw new RuntimeException("SSM error: " + cause.getMessage(),
            cause);
            } else {
                throw new RuntimeException("Unexpected error: " +
            cause.getMessage(), cause);
            }
        });

        try {
            future.join();
        } catch (CompletionException ex) {
            throw ex.getCause() instanceof RuntimeException ? (RuntimeException)
            ex.getCause() : ex;
        }
    }
}
```

```
}

/**
 * Deletes an AWS SSM Maintenance Window asynchronously.
 *
 * @param winId The ID of the Maintenance Window to delete.
 * <p>
 * This method initiates an asynchronous request to delete an SSM Maintenance
Window.
 * If an exception occurs, it handles the error appropriately.
 */
public void deleteMaintenanceWindow(String winId) {
    DeleteMaintenanceWindowRequest windowRequest =
DeleteMaintenanceWindowRequest.builder()
    .windowId(winId)
    .build();

    CompletableFuture<Void> future = CompletableFuture.runAsync(() -> {
        getAsyncClient().deleteMaintenanceWindow(windowRequest)
            .thenAccept(response -> {
                System.out.println("The maintenance window was successfully
deleted.");
            })
            .exceptionally(ex -> {
                throw new CompletionException(ex);
            }).join();
    }).exceptionally(ex -> {
        Throwable cause = (ex instanceof CompletionException) ? ex.getCause() :
ex;
        if (cause instanceof SsmException) {
            throw new RuntimeException("SSM error: " + cause.getMessage(),
cause);
        } else {
            throw new RuntimeException("Unexpected error: " +
cause.getMessage(), cause);
        }
    });

    try {
        future.join();
    } catch (CompletionException ex) {
        throw ex.getCause() instanceof RuntimeException ? (RuntimeException)
ex.getCause() : ex;
    }
}
```

```
}

/**
 * Resolves an AWS SSM OpsItem asynchronously.
 *
 * @param opsID The ID of the OpsItem to resolve.
 * <p>
 * This method initiates an asynchronous request to resolve an SSM OpsItem.
 * If an exception occurs, it handles the error appropriately.
 */
public void resolveOpsItem(String opsID) {
    UpdateOpsItemRequest opsItemRequest = UpdateOpsItemRequest.builder()
        .opsItemId(opsID)
        .status(OpsItemStatus.RESOLVED)
        .build();

    CompletableFuture<Void> future = CompletableFuture.runAsync(() -> {
        getAsyncClient().updateOpsItem(opsItemRequest)
            .thenAccept(response -> {
                System.out.println("OpsItem resolved successfully.");
            })
            .exceptionally(ex -> {
                throw new CompletionException(ex);
            }).join();
    }).exceptionally(ex -> {
        Throwable cause = (ex instanceof CompletionException) ? ex.getCause() : ex;
        if (cause instanceof SsmException) {
            throw new RuntimeException("SSM error: " + cause.getMessage(),
cause);
        } else {
            throw new RuntimeException("Unexpected error: " +
cause.getMessage(), cause);
        }
    });

    try {
        future.join();
    } catch (CompletionException ex) {
        throw ex.getCause() instanceof RuntimeException ? (RuntimeException)
ex.getCause() : ex;
    }
}
```

```
/**  
 * Describes AWS SSM OpsItems asynchronously.  
 *  
 * @param key The key to filter OpsItems by (e.g., OPS_ITEM_ID).  
 *  
 * This method initiates an asynchronous request to describe SSM OpsItems.  
 * If the request is successful, it prints the title and status of each OpsItem.  
 * If an exception occurs, it handles the error appropriately.  
 */  
  
public void describeOpsItems(String key) {  
    OpsItemFilter filter = OpsItemFilter.builder()  
        .key(OpsItemFilterKey.OPSTITLE)  
        .values(key)  
        .operator(OpsItemFilterOperator.EQUAL)  
        .build();  
  
    DescribeOpsItemsRequest itemsRequest = DescribeOpsItemsRequest.builder()  
        .maxResults(10)  
        .opsItemFilters(filter)  
        .build();  
  
    CompletableFuture<Void> future = CompletableFuture.runAsync(() -> {  
        getAsyncClient().describeOpsItems(itemsRequest)  
            .thenAccept(itemsResponse -> {  
                List<OpsItemSummary> items = itemsResponse.opsItemSummaries();  
                for (OpsItemSummary item : items) {  
                    System.out.println("The item title is " + item.title() + "  
and the status is " + item.status().toString());  
                }  
            })  
            .exceptionally(ex -> {  
                throw new CompletionException(ex);  
            }).join();  
    }).exceptionally(ex -> {  
        Throwable cause = (ex instanceof CompletionException) ? ex.getCause() :  
ex;  
        if (cause instanceof SsmException) {  
            throw new RuntimeException("SSM error: " + cause.getMessage(),  
cause);  
        } else {  
            throw new RuntimeException("Unexpected error: " +  
cause.getMessage(), cause);  
        }  
    });  
}
```

```
try {
    future.join();
} catch (CompletionException ex) {
    throw ex.getCause() instanceof RuntimeException ? (RuntimeException)
ex.getCause() : ex;
}
}

/**
 * Updates the AWS SSM OpsItem asynchronously.
 *
 * @param opsItemId The ID of the OpsItem to update.
 * @param title The new title of the OpsItem.
 * @param description The new description of the OpsItem.
 * <p>
 * This method initiates an asynchronous request to update an SSM OpsItem.
 * If the request is successful, it completes without returning a value.
 * If an exception occurs, it handles the error appropriately.
 */
public void updateOpsItem(String opsItemId, String title, String description) {
    Map<String, OpsItemDataValue> operationalData = new HashMap<>();
    operationalData.put("key1",
OpsItemDataValue.builder().value("value1").build());
    operationalData.put("key2",
OpsItemDataValue.builder().value("value2").build());

    CompletableFuture<Void> future = getOpsItem(opsItemId).thenCompose(opsItem -
> {
    UpdateOpsItemRequest request = UpdateOpsItemRequest.builder()
        .opsItemId(opsItemId)
        .title(title)
        .operationalData(operationalData)
        .status(opsItem.statusAsString())
        .description(description)
        .build();

    return getAsyncClient().updateOpsItem(request).thenAccept(response -> {
        System.out.println(opsItemId + " updated successfully.");
    }).exceptionally(ex -> {
        throw new CompletionException(ex);
    });
}).exceptionally(ex -> {
```

```
        Throwable cause = (ex instanceof CompletionException) ? ex.getCause() :
    ex;
        if (cause instanceof SsmException) {
            throw new RuntimeException("SSM error: " + cause.getMessage(),
cause);
        } else {
            throw new RuntimeException("Unexpected error: " +
cause.getMessage(), cause);
        }
    });

    try {
        future.join();
    } catch (CompletionException ex) {
        throw ex.getCause() instanceof RuntimeException ? (RuntimeException)
ex.getCause() : ex;
    }
}

private static CompletableFuture<OpsItem> getOpsItem(String opsItemId) {
    GetOpsItemRequest request =
GetOpsItemRequest.builder().opsItemId(opsItemId).build();
    return
getAsyncClient().getOpsItem(request).thenApply(GetOpsItemResponse::opsItem);
}

/**
 * Creates an SSM OpsItem asynchronously.
 *
 * @param title The title of the OpsItem.
 * @param source The source of the OpsItem.
 * @param category The category of the OpsItem.
 * @param severity The severity of the OpsItem.
 * @return The ID of the created OpsItem.
 */
public String createSSMOpsItem(String title, String source, String category,
String severity) {
    CreateOpsItemRequest opsItemRequest = CreateOpsItemRequest.builder()
        .description("Created by the SSM Java API")
```

```
.title(title)
.source(source)
.category(category)
.severity(severity)
.build();

CompletableFuture<CreateOpsItemResponse> future =
getAsyncClient().createOpsItem(opsItemRequest);

try {
    CreateOpsItemResponse response = future.join();
    return response.opsItemId();
} catch (CompletionException e) {
    Throwable cause = e.getCause();
    if (cause instanceof SsmException) {
        throw (SsmException) cause;
    } else {
        throw new RuntimeException(cause);
    }
}
}

/**
 * Displays the date and time when the specific command was invoked.
 *
 * @param commandId The ID of the command to describe.
 * <p>
 * This method initiates an asynchronous request to list command invocations and
prints the date and time of each command invocation.
 * If an exception occurs, it handles the error appropriately.
 */
public void displayCommands(String commandId) {
    ListCommandInvocationsRequest commandInvocationsRequest =
ListCommandInvocationsRequest.builder()
    .commandId(commandId)
    .build();

CompletableFuture<ListCommandInvocationsResponse> future =
getAsyncClient().listCommandInvocations(commandInvocationsRequest);
future.thenAccept(response -> {
    List<CommandInvocation> commandList = response.commandInvocations();
    DateTimeFormatter formatter = DateTimeFormatter.ofPattern("yyyy-MM-dd
HH:mm:ss").withZone(ZoneId.systemDefault());
    for (CommandInvocation invocation : commandList) {
```

```
        System.out.println("The time of the command invocation is " +
formatter.format(invocation.requestedDateTime()));
    }
}).exceptionally(ex -> {
    Throwable cause = (ex instanceof CompletionException) ? ex.getCause() :
ex;
    if (cause instanceof SsmException) {
        throw (SsmException) cause;
    } else {
        throw new RuntimeException(cause);
    }
}).join();
}

/**
 * Sends a SSM command to a managed node asynchronously.
 *
 * @param documentName The name of the document to use.
 * @param instanceId The ID of the instance to send the command to.
 * @return The command ID.
 * <p>
 * This method initiates asynchronous requests to send a SSM command to a
managed node.
 * It waits until the document is active, sends the command, and checks the
command execution status.
 */
public String sendSSMCommand(String documentName, String instanceId) throws
InterruptedException, SsmException {
    // Before we use Document to send a command - make sure it is active.
    CompletableFuture<Void> documentActiveFuture = CompletableFuture.runAsync(() -
> {
        boolean isDocumentActive = false;
        DescribeDocumentRequest request = DescribeDocumentRequest.builder()
            .name(documentName)
            .build();

        while (!isDocumentActive) {
            CompletableFuture<DescribeDocumentResponse> response =
getAsyncClient().describeDocument(request);
            String documentStatus = response.join().document().statusAsString();
            if (documentStatus.equals("Active")) {
                System.out.println("The SSM document is active and ready to
use.");
                isDocumentActive = true;
            }
        }
    });
}
```

```
        } else {
            System.out.println("The SSM document is not active. Status: " +
documentStatus);
            try {
                Thread.sleep(5000);
            } catch (InterruptedException e) {
                throw new RuntimeException(e);
            }
        }
    });
}

documentActiveFuture.join();

// Create the SendCommandRequest.
SendCommandRequest commandRequest = SendCommandRequest.builder()
    .documentName(documentName)
    .instanceIds(instanceId)
    .build();

// Send the command.
CompletableFuture<SendCommandResponse> commandFuture =
getAsyncClient().sendCommand(commandRequest);
final String[] commandId = {null};

commandFuture.whenComplete((commandResponse, ex) -> {
    if (commandResponse != null) {
        commandId[0] = commandResponse.command().commandId();
        System.out.println("Command ID: " + commandId[0]);

        // Wait for the command execution to complete.
        GetCommandInvocationRequest invocationRequest =
GetCommandInvocationRequest.builder()
    .commandId(commandId[0])
    .instanceId(instanceId)
    .build();

    try {
        System.out.println("Wait 5 secs");
        TimeUnit.SECONDS.sleep(5);

        // Retrieve the command execution details.
        CompletableFuture<GetCommandInvocationResponse> invocationFuture
= getAsyncClient().getCommandInvocation(invocationRequest);
    }
}
```

```
        invocationFuture.whenComplete((commandInvocationResponse,
invocationEx) -> {
            if (commandInvocationResponse != null) {
                // Check the status of the command execution.
                CommandInvocationStatus status =
commandInvocationResponse.status();
                if (status == CommandInvocationStatus.SUCCESS) {
                    System.out.println("Command execution successful");
                } else {
                    System.out.println("Command execution failed.
Status: " + status);
                }
            } else {
                Throwable invocationCause = (invocationEx instanceof
CompletionException) ? invocationEx.getCause() : invocationEx;
                throw new CompletionException(invocationCause);
            }
        }).join();
    } catch (InterruptedException e) {
        throw new RuntimeException(e);
    }
} else {
    Throwable cause = (ex instanceof CompletionException) ?
ex.getCause() : ex;
    if (cause instanceof SsmException) {
        throw (SsmException) cause;
    } else {
        throw new RuntimeException(cause);
    }
}
}).join();

return commandId[0];
}

/**
 * Creates an AWS SSM document asynchronously.
 *
 * @param docName The name of the document to create.
 * <p>
 * This method initiates an asynchronous request to create an SSM document.
 * If the request is successful, it prints the document status.
 * If an exception occurs, it handles the error appropriately.
 */
}
```

```
public void createSSMDoc(String docName) throws SsmException {
    String jsonData = """
    {
        "schemaVersion": "2.2",
        "description": "Run a simple shell command",
        "mainSteps": [
            {
                "action": "aws:runShellScript",
                "name": "runEchoCommand",
                "inputs": {
                    "runCommand": [
                        "echo 'Hello, world!''"
                    ]
                }
            }
        ]
    }
""";
```

```
CreateDocumentRequest request = CreateDocumentRequest.builder()
    .content(jsonData)
    .name(docName)
    .documentType(DocumentType.COMMAND)
    .build();
```

```
CompletableFuture<CreateDocumentResponse> future =
getAsyncClient().createDocument(request);
future.thenAccept(response -> {
    System.out.println("The status of the SSM document is " +
response.documentDescription().status());
}).exceptionally(ex -> {
    Throwable cause = (ex instanceof CompletionException) ? ex.getCause() : ex;
    if (cause instanceof DocumentAlreadyExistsException) {
        throw new CompletionException(cause);
    } else if (cause instanceof SsmException) {
        throw new CompletionException(cause);
    } else {
        throw new RuntimeException(cause);
    }
}).join();
}
```

```
/**
```

```
* Updates an SSM maintenance window asynchronously.  
*  
* @param id The ID of the maintenance window to update.  
* @param name The new name for the maintenance window.  
* <p>  
* This method initiates an asynchronous request to update an SSM maintenance  
window.  
* If the request is successful, it prints a success message.  
* If an exception occurs, it handles the error appropriately.  
*/  
public void updateSSMMaintenanceWindow(String id, String name) throws  
SsmException {  
    UpdateMaintenanceWindowRequest updateRequest =  
UpdateMaintenanceWindowRequest.builder()  
    .windowId(id)  
    .allowUnassociatedTargets(true)  
    .duration(24)  
    .enabled(true)  
    .name(name)  
    .schedule("cron(0 0 ? * MON *)")  
    .build();  
  
    CompletableFuture<UpdateMaintenanceWindowResponse> future =  
getAsyncClient().updateMaintenanceWindow(updateRequest);  
    future.whenComplete((response, ex) -> {  
        if (response != null) {  
            System.out.println("The SSM maintenance window was successfully  
updated");  
        } else {  
            Throwable cause = (ex instanceof CompletionException) ?  
ex.getCause() : ex;  
            if (cause instanceof SsmException) {  
                throw new CompletionException(cause);  
            } else {  
                throw new RuntimeException(cause);  
            }  
        }  
    }).join();  
}  
  
/**  
* Creates an SSM maintenance window asynchronously.  
*  
* @param winName The name of the maintenance window.
```

```
* @return The ID of the created or existing maintenance window.
* <p>
* This method initiates an asynchronous request to create an SSM maintenance
window.
* If the request is successful, it prints the maintenance window ID.
* If an exception occurs, it handles the error appropriately.
*/
public String createMaintenanceWindow(String winName) throws SsmException,
DocumentAlreadyExistsException {
    CreateMaintenanceWindowRequest request =
CreateMaintenanceWindowRequest.builder()
    .name(winName)
    .description("This is my maintenance window")
    .allowUnassociatedTargets(true)
    .duration(2)
    .cutoff(1)
    .schedule("cron(0 10 ? * MON-FRI *)")
    .build();

    CompletableFuture<CreateMaintenanceWindowResponse> future =
getAsyncClient().createMaintenanceWindow(request);
    final String[] windowId = {null};
    future.whenComplete((response, ex) -> {
        if (response != null) {
            String maintenanceWindowId = response.windowId();
            System.out.println("The maintenance window id is " +
maintenanceWindowId);
            windowId[0] = maintenanceWindowId;
        } else {
            Throwable cause = (ex instanceof CompletionException) ?
ex.getCause() : ex;
            if (cause instanceof DocumentAlreadyExistsException) {
                throw new CompletionException(cause);
            } else if (cause instanceof SsmException) {
                throw new CompletionException(cause);
            } else {
                throw new RuntimeException(cause);
            }
        }
    }).join();

    if (windowId[0] == null) {
        MaintenanceWindowFilter filter = MaintenanceWindowFilter.builder()
            .key("name")
```

```
        .values(winName)
        .build();

        DescribeMaintenanceWindowsRequest winRequest =
DescribeMaintenanceWindowsRequest.builder()
        .filters(filter)
        .build();

        CompletableFuture<DescribeMaintenanceWindowsResponse> describeFuture =
getAsyncClient().describeMaintenanceWindows(winRequest);
        describeFuture.whenComplete((describeResponse, describeEx) -> {
            if (describeResponse != null) {
                List<MaintenanceWindowIdentity> windows =
describeResponse.windowIdentities();
                if (!windows.isEmpty()) {
                    windowId[0] = windows.get(0).windowId();
                    System.out.println("Window ID: " + windowId[0]);
                } else {
                    System.out.println("Window not found.");
                    windowId[0] = "";
                }
            } else {
                Throwable describeCause = (describeEx instanceof
CompletionException) ? describeEx.getCause() : describeEx;
                throw new RuntimeException("Error describing maintenance
windows: " + describeCause.getMessage(), describeCause);
            }
        }).join();
    }

    return windowId[0];
}
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [CreateDocument](#)
- [CreateMaintenanceWindow](#)
- [CreateOpsItem](#)
- [DeleteMaintenanceWindow](#)
- [ListCommandInvocations](#)

- [SendCommand](#)
- [UpdateOpsItem](#)

Actions

CreateDocument

The following code example shows how to use CreateDocument.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Creates an AWS SSM document asynchronously.  
 *  
 * @param docName The name of the document to create.  
 * <p>  
 * This method initiates an asynchronous request to create an SSM document.  
 * If the request is successful, it prints the document status.  
 * If an exception occurs, it handles the error appropriately.  
 */  
public void createSSMDoc(String docName) throws SsmException {  
    String jsonData = """";  
    {  
        "schemaVersion": "2.2",  
        "description": "Run a simple shell command",  
        "mainSteps": [  
            {  
                "action": "aws:runShellScript",  
                "name": "runEchoCommand",  
                "inputs": {  
                    "runCommand": [  
                        "echo 'Hello, world!'"  
                    ]  
                }  
            }  
        ]  
    }  
}
```

```
        ]
    }
""";  
  
CreateDocumentRequest request = CreateDocumentRequest.builder()
    .content(jsonData)
    .name(docName)
    .documentType(DocumentType.COMMAND)
    .build();  
  
CompletableFuture<CreateDocumentResponse> future =
getAsyncClient().createDocument(request);
future.thenAccept(response -> {
    System.out.println("The status of the SSM document is " +
response.documentDescription().status());
}).exceptionally(ex -> {
    Throwable cause = (ex instanceof CompletionException) ? ex.getCause() : ex;
    if (cause instanceof DocumentAlreadyExistsException) {
        throw new CompletionException(cause);
    } else if (cause instanceof SsmException) {
        throw new CompletionException(cause);
    } else {
        throw new RuntimeException(cause);
    }
}).join();
}
```

- For API details, see [CreateDocument](#) in *AWS SDK for Java 2.x API Reference*.

CreateMaintenanceWindow

The following code example shows how to use `CreateMaintenanceWindow`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Creates an SSM maintenance window asynchronously.  
 *  
 * @param winName The name of the maintenance window.  
 * @return The ID of the created or existing maintenance window.  
 * <p>  
 * This method initiates an asynchronous request to create an SSM maintenance  
window.  
 * If the request is successful, it prints the maintenance window ID.  
 * If an exception occurs, it handles the error appropriately.  
 */  
public String createMaintenanceWindow(String winName) throws SsmException,  
DocumentAlreadyExistsException {  
    CreateMaintenanceWindowRequest request =  
CreateMaintenanceWindowRequest.builder()  
        .name(winName)  
        .description("This is my maintenance window")  
        .allowUnassociatedTargets(true)  
        .duration(2)  
        .cutoff(1)  
        .schedule("cron(0 10 ? * MON-FRI *)")  
        .build();  
  
    CompletableFuture<CreateMaintenanceWindowResponse> future =  
getAsyncClient().createMaintenanceWindow(request);  
    final String[] windowId = {null};  
    future.whenComplete((response, ex) -> {  
        if (response != null) {  
            String maintenanceWindowId = response.windowId();  
            System.out.println("The maintenance window id is " +  
maintenanceWindowId);  
            windowId[0] = maintenanceWindowId;  
        } else {  
            Throwable cause = (ex instanceof CompletionException) ?  
ex.getCause() : ex;  
            if (cause instanceof DocumentAlreadyExistsException) {  
                throw new CompletionException(cause);  
            } else if (cause instanceof SsmException) {  
                throw new CompletionException(cause);  
            } else {  
                throw new RuntimeException(cause);  
            }  
        }  
    }  
}
```

```
}).join();

    if (windowId[0] == null) {
        MaintenanceWindowFilter filter = MaintenanceWindowFilter.builder()
            .key("name")
            .values(winName)
            .build();

        DescribeMaintenanceWindowsRequest winRequest =
DescribeMaintenanceWindowsRequest.builder()
            .filters(filter)
            .build();

        CompletableFuture<DescribeMaintenanceWindowsResponse> describeFuture =
getAsyncClient().describeMaintenanceWindows(winRequest);
        describeFuture.whenComplete((describeResponse, describeEx) -> {
            if (describeResponse != null) {
                List<MaintenanceWindowIdentity> windows =
describeResponse.windowIdentities();
                if (!windows.isEmpty()) {
                    windowId[0] = windows.get(0).windowId();
                    System.out.println("Window ID: " + windowId[0]);
                } else {
                    System.out.println("Window not found.");
                    windowId[0] = "";
                }
            } else {
                Throwable describeCause = (describeEx instanceof
CompletionException) ? describeEx.getCause() : describeEx;
                throw new RuntimeException("Error describing maintenance
windows: " + describeCause.getMessage(), describeCause);
            }
        }).join();
    }

    return windowId[0];
}
```

- For API details, see [CreateMaintenanceWindow](#) in *AWS SDK for Java 2.x API Reference*.

CreateOpsItem

The following code example shows how to use `CreateOpsItem`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Creates an SSM OpsItem asynchronously.  
 *  
 * @param title The title of the OpsItem.  
 * @param source The source of the OpsItem.  
 * @param category The category of the OpsItem.  
 * @param severity The severity of the OpsItem.  
 * @return The ID of the created OpsItem.  
 * <p>  
 * This method initiates an asynchronous request to create an SSM OpsItem.  
 * If the request is successful, it returns the OpsItem ID.  
 * If an exception occurs, it handles the error appropriately.  
 */  
public String createSSMOpsItem(String title, String source, String category,  
String severity) {  
    CreateOpsItemRequest opsItemRequest = CreateOpsItemRequest.builder()  
        .description("Created by the SSM Java API")  
        .title(title)  
        .source(source)  
        .category(category)  
        .severity(severity)  
        .build();  
  
    CompletableFuture<CreateOpsItemResponse> future =  
getAsyncClient().createOpsItem(opsItemRequest);  
  
    try {  
        CreateOpsItemResponse response = future.join();  
        return response.opsItemId();  
    } catch (CompletionException e) {  
        Throwable cause = e.getCause();  
    }  
}
```

```
        if (cause instanceof SsmException) {
            throw (SsmException) cause;
        } else {
            throw new RuntimeException(cause);
        }
    }
}
```

- For API details, see [CreateOpsItem](#) in *AWS SDK for Java 2.x API Reference*.

DeleteDocument

The following code example shows how to use DeleteDocument.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/** 
 * Deletes an AWS SSM document asynchronously.
 *
 * @param documentName The name of the document to delete.
 * <p>
 * This method initiates an asynchronous request to delete an SSM document.
 * If an exception occurs, it handles the error appropriately.
 */
public void deleteDoc(String documentName) {
    DeleteDocumentRequest documentRequest = DeleteDocumentRequest.builder()
        .name(documentName)
        .build();

    CompletableFuture<Void> future = CompletableFuture.runAsync(() -> {
        getAsyncClient().deleteDocument(documentRequest)
            .thenAccept(response -> {
                System.out.println("The SSM document was successfully
deleted.");
    });
}
```

```
        })
        .exceptionally(ex -> {
            throw new CompletionException(ex);
        }).join();
    }).exceptionally(ex -> {
        Throwable cause = (ex instanceof CompletionException) ? ex.getCause() : ex;
        if (cause instanceof SsmException) {
            throw new RuntimeException("SSM error: " + cause.getMessage(), cause);
        } else {
            throw new RuntimeException("Unexpected error: " + cause.getMessage(), cause);
        }
    });

    try {
        future.join();
    } catch (CompletionException ex) {
        throw ex.getCause() instanceof RuntimeException ? (RuntimeException) ex.getCause() : ex;
    }
}
```

- For API details, see [DeleteDocument](#) in *AWS SDK for Java 2.x API Reference*.

DeleteMaintenanceWindow

The following code example shows how to use DeleteMaintenanceWindow.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/***
 * Deletes an AWS SSM Maintenance Window asynchronously.
 */
```

```
* @param winId The ID of the Maintenance Window to delete.  
* <p>  
* This method initiates an asynchronous request to delete an SSM Maintenance  
Window.  
* If an exception occurs, it handles the error appropriately.  
*/  
public void deleteMaintenanceWindow(String winId) {  
    DeleteMaintenanceWindowRequest windowRequest =  
DeleteMaintenanceWindowRequest.builder()  
        .windowId(winId)  
        .build();  
  
    CompletableFuture<Void> future = CompletableFuture.runAsync(() -> {  
        getAsyncClient().deleteMaintenanceWindow(windowRequest)  
            .thenAccept(response -> {  
                System.out.println("The maintenance window was successfully  
deleted.");  
            })  
            .exceptionally(ex -> {  
                throw new CompletionException(ex);  
            }).join();  
    }).exceptionally(ex -> {  
        Throwable cause = (ex instanceof CompletionException) ? ex.getCause() :  
ex;  
        if (cause instanceof SsmException) {  
            throw new RuntimeException("SSM error: " + cause.getMessage(),  
cause);  
        } else {  
            throw new RuntimeException("Unexpected error: " +  
cause.getMessage(), cause);  
        }  
    });  
  
    try {  
        future.join();  
    } catch (CompletionException ex) {  
        throw ex.getCause() instanceof RuntimeException ? (RuntimeException)  
ex.getCause() : ex;  
    }  
}
```

- For API details, see [DeleteMaintenanceWindow](#) in *AWS SDK for Java 2.x API Reference*.

DescribeOpsItems

The following code example shows how to use `DescribeOpsItems`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Describes AWS SSM OpsItems asynchronously.  
 *  
 * @param key The key to filter OpsItems by (e.g., OPS_ITEM_ID).  
 *  
 * This method initiates an asynchronous request to describe SSM OpsItems.  
 * If the request is successful, it prints the title and status of each OpsItem.  
 * If an exception occurs, it handles the error appropriately.  
 */  
public void describeOpsItems(String key) {  
    OpsItemFilter filter = OpsItemFilter.builder()  
        .key(OpsItemFilterKey.OPSI_ID)  
        .values(key)  
        .operator(OpsItemFilterOperator.EQUAL)  
        .build();  
  
    DescribeOpsItemsRequest itemsRequest = DescribeOpsItemsRequest.builder()  
        .maxResults(10)  
        .opsItemFilters(filter)  
        .build();  
  
    CompletableFuture<Void> future = CompletableFuture.runAsync(() -> {  
        getAsyncClient().describeOpsItems(itemsRequest)  
            .thenAccept(itemsResponse -> {  
                List<OpsItemSummary> items = itemsResponse.opsItemSummaries();  
                for (OpsItemSummary item : items) {  
                    System.out.println("The item title is " + item.title() + "  
and the status is " + item.status().toString());  
                }  
            })  
            .exceptionally(ex -> {  
                System.out.println("An error occurred: " + ex.getMessage());  
            });  
    });  
}  
}
```

```
        throw new CompletionException(ex);
    }).join();
}).exceptionally(ex -> {
    Throwable cause = (ex instanceof CompletionException) ? ex.getCause() :
ex;
    if (cause instanceof SsmException) {
        throw new RuntimeException("SSM error: " + cause.getMessage(),
cause);
    } else {
        throw new RuntimeException("Unexpected error: " +
cause.getMessage(), cause);
    }
});

try {
    future.join();
} catch (CompletionException ex) {
    throw ex.getCause() instanceof RuntimeException ? (RuntimeException)
ex.getCause() : ex;
}
}
```

- For API details, see [DescribeOpsItems](#) in *AWS SDK for Java 2.x API Reference*.

DescribeParameters

The following code example shows how to use `DescribeParameters`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.ssm.SsmClient;
import software.amazon.awssdk.services.ssm.model.GetParameterRequest;
import software.amazon.awssdk.services.ssm.model.GetParameterResponse;
import software.amazon.awssdk.services.ssm.model.SsmException;
```

```
/**  
 * Before running this Java V2 code example, set up your development  
 * environment, including your credentials.  
 *  
 * For more information, see the following documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
public class GetParameter {  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:  
            <paraName>  
  
            Where:  
            paraName - The name of the parameter.  
            """;  
  
        if (args.length != 1) {  
            System.out.println(usage);  
            System.exit(1);  
        }  
  
        String paraName = args[0];  
        Region region = Region.US_EAST_1;  
        SsmClient ssmClient = SsmClient.builder()  
            .region(region)  
            .build();  
  
        getParaValue(ssmClient, paraName);  
        ssmClient.close();  
    }  
  
    public static void getParaValue(SsmClient ssmClient, String paraName) {  
        try {  
            GetParameterRequest parameterRequest = GetParameterRequest.builder()  
                .name(paraName)  
                .build();  
  
            GetParameterResponse parameterResponse =  
                ssmClient.getParameter(parameterRequest);  
        }  
    }  
}
```

```
        System.out.println("The parameter value is " +  
parameterResponse.parameter().value());  
  
    } catch (SsmException e) {  
        System.err.println(e.getMessage());  
        System.exit(1);  
    }  
}  
}
```

- For API details, see [DescribeParameters](#) in *AWS SDK for Java 2.x API Reference*.

PutParameter

The following code example shows how to use PutParameter.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;  
import software.amazon.awssdk.services.ssm.SsmClient;  
import software.amazon.awssdk.services.ssm.model.ParameterType;  
import software.amazon.awssdk.services.ssm.model.PutParameterRequest;  
import software.amazon.awssdk.services.ssm.model.SsmException;  
  
public class PutParameter {  
  
    public static void main(String[] args) {  
        final String usage = """  
  
            Usage:  
            <paraName>  
  
            Where:  
            paraName - The name of the parameter.  
            paraValue - The value of the parameter.  
        """;  
    }  
}
```

```
""";  
  
    if (args.length != 2) {  
        System.out.println(usage);  
        System.exit(1);  
    }  
  
    String paraName = args[0];  
    String paraValue = args[1];  
    Region region = Region.US_EAST_1;  
    SsmClient ssmClient = SsmClient.builder()  
        .region(region)  
        .build();  
  
    putParaValue(ssmClient, paraName, paraValue);  
    ssmClient.close();  
}  
  
public static void putParaValue(SsmClient ssmClient, String paraName, String  
value) {  
    try {  
        PutParameterRequest parameterRequest = PutParameterRequest.builder()  
            .name(paraName)  
            .type(ParameterType.STRING)  
            .value(value)  
            .build();  
  
        ssmClient.putParameter(parameterRequest);  
        System.out.println("The parameter was successfully added.");  
  
    } catch (SsmException e) {  
        System.err.println(e.getMessage());  
        System.exit(1);  
    }  
}  
}
```

- For API details, see [PutParameter](#) in *AWS SDK for Java 2.x API Reference*.

SendCommand

The following code example shows how to use SendCommand.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Sends a SSM command to a managed node asynchronously.  
 *  
 * @param documentName The name of the document to use.  
 * @param instanceId The ID of the instance to send the command to.  
 * @return The command ID.  
 * <p>  
 * This method initiates asynchronous requests to send a SSM command to a  
 managed node.  
 * It waits until the document is active, sends the command, and checks the  
 command execution status.  
 */  
public String sendSSMCommand(String documentName, String instanceId) throws  
InterruptedException, SsmException {  
    // Before we use Document to send a command - make sure it is active.  
    CompletableFuture<Void> documentActiveFuture = CompletableFuture.runAsync(()  
-> {  
        boolean isDocumentActive = false;  
        DescribeDocumentRequest request = DescribeDocumentRequest.builder()  
            .name(documentName)  
            .build();  
  
        while (!isDocumentActive) {  
            CompletableFuture<DescribeDocumentResponse> response =  
getAsyncClient().describeDocument(request);  
            String documentStatus = response.join().document().statusAsString();  
            if (documentStatus.equals("Active")) {  
                System.out.println("The SSM document is active and ready to  
use.");  
                isDocumentActive = true;  
            } else {  
                System.out.println("The SSM document is not active. Status: " +  
documentStatus);  
                try {  
                    Thread.sleep(1000);  
                } catch (InterruptedException e) {  
                    Thread.currentThread().interrupt();  
                }  
            }  
        }  
    });  
    documentActiveFuture.get();  
    return instanceId;  
}  
}
```

```
        Thread.sleep(5000);
    } catch (InterruptedException e) {
        throw new RuntimeException(e);
    }
}
});

documentActiveFuture.join();

// Create the SendCommandRequest.
SendCommandRequest commandRequest = SendCommandRequest.builder()
    .documentName(documentName)
    .instanceIds(instanceId)
    .build();

// Send the command.
CompletableFuture<SendCommandResponse> commandFuture =
getAsyncClient().sendCommand(commandRequest);
final String[] commandId = {null};

commandFuture.whenComplete((commandResponse, ex) -> {
    if (commandResponse != null) {
        commandId[0] = commandResponse.command().commandId();
        System.out.println("Command ID: " + commandId[0]);

        // Wait for the command execution to complete.
        GetCommandInvocationRequest invocationRequest =
GetCommandInvocationRequest.builder()
    .commandId(commandId[0])
    .instanceId(instanceId)
    .build();

    try {
        System.out.println("Wait 5 secs");
        TimeUnit.SECONDS.sleep(5);

        // Retrieve the command execution details.
        CompletableFuture<GetCommandInvocationResponse> invocationFuture
= getAsyncClient().getCommandInvocation(invocationRequest);
        invocationFuture.whenComplete((commandInvocationResponse,
invocationEx) -> {
            if (commandInvocationResponse != null) {
                // Check the status of the command execution.

```

```
        CommandInvocationStatus status =
commandInvocationResponse.status();
        if (status == CommandInvocationStatus.SUCCESS) {
            System.out.println("Command execution successful");
        } else {
            System.out.println("Command execution failed.
Status: " + status);
        }
    } else {
        Throwabe invocationCause = (invocationEx instanceof
CompletionException) ? invocationEx.getCause() : invocationEx;
        throw new CompletionException(invocationCause);
    }
}).join();
} catch (InterruptedException e) {
    throw new RuntimeException(e);
}
} else {
    Throwabe cause = (ex instanceof CompletionException) ?
ex.getCause() : ex;
    if (cause instanceof SsmException) {
        throw (SsmException) cause;
    } else {
        throw new RuntimeException(cause);
    }
}
}).join();
}

return commandId[0];
}
```

- For API details, see [SendCommand](#) in *AWS SDK for Java 2.x API Reference*.

UpdateMaintenanceWindow

The following code example shows how to use `UpdateMaintenanceWindow`.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * Updates an SSM maintenance window asynchronously.  
 *  
 * @param id The ID of the maintenance window to update.  
 * @param name The new name for the maintenance window.  
 * <p>  
 * This method initiates an asynchronous request to update an SSM maintenance  
window.  
 * If the request is successful, it prints a success message.  
 * If an exception occurs, it handles the error appropriately.  
 */  
public void updateSSMMaintenanceWindow(String id, String name) throws  
SsmException {  
    UpdateMaintenanceWindowRequest updateRequest =  
UpdateMaintenanceWindowRequest.builder()  
        .windowId(id)  
        .allowUnassociatedTargets(true)  
        .duration(24)  
        .enabled(true)  
        .name(name)  
        .schedule("cron(0 0 ? * MON *)")  
        .build();  
  
    CompletableFuture<UpdateMaintenanceWindowResponse> future =  
getAsyncClient().updateMaintenanceWindow(updateRequest);  
    future.whenComplete((response, ex) -> {  
        if (response != null) {  
            System.out.println("The SSM maintenance window was successfully  
updated");  
        } else {  
            Throwable cause = (ex instanceof CompletionException) ?  
ex.getCause() : ex;  
            if (cause instanceof SsmException) {  
                throw new CompletionException(cause);  
            }  
        }  
    });  
}
```

```
        } else {
            throw new RuntimeException(cause);
        }
    }).join();
}
```

- For API details, see [UpdateMaintenanceWindow](#) in *AWS SDK for Java 2.x API Reference*.

UpdateOpsItem

The following code example shows how to use `UpdateOpsItem`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/** 
 * Resolves an AWS SSM OpsItem asynchronously.
 *
 * @param opsID The ID of the OpsItem to resolve.
 * <p>
 * This method initiates an asynchronous request to resolve an SSM OpsItem.
 * If an exception occurs, it handles the error appropriately.
 */
public void resolveOpsItem(String opsID) {
    UpdateOpsItemRequest opsItemRequest = UpdateOpsItemRequest.builder()
        .opsItemId(opsID)
        .status(OpsItemStatus.RESOLVED)
        .build();

    CompletableFuture<Void> future = CompletableFuture.runAsync(() -> {
        getAsyncClient().updateOpsItem(opsItemRequest)
            .thenAccept(response -> {
                System.out.println("OpsItem resolved successfully.");
            })
            .exceptionally(ex -> {
```

```
        throw new CompletionException(ex);
    }).join();
}).exceptionally(ex -> {
    Throwable cause = (ex instanceof CompletionException) ? ex.getCause() :
ex;
    if (cause instanceof SsmException) {
        throw new RuntimeException("SSM error: " + cause.getMessage(),
cause);
    } else {
        throw new RuntimeException("Unexpected error: " +
cause.getMessage(), cause);
    }
});

try {
    future.join();
} catch (CompletionException ex) {
    throw ex.getCause() instanceof RuntimeException ? (RuntimeException)
ex.getCause() : ex;
}
}
```

- For API details, see [UpdateOpsItem](#) in *AWS SDK for Java 2.x API Reference*.

Amazon Textract examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon Textract.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)

- [Scenarios](#)

Actions

AnalyzeDocument

The following code example shows how to use AnalyzeDocument.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.textract.TextractClient;
import software.amazon.awssdk.services.textract.model.AnalyzeDocumentRequest;
import software.amazon.awssdk.services.textract.model.Document;
import software.amazon.awssdk.services.textract.model.FeatureType;
import software.amazon.awssdk.services.textract.model.AnalyzeDocumentResponse;
import software.amazon.awssdk.services.textract.model.Block;
import software.amazon.awssdk.services.textract.model.TextractException;
import java.io.File;
import java.io.FileInputStream;
import java.io.FileNotFoundException;
import java.io.InputStream;
import java.util.ArrayList;
import java.util.Iterator;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class AnalyzeDocument {
```

```
public static void main(String[] args) {
    final String usage = """
        Usage:
        <sourceDoc>\s

        Where:
        sourceDoc - The path where the document is located (must be an
image, for example, C:/AWS/book.png).\s
        """;

    if (args.length != 1) {
        System.out.println(usage);
        System.exit(1);
    }

    String sourceDoc = args[0];
    Region region = Region.US_EAST_2;
    TextractClient textractClient = TextractClient.builder()
        .region(region)
        .build();

    analyzeDoc(textractClient, sourceDoc);
    textractClient.close();
}

public static void analyzeDoc(TextractClient textractClient, String sourceDoc) {
    try {
        InputStream sourceStream = new FileInputStream(new File(sourceDoc));
        SdkBytes sourceBytes = SdkBytes.fromInputStream(sourceStream);

        // Get the input Document object as bytes
        Document myDoc = Document.builder()
            .bytes(sourceBytes)
            .build();

        List<FeatureType> featureTypes = new ArrayList<FeatureType>();
        featureTypes.add(FeatureType.FORMS);
        featureTypes.add(FeatureType.TABLES);

        AnalyzeDocumentRequest analyzeDocumentRequest =
AnalyzeDocumentRequest.builder()
            .featureTypes(featureTypes)
            .document(myDoc)
```

```
        .build();

    AnalyzeDocumentResponse analyzeDocument =
textractClient.analyzeDocument(analyzeDocumentRequest);
    List<Block> docInfo = analyzeDocument.blocks();
    Iterator<Block> blockIterator = docInfo.iterator();

    while (blockIterator.hasNext()) {
        Block block = blockIterator.next();
        System.out.println("The block type is " +
block.blockType().toString());
    }

} catch (TextractException | FileNotFoundException e) {

    System.err.println(e.getMessage());
    System.exit(1);
}
}
```

- For API details, see [AnalyzeDocument](#) in *AWS SDK for Java 2.x API Reference*.

DetectDocumentText

The following code example shows how to use DetectDocumentText.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Detect text from an input document.

```
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.textract.TextractClient;
import software.amazon.awssdk.services.textract.model.Document;
```

```
import software.amazon.awssdk.services.textract.model.DetectDocumentTextRequest;
import software.amazon.awssdk.services.textract.model.DetectDocumentTextResponse;
import software.amazon.awssdk.services.textract.model.Block;
import software.amazon.awssdk.services.textract.model.DocumentMetadata;
import software.amazon.awssdk.services.textract.model.TextractException;
import java.io.File;
import java.io.FileInputStream;
import java.io.FileNotFoundException;
import java.io.InputStream;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DetectDocumentText {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <sourceDoc>\s

            Where:
            sourceDoc - The path where the document is located (must be an
            image, for example, C:/AWS/book.png).\s
            """;

        if (args.length != 1) {
            System.out.println(usage);
            System.exit(1);
        }

        String sourceDoc = args[0];
        Region region = Region.US_EAST_2;
        TextractClient textractClient = TextractClient.builder()
            .region(region)
            .build();

        detectDocText(textractClient, sourceDoc);
        textractClient.close();
    }
}
```

```
}

    public static void detectDocText(TextractClient textractClient, String
sourceDoc) {
    try {
        InputStream sourceStream = new FileInputStream(new File(sourceDoc));
        SdkBytes sourceBytes = SdkBytes.fromInputStream(sourceStream);

        // Get the input Document object as bytes.
        Document myDoc = Document.builder()
            .bytes(sourceBytes)
            .build();

        DetectDocumentTextRequest detectDocumentTextRequest =
DetectDocumentTextRequest.builder()
            .document(myDoc)
            .build();

        // Invoke the Detect operation.
        DetectDocumentTextResponse textResponse =
textractClient.detectDocumentText(detectDocumentTextRequest);
        List<Block> docInfo = textResponse.blocks();
        for (Block block : docInfo) {
            System.out.println("The block type is " +
block.blockType().toString());
        }

        DocumentMetadata documentMetadata = textResponse.documentMetadata();
        System.out.println("The number of pages in the document is " +
documentMetadata.pages());

    } catch (TextractException | FileNotFoundException e) {

        System.err.println(e.getMessage());
        System.exit(1);
    }
}
```

Detect text from a document located in an Amazon S3 bucket.

```
import software.amazon.awssdk.regions.Region;
```

```
import software.amazon.awssdk.services.textract.model.S3Object;
import software.amazon.awssdk.services.textract.TextractClient;
import software.amazon.awssdk.services.textract.model.Document;
import software.amazon.awssdk.services.textract.model.DetectDocumentTextRequest;
import software.amazon.awssdk.services.textract.model.DetectDocumentTextResponse;
import software.amazon.awssdk.services.textract.model.Block;
import software.amazon.awssdk.services.textract.model.DocumentMetadata;
import software.amazon.awssdk.services.textract.model.TextractException;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class DetectDocumentTextS3 {

    public static void main(String[] args) {
        final String usage = """

            Usage:
            <bucketName> <docName>\s

            Where:
            bucketName - The name of the Amazon S3 bucket that contains the
            document.\s

            docName - The document name (must be an image, i.e., book.png).
            \s
            """;

        if (args.length != 2) {
            System.out.println(usage);
            System.exit(1);
        }

        String bucketName = args[0];
        String docName = args[1];
        Region region = Region.US_WEST_2;
        TextractClient textractClient = TextractClient.builder()
            .region(region)
            .build();
    }
}
```

```
        detectDocTextS3(textractClient, bucketName, docName);
        textractClient.close();
    }

    public static void detectDocTextS3(TextractClient textractClient, String
bucketName, String docName) {
    try {
        S3Object s3Object = S3Object.builder()
            .bucket(bucketName)
            .name(docName)
            .build();

        // Create a Document object and reference the s3Object instance.
        Document myDoc = Document.builder()
            .s3Object(s3Object)
            .build();

        DetectDocumentTextRequest detectDocumentTextRequest =
DetectDocumentTextRequest.builder()
            .document(myDoc)
            .build();

        DetectDocumentTextResponse textResponse =
textractClient.detectDocumentText(detectDocumentTextRequest);
        for (Block block : textResponse.blocks()) {
            System.out.println("The block type is " +
block.blockType().toString());
        }
    }

    DocumentMetadata documentMetadata = textResponse.documentMetadata();
    System.out.println("The number of pages in the document is " +
documentMetadata.pages());

} catch (TextractException e) {

    System.err.println(e.getMessage());
    System.exit(1);
}
}
```

- For API details, see [DetectDocumentText](#) in *AWS SDK for Java 2.x API Reference*.

StartDocumentAnalysis

The following code example shows how to use StartDocumentAnalysis.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.textract.model.S3Object;
import software.amazon.awssdk.services.textract.TextractClient;
import software.amazon.awssdk.services.textract.model.StartDocumentAnalysisRequest;
import software.amazon.awssdk.services.textract.model.DocumentLocation;
import software.amazon.awssdk.services.textract.model.TextractException;
import software.amazon.awssdk.services.textract.model.StartDocumentAnalysisResponse;
import software.amazon.awssdk.services.textract.model.GetDocumentAnalysisRequest;
import software.amazon.awssdk.services.textract.model.GetDocumentAnalysisResponse;
import software.amazon.awssdk.services.textract.model.FeatureType;
import java.util.ArrayList;
import java.util.List;

/**
 * Before running this Java V2 code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 */
public class StartDocumentAnalysis {
    public static void main(String[] args) {
        final String usage = """
            Usage:
            <bucketName> <docName>\s
            Where:
            bucketName - The name of the Amazon S3 bucket that contains the
            document.\s
        """;
    }
}
```

```
docName - The document name (must be an image, for example,  
book.png).\s  
""";  
  
if (args.length != 2) {  
    System.out.println(usage);  
    System.exit(1);  
}  
  
String bucketName = args[0];  
String docName = args[1];  
Region region = Region.US_WEST_2;  
TextractClient textractClient = TextractClient.builder()  
    .region(region)  
    .build();  
  
String jobId = startDocAnalysisS3(textractClient, bucketName, docName);  
System.out.println("Getting results for job " + jobId);  
String status = getJobResults(textractClient, jobId);  
System.out.println("The job status is " + status);  
textractClient.close();  
}  
  
public static String startDocAnalysisS3(TextractClient textractClient, String  
bucketName, String docName) {  
    try {  
        List<FeatureType> myList = new ArrayList<>();  
        myList.add(FeatureType.TABLES);  
        myList.add(FeatureType.FORMS);  
  
        S3Object s3Object = S3Object.builder()  
            .bucket(bucketName)  
            .name(docName)  
            .build();  
  
        DocumentLocation location = DocumentLocation.builder()  
            .s3Object(s3Object)  
            .build();  
  
        StartDocumentAnalysisRequest documentAnalysisRequest =  
StartDocumentAnalysisRequest.builder()  
            .documentLocation(location)  
            .featureTypes(myList)  
            .build();
```

```
        StartDocumentAnalysisResponse response =
textractClient.startDocumentAnalysis(documentAnalysisRequest);

        // Get the job ID
        String jobId = response.jobId();
        return jobId;

    } catch (TextractException e) {
        System.err.println(e.getMessage());
        System.exit(1);
    }
    return "";
}

private static String getJobResults(TextractClient textractClient, String jobId)
{
    boolean finished = false;
    int index = 0;
    String status = "";

    try {
        while (!finished) {
            GetDocumentAnalysisRequest analysisRequest =
GetDocumentAnalysisRequest.builder()
                .jobId(jobId)
                .maxResults(1000)
                .build();

            GetDocumentAnalysisResponse response =
textractClient.getDocumentAnalysis(analysisRequest);
            status = response.jobStatus().toString();

            if (status.compareTo("SUCCEEDED") == 0)
                finished = true;
            else {
                System.out.println(index + " status is: " + status);
                Thread.sleep(1000);
            }
            index++;
        }

        return status;
    }
}
```

```
        } catch (InterruptedException e) {
            System.out.println(e.getMessage());
            System.exit(1);
        }
        return "";
    }
}
```

- For API details, see [StartDocumentAnalysis](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Create an application to analyze customer feedback

The following code example shows how to create an application that analyzes customer comment cards, translates them from their original language, determines their sentiment, and generates an audio file from the translated text.

SDK for Java 2.x

This example application analyzes and stores customer feedback cards. Specifically, it fulfills the need of a fictitious hotel in New York City. The hotel receives feedback from guests in various languages in the form of physical comment cards. That feedback is uploaded into the app through a web client. After an image of a comment card is uploaded, the following steps occur:

- Text is extracted from the image using Amazon Textract.
- Amazon Comprehend determines the sentiment of the extracted text and its language.
- The extracted text is translated to English using Amazon Translate.
- Amazon Polly synthesizes an audio file from the extracted text.

The full app can be deployed with the AWS CDK. For source code and deployment instructions, see the project in [GitHub](#).

Services used in this example

- Amazon Comprehend
- Lambda
- Amazon Polly
- Amazon Textract

- Amazon Translate

Amazon Transcribe examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon Transcribe.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)
- [Scenarios](#)

Actions

ListTranscriptionJobs

The following code example shows how to use `ListTranscriptionJobs`.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public class ListTranscriptionJobs {  
    public static void main(String[] args) {  
        TranscribeClient transcribeClient = TranscribeClient.builder()  
            .region(Region.US_EAST_1)
```

```
.build();

listTranscriptionJobs(transcribeClient);
}

public static void listTranscriptionJobs(TranscribeClient transcribeClient)
{
    ListTranscriptionJobsRequest listJobsRequest =
ListTranscriptionJobsRequest.builder()
    .build();

transcribeClient.listTranscriptionJobsPaginator(listJobsRequest).stream()
    .flatMap(response -> response.transcriptionJobSummaries().stream())
    .forEach(jobSummary -> {
        System.out.println("Job Name: " +
jobSummary.transcriptionJobName());
        System.out.println("Job Status: " +
jobSummary.transcriptionJobStatus());
        System.out.println("Output Location: " +
jobSummary.outputLocationType());
        // Add more information as needed

        // Retrieve additional details for the job if necessary
        GetTranscriptionJobResponse jobDetails =
transcribeClient.getTranscriptionJob(
            GetTranscriptionJobRequest.builder()
                .transcriptionJobName(jobSummary.transcriptionJobName())
            .build());

        // Display additional details
        System.out.println("Language Code: " +
jobDetails.transcriptionJob().languageCode());
        System.out.println("Media Format: " +
jobDetails.transcriptionJob().mediaFormat());
        // Add more details as needed

        System.out.println("-----");
    });
}
}
```

- For API details, see [ListTranscriptionJobs](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Transcribe audio and get job data

The following code example shows how to:

- Start a transcription job with Amazon Transcribe.
- Wait for the job to complete.
- Get the URI where the transcript is stored.

For more information, see [Getting started with Amazon Transcribe](#).

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Transcribes a PCM file.

```
/**  
 * To run this AWS code example, ensure that you have set up your development  
 * environment, including your AWS credentials.  
 *  
 * For information, see this documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
  
public class TranscribeStreamingDemoFile {  
    private static final Region REGION = Region.US_EAST_1;  
    private static TranscribeStreamingAsyncClient client;  
  
    public static void main(String args[]) throws ExecutionException,  
    InterruptedException {  
  
        final String USAGE = "\n" +  
            "Usage:\n" +  
            "  <file> \n\n" +
```

```
        "Where:\n" +
        "    file - the location of a PCM file to transcribe. In this
example, ensure the PCM file is 16 hertz (Hz). \n";

    if (args.length != 1) {
        System.out.println(USAGE);
        System.exit(1);
    }

    String file = args[0];
    client = TranscribeStreamingAsyncClient.builder()
        .region(REGION)
        .build();

    CompletableFuture<Void> result =
client.startStreamTranscription(getRequest(16_000),
        new AudioStreamPublisher(getStreamFromFile(file)),
        getResponseHandler());

    result.get();
    client.close();
}

private static InputStream getStreamFromFile(String file) {
    try {
        File inputFile = new File(file);
        InputStream audioStream = new FileInputStream(inputFile);
        return audioStream;

    } catch (FileNotFoundException e) {
        throw new RuntimeException(e);
    }
}

private static StartStreamTranscriptionRequest getRequest(Integer
mediaSampleRateHertz) {
    return StartStreamTranscriptionRequest.builder()
        .languageCode(LanguageCode.EN_US)
        .mediaEncoding(MediaEncoding.PCM)
        .mediaSampleRateHertz(mediaSampleRateHertz)
        .build();
}

private static StartStreamTranscriptionResponseHandler getResponseHandler() {
```

```
        return StartStreamTranscriptionResponseHandler.builder()
            .onResponse(r -> {
                System.out.println("Received Initial response");
            })
            .onError(e -> {
                System.out.println(e.getMessage());
                StringWriter sw = new StringWriter();
                e.printStackTrace(new PrintWriter(sw));
                System.out.println("Error Occurred: " + sw.toString());
            })
            .onComplete(() -> {
                System.out.println("== All records stream successfully ==");
            })
            .subscriber(event -> {
                List<Result> results = ((TranscriptEvent)
event).transcript().results();
                if (results.size() > 0) {
                    if (!
results.get(0).alternatives().get(0).transcript().isEmpty()) {
                        System.out.println(results.get(0).alternatives().get(0).transcript());
                    }
                }
            })
            .build();
    }

private static class AudioStreamPublisher implements Publisher<AudioStream> {
    private final InputStream inputStream;
    private static Subscription currentSubscription;

    private AudioStreamPublisher(InputStream inputStream) {
        this.inputStream = inputStream;
    }

    @Override
    public void subscribe(Subscriber<? super AudioStream> s) {

        if (this.currentSubscription == null) {
            this.currentSubscription = new SubscriptionImpl(s, inputStream);
        } else {
            this.currentSubscription.cancel();
            this.currentSubscription = new SubscriptionImpl(s, inputStream);
        }
    }
}
```

```
s.onSubscribe(currentSubscription);
    }
}

public static class SubscriptionImpl implements Subscription {
    private static final int CHUNK_SIZE_IN_BYTES = 1024 * 1;
    private final Subscriber<? super AudioStream> subscriber;
    private final InputStream inputStream;
    private ExecutorService executor = Executors.newFixedThreadPool(1);
    private AtomicLong demand = new AtomicLong(0);

    SubscriptionImpl(Subscriber<? super AudioStream> s, InputStream inputStream)
    {
        this.subscriber = s;
        this.inputStream = inputStream;
    }

    @Override
    public void request(long n) {
        if (n <= 0) {
            subscriber.onError(new IllegalArgumentException("Demand must be
positive"));
        }
    }

    demand.getAndAdd(n);

    executor.submit(() -> {
        try {
            do {
                ByteBuffer audioBuffer = getNextEvent();
                if (audioBuffer.remaining() > 0) {
                    AudioEvent audioEvent =
audioEventFromBuffer(audioBuffer);
                    subscriber.onNext(audioEvent);
                } else {
                    subscriber.onComplete();
                    break;
                }
            } while (demand.decrementAndGet() > 0);
        } catch (Exception e) {
            subscriber.onError(e);
        }
    });
}
}
```

```
    @Override
    public void cancel() {
        executor.shutdown();
    }

    private ByteBuffer getNextEvent() {
        ByteBuffer audioBuffer = null;
        byte[] audioBytes = new byte[CHUNK_SIZE_IN_BYTES];

        int len = 0;
        try {
            len = inputStream.read(audioBytes);

            if (len <= 0) {
                audioBuffer = ByteBuffer.allocate(0);
            } else {
                audioBuffer = ByteBuffer.wrap(audioBytes, 0, len);
            }
        } catch (IOException e) {
            throw new UncheckedIOException(e);
        }

        return audioBuffer;
    }

    private AudioEvent audioEventFromBuffer(ByteBuffer bb) {
        return AudioEvent.builder()
            .audioChunk(SdkBytes.fromByteBuffer(bb))
            .build();
    }
}
```

Transcribes streaming audio from your computer's microphone.

```
public class TranscribeStreamingDemoApp {
    private static final Region REGION = Region.US_EAST_1;
    private static TranscribeStreamingAsyncClient client;

    public static void main(String[] args)
```

```
throws URISyntaxException, ExecutionException, InterruptedException,
LineUnavailableException {

    client = TranscribeStreamingAsyncClient.builder()
        .credentialsProvider(getCredentials())
        .region(REGION)
        .build();

    CompletableFuture<Void> result =
client.startStreamTranscription(getRequest(16_000),
        new AudioStreamPublisher(getStreamFromMic()),
        getResponseHandler());

    result.get();
    client.close();
}

private static InputStream getStreamFromMic() throws LineUnavailableException {

    // Signed PCM AudioFormat with 16kHz, 16 bit sample size, mono
    int sampleRate = 16000;
    AudioFormat format = new AudioFormat(sampleRate, 16, 1, true, false);
    DataLine.Info info = new DataLine.Info(TargetDataLine.class, format);

    if (!AudioSystem.isLineSupported(info)) {
        System.out.println("Line not supported");
        System.exit(0);
    }

    TargetDataLine line = (TargetDataLine) AudioSystem.getLine(info);
    line.open(format);
    line.start();

    InputStream audioStream = new AudioInputStream(line);
    return audioStream;
}

private static AwsCredentialsProvider getCredentials() {
    return DefaultCredentialsProvider.create();
}

private static StartStreamTranscriptionRequest getRequest(Integer
mediaSampleRateHertz) {
    return StartStreamTranscriptionRequest.builder()
```

```
.languageCode(LanguageCode.EN_US.toString())
.mediaEncoding(MediaEncoding.PCM)
.mediaSampleRateHertz(mediaSampleRateHertz)
.build();
}

private static StartStreamTranscriptionResponseHandler getResponseHandler() {
    return StartStreamTranscriptionResponseHandler.builder()
        .onResponse(r -> {
            System.out.println("Received Initial response");
        })
        .onError(e -> {
            System.out.println(e.getMessage());
            StringWriter sw = new StringWriter();
            e.printStackTrace(new PrintWriter(sw));
            System.out.println("Error Occurred: " + sw);
        })
        .onComplete(() -> {
            System.out.println("== All records stream successfully ==");
        })
        .subscriber(event -> {
            List<Result> results = ((TranscriptEvent)
event).transcript().results();
            if (results.size() > 0) {
                if (!
results.get(0).alternatives().get(0).transcript().isEmpty()) {
                    System.out.println(results.get(0).alternatives().get(0).transcript());
                }
            }
        })
        .build();
}

private static class AudioStreamPublisher implements Publisher<AudioStream> {
    private static Subscription currentSubscription;
    private final InputStream inputStream;

    private AudioStreamPublisher(InputStream inputStream) {
        this.inputStream = inputStream;
    }

    @Override
```

```
public void subscribe(Subscriber<? super AudioStream> s) {  
  
    if (currentSubscription == null) {  
        currentSubscription = new SubscriptionImpl(s, inputStream);  
    } else {  
        currentSubscription.cancel();  
        currentSubscription = new SubscriptionImpl(s, inputStream);  
    }  
    s.onSubscribe(currentSubscription);  
}  
}  
  
public static class SubscriptionImpl implements Subscription {  
    private static final int CHUNK_SIZE_IN_BYTES = 1024;  
    private final Subscriber<? super AudioStream> subscriber;  
    private final InputStream inputStream;  
    private final ExecutorService executor = Executors.newFixedThreadPool(1);  
    private final AtomicLong demand = new AtomicLong(0);  
  
    SubscriptionImpl(Subscriber<? super AudioStream> s, InputStream inputStream)  
{  
        this.subscriber = s;  
        this.inputStream = inputStream;  
    }  
  
    @Override  
    public void request(long n) {  
        if (n <= 0) {  
            subscriber.onError(new IllegalArgumentException("Demand must be  
positive"));  
        }  
  
        demand.getAndAdd(n);  
  
        executor.submit(() -> {  
            try {  
                do {  
                    ByteBuffer audioBuffer = getNextEvent();  
                    if (audioBuffer.remaining() > 0) {  
                        AudioEvent audioEvent =  
audioEventFromBuffer(audioBuffer);  
                        subscriber.onNext(audioEvent);  
                    } else {  
                        subscriber.onComplete();  
                    }  
                } while (true);  
            } catch (Exception e) {  
                subscriber.onError(e);  
            }  
        });  
    }  
}
```

```
        break;
    }
} while (demand.decrementAndGet() > 0);
} catch (Exception e) {
    subscriber.onError(e);
}
});

}

@Override
public void cancel() {
    executor.shutdown();
}

private ByteBuffer getNextEvent() {
    ByteBuffer audioBuffer = null;
    byte[] audioBytes = new byte[CHUNK_SIZE_IN_BYTES];

    int len = 0;
    try {
        len = inputStream.read(audioBytes);

        if (len <= 0) {
            audioBuffer = ByteBuffer.allocate(0);
        } else {
            audioBuffer = ByteBuffer.wrap(audioBytes, 0, len);
        }
    } catch (IOException e) {
        throw new UncheckedIOException(e);
    }

    return audioBuffer;
}

private AudioEvent audioEventFromBuffer(ByteBuffer bb) {
    return AudioEvent.builder()
        .audioChunk(SdkBytes.fromByteBuffer(bb))
        .build();
}
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.

- [GetTranscriptionJob](#)
- [StartTranscriptionJob](#)

Amazon Transcribe Streaming examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon Transcribe Streaming.

Actions are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Actions](#)
- [Scenarios](#)

Actions

StartMedicalStreamTranscription

The following code example shows how to use StartMedicalStreamTranscription.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/*
```

```
To run this AWS code example, ensure that you have set up your development  
environment, including your AWS credentials.
```

For information, see this documentation topic:

<https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html>

This code demonstrates the process of starting a medical transcription job using the AWS Transcribe Streaming service, including setting up the audio input stream, configuring the transcription request, and handling the transcription response.

```
*/  
  
public class TranscribeMedicalStreamingDemoApp {  
    private static TranscribeStreamingAsyncClient client;  
  
    public static void main(String args[])  
        throws ExecutionException, InterruptedException, LineUnavailableException {  
  
        client = TranscribeStreamingAsyncClient.builder()  
            .credentialsProvider(getCredentials())  
            .build();  
  
        CompletableFuture<Void> result =  
client.startMedicalStreamTranscription(getMedicalRequest(16_000),  
            new AudioStreamPublisher(getStreamFromMic()),  
            getMedicalResponseHandler());  
  
        result.get();  
        client.close();  
    }  
  
    private static InputStream getStreamFromMic() throws LineUnavailableException {  
  
        // Signed PCM AudioFormat with 16kHz, 16 bit sample size, mono  
        int sampleRate = 16000;  
        AudioFormat format = new AudioFormat(sampleRate, 16, 1, true, false);  
        DataLine.Info info = new DataLine.Info(TargetDataLine.class, format);  
  
        if (!AudioSystem.isLineSupported(info)) {  
            System.out.println("Line not supported");  
            throw new LineUnavailableException("The audio system microphone line is  
not supported.");  
        }  
    }  
}
```

```
        TargetDataLine line = (TargetDataLine) AudioSystem.getLine(info);
        line.open(format);
        line.start();

        InputStream audioStream = new AudioInputStream(line);
        return audioStream;
    }

    private static AwsCredentialsProvider getCredentials() {
        return DefaultCredentialsProvider.create();
    }

    private static StartMedicalStreamTranscriptionRequest getMedicalRequest(Integer mediaSampleRateHertz) {
        return StartMedicalStreamTranscriptionRequest.builder()
            .languageCode(LanguageCode.EN_US.toString()) // For medical transcription, EN_US is typically used.
            .mediaEncoding(MediaEncoding.PCM)
            .mediaSampleRateHertz(mediaSampleRateHertz)
            .specialty(Specialty.PRIMARYCARE) // Specify the medical specialty.
            .type(Type.CONVERSATION) // Set the type as CONVERSATION or DICTATION.
            .build();
    }

    private static StartMedicalStreamTranscriptionResponseHandler getMedicalResponseHandler() {
        return StartMedicalStreamTranscriptionResponseHandler.builder()
            .onResponse(r -> {
                System.out.println("Received Initial response");
            })
            .onError(e -> {
                System.out.println(e.getMessage());
                StringWriter sw = new StringWriter();
                e.printStackTrace(new PrintWriter(sw));
                System.out.println("Error Occurred: " + sw.toString());
            })
            .onComplete(() -> {
                System.out.println("== All records streamed successfully ==");
            })
            .subscriber(event -> {
                List<MedicalResult> results = ((MedicalTranscriptEvent) event).transcript().results();
                if (results.size() > 0) {
```

```
        if (!
results.get(0).alternatives().get(0).transcript().isEmpty()) {

System.out.println(results.get(0).alternatives().get(0).transcript());
    }
}
.build();
}

private static class AudioStreamPublisher implements Publisher<AudioStream> {
    private final InputStream inputStream;
    private static Subscription currentSubscription;

    private AudioStreamPublisher(InputStream inputStream) {
        this.inputStream = inputStream;
    }

    @Override
    public void subscribe(Subscriber<? super AudioStream> s) {

        if (this.currentSubscription == null) {
            this.currentSubscription = new SubscriptionImpl(s, inputStream);
        } else {
            this.currentSubscription.cancel();
            this.currentSubscription = new SubscriptionImpl(s, inputStream);
        }
        s.onSubscribe(currentSubscription);
    }
}

public static class SubscriptionImpl implements Subscription {
    private static final int CHUNK_SIZE_IN_BYTES = 1024 * 1;
    private final Subscriber<? super AudioStream> subscriber;
    private final InputStream inputStream;
    private ExecutorService executor = Executors.newFixedThreadPool(1);
    private AtomicLong demand = new AtomicLong(0);

    SubscriptionImpl(Subscriber<? super AudioStream> s, InputStream inputStream)
    {
        this.subscriber = s;
        this(inputStream = inputStream;
    }
}
```

```
    @Override
    public void request(long n) {
        if (n <= 0) {
            subscriber.onError(new IllegalArgumentException("Demand must be
positive"));
        }

        demand.getAndAdd(n);
        executor.submit(() -> {
            try {
                do {
                    ByteBuffer audioBuffer = getNextEvent();
                    if (audioBuffer.remaining() > 0) {
                        AudioEvent audioEvent =
audioEventFromBuffer(audioBuffer);
                        subscriber.onNext(audioEvent);
                    } else {
                        subscriber.onComplete();
                        break;
                    }
                } while (demand.decrementAndGet() > 0);
            } catch (Exception e) {
                subscriber.onError(e);
            }
        });
    }

    @Override
    public void cancel() {
        executor.shutdown();
    }

    private ByteBuffer getNextEvent() {
        ByteBuffer audioBuffer = null;
        byte[] audioBytes = new byte[CHUNK_SIZE_IN_BYTES];

        int len = 0;
        try {
            len = inputStream.read(audioBytes);

            if (len <= 0) {
                audioBuffer = ByteBuffer.allocate(0);
            } else {
                audioBuffer = ByteBuffer.wrap(audioBytes, 0, len);
            }
        } catch (IOException e) {
            subscriber.onError(e);
        }
    }
}
```

```
        }
    } catch (IOException e) {
        throw new UncheckedIOException(e);
    }

    return audioBuffer;
}

private AudioEvent audioEventFromBuffer(ByteBuffer bb) {
    return AudioEvent.builder()
        .audioChunk(SdkBytes.fromByteBuffer(bb))
        .build();
}
}
```

- For API details, see [StartMedicalStreamTranscription](#) in *AWS SDK for Java 2.x API Reference*.

StartStreamTranscription

The following code example shows how to use StartStreamTranscription.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public class TranscribeStreamingDemoApp {
    private static final Region REGION = Region.US_EAST_1;
    private static TranscribeStreamingAsyncClient client;

    public static void main(String[] args)
        throws URISyntaxException, ExecutionException, InterruptedException,
LineUnavailableException {

        client = TranscribeStreamingAsyncClient.builder()
            .credentialsProvider(getCredentials())
            .region(REGION)
```

```
        .build();

        CompletableFuture<Void> result =
client.startStreamTranscription(getRequest(16_000),
        new AudioStreamPublisher(getStreamFromMic()),
        getResponseHandler());

        result.get();
        client.close();
    }

private static InputStream getStreamFromMic() throws LineUnavailableException {

    // Signed PCM AudioFormat with 16kHz, 16 bit sample size, mono
    int sampleRate = 16000;
    AudioFormat format = new AudioFormat(sampleRate, 16, 1, true, false);
    DataLine.Info info = new DataLine.Info(TargetDataLine.class, format);

    if (!AudioSystem.isLineSupported(info)) {
        System.out.println("Line not supported");
        System.exit(0);
    }

    TargetDataLine line = (TargetDataLine) AudioSystem.getLine(info);
    line.open(format);
    line.start();

    InputStream audioStream = new AudioInputStream(line);
    return audioStream;
}

private static AwsCredentialsProvider getCredentials() {
    return DefaultCredentialsProvider.create();
}

private static StartStreamTranscriptionRequest getRequest(Integer
mediaSampleRateHertz) {
    return StartStreamTranscriptionRequest.builder()
        .languageCode(LanguageCode.EN_US.toString())
        .mediaEncoding(MediaEncoding.PCM)
        .mediaSampleRateHertz(mediaSampleRateHertz)
        .build();
}
```

```
private static StartStreamTranscriptionResponseHandler getResponseHandler() {
    return StartStreamTranscriptionResponseHandler.builder()
        .onResponse(r -> {
            System.out.println("Received Initial response");
        })
        .onError(e -> {
            System.out.println(e.getMessage());
            StringWriter sw = new StringWriter();
            e.printStackTrace(new PrintWriter(sw));
            System.out.println("Error Occurred: " + sw);
        })
        .onComplete(() -> {
            System.out.println("== All records stream successfully ==");
        })
        .subscriber(event -> {
            List<Result> results = ((TranscriptEvent)
event).transcript().results();
            if (results.size() > 0) {
                if (!
results.get(0).alternatives().get(0).transcript().isEmpty()) {
                    System.out.println(results.get(0).alternatives().get(0).transcript());
                }
            }
        })
        .build();
}

private static class AudioStreamPublisher implements Publisher<AudioStream> {
    private static Subscription currentSubscription;
    private final InputStream inputStream;

    private AudioStreamPublisher(InputStream inputStream) {
        this.inputStream = inputStream;
    }

    @Override
    public void subscribe(Subscriber<? super AudioStream> s) {

        if (currentSubscription == null) {
            currentSubscription = new SubscriptionImpl(s, inputStream);
        } else {
            currentSubscription.cancel();
        }
    }
}
```

```
        currentSubscription = new SubscriptionImpl(s, inputStream);
    }
    s.onSubscribe(currentSubscription);
}
}

public static class SubscriptionImpl implements Subscription {
    private static final int CHUNK_SIZE_IN_BYTES = 1024;
    private final Subscriber<? super AudioStream> subscriber;
    private final InputStream inputStream;
    private final ExecutorService executor = Executors.newFixedThreadPool(1);
    private final AtomicLong demand = new AtomicLong(0);

    SubscriptionImpl(Subscriber<? super AudioStream> s, InputStream inputStream)
    {
        this.subscriber = s;
        this.inputStream = inputStream;
    }

    @Override
    public void request(long n) {
        if (n <= 0) {
            subscriber.onError(new IllegalArgumentException("Demand must be
positive"));
        }
        demand.getAndAdd(n);

        executor.submit(() -> {
            try {
                do {
                    ByteBuffer audioBuffer = getNextEvent();
                    if (audioBuffer.remaining() > 0) {
                        AudioEvent audioEvent =
audioEventFromBuffer(audioBuffer);
                        subscriber.onNext(audioEvent);
                    } else {
                        subscriber.onComplete();
                        break;
                    }
                } while (demand.decrementAndGet() > 0);
            } catch (Exception e) {
                subscriber.onError(e);
            }
        });
    }
}
```

```
        });

    }

    @Override
    public void cancel() {
        executor.shutdown();
    }

    private ByteBuffer getNextEvent() {
        ByteBuffer audioBuffer = null;
        byte[] audioBytes = new byte[CHUNK_SIZE_IN_BYTES];

        int len = 0;
        try {
            len = inputStream.read(audioBytes);

            if (len <= 0) {
                audioBuffer = ByteBuffer.allocate(0);
            } else {
                audioBuffer = ByteBuffer.wrap(audioBytes, 0, len);
            }
        } catch (IOException e) {
            throw new UncheckedIOException(e);
        }

        return audioBuffer;
    }

    private AudioEvent audioEventFromBuffer(ByteBuffer bb) {
        return AudioEvent.builder()
            .audioChunk(SdkBytes.fromByteBuffer(bb))
            .build();
    }
}
```

- For API details, see [StartStreamTranscription](#) in *AWS SDK for Java 2.x API Reference*.

Scenarios

Transcribe an audio file

The following code example shows how to generate a transcription of a source audio file using Amazon Transcribe streaming.

SDK for Java 2.x

Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**  
 * To run this AWS code example, ensure that you have set up your development  
 * environment, including your AWS credentials.  
 *  
 * For information, see this documentation topic:  
 *  
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html  
 */  
  
public class TranscribeStreamingDemoFile {  
    private static final Region REGION = Region.US_EAST_1;  
    private static TranscribeStreamingAsyncClient client;  
  
    public static void main(String args[]) throws ExecutionException,  
    InterruptedException {  
  
        final String USAGE = "\n" +  
            "Usage:\n" +  
            "  <file> \n\n" +  
            "Where:\n" +  
            "  file - the location of a PCM file to transcribe. In this  
example, ensure the PCM file is 16 hertz (Hz). \n";  
  
        if (args.length != 1) {  
            System.out.println(USAGE);  
            System.exit(1);  
        }  
    }  
}
```

```
String file = args[0];
client = TranscribeStreamingAsyncClient.builder()
    .region(REGION)
    .build();

CompletableFuture<Void> result =
client.startStreamTranscription(getRequest(16_000),
    new AudioStreamPublisher(getStreamFromFile(file)),
    getResponseHandler());

result.get();
client.close();
}

private static InputStream getStreamFromFile(String file) {
    try {
        File inputFile = new File(file);
        InputStream audioStream = new FileInputStream(inputFile);
        return audioStream;

    } catch (FileNotFoundException e) {
        throw new RuntimeException(e);
    }
}

private static StartStreamTranscriptionRequest getRequest(Integer mediaSampleRateHertz) {
    return StartStreamTranscriptionRequest.builder()
        .languageCode(LanguageCode.EN_US)
        .mediaEncoding(MediaEncoding.PCM)
        .mediaSampleRateHertz(mediaSampleRateHertz)
        .build();
}

private static StartStreamTranscriptionResponseHandler getResponseHandler() {
    return StartStreamTranscriptionResponseHandler.builder()
        .onResponse(r -> {
            System.out.println("Received Initial response");
        })
        .onError(e -> {
            System.out.println(e.getMessage());
            StringWriter sw = new StringWriter();
            e.printStackTrace(new PrintWriter(sw));
        });
}
```

```
        System.out.println("Error Occurred: " + sw.toString());
    })
    .onComplete(() -> {
        System.out.println("== All records stream successfully ==");
    })
    .subscriber(event -> {
        List<Result> results = ((TranscriptEvent)
event).transcript().results();
        if (results.size() > 0) {
            if (!
results.get(0).alternatives().get(0).transcript().isEmpty()) {

System.out.println(results.get(0).alternatives().get(0).transcript());
            }
        }
    })
    .build();
}

private static class AudioStreamPublisher implements Publisher<AudioStream> {
    private final InputStream inputStream;
    private static Subscription currentSubscription;

    private AudioStreamPublisher(InputStream inputStream) {
        this.inputStream = inputStream;
    }

    @Override
    public void subscribe(Subscriber<? super AudioStream> s) {

        if (this.currentSubscription == null) {
            this.currentSubscription = new SubscriptionImpl(s, inputStream);
        } else {
            this.currentSubscription.cancel();
            this.currentSubscription = new SubscriptionImpl(s, inputStream);
        }
        s.onSubscribe(currentSubscription);
    }
}

public static class SubscriptionImpl implements Subscription {
    private static final int CHUNK_SIZE_IN_BYTES = 1024 * 1;
    private final Subscriber<? super AudioStream> subscriber;
    private final InputStream inputStream;
```

```
private ExecutorService executor = Executors.newFixedThreadPool(1);
private AtomicLong demand = new AtomicLong(0);

SubscriptionImpl(Subscriber<? super AudioStream> s, InputStream inputStream)
{
    this.subscriber = s;
    this.inputStream = inputStream;
}

@Override
public void request(long n) {
    if (n <= 0) {
        subscriber.onError(new IllegalArgumentException("Demand must be
positive"));
    }

    demand.getAndAdd(n);

    executor.submit(() -> {
        try {
            do {
                ByteBuffer audioBuffer = getNextEvent();
                if (audioBuffer.remaining() > 0) {
                    AudioEvent audioEvent =
audioEventFromBuffer(audioBuffer);
                    subscriber.onNext(audioEvent);
                } else {
                    subscriber.onComplete();
                    break;
                }
            } while (demand.decrementAndGet() > 0);
        } catch (Exception e) {
            subscriber.onError(e);
        }
    });
}

@Override
public void cancel() {
    executor.shutdown();
}

private ByteBuffer getNextEvent() {
    ByteBuffer audioBuffer = null;
```

```
byte[] audioBytes = new byte[CHUNK_SIZE_IN_BYTES];

int len = 0;
try {
    len = inputStream.read(audioBytes);

    if (len <= 0) {
        audioBuffer = ByteBuffer.allocate(0);
    } else {
        audioBuffer = ByteBuffer.wrap(audioBytes, 0, len);
    }
} catch (IOException e) {
    throw new UncheckedIOException(e);
}

return audioBuffer;
}

private AudioEvent audioEventFromBuffer(ByteBuffer bb) {
    return AudioEvent.builder()
        .audioChunk(SdkBytes.fromByteBuffer(bb))
        .build();
}
}
```

- For API details, see [StartStreamTranscription](#) in *AWS SDK for Java 2.x API Reference*.

Transcribe audio from a microphone

The following code example shows how to generate a transcription from a microphone using Amazon Transcribe streaming.

SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public class TranscribeStreamingDemoApp {  
    private static final Region REGION = Region.US_EAST_1;  
    private static TranscribeStreamingAsyncClient client;  
  
    public static void main(String[] args)  
        throws URISyntaxException, ExecutionException, InterruptedException,  
LineUnavailableException {  
  
    client = TranscribeStreamingAsyncClient.builder()  
        .credentialsProvider(getCredentials())  
        .region(REGION)  
        .build();  
  
    CompletableFuture<Void> result =  
client.startStreamTranscription(getRequest(16_000),  
        new AudioStreamPublisher(getStreamFromMic()),  
        getResponseHandler());  
  
    result.get();  
    client.close();  
}  
  
private static InputStream getStreamFromMic() throws LineUnavailableException {  
  
    // Signed PCM AudioFormat with 16kHz, 16 bit sample size, mono  
    int sampleRate = 16000;  
    AudioFormat format = new AudioFormat(sampleRate, 16, 1, true, false);  
    DataLine.Info info = new DataLine.Info(TargetDataLine.class, format);  
  
    if (!AudioSystem.isLineSupported(info)) {  
        System.out.println("Line not supported");  
        System.exit(0);  
    }  
  
    TargetDataLine line = (TargetDataLine) AudioSystem.getLine(info);  
    line.open(format);  
    line.start();  
  
    InputStream audioStream = new AudioInputStream(line);  
    return audioStream;  
}  
  
private static AwsCredentialsProvider getCredentials() {
```

```
        return DefaultCredentialsProvider.create();
    }

    private static StartStreamTranscriptionRequest getRequest(Integer mediaSampleRateHertz) {
        return StartStreamTranscriptionRequest.builder()
            .languageCode(LanguageCode.EN_US.toString())
            .mediaEncoding(MediaEncoding.PCM)
            .mediaSampleRateHertz(mediaSampleRateHertz)
            .build();
    }

    private static StartStreamTranscriptionResponseHandler getResponseHandler() {
        return StartStreamTranscriptionResponseHandler.builder()
            .onResponse(r -> {
                System.out.println("Received Initial response");
            })
            .onError(e -> {
                System.out.println(e.getMessage());
                StringWriter sw = new StringWriter();
                e.printStackTrace(new PrintWriter(sw));
                System.out.println("Error Occurred: " + sw);
            })
            .onComplete(() -> {
                System.out.println("== All records stream successfully ==");
            })
            .subscriber(event -> {
                List<Result> results = ((TranscriptEvent)
event).transcript().results();
                if (results.size() > 0) {
                    if (!
results.get(0).alternatives().get(0).transcript().isEmpty()) {

System.out.println(results.get(0).alternatives().get(0).transcript());
                }
            }
        })
        .build();
    }

    private static class AudioStreamPublisher implements Publisher<AudioStream> {
        private static Subscription currentSubscription;
        private final InputStream inputStream;
```

```
private AudioStreamPublisher(InputStream inputStream) {
    this.inputStream = inputStream;
}

@Override
public void subscribe(Subscriber<? super AudioStream> s) {

    if (currentSubscription == null) {
        currentSubscription = new SubscriptionImpl(s, inputStream);
    } else {
        currentSubscription.cancel();
        currentSubscription = new SubscriptionImpl(s, inputStream);
    }
    s.onSubscribe(currentSubscription);
}
}

public static class SubscriptionImpl implements Subscription {
    private static final int CHUNK_SIZE_IN_BYTES = 1024;
    private final Subscriber<? super AudioStream> subscriber;
    private final InputStream inputStream;
    private final ExecutorService executor = Executors.newFixedThreadPool(1);
    private final AtomicLong demand = new AtomicLong(0);

    SubscriptionImpl(Subscriber<? super AudioStream> s, InputStream inputStream)
    {
        this.subscriber = s;
        this.inputStream = inputStream;
    }

    @Override
    public void request(long n) {
        if (n <= 0) {
            subscriber.onError(new IllegalArgumentException("Demand must be
positive"));
        }
        demand.getAndAdd(n);

        executor.submit(() -> {
            try {
                do {
                    ByteBuffer audioBuffer = getNextEvent();

```

```
        if (audioBuffer.remaining() > 0) {
            AudioEvent audioEvent =
audioEventFromBuffer(audioBuffer);
            subscriber.onNext(audioEvent);
        } else {
            subscriber.onComplete();
            break;
        }
    } while (demand.decrementAndGet() > 0);
} catch (Exception e) {
    subscriber.onError(e);
}
});

@Override
public void cancel() {
    executor.shutdown();
}

private ByteBuffer getNextEvent() {
    ByteBuffer audioBuffer = null;
    byte[] audioBytes = new byte[CHUNK_SIZE_IN_BYTES];

    int len = 0;
    try {
        len = inputStream.read(audioBytes);

        if (len <= 0) {
            audioBuffer = ByteBuffer.allocate(0);
        } else {
            audioBuffer = ByteBuffer.wrap(audioBytes, 0, len);
        }
    } catch (IOException e) {
        throw new UncheckedIOException(e);
    }

    return audioBuffer;
}

private AudioEvent audioEventFromBuffer(ByteBuffer bb) {
    return AudioEvent.builder()
        .audioChunk(SdkBytes.fromByteBuffer(bb))
        .build();
}
```

```
        }  
    }  
}
```

- For API details, see [StartStreamTranscription](#) in *AWS SDK for Java 2.x API Reference*.

Amazon Translate examples using SDK for Java 2.x

The following code examples show you how to perform actions and implement common scenarios by using the AWS SDK for Java 2.x with Amazon Translate.

Scenarios are code examples that show you how to accomplish specific tasks by calling multiple functions within a service or combined with other AWS services.

Each example includes a link to the complete source code, where you can find instructions on how to set up and run the code in context.

Topics

- [Scenarios](#)

Scenarios

Building an Amazon Lex chatbot

The following code example shows how to create a chatbot to engage your website visitors.

SDK for Java 2.x

Shows how to use the Amazon Lex API to create a Chatbot within a web application to engage your web site visitors.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

Services used in this example

- Amazon Comprehend
- Amazon Lex

- Amazon Translate

Building an Amazon SNS application

The following code example shows how to create an application that has subscription and publish functionality and translates messages.

SDK for Java 2.x

Shows how to use the Amazon Simple Notification Service Java API to create a web application that has subscription and publish functionality. In addition, this example application also translates messages.

For complete source code and instructions on how to set up and run, see the full example on [GitHub](#).

For complete source code and instructions on how to set up and run the example that uses the Java Async API, see the full example on [GitHub](#).

Services used in this example

- Amazon SNS
- Amazon Translate

Create an application to analyze customer feedback

The following code example shows how to create an application that analyzes customer comment cards, translates them from their original language, determines their sentiment, and generates an audio file from the translated text.

SDK for Java 2.x

This example application analyzes and stores customer feedback cards. Specifically, it fulfills the need of a fictitious hotel in New York City. The hotel receives feedback from guests in various languages in the form of physical comment cards. That feedback is uploaded into the app through a web client. After an image of a comment card is uploaded, the following steps occur:

- Text is extracted from the image using Amazon Textract.
- Amazon Comprehend determines the sentiment of the extracted text and its language.
- The extracted text is translated to English using Amazon Translate.

- Amazon Polly synthesizes an audio file from the extracted text.

The full app can be deployed with the AWS CDK. For source code and deployment instructions, see the project in [GitHub](#).

Services used in this example

- Amazon Comprehend
- Lambda
- Amazon Polly
- Amazon Textract
- Amazon Translate

Security for the AWS SDK for Java

Cloud security at Amazon Web Services (AWS) is the highest priority. As an AWS customer, you benefit from a data center and network architecture that is built to meet the requirements of the most security-sensitive organizations. Security is a shared responsibility between AWS and you. The [Shared Responsibility Model](#) describes this as Security of the Cloud and Security in the Cloud.

Security of the Cloud – AWS is responsible for protecting the infrastructure that runs all of the services offered in the AWS Cloud and providing you with services that you can use securely. Our security responsibility is the highest priority at AWS, and the effectiveness of our security is regularly tested and verified by third-party auditors as part of the [AWS Compliance Programs](#).

Security in the Cloud – Your responsibility is determined by the AWS service you are using, and other factors including the sensitivity of your data, your organization's requirements, and applicable laws and regulations.

This AWS product or service follows the [shared responsibility model](#) through the specific Amazon Web Services (AWS) services it supports. For AWS service security information, see the [AWS service security documentation page](#) and [AWS services that are in scope of AWS compliance efforts by compliance program](#).

Topics

- [Data protection in AWS SDK for Java 2.x](#)
- [Working with TLS in the SDK for Java](#)
- [Identity and Access Management](#)
- [Compliance Validation for this AWS Product or Service](#)
- [Resilience for this AWS Product or Service](#)
- [Infrastructure Security for this AWS Product or Service](#)

Data protection in AWS SDK for Java 2.x

The AWS [shared responsibility model](#) applies to data protection in AWS SDK for Java. As described in this model, AWS is responsible for protecting the global infrastructure that runs all of the AWS Cloud. You are responsible for maintaining control over your content that is hosted on this infrastructure. You are also responsible for the security configuration and management tasks for

the AWS services that you use. For more information about data privacy, see the [Data Privacy FAQ](#). For information about data protection in Europe, see the [AWS Shared Responsibility Model](#) and [GDPR](#) blog post on the [AWS Security Blog](#).

For data protection purposes, we recommend that you protect AWS account credentials and set up individual users with AWS IAM Identity Center or AWS Identity and Access Management (IAM). That way, each user is given only the permissions necessary to fulfill their job duties. We also recommend that you secure your data in the following ways:

- Use multi-factor authentication (MFA) with each account.
- Use SSL/TLS to communicate with AWS resources. We require TLS 1.2 and recommend TLS 1.3.
- Set up API and user activity logging with AWS CloudTrail. For information about using CloudTrail trails to capture AWS activities, see [Working with CloudTrail trails](#) in the *AWS CloudTrail User Guide*.
- Use AWS encryption solutions, along with all default security controls within AWS services.
- Use advanced managed security services such as Amazon Macie, which assists in discovering and securing sensitive data that is stored in Amazon S3.
- If you require FIPS 140-3 validated cryptographic modules when accessing AWS through a command line interface or an API, use a FIPS endpoint. For more information about the available FIPS endpoints, see [Federal Information Processing Standard \(FIPS\) 140-3](#).

We strongly recommend that you never put confidential or sensitive information, such as your customers' email addresses, into tags or free-form text fields such as a **Name** field. This includes when you work with SDK for Java or other AWS services using the console, API, AWS CLI, or AWS SDKs. Any data that you enter into tags or free-form text fields used for names may be used for billing or diagnostic logs. If you provide a URL to an external server, we strongly recommend that you do not include credentials information in the URL to validate your request to that server.

Working with TLS in the SDK for Java

The AWS SDK for Java uses the TLS capabilities of its underlying Java platform. In this topic, we show examples using the OpenJDK implementation used by [Amazon Corretto 17](#).

To work with AWS services, the underlying JDK must support a minimum version of TLS 1.2, but TLS 1.3 is recommended.

Users should consult the documentation of the the Java platform they are using with the SDK to find out which TLS versions are enabled by default as well as how to enable and disable specific TLS versions.

How to check TLS version information

Using OpenJDK, the following code shows the use of [SSLContext](#) to print which TLS/SSL versions are supported.

```
System.out.println(Arrays.toString(SSLContext.getDefault().getSupportedSSLParameters().getProtocols()))
```

For example, Amazon Corretto 17 (OpenJDK) produces the following output.

```
[TLSv1.3, TLSv1.2, TLSv1.1, TLSv1, SSLv3, SSLv2Hello]
```

To see the SSL handshake in action and what version of TLS is used, you can use the system property **javax.net.debug**.

For example, run a Java applications that uses TLS.

```
java app.jar -Djavax.net.debug=ssl:handshake
```

The application logs the SSL handshake similar to the following.

```
...
javax.net.ssl|DEBUG|10|main|2022-12-23 13:53:12.221 EST|ClientHello.java:641|Produced
ClientHello handshake message (
"ClientHello": {
    "client version"      : "TLSv1.2",
    ...
}

javax.net.ssl|DEBUG|10|main|2022-12-23 13:53:12.295 EST|ServerHello.java:888|Consuming
ServerHello handshake message (
"ServerHello": {
    "server version"      : "TLSv1.2",
    ...
}
```

Enforce a minimum TLS version

The SDK for Java always prefers the latest TLS version supported by the platform and service. If you wish to enforce a specific minimum TLS version, consult your Java platform's documentation.

For OpenJDK-based JVMs, you can use the system property `jdk.tls.client.protocols`.

For example, if you want SDK service clients in your application to use TLS 1.2, even though TLS 1.3 is available, provide the following system property.

```
java app.jar -Djdk.tls.client.protocols=TLSv1.2
```

AWS API endpoints upgrade to TLS 1.2

See this [blog post](#) for information about AWS API endpoints moving to TLS 1.2 for the minimum version.

Identity and Access Management

AWS Identity and Access Management (IAM) is an AWS service that helps an administrator securely control access to AWS resources. IAM administrators control who can be *authenticated* (signed in) and *authorized* (have permissions) to use AWS resources. IAM is an AWS service that you can use with no additional charge.

Topics

- [Audience](#)
- [Authenticating with identities](#)
- [Managing access using policies](#)
- [How AWS services work with IAM](#)
- [Troubleshooting AWS identity and access](#)

Audience

How you use AWS Identity and Access Management (IAM) differs, depending on the work that you do in AWS.

Service user – If you use AWS services to do your job, then your administrator provides you with the credentials and permissions that you need. As you use more AWS features to do your work, you might need additional permissions. Understanding how access is managed can help you request the right permissions from your administrator. If you cannot access a feature in AWS, see [Troubleshooting AWS identity and access](#) or the user guide of the AWS service you are using.

Service administrator – If you're in charge of AWS resources at your company, you probably have full access to AWS. It's your job to determine which AWS features and resources your service users should access. You must then submit requests to your IAM administrator to change the permissions of your service users. Review the information on this page to understand the basic concepts of IAM. To learn more about how your company can use IAM with AWS, see the user guide of the AWS service you are using.

IAM administrator – If you're an IAM administrator, you might want to learn details about how you can write policies to manage access to AWS. To view example AWS identity-based policies that you can use in IAM, see the user guide of the AWS service you are using.

Authenticating with identities

Authentication is how you sign in to AWS using your identity credentials. You must be *authenticated* (signed in to AWS) as the AWS account root user, as an IAM user, or by assuming an IAM role.

You can sign in to AWS as a federated identity by using credentials provided through an identity source. AWS IAM Identity Center (IAM Identity Center) users, your company's single sign-on authentication, and your Google or Facebook credentials are examples of federated identities. When you sign in as a federated identity, your administrator previously set up identity federation using IAM roles. When you access AWS by using federation, you are indirectly assuming a role.

Depending on the type of user you are, you can sign in to the AWS Management Console or the AWS access portal. For more information about signing in to AWS, see [How to sign in to your AWS account](#) in the *AWS Sign-In User Guide*.

If you access AWS programmatically, AWS provides a software development kit (SDK) and a command line interface (CLI) to cryptographically sign your requests by using your credentials. If you don't use AWS tools, you must sign requests yourself. For more information about using the recommended method to sign requests yourself, see [AWS Signature Version 4 for API requests](#) in the *IAM User Guide*.

Regardless of the authentication method that you use, you might be required to provide additional security information. For example, AWS recommends that you use multi-factor authentication (MFA) to increase the security of your account. To learn more, see [Multi-factor authentication](#) in the *AWS IAM Identity Center User Guide* and [AWS Multi-factor authentication in IAM](#) in the *IAM User Guide*.

AWS account root user

When you create an AWS account, you begin with one sign-in identity that has complete access to all AWS services and resources in the account. This identity is called the AWS account *root user* and is accessed by signing in with the email address and password that you used to create the account. We strongly recommend that you don't use the root user for your everyday tasks. Safeguard your root user credentials and use them to perform the tasks that only the root user can perform. For the complete list of tasks that require you to sign in as the root user, see [Tasks that require root user credentials](#) in the *IAM User Guide*.

Federated identity

As a best practice, require human users, including users that require administrator access, to use federation with an identity provider to access AWS services by using temporary credentials.

A *federated identity* is a user from your enterprise user directory, a web identity provider, the AWS Directory Service, the Identity Center directory, or any user that accesses AWS services by using credentials provided through an identity source. When federated identities access AWS accounts, they assume roles, and the roles provide temporary credentials.

For centralized access management, we recommend that you use AWS IAM Identity Center. You can create users and groups in IAM Identity Center, or you can connect and synchronize to a set of users and groups in your own identity source for use across all your AWS accounts and applications. For information about IAM Identity Center, see [What is IAM Identity Center?](#) in the *AWS IAM Identity Center User Guide*.

IAM users and groups

An [IAM user](#) is an identity within your AWS account that has specific permissions for a single person or application. Where possible, we recommend relying on temporary credentials instead of creating IAM users who have long-term credentials such as passwords and access keys. However, if you have specific use cases that require long-term credentials with IAM users, we recommend that you rotate access keys. For more information, see [Rotate access keys regularly for use cases that require long-term credentials](#) in the *IAM User Guide*.

An [IAM group](#) is an identity that specifies a collection of IAM users. You can't sign in as a group. You can use groups to specify permissions for multiple users at a time. Groups make permissions easier to manage for large sets of users. For example, you could have a group named *IAMAAdmins* and give that group permissions to administer IAM resources.

Users are different from roles. A user is uniquely associated with one person or application, but a role is intended to be assumable by anyone who needs it. Users have permanent long-term credentials, but roles provide temporary credentials. To learn more, see [Use cases for IAM users](#) in the *IAM User Guide*.

IAM roles

An [IAM role](#) is an identity within your AWS account that has specific permissions. It is similar to an IAM user, but is not associated with a specific person. To temporarily assume an IAM role in the AWS Management Console, you can [switch from a user to an IAM role \(console\)](#). You can assume a role by calling an AWS CLI or AWS API operation or by using a custom URL. For more information about methods for using roles, see [Methods to assume a role](#) in the *IAM User Guide*.

IAM roles with temporary credentials are useful in the following situations:

- **Federated user access** – To assign permissions to a federated identity, you create a role and define permissions for the role. When a federated identity authenticates, the identity is associated with the role and is granted the permissions that are defined by the role. For information about roles for federation, see [Create a role for a third-party identity provider \(federation\)](#) in the *IAM User Guide*. If you use IAM Identity Center, you configure a permission set. To control what your identities can access after they authenticate, IAM Identity Center correlates the permission set to a role in IAM. For information about permissions sets, see [Permission sets](#) in the *AWS IAM Identity Center User Guide*.
- **Temporary IAM user permissions** – An IAM user or role can assume an IAM role to temporarily take on different permissions for a specific task.
- **Cross-account access** – You can use an IAM role to allow someone (a trusted principal) in a different account to access resources in your account. Roles are the primary way to grant cross-account access. However, with some AWS services, you can attach a policy directly to a resource (instead of using a role as a proxy). To learn the difference between roles and resource-based policies for cross-account access, see [Cross account resource access in IAM](#) in the *IAM User Guide*.
- **Cross-service access** – Some AWS services use features in other AWS services. For example, when you make a call in a service, it's common for that service to run applications in Amazon EC2 or store objects in Amazon S3. A service might do this using the calling principal's permissions, using a service role, or using a service-linked role.
 - **Forward access sessions (FAS)** – When you use an IAM user or role to perform actions in AWS, you are considered a principal. When you use some services, you might perform an action that then initiates another action in a different service. FAS uses the permissions of the

principal calling an AWS service, combined with the requesting AWS service to make requests to downstream services. FAS requests are only made when a service receives a request that requires interactions with other AWS services or resources to complete. In this case, you must have permissions to perform both actions. For policy details when making FAS requests, see [Forward access sessions](#).

- **Service role** – A service role is an [IAM role](#) that a service assumes to perform actions on your behalf. An IAM administrator can create, modify, and delete a service role from within IAM. For more information, see [Create a role to delegate permissions to an AWS service](#) in the *IAM User Guide*.
- **Service-linked role** – A service-linked role is a type of service role that is linked to an AWS service. The service can assume the role to perform an action on your behalf. Service-linked roles appear in your AWS account and are owned by the service. An IAM administrator can view, but not edit the permissions for service-linked roles.
- **Applications running on Amazon EC2** – You can use an IAM role to manage temporary credentials for applications that are running on an EC2 instance and making AWS CLI or AWS API requests. This is preferable to storing access keys within the EC2 instance. To assign an AWS role to an EC2 instance and make it available to all of its applications, you create an instance profile that is attached to the instance. An instance profile contains the role and enables programs that are running on the EC2 instance to get temporary credentials. For more information, see [Use an IAM role to grant permissions to applications running on Amazon EC2 instances](#) in the *IAM User Guide*.

Managing access using policies

You control access in AWS by creating policies and attaching them to AWS identities or resources. A policy is an object in AWS that, when associated with an identity or resource, defines their permissions. AWS evaluates these policies when a principal (user, root user, or role session) makes a request. Permissions in the policies determine whether the request is allowed or denied. Most policies are stored in AWS as JSON documents. For more information about the structure and contents of JSON policy documents, see [Overview of JSON policies](#) in the *IAM User Guide*.

Administrators can use AWS JSON policies to specify who has access to what. That is, which **principal** can perform **actions** on what **resources**, and under what **conditions**.

By default, users and roles have no permissions. To grant users permission to perform actions on the resources that they need, an IAM administrator can create IAM policies. The administrator can then add the IAM policies to roles, and users can assume the roles.

IAM policies define permissions for an action regardless of the method that you use to perform the operation. For example, suppose that you have a policy that allows the `iam:GetRole` action. A user with that policy can get role information from the AWS Management Console, the AWS CLI, or the AWS API.

Identity-based policies

Identity-based policies are JSON permissions policy documents that you can attach to an identity, such as an IAM user, group of users, or role. These policies control what actions users and roles can perform, on which resources, and under what conditions. To learn how to create an identity-based policy, see [Define custom IAM permissions with customer managed policies](#) in the *IAM User Guide*.

Identity-based policies can be further categorized as *inline policies* or *managed policies*. Inline policies are embedded directly into a single user, group, or role. Managed policies are standalone policies that you can attach to multiple users, groups, and roles in your AWS account. Managed policies include AWS managed policies and customer managed policies. To learn how to choose between a managed policy or an inline policy, see [Choose between managed policies and inline policies](#) in the *IAM User Guide*.

Resource-based policies

Resource-based policies are JSON policy documents that you attach to a resource. Examples of resource-based policies are IAM *role trust policies* and Amazon S3 *bucket policies*. In services that support resource-based policies, service administrators can use them to control access to a specific resource. For the resource where the policy is attached, the policy defines what actions a specified principal can perform on that resource and under what conditions. You must [specify a principal](#) in a resource-based policy. Principals can include accounts, users, roles, federated users, or AWS services.

Resource-based policies are inline policies that are located in that service. You can't use AWS managed policies from IAM in a resource-based policy.

Access control lists (ACLs)

Access control lists (ACLs) control which principals (account members, users, or roles) have permissions to access a resource. ACLs are similar to resource-based policies, although they do not use the JSON policy document format.

Amazon S3, AWS WAF, and Amazon VPC are examples of services that support ACLs. To learn more about ACLs, see [Access control list \(ACL\) overview](#) in the *Amazon Simple Storage Service Developer Guide*.

Other policy types

AWS supports additional, less-common policy types. These policy types can set the maximum permissions granted to you by the more common policy types.

- **Permissions boundaries** – A permissions boundary is an advanced feature in which you set the maximum permissions that an identity-based policy can grant to an IAM entity (IAM user or role). You can set a permissions boundary for an entity. The resulting permissions are the intersection of an entity's identity-based policies and its permissions boundaries. Resource-based policies that specify the user or role in the Principal field are not limited by the permissions boundary. An explicit deny in any of these policies overrides the allow. For more information about permissions boundaries, see [Permissions boundaries for IAM entities](#) in the *IAM User Guide*.
- **Service control policies (SCPs)** – SCPs are JSON policies that specify the maximum permissions for an organization or organizational unit (OU) in AWS Organizations. AWS Organizations is a service for grouping and centrally managing multiple AWS accounts that your business owns. If you enable all features in an organization, then you can apply service control policies (SCPs) to any or all of your accounts. The SCP limits permissions for entities in member accounts, including each AWS account root user. For more information about Organizations and SCPs, see [Service control policies](#) in the *AWS Organizations User Guide*.
- **Resource control policies (RCPs)** – RCPs are JSON policies that you can use to set the maximum available permissions for resources in your accounts without updating the IAM policies attached to each resource that you own. The RCP limits permissions for resources in member accounts and can impact the effective permissions for identities, including the AWS account root user, regardless of whether they belong to your organization. For more information about Organizations and RCPs, including a list of AWS services that support RCPs, see [Resource control policies \(RCPs\)](#) in the *AWS Organizations User Guide*.
- **Session policies** – Session policies are advanced policies that you pass as a parameter when you programmatically create a temporary session for a role or federated user. The resulting session's permissions are the intersection of the user or role's identity-based policies and the session policies. Permissions can also come from a resource-based policy. An explicit deny in any of these policies overrides the allow. For more information, see [Session policies](#) in the *IAM User Guide*.

Multiple policy types

When multiple types of policies apply to a request, the resulting permissions are more complicated to understand. To learn how AWS determines whether to allow a request when multiple policy types are involved, see [Policy evaluation logic](#) in the *IAM User Guide*.

How AWS services work with IAM

To get a high-level view of how AWS services work with most IAM features, see [AWS services that work with IAM](#) in the *IAM User Guide*.

To learn how to use a specific AWS service with IAM, see the security section of the relevant service's User Guide.

Troubleshooting AWS identity and access

Use the following information to help you diagnose and fix common issues that you might encounter when working with AWS and IAM.

Topics

- [I am not authorized to perform an action in AWS](#)
- [I am not authorized to perform iam:PassRole](#)
- [I want to allow people outside of my AWS account to access my AWS resources](#)

I am not authorized to perform an action in AWS

If you receive an error that you're not authorized to perform an action, your policies must be updated to allow you to perform the action.

The following example error occurs when the mateojackson IAM user tries to use the console to view details about a fictional *my-example-widget* resource but doesn't have the fictional awes:*GetWidget* permissions.

```
User: arn:aws:iam::123456789012:user/mateojackson is not authorized to perform:  
awes:GetWidget on resource: my-example-widget
```

In this case, the policy for the mateojackson user must be updated to allow access to the *my-example-widget* resource by using the awes:*GetWidget* action.

If you need help, contact your AWS administrator. Your administrator is the person who provided you with your sign-in credentials.

I am not authorized to perform iam:PassRole

If you receive an error that you're not authorized to perform the `iam:PassRole` action, your policies must be updated to allow you to pass a role to AWS.

Some AWS services allow you to pass an existing role to that service instead of creating a new service role or service-linked role. To do this, you must have permissions to pass the role to the service.

The following example error occurs when an IAM user named `marymajor` tries to use the console to perform an action in AWS. However, the action requires the service to have permissions that are granted by a service role. Mary does not have permissions to pass the role to the service.

```
User: arn:aws:iam::123456789012:user/marymajor is not authorized to perform:  
    iam:PassRole
```

In this case, Mary's policies must be updated to allow her to perform the `iam:PassRole` action.

If you need help, contact your AWS administrator. Your administrator is the person who provided you with your sign-in credentials.

I want to allow people outside of my AWS account to access my AWS resources

You can create a role that users in other accounts or people outside of your organization can use to access your resources. You can specify who is trusted to assume the role. For services that support resource-based policies or access control lists (ACLs), you can use those policies to grant people access to your resources.

To learn more, consult the following:

- To learn whether AWS supports these features, see [How AWS services work with IAM](#).
- To learn how to provide access to your resources across AWS accounts that you own, see [Providing access to an IAM user in another AWS account that you own](#) in the *IAM User Guide*.
- To learn how to provide access to your resources to third-party AWS accounts, see [Providing access to AWS accounts owned by third parties](#) in the *IAM User Guide*.
- To learn how to provide access through identity federation, see [Providing access to externally authenticated users \(identity federation\)](#) in the *IAM User Guide*.

- To learn the difference between using roles and resource-based policies for cross-account access, see [Cross account resource access in IAM](#) in the *IAM User Guide*.

Compliance Validation for this AWS Product or Service

To learn whether an AWS service is within the scope of specific compliance programs, see [AWS services in Scope by Compliance Program](#) and choose the compliance program that you are interested in. For general information, see [AWS Compliance Programs](#).

You can download third-party audit reports using AWS Artifact. For more information, see [Downloading Reports in AWS Artifact](#).

Your compliance responsibility when using AWS services is determined by the sensitivity of your data, your company's compliance objectives, and applicable laws and regulations. AWS provides the following resources to help with compliance:

- [Security Compliance & Governance](#) – These solution implementation guides discuss architectural considerations and provide steps for deploying security and compliance features.
- [Architecting for HIPAA Security and Compliance on Amazon Web Services](#) – This whitepaper describes how companies can use AWS to create HIPAA-eligible applications.

 **Note**

Not all AWS services are HIPAA eligible. For more information, see the [HIPAA Eligible Services Reference](#).

- [AWS Compliance Resources](#) – This collection of workbooks and guides might apply to your industry and location.
- [AWS Customer Compliance Guides](#) – Understand the shared responsibility model through the lens of compliance. The guides summarize the best practices for securing AWS services and map the guidance to security controls across multiple frameworks (including National Institute of Standards and Technology (NIST), Payment Card Industry Security Standards Council (PCI), and International Organization for Standardization (ISO)).
- [Evaluating Resources with Rules](#) in the *AWS Config Developer Guide* – The AWS Config service assesses how well your resource configurations comply with internal practices, industry guidelines, and regulations.

- [AWS Security Hub](#) – This AWS service provides a comprehensive view of your security state within AWS. Security Hub uses security controls to evaluate your AWS resources and to check your compliance against security industry standards and best practices. For a list of supported services and controls, see [Security Hub controls reference](#).
- [Amazon GuardDuty](#) – This AWS service detects potential threats to your AWS accounts, workloads, containers, and data by monitoring your environment for suspicious and malicious activities. GuardDuty can help you address various compliance requirements, like PCI DSS, by meeting intrusion detection requirements mandated by certain compliance frameworks.
- [AWS Audit Manager](#) – This AWS service helps you continuously audit your AWS usage to simplify how you manage risk and compliance with regulations and industry standards.

This AWS product or service follows the [shared responsibility model](#) through the specific Amazon Web Services (AWS) services it supports. For AWS service security information, see the [AWS service security documentation page](#) and [AWS services that are in scope of AWS compliance efforts by compliance program](#).

Resilience for this AWS Product or Service

The AWS global infrastructure is built around AWS Regions and Availability Zones.

AWS Regions provide multiple physically separated and isolated Availability Zones, which are connected with low-latency, high-throughput, and highly redundant networking.

With Availability Zones, you can design and operate applications and databases that automatically fail over between zones without interruption. Availability Zones are more highly available, fault tolerant, and scalable than traditional single or multiple data center infrastructures.

For more information about AWS Regions and Availability Zones, see [AWS Global Infrastructure](#).

This AWS product or service follows the [shared responsibility model](#) through the specific Amazon Web Services (AWS) services it supports. For AWS service security information, see the [AWS service security documentation page](#) and [AWS services that are in scope of AWS compliance efforts by compliance program](#).

Infrastructure Security for this AWS Product or Service

This AWS product or service uses managed services, and therefore is protected by the AWS global network security. For information about AWS security services and how AWS protects

infrastructure, see [AWS Cloud Security](#). To design your AWS environment using the best practices for infrastructure security, see [Infrastructure Protection](#) in *Security Pillar AWS Well-Architected Framework*.

You use AWS published API calls to access this AWS Product or Service through the network. Clients must support the following:

- Transport Layer Security (TLS). We require TLS 1.2 and recommend TLS 1.3.
- Cipher suites with perfect forward secrecy (PFS) such as DHE (Ephemeral Diffie-Hellman) or ECDHE (Elliptic Curve Ephemeral Diffie-Hellman). Most modern systems such as Java 7 and later support these modes.

Additionally, requests must be signed by using an access key ID and a secret access key that is associated with an IAM principal. Or you can use the [AWS Security Token Service](#) (AWS STS) to generate temporary security credentials to sign requests.

This AWS product or service follows the [shared responsibility model](#) through the specific Amazon Web Services (AWS) services it supports. For AWS service security information, see the [AWS service security documentation page](#) and [AWS services that are in scope of AWS compliance efforts by compliance program](#).

Migrate from version 1.x to 2.x of the AWS SDK for Java

The AWS SDK for Java 2.x is a major rewrite of the 1.x code base built on top of Java 8+. It includes many updates, such as improved consistency, ease of use, and strongly enforced immutability. This section describes the major features that are new in version 2.x, and provides guidance on how to migrate your code to version 2.x from 1.x.

Topics

- [What's new in version 2](#)
- [How to migrate your code from AWS SDK for Java 1.x to 2.x](#)
- [What's different between the AWS SDK for Java 1.x and 2.x](#)
- [Use the SDK for Java 1.x and 2.x side-by-side](#)

What's new in version 2

- You can configure your own HTTP clients. See [HTTP transport configuration](#).
- Async clients feature non-blocking I/O support and return CompletableFuture objects. See [Asynchronous programming](#).
- Operations that return multiple pages have autopaginated responses. This way, you can focus your code on what to do with the response, without the need to check for and get subsequent pages. See [Pagination](#).
- SDK start time performance for AWS Lambda functions is improved. See [SDK start time performance improvements](#).
- Version 2.x supports a new shorthand method for creating requests.

Example

```
dynamoDbClient.putItem(request -> request.tableName(TABLE))
```

For more details about the new features and to see specific code examples, refer to the other sections of this guide.

- [Quick Start](#)
- [Setting up](#)

- [Code examples for the AWS SDK for Java 2.x](#)
- [Use the SDK](#)
- [Security for the AWS SDK for Java](#)

How to migrate your code from AWS SDK for Java 1.x to 2.x

You can migrate your existing SDK for Java 1.x applications in a couple ways.

1. Automated approach by using the [migration tool](#).
2. [Manual approach](#) by incrementally replacing 1.x imports with 2.x imports.

We recommend that you start by using the migration tool. It automates much of the routine, replacement work from 1.x to 2.x code.

Since the preview release of the tool [doesn't migrate all features](#), you'll need to search for remaining v1 code after running the tool. When you find code that the tool didn't migrate, follow the [step-by-step instructions](#) (manual approach) and use the [migration guide articles](#) to finish the migration.

Topics

- [Migration tool \(preview release\)](#)
- [Migration step-by-step instructions with example](#)

Migration tool (preview release)

The AWS SDK for Java provides a migration tool that helps automate the migration of SDK for Java 1.x code to 2.x. The tool uses [OpenRewrite](#)—an open source, source code refactoring tool—to perform the migration.

You can use the tool now as a preview release. The tool supports all SDK service clients except for [AmazonS3Client](#) and high-level APIs such as [TransferManager](#) and [DynamoDBMapper](#). The tool also has some limitations that are listed at the end of this topic.

Use the migration tool

Migrate a Maven project

Follow the instructions below to migrate your SDK for Java 1.x Maven-based project by using the [OpenRewrite Maven plugin](#) tool.

1. Navigate to your Maven project's root directory

Open a terminal (command line) window and navigate to the root directory of your Maven-based application.

2. Run the plugin's `rewrite-maven-plugin` command

You can choose from two modes (Maven goals): `dryRun` and `run`.

dryRun mode

In the `dryRun` mode, the plugin generates diff logs in the console output and a patch file named `rewrite.patch` in the `target/rewrite` folder. This mode allows you to preview the changes that would be made, since no changes are made to source code files.

The following example show how to invoke the plugin in `dryRun` mode.

```
mvn org.openrewrite.maven:rewrite-maven-plugin:dryRun \
  -Drewrite.recipeArtifactCoordinates=software.amazon.awssdk:v2-
migration:<sdkversion>*-PREVIEW \
  -Drewrite.activeRecipes=software.amazon.awssdk.v2migration.AwsSdkJavaV1ToV2
```

*Replace `<sdkversion>` with a 2.x SDK version. Visit [Maven Central](#) to check for the latest version.

Your console output from the `dryRun` mode should resemble the following output.

```
[WARNING] These recipes would make changes to project/src/test/resources/maven/
before/pom.xml:
[WARNING]     software.amazon.awssdk.v2migration.AwsSdkJavaV1ToV2
[WARNING]     software.amazon.awssdk.v2migration.UpgradeSdkDependencies
[WARNING]         org.openrewrite.java.dependencies.AddDependency:
{groupId=software.amazon.awssdk, artifactId=apache-client, version=2.27.0,
onlyIfUsing=com.amazonaws.ClientConfiguration}
```

```
[WARNING]          org.openrewrite.java.dependencies.AddDependency:  
  {groupId=software.amazon.awssdk, artifactId=netty-nio-client, version=2.27.0,  
   onlyIfUsing=com.amazonaws.ClientConfiguration}  
[WARNING]          org.openrewrite.java.dependencies.ChangeDependency:  
  {oldGroupId=com.amazonaws, oldArtifactId=aws-java-sdk-bom,  
   newGroupId=software.amazon.awssdk, newArtifactId=bom, newVersion=2.27.0}  
[WARNING]          org.openrewrite.java.dependencies.ChangeDependency:  
  {oldGroupId=com.amazonaws, oldArtifactId=aws-java-sdk-s3,  
   newGroupId=software.amazon.awssdk, newArtifactId=s3, newVersion=2.27.0}  
[WARNING]          org.openrewrite.java.dependencies.ChangeDependency:  
  {oldGroupId=com.amazonaws, oldArtifactId=aws-java-sdk-sqs,  
   newGroupId=software.amazon.awssdk, newArtifactId=sqs, newVersion=2.27.0}  
[WARNING] These recipes would make changes to project/src/test/resources/maven/  
before/src/main/java/foo/bar/Application.java:  
[WARNING]      software.amazon.awssdk.v2migration.AwsSdkJavaV1ToV2  
[WARNING]      software.amazon.awssdk.v2migration.S3GetObjectConstructorToFluent  
[WARNING]      software.amazon.awssdk.v2migration.ConstructorToFluent  
[WARNING]      software.amazon.awssdk.v2migration.S3StreamingResponseToV2  
[WARNING]      software.amazon.awssdk.v2migration.ChangeSdkType  
[WARNING]      software.amazon.awssdk.v2migration.ChangeSdkCoreTypes  
[WARNING]      software.amazon.awssdk.v2migration.ChangeExceptionTypes  
[WARNING]      org.openrewrite.java.ChangeType:  
  {oldFullyQualifiedTypeName=com.amazonaws.AmazonClientException,  
   newFullyQualifiedTypeName=software.amazon.awssdk.core.exception.SdkException}  
[WARNING]      org.openrewrite.java.ChangeMethodName:  
  {methodPattern=com.amazonaws.AmazonServiceException requestId(),  
   newMethodName=requestId}  
[WARNING]      org.openrewrite.java.ChangeMethodName:  
  {methodPattern=com.amazonaws.AmazonServiceException getErrorCode(),  
   newMethodName=awsErrorDetails().errorCode}  
[WARNING]      org.openrewrite.java.ChangeMethodName:  
  {methodPattern=com.amazonaws.AmazonServiceException getServiceName(),  
   newMethodName=awsErrorDetails().serviceName}  
[WARNING]      org.openrewrite.java.ChangeMethodName:  
  {methodPattern=com.amazonaws.AmazonServiceException getErrorMessage(),  
   newMethodName=awsErrorDetails().errorMessage}  
[WARNING]      org.openrewrite.java.ChangeMethodName:  
  {methodPattern=com.amazonaws.AmazonServiceException getRawResponse(),  
   newMethodName=awsErrorDetails().rawResponse().asByteArray}  
[WARNING]      org.openrewrite.java.ChangeMethodName:  
  {methodPattern=com.amazonaws.AmazonServiceException getRawResponseContent(),  
   newMethodName=awsErrorDetails().rawResponse().asUtf8String}
```

```
[WARNING]           org.openrewrite.java.ChangeType:  
[WARNING] {oldFullyQualifiedTypeName=com.amazonaws.AmazonServiceException,  
[WARNING] newFullyQualifiedTypeName=software.amazon.awssdk.awscore.exception AwsServiceException}  
[WARNING]           software.amazon.awssdk.v2migration.NewClassToBuilderPattern  
[WARNING]           software.amazon.awssdk.v2migration.NewClassToBuilder  
[WARNING]           software.amazon.awssdk.v2migration.V1SetterToV2  
[WARNING]           software.amazon.awssdk.v2migration.V1GetterToV2  
...  
[WARNING]           software.amazon.awssdk.v2migration.V1BuilderVariationsToV2Builder  
[WARNING]           software.amazon.awssdk.v2migration.NewClassToBuilderPattern  
[WARNING]           software.amazon.awssdk.v2migration.NewClassToBuilder  
[WARNING]           software.amazon.awssdk.v2migration.V1SetterToV2  
[WARNING]           software.amazon.awssdk.v2migration.HttpSettingsToHttpClient  
[WARNING]           software.amazon.awssdk.v2migration.WrapSdkClientBuilderRegionStr  
[WARNING] Patch file available:  
[WARNING]     project/src/test/resources/maven/before/target/rewrite/rewrite.patch  
[WARNING] Estimate time saved: 20m  
[WARNING] Run 'mvn rewrite:run' to apply the recipes.
```

run mode

When you run the plugin in `run` mode, it modifies the source code on disk to apply the changes. Make sure you have a backup of the source code before running the command.

The following example show how to invoke the plugin in `run` mode.

```
mvn org.openrewrite.maven:rewrite-maven-plugin:run \  
  -Drewrite.recipeArtifactCoordinates=software.amazon.awssdk:v2-  
  migration:<sdkversion>*-PREVIEW \  
  -Drewrite.activeRecipes=software.amazon.awssdk.v2migration.AwsSdkJavaV1ToV2
```

*Replace `<sdkversion>` with a 2.x SDK version. Visit [Maven Central](#) to check for the latest version.

After you run the command, compile your application and run tests to verify the changes.

Migrate a Gradle project

Follow the instructions below to migrate your SDK for Java 1.x Grade-based project by using the [OpenRewrite Gradle plugin](#) tool.

1. Navigate to your Maven project's root directory

Open a terminal (command line) window and navigate to the root directory of your Gradle-based application.

2. Create a Gradle init script

Create a `init.gradle` file with the following content in the directory.

```
initscript {  
    repositories {  
        maven { url "https://plugins.gradle.org/m2" }  
    }  
    dependencies {  
        classpath("org.openrewrite:plugin:latest.release")  
    }  
}  
  
rootProject {  
    plugins.apply(org.openrewrite.gradle.RewritePlugin)  
    dependencies {  
        rewrite("software.amazon.awssdk:v2-migration:latest.release")  
    }  
  
    afterEvaluate {  
        if (repositories.isEmpty()) {  
            repositories {  
                mavenCentral()  
            }  
        }  
    }  
}
```

3. Run the `rewrite` command

As with the Maven plugin, you can run the Gradle plugin in `dryRun` or `run` mode.

dryRun mode

The following example show how to invoke the plugin in `dryRun` mode.

```
gradle rewriteDryRun --init-script init.gradle \  
    -Drewrite.activeRecipes=software.amazon.awssdk.v2migration.AwsSdkJavaV1ToV2
```

run mode

The following example show how to invoke the plugin in run mode.

```
gradle rewriteRun --init-script init.gradle \
-Drewrite.activeRecipes=software.amazon.awssdk.v2migration.AwsSdkJavaV1ToV2
```

Current limitations

The current preview release doesn't support every feature in the SDK. Support for additional features will be added soon.

The tool does not currently support the following features. The links in the list below, take you to migration information to help you manually migrate the code.

- [S3 Client](#) (AmazonS3Client), the tool currently supports putObject and getObject methods
- [S3 Transfer Manager](#) (TransferManager)
- [S3 URI Parsing](#) (AmazonS3URI)
- [DynamoDB object mapping](#) (DynamoDBMapper)
- [EC2 metadata utility](#) (EC2MetadataUtils)
- [Waiters](#) (AmazonDynamoDBWaiters)
- [IAM Policy Builder](#) (Policy)
- [CloudFront presigning](#) (CloudFrontUrlSigner, CloudFrontCookieSigner)
- [S3 Event Notifications](#) (S3EventNotification)
- SDK metric publishing ([1.x documentation](#), [2.x documentation](#))

Migration step-by-step instructions with example

This section provides a step-by-step guide to migrate your application that currently uses the SDK for Java v1.x to the SDK for Java 2.x. The first part presents an overview of the steps followed by a detailed example of a migration.

The steps that are covered here describe a migration of a normal use case, where the application calls AWS services using model-driven service clients. If you need to migrate code that uses higher

level APIs such as [S3 Transfer Manager](#) or [CloudFront presigning](#), refer to the section under [the section called “What's different between 1.x and 2.x” table of contents](#).

The approach described here is a suggestion. You may use other techniques and leverage your IDE's code editing features to reach the same result.

Overview of steps

1. Begin by adding the SDK for Java 2.x BOM

By adding the Maven BOM (Bill of Materials) element for the SDK for Java 2.x to your POM file, you ensure that all of the v2 dependency you need are from the same version. Your POM can contain both v1 and v2 dependencies. This allows you to incrementally migrate your code rather than change it all at once.

SDK for Java 2.x BOM

```
<dependencyManagement>
  <dependencies>
    <dependency>
      <groupId>software.amazon.awssdk</groupId>
      <artifactId>bom</artifactId>
      <version>2.27.21</version>
      <type>pom</type>
      <scope>import</scope>
    </dependency>
  </dependencies>
</dependencyManagement>
```

You can find the [latest version](#) on the Maven Central Repository.

2. Search files for v1 class import statements

By scanning the files in your application for SERVICE_IDs used in v1 imports, you'll find the unique SERVICE_IDs used. A SERVICE_ID is a short, unique name for an AWS service. For example cognitoidentity is the SERVICE_ID for Amazon Cognito Identity.

3. Determine the v2 Maven dependencies from the v1 import statements

After you find all unique v1 SERVICE_IDs, you can determine the corresponding Maven artifact for the v2 dependency by referring to [the section called “Package name to artifactId mappings”](#).

4. Add v2 dependency elements to the POM file

Update the Maven POM file with dependency elements determined in step 3.

5. In the Java files, incrementally change over the v1 classes to v2 classes

As you replace v1 classes with v2 classes, make the necessary changes to support the v2 API such as using builders instead of constructors and using fluent getters and setters.

6. Remove v1 Maven dependencies from the POM and v1 imports from files

After you migrate your code to use v2 classes, remove any leftover v1 imports from files and all dependencies from your build file.

7. Refactor the code to use v2 API enhancements

After the code successfully compiles and passes tests, you can take advantage of v2 enhancements such as using a different HTTP client or paginators to simplify code. This is an optional step.

Example migration

In this example, we migrate an application that uses the SDK for Java v1 and accesses several AWS services. We work through the following v1 method in detail in step 5. This is one method in a class that contains eight methods and there are 32 classes in the application.

v1 method to migrate

Only the v1 SDK imports are listed below from the Java file.

```
import com.amazonaws.ClientConfiguration;
import com.amazonaws.regions.Region;
import com.amazonaws.regions.RegionUtils;
import com.amazonaws.services.ec2.AmazonEC2Client;
import com.amazonaws.services.ec2.model.AmazonEC2Exception;
import com.amazonaws.services.ec2.model.CreateTagsRequest;
import com.amazonaws.services.ec2.model.DescribeInstancesRequest;
import com.amazonaws.services.ec2.model.DescribeInstancesResult;
import com.amazonaws.services.ec2.model.Instance;
import com.amazonaws.services.ec2.model.InstanceStateName;
import com.amazonaws.services.ec2.model.Reservation;
import com.amazonaws.services.ec2.model.Tag;
```

```
import com.amazonaws.services.ec2.model.TerminateInstancesRequest;
...
private static List<Instance> getRunningInstances(AmazonEC2Client ec2, List<String> instanceIds) {
    List<Instance> runningInstances = new ArrayList<>();
    try {
        DescribeInstancesRequest request = new DescribeInstancesRequest()
            .withInstanceIds(instanceIds);
        DescribeInstancesResult result;
        do {
            // DescribeInstancesResponse is a paginated response, so use tokens with
            multiple requests.
            result = ec2.describeInstances(request);
            request.setNextToken(result.getNextToken());    // Prepare request for next
page.
            for (final Reservation r : result.getReservations()) {
                for (final Instance instance : r.getInstances()) {
                    LOGGER.info("Examining instanceId: " + instance.getInstanceId());
                    // if instance is in a running state, add it to runningInstances
list.
                    if (RUNNING_STATES.contains(instance.getState().getName())) {
                        runningInstances.add(instance);
                    }
                }
            }
        } while (result.getNextToken() != null);
    } catch (final AmazonEC2Exception exception) {
        // if instance isn't found, assume its terminated and continue.
        if (exception.getErrorCode().equals(NOT_FOUND_ERROR_CODE)) {
            LOGGER.info("Instance probably terminated; moving on.");
        } else {
            throw exception;
        }
    }
    return runningInstances;
}
```

1. Add v2 Maven BOM

Add the Maven BOM for the SDK for Java 2.x to the POM along side any other dependencies in the dependencyManagement section. If your POM file has the BOM for v1 of the SDK, leave it for now. It will be removed at a later step.

POM Dependency management at outset

```
<dependencyManagement>
  <dependencies>
    <dependency>
      <groupId>org.example</groupId>          <!--Existing dependency in POM. -->
      <artifactId>bom</artifactId>
      <version>1.3.4</version>
      <type>pom</type>
      <scope>import</scope>
    </dependency>
    ...
    <dependency>
      <groupId>com.amazonaws</groupId>
      <artifactId>aws-java-sdk-bom</artifactId>  <!--Existing v1 BOM dependency. -->
      <version>1.11.1000</version>
      <type>pom</type>
      <scope>import</scope>
    </dependency>
    ...
    <dependency>
      <groupId>software.amazon.awssdk</groupId>  <!--Add v2 BOM dependency. -->
      <artifactId>bom</artifactId>
      <version>2.27.21</version>
      <type>pom</type>
      <scope>import</scope>
    </dependency>
  </dependencies>
</dependencyManagement>
```

2. Search files for v1 class import statements

Search the application's code for unique occurrences of `import com.amazonaws.services`. This helps us determine the v1 dependencies used by the project. If your application has a Maven POM file with v1 dependencies listed, you can use this information instead.

For this example we use the [ripgrep \(rg\)](#) command to search the code base.

From the root of your code base, execute the following ripgrep command. After ripgrep finds the import statements, they are piped to the cut, sort, and uniq commands to isolate the SERVICE_IDs.

```
rg --no-filename 'import\s+com\.amazonaws\.services' | cut -d '.' -f 4 | sort | uniq
```

For this application, the following SERVICE_IDs are logged to the console.

```
autoscaling
cloudformation
ec2
identitymanagement
```

This indicates that there was at least one occurrence of each of the following package names used in `import` statements. For our purposes, the individual class names don't matter. We just need to find the SERVICE_IDs that are used.

```
com.amazonaws.services.autoscaling.*
com.amazonaws.services.cloudformation.*
com.amazonaws.services.ec2.*
com.amazonaws.services.identitymanagement.*
```

3. Determine the v2 Maven dependencies from the v1 import statements

The SERVICE_IDs for v1 that we isolated from Step 2—for example `autoscaling` and `cloudformation`—can be mapped to the same v2 SERVICE_ID for the most part. Since the v2 Maven artifactId matches the SERVICE_ID in most cases, you have the information you need to add dependency blocks to your POM file.

The following table shows how we can determine the v2 dependencies.

v1 SERVICE_ID maps to ... package name	v2 SERVICE_ID maps to ... package name	v2 Maven dependency
<code>ec2</code> <code>com.amazonaws.services. ec2.*</code>	<code>ec2</code> <code>software.amazon.awssdk.services. ec2.*</code>	<pre><dependency> <groupId>software.amazon.awssdk</groupId> <artifactId> ec2</artifactId> </dependency></pre>

v1 SERVICE_ID maps to ... package name	v2 SERVICE_ID maps to ... package name	v2 Maven dependency
autoscaling com.amazonaws.services. autoscaling .*	autoscaling software.amazon.awssdk.serv ices. autoscaling .*	<dependency> <groupId>software. amazon.awssdk</gro upId> <artifactId> autoscali ng </artifactId> </dependency>
cloudformation com.amazonaws.serv ices. cloudform ation .*	cloudformation software.amazon.aw ssdk. cloudform ation .*	<dependency> <groupId>software. amazon.awssdk</gro upId> <artifactId> cloudform ation </artifactId> </dependency>
identitymanagement* com.amazonaws.serv ices. identitym anagement .*	iam* software.amazon.aw ssdk. iam .*	<dependency> <groupId>software. amazon.awssdk</gro upId> <artifactId> iam </ artifactId> </dependency>

* The **identitymanagement** to **iam** mapping is an exception where the SERVICE_ID differs between versions. Refer to the [the section called “Package name to artifactId mappings”](#) for exceptions if Maven or Gradle cannot resolve the v2 dependency.

4. Add v2 dependency elements to the POM file

In step 3, we determined the four dependency blocks that need to be added to the POM file. We don't need to add a version because we have specified the BOM in step 1. After the imports are added, our POM file has the following dependency elements.

...

```
<dependencies>
  ...
  <dependency>
    <groupId>software.amazon.awssdk</groupId>
    <artifactId>autoscaling</artifactId>
  </dependency>
  <dependency>
    <groupId>software.amazon.awssdk</groupId>
    <artifactId>iam</artifactId>
  </dependency>
  <dependency>
    <groupId>software.amazon.awssdk</groupId>
    <artifactId>cloudformation</artifactId>
  </dependency>
  <dependency>
    <groupId>software.amazon.awssdk</groupId>
    <artifactId>ec2</artifactId>
  </dependency>
  ...
</dependencies>
  ...
```

5. In the Java files, incrementally change over the v1 classes to v2 classes

In the method that we are migrating, we see

- An EC2 service client from `com.amazonaws.services.ec2.AmazonEC2Client`.
- Several EC2 model classes used. For example `DescribeInstancesRequest` and `DescribeInstancesResult`.

```
import com.amazonaws.ClientConfiguration;
import com.amazonaws.regions.Region;
import com.amazonaws.regions.RegionUtils;
import com.amazonaws.services.ec2.AmazonEC2Client;
import com.amazonaws.services.ec2.model.AmazonEC2Exception;
import com.amazonaws.services.ec2.model.CreateTagsRequest;
import com.amazonaws.services.ec2.model.DescribeInstancesRequest;
import com.amazonaws.services.ec2.model.DescribeInstancesResult;
import com.amazonaws.services.ec2.model.Instance;
import com.amazonaws.services.ec2.model.InstanceStateName;
import com.amazonaws.services.ec2.model.Reservation;
import com.amazonaws.services.ec2.model.Tag;
```

```
import com.amazonaws.services.ec2.model.TerminateInstancesRequest;
...
private static List<Instance> getRunningInstances(AmazonEC2Client ec2, List<String> instanceIds)
    List<Instance> runningInstances = new ArrayList<>();
    try {
        DescribeInstancesRequest request = new DescribeInstancesRequest()
            .withInstanceIds(instanceIds);
        DescribeInstancesResult result;
        do {
            // DescribeInstancesResponse is a paginated response, so use tokens with
multiple re
            result = ec2.describeInstances(request);
            request.setNextToken(result.getNextToken());    // Prepare request for next
page.
            for (final Reservation r : result.getReservations()) {
                for (final Instance instance : r.getInstances()) {
                    LOGGER.info("Examining instanceId: " + instance.getInstanceId());
                    // if instance is in a running state, add it to runningInstances
list.
                    if (RUNNING_STATES.contains(instance.getState().getName())) {
                        runningInstances.add(instance);
                    }
                }
            }
        } while (result.getNextToken() != null);
    } catch (final AmazonEC2Exception exception) {
        // if instance isn't found, assume its terminated and continue.
        if (exception.getErrorCode().equals(NOT_FOUND_ERROR_CODE)) {
            LOGGER.info("Instance probably terminated; moving on.");
        } else {
            throw exception;
        }
    }
    return runningInstances;
}
...
}
```

Our goal is to replace all v1 imports with v2 imports. We proceed one class at a time.

a. Replace import statement or class name

We see that the first parameter to the describeRunningInstances method is a v1 AmazonEC2Client instance. Do one of the following:

- Replace the import for `com.amazonaws.services.ec2.AmazonEC2Client` with `software.amazon.awssdk.services.ec2.Ec2Client` and change `AmazonEC2Client` to `Ec2Client`.
- Change the parameter type to `Ec2Client` and let the IDE prompt us for the correct import. Our IDE will prompt us to import the v2 class because the client names differ—`AmazonEC2Client` and `Ec2Client`. This approach does not work if the class name is the same in both versions.

b. Replace v1 model classes with v2 equivalents

After the change to the v2 `Ec2Client`, if we use an IDE, we see compilation errors in the following statement.

```
result = ec2.describeInstances(request);
```

The compilation error results from using an instance of v1's `DescribeInstancesRequest` as a parameter to the v2 `Ec2Client describeInstances` method. To fix, make the following replacement or import statements.

replace

with

```
import com.amazonaws.services.ec2.  
model.DescribeInstancesRequest
```

```
import software.amazon.awssdk.serv  
ices.ec2.model.DescribeInst  
ancesRequest
```

c. Change v1 constructors to v2 builders.

We still see compilation errors because there are [no constructors on v2 classes](#). To fix, make the following change.

change

to

```
final DescribeInstancesRequest  
request = new DescribeInstancesR  
equest()  
    .withInstanceIds(instanceId  
sCopy);
```

```
final DescribeInstancesRequest  
request = DescribeInstanc  
esRequest.builder()  
    .instanceIds(instanceIdsCop  
y)
```

change	to
	.build();

d. Replace v1 *Result response objects with v2 *Response equivalents

A consistent difference between v1 and v2 is that all [response objects in v2 end with *Response instead of *Result](#). Replace the v1 `DescribeInstancesResult` import to the v2 import, `DescribeInstancesResponse`.

d. Make API changes

The following statement needs a few changes.

```
request.setNextToken(result.getNextToken());
```

In v2, [setter methods](#) do not use the `set` or `with` prefix. Getter methods prefixed with `get` are also gone in the SDK for Java 2.x

Model classes, such as the `request` instance, are immutable in v2, so we need to create a new `DescribeInstancesRequest` with a builder.

In v2, the statement becomes the following.

```
request = DescribeInstancesRequest.builder()
    .nextToken(result.nextToken())
    .build();
```

d. Repeat until method compiles with v2 classes

Continue with the rest of the code. Replace v1 imports with v2 imports and fix the compilation errors. Refer to the [v2 API Reference](#) and [What's different reference](#) as needed.

After we migrate this single method, we have the following v2 code.

```
import com.amazonaws.ClientConfiguration;
import com.amazonaws.regions.Region;
import com.amazonaws.regions.RegionUtils;
import com.amazonaws.services.ec2.AmazonEC2Client;
import com.amazonaws.services.ec2.model.AmazonEC2Exception;
import com.amazonaws.services.ec2.model.CreateTagsRequest;
```

```
import com.amazonaws.services.ec2.model.InstanceStateName;
import com.amazonaws.services.ec2.model.Tag;
import com.amazonaws.services.ec2.model.TerminateInstancesRequest;

import software.amazon.awssdk.services.ec2.Ec2Client;
import software.amazon.awssdk.services.ec2.model.DescribeInstancesRequest;
import software.amazon.awssdk.services.ec2.model.DescribeInstancesResponse;
import software.amazon.awssdk.services.ec2.model.Ec2Exception;
import software.amazon.awssdk.services.ec2.model.Instance;
import software.amazon.awssdk.services.ec2.model.Reservation;
...
private static List<Instance> getRunningInstances(Ec2Client ec2, List<String>
instanceIds) {
    List<Instance> runningInstances = new ArrayList<>();
    try {
        DescribeInstancesRequest request = DescribeInstancesRequest.builder()
            .instanceIds(instanceIds)
            .build();
        DescribeInstancesResponse result;
        do {
            // DescribeInstancesResponse is a paginated response, so use tokens
with multiple re
            result = ec2.describeInstances(request);
            request = DescribeInstancesRequest.builder() // Prepare request for
next page.
            .nextToken(result.nextToken())
            .build();
            for (final Reservation r : result.reservations()) {
                for (final Instance instance : r.instances()) {
                    // if instance is in a running state, add it to
runningInstances list.
                    if (RUNNING_STATES.contains(instance.state().nameAsString())) {
                        runningInstances.add(instance);
                    }
                }
            }
        } while (result.nextToken() != null);
    } catch (final Ec2Exception exception) {
        // if instance isn't found, assume its terminated and continue.
        if (exception.awsErrorDetails().errorCode().equals(NOT_FOUND_ERROR_CODE)) {
            LOGGER.info("Instance probably terminated; moving on.");
        } else {
            throw exception;
        }
    }
}
```

```
    }
    return runningInstances;
}
...
```

Because we are migrating a single method in a Java file with eight methods, we have a mix of v1 and v2 imports as we work through the file. We added the last six import statements as we performed the steps.

After we migrate all the code, there will be no more v1 import statements.

6. Remove v1 Maven dependencies from the POM and v1 imports from files

After we migrate all v1 code in the file, we have the following v2 SDK import statements.

```
import software.amazon.awssdk.core.client.config.ClientOverrideConfiguration;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.regions.ServiceMetadata;
import software.amazon.awssdk.services.ec2.Ec2Client;
import software.amazon.awssdk.services.ec2.model.CreateTagsRequest;
import software.amazon.awssdk.services.ec2.model.DescribeInstancesRequest;
import software.amazon.awssdk.services.ec2.model.DescribeInstancesResponse;
import software.amazon.awssdk.services.ec2.model.Ec2Exception;
import software.amazon.awssdk.services.ec2.model.Instance;
import software.amazon.awssdk.services.ec2.model.InstanceStateName;
import software.amazon.awssdk.services.ec2.model.Reservation;
import software.amazon.awssdk.services.ec2.model.Tag;
import software.amazon.awssdk.services.ec2.model.TerminateInstancesRequest;
```

After we migrate *all* files in our application, we no longer need the v1 dependencies in our POM file. Remove the v1 BOM from the dependencyManagement section, if using, and all v1 dependency blocks.

7. Refactor the code to use v2 API enhancements

For the snippet we have been migrating, we can optionally use a v2 paginator and let the SDK manage the token-based requests for more data.

We can replace the entire do clause with the following.

```
DescribeInstancesIterable responses =
ec2.describeInstancesPaginator(request);
```

```

        responses.reservations().stream()
            .forEach(reservation -> reservation.instances())
                .forEach(instance -> {
                    if
(RUNNING_STATES.contains(instance.state().nameAsString())) {
                        runningInstances.put(instance.instanceId(),
instance);
                }
            }));
    
```

Package name to Maven artifactId mappings

When you migrate your Maven or Gradle project from v1 of the SDK for Java to v2, you need to figure out which dependencies to add to your build file. The approach described in the [the section called “Step-by-step instructions”](#) (step 3) uses the package names in import statements as a starting point to determine the dependencies (as artifactIds) to add to your build file.

You can use the information in this topic to map the v1 package names to v2 artifactIds.

Common naming convention used in package names and Maven artifactIds

The following table shows the common naming convention that the SDKs use for a given SERVICE_ID. A SERVICE_ID is a unique identifier for an AWS service. For example, the SERVICE_ID for the Amazon S3 service is s3 and cognitoidentity is the SERVICE_ID for Amazon Cognito Identity.

v1 package name (import statement)	v1 artifactId	v2 artifactId	v2 package name (import statement)
com.amazonaws.services.SERVICE_ID	aws-java-sdk-SERVICE_ID	SERVICE_ID	software.amazon.awssdk.services.SERVICE_ID

Example for Amazon Cognito Identity (SERVICE_ID: cognitoidentity)

com.amazonaws.services. cognitoidentity	aws-java-sdk- cognitoidentity	cognitoidentity	software.amazon.awssdk.services. cognitoidentity
--	--------------------------------------	------------------------	---

SERVICE_ID differences

Within v1

In some cases the SERVICE_ID differs between the package name and in the artifactId for the same service. For example, the CloudWatch Metrics row of the following table shows that metrics is the SERVICE_ID in the package name but cloudwatchmetrics is the artifactId's SERVICE_ID.

Within v2

There are no differences in the SERVICE_ID used in package names and artifactIds.

Between v1 and v2

For the majority of services, the SERVICE_ID in v2 is the same as v1's SERVICE_ID in both package names and artifactIds. An example of this is the cognitoentity SERVICE_ID as shown in the previous table. However, some SERVICE_IDS differ between the SDKs as shown in the following table.

A **boldface SERVICE_ID** in either of the v1 columns indicates that it's different from the SERVICE_ID used in v2.

Service name	v1 package name	v1 artifactId	v2 artifactId	v2 package name
	All package names begin with com.amazonaws.services as shown in the first row.	All artifactIds are enclosed in tags as shown in the first row.	All artifactIds are enclosed in tags as shown in the first row.	All package names begin with software.amazon.awssdk as shown in the first row.
API Gateway	com.amazonaws.services.apigateway	<artifactId>aws-java-sdk-api-gateway</artifactId>	<artifactId>apigateway</artifactId>	software.amazon.awssdk.services.apigateway
App Registry	appregistry	appregistry	servicecatalogappregistry	servicecatalogappregistry

Service name	v1 package name	v1 artifactId	v2 artifactId	v2 package name
Application Discovery	applicationdiscovery	discovery	applicationdiscovery	applicationdiscovery
Augmented AI Runtime	augmentedairuntime	augmentedairuntime	sagemakera2iruntime	sagemakera2iruntime
Certificate Manager	certificatemanager	acm	acm	acm
CloudControl API	cloudcontrolapi	cloudcontrolapi	cloudcontrol	cloudcontrol
CloudSearch	cloudsearchv2	cloudsearch	cloudsearch	cloudsearch
CloudSearch Domain	cloudsearchdomain	cloudsearch	cloudsearchdomain	cloudsearchdomain
CloudWatch Events	cloudwatchevents	events	cloudwatchevents	cloudwatchevents
CloudWatch Evidently	cloudwatchevidently	cloudwatchevidently	evidently	evidently
CloudWatch Logs	logs	logs	cloudwatchlogs	cloudwatchlogs
CloudWatch Metrics	metrics	cloudwatchmetrics	cloudwatch	cloudwatch
CloudWatch Rum	cloudwatchrum	cloudwatchrum	rum	rum
Cognito Identity Provider	cognitoidp	cognitoidp	cognitoidentityprovider	cognitoidentityprovider
Connect Campaign	connectcampaign	connectcampaign	connectcampaigns	connectcampaigns

Service name	v1 package name	v1 artifactId	v2 artifactId	v2 package name
Connect Wisdom	connectwisdom	connectwisdom	wisdom	wisdom
Database Migration Service	databasemigrationservice	dms	databasemigration	databasemigration
DataZone	datazone	datazoneexternal	datazone	datazone
DynamoDB	dynamodbv2	dynamodb	dynamodb	dynamodb
Elastic File System	elasticfilesystem	efs	efs	efs
Elastic Map Reduce	elasticmapreduce	emr	emr	emr
Glue DataBrew	gluedatabrew	gluedatabrew	databrew	databrew
IAM Roles Anywhere	iamrolesanywhere	iamrolesanywhere	rolesanywhere	rolesanywhere
Identity Management	identitymanagement	iam	iam	iam
IoT Data	iotdata	iot	iotdataplane	iotdataplane
Kinesis Analytics	kinesisanalytics	kinesis	kinesisanalytics	kinesisanalytics
Kinesis Firehose	kinesisfirehose	kinesis	firehose	firehose
Kinesis Video Signaling Channels	kinesisvideosignalchannels	kinesisvideosignalchannels	kinesisvideosignaling	kinesisvideosignaling
Lex	lexruntime	lex	lexruntime	lexruntime

Service name	v1 package name	v1 artifactId	v2 artifactId	v2 package name
Lookout For Vision	lookoutforvision	lookoutforvision	lookoutvision	lookoutvision
Mainframe Modernization	mainframemodernization	mainframemodernization	m2	m2
Marketplace Metering	marketplacemetering	marketplacemeteringservice	marketplacemetering	marketplacemetering
Managed Grafana	managedgrafana	managedgrafana	grafana	grafana
Mechanical Turk	mturk	mechanicalturkrequester	mturk	mturk
Migration Hub Strategy Recommendations	migrationhubstrategyrecommendations	migrationhubstrategyrecommendations	migrationhubstrategy	migrationhubstrategy
Nimble Studio	nimblestudio	nimblestudio	nimble	nimble
Private 5G	private5g	private5g	privatenetworks	privatenetworks
Prometheus	prometheus	prometheus	amp	amp
Recycle Bin	recyclebin	recyclebin	rbin	rbin
Redshift Data API	redshiftdataapi	redshiftdataapi	redshiftdata	redshiftdata
Route 53	route53domains	route53	route53domains	route53domains
Sage Maker Edge Manager	sagemakeredgemanager	sagemakeredgemanager	sagemakeredge	sagemakeredge

Service name	v1 package name	v1 artifactId	v2 artifactId	v2 package name
Security Token	securitytoken	sts	sts	sts
Server Migration	servermigration	servermigration	sms	sms
Simple Email	simpleemail	ses	ses	ses
Simple Email V2	simpleemailv2	sesv2	sesv2	sesv2
Simple Systems Management	simplesystemsmanagement	ssm	ssm	ssm
Simple Workflow	simpleworkflow	simpleworkflow	swf	swf
Step Functions	stepfunctions	stepfunctions	sfn	sfn

What's different between the AWS SDK for Java 1.x and 2.x

This section describes the main changes to be aware of when converting an application from using the AWS SDK for Java version 1.x to version 2.x.

Package name change

A noticeable change from the SDK for Java 1.x to the SDK for Java 2.x is the package name change. Package names begin with `software.amazon.awssdk` in SDK 2.x, whereas the SDK 1.x uses `com.amazonaws`.

These same names differentiate Maven artifacts from SDK 1.x to SDK 2.x. Maven artifacts for the SDK 2.x use the `software.amazon.awssdk` groupId, whereas the SDK 1.x uses the `com.amazonaws` groupId.

There are a few times when your code requires a `com.amazonaws` dependency for a project that otherwise uses only SDK 2.x artifacts. One example of this is when you work with server-side AWS Lambda. This was shown in the [Set up an Apache Maven project](#) section earlier in this guide.

Note

Several package names in the SDK 1.x contain v2. The use of v2 in this case usually means that code in the package is targeted to work with version 2 of the service.

Since the full package name begins with com.amazonaws, these are SDK 1.x components. Examples of these package names in the SDK 1.x are:

- com.amazonaws.services.dynamodbv2
- com.amazonaws.retry.v2
- com.amazonaws.services.apigatewayv2
- com.amazonaws.services.simpleemailv2

Adding version 2.x to your project

Maven is the recommended way to manage dependencies when using the AWS SDK for Java 2.x. To add version 2.x components to your project, update your pom.xml file with a dependency on the SDK.

Example

```
<dependencyManagement>
  <dependencies>
    <dependency>
      <groupId>software.amazon.awssdk</groupId>
      <artifactId>bom</artifactId>
      <version>2.27.21</version>
      <type>pom</type>
      <scope>import</scope>
    </dependency>
  </dependencies>
</dependencyManagement>

<dependencies>
  <dependency>
    <groupId>software.amazon.awssdk</groupId>
    <artifactId>dynamodb</artifactId>
  </dependency>
</dependencies>
```

You can also [use version 1.x and 2.x side-by-side](#) as you migrate your project to version 2.x.

Immutable POJOs

Clients and operation request and response objects are now immutable and cannot be changed after creation. To reuse a request or response variable, you must build a new object to assign to it.

Example of updating a request object in 1.x

```
DescribeAlarmsRequest request = new DescribeAlarmsRequest();
DescribeAlarmsResult response = cw.describeAlarms(request);

request.setNextToken(response.getNextToken());
```

Example of updating a request object in 2.x

```
DescribeAlarmsRequest request = DescribeAlarmsRequest.builder().build();
DescribeAlarmsResponse response = cw.describeAlarms(request);

request = DescribeAlarmsRequest.builder()
    .nextToken(response.nextToken())
    .build();
```

Setter and getter methods

In the AWS SDK for Java 2.x, setter method names don't include the set or with prefix. For example, *.withEndpoint() is now *.endpoint().

Getter method names do not use the get prefix.

Example of using setter methods in 1.x

```
AmazonDynamoDB client = AmazonDynamoDBClientBuilder.standard()
    .withRegion("us-east-1")
    .build();
```

Example of using setter methods in 2.x

```
DynamoDbClient client = DynamoDbClient.builder()
    .region(Region.US_EAST_1)
```

```
.build();
```

Example of using getter methods in 1.x

```
String token = request.getNextToken();
```

Example of using getter methods in 2.x

```
String token = request.nextToken();
```

Model class names

Model class names that represent service responses end with Response in v2 instead of Result that v1 uses.

Example of class names that represent a response in v1

```
CreateApiKeyResult  
AllocateAddressResult
```

Example of class names that represent a response in v2

```
CreateApiKeyResponse  
AllocateAddressResponse
```

Migration status of libraries and utilities

SDK for Java libraries and utilities

The following table lists the migration status of libraries and utilities for the SDK for Java.

Version 1.12.x name	Version 2.x name	Since version in 2.x
DynamoDBMapper	DynamoDbEnhancedClient	2.12.0
Waiters	Waiters	2.15.0
CloudFrontUrlSigner, CloudFrontCookieSigner	CloudFrontUtilities	2.18.33

Version 1.12.x name	Version 2.x name	Since version in 2.x
TransferManager	S3TransferManager	2.19.0
EC2 Metadata client	EC2 Metadata client	2.19.29
S3 URI parser	S3 URI parser	2.20.41
IAM Policy Builder	IAM Policy Builder	2.20.126
S3 Event Notifications	S3 Event Notifications	2.25.11
Amazon SQS Client-side Buffering	Automatic Request Batching API for Amazon SQS	2.28.0
Progress Listeners	Progress Listeners	not yet released

Related libraries

The following table lists libraries that are released separately but work with the SDK for Java 2.x.

Name used with version 2.x of the SDK for Java	Since version
Amazon S3 Encryption Client	3.0.0 ¹
AWS Database Encryption Client for DynamoDB	3.0.0 ²

¹The encryption client for Amazon S3 is available by using the following Maven dependency.

```
<dependency>
  <groupId>software.amazon.encryption.s3</groupId>
  <artifactId>amazon-s3-encryption-client-java</artifactId>
  <version>3.x</version>
</dependency>
```

²The AWS Database Encryption Client for DynamoDB is available by using the following Maven dependency.

```
<dependency>
    <groupId>software.amazon.cryptography</groupId>
    <artifactId>aws-database-encryption-sdk-dynamodb</artifactId>
    <version>3.x</version>
</dependency>
```

Migration details for libraries and utilities

- [Transfer Manager](#)
- [EC2 metadata utility](#)
- [CloudFront presigning](#)
- [S3 URI parsing](#)
- [DynamoDB mapping/document APIs](#)
- [IAM Policy Builder](#)
- [S3 Event Notifications](#)
- SDK metric publishing ([1.x documentation](#), [2.x documentation](#))

Client changes

Client builders

You must create all clients using the client builder method. Constructors are no longer available.

Example of creating a client in version 1.x

```
AmazonDynamoDB ddbClient = AmazonDynamoDBClientBuilder.defaultClient();
AmazonDynamoDBClient ddbClient = new AmazonDynamoDBClient();
```

Example of creating a client in version 2.x

```
DynamoDbClient ddbClient = DynamoDbClient.create();
DynamoDbClient ddbClient = DynamoDbClient.builder().build();
```

Client class names

All client class names are now fully camel cased and no longer prefixed by Amazon. These changes are aligned with names used in the AWS CLI.

Example of class names in 1.x

```
AmazonDynamoDB  
AWSACMPCAAAsyncClient
```

Example of class names in 2.x

```
DynamoDbClient  
AcmAsyncClient
```

Client class name changes

1.x Client	2.x Client
com.amazonaws.services.acmp ca.AWSACMPCAAAsyncClient	software.amazon.awssdk.serv ices.acm.AcmAsyncClient
com.amazonaws.services.acmp ca.AWSACMPCAClient	software.amazon.awssdk.serv ices.acm.AcmClient
com.amazonaws.services.alex aforbusiness.AlexaFor BusinessAsyncClient	software.amazon.awssdk.serv ices.alexaforbusiness.Alexa ForBusinessAsyncClient
com.amazonaws.services.alex aforbusiness.AlexaFor BusinessClient	software.amazon.awssdk.serv ices.alexaforbusiness.Alexa ForBusinessClient
com.amazonaws.services.apig ateway.AmazonApiGatewayAsyn cClient	software.amazon.awssdk.serv ices.apigateway.ApiGatewayA syncClient
com.amazonaws.services.apig ateway.AmazonApiGatewayClient	software.amazon.awssdk.serv ices.apigateway.ApiGatewayC lient
com.amazonaws.services.appl icationautoscaling.AWSAppli cationAutoScalingAsyncClient	software.amazon.awssdk.serv ices.applicationautoscaling

1.x Client	2.x Client
	.ApplicationAutoScalingAsyncClient
com.amazonaws.services.applicationautoscaling.AWSApplicationAutoScalingClient	software.amazon.awssdk.services.applicationautoscaling.ApplicationAutoScalingClient
com.amazonaws.services.applicationdiscovery.AWSApplicationDiscoveryAsyncClient	software.amazon.awssdk.services.applicationdiscovery.ApplicationDiscoveryAsyncClient
com.amazonaws.services.applicationdiscovery.AWSApplicationDiscoveryClient	software.amazon.awssdk.services.applicationdiscovery.ApplicationDiscoveryClient
com.amazonaws.services.appstream.AmazonAppStreamAsyncClient	software.amazon.awssdk.services.appstream.AppStreamAsyncClient
com.amazonaws.services.appstream.AmazonAppStreamClient	software.amazon.awssdk.services.appstream.AppStreamClient
com.amazonaws.services.appsync.AWSAppSyncAsyncClient	software.amazon.awssdk.services.appsync.AppSyncAsyncClient
com.amazonaws.services.apsync.AWSAppSyncClient	software.amazon.awssdk.services.apsync.AppSyncClient
com.amazonaws.services.athena.AmazonAthenaAsyncClient	software.amazon.awssdk.services.athena.AthenaAsyncClient
com.amazonaws.services.athena.AmazonAthenaClient	software.amazon.awssdk.services.athena.AthenaClient
com.amazonaws.services.autoscaling.AmazonAutoScalingAsyncClient	software.amazon.awssdk.services.autoscaling.AutoScalingAsyncClient

1.x Client	2.x Client
com.amazonaws.services.autoscaling.AmazonAutoScalingClient	software.amazon.awssdk.services.autoscaling.AutoScalingClient
com.amazonaws.services.autoscalingplans.AWSAutoScalingPlansAsyncClient	software.amazon.awssdk.services.autoscalingplans.AutoScalePlansAsyncClient
com.amazonaws.services.autoscalingplans.AWSAutoScalingPlansClient	software.amazon.awssdk.services.autoscalingplans.AutoScalePlansClient
com.amazonaws.services.batch.AWSBatchAsyncClient	software.amazon.awssdk.services.batch.BatchAsyncClient
com.amazonaws.services.batch.AWSBatchClient	software.amazon.awssdk.services.batch.BatchClient
com.amazonaws.services.budgets.AWSBudgetsAsyncClient	software.amazon.awssdk.services.budgets.BudgetsAsyncClient
com.amazonaws.services.budgets.AWSBudgetsClient	software.amazon.awssdk.services.budgets.BudgetsClient
com.amazonaws.services.certificatemanager.AWSCertificateManagerAsyncClient	software.amazon.awssdk.services.acm.AcmAsyncClient
com.amazonaws.services.certificatemanager.AWSCertificateManagerClient	software.amazon.awssdk.services.acm.AcmClient
com.amazonaws.services.cloud9.AWSCloud9AsyncClient	software.amazon.awssdk.services.cloud9.Cloud9AsyncClient
com.amazonaws.services.cloud9.AWSCloud9Client	software.amazon.awssdk.services.cloud9.Cloud9Client

1.x Client	2.x Client
com.amazonaws.services.clouddirectory.AmazonCloudDirectoryAsyncClient	software.amazon.awssdk.services.clouddirectory.CloudDirectoryAsyncClient
com.amazonaws.services.clouddirectory.AmazonCloudDirectoryClient	software.amazon.awssdk.services.clouddirectory.CloudDirectoryClient
com.amazonaws.services.cloudformation.AmazonCloudFormationAsyncClient	software.amazon.awssdk.services.cloudformation.CloudFormationAsyncClient
com.amazonaws.services.cloudformation.AmazonCloudFormationClient	software.amazon.awssdk.services.cloudformation.CloudFormationClient
com.amazonaws.services.cloudfront.AmazonCloudFrontAsyncClient	software.amazon.awssdk.services.cloudfront.CloudFrontAsyncClient
com.amazonaws.services.cloudfront.AmazonCloudFrontClient	software.amazon.awssdk.services.cloudfront.CloudFrontClient
com.amazonaws.services.cloudhsm.AWSCloudHSMAsyncClient	software.amazon.awssdk.services.cloudhsm.CloudHsmAsyncClient
com.amazonaws.services.cloudhsm.AWSCloudHSMClient	software.amazon.awssdk.services.cloudhsm.CloudHsmClient
com.amazonaws.services.cloudhsmv2.AWSCloudHSMV2AsyncClient	software.amazon.awssdk.services.cloudhsmv2.CloudHsmV2AsyncClient

1.x Client	2.x Client
com.amazonaws.services.cloudhsmv2.AWSCloudHSMV2Client	software.amazon.awssdk.services.cloudhsmv2.CloudHsmV2Client
com.amazonaws.services.cloudsearchdomain.AmazonCloudSearchDomainAsyncClient	software.amazon.awssdk.services.cloudsearchdomain.CloudSearchDomainAsyncClient
com.amazonaws.services.cloudsearchdomain.AmazonCloudSearchDomainClient	software.amazon.awssdk.services.cloudsearchdomain.CloudSearchDomainClient
com.amazonaws.services.cloudsearchv2.AmazonCloudSearchAsyncClient	software.amazon.awssdk.services.cloudsearch.CloudSearchAsyncClient
com.amazonaws.services.cloudsearchv2.AmazonCloudSearchClient	software.amazon.awssdk.services.cloudsearch.CloudSearchClient
com.amazonaws.services.cloudtrail.AWSCloudTrailAsyncClient	software.amazon.awssdk.services.cloudtrail.CloudTrailAsyncClient
com.amazonaws.services.cloudtrail.AWSCloudTrailClient	software.amazon.awssdk.services.cloudtrail.CloudTrailClient
com.amazonaws.services.cloudwatch.AmazonCloudWatchAsyncClient	software.amazon.awssdk.services.cloudwatch.CloudWatchAsyncClient
com.amazonaws.services.cloudwatch.AmazonCloudWatchClient	software.amazon.awssdk.services.cloudwatch.CloudWatchClient

1.x Client	2.x Client
com.amazonaws.services.cloudwatchevents.AmazonCloudWatchEventsAsyncClient	software.amazon.awssdk.services.cloudwatchevents.CloudWatchEventsAsyncClient
com.amazonaws.services.cloudwatchevents.AmazonCloudWatchEventsClient	software.amazon.awssdk.services.cloudwatchevents.CloudWatchEventsClient
com.amazonaws.services.codebuild.AWSCodeBuildAsyncClient	software.amazon.awssdk.services.codebuild.CodeBuildAsyncClient
com.amazonaws.services.codebuild.AWSCodeBuildClient	software.amazon.awssdk.services.codebuild.CodeBuildClient
com.amazonaws.services.codecommit.AWSCodeCommitAsyncClient	software.amazon.awssdk.services.codecommit.CodeCommitAsyncClient
com.amazonaws.services.codecommit.AWSCodeCommitClient	software.amazon.awssdk.services.codecommit.CodeCommitClient
com.amazonaws.services.codedeploy.AmazonCodeDeployAsyncClient	software.amazon.awssdk.services.codedeploy.CodeDeployAsyncClient
com.amazonaws.services.codedeploy.AmazonCodeDeployClient	software.amazon.awssdk.services.codedeploy.CodeDeployClient
com.amazonaws.services.codepipeline.AWSCodePipelineAsyncClient	software.amazon.awssdk.services.codepipeline.CodePipelineAsyncClient

1.x Client	2.x Client
com.amazonaws.services.codepipeline.AWSCodePipelineClient	software.amazon.awssdk.services.codepipeline.CodePipelineClient
com.amazonaws.services.codestar.AWSCodeStarAsyncClient	software.amazon.awssdk.services.codestar.CodeStarAsyncClient
com.amazonaws.services.codestar.AWSCodeStarClient	software.amazon.awssdk.services.codestar.CodeStarClient
com.amazonaws.services.cognito.identity.AmazonCognitoIdentityAsyncClient	software.amazon.awssdk.services.cognitoidentity.CognitoIdentityAsyncClient
com.amazonaws.services.cognito.identity.AmazonCognitoIdentityClient	software.amazon.awssdk.services.cognitoidentity.CognitoIdentityClient
com.amazonaws.services.cognito.idp.AWSIdentityProviderAsyncClient	software.amazon.awssdk.services.cognitoidentityprovider.CognitoIdentityProviderAsyncClient
com.amazonaws.services.cognito.idp.AWSIdentityProviderClient	software.amazon.awssdk.services.cognitoidentityprovider.CognitoIdentityProviderClient
com.amazonaws.services.cognito.sync.AmazonCognitoSyncAsyncClient	software.amazon.awssdk.services.cognitosync.CognitoSyncAsyncClient
com.amazonaws.services.cognito.sync.AmazonCognitoSyncClient	software.amazon.awssdk.services.cognitosync.CognitoSyncClient

1.x Client	2.x Client
com.amazonaws.services.comprehend.AmazonComprehendAsyncClient	software.amazon.awssdk.services.comprehend.ComprehendAsyncClient
com.amazonaws.services.comprehend.AmazonComprehendClient	software.amazon.awssdk.services.comprehend.ComprehendClient
com.amazonaws.services.config.AmazonConfigAsyncClient	software.amazon.awssdk.services.config.ConfigAsyncClient
com.amazonaws.services.config.AmazonConfigClient	software.amazon.awssdk.services.config.ConfigClient
com.amazonaws.services.connect.AmazonConnectAsyncClient	software.amazon.awssdk.services.connect.ConnectAsyncClient
com.amazonaws.services.connect.AmazonConnectClient	software.amazon.awssdk.services.connect.ConnectClient
com.amazonaws.services.costandusagereport.AWSCostAndUsageReportAsyncClient	software.amazon.awssdk.services.costandusagereport.CostAndUsageReportAsyncClient
com.amazonaws.services.costandusagereport.AWSCostAndUsageReportClient	software.amazon.awssdk.services.costandusagereport.CostAndUsageReportClient
com.amazonaws.services.costexplorer.AWSCostExplorerAsyncClient	software.amazon.awssdk.services.costexplorer.CostExplorerAsyncClient
com.amazonaws.services.costexplorer.AWSCostExplorerClient	software.amazon.awssdk.services.costexplorer.CostExplorerClient

1.x Client	2.x Client
com.amazonaws.services.databasemigrationservice.AWSDataMigrationServiceAsyncClient	software.amazon.awssdk.services.databasemigration.DataMigrationAsyncClient
com.amazonaws.services.databasemigrationservice.AWSDataMigrationServiceClient	software.amazon.awssdk.services.databasemigration.DataMigrationClient
com.amazonaws.services.datipeline.DataPipelineAsyncClient	software.amazon.awssdk.services.datipeline.DataPipelineAsyncClient
com.amazonaws.services.datipeline.DataPipelineClient	software.amazon.awssdk.services.datipeline.DataPipelineAsyncClient
com.amazonaws.services.dax.AmazonDaxAsyncClient	software.amazon.awssdk.services.dax.DaxAsyncClient
com.amazonaws.services.dax.AmazonDaxClient	software.amazon.awssdk.services.dax.DaxClient
com.amazonaws.services.devicefarm.AWSDeviceFarmAsyncClient	software.amazon.awssdk.services.devicefarm.DeviceFarmAsyncClient
com.amazonaws.services.devicefarm.AWSDeviceFarmClient	software.amazon.awssdk.services.devicefarm.DeviceFarmClient
com.amazonaws.services.directconnect.AmazonDirectConnectAsyncClient	software.amazon.awssdk.services.directconnect.DirectConnectAsyncClient

1.x Client	2.x Client
com.amazonaws.services.directconnect.AmazonDirectConnectClient	software.amazon.awssdk.services.directconnect.DirectConnectClient
com.amazonaws.services.directory.AWSDirectoryServiceAsyncClient	software.amazon.awssdk.services.directory.DirectoryAsyncClient
com.amazonaws.services.directory.AWSDirectoryServiceClient	software.amazon.awssdk.services.directory.DirectoryClient
com.amazonaws.services.dlm.AmazonDLMAsyncClient	software.amazon.awssdk.services.dlm.DlmAsyncClient
com.amazonaws.services.dlm.AmazonDLMClient	software.amazon.awssdk.services.dlm.DlmClient
com.amazonaws.services.dynamodbv2.AmazonDynamoDBAsyncClient	software.amazon.awssdk.services.dynamodb.DynamoDbAsyncClient
com.amazonaws.services.dynamodbv2.AmazonDynamoDBClient	software.amazon.awssdk.services.dynamodb.DynamoDbClient
com.amazonaws.services.dynamodbv2.AmazonDynamoDBStreamAsyncClient	software.amazon.awssdk.services.dynamodb.streams.DynamoDbStreamsAsyncClient
com.amazonaws.services.dynamodbv2.AmazonDynamoDBStreamsClient	software.amazon.awssdk.services.dynamodb.streams.DynamoDbStreamsClient
com.amazonaws.services.ec2.AmazonEC2AsyncClient	software.amazon.awssdk.services.ec2.Ec2AsyncClient
com.amazonaws.services.ec2.AmazonEC2Client	software.amazon.awssdk.services.ec2.Ec2Client

1.x Client	2.x Client
com.amazonaws.services.ecr. AmazonECRAsyncClient	software.amazon.awssdk.serv ices.ecr.EcrAsyncClient
com.amazonaws.services.ecr. AmazonECRClient	software.amazon.awssdk.serv ices.ecr.EcrClient
com.amazonaws.services.ecs. AmazonECSAsyncClient	software.amazon.awssdk.serv ices.ecs.EcsAsyncClient
com.amazonaws.services.ecs. AmazonECSClient	software.amazon.awssdk.serv ices.ecs.EcsClient
com.amazonaws.services.eks. AmazonEKSAsyncClient	software.amazon.awssdk.serv ices.eks.EksAsyncClient
com.amazonaws.services.eks. AmazonEKSClient	software.amazon.awssdk.serv ices.eks.EksClient
com.amazonaws.services.elas ticache.AmazonElastiCacheAs yncClient	software.amazon.awssdk.serv ices.elasticache.ElastiCach eAsyncClient
com.amazonaws.services.elas ticache.AmazonElastiCacheClient	software.amazon.awssdk.serv ices.elasticache.ElastiCach eClient
com.amazonaws.services.elas ticbeanstalk.AWSElasticBean stalkAsyncClient	software.amazon.awssdk.serv ices.elasticbeanstalk.Elast icBeanstalkAsyncClient
com.amazonaws.services.elas ticbeanstalk.AWSElasticBean stalkClient	software.amazon.awssdk.serv ices.elasticbeanstalk.Elast icBeanstalkClient
com.amazonaws.services.elas ticfilesystem.AmazonElastic FileSystemAsyncClient	software.amazon.awssdk.serv ices.efs.EfsAsyncClient

1.x Client	2.x Client
com.amazonaws.services.elasticfilesystem.AmazonElasticFileSystemClient	software.amazon.awssdk.services.efs.EfsClient
com.amazonaws.services.elasticloadbalancing.AmazonElasticLoadBalancingAsyncClient	software.amazon.awssdk.services.elasticloadbalancing.ElasticLoadBalancingAsyncClient
com.amazonaws.services.elasticloadbalancing.AmazonElasticLoadBalancingClient	software.amazon.awssdk.services.elasticloadbalancing.ElasticLoadBalancingClient
com.amazonaws.services.elasticloadbalancingv2.AmazonElasticLoadBalancingAsyncClient	software.amazon.awssdk.services.elasticloadbalancingv2.ElasticLoadBalancingV2AsyncClient
com.amazonaws.services.elasticloadbalancingv2.AmazonElasticLoadBalancingClient	software.amazon.awssdk.services.elasticloadbalancingv2.ElasticLoadBalancingV2Client
com.amazonaws.services.elasticmapreduce.AmazonElasticMapReduceAsyncClient	software.amazon.awssdk.services.emr.EmrAsyncClient
com.amazonaws.services.elasticmapreduce.AmazonElasticMapReduceClient	software.amazon.awssdk.services.emr.EmrClient
com.amazonaws.services.elasticsearch.AWSElasticsearchAsyncClient	software.amazon.awssdk.services.elasticsearch.ElasticsearchAsyncClient
com.amazonaws.services.elasticsearch.AWSElasticsearchClient	software.amazon.awssdk.services.elasticsearch.ElasticsearchClient

1.x Client	2.x Client
com.amazonaws.services.elastictranscoder.AmazonElasticTranscoderAsyncClient	software.amazon.awssdk.services.elastictranscoder.ElasticTranscoderAsyncClient
com.amazonaws.services.elastictranscoder.AmazonElasticTranscoderClient	software.amazon.awssdk.services.elastictranscoder.ElasticTranscoderClient
com.amazonaws.services.fms.AWSFMSAsyncClient	software.amazon.awssdk.services.fms.FmsAsyncClient
com.amazonaws.services.fms.AWSFMSClient	software.amazon.awssdk.services.fms.FmsClient
com.amazonaws.services.gamelift.AmazonGameLiftAsyncClient	software.amazon.awssdk.services.gamelift.GameLiftAsyncClient
com.amazonaws.services.gamelift.AmazonGameLiftClient	software.amazon.awssdk.services.gamelift.GameLiftClient
com.amazonaws.services.glacier.AmazonGlacierAsyncClient	software.amazon.awssdk.services.glacier.GlacierAsyncClient
com.amazonaws.services.glacier.AmazonGlacierClient	software.amazon.awssdk.services.glacier.GlacierClient
com.amazonaws.services.glue.AWSGlueAsyncClient	software.amazon.awssdk.services.glue.GlueAsyncClient
com.amazonaws.services.glue.AWSGlueClient	software.amazon.awssdk.services.glue.GlueClient
com.amazonaws.services.greengrass.AWSGreengrassAsyncClient	software.amazon.awssdk.services.greengrass.GreengrassAsyncClient

1.x Client	2.x Client
com.amazonaws.services.greengrass.AWSGreengrassClient	software.amazon.awssdk.services greengrass.GreengrassClient
com.amazonaws.services.guardduty.AmazonGuardDutyAsyncClient	software.amazon.awssdk.services.guardduty.GuardDutyAsyncClient
com.amazonaws.services.guardduty.AmazonGuardDutyClient	software.amazon.awssdk.services.guardduty.GuardDutyClient
com.amazonaws.services.health.AWSHealthAsyncClient	software.amazon.awssdk.services.health.HealthAsyncClient
com.amazonaws.services.health.AWSHealthClient	software.amazon.awssdk.services.health.HealthClient
com.amazonaws.services.identitymanagement.AmazonIdentityManagementAsyncClient	software.amazon.awssdk.services.iam.IamAsyncClient
com.amazonaws.services.identitymanagement.AmazonIdentityManagementClient	software.amazon.awssdk.services.iam.IamClient
com.amazonaws.services.importexport.AmazonImportExportAsyncClient	<i>Deprecated</i>
com.amazonaws.services.importexport.AmazonImportExportClient	<i>Deprecated</i>
com.amazonaws.services.inspector.AmazonInspectorAsyncClient	software.amazon.awssdk.services.inspector InspectorAsyncClient

1.x Client	2.x Client
com.amazonaws.services.inspector.AmazonInspectorClient	software.amazon.awssdk.services.inspector.InspectorClient
com.amazonaws.services.iot.AWSIoTAsyncClient	software.amazon.awssdk.services.iot.IotAsyncClient
com.amazonaws.services.iot.AWSIoTClient	software.amazon.awssdk.services.iot.IotClient
com.amazonaws.services.iot1clickdevices.AWSIoT1ClickDevicesAsyncClient	software.amazon.awssdk.services.iot1clickdevices.Iot1ClickDevicesAsyncClient
com.amazonaws.services.iot1clickdevices.AWSIoT1ClickDevicesClient	software.amazon.awssdk.services.iot1clickdevices.Iot1ClickDevicesClient
com.amazonaws.services.iot1clickprojects.AWSIoT1ClickProjectsAsyncClient	software.amazon.awssdk.services.iot1clickprojects.Iot1ClickProjectsAsyncClient
com.amazonaws.services.iot1clickprojects.AWSIoT1ClickProjectsClient	software.amazon.awssdk.services.iot1clickprojects.Iot1ClickProjectsClient
com.amazonaws.services.iotanalytics.AWSIoTAnalyticsAsyncClient	software.amazon.awssdk.services.iotanalytics.IotAnalyticsAsyncClient
com.amazonaws.services.iotanalytics.AWSIoTAnalyticsClient	software.amazon.awssdk.services.iotanalytics.IotAnalyticsClient
com.amazonaws.services.iotdata.AWSIoTDataAsyncClient	software.amazon.awssdk.services.iotdata.IotDataAsyncClient

1.x Client	2.x Client
com.amazonaws.services.iotdata.AWSIoTDataClient	software.amazon.awssdk.services.iotdata.IotDataClient
com.amazonaws.services.iotjobsdataplane.AWSIoTJobsDataPlaneAsyncClient	software.amazon.awssdk.services.iotdataplane.IotDataPlaneAsyncClient
com.amazonaws.services.iotjobsdataplane.AWSIoTJobsDataPlaneClient	software.amazon.awssdk.services.iotdataplane.IotDataPlaneClient
com.amazonaws.services.kinesis.AmazonKinesisAsyncClient	software.amazon.awssdk.services.kinesis.KinesisAsyncClient
com.amazonaws.services.kinesis.AmazonKinesisClient	software.amazon.awssdk.services.kinesis.KinesisClient
com.amazonaws.services.kinesisanalytics.AmazonKinesisAnalyticsAsyncClient	software.amazon.awssdk.services.kinesisanalytics.KinesisAnalyticsAsyncClient
com.amazonaws.services.kinesisanalytics.AmazonKinesisAnalyticsClient	software.amazon.awssdk.services.kinesisanalytics.KinesisAnalyticsClient
com.amazonaws.services.kinesisfirehose.AmazonKinesisFirehoseAsyncClient	software.amazon.awssdk.services.firehose.FirehoseAsyncClient
com.amazonaws.services.kinesisfirehose.AmazonKinesisFirehoseClient	software.amazon.awssdk.services.firehose.FirehoseClient

1.x Client	2.x Client
com.amazonaws.services.kinesisvideo.AmazonKinesisVideoArchivedMediaAsyncClient	software.amazon.awssdk.services.kinesisvideoarchivedmedia.KinesisVideoArchivedMediaAsyncClient
com.amazonaws.services.kinesisvideo.AmazonKinesisVideoArchivedMediaClient	software.amazon.awssdk.services.kinesisvideoarchivedmedia.KinesisVideoArchivedMediaClient
com.amazonaws.services.kinesisvideo.AmazonKinesisVideoAsyncClient	software.amazon.awssdk.services.kinesisvideo.KinesisVideoAsyncClient
com.amazonaws.services.kinesisvideo.AmazonKinesisVideoClient	software.amazon.awssdk.services.kinesisvideo.KinesisVideoClient
com.amazonaws.services.kinesisvideo.AmazonKinesisVideoMediaAsyncClient	software.amazon.awssdk.services.kinesisvideomedia.KinesisVideoMediaAsyncClient
com.amazonaws.services.kinesisvideo.AmazonKinesisVideoMediaClient	software.amazon.awssdk.services.kinesisvideomedia.KinesisVideoMediaClient
com.amazonaws.services.kinesisvideo.AmazonKinesisVideoPutMediaClient	Not Supported
com.amazonaws.services.kms.AWSKMSAsyncClient	software.amazon.awssdk.services.kms.KmsAsyncClient
com.amazonaws.services.kms.AWSKMSClient	software.amazon.awssdk.services.kms.KmsClient

1.x Client	2.x Client
com.amazonaws.services.lambda.AWSLambdaAsyncClient	software.amazon.awssdk.services.lambda.LambdaAsyncClient
com.amazonaws.services.lambda.AWSLambdaClient	software.amazon.awssdk.services.lambda.LambdaClient
com.amazonaws.services.lexmodelbuilding.AlexModelBuildingAsyncClient	software.amazon.awssdk.services.lexmodelbuilding.LexModelBuildingAsyncClient
com.amazonaws.services.lexmodelbuilding.AlexModelBuildingClient	software.amazon.awssdk.services.lexmodelbuilding.LexModelBuildingClient
com.amazonaws.services.lexruntime.AlexRuntimeAsyncClient	software.amazon.awssdk.services.lexruntime.LexRuntimeAsyncClient
com.amazonaws.services.lexruntime.AlexRuntimeClient	software.amazon.awssdk.services.lexruntime.LexRuntimeClient
com.amazonaws.services.lightsail.AlexLightsailAsyncClient	software.amazon.awssdk.services.lightsail.LightsailAsyncClient
com.amazonaws.services.lightsail.AlexLightsailClient	software.amazon.awssdk.services.lightsail.LightsailClient
com.amazonaws.services.logs.AWSLogsAsyncClient	software.amazon.awssdk.services.logs.LogsAsyncClient
com.amazonaws.services.logs.AWSLogsClient	software.amazon.awssdk.services.logs.LogsClient

1.x Client	2.x Client
com.amazonaws.services.machinelearning.AmazonMachineLearningAsyncClient	software.amazon.awssdk.services.machinelearning.MachineLearningAsyncClient
com.amazonaws.services.machinelearning.AmazonMachineLearningClient	software.amazon.awssdk.services.machinelearning.MachineLearningClient
com.amazonaws.services.macie.AmazonMacieAsyncClient	software.amazon.awssdk.services.macie.MacieAsyncClient
com.amazonaws.services.macie.AmazonMacieClient	software.amazon.awssdk.services.macie.MacieClient
com.amazonaws.services.marketplacecommerceanalytics.AWSMarketplaceCommerceAnalyticsAsyncClient	software.amazon.awssdk.services.marketplacecommerceanalytics.MarketplaceCommerceAnalyticsAsyncClient
com.amazonaws.services.marketplacecommerceanalytics.AWSMarketplaceCommerceAnalyticsClient	software.amazon.awssdk.services.marketplacecommerceanalytics.MarketplaceCommerceAnalyticsClient
com.amazonaws.services.marketplaceentitlement.AWSMarketplaceEntitlementAsyncClient	software.amazon.awssdk.services.marketplaceentitlement.MarketplaceEntitlementAsyncClient
com.amazonaws.services.marketplaceentitlement.AWSMarketplaceEntitlementClient	software.amazon.awssdk.services.marketplaceentitlement.MarketplaceEntitlementClient
com.amazonaws.services.marketplacemetering.AWSMarketplaceMeteringAsyncClient	software.amazon.awssdk.services.marketplacemetering.MarketplaceMeteringAsyncClient

1.x Client	2.x Client
com.amazonaws.services.marketplacemetering.AWSMarketplaceMeteringClient	software.amazon.awssdk.services.marketplacemetering.MarketplaceMeteringClient
com.amazonaws.services.mediaconvert.AWSMediaConvertAsyncClient	software.amazon.awssdk.services.mediaconvert.MediaConvertAsyncClient
com.amazonaws.services.mediaconvert.AWSMediaConvertClient	software.amazon.awssdk.services.mediaconvert.MediaConvertClient
com.amazonaws.services.medialive.AWSMediaLiveAsyncClient	software.amazon.awssdk.services.medialive.MediaLiveAsyncClient
com.amazonaws.services.medialive.AWSMediaLiveClient	software.amazon.awssdk.services.medialive.MediaLiveClient
com.amazonaws.services.mediacompackaging.AWSMediaPackageAsyncClient	software.amazon.awssdk.services.mediacompackaging.MediaPackageAsyncClient
com.amazonaws.services.mediacompackage.AWSMediaPackageClient	software.amazon.awssdk.services.mediacompackage.MediaPackageClient
com.amazonaws.services.mediestore.AWSMediaStoreAsyncClient	software.amazon.awssdk.services.mediestore.MediaStoreAsyncClient
com.amazonaws.services.mediestore.AWSMediaStoreClient	software.amazon.awssdk.services.mediestore.MediaStoreClient

1.x Client	2.x Client
com.amazonaws.services.mediastoredata.AWSMediaStoreDataAsyncClient	software.amazon.awssdk.services.mediamanager.MediaStoreDataAsyncClient
com.amazonaws.services.mediastoredata.AWSMediaStoreDataClient	software.amazon.awssdk.services.mediamanager.MediaStoreDataClient
com.amazonaws.services.mediatailor.AWSMediaTailorAsyncClient	software.amazon.awssdk.services.mediatailor.MediaTailorAsyncClient
com.amazonaws.services.mediatailor.AWSMediaTailorClient	software.amazon.awssdk.services.mediatailor.MediaTailorClient
com.amazonaws.services.migrationhub.AWSMigrationHubAsyncClient	software.amazon.awssdk.services.migrationhub.MigrationHubAsyncClient
com.amazonaws.services.migrationhub.AWSMigrationHubClient	software.amazon.awssdk.services.migrationhub.MigrationHubClient
com.amazonaws.services.mobile.AWSMobileAsyncClient	software.amazon.awssdk.services.mobile.MobileAsyncClient
com.amazonaws.services.mobile.AWSMobileClient	software.amazon.awssdk.services.mobile.MobileClient
com.amazonaws.services.mq.AmazonMQAsyncClient	software.amazon.awssdk.services.mq.MqAsyncClient
com.amazonaws.services.mq.AmazonMQClient	software.amazon.awssdk.services.mq.MqClient

1.x Client	2.x Client
com.amazonaws.services.mturk.AmazonMTurkAsyncClient	software.amazon.awssdk.services.mturk.MTurkAsyncClient
com.amazonaws.services.mturk.AmazonMTurkClient	software.amazon.awssdk.services.mturk.MTurkClient
com.amazonaws.services.neptune.AmazonNeptuneAsyncClient	software.amazon.awssdk.services.neptune.NeptuneAsyncClient
com.amazonaws.services.neptune.AmazonNeptuneClient	software.amazon.awssdk.services.neptune.NeptuneClient
com.amazonaws.services.opsworks.AWSOpsWorksAsyncClient	software.amazon.awssdk.services.opsworks.OpsWorksAsyncClient
com.amazonaws.services.opsworks.AWSOpsWorksClient	software.amazon.awssdk.services.opsworks.OpsWorksClient
com.amazonaws.services.opsworkscm.AWSOpsWorksCMAsyncClient	software.amazon.awssdk.services.opsworkscm.OpsWorksCmAsyncClient
com.amazonaws.services.opsworkscm.AWSOpsWorksCMClient	software.amazon.awssdk.services.opsworkscm.OpsWorksCmClient
com.amazonaws.services.organizations.AWSOrganizationsAsyncClient	software.amazon.awssdk.services.organizations.OrganizationsAsyncClient
com.amazonaws.services.organizations.AWSOrganizationsClient	software.amazon.awssdk.services.organizations.OrganizationsClient
com.amazonaws.services.pi.AWSPIAsyncClient	software.amazon.awssdk.services.pi.PiAsyncClient

1.x Client	2.x Client
com.amazonaws.services.pi.AWSPIClient	software.amazon.awssdk.services.pi.PiClient
com.amazonaws.services.pinpoint.AmazonPinpointAsyncClient	software.amazon.awssdk.services.pinpoint.PinpointAsyncClient
com.amazonaws.services.pinpoint.AmazonPinpointClient	software.amazon.awssdk.services.pinpoint.PinpointClient
com.amazonaws.services.polly.AmazonPollyAsyncClient	software.amazon.awssdk.services.polly.PollyAsyncClient
com.amazonaws.services.polly.AmazonPollyClient	software.amazon.awssdk.services.polly.PollyClient
com.amazonaws.services.pricing.AWSPriceingAsyncClient	software.amazon.awssdk.services.pricing.PricingAsyncClient
com.amazonaws.services.pricing.AWSPriceingClient	software.amazon.awssdk.services.pricing.PricingClient
com.amazonaws.services.rds.AmazonRDSAsyncClient	software.amazon.awssdk.services.rds.RdsAsyncClient
com.amazonaws.services.rds.AmazonRDSClient	software.amazon.awssdk.services.rds.RdsClient
com.amazonaws.services.redshift.AmazonRedshiftAsyncClient	software.amazon.awssdk.services.redshift.RedshiftAsyncClient
com.amazonaws.services.redshift.AmazonRedshiftClient	software.amazon.awssdk.services.redshift.RedshiftClient

1.x Client	2.x Client
com.amazonaws.services.rekognition.AmazonRekognitionAsyncClient	software.amazon.awssdk.services.rekognition.RekognitionAsyncClient
com.amazonaws.services.rekognition.AmazonRekognitionClient	software.amazon.awssdk.services.rekognition.RekognitionClient
com.amazonaws.services.resourcegroups.AWSResourceGroupsAsyncClient	software.amazon.awssdk.services.resourcegroups.ResourceGroupsAsyncClient
com.amazonaws.services.resourcegroups.AWSResourceGroupsClient	software.amazon.awssdk.services.resourcegroups.ResourceGroupsClient
com.amazonaws.services.resourcegroupstaggingapi.AWSResourceGroupsTaggingAPIAsyncClient	software.amazon.awssdk.services.resourcegroupstaggingapi.ResourceGroupsTaggingApiAsyncClient
com.amazonaws.services.resourcegroupstaggingapi.AWSResourceGroupsTaggingAPIClient	software.amazon.awssdk.services.resourcegroupstaggingapi.ResourceGroupsTaggingApiClient
com.amazonaws.services.route53.AmazonRoute53AsyncClient	software.amazon.awssdk.services.route53.Route53AsyncClient
com.amazonaws.services.route53.AmazonRoute53Client	software.amazon.awssdk.services.route53.Route53Client
com.amazonaws.services.route53domains.AmazonRoute53DomainsAsyncClient	software.amazon.awssdk.services.route53domains.Route53DomainsAsyncClient

1.x Client	2.x Client
com.amazonaws.services.route53domains.AmazonRoute53DomainsClient	software.amazon.awssdk.services.route53domains.Route53DomainsClient
com.amazonaws.services.s3.AmazonS3Client	software.amazon.awssdk.services.s3.S3Client
com.amazonaws.services.sagemaker.AmazonSageMakerAsyncClient	software.amazon.awssdk.services.sagemaker.SageMakerAsyncClient
com.amazonaws.services.sagemaker.AmazonSageMakerClient	software.amazon.awssdk.services.sagemaker.SageMakerClient
com.amazonaws.services.sagemakerruntime.AmazonSageMakerRuntimeAsyncClient	software.amazon.awssdk.services.sagemakerruntime.SageMakerRuntimeAsyncClient
com.amazonaws.services.sagemakerruntime.AmazonSageMakerRuntimeClient	software.amazon.awssdk.services.sagemakerruntime.SageMakerRuntimeClient
com.amazonaws.services.secretsmanager.AWSSecretsManagerAsyncClient	software.amazon.awssdk.services.secretsmanager.SecretsManagerAsyncClient
com.amazonaws.services.secretsmanager.AWSSecretsManagerClient	software.amazon.awssdk.services.secretsmanager.SecretsManagerClient
com.amazonaws.services.securitytoken.AWSSecurityTokenServiceAsyncClient	software.amazon.awssdk.services.sts.StsAsyncClient

1.x Client	2.x Client
com.amazonaws.services.securitytoken.AWSSecurityTokenServiceClient	software.amazon.awssdk.services.sts.StsClient
com.amazonaws.services.serverlessapplicationrepository.AWSServerlessApplicationRepositoryAsyncClient	software.amazon.awssdk.services.serverlessapplicationrepository.ServerlessApplicationRepositoryAsyncClient
com.amazonaws.services.serverlessapplicationrepository.AWSServerlessApplicationRepositoryClient	software.amazon.awssdk.services.serverlessapplicationrepository.ServerlessApplicationRepositoryClient
com.amazonaws.services.servermigration.AWSServerMigrationAsyncClient	software.amazon.awssdk.services.sms.SmsAsyncClient
com.amazonaws.services.servermigration.AWSServerMigrationClient	software.amazon.awssdk.services.sms.SmsClient
com.amazonaws.services.servicecatalog.AWSServiceCatalogAsyncClient	software.amazon.awssdk.services.servicecatalog.ServiceCatalogAsyncClient
com.amazonaws.services.servicecatalog.AWSServiceCatalogClient	software.amazon.awssdk.services.servicecatalog.ServiceCatalogClient
com.amazonaws.services.servicediscovery.AWSServiceDiscoveryAsyncClient	software.amazon.awssdk.services.servicediscovery.ServiceDiscoveryAsyncClient

1.x Client	2.x Client
com.amazonaws.services.servicediscovery.AWSDiscoveryClient	software.amazon.awssdk.services.servicediscovery.ServiceDiscoveryClient
com.amazonaws.services.shield.AWSShieldAsyncClient	software.amazon.awssdk.services.shield.ShieldAsyncClient
com.amazonaws.services.shield.AWSShieldClient	software.amazon.awssdk.services.shield.ShieldClient
com.amazonaws.services.simpledb.AmazonSimpleDBAsyncClient	software.amazon.awssdk.services.simpledb.SimpleDbAsyncClient
com.amazonaws.services.simpledb.AmazonSimpleDBClient	software.amazon.awssdk.services.simpledb.SimpleDbClient
com.amazonaws.services.simpleemail.AmazonSimpleEmailServiceAsyncClient	software.amazon.awssdk.services.ses.SesAsyncClient
com.amazonaws.services.simpleemail.AmazonSimpleEmailServiceClient	software.amazon.awssdk.services.ses.SesClient
com.amazonaws.services.simplesystemsmanagement.AWSSimpleSystemsManagementAsyncClient	software.amazon.awssdk.services.ssm.SsmAsyncClient
com.amazonaws.services.simplesystemsmanagement.AWSSimpleSystemsManagementClient	software.amazon.awssdk.services.ssm.SsmClient
com.amazonaws.services.simpleworkflow.AmazonSimpleWorkflowAsyncClient	software.amazon.awssdk.services.swf.SwfAsyncClient

1.x Client	2.x Client
com.amazonaws.services.simpleworkflow.AmazonSimpleWorkflowClient	software.amazon.awssdk.services.swf.SwfClient
com.amazonaws.services.snowball.AmazonSnowballAsyncClient	software.amazon.awssdk.services.snowball.SnowballAsyncClient
com.amazonaws.services.snowball.AmazonSnowballClient	software.amazon.awssdk.services.snowball.SnowballClient
com.amazonaws.services sns .AmazonSNSAsyncClient	software.amazon.awssdk.services.sns.SnsAsyncClient
com.amazonaws.services sns .AmazonSNSClient	software.amazon.awssdk.services.sns.SnsClient
com.amazonaws.services.sqs .AmazonSQSAsyncClient	software.amazon.awssdk.services.sqs.SqsAsyncClient
com.amazonaws.services.sqs .AmazonSQSClient	software.amazon.awssdk.services.sqs.SqsClient
com.amazonaws.services.stepfunctions.AWSStepFunctionsAsyncClient	software.amazon.awssdk.services.sfn.SfnAsyncClient
com.amazonaws.services.stepfunctions.AWSStepFunctionsClient	software.amazon.awssdk.services.sfn.SfnClient
com.amazonaws.services.storagegateway.AWSStorageGatewayAsyncClient	software.amazon.awssdk.services.storagegateway.StorageGatewayAsyncClient

1.x Client	2.x Client
com.amazonaws.services.storagegateway.AWSStorageGatewayClient	software.amazon.awssdk.services.storagegateway.StorageGatewayClient
com.amazonaws.services.support.AWSSupportAsyncClient	software.amazon.awssdk.services.support.SupportAsyncClient
com.amazonaws.services.support.AWSSupportClient	software.amazon.awssdk.services.support.SupportClient
com.amazonaws.services.transcribe.AmazonTranscribeAsyncClient	software.amazon.awssdk.services.transcribe.TranscribeAsyncClient
com.amazonaws.services.transcribe.AmazonTranscribeClient	software.amazon.awssdk.services.transcribe.TranscribeClient
com.amazonaws.services.translate.AmazonTranslateAsyncClient	software.amazon.awssdk.services.translate.TranslateAsyncClient
com.amazonaws.services.translate.AmazonTranslateClient	software.amazon.awssdk.services.translate.TranslateClient
com.amazonaws.services.waf.AWSWAFAsyncClient	software.amazon.awssdk.services.waf.WafAsyncClient
com.amazonaws.services.waf.AWSWAFClient	software.amazon.awssdk.services.waf.WafClient
com.amazonaws.services.waf.AWSWAFRegionalAsyncClient	software.amazon.awssdk.services.waf.regional.WafRegionalAsyncClient

1.x Client	2.x Client
com.amazonaws.services.waf. AWSWAFRegionalClient	software.amazon.awssdk.services.waf.regional.WafRegionalClient
com.amazonaws.services.work docs.AmazonWorkDocsAsyncClient	software.amazon.awssdk.services.workdocs.WorkDocsAsyncClient
com.amazonaws.services.work docs.AmazonWorkDocsClient	software.amazon.awssdk.services.workdocs.WorkDocsClient
com.amazonaws.services.work mail.AmazonWorkMailAsyncClient	software.amazon.awssdk.services.workmail.WorkMailAsyncClient
com.amazonaws.services.work mail.AmazonWorkMailClient	software.amazon.awssdk.services.workmail.WorkMailClient
com.amazonaws.services.work spaces.AmazonWorkspacesAsyn cClient	software.amazon.awssdk.services.workspaces.WorkSpacesAsyncClient
com.amazonaws.services.work spaces.AmazonWorkspacesClient	software.amazon.awssdk.services.workspaces.WorkSpacesClient
com.amazonaws.services.xray .AWSXRayAsyncClient	software.amazon.awssdk.services.xray.XRayAsyncClient
com.amazonaws.services.xray .AWSXRayClient	software.amazon.awssdk.services.xray.XRayClient

Client creation defaults

In version 2.x, the following changes have been made to the default client creation logic.

- The default credential provider chain for S3 no longer includes anonymous credentials. You must manually specify anonymous access to S3 by using the `AnonymousCredentialsProvider`.
- The following environment variables related to default client creation are different.

1.x	2.x
<code>AWS_CBOR_DISABLED</code>	<code>CBOR_ENABLED</code>
<code>AWS_ION_BINARY_DISABLE</code>	<code>BINARY_ION_ENABLED</code>

- The following system properties related to default client creation are different.

1.x	2.x
<code>com.amazonaws.sdk.disableEc2Metadata</code>	<code>aws.disableEc2Metadata</code>
<code>com.amazonaws.sdk.ec2MetadataServiceEndpointOverride</code>	<code>aws.ec2MetadataServiceEndpoint</code>
<code>com.amazonaws.sdk.disableCbor</code>	<code>aws.cborEnabled</code>
<code>com.amazonaws.sdk.disableIonBinary</code>	<code>aws.binaryIonEnabled</code>

- Version 2.x does not support the following system properties.

- 1.x**

`com.amazonaws.sdk.disableCertChecking`

`com.amazonaws.sdk.enableDefaultMetrics`

`com.amazonaws.sdk.enableThrottledRetry`

`com.amazonaws.regions.RegionUtils.fileOverride`

`com.amazonaws.regions.RegionUtils.disableRemote`

`com.amazonaws.services.s3.disableImplicitGlobalClients`

1.x

```
com.amazonaws.sdk.enableInRegionOptimizedMode
```

- Loading Region configuration from a custom endpoints.json file is no longer supported.

Client configuration

In 1.x, SDK client configuration was modified by setting a ClientConfiguration instance on the client or client builder. In version 2.x, the client configuration is split into separate configuration classes. With the separate configuration classes, you can configure different HTTP clients for async versus synchronous clients but still use the same ClientOverrideConfiguration class.

Example of client configuration in version 1.x

```
AmazonDynamoDBClientBuilder.standard()  
.withClientConfiguration(clientConfiguration)  
.build()
```

Example of synchronous client configuration in version 2.x

```
ProxyConfiguration.Builder proxyConfig = ProxyConfiguration.builder();  
  
ApacheHttpClient.Builder httpClientBuilder =  
    ApacheHttpClient.builder()  
        .proxyConfiguration(proxyConfig.build());  
  
ClientOverrideConfiguration.Builder overrideConfig =  
    ClientOverrideConfiguration.builder();  
  
DynamoDbClient client =  
    DynamoDbClient.builder()  
        .httpClientBuilder(httpClientBuilder)  
        .overrideConfiguration(overrideConfig.build())  
        .build();
```

Example of asynchronous client configuration in version 2.x

```
NettyNioAsyncHttpClient.Builder httpClientBuilder =  
    NettyNioAsyncHttpClient.builder();
```

```

ClientOverrideConfiguration.Builder overrideConfig =
    ClientOverrideConfiguration.builder();

ClientAsyncConfiguration.Builder asyncConfig =
    ClientAsyncConfiguration.builder();

DynamoDbAsyncClient client =
    DynamoDbAsyncClient.builder()
        .httpClientBuilder(httpClientBuilder)
        .overrideConfiguration(overrideConfig.build())
        .asyncConfiguration(asyncConfig.build())
        .build();

```

HTTP clients

Notable changes

- In version 2.x, you can change which HTTP client to use at runtime by specifying an implementation using `clientBuilder.httpClientBuilder`.
- When you pass an HTTP client by using `clientBuilder.httpClient` to a service client builder, the HTTP client is not closed by default if the service client closes. This allows you to share HTTP clients between service clients.
- Asynchronous HTTP clients now use non-blocking IO.
- Some operations now use HTTP/2 for improved performance.

Settings changes

Setting	1.x	2.x Sync, Apache	2.x Async, Netty
	<pre> ClientCon figuration clientConfig = new ClientCon figuration() </pre>	<pre> ApacheHtt pClient.B uilder httpClien tBuilder = ApacheHtt pClient.b uilder() </pre>	<pre> NettyNioA syncHttpC lient.Bui lder = NettyNioA syncHttpC lient.bui lder() </pre>

Setting	1.x	2.x Sync, Apache	2.x Async, Netty
Max connections	<code>clientCon fig.setMa xConnecti ons(...) clientCon fig.withM axConnect ions(...)</code>	<code>httpClien tBuilder. maxConnec tions(...)</code>	<code>httpClien tBuilder. maxConcur rency(...)</code>
Connection timeout	<code>clientCon fig.setCo nnectionT imeout(...) clientConfig.wi thConnect ionTimeout(...)</code>	<code>httpClien tBuilder. connectio nTimeout(...) httpClientBui lder.conn ectionAcq uisitionT imeout(...)</br></code>	<code>httpClien tBuilder. connectio nTimeout(...)</code>
Socket timeout	<code>clientCon fig.setSo cketTimeo ut(...) clientConf ig.withSo cketTimeo ut(...)</br></code>	<code>httpClien tBuilder. socketTim eout(...)</code>	<code>httpClien tBuilder. writeTime out(...) httpClien tBuilder. readTimeo ut(...)</code>
Connection TTL	<code>clientCon fig.setCo nnectionT TL(...) clientConf ig.withCo nnectionT TL(...)</code>	<code>httpClien tBuilder. connectio nTimeToLi ve(...)</code>	<code>httpClien tBuilder. connectio nTimeToLi ve(...)</code>

Setting	1.x	2.x Sync, Apache	2.x Async, Netty
Connection max idle	<pre>clientCon fig.setCo nnectionM axIdleMil lis(...) clientCon fig.withC onnection MaxIdleMi llis(...)</pre>	<pre>httpClien tBuilder. connectio nMaxIdleT ime(...)</pre>	<pre>httpClien tBuilder. connectio nMaxIdleT ime(...)</pre>
Validate after inactivity	<pre>clientCon fig.setVa lidityAft erInactiv ityMillis(...) clientConfig .withVali dateAfter Inactivit yMillis(...)</pre>	Not supported (Request Feature)	Not supported (Request Feature)
Local address	<pre>clientCon fig.setLo calAddress(...) clientConfig .withLoc alAddress(...)</pre>	<pre>httpClien tBuilder. localAddr ess(...)</pre>	Not supported
Expect-continue enabled	<pre>clientCon fig.setUs eExpectCo ntinue(...) clientConfig.wi thUseExpe ctContinue(...)</pre>	<pre>httpClien tBuilder. expectCon tinueEnab led(...)</pre>	Not supported (Request Feature)

Setting	1.x	2.x Sync, Apache	2.x Async, Netty
Connection reaper	<pre>clientCon fig.setUs eReaper(...) clientConfig.w ithReaper(...)</pre>	<pre>httpClien tBuilder. useIdleCo nnectionR eaper(...)</pre>	<pre>httpClien tBuilder. useIdleCo nnectionR eaper(...)</pre>
	<pre>AmazonDyn amoDBClie ntBuilder .standard() .withClie ntConfigu ration(cl ientConfi guration) .build()</pre>	<pre>DynamoDbC lient.builder() .httpClien tBuilder (httpClient Builder) .build()</pre>	<pre>DynamoDbA syncClien t.builder() .httpClientBu ilder(httpC lientBuilder) .build()</pre>

HTTP client proxies

Settings	1.x	2.x Sync, Apache	2.x Async, Netty
	<pre>ClientCon figuration clientConfig = new ClientCon figuration()</pre>	<pre>ProxyConf iguration .Builder proxyConfig = ProxyConf iguration .builder()</pre>	<pre>ProxyConf iguration .Builder proxyConfig = ProxyConf iguration .builder()</pre>
Proxy host	<pre>clientCon fig.setPr oxyHost(...) clientConfig.w ithProxyH ost(...)</pre>	<pre>proxyConf ig.endpoi nt(...)</pre>	<pre>proxyConf ig.host(...)</pre>

Settings	1.x	2.x Sync, Apache	2.x Async, Netty
Proxy port	<pre>clientCon fig.setPr oxyPort(...) clientConfig.w ithProxyP ort(...)</pre>	<pre>proxyConf ig.endpoi nt(...)</pre> <p>Proxy port is embedded in endpoint</p>	<pre>proxyConf ig.port(...)</pre>
Proxy username	<pre>clientCon fig.setPr oxyUserna me(...) clientConf ig.withPr oxyUserna me(...)</pre>	<pre>proxyConf ig.userna me(...)</pre>	<pre>proxyConf ig.userna me(...)</pre>
Proxy password	<pre>clientCon fig.setPr oxyPasswo rd(...) clientConf ig.withPr oxyPasswo rd(...)</pre>	<pre>proxyConf ig.passwo rd(...)</pre>	<pre>proxyConf ig.passwo rd(...)</pre>
Proxy domain	<pre>clientCon fig.setPr oxyDomain(...) clientConfig .withProx yDomain(...)</pre>	<pre>proxyConf ig.ntlmDo main(...)</pre>	Not Supported (Request Feature)

Settings	1.x	2.x Sync, Apache	2.x Async, Netty
Proxy workstation	<pre>clientCon fig.setPr oxyWorksp ace(...) clientCon fig.withP roxyWorks tation(...)</pre>	<pre>proxyConf ig.ntlmWo rkstation(...)</pre>	Not Supported (Request Feature)
Proxy authentication methods	<pre>clientCon fig.setPr oxyAuthen ticationM ethods(...) clientConfig.wi thProxyAu thenticat ionMethods(...)</pre>	<u>Not Supported</u>	Not Supported (Request Feature)
Preemptive basic proxy authentication	<pre>clientCon fig.setPr eemptiveB asicProxy Auth(...) clientCo nfig.with Preemptiv eBasicPro xyAuth(...)</pre>	<pre>proxyConf ig.preemp tiveBasic Authentic ationEnab led(...)</pre>	Not Supported (Request Feature)

Settings	1.x	2.x Sync, Apache	2.x Async, Netty
Non-proxy hosts	<pre>clientCon fig.setNo nProxyHos ts(...) clientConf ig.withNo nProxyHos ts(...)</pre>	<pre>proxyConf ig.nonPro xyHosts(...)</pre>	<pre>proxyConf ig.nonPro xyHosts(...)</pre>
Disable socket proxy	<pre>clientCon fig.setDi sableSock etProxy(...) clientConfig.w ithDisabl eSocketPr oxy(...)</pre>	<p>Not Supported (Request Feature)</p>	<p>Not Supported (Request Feature)</p>
	<pre>AmazonDyn amoDBClie ntBuilder .standard() .withClie ntConfigu ration(cl ientConfi guration) .build()</pre>	<pre>httpClien tBuilder. proxyConf iguration(proxyConf ig.build())</pre>	<pre>httpClien tBuilder. proxyConf iguration(proxyConf ig.build())</pre>

Client overrides

Setting	1.x	2.x
	<pre>ClientConfiguration clientConfig =</pre>	<pre>ClientOverrideConf iguration.Builder overrideConfig =</pre>

Setting	1.x	2.x
	<pre>new ClientConfiguration()</pre>	<pre>ClientOverrideConfiguration.builder()</pre>
User agent prefix	<pre>clientConfig.setUserAgentPrefix(...) clientConfig.withUserAgentPrefix(...)</pre>	<pre>overrideConfig.advancedOption(SdkAdvancedClientOption.USER_AGENT_P REFIX, ...)</pre>
User agent suffix	<pre>clientConfig.setUserAgentSuffix(...) clientConfig.withUserAgentSuffix(...)</pre>	<pre>overrideConfig.advancedOption(SdkAdvancedClientOption.USER_AGENT_S UFFIX, ...)</pre>
Signer	<pre>clientConfig.setSignerOverride(...) clientConfig.withSignerOverride(...)</pre>	<pre>overrideConfig.advancedOption(SdkAdvancedClientOption.SIGNER, ...)</pre>
Additional headers	<pre>clientConfig.addHeader(...) clientConfig.withHeader(...)</pre>	<pre>overrideConfig.putHeader(...)</pre>
Request timeout	<pre>clientConfig.setRequestTimeout(...) clientConfig.withRequestTimeout(...)</pre>	<pre>overrideConfig.apiCallAttemptTimeout (...)</pre>

Setting	1.x	2.x
Client execution timeout	<pre>clientConfig.setClientExecutionTimeout(...) clientConfig.withClientExecutionTimeout(...)</pre>	<pre>overrideConfig.apiCallTimeout(...)</pre>
Use Gzip	<pre>clientConfig.setUseGzip(...) clientConfig.withUseGzip(...)</pre>	Not Supported (Request Feature)
Socket buffer size hint	<pre>clientConfig.setSocketBufferSizeHint(...) clientConfig.withSocketBufferSizeHints(...)</pre>	Not Supported (Request Feature)
Cache response metadata	<pre>clientConfig.setCacheResponseMetadata(...) clientConfig.withCacheResponseMetadata(...)</pre>	Not Supported (Request Feature)
Response metadata cache size	<pre>clientConfig.setResponseMetadataCacheSize(...) clientConfig.withResponseMetadataCacheSize(...)</pre>	Not Supported (Request Feature)

Setting	1.x	2.x
DNS resolver	<pre>clientConfig.setDnsResolver(...) clientConfig.withDnsResolver(...)</pre>	Not Supported (Request Feature)
TCP keepalive	<pre>clientConfig.setUseTcpKeepAlive(...) clientConfig.withTcpKeepAlive(...)</pre>	<p>This option is now in the HTTP Client configuration</p> <ul style="list-style-type: none"> - ApacheHttpClient.builder().tcpKeepAlive(true) - NettyNioAsyncHttpclient.builder().tcpKeepAlive(true)
Secure random	<pre>clientConfig.setSecureRandom(...) clientConfig.withSecureRandom(...)</pre>	Not Supported (Request Feature)
	<pre>AmazonDynamoDBClientBuilder.standard() .withClientConfiguration(clientConfiguration) .build()</pre>	<pre>DynamoDbClient.builder() .httpClientBuilder(httpClientBuilder) .build()</pre>

Client override retries

Setting	1.x	2.x
	<pre>ClientConfiguration clientConfig =</pre>	<pre>RetryPolicy.Builder retryPolicy =</pre>

Setting	1.x	2.x
	<pre>new ClientConfiguration()</pre>	<pre>RetryPolicy.builder()</pre>
Max error retry	<pre>clientConfig.setMaxErrorRetry(...) clientConfig.withMaxErrorRetry(...)</pre>	<pre>retryPolicy.numRetries(...)</pre>
Use throttled retries	<pre>clientConfig.setUseThrottleRetries(...) clientConfig.withUseThrottleRetries(...)</pre>	<u>Not supported</u>
Max consecutive retries before throttling	<pre>clientConfig.setMaxConsecutiveRetriesBeforeThrottling(...) clientConfig.withMaxConsecutiveRetriesBeforeThrottling(...)</pre>	<u>Not supported</u>
	<pre>AmazonDynamoDBClientBuilder.standard() .withClientConfiguration(clientConfiguration) .build()</pre>	<pre>DynamoDbClient.builder() .httpClientBuilder(httpClientBuilder) .build()</pre>

Asynchronous clients

Setting	1.x	2.x
		<pre>ClientAsyncConfiguration.Builder .asyncConfig = ClientAsyncConfiguration.builder()</pre>
Executor	<pre>AmazonDynamoDBAsyncClientBuilder.standard() .withExecutorFactory(...) .build()</pre>	<pre>asyncConfig.advancedOption(SdkAdvancedAsyncClientOption.FUTURE_COMPLETION_EXECUTOR, ...)</pre>
		<pre>DynamoDbAsyncClient.builder() .asyncConfiguration(asyncConfig) .build()</pre>

Other client changes

The following ClientConfiguration option from 1.x has changed in 2.x of the SDK and doesn't have a direct equivalent.

Setting	1.x	2.x equivalent
Protocol	<pre>clientConfig.setProtocol(Protocol.HTTP) clientConfig.withProtocol(Protocol.HTTP)</pre>	<p>The protocol setting is HTTPS by default. To modify the setting, specify the protocol setting an HTTP endpoint on the client builder:</p>

Setting	1.x	2.x equivalent
		<pre>clientBuilder.endpointOverride(URI.create("http:// /..."))</pre>

Credentials provider changes

This section provides a mapping of the name changes of credentials provider classes and methods between versions 1.x and 2.x of the AWS SDK for Java.

Notable differences

- The default credentials provider loads system properties before environment variables in version 2.x. For more information, see [Using credentials](#).
- The constructor method is replaced with the `create` or `builder` methods.

Example

```
DefaultCredentialsProvider.create();
```

- Asynchronous refresh is no longer set by default. You must specify it with the `builder` of the credentials provider.

Example

```
ContainerCredentialsProvider provider = ContainerCredentialsProvider.builder()  
    .asyncCredentialUpdateEnabled(true)  
    .build();
```

- You can specify a path to a custom profile file using the `ProfileCredentialsProvider.builder()`.

Example

```
ProfileCredentialsProvider profile = ProfileCredentialsProvider.builder()  
  
.profileFile(ProfileFile.builder().content(Paths.get("myProfileFile.file")).build())
```

```
.build();
```

- Profile file format has changed to more closely match the AWS CLI. For details, see [Configuring the AWS CLI](#) in the *AWS Command Line Interface User Guide*.

Credentials provider changes mapped between versions 1.x and 2.x

AWSCredentialsProvider

Change category	1.x	2.x
Package/class name	com.amazonaws.auth. .AWSCredentialsPro vider	software.amazon.aw ssdk.auth.credenti als.AwsCredentials Provider
Method name	getCredentials	resolveCredentials
Unsupported method	refresh	Not supported

DefaultAWSCredentialsProviderChain

Change category	1.x	2.x
Package/class name	com.amazonaws.auth. .DefaultAWSCredit ialsProviderChain	software.amazon.aw ssdk.auth.credenti als.DefaultCredent ialsProvider
Creation	new DefaultAW SCredentialsProvid erChain	DefaultCredentials Provider.create
Unsupported method	getInstance	Not supported
Priority order of external settings	Environment variables before system properties	System properties before environment variables

AWSStaticCredentialsProvider

Change category	1.x	2.x
Package/class name	com.amazonaws.auth.AWSStaticCredentialsProvider	software.amazon.awssdk.auth.credentials.StaticCredentialsProvider
Creation	new AWSStaticCredentialsProvider	StaticCredentialsProvider.create

EnvironmentVariableCredentialsProvider

Change category	1.x	2.x
Package/class name	com.amazonaws.auth.EnvironmentVariableCredentialsProvider	software.amazon.awssdk.auth.credentials.EnvironmentVariableCredentialsProvider
Creation	new EnvironmentVariableCredentialsProvider	EnvironmentVariableCredentialsProvider.create
Environment variable name	AWS_ACCESS_KEY	AWS_ACCESS_KEY_ID
	AWS_SECRET_KEY	AWS_SECRET_ACCESS_KEY

SystemPropertiesCredentialsProvider

Change category	1.x	2.x
Package/class name	com.amazonaws.auth. .SystemPropertiesC redentialsProvider	software.amazon.aw ssdk.auth.credenti als.SystemProperty CredentialsProvider
Creation	new SystemPro pertiesCredentials Provider	SystemPropertiesCr edentialsProvider. create
System property name	aws.secretKey	aws.secretAccessKey

ProfileCredentialsProvider

Change category	1.x	2.x
Package/class name	com.amazonaws.auth .profile.ProfileCr edentialsProvider	software.amazon.aw ssdk.auth.credenti als.ProfileCredent ialsProvider
Creation	new ProfileCr edentialsProvider	ProfileCredentials Provider.create
Location of custom profile	<ul style="list-style-type: none"> • AWS_CREDENTIAL_PRO FILES_FILE environment variable • new ProfileCr edentialsProvider 	<ul style="list-style-type: none"> • AWS_SHARED_CREDENT IALS_FILE environment variable • ProfileCredentials Provider.builder

ContainerCredentialsProvider

Change category	1.x	2.x
Package/class name	com.amazonaws.auth.ContainerCredentialsProvider	software.amazon.awssdk.auth.credentials.ContainerCredentialsProvider
Creation	new ContainerCredentialsProvider	ContainerCredentialsProvider.create
Specify asynchronous refresh	Not supported	Default behavior

InstanceProfileCredentialsProvider

Change category	1.x	2.x
Package/class name	com.amazonaws.auth.InstanceProfileCredentialsProvider	software.amazon.awssdk.auth.credentials.InstanceProfileCredentialsProvider
Creation	new InstanceProfileCredentialsProvider	InstanceProfileCredentialsProvider.create
Specify asynchronous refresh	new InstanceProfileCredentialsProvider(true)	InstanceProfileCredentialProvider.builder().asyncCredentialUpdateEnabled(true).build()
System property name	com.amazonaws.sdk.disableEc2Metadata	aws.disableEc2Metadata

Change category	1.x	2.x
	<code>com.amazonaws.sdk.ec2MetadataService.EndpointOverride</code>	<code>aws.ec2MetadataServiceEndpoint</code>

STSAssumeRoleSessionCredentialsProvider

Change category	1.x	2.x
Package/class name	<code>com.amazonaws.auth.STSAssumeRoleSessionCredentialsProvider</code>	<code>software.amazon.awssdk.services.sts.auth.StsAssumeRoleCredentialsProvider</code>
Creation	<ul style="list-style-type: none"> <code>new STSAssumeRoleSessionCredentialsProvider</code> <code>new STSAssumeRoleSessionCredentialsProvider.Builder</code> 	<code>StsAssumeRoleCredentialsProvider.builder</code>
Asynchronous refresh	Default behavior	Default behavior
Configuration	<code>new STSAssumeRoleSessionCredentialsProvider.Builder</code>	Configure a <code>StsClient</code> and <code>AssumeRoleRequest</code> request

STSSessionCredentialsProvider

Change category	1.x	2.x
Package/class name	<code>com.amazonaws.auth.STSSessionCredentialsProvider</code>	<code>software.amazon.awssdk.services.sts.auth.StsGetSessionTokenCredentialsProvider</code>
Creation	<code>new STSSessionCredentialsProvider</code>	<code>StsGetSessionTokenCredentialsProvider.builder</code>
Asynchronous refresh	Default behavior	<code>StsGetSessionTokenCredentialsProvider.builder</code>
Configuration	Constructor parameters	Configure an <code>StsClient</code> and <code>GetSessionTokenRequest</code> request in a builder

WebIdentityFederationSessionCredentialsProvider

Change category	1.x	2.x
Package/class name	<code>com.amazonaws.auth.WebIdentityFederationSessionCredentialsProvider</code>	<code>software.amazon.awssdk.services.sts.auth.StsAssumeRoleWithWebIdentityCredentialsProvider</code>
Creation	<code>new WebIdentityFederationSessionCredentialsProvider</code>	<code>StsAssumeRoleWithWebIdentityCredentialsProvider.builder</code>

Change category	1.x	2.x
Asynchronous refresh	Default behavior	StsAssumeRoleWithWebIdentityCredentialsProvider.builder
Configuration	Constructor parameters	Configure an StsClient and AssumeRoleWithWebIdentityRequest request in a builder

Classes replaced

1.x class	2.x replacement classes
com.amazonaws.auth.EC2ContainerCredentialsProviderWrapper	software.amazon.awssdk.auth.credentials.ContainerCredentialsProvider and software.amazon.awssdk.auth.credentials.InstanceProfileCredentialsProvider
com.amazonaws.services.s3.S3CredentialsProviderChain	software.amazon.awssdk.auth.credentials.DefaultCredentialsProvider and software.amazon.awssdk.auth.credentials.AnonymousCredentialsProvider

Classes removed

1.x class
com.amazonaws.auth.ClasspathPropertiesFileCredentialsProvider
com.amazonaws.auth.PropertiesFileCredentialsProvider

Region changes

This section describes the changes implemented in the AWS SDK for Java 2.x for using the Region and Regions classes.

Region configuration

- Some AWS services don't have Region specific endpoints. When using those services, you must set the Region as Region.AWS_GLOBAL or Region.AWS_CN_GLOBAL.

Example

```
Region region = Region.AWS_GLOBAL;
```

- com.amazonaws.regions.Regions and com.amazonaws.regions.Region classes are now combined into one class, software.amazon.awssdk.regions.Region.

Method and class name mappings

The following tables map Region related classes between versions 1.x and 2.x of the AWS SDK for Java. You can create an instance of these classes using the of() method.

Example

```
RegionMetadata regionMetadata = RegionMetadata.of(Region.US_EAST_1);
```

1.x Regions class method changes

1.x	2.x
Regions.fromName	Region.of
Regions.getName	Region.id
Regions.getDescription	Region.metadata().description()
Regions.getCurrentRegion	Not Supported
Regions.DEFAULT_REGION	Not Supported

1.x	2.x
Regions.name	Region.id

1.x Region class method changes

1.x	2.x
Region.getName	Region.id
Region.hasHttpsEndpoint	Not Supported
Region.hasHttpEndpoint	Not Supported
Region.getAvailableEndpoints	Not Supported
Region.createClient	Not Supported

RegionMetadata class method changes

1.x	2.x
RegionMetadata.getName	RegionMetadata.name
RegionMetadata.getDomain	RegionMetadata.domain
RegionMetadata.getPartition	RegionMetadata.partition

ServiceMetadata class method changes

1.x	2.x
Region.getServiceEndpoint	ServiceMetadata.endpointFor(Region)
Region.isServiceSupported	ServiceMetadata.regions().contains(Region)

Operations, requests and responses changes

In v2.x of the SDK for Java, requests are passed to a client operation. For example `DynamoDbClient`'s `PutItemRequest` is passed to `DynamoDbClient.putItem` operation. These operations return a response from the AWS service, such as a `PutItemResponse`.

Version 2.x of the SDK for Java has the following changes from 1.x.

- Operations with multiple response pages now have a `Paginator` method for automatically iterating over all items in the response.
- You cannot mutate requests and responses.
- You must create requests and responses with a static builder method instead of a constructor. For example, 1.x's new `PutItemRequest().withTableName(...)` is now `PutItemRequest.builder().tableName(...).build()`.
- Operations support a short-hand way to create requests: `dynamoDbClient.putItem(request -> request.tableName(...))`.

Streaming operations

Streaming operations such as Amazon S3 `getObject` and `putObject` methods now support non-blocking I/O. As a result, the request and response POJOs no longer take an `InputStream` as a parameter. Instead, for synchronous requests the request object accepts `RequestBody`, which is a stream of bytes. The asynchronous equivalent accepts an `AsyncRequestBody`.

Example of Amazon S3 `putObject` operation in 1.x

```
s3client.putObject(BUCKET, KEY, new File(file_path));
```

Example of Amazon S3 `putObject` operation in 2.x

```
s3client.putObject(PutObjectRequest.builder()
    .bucket(BUCKET)
    .key(KEY)
    .build(),
    RequestBody.of(Paths.get("myfile.in")));
```

In parallel, a streaming response object accepts a `ResponseTransformer` for synchronous clients and a `AsyncResponseTransformer` for asynchronous clients.

Example of Amazon S3 getObject operation in 1.x

```
S3Object o = s3.getObject(bucket, key);
S3ObjectInputStream s3is = o.getObjectContent();
FileOutputStream fos = new FileOutputStream(new File(key));
```

Example of Amazon S3 getObject operation in 2.x

```
s3client.getObject(GetObjectRequest.builder().bucket(bucket).key(key).build(),
  ResponseTransformer.toFile(Paths.get("key")));
```

In the SDK for Java 2.x , streaming response operations have an `AsBytes` method to load the response into memory and simplify common in-memory type conversions.

Exception changes

Exception class names, their structures, and their relationships have changed.

`software.amazon.awssdk.core.exception.SdkException` is the new base Exception class that all the other exceptions extend.

This table maps the exception class name changes.

1.x	2.x
<code>com.amazonaws.SdkBaseException</code> <code>ion com.amazonaws.AmazonClientException</code>	<code>software.amazon.awssdk.core.exception.SdkException</code>
<code>com.amazonaws.SdkClientException</code>	<code>software.amazon.awssdk.core.exception.SdkClientException</code>
<code>com.amazonaws.AmazonServiceException</code>	<code>software.amazon.awssdk.core.exception.AwsServiceException</code>

The following table maps the methods on exception classes between version 1.x and 2.x.

1.x	2.x
AmazonServiceException.getRequestId	SdkServiceException.requestId
AmazonServiceException.getServiceName	AwsServiceException.awsErrorDetails().serviceName
AmazonServiceException.getErrorCode	AwsServiceException.awsErrorDetails().errorCode
AmazonServiceException.getErrorMessage	AwsServiceException.awsErrorDetails().errorMessage
AmazonServiceException.getStatusCode	AwsServiceException.awsErrorDetails().sdkHttpResponse().statusCode
AmazonServiceException.getHttpHeaders	AwsServiceException.awsErrorDetails().sdkHttpResponse().headers
AmazonServiceException.rawResponse	AwsServiceException.awsErrorDetails().rawResponse

Serialization changes

The SDK for Java v1.x and v2.x differ in how they serialize List objects to request parameters.

The SDK for Java 1.x does not serialize an empty list, whereas the SDK for Java 2.x serializes an empty list as an empty parameter.

For example, consider a service with a `SampleOperation` that takes a `SampleRequest`. The `SampleRequest` accepts two parameters—a String type `str1` and List type `listParam`—as shown in the following examples.

Example of `SampleOperation` in 1.x

```
SampleRequest v1Request = new SampleRequest()
```

```
.withStr1("TestName");  
  
sampleServiceV1Client.sampleOperation(v1Request);
```

Wire-level logging shows that the `listParam` parameter is not serialized.

```
Action=SampleOperation&Version=2011-01-01&str1=TestName
```

Example of SampleOperation in 2.x

```
sampleServiceV2Client.sampleOperation(b -> b  
    .str1("TestName"));
```

Wire-level logging shows that the `listParam` parameter is serialized with no value.

```
Action=SampleOperation&Version=2011-01-01&str1=TestName&listParam=
```

Service-specific changes

Amazon S3 changes

SDK for Java 2.x disables anonymous access by default. As a result, you must enable anonymous access by using the `AnonymousCredentialsProvider`.

Operation name changes

Many of the operation names for the Amazon S3 client have changed in the AWS SDK for Java 2.x. In version 1.x, the Amazon S3 client is not generated directly from the service API. This results in inconsistency between the SDK operations and the service API. In version 2.x, we now generate the Amazon S3 client to be more consistent with the service API.

The following table shows the operation names in the two versions.

Amazon S3 Operation names

1.x	2.x
abortMultipartUpload	abortMultipartUpload
changeObjectStorageClass	copyObject

1.x	2.x
completeMultipartUpload	completeMultipartUpload
copyObject	copyObject
copyPart	uploadPartCopy
createBucket	createBucket
deleteBucket	deleteBucket
deleteBucketAnalyticsConfiguration	deleteBucketAnalyticsConfiguration
deleteBucketCrossOriginConfiguration	deleteBucketCors
deleteBucketEncryption	deleteBucketEncryption
deleteBucketInventoryConfiguration	deleteBucketInventoryConfiguration
deleteBucketLifecycleConfiguration	deleteBucketLifecycle
deleteBucketMetricsConfiguration	deleteBucketMetricsConfiguration
deleteBucketPolicy	deleteBucketPolicy
deleteBucketReplicationConfiguration	deleteBucketReplication
deleteBucketTaggingConfiguration	deleteBucketTagging
deleteBucketWebsiteConfiguration	deleteBucketWebsite
deleteObject	deleteObject
deleteObjectTagging	deleteObjectTagging

1.x	2.x
deleteObjects	deleteObjects
deleteVersion	deleteObject
disableRequesterPays	putBucketRequestPayment
doesBucketExist	headBucket
doesBucketExistV2	headBucket
doesObjectExist	headObject
enableRequesterPays	putBucketRequestPayment
generatePresignedUrl	S3Presigner
getBucketAccelerateConfiguration	getBucketAccelerateConfiguration
getBucketAcl	getBucketAcl
getBucketAnalyticsConfiguration	getBucketAnalyticsConfiguration
getBucketCrossOriginConfiguration	getBucketCors
getBucketEncryption	getBucketEncryption
getBucketInventoryConfiguration	getBucketInventoryConfiguration
getBucketLifecycleConfiguration	getBucketLifecycle or getBucketLifecycleConfiguration
getBucketLocation	getBucketLocation
getBucketLoggingConfiguration	getBucketLogging
getBucketMetricsConfiguration	getBucketMetricsConfiguration

1.x	2.x
getBucketNotificationConfiguration	getBucketNotification or getBucketNotificationConfiguration
getBucketPolicy	getBucketPolicy
getBucketReplicationConfiguration	getBucketReplication
getBucketTaggingConfiguration	getBucketTagging
getBucketVersioningConfiguration	getBucketVersioning
getBucketWebsiteConfiguration	getBucketWebsite
get0bject	get0bject
get0bjectAcl	get0bjectAcl
get0bjectAsString	get0bjectAsBytes().asUtf8String
get0bjectMetadata	head0bject
get0bjectTagging	get0bjectTagging
getResourceUrl	S3Utilities#getUrl
getS3AccountOwner	listBuckets
getUrl	S3Utilities#getUrl
headBucket	headBucket
initiateMultipartUpload	createMultipartUpload
isRequesterPaysEnabled	getBucketRequestPayment
listBucketAnalyticsConfigurations	listBucketAnalyticsConfigurations

1.x	2.x
listBucketInventoryConfigurations	listBucketInventoryConfigurations
listBucketMetricsConfigurations	listBucketMetricsConfigurations
listBuckets	listBuckets
listMultipartUploads	listMultipartUploads
listNextBatchOfObjects	listObjectsV2Paginator
listNextBatchOfVersions	listObjectVersionsPaginator
listObjects	listObjects
listObjectsV2	listObjectsV2
listParts	listParts
listVersions	listObjectVersions
putObject	putObject
restoreObject	restoreObject
restoreObjectV2	restoreObject
selectObjectContent	selectObjectContent
setBucketAccelerateConfiguration	putBucketAccelerateConfiguration
setBucketAcl	putBucketAcl
setBucketAnalyticsConfiguration	putBucketAnalyticsConfiguration
setBucketCrossOriginConfiguration	putBucketCors
setBucketEncryption	putBucketEncryption

1.x	2.x
setBucketInventoryConfiguration	putBucketInventoryConfiguration
setBucketLifecycleConfiguration	putBucketLifecycle or putBucketLifecycleConfiguration
setBucketLoggingConfiguration	putBucketLogging
setBucketMetricsConfiguration	putBucketMetricsConfiguration
setBucketNotificationConfiguration	putBucketNotification or putBucketNotificationConfiguration
setBucketPolicy	putBucketPolicy
setBucketReplicationConfiguration	putBucketReplication
setBucketTaggingConfiguration	putBucketTagging
setBucketVersioningConfiguration	putBucketVersioning
setBucketWebsiteConfiguration	putBucketWebsite
setObjectAcl	putObjectAcl
setObjectRedirectLocation	copyObject
setObjectTagging	putObjectTagging
uploadPart	uploadPart

Amazon SNS changes

An SNS client can no longer access SNS topics in Regions other than the Region that it is configured to access.

Amazon SQS changes

An SQS client can no longer access SQS queues in Regions other than the Region that it is configured to access.

Amazon RDS changes

The SDK for Java 2.x uses `RdsUtilities#generateAuthenticationToken` in place of the class `RdsIamAuthTokenGenerator` in 1.x.

Profile file changes

The AWS SDK for Java 2.x parses the profile definitions in `~/.aws/config` and `~/.aws/credentials` to more closely emulate the way the AWS CLI parses the files.

The SDK for Java 2.x:

- Resolves a `~/` or `~` followed by the file system's default path separator at the start of the path by checking, in order, `$HOME`, `$USERPROFILE` (Windows only), `$HOMEDRIVE`, `$HOME PATH` (Windows only), and then the `user.home` system property.
- Looks for the `AWS_SHARED_CREDENTIALS_FILE` environment variable instead of `AWS_CREDENTIAL_PROFILE_FILE`.
- Silently drops profile definitions in configuration files without the word `profile` at the beginning of the profile name.
- Silently drops profile definitions that do not consist of alphanumeric, underscore or dash characters (after the leading `profile` word has been removed for configuration files).
- Merges settings of profile definitions duplicated within the same file.
- Merges settings of profile definitions duplicated in both the configuration and credentials files.
- Does NOT merge settings if both `[profile foo]` and `[foo]` are found in the same file.
- Uses settings in `[profile foo]` if both `[profile foo]` and `[foo]` are found in the configuration file.
- Uses the value of the last duplicated setting in the same file and profile.
- Recognizes both `;` and `#` for defining a comment.
- Recognizes `;` and `#` in profile definitions to define a comment, even if the characters are adjacent to the closing bracket.

- Recognizes ; and # to define a comment only in setting values only if they are preceded by whitespace.
- Recognizes ; and # and all following content in setting values if they are not preceded by whitespace.
- Considers role-based credentials the highest-priority credentials. The 2.x SDK always uses role-based credentials if the user specifies the `role_arn` property.
- Considers session-based credentials the second-highest-priority credentials. The 2.x SDK always uses session-based credentials if role-based credentials were not used and the user specifies the `aws_access_key_id` and `aws_session_token` properties.
- Uses basic credentials if role-based and session-based credentials are not used and the user specified the `aws_access_key_id` property.

Environment variables and system properties changes

1.x Environment Variable	1.x System Property	2.x Environment Variable	2.x System Property
AWS_ACCESS_KEY_ID AWS_ACCESS_KEY	<code>aws.accessKeyId</code>	AWS_ACCESS_KEY_ID	<code>aws.accessKeyId</code>
AWS_SECRET_KEY AWS_SECRET_ACCESS_KEY	<code>aws.secretKey</code>	AWS_SECRET_ACCESS_KEY	<code>aws.secretAccessKey</code>
AWS_SESSION_TOKEN	<code>aws.sessionToken</code>	AWS_SESSION_TOKEN	<code>aws.sessionToken</code>
AWS_REGION	<code>aws.region</code>	AWS_REGION	<code>aws.region</code>
AWS_CONFIG_FILE		AWS_CONFIG_FILE	<code>aws.configFile</code>
AWS_CREDENTIAL_FILES_FILE		AWS_SHARED_CREDENTIALS_FILE	<code>aws.sharedCredentialsFile</code>

1.x Environment Variable	1.x System Property	2.x Environment Variable	2.x System Property
AWS_PROFILE	aws.profile	AWS_PROFILE	aws.profile
AWS_EC2_METADATA_DISABLED	com.amazonaws.sdk.disableEc2Metadata	AWS_EC2_METADATA_DISABLED	aws.disableEc2Metadata
	com.amazonaws.sdk.ec2MetadataServiceEndpointOverride	AWS_EC2_METADATA_SERVICE_ENDPOINT_OVERRIDE	aws.ec2MetadataServiceEndpoint
AWS_CREDENTIALS_PATH		AWS_CREDENTIALS_PATH	aws.credentialsPath
AWS_CREDENTIALS_FULL_URI		AWS_CREDENTIALS_FULL_URI	aws.credentialsFullUri
AWS_CREDENTIAL_AUTHORIZATION_TOKEN		AWS_CREDENTIAL_AUTHORIZATION_TOKEN	aws.credentialsAuthorizationToken
AWS_CBOR_DISABLED	com.amazonaws.sdk.disableCbor	CBOR_ENABLED	aws.cborEnabled

1.x Environment Variable	1.x System Property	2.x Environment Variable	2.x System Property
AWS_ION_BINARY_DISABLE	com.amazonaws.sdk.disableIonBinary	BINARY_IO_ENABLED	aws.binaryIonEnabled
AWS_EXECUTION_ENV		AWS_EXECUTION_ENV	aws.executionEnvironment
	com.amazonaws.sdk.disableCertChecking	Not supported (Request feature)	Not supported (Request feature)
	com.amazonaws.sdk.enableDefaultMetrics	Not supported	Not supported
	com.amazonaws.sdk.enableThrottledRetry	Not supported	Not supported
	com.amazonaws.regions.RegionUtils.fileOverride	Not supported (Request feature)	Not supported (Request feature)
	com.amazonaws.regions.RegionUtils.disableRemote	Not supported (Request feature)	Not supported (Request feature)

1.x Environment Variable	1.x System Property	2.x Environment Variable	2.x System Property
	com.amazonaws.sdk.services.s3.disableImplicitGlobalClients	Not supported (Request feature)	Not supported (Request feature)
	com.amazonaws.sdk.enableInRegionOptimizedMode	Not supported (Request feature)	Not supported (Request feature)

Changes in Waiters from version 1 to version 2

This topic details the changes in the functionality of Waiters from version 1 (v1) to version 2 (v2).

The following tables demonstrate the difference for DynamoDB waiters specifically. Waiters for other services follow the same pattern.

High-level changes

Waiters classes are in the same Maven artifact as the service.

Change	v1	v2
Maven dependencies	<pre><dependencyManagement> <dependencies> <dependency> <groupId>com.amazonaws</groupId> <artifactId>aws-java-sdk-bom</artifactId></pre>	<pre><dependencyManagement> <dependencies> <dependency> <groupId>software.amazon.awssdk</groupId> <artifactId>bom</artifactId></pre>

Change	v1	v2
	<pre> <version> 1.12.680¹</version> <type>pom</ type> <scope>im port</scope> </dependency> </dependencies> </dependencyManageme nt> <dependencies> <dependency> <groupId> com.amazonaws</gro upId> <artifact Id>dynamodb</artif actId> </dependency> </dependencies></pre>	<pre> <version> 2.27.10²</version> <type>pom</ type> <scope>im port</scope> </dependency> </dependencies> </dependencyManageme nt> <dependencies> <dependency> <groupId> software.amazon.aw ssdk</groupId> <artifact Id>dynamodb</artif actId> </dependency> </dependencies></pre>
Package name	com.amazonaws.serv ices.dynamodbv2.wa ters	software.amazon.aw ssdk.services.dyna modb.waiters
Class names	AmazonDynamoDBWait ers	<ul style="list-style-type: none"> • Synchronous: DynamoDbW aiter • Asynchronous: DynamoDbA syncWaiter

¹ [Latest version.](#) ² [Latest version.](#)

API changes

Change	v1	v2
Create a waiter	<pre>AmazonDynamoDB client = AmazonDynamoDBClientBuilder .standard().build(); AmazonDynamoDBWaiters waiter = client.waiters();</pre>	<p>Synchronous:</p> <pre>DynamoDbClient client = DynamoDbClient.create(); DynamoDbWaiter waiter = client.waiter();</pre> <p>Asynchronous:</p> <pre>DynamoDbAsyncClient asyncClient = DynamoDbAsyncClient.create(); DynamoDbAsyncWaiter waiter = asyncClient.waiter();</pre>
Wait until a table exists	<p>Synchronous:</p> <pre>waiter.tableExists() .run(new WaiterParameters<>(new DescribeTableRequest(tableName)));</pre> <p>Asynchronous:</p> <pre>waiter.tableExists() .runAsync(new WaiterParameters() .withRequest(new DescribeTableRequest(tableName)),</pre>	<p>Synchronous:</p> <pre>WaiterResponse<DescribeTableResponse> waiterResponse = waiter.waitUntilTableExists(r -> r.getTableName().equals("myTable")); waiterResponse.matched().response() .ifPresent(System.out::println);</pre> <p>Asynchronous:</p>

Change	v1	v2
	<pre> new WaiterHandler() { @Override public void onWaitSuccess(AmazonWebServiceRequest amazonWebServiceRequest) { System.out.println("Table creation succeeded"); } @Override public void onWaitFailure(Exception e) { e.printStackTrace(); } }).get(); </pre>	<pre> waiter.waitUntilTableExists(r -> r.tableName(tableName)) .whenComplete((r, t) -> { if (t != null) { t.printStackTrace(); } else { System.out.println("Table creation succeeded"); } }).join(); </pre>

Configuration changes

Change	v1	v2
Polling Strategy (max attempts and fixed delay)	<pre> MaxAttemptsRetryStrategy maxAttemptsRetryStrategy = new MaxAttemptsRetryStrategy(10); FixedDelayStrategy fixedDelayStrategy = new FixedDelayStrategy(3); </pre>	<pre> FixedDelayBackoffStrategy fixedDelayBackoffStrategy = FixedDelayBackoffStrategy.createDuration.ofSeconds(3)); </pre>

Change	v1	v2
	<pre> PollingStrategy pollingStrategy = new PollingSt rategy(maxAttempts RetryStrategy, fixedDelayStrategy); waiter.tableEx ists().run(new WaiterPar ameters<>(new DescribeTableReque st(tableName)), pollingStrategy); </pre>	<pre> waiter.waitUntilTable Exists(r -> r.tableNa me(tableName), c -> c.maxAtte mpts(10) .backoffStrategy(f ixedDelayBackoffSt rategy)); </pre>

Changes in Amazon S3 Transfer Manager from version 1 to version 2

This topic details the changes in the Amazon S3 Transfer Manager from version 1 (v1) to version 2 (v2).

High-level changes

Change	v1	v2
Maven dependencies	<pre> <dependencyManagement> <dependencies> <dependency> <groupId> com.amazonaws</gro upId> <artifact Id>aws-java-sdk-bom</ artifactId> <version> 1.12.691¹</version> </pre>	<pre> <dependencyManagement> <dependencies> <dependency> <groupId> software.amazon.aw ssdk</groupId> <artifact Id>bom</artifactId> <version> 2.27.21²</version> <type>pom</ type> </pre>

Change	v1	v2
	<pre> <type>pom</ type> <scope>im port</scope> </dependency> </dependencies> </dependencyManageme nt> <dependencies> <dependency> <groupId> com.amazonaws</gro upId> <artifact Id>aws-java-sdk-s3</ artifactId> </dependency> </dependencies></pre>	<pre> <scope>im port</scope> </dependency> </dependencies> </dependencyManageme nt> <dependencies> <dependency> <groupId> software.amazon.aw ssdk</groupId> <artifactId>s3- transfer-manager</art ifactId> </dependency> // Add the following if using the // AWS CRT-based S3 client. <dependency> <groupId> software.amazon.aw ssdk.crt</groupId> <artifact Id>aws-crt</artifa ctId> <version> 0.29.14³</version> </dependency> </dependencies></pre>
Package name	com.amazonaws.serv ices.s3.transfer	software.amazon.aw ssdk.transfer.s3
Class name	TransferManager	S3TransferManager

¹ [Latest version](#). ² [Latest version](#). ³ [Latest version](#).

Configuration changes

The configuration changes that you need to set for the v2 transfer manager depend on which S3 client that you use. You have the choice of the AWS CRT-based S3 client or the standard Java-based S3 async client. For information about the differences, see the [the section called “S3 clients in the SDK” topic](#).

Use the AWS CRT-based S3 client

Setting	v1	v2 - Transfer Manager using AWS CRT-based S3 client
(get a builder)	<pre>TransferManagerBuilder tmBuilder = TransferManagerBuilder.standard();</pre>	<pre>S3TransferManager.Builder tmBuilder = S3TransferManager.builder();</pre>
S3 client	<pre>tmBuilder.withS3Client(...); tmBuilder.setS3Client(...);</pre>	<pre>tmBuilder.s3Client(...);</pre>
Executor	<pre>tmBuilder.withExecutorFactory(...); tmBuilder.setExecutorFactory(...);</pre>	<pre>tmBuilder.executor(...);</pre>
Shutdown thread pools	<pre>tmBuilder.withShutdownThreadPools(...); tmBuilder.setShutdownThreadPools(...);</pre>	<p>Not supported. The provided executor will not be shut down when the <code>S3TransferManager</code> is closed</p>
Minimum upload part size	<pre>tmBuilder.withMinimumUploadPartSize(...);</pre>	<pre>S3AsyncClient s3 = S3AsyncClient.crtBuilder().</pre>

Setting	v1	v2 - Transfer Manager using AWS CRT-based S3 client
	<pre>tmBuilder.setMinimumUploadPartSize(...);</pre>	<pre>minimumPartSizeInBytes(...) .build(); tmBuilder.s3Client(s3);</pre>
Multipart upload threshold	<pre>tmBuilder.withMinimumUploadPartSize(...); tmBuilder.setMinimumUploadPartSize(...);</pre>	<pre>S3AsyncClient s3 = S3AsyncClient.crtBuilder(). thresholdInBytes(...).build(); tmBuilder.s3Client(s3);</pre>
Minimum copy part size	<pre>tmBuilder.withMinimumUploadPartSize(...); tmBuilder.setMinimumUploadPartSize(...);</pre>	<pre>S3AsyncClient s3 = S3AsyncClient.crtBuilder(). minimumPartSizeInBytes(...) .build(); tmBuilder.s3Client(s3);</pre>
Multipart copy threshold	<pre>tmBuilder.withMinimumUploadPartSize(...); tmBuilder.setMinimumUploadPartSize(...);</pre>	<pre>S3AsyncClient s3 = S3AsyncClient.crtBuilder(). thresholdInBytes(...).build(); tmBuilder.s3Client(s3);</pre>

Setting	v1	v2 - Transfer Manager using AWS CRT-based S3 client
Disable parallel downloads	<pre>tmBuilder.withDisableParallelDownloads(...); tmBuilder.setDisableParallelDownloads(...);</pre>	<p>Disable parallel downloads by passing a standard Java-based S3 client with multipart disabled (default) to the transfer manager.</p> <pre>S3AsyncClient s3 = S3AsyncClient.builder().build(); tmBuilder.s3Client(s3);</pre>
Always calculate multipart md5	<pre>tmBuilder.withAlwaysCalculateMultipartMd5(...); tmBuilder.setAlwaysCalculateMultipartMd5(...);</pre>	Not supported.

Use Java-based S3 async client

Setting	v1	v2 - Transfer Manager using Java-based S3 async client
(get a builder)	<pre>TransferManagerBuilder tmBuilder = TransferManagerBuilder.standard();</pre>	<pre>S3TransferManager.Builder tmBuilder = S3TransferManager.builder();</pre>
S3 client	<pre>tmBuilder.withS3Client(...);</pre>	<pre>tmBuilder.s3Client(...);</pre>

Setting	v1	v2 - Transfer Manager using Java-based S3 async client
	<pre>tmBuilder.setS3Client(...);</pre>	
Executor	<pre>tmBuilder.withExecutorFactory(...); tmBuilder.setExecutorFactory(...);</pre>	<pre>tmBuilder.executor(...);</pre>
Shutdown thread pools	<pre>tmBuilder.withShutdownThreadPools(...); tmBuilder.setShutdownThreadPools(...);</pre>	Not supported. The provided executor will not be shut down when the <code>S3TransferManager</code> is closed
Minimum upload part size	<pre>tmBuilder.withMinimumUploadPartSize(...); tmBuilder.setMinimumUploadPartSize(...);</pre>	<pre>S3AsyncClient s3 = S3AsyncClient.builder() .multipartConfiguration(cfg -> cfg.minimumPartSizeInBytes(...)).build(); tmBuilder.s3Client(s3);</pre>

Setting	v1	v2 - Transfer Manager using Java-based S3 async client
Multipart upload threshold	<pre>tmBuilder.withMinimumUploadPartSize(...); tmBuilder.setMinimumUploadPartSize(...);</pre>	<pre>S3AsyncClient s3 = S3AsyncClient.builder() .multipartConfiguration(cfg -> cfg.thresholdInBytes(...)).build(); tmBuilder.s3Client(s3);</pre>
Minimum copy part size	<pre>tmBuilder.withMinimumUploadPartSize(...); tmBuilder.setMinimumUploadPartSize(...);</pre>	<pre>S3AsyncClient s3 = S3AsyncClient.builder() .multipartConfiguration(cfg -> cfg.minimumPartSizeInBytes(...)).build(); tmBuilder.s3Client(s3);</pre>
Multipart copy threshold	<pre>tmBuilder.withMinimumUploadPartSize(...); tmBuilder.setMinimumUploadPartSize(...);</pre>	<pre>S3AsyncClient s3 = S3AsyncClient.builder() .multipartConfiguration(cfg -> cfg.thresholdInBytes(...)).build(); tmBuilder.s3Client(s3);</pre>

Setting	v1	v2 - Transfer Manager using Java-based S3 async client
Disable parallel downloads	<pre>tmBuilder.withDisableParallelDownloads(...); tmBuilder.setDisableParallelDownloads(...);</pre>	<p>Disable parallel downloads by passing a standard Java-based S3 client with multipart disabled (default) to the transfer manager.</p> <pre>S3AsyncClient s3 = S3AsyncClient.builder().build(); tmBuilder.s3Client(s3);</pre>
Always calculate multipart md5	<pre>tmBuilder.withAlwaysCalculateMultipartMd5(...); tmBuilder.setAlwaysCalculateMultipartMd5(...);</pre>	Not supported.

Behavior changes

Parallel transfer requirements

In the SDK for Java 2.x, the automatic parallel transfer feature (multipart upload/download) is available through the [AWS CRT-based S3 client](#) and the [Java-based S3 async client](#). To use the AWS CRT-based S3 client, you must explicitly add the [AWS Common Runtime \(CRT\) library](#) dependency for the maximized performance. To use the Java-based S3 async client with multipart enabled, you must use the SDK at version [2.25.X <TODO>](#) or higher.

The AWS CRT-based S3 client alone—without using `S3TransferManager`—provides maximized performance of parallel transfers. `S3TransferManager` v2 provides additional APIs that make it easier to transfer files and directories.

Parallel download via byte-range fetches

When the automatic parallel transfer feature is enabled, the S3 Transfer Manager v2 uses [byte-range fetches](#) to retrieve specific portions of the object in parallel (multipart download). The way an object is downloaded with v2 does not depend on how the object was originally uploaded. All downloads can benefit from high throughput and concurrency.

In contrast, with S3 Transfer Manager v1, it does matter how the object was originally uploaded. The S3 Transfer Manager v1 retrieves the parts of the object the same way that the parts were uploaded. If an object was originally uploaded as a single object, the S3 Transfer Manager v1 is not able to accelerate the downloading process by using sub-requests.

Failure behavior

With S3 Transfer Manager v1, a directory transfer request fails if any sub-request fails. Unlike v1, the future returned from S3 Transfer Manager v2 completes successfully even if some sub-requests fail.

As a result, you should check for errors in the response by using the [CompletedDirectoryDownload.failedTransfers\(\)](#) method or [CompletedDirectoryUpload.failedTransfers\(\)](#) method even when the future completes successfully.

Changes in the EC2 metadata utility from version 1 to version 2

This topic details the changes in the SDK for Java Amazon Elastic Compute Cloud (EC2) metadata utility from version 1 (v1) to version 2 (v2).

High-level changes

Change	v1	v2
Maven dependencies	<pre><dependencyManagement> <dependencies> <dependency> <groupId> com.amazonaws</gro upId></pre>	<pre><dependencyManagement> <dependencies> <dependency> <groupId> software.amazon.aw ssdk</groupId> <artifact Id>bom</artifactId></pre>

Change	v1	v2
	<pre> <artifact Id>aws-java-sdk-bom</ artifactId> <version> 1.12.587¹</version> <type>pom</ type> <scope>im port</scope> </dependency> </dependencies> </dependencyManageme nt> <dependencies> <dependency> <groupId> com.amazonaws</gro upId> <artifact Id>aws-java-sdk-co re</artifactId> </dependency> </dependencies></pre>	<pre> <version> 2.27.21²</version> <type>pom</ type> <scope>im port</scope> </dependency> </dependencies> </dependencyManageme nt> <dependencies> <dependency> <groupId> software.amazon.aw ssdk</groupId> <artifact Id>imds</artifactId> </dependency> <dependency> <groupId> software.amazon.aw ssdk</groupId> <artifact Id>apache-client³</ artifactId> </dependency> </dependencies></pre>
Package name	com.amazonaws.util	software.amazon.awssdk.imds

Change	v1	v2
Instantiation approach	<p>Use static utility methods; no instantiation:</p> <pre>String localHostName = EC2MetadataUtils.getLocalHostName();</pre>	<p>Use a static factory method:</p> <pre>Ec2MetadataClient client = Ec2MetadataClient.create();</pre> <p>Or use a builder approach:</p> <pre>Ec2MetadataClient client = Ec2MetadataClient.builder() .endpointMode(EndpointMode.IPV6) .build();</pre>
Types of clients	Synchronous only utility methods: EC2MetadataUtils	<p>Synchronous: Ec2MetadataClient</p> <p>Asynchronous: Ec2MetadataAsyncClient</p>

¹ [Latest version](#). ² [Latest version](#).

³ Notice the declaration of the apache-client module for v2. V2 of the EC2 metadata utility requires an implementation of the SdkHttpClient interface for the synchronous metadata client, or the SdkAsyncHttpClient interface for the asynchronous metadata client. The [???](#) section shows the list of HTTP clients that you can use.

Requesting metadata

In v1, you use static methods that accept no parameters to request metadata for an EC2 resource. In contrast, you need to specify the path to the EC2 resource as a parameter in v2. The following table shows the different approaches.

v1	v2
<pre>String userMetaData = EC2MetadataUtils.getUserData();</pre>	<pre>Ec2MetadataClient client = Ec2MetadataClient.create(); Ec2MetadataResponse response = client.get("/latest/ user-data"); String userMetaData = responseAsString();</pre>

Refer to the [instance metadata categories](#) to find the path you need to supply to request a piece of metadata.

Note

When you use an instance metadata client in v2, you should aim to use the same client for all requests to retrieve metadata.

Behavior changes

JSON data

On EC2, the locally running Instance Metadata Service (IMDS) returns some metadata as JSON-formatted strings. One such example is the dynamic metadata of an [instance identity document](#).

The v1 API contains separate methods for each piece of instance identity metadata, whereas the v2 API directly returns the JSON string. To work with the JSON string, you can use the [Document API](#) to parse the response and navigate the JSON structure.

The following table compares how you retrieve metadata of an instance identity document in v1 and v2.

Use case	v1	v2
Retrieve the Region	<pre>InstanceInfo instanceInfo = InstanceInfo.getInstanceInfo();</pre>	<pre>Ec2MetadataResponse response = Ec2MetadataClient.create().get("/latest/ region");</pre>

Use case	v1	v2
	<pre data-bbox="616 213 926 439"> EC2Metadata taUtils.getInstanc eInfo(); String region = instanceInfo.getRe gion(); </pre>	<pre data-bbox="1095 213 1445 597"> client.get("/lates t/dynamic/instanc eIdentity/document"); Document instanceInfo = response.asDocumen t(); String region = instanceInfo.asMap ().get("region").a sString(); </pre>
Retrieve the instance id	<pre data-bbox="616 692 975 994"> InstanceInfo instanceI nfo = EC2Metadata taUtils.getInstanc eInfo(); String instanceId = instanceInfo.insta nceId; </pre>	<pre data-bbox="1095 692 1445 1157"> Ec2MetadataResponse response = client.get("/lates t/dynamic/instanc eIdentity/document"); Document instanceInfo = response.asDocumen t(); String instanceId = instanceInfo.asMap ().get("instanceId ").asString(); </pre>
Retrieve the instance type	<pre data-bbox="616 1248 975 1550"> InstanceInfo instanceI nfo = EC2Metadata taUtils.getInstanc eInfo(); String instanceType = instanceInfo.insta nceType(); </pre>	<pre data-bbox="1095 1248 1445 1712"> Ec2MetadataResponse response = client.get("/lates t/dynamic/instanc eIdentity/document"); Document instanceInfo = response.asDocumen t(); String instanceType = instanceInfo.asMap ().get("instanceTy pe").asString(); </pre>

Endpoint resolution differences

The following table shows the locations that the SDK checks to resolve the endpoint to IMDS. The locations are listed in descending priority.

v1	v2
System property: com.amazonaws.sdk.ec2MetadataServiceEndpoint0 override	Client builder configuration method: endpoint(...)
Environment variable: AWS_EC2_METADATA_SERVICE_ENDPOINT	System property: aws.ec2MetadataServiceEndpoint
Default Value: http://169.254.169.254	Config file: ~.aws/config with the ec2_metadata_service_endpoint setting
	Value associated with resolved endpoint-mode
	Default value: http://169.254.169.254

Endpoint resolution in v2

When you explicitly set an endpoint by using the builder, that endpoint value takes priority over all other settings. When the following code executes, the `aws.ec2MetadataServiceEndpoint` system property and config file `ec2_metadata_service_endpoint` setting are ignored if they exist.

```
Ec2MetadataClient client = Ec2MetadataClient
    .builder()
    .endpoint(URI.create("endpoint.to.use"))
    .build();
```

Endpoint-mode

With v2, you can specify an endpoint-mode to configure the metadata client to use the default endpoint values for IPv4 or IPv6. Endpoint-mode is not available for v1. The default value used for IPv4 is `http://169.254.169.254` and `http://[fd00:ec2::254]` for IPv6.

The following table shows the different ways that you can set the endpoint mode in order of descending priority.

		Possible values
Client builder configuration method: <code>endpointMode(...)</code>	<pre>Ec2MetadataClient client = Ec2MetadataClient .builder() .endpointMode(EndpointMode.IPV4) .build();</pre>	<code>EndpointMode.IPV4</code> , <code>EndpointMode.IPV6</code>
System property	<code>aws.ec2MetadataServiceEndpointMode</code>	IPv4, IPv6 (case does not matter)
Config file: <code>~/.aws/config</code>	<code>ec2_metadata_service_endpoint setting</code>	IPv4, IPv6 (case does not matter)
Not specified in the previous ways	IPv4 is used	

How the SDK resolves endpoint or endpoint-mode in v2

1. The SDK uses the value that you set in code on the client builder and ignores any external settings. Because the SDK throws an exception if both `endpoint` and `endpointMode` are called on the client builder, the SDK uses the `endpoint` value from whichever method you use.
2. If you do not set a value in code, the SDK looks to external configuration—first for system properties and then for a setting in the config file.
 - a. The SDK first checks for an endpoint value. If a value is found, it is used.
 - b. If the SDK still hasn't found a value, the SDK looks for endpoint mode settings.

3. Finally, if the SDK finds no external settings and you have not configured the metadata client in code, the SDK uses the IPv4 value of `http://169.254.169.254`.

IMDSv2

Amazon EC2 defines two approaches to access instance metadata:

- Instance Metadata Service Version 1 (IMDSv1) – Request/response approach
- Instance Metadata Service Version 2 (IMDSv2) – Session-oriented approach

The following table compares how the Java SDKs work with IMDS.

v1	v2
IMDSv2 is used by default	Always uses IMDSv2
Attempts to fetch a session token for each request and falls back to IMDSv1 if it fails to fetch a session token	Keeps a session token in an internal cache that is reused for multiple requests

The SDK for Java 2.x supports only IMDSv2 and does not fall back to IMDSv1.

Configuration differences

The following table lists the differing configuration options.

Configuration	v1	v2
Retries	Configuration not available	Configurable through builder method <code>retryPolicy(...)</code>
HTTP	Connection timeout configurable through the <code>AWS_METADATA_SERVICE_TIMEOUT</code> environment variable. The default is 1 second.	Configuration available by passing an HTTP client to the builder method <code>httpClient(...)</code> . The default

Configuration	v1	v2
		connection timeout for HTTP clients is 2 seconds.

Example v2 HTTP configuration

The following example shows how you can configure the metadata client. This example configures the connection timeout and uses the Apache HTTP client.

```
SdkHttpClient httpClient = ApacheHttpClient.builder()
    .connectionTimeout(Duration.ofSeconds(1))
    .build();

Ec2MetadataClient imdsClient = Ec2MetadataClient.builder()
    .httpClient(httpClient)
    .build();
```

Changes in Amazon CloudFront presigning from version 1 to version 2

This topic details the changes in the Amazon CloudFront from version 1 (v1) to version 2 (v2).

High-level changes

Change	v1	v2
Maven dependencies	<pre><dependencyManagement> <dependencies> <dependency> <groupId> com.amazonaws</gro upId> <artifact Id>aws-java-sdk-bom</ artifactId> <version> 1.12.587¹</version> <type>pom</ type></pre>	<pre><dependencyManagement> <dependencies> <dependency> <groupId> software.amazon.aw ssdk</groupId> <artifact Id>bom</artifactId> <version> 2.27.21²</version> <type>pom</ type> <scope>im port</scope></pre>

Change	v1	v2
	<pre> <scope>im port</scope> </dependency> </dependencies> </dependencyManageme nt> <dependencies> <dependency> <groupId> com.amazonaws</gro upId> <artifact Id>cloudfront</art ifactId> </dependency> </dependencies></pre>	<pre> </dependency> </dependencies> </dependencyManageme nt> <dependencies> <dependency> <groupId> software.amazon.aw ssdk</groupId> <artifact Id>cloudfront</art ifactId> </dependency> </dependencies></pre>
Package name	com.amazonaws.serv ices.cloudfront	software.amazon.aw ssdk.services.clou dfront
Class names	CloudFrontUrlSigner CloudFrontCookieSigner	CloudFrontUtilities SignedUrl CannedSignerRequest CustomSignerRequest

¹ [Latest version.](#) ² [Latest version.](#)

API changes

Behavior	v1	v2
Build a canned request	Arguments are passed directly to the API.	<pre>CannedSignerRequest cannedRequest = CannedSig nerRequest.builder()</pre>

Behavior	v1	v2
		<pre>.resourceUrl(resourceUrl) .privateKey(privateKey) .keyPairId(keyPairId) .expirationDate(expirationDate) .build();</pre>
Build a custom request	Arguments are passed directly to the API.	<pre>CustomSignerRequest customRequest = CustomSignerRequest.builder() .resourceUrl(resourceUrl) .privateKey(keyFile) .keyPairId(keyPairId) .expirationDate(expirationDate) .activeDate(activeDate) .ipRange(ipRange) .build();</pre>

Behavior	v1	v2
Generate a signed URL (canned)	<pre>String signedUrl = CloudFrontUrlSigner.getSignedURLWithCannedPolicy(resourceUrl, keyPairId, privateKey, expirationDate);</pre>	<pre>CloudFrontUtilities cloudFrontUtilities = CloudFrontUtilities.create(); SignedUrl signedUrl = cloudFrontUtilities.getSignedUrlWithCannedPolicy(cannedRequest); String url = signedUrl.url();</pre>
Generate a signed cookie (custom)	<pre>CookiesForCustomPolicy cookies = CloudFrontCookieSigner.getCookiesForCustomPolicy(resourceUrl, privateKey, keyPairId, expirationDate, activeDate, ipRange);</pre>	<pre>CloudFrontUtilities cloudFrontUtilities = CloudFrontUtilities.create(); CookiesForCustomPolicy cookies = cloudFrontUtilities.getCookiesForCustomPolicy(customRequest);</pre>

Refactored cookie headers in v2

In Java v1, the Java SDK delivers cookie headers as a `Map.Entry<String, String>`.

```
Map.Entry<String, String> signatureMap = cookies.getSignature();
String signatureKey = signatureMap.getKey(); // "CloudFront-Signature"
String signatureValue = signatureMap.getValue(); // "[SIGNATURE_VALUE]"
```

The Java v2 SDK delivers the entire header as a single `String`.

```
String signatureHeaderValue = cookies.signatureHeaderValue(); // "CloudFront-
Signature=[SIGNATURE_VALUE]"
```

Changes in parsing Amazon S3 URIs from version 1 to version 2

This topic details the changes in parsing Amazon S3 URIs from version 1 (v1) to version 2 (v2).

High-level changes

To begin parsing an S3 URI in v1, you instantiate an `AmazonS3URI` by using a constructor. In v2 you call `parseUri()` on an instance of `S3Utilities`, to return an `S3URI`.

Change	v1	v2
Maven dependencies	<pre><dependencyManagement> <dependencies> <dependency> <groupId> com.amazonaws</gro upId> <artifact Id>aws-java-sdk-bom</ artifactId> <version> 1.12.587¹</version> <type>pom</ type> <scope>im port</scope> </dependency> </dependencies> </dependencyManageme nt> <dependencies> <dependency> <groupId> com.amazonaws</gro upId> <artifact Id>s3</artifactId> </dependency></pre>	<pre><dependencyManagement> <dependencies> <dependency> <groupId> software.amazon.aw ssdk</groupId> <artifact Id>bom</artifactId> <version> 2.27.21²</version> <type>pom</ type> <scope>im port</scope> </dependency> </dependencies> </dependencyManageme nt> <dependencies> <dependency> <groupId> software.amazon.aw ssdk</groupId> <artifact Id>s3</artifactId> </dependency></pre>

Change	v1	v2
	</dependencies>	</dependencies>
Package name	com.amazonaws.services.s3	software.amazon.awssdk.services.s3
Class names	AmazonS3URI	S3URI

¹ [Latest version](#). ² [Latest version](#).

API changes

Behavior	v1	v2
Parse an S3 URI.	<pre>URI uri = URI.create("https://s3.amazonaws.com"); AmazonS3Uri s3Uri = new AmazonS3URI(uri, false);</pre>	<pre>S3Client s3Client = S3Client.create(); S3Utilities s3Utilities = s3Client.utilities(); S3Uri s3Uri = s3Utilities.parseUri(uri);</pre>
Retrieve the bucket name from an S3 URI.	<pre>String bucket = s3Uri.getBucket();</pre>	<pre>Optional<String> bucket = s3Uri.bucket();</pre>
Retrieve the key.	<pre>String key = s3Uri.getKey();</pre>	<pre>Optional<String> key = s3Uri.key();</pre>
Retrieve the region.	<pre>String region = s3Uri.getRegion();</pre>	<pre>Optional<Region> region = s3Uri.region(); String region; if (s3Uri.region().isPresent()) {</pre>

Behavior	v1	v2
Retrieve whether the S3 URI is path style.	<pre>boolean isPathStyle = s3Uri.isPathStyle();</pre>	<pre>region = s3Uri.reg ion().get().id(); }</pre>
Retrieve the version ID.	<pre>String versionId = s3Uri.getVersionId();</pre>	<pre>Optional<String> versionId = s3Uri.firstMatchin gRawQueryParameter ("versionId");</pre>
Retrieve the query parameter s.	N/A	<pre>Map<String, List<Stri ng>> queryParams = s3Uri.rawQueryPara meters();</pre>

Behavior changes

URL encoding

v1 provides the option to pass in a flag to specify whether the URI should be URL encoded. The default value is true.

In v2, URL encoding is not supported. If you work with object keys or query parameters that have reserved or unsafe characters, you must URL encode them. For example you need to replace a whitespace " " with %20.

Changes in the IAM Policy Builder API from version 1 to version 2

This topic details the changes in the IAM Policy Builder API from version 1 (v1) to version 2 (v2).

High-level changes

Change	v1	v2
Maven dependencies	<pre><dependencyManagement> <dependencies> <dependency> <groupId> com.amazonaws</gro upId> <artifact Id>aws-java-sdk-bom</ artifactId> <version> 1.12.587¹</version> <type>pom</ type> <scope>im port</scope> </dependency> </dependencies> </dependencyManageme nt> <dependencies> <dependency> <groupId> com.amazonaws</gro upId> <artifact Id>aws-java-sdk-co re</artifactId> </dependency> </dependencies></pre>	<pre><dependencyManagement> <dependencies> <dependency> <groupId> software.amazon.aw ssdk</groupId> <artifact Id>bom</artifactId> <version> 2.27.21²</version> <type>pom</ type> <scope>im port</scope> </dependency> </dependencies> </dependencyManageme nt> <dependencies> <dependency> <groupId> software.amazon.aw ssdk</groupId> <artifact Id>iam-policy-buil der</artifactId> </dependency> </dependencies></pre>
Package name	com.amazonaws.auth .policy	software.amazon.aw ssdk.policybuilder .iam
Class names	Policy Statement	IamPolicy IamStatement

Change	v1	v2
	<ul style="list-style-type: none"> • Statement.Effect • IdentiyManagementActions • Resource • Principal • Condition 	<ul style="list-style-type: none"> • IamEffect • IamAction • IamResource • IamPrincipal • IamCondition • IamConditionOperator • IamConditionKey

¹ [Latest version.](#) ² [Latest version.](#)

API changes

Setting	v1	v2
Instantiate a policy	<pre>Policy policy = new Policy();</pre>	<pre>IamPolicy.Builder policyBuilder = IamPolicy.builder(); ... IamPolicy policy = policyBuilder.build();</pre>
Set id	<pre>policy.withId(...); policy.setId(...);</pre>	<pre>policyBuilder.id(...);</pre>
Set version	<p>N/A - uses default version of 2012-10-17</p>	<pre>policyBuilder.version(...);</pre>
Create statement	<pre>Statement statement = new Statement (Effect.Allow) .withActi ons(...)</pre>	<pre>IamStatement statement = IamStatement.build er() .effect(I amEffect.ALLOW)</pre>

Setting	v1	v2
	<pre>.withConditions(...) .withId(...) .withPrincipals(...) .withResources(...);</pre>	<pre>.actions(...) .notActions(...) .conditions(...) .sid(...).principals(...).notPrincipals(...).resources(...).notResources(...).build()</pre>
Set statement	<pre>policy.withStatements(statement); policy.setStatements(statement);</pre>	<pre>policyBuilder.addStatement(statement);</pre>

Differences in building a statement

Actions

v1

The v1 SDK has [enum types](#) for service actions that represent [Action](#) elements in a policy statement. The following enum types are some examples.

- [IdentityManagementActions](#)
- [DynamoDBv2Actions](#)
- [SQSActions](#)

The following example shows the `SendMessage` constant for `SQSActions`.

```
Action action = SQSActions.SendMessage;
```

You cannot specify a [NotAction](#) element to a statement in v1.

v2

In v2, the [IamAction](#) interface represents all actions. To specify a [service-specific action](#) element, pass a string to the `create` method as shown in the following code.

```
IamAction action = IamAction.create("sqS:SendMessage");
```

You can specify a [NotAction](#) for a statement with v2 as shown in the following code.

```
IamAction action = IamAction.create("sqS:SendMessage");
IamStatement.builder().addNotAction(action);
```

Conditions

v1

To represent statement conditions, the v1 SDK uses subclasses of [Condition](#).

- [ArnCondition](#)
- [BooleanCondition](#)
- [DateCondition](#)
- [IpAddressCondition](#)
- [NumericCondition](#)
- [StringCondition](#)

Each Condition subclass defines a comparison enum type to help define the condition. For example, the following shows a [not like string comparison](#) for a condition.

```
Condition condition = new StringCondition(StringComparisonType.StringNotLike, "key",
"value");
```

v2

In v2, you build a condition for a policy statement by using [IamCondition](#) and provide an [IamConditionOperator](#), which contains enums for all types.

```
IamCondition condition = IamCondition.create(IamConditionOperator.STRING_NOT_LIKE,
    "key", "value");
```

Resources

v1

A policy statement's [Resource](#) element is represented by the SDK's [Resource](#) class. You supply the ARN as a string in the constructor. The following subclasses provide convenience constructors.

- [S3BucketResource](#)
- [S3ObjectResource](#)
- [SQSQueueResource](#)

In v1, you can specify a [NotResource](#) element for a [Resource](#) by calling the `withIsNotType` method as shown in the following statement.

```
Resource resource = new Resource("arn:aws:s3:::mybucket").withIsNotType(true);
```

v2

In v2, you create a [Resource](#) element by passing an ARN to the `IamResource.create` method.

```
IamResource resource = IamResource.create("arn:aws:s3:::mybucket");
```

An [IamResource](#) can be set as [NotResource](#) element as shown in the following snippet.

```
IamResource resource = IamResource.create("arn:aws:s3:::mybucket");
IamStatement.builder().addNotResource(resource);
```

`IamResource.ALL` represents all resources.

Principals

v1

The v1 SDK offers the following [Principal](#) classes to represent types of principals that include all members:

- [AllUsers](#)

- AllServices
- AllWebProviders
- All

You cannot add a [*NotPrincipal*](#) element to a statement.

v2

In v2, `IamPrincipal.ALL` represents all principals:

To represent all members in other types of principals, use the [`IamPrincipalType`](#) classes when you create a `IamPrincipal`.

- `IamPrincipal.create(IamPrincipalType.AWS, "*")` for all users.
- `IamPrincipal.create(IamPrincipalType.SERVICE, "*")` for all services.
- `IamPrincipal.create(IamPrincipalType.FEDERATED, "*")` for all web providers.
- `IamPrincipal.create(IamPrincipalType.CANONICAL_USER, "*")` for all canonical users.

You can use the `addNotPrincipal` method to represent a [*NotPrincipal*](#) element when you create a policy statement as shown in the following statement.

```
IamPrincipal principal = IamPrincipal.create(IamPrincipalType.AWS,  
    "arn:aws:iam::444455556666:root");  
IamStatement.builder().addNotPrincipal(principal);
```

Changes in the DynamoDB mapping/document APIs from version 1 to version 2

This topic details the changes in the Java SDK's high-level APIs for Amazon DynamoDB from version 1.x (v1) to the AWS SDK for Java 2.x (v2). We first cover the object-to-table mapping API and then discuss the [document API](#) for working with JSON-style documents.

High-level changes

The names of the mapping client in each library differ in v1 and v2:

- v1 - `DynamoDBMapper`

- v2 - DynamoDB Enhanced Client

You interact with the two libraries in much the same way: you instantiate a mapper/client and then supply a Java POJO to APIs that read and write these items to DynamoDB tables. Both libraries also offer annotations for the class of the POJO to direct how the client handles the POJO.

Notable differences when you move to v2 include:

- V2 and v1 use different method names for the low-level DynamoDB operations. For example:

v1	v2
load	getItem
save	putItem
batchLoad	batchGetItem

- V2 offers multiple ways to define table schemas and map POJOs to tables. You can choose from the use of annotations or a schema generated from code using a builder. V2 also offers mutable and immutable versions of schemas.
- With v2, you specifically create the table schema as one of the first steps, whereas in v1, the table schema is inferred from the annotated class as needed.
- V2 includes the [Document API client](#) in the enhanced client API, whereas v1 uses a [separate API](#).
- All APIs are available in synchronous and asynchronous versions in v2.

See the [DynamoDB mapping section](#) in this guide for more detailed information on the v2 enhanced client.

Import dependencies

v1	v2
<pre><dependencyManagement> <dependencies> <dependency> <groupId>com.amazonaws</gro upId></pre>	<pre><dependencyManagement> <dependencies> <dependency> <groupId>software.amazon.aw ssdk</groupId></pre>

v1	v2
<pre> <artifactId>aws-java-sdk-bom</ artifactId> <version> 1.X.X</version> <type>pom</type> <scope>import</scope> </dependency> </dependencies> </dependencyManagement> <dependencies> <dependency> <groupId>com.amazonaws</groupId> <artifactId>aws-java-sdk-dy namodb</artifactId> </dependency> </dependencies> </pre>	<pre> <artifactId>bom</artifactId> <version> 2.X.X*</version> <type>pom</type> <scope>import</scope> </dependency> </dependencies> </dependencyManagement> <dependencies> <dependency> <groupId>software.amazon.aw ssdk</groupId> <artifactId>dynamodb-enhanced</ artifactId> </dependency> </dependencies> </pre>

* [Latest version.](#)

In v1, a single dependency includes both the low-level DynamoDB API and the mapping/document API, whereas in v2, you use the dynamodb-enhanced artifact dependency to access the mapping/document API. The dynamodb-enhanced module contains a transitive dependency on the low-level dynamodb module.

API changes

Create a client

Use case	v1	v2
Normal instantiation	<pre> AmazonDynamoDB standardClient = AmazonDynamoDBClie ntBuilder.standard() .withCredentials(c redentialsProvider) .withRegion(Region s.US_EAST_1) </pre>	<pre> DynamoDbClient standardClient = DynamoDbClient.bui lder() .credentialsProvid er(ProfileCredenti alsProvider.create()) </pre>

Use case	v1	v2
	<pre>.build(); DynamoDBMapper mapper = new DynamoDBMapper(sta ndardClient);</pre>	<pre>.region(Region.US_ EAST_1) .build(); DynamoDbEnhancedC lient enhancedClient = DynamoDbEnhancedCl ient.builder() .dynamoDbClient(st andardClient) .build();</pre>
Minimal instantiation	<pre>AmazonDynamoDB standardClient = AmazonDynamoDBClien tBuilder.standard(); DynamoDBMapper mapper = new DynamoDBMapper(sta ndardClient);</pre>	<pre>DynamoDbEnhancedCl ient enhancedClient = DynamoDbEnhancedCl ient.create();</pre>
With attribute transformer*	<pre>DynamoDBMapper mapper = new DynamoDBMapper(sta ndardClient, attributeTransform erInstance);</pre>	<pre>DynamoDbEnhancedCl ient enhancedClient = DynamoDbEnhancedCl ient.builder() .dynamoDbClient(st andardClient) .extensions(extens ionAInstance, extensionBInstance) .build();</pre>

*Extensions in v2 correspond roughly to attribute transformers in v1. The [the section called “Use extensions”](#) section contains more information on extensions in v2.

Establish mapping to DynamoDB table/index

In v1, you specify a DynamoDB table name through a bean annotation. In v2, a factory method, `table()`, produces an instance of `DynamoDbTable` that represents the remote DynamoDB table. The first parameter of the `table()` method is the DynamoDB table name.

Use case	v1	v2
Map the Java POJO class to the DynamoDB table	<pre>@DynamoDBTable(tab leName ="Customer") public class Customer { ... }</pre>	<pre>DynamoDbTable<Cust omer> customerTable = enhancedClient.tab le("Customer", TableSchema.fromBe an(Customer.class));</pre>
Map to a DynamoDB secondary index	<ol style="list-style-type: none"> 1. Define a POJO class that represents the index. <ul style="list-style-type: none"> • Annotate class with the <code>@DynamoDBTable</code> supplying the name of the table that has the index. • Annotate properties with <code>@DynamoDBIndexHashKey</code> and optionally <code>@DynamoDBIndexRangeKey</code>. 2. Create a query expression. 3. Query using reference to the POJO class that represents the index. For example <pre>mapper.query(IdEma ilIndex.class, queryExpression)</pre> <p>where <code>IdEmailIndex</code> is the mapping class for the index.</p>	<ol style="list-style-type: none"> 1. Annotate attributes of a POJO class with <code>@DynamoDbSecondaryPartitionKey</code> (for a GSI) and <code>@DynamoDbSecondarySortKey</code> (for and GSI or LSI). For example, <pre>@DynamoDbSecondary SortKey(indexNames = "IdEmailIndex") public String getEmail() { return this.email; }</pre> 2. Retrieve a reference to the index. For example, <pre>DynamoDbIndex<Cust omer> customerIndex = customerTable.inde x("IdEmailIndex");</pre> 3. Query the index. <p>The ??? section in this guide provides more information.</p>

Use case	v1	v2
	The section in the DynamoDB Developer Guide that discusses the v1 query method shows a complete example.	

Table operations

This section describes operation APIs that differ between v1 and v2 for most standard use cases.

In v2, all operations that involve a single table are called on the `DynamoDbTable` instance, not on the enhanced client. The enhanced client contains methods that can target multiple tables.

In the table named *Table operations* below, a POJO instance is referred to as `item` or as a specific type such as `customer1`. For the v2 examples the instances named, `table` is the result of previously calling `enhancedClient.table()` that returns a reference to the `DynamoDbTable` instance.

Note that most v2 operations can be called with a fluent consumer pattern even when not shown. For example,

```
Customer customer = table.getItem(r # r.key(key));
or
Customer customer = table.getItem(r # r.key(k ->
    k.partitionValue("id").sortValue("email")))
```

For v1 operations, the table contains some of the commonly used forms and not all overloaded forms. For example, the `load()` method has the following overloads:

```
mapper.load(Customer.class, hashKey)
mapper.load(Customer.class, hashKey, rangeKey)
mapper.load(Customer.class, hashKey, config)
mapper.load(Customer.class, hashKey, rangeKey, config)
mapper.load(item)
mapper.load(item, config)
```

The table shows the commonly used forms:

```
mapper.load(item)
mapper.load(item, config)
```

Table operations

Use case	v1	DynamoDB operations	v2
Write a Java POJO to a Dynamo table	<pre>mapper.save(item) mapper.save(item, config) mapper.save(item, saveExpression, config)</pre> <p>In v1, <code>DynamoDBMapperConfig.SaveBehavior</code> and annotations determines which low-level DynamoDB method will be called. In general, <code>UpdateItem</code> is called except when using <code>SaveBehavior.CLOBBER</code> and <code>SaveBehavior.PUT</code>. Auto-generated keys are a special use case, and occasionally both <code>PutItem</code> and <code>UpdateItem</code> are used.</p>	<code>PutItem</code> <code>UpdateItem</code>	<pre>table.putItem(putItemRequest) table.putItem(item) table.putItemWithResponse(item) // Returns metadata.</pre> <pre>updateItem(updateItemRequest) table.updateItem(item) table.updateItemWithResponse(item) // Returns metadata.</pre>
Read an item from a Dynamo table to a	<pre>mapper.load(item) mapper.load(item, config)</pre>	<code>GetItem</code>	<pre>table.getItem(getItemRequest) table.getItem(item) table.getItem(key) table.getItemWithResponse(key) // Returns POJO with metadata.</pre>

Use case	v1	DynamoDB operators	v2
Java POJO			
Delete an item from a Dynamo table	<pre>mapper.delete(item , deleteExpression, config)</pre>	<pre>DeleteItemRequest deleteItemRequest = new DeleteItemRequest() .withKey(item) .withDeleteExpression(deleteExpression); table.deleteItem(deleteItemRequest)</pre>	<pre>table.deleteItem(item)</pre>
Query a Dynamo table or secondary index and return a paginated list	<pre>mapper.query(Customers.class, queryExpression) mapper.query(Customers.class, queryExpression, mapperConfig)</pre>	<pre>QueryRequest queryRequest = new QueryRequest() .withIndexName(indexName) .withKeyConditionExpression(keyConditionExpression) .withQueryExpression(queryExpression); table.query(queryRequest)</pre>	<pre>table.query(queryRequest) table.query(queryConditional)</pre> <p>Use the returned <code>PageIterable.stream()</code> (lazy loading) for sync responses and <code>PagePublisher.subscribe()</code> for async responses</p>
Query a Dynamo table or secondary index and return a list	<pre>mapper.queryPage(Customers.class, queryExpression) mapper.queryPage(Customers.class, queryExpression, mapperConfig)</pre>	<pre>QueryRequest queryRequest = new QueryRequest() .withIndexName(indexName) .withKeyConditionExpression(keyConditionExpression) .withQueryExpression(queryExpression); table.query(queryRequest)</pre>	<pre>table.query(queryRequest) table.query(queryConditional)</pre> <p>Use the returned <code>PageIterable.items()</code> (lazy loading) for sync responses and <code>PagePublisher.items.subscribe()</code> for async responses</p>

Use case	v1	DynamoDB operations	v2
Scan a Dynamo table or secondary index and return a paginated list	<pre>mapper.scan(Customer.class, scanExpression) mapper.scan(Customer.class, scanExpression, mapperConfig)</pre>	Scan	<pre>table.scan() table.scan(scanRequest)</pre> <p>Use the returned <code>PageIterable.stream()</code> (lazy loading) for sync responses and <code>PagePublisher.subscribe()</code> for async responses</p>
Scan a Dynamo table or secondary index and return a list	<pre>mapper.scanPage(Customer.class, scanExpression) mapper.scanPage(Customer.class, scanExpression, mapperConfig)</pre>	Scan	<pre>table.scan() table.scan(scanRequest)</pre> <p>Use the returned <code>PageIterable.items()</code> (lazy loading) for sync responses and <code>PagePublisher.items.subscribe()</code> for async responses</p>

Use case	v1	DynamoDB v2
Read multiple items from multiple tables in a batch	<pre data-bbox="213 255 719 1243"> mapper.batchLoad(Arrays.asList(customer1, customer2, book1)) mapper.batchLoad(itemsToGet) // itemsToGet: Map<Class<?>, List<KeyPair>> </pre>	<p data-bbox="719 255 845 382">Batch item</p> <pre data-bbox="845 255 1527 1243"> enhancedClient.batchGetItem(batchGetItemRequest) enhancedClient.batchGetItem(r -> r.readBatches(ReadBatch.builder(Record1.class) .mappedTableResource(mappedTable1) .add.GetItem(i -> i.key(k -> k.partitionValue(0))) .build(), ReadBatch.builder(Record2.class) .mappedTableResource(mappedTable2) .add.GetItem(i -> i.key(k -> k.partitionValue(0))) .build())) // Iterate over pages with lazy loading or over all items from the same table. </pre>

Use case	v1	DynamoDB API v2
Write multiple items to multiple tables in a batch	<pre>mapper.batchSave(Arrays.asList(customer1, customer2, book1))</pre>	<p>BatchWriteItem</p> <pre>enhancedClient.batchWriteItem(batchWriteItemRequest) enhancedClient.batchWriteItem(r -> r.writeBatches(WriteBatch.builder(Record1.class) .mappedTableResource(mappedTable1) .addPutItem(item1) .build(), WriteBatch.builder(Record2.class) .mappedTableResource(mappedTable2) .addPutItem(item2) .build()))</pre>
Delete multiple items from multiple tables in a batch	<pre>mapper.batchDelete(Arrays.asList(customer1, customer2, book1))</pre>	<p>BatchWriteItem</p> <pre>enhancedClient.batchWriteItem(r -> r.writeBatches(WriteBatch.builder(Record1.class) .mappedTableResource(mappedTable1) .addDeleteItem(item1key) .build(), WriteBatch.builder(Record2.class) .mappedTableResource(mappedTable2) .addDeleteItem(item2key) .build()))</pre>

Use case	v1	DynamoDB operations	v2
Write/delete multiple items in a batch	<pre>mapper.batchWrite(Arrays.asList(customer1, book1), Arrays.asList(customer2))</pre>	BatchWriteItem	<pre>enhancedClient.batchWriteItem(r -> r.writeBatches(WriteBatch.builder(Record1. class) .mappedTableResource(mappedTable1) .addPutItem(item1) .build(), WriteBatch.builder(Record2. class) .mappedTableResource(mappedTable2) .addDeleteItem(item2key) .build()))</pre>
Carry out a transactional write	<pre>mapper.transactionWrite(transactionWriteRequest)</pre>	TransactWriteItems	<pre>enhancedClient.transactWriteItems(transactWriteItemsRequest)</pre>
Carry out a transactional read	<pre>mapper.transactionLoad(transactionLoadRequest)</pre>	TransactGetItems	<pre>enhancedClient.transactGetItems(transactGetItemsRequest)</pre>

Use case	v1	DynamoDB operations	v2
Get count of matching items of a scan or query	<pre>mapper.count(Custom er.class, queryExpr ession) mapper.count(Custom er.class, scanExpr ession)</pre>	Query, Scan with SELECT	Not supported
Create a table in DynamoDB POJO class	<pre>mapper.generateCreateTableRequest(Cu stomer.class)</pre> <p>The previous statement corresponds to the low-level create table request; users must call <code>createTable</code> on the DynamoDB client.</p>	Create table	<pre>table.createTable(createTab leRequest) table.createTable(r -> r.provisi onedThroughput(getDefaultPr ovisionedThroughput()) .globalSecondaryIndices(EnhancedGlobalSeco ndaryIndex.builder() .indexNam e("gsi_1")) .projection(p -> p.projectionType(Projection Type.ALL)) .provisio nedThroughput(getDefaultPro visionedThroughput()) .build()));</pre>

Use case	v1	DynamoDB operators	v2
Perform a parallel scan in DynamoDB	<pre>mapper.parallelScan(Customer.class, scanExpression, numTotalSegments)</pre>	Scan with Segments and TotalSegments parameters	Users are required to handle the worker threads and call <code>scan</code> for each segment: <pre>table.scan(r -> r.segment(0).totalSegments(5))</pre>
Integrate Amazon S3 with DynamoDB to store intelligent S3 links	<pre>mapper.createS3Link(bucket, key) mapper.getS3ClientCache()</pre>	-	Not supported because it couples Amazon S3 and DynamoDB.

Map classes and properties

In both v1 and v2, you map classes to tables using bean-style annotations. V2 also offers [other ways to define schemas](#) for specific use cases, such as working with immutable classes.

Bean annotations

The following table shows the equivalent bean annotations for a specific use case that are used in v1 and v2. A `Customer` class scenario is used to illustrate parameters.

Annotations—as well as classes and enumerations—in v2 follow camel case convention and use '`DynamoDb`', not '`DynamoDB`'.

Use case	v1	v2
Map class to table	<pre>@DynamoDBTable (tableName ="CustomerTable")</pre>	<pre>@DynamoDbBean @DynamoDbBean(converterProviders = {...})</pre> <p>The table name is defined when calling the <code>DynamoDbEnhancedClient#table()</code> method.</p>
Designate a class member as a table attribute	<pre>@DynamoDBAttribute (attributeName = "customerName")</pre>	<pre>@DynamoDbAttribute("customerName")</pre>
Designate a class member is a hash/partition key	<pre>@DynamoDBHashKey</pre>	<pre>@DynamoDbPartitionKey</pre>
Designate a class member is a range/sort key	<pre>@DynamoDBHashKey</pre>	<pre>@DynamoDbSortKey</pre>
Designate a class member is a secondary index hash/partition key	<pre>@DynamoDBIndexHashKey</pre>	<pre>@DynamoDbSecondaryPartitionKey</pre>

Use case	v1	v2
Designate a class member is a secondary index range/sort key	@DynamoDBIndexRangeKey	@DynamoDbSecondarySortKey
Ignore this class member when mapping to a table	@DynamoDBIgnore	@DynamoDbIgnore
Designate a class member as an auto-generated UUID key attribute	@DynamoDBAutoGeneratedKey	@DynamoDbAutoGeneratedUuid The extension that provides this is not loaded by default; you must add the extension to client builder.
Designate a class member as an auto-generated timestamp attribute	@DynamoDBAutoGeneratedTimestamp	@DynamoDbAutoGeneratedTimestampAttribute The extension that provides this is not loaded by default; you must add the extension to client builder.

Use case	v1	v2
Designate a class member as an auto-incremented version attribute	@DynamoDBVersionAttribute	@DynamoDbVersionAttribute The extension that provides this is auto-loaded.
Designate a class member as requiring a custom conversion	@DynamoDBTypeConverted	@DynamoDbConvertedBy
Designate a class member to be stored as a different attribute type	@DynamoDBTyped(<DynamoDBAttributeType>)	No equivalent
Designate a class that can be serialized to a DynamoDB document (JSON-style document) or sub-document	@DynamoDBDocument	No direct equivalent annotation. Use the Enhanced Document API.

V2 additional annotations

Use case	v1	v2
Designate a class member not to be stored as a NULL attribute if the Java value is null	N/A	@DynamoDbIgnoreNulls
Designate a class member to be an empty object if all attributes are null	N/A	@DynamoDbPreserveEmptyObject
Designate special update action for a class member	N/A	@DynamoDbUpdateBehavior
Designate an immutable class	N/A	@DynamoDbImmutable
Designate a class member as an auto-incremented counter attribute	N/A	@DynamoDbAtomicCounter The extension that provides this functionality is auto-loaded.

Configuration

In v1, you generally control specific behaviors by using an instance of `DynamoDBMapperConfig`. You can supply the configuration object either when you create the mapper or when you make a request. In v2, configuration is specific to the request object for the operation.

Use case	v1	Default in v1	v2
	DynamoDBMapperConfig.builder()		

Use case	v1	Default in v1	v2
Batch load retry strategy	.withBatchLoadRetryStrategy(batchLoadRetryStrategy)	retry failed items	
Batch write retry strategy	.withBatchWriteRetryStrategy(batchWriteRetryStrategy)	retry failed items	
Consistent reads	.withConsistentReads(consistentReads)	EVENTUAL	By default, consistent reads is false for read operations. Override with .consistentRead(true) on the request object.
Conversion schema with sets of marshaller/unmarshallers	.withConversionSchema(conversionSchema) Static implementations provide backwards compatibility with older versions.	V2_COMPATIBLE	Not applicable. This is a legacy feature that refers to how the earliest versions of DynamoDB (v1) stored data types, and this behavior will not be preserved in the enhanced client. An example of behavior in DynamoDB v1 is storing booleans as Number instead of as Boolean.

Use case	v1	Default in v1	v2
Table names	<pre>.withObjectTableNameResolve() .withTableNameOverride() .withTableResolver()</pre> <p>Static implementations provide backwards compatibility with older versions</p>	use annotation or guess from class	The table name is defined when calling the <code>DynamoDbEnhancedClient#table()</code> method.
Pagination load strategy	<pre>.withPaginationLoadingStrategy(strategy)</pre> <p>Options are: LAZY_LOADING, EAGER_LOADING , or ITERATION_ONLY</p>	LAZY_LOADING	Iteration only is the default. The other v1 options are not supported.
Request metric collection	<pre>.withRequestMetricCollector(collector)</pre>	null	Use <code>metricPublisher()</code> in <code>ClientOverrideConfiguration</code> when building the standard DynamoDB client.

Use case	v1	Default in v1	v2
Save behavior	<pre>.withSaveBehavior(SaveBehavior.CLOBBER)</pre> <p>Options are UPDATE, CLOBBER, PUT, APPEND_SET , or UPDATE_SKIP_NULL_ATTRIBUTES .</p>	UPDATE	<p>In v2, you call <code>putItem()</code> or <code>updateItem()</code> explicitly.</p> <p>CLOBBER or PUT: Corresponding action in v2 is calling <code>putItem()</code> . There is no specific CLOBBER configuration.</p> <p>UPDATE: Corresponds to <code>updateItem()</code></p> <p>UPDATE_SKIP_NULL_ATTRIBUTES : Corresponds to <code>updateItem()</code> . Control update behavior with the request setting <code>ignoreNulls</code> and the annotation/tag <code>DynamoDbUpdateBehavior</code> .</p> <p>APPEND_SET : Not supported</p>
Type converter factory	<pre>.withTypeConverterFactory(ty)</pre>	standard type converters	<p>Set on the bean by using</p> <pre>@DynamoDbBean(converterProviders = {ConverterProvider.class, DefaultAttributeConverterProvider.class})</pre>

Per-operation configuration

In v1, some operations, such as `query()`, are highly configurable through an “expression” object submitted to the operation. For example:

```
DynamoDBQueryExpression<Customer> emailBwQueryExpr = new
DynamoDBQueryExpression<Customer>()
    .withRangeKeyCondition("Email",
        new Condition()
            .withComparisonOperator(ComparisonOperator.BEGINS_WITH)
            .withAttributeValueList(
                new AttributeValue().withS("my")));
```

```
mapper.query(Customer.class, emailBwQueryExpr);
```

In v2, instead of using a configuration object, you set parameters on the request object by using a builder. For example:

```
QueryEnhancedRequest emailBw = QueryEnhancedRequest.builder()
    .queryConditional(QueryConditional
        .sortBeginsWith(kb -> kb
            .sortValue("my"))).build();

customerTable.query(emailBw);
```

Conditionals

In v2, conditional and filtering expressions are expressed using an `Expression` object, which encapsulates the condition and the mapping of names and filters.

Use case	Operations	v1	v2
Expected <code>save()</code> , attribute <code>delete()</code> , conditional <code>query()</code> , scan	<code>s</code>	<pre>new DynamoDBSaveExpression() .withExpected(Collections.singletonMap("otherAttribute", new ExpectedAttributeValue(false))) .withConditionalOperator(ConditionalOperator.AND);</pre>	Deprecated; use <code>ConditionExpression</code> instead.
Conditional <code>delete()</code>	expression	<pre>deleteExpression.setConditionExpression("zipcode = :zipcode")</pre>	<pre>Expression conditionExpression = Expression.builder() .expression("#key = :value OR #key1 = :value1") .putExpressionName("#key", "attribute")</pre>

Use case	Operations	v1	v2
		<pre>deleteExpression .setExpressionAttr ibuteValues(...)</pre>	<pre>.putExpressionName ("key1", "attribute3") .putExpressionValu e(":value", AttributeValues.st ringValue("wrong")) .putExpressionValu e(":value1", AttributeValues.st ringValue("three")) .build();</pre> <pre>DeleteItemEnhancedRequest request = DeleteItemEnhancedRequest.b uilder() .conditionExpressi on(conditionExpression).build();</pre>
Filter expressions	query(), scan()	<pre>query() .scan()</pre>	<pre>Map<String, AttributeValue> values = singletonMap(":key", stringValue("value")); Expression filterExpression = Expression.builder() .expression("name = :key") .expressionValues(values) .build(); QueryEnhancedRequest request = QueryEnhancedRequest.builder() .filterExpression(filterExp ression).build();</pre>

Use case	Operations	v1	v2
Condition expression for query	query()	queryExpression.withKeyConditionExpression()	<pre>QueryConditional keyEqual = QueryConditional.keyEqualTo(b -> b .partitionValue("movie01")); QueryEnhancedRequest tableQuery = QueryEnhancedRequest.builder() .queryConditional(keyEqual) .build();</pre>

Type conversion

Default converters

In v2, the SDK provides a set of default converters for all common types. You can change type converters both at the overall provider level as well as for a single attribute. You can find a list of the available converters in the [AttributeConverter API reference](#).

Set a custom converter for an attribute

In v1, you can annotate a getter method with `@DynamoDBTypeConverted` to specify the class that converts between the Java attribute type and a DynamoDB attribute type. For instance, a `CurrencyFormatConverter` that converts between a Java `Currency` type and DynamoDB String can be applied as shown in the following snippet.

```
@DynamoDBTypeConverted(converter = CurrencyFormatConverter.class)
public Currency getCurrency() { return currency; }
```

The v2 equivalent of the previous snippet is shown below.

```
@DynamoDbConvertedBy(CurrencyFormatConverter.class)
public Currency getCurrency() { return currency; }
```

Note

In v1, you can apply the annotation to the attribute itself , a type or a user-defined annotation, v2 supports applying the annotation it only to the getter.

Add a type converter factory or provider

In v1, you can provide your own set of type converters, or override the types you care about by adding a type converter factory to the configuration. The type converter factory extends `DynamoDBTypeConverterFactory`, and overrides are done by getting a reference to the default set and extending it. The following snippet demonstrates how to do this.

```
DynamoDBTypeConverterFactory typeConverterFactory =
    DynamoDBTypeConverterFactory.standard().override()
        .with(String.class, CustomBoolean.class, new DynamoDBTypeConverter<String,
CustomBoolean>() {
            @Override
            public String convert(CustomBoolean bool) {
                return String.valueOf(bool.getValue());
            }
            @Override
            public CustomBoolean unconvert(String string) {
                return new CustomBoolean(Boolean.valueOf(string));
            }}).build();
DynamoDBMapperConfig config =
    DynamoDBMapperConfig.builder()
        .withTypeConverterFactory(typeConverterFactory)
        .build();
DynamoDBMapper mapperWithTypeConverterFactory = new DynamoDBMapper(dynamo, config);
```

V2 provides similar functionality through the `@DynamoDbBean` annotation. You can provide a single `AttributeConverterProvider` or a chain of ordered `AttributeConverterProviders`. Note that if you supply your own chain of attribute converter providers, you will override the default converter provider and must include it in the chain to use its attribute converters.

```
@DynamoDbBean(converterProviders = {
    ConverterProvider1.class,
    ConverterProvider2.class,
    DefaultAttributeConverterProvider.class})
```

```
public class Customer {  
    ...  
}
```

The section on [attribute conversion](#) in this guide contains a complete example for v2.

Document API

The Document API supports working with JSON-style documents as single items in a DynamoDB table. The v1 Document API has a corresponding API in v2, but instead of using a separate client for the document API as in v1, v2 incorporates document API features in the DynamoDB enhanced client.

In v1, the [Item](#) class represents an unstructured record from a DynamoDB table. In v2, an unstructured record is represented by an instance of the [EnhancedDocument](#) class. Note that primary keys are defined in the table schema for v2, and on the item itself in v1.

The table below compares the differences between the Document APIs in v1 and v2.

Use case	v1	v2
Create a document client	<pre>AmazonDynamoDB client = ... //Create a client. DynamoDB documentClient = new DynamoDB(client);</pre>	<pre>// The v2 Document API uses the same DynamoDbE nhancedClient // that is used for mapping POJOs. DynamoDbClient standardClient = ... //Create a standard client. DynamoDbEnhancedCli ent enhancedClient = ... // Create an enhanced client.</pre>
Reference a table	<pre>Table documentTable = docClient.document Client("Person");</pre>	<pre>DynamoDbTable<Enha ncedDocument> documentTable = enhancedClient.tab le("Person",</pre>

Use case**v1****v2**

```
TableSche
ma.documentSchemaB
uilder()
    .addIndex
PartitionKey(Table
Metadata.primaryIn
dexName(),"id",
AttributeValueType.S)
    .attribut
eConverterProvider
s(AttributeConvert
erProvider.default
Provider())
    .build()
;
```

Work with semi-structured data**Put item**

```
Item item = new Item()
    .withPrimaryKey("i
d", 50)
    .withString("first
Name", "Shirley");
PutItemOutcome outcome
= documentTable.putI
tem(item);
```

```
EnhancedDocument
personDocument =
EnhancedDocument.b
uilder()
    .putNumbe
r("id", 50)
    .putStrin
g("firstName",
"Shirley")
    .build();
documentTable.put
Item(personDocument);
```

Use case**v1****v2****Get item**

```
GetItemOutcome outcome
    = documentTable.getItemOutcome("id", 50);
Item personDocFromDb =
    outcome.getItem();
String firstName =
    personDocFromDb.getString("firstName");
```

```
EnhancedDocument
personDocFromDb =
documentTable
    .getItem(
Key.builder()
        .partitionValue(50)
    .build());
String firstName =
    personDocFromDb.getString("firstName");
```

Work with JSON items**Convert a JSON structure to use it with the Document API**

```
// The 'jsonPerson'
identifier is a JSON
string.
Item item = new Item().fromJSON(jsonPerson);
```

```
// The 'jsonPerson'
identifier is a JSON
string.
EnhancedDocument
document = EnhancedDocument.builder()
    .json(jsonPerson).build();
```

Put JSON

```
documentTable.putItem(item)
```

```
documentTable.putItem(document);
```

Read JSON

```
GetItemOutcome outcome
    = //Get item.
String jsonPerson =
    outcome.getItem().
toJSON();
```

```
String jsonPerson =
documentTable.getItem(Key.builder()
    .partitionValue(50).build())
    .fromJson();
```

API reference and guides for document APIs

	v1	v2
API reference	Javadoc	Javadoc
Documentation guide	Amazon DynamoDB Developer Guide	Enhanced Document API (this guide)

FAQ

Q. Does optimistic locking with a version number work the same way in v2 as in v1?

A. The behavior is similar, but v2 does not automatically add conditions for the delete operations. You must add condition expressions manually if you want to control the delete behavior.

Changes in the S3 Event Notifications API from version 1 to version 2

This topic details the changes in the S3 Event Notifications API from version 1.x (v1) to version 2 .x (v2) of the AWS SDK for Java.

High-level changes

Structural changes

V1 uses static inner classes for `EventNotificationRecord` types and their attributes, whereas v2 uses separate public classes for `EventNotificationRecord` types.

Naming convention changes

In v1, attribute class names include the suffix *Entity*, whereas v2 omits this suffix for simpler naming: for example, `eventData` instead of `eventDataEntity`.

Changes in dependencies, packages and class names

In v1, S3 Event Notification API classes are transitively imported with along with the S3 module (`artifactId aws-java-sdk-s3`). However, in v2, you need to add a dependency on the `s3-event-notifications` artifact.

Change	v1	v2
Maven dependencies	<pre> <dependencyManagement> <dependencies> <dependency> <groupId> com.amazonaws</gro upId> <artifact Id>aws-java-sdk-bom</ artifactId> <version> 1.X.X</version> <type>pom</ type> <scope>im port</scope> </dependency> </dependencies> </dependencyManageme nt> <dependencies> <dependency> <groupId> com.amazonaws</gro upId> <artifact Id>aws-java-sdk-s3</ artifactId> </dependency> </dependencies> </pre>	<pre> <dependencyManagement> <dependencies> <dependency> <groupId> software.amazon.aw ssdk</groupId> <artifact Id>bom</artifactId> <version> 2.X.X¹</version> <type>pom</ type> <scope>im port</scope> </dependency> </dependencies> </dependencyManageme nt> <dependencies> <dependency> <groupId> software.amazon.aw ssdk</groupId> <artifactId>s3- event-notifications</ artifactId> </dependency> </dependencies> </pre>
Package name	com.amazonaws.serv ices.s3.event	software.amazon.aw ssdk.eventnotifica tions.s3.model
Class names	<u>S3EventNotification</u> <u>S3EventNotification.S3Event NotificationRecord</u>	<u>S3EventNotification</u> <u>S3EventNotificationRecord</u> <u>GlacierEventData</u>

Change	v1	v2
	S3EventNotification.GlacierEventDataEntity	IntelligentTieringEventData
	S3EventNotification.IntelligentTieringEventDataEntity	LifecycleEventData
	S3EventNotification.LifecycleEventDataEntity	ReplicationEventData
	S3EventNotification.ReplicationEventDataEntity	RequestParameters
	S3EventNotification.RequestParametersEntity	ResponseElements
	S3EventNotification.ResponseElementsEntity	RestoreEventData
	S3EventNotification.RestoreEventDataEntity	S3Bucket
		S3
	S3EventNotification.S3Object	S3Object
		TransitionEventData
		UserIdentity
	S3EventNotification.S3BucketEntity	
	S3EventNotification.S3Entity	
	S3EventNotification.S3ObjectEntity	
	S3EventNotification.TransitionEventDataEntity	
	S3EventNotification.UserIdentityEntity	

¹ [Latest version.](#)

API changes

JSON to S3EventNotification and reverse

Use case	v1	v2
Create S3EventNotification from JSON String	<pre>S3EventNotification notification = S3EventNotification.parseJson(message.body());</pre>	<pre>S3EventNotification notification = S3EventNotification.fromJson(message.body());</pre>
Convert S3EventNotification to JSON String	<pre>String json = notification.toJson();</pre>	<pre>String json = notification.toJson();</pre>

Access attributes of S3EventNotification

Use case	v1	v2
Retrieve records from a notification	<pre>List<S3EventNotification.S3EventNotificationRecord> records = notification.getRecords();</pre>	<pre>List<S3EventNotificationRecord> records = notification.getRecords();</pre>
Retrieve a record from a list of records	<pre>S3EventNotification.S3EventNotificationRecord record = records.stream().findAny().get();</pre>	<pre>S3EventNotificationRecord record = records.stream().findAny().get();</pre>
Retrieve Glacier event data	<pre>S3EventNotification.GlacierEventDataEntity glacierEventData =</pre>	<pre>GlacierEventData glacierEventData =</pre>

Use case	v1	v2
	<pre>record.getGlacierEventData(););</pre>	<pre>record.getGlacierEventData();</pre>
Retrieve restore event data from a Glacier event	<pre>S3EventNotification.Restore EventDataEntity restoreEventData = glacierEventData.getRestore EventDataEntity();</pre>	<pre>RestoreEventData restoreEventData = glacierEv entData.getRestore EventData();</pre>
Retrieve request parameters	<pre>S3EventNotification.Request ParametersEntity requestParameters = record.getRequestParameters ();</pre>	<pre>RequestParameters requestParameters = record.get RequestParameters();</pre>
Retrieve Intelligent Tiering event data	<pre>S3EventNotification.Intelli gentTieringEventDataEntity tieringEventData = record.getIntelligentTierin gEventData();</pre>	<pre>IntelligentTiering EventData intellige ntTieringEventData = record.get IntelligentTierin gEventData();</pre>
Retrieve lifecycle event data	<pre>S3EventNotification.Lifecyc leEventDataEntity lifecycle EventData = record.getLifecycleEventDat a();</pre>	<pre>LifecycleEventData lifecycleEventData = record.get LifecycleEventDat a();</pre>
Retrieve event name as enum	<pre>S3Event eventNameAsEnum = record.ge teventNameAsEnum();</pre>	<pre>//geteventNameAsEnum does not exist; use 'geteventName()' String eventName = record.getEventNam e();</pre>

Use case	v1	v2
Retrieve replication event data	<pre>S3EventNotification.ReplicationEventDataEntity replicationEntity = record.getReplicationEventDataEntity();</pre>	<pre>ReplicationEventData replicationEventData = record.getReplicationEventData();</pre>
Retrieve S3 bucket and object information	<pre>S3EventNotification.S3Entity s3 = record.getS3();</pre>	<pre>S3 s3 = record.getS3();</pre>
Retrieve user identity information	<pre>S3EventNotification.UserIdentityEntity userIdentity = record.getUserIdentity();</pre>	<pre>UserIdentity userIdentity = record.getUserIdentity();</pre>
Retrieve response elements	<pre>S3EventNotification.ResponseElementsEntity responseElements = record.getResponseElements();</pre>	<pre>ResponseElements responseElements = record.getResponseElements();</pre>

Migrate S3EventNotification using the aws-lambda-java-events library.

If you use [aws-lambda-java-events](#) to work with S3 notification events within a Lambda function, we recommend that you upgrade to the latest 3.x.x version. Recent versions eliminate all dependencies on AWS SDK for Java 1.x from the S3 event notification API.

Changes in working with Amazon S3 from version 1 to version 2

Multipart upload implementation

The default Content-Type header value for the method that the SDK uses to begin a multipart upload differs as shown in the following table.

SDK version	Method	Default Content-Type value
version 1	initiateM ultipartUpload	application/octet-stream
version 2	createMul tipartUpload	binary/octet-stream

Use the SDK for Java 1.x and 2.x side-by-side

You can use both versions of the AWS SDK for Java in your projects.

The following shows an example of the pom.xml file for a project that uses Amazon S3 from version 1.x and DynamoDB from version 2.27.21.

Example Example of POM

This example shows a pom.xml file entry for a project that uses both 1.x and 2.x versions of the SDK.

```
<dependencyManagement>
  <dependencies>
    <dependency>
      <groupId>com.amazonaws</groupId>
      <artifactId>aws-java-sdk-bom</artifactId>
      <version>1.12.1</version>
      <type>pom</type>
      <scope>import</scope>
    </dependency>
    <dependency>
      <groupId>software.amazon.awssdk</groupId>
      <artifactId>bom</artifactId>
      <version>2.27.21</version>
      <type>pom</type>
      <scope>import</scope>
    </dependency>
  </dependencies>
</dependencyManagement>
```

```
<dependencies>
  <dependency>
    <groupId>com.amazonaws</groupId>
    <artifactId>aws-java-sdk-s3</artifactId>
  </dependency>
  <dependency>
    <groupId>software.amazon.awssdk</groupId>
    <artifactId>dynamodb</artifactId>
  </dependency>
</dependencies>
```

OpenPGP key for the AWS SDK for Java

All publicly available Maven artifacts for the AWS SDK for Java are signed using the OpenPGP standard. The public key that you need to verify the signature of an artifact is available in the following section.

Current key

The following table shows OpenPGP key information for the current releases of the SDK for Java 1x and SDK for Java 2.x.

Key ID	0xAC107B386692DADD
Type	RSA
Size	4096/4096
Created	2016-06-30
Expires	2025-10-04
User ID	AWS SDKs and Tools < aws-dr-tools@amazon.com >
Key fingerprint	FEB9 209F 2F2F 3F46 6484 1E55 AC10 7B38 6692 DADD

To copy the following OpenPGP public key for the SDK for Java to the clipboard, select the "Copy" icon in the upper right corner.

```
-----BEGIN PGP PUBLIC KEY BLOCK-----  
Comment: Hostname:  
Version: Hockeypuck 2.2  
  
xsFNBFd1gAUBEACqbmmFbxJgz1lD7wr1skQA1LLuSAC4p8ny9u/D2zLR8Ynk3Yz  
mzJuQ+Kfjne2t+xDex6MPJ1MYp0viSWsX2psgvdmeyUpW9ap0lrThNYkc+W5fRc  
buFehfb19LSATZGJi8RG0sCCr5FsYVz0gEk85M2+PeM24cXhQI0ZtQUjswX/pdk/  
KduGtZASqNAYLKR0mRODzUuaokLPo24pfm9bnr1RnRtwt5ktPAA5bM9ZZaGKriej  
kT21PffBbjp8F5AZvmGLtNm2Cmg4FKBvI04SQjy2jjrQ3wBzi5Lc9HTxDuHK/rtV
```

u6PewUe2WP1nx1XenhMZU1UK4YoSB9E9StQ2VxQiySLHSdxR7Ma4WgYdVLn9b0ie
nj3QxLuQ1ZUKF79ES6JaM4t0z1gGcQeU1+Uk1gjFLuKwmzWRdEIfFxMyvH6qgKnd
U+DioH5mcUwhwffAAAsuIJyAdMIEUYh7IfzJJXQf+FF+XF0C16by0JFWrIGQkAzMu
CEvaCfwtHC2Lpz033/WRFmAuzzd0QJ4uz4xFVaSOSZHMLHWI9YV/+Pea3X99Ms
0Nlek/LolAJh67MynHeVB0HKrq+fluorWepQivctzN6Y1N0kx5naTPGGaKWK7G2q
TbcY5SMnkIWfLFsoukj0Fvmjczq8iZRwYxWA+i+LQvsR9WEXEiQffIWRoQARAQAB
zSxBV1MgU0RLcyBhbmQgVG9vbHMgPGF3cy1kc10b29sc0BhbWF6b24uY29tPsLB
1AQTAQoAPgIbAwULCQgHAwUVCGkICwUWAgMBAAIeAQIXgBYhBP65IJ8vLz9GZIqe
VawQezhmkrdrBQJnABCIBQkRa8qDAAoJEKwQezhmkrdr1MQA1wEuDar30TxkfTa
cPNKDnNzxwWqrzZ3FTQ+PyRHQ6usxxrvDKJS+uCjE9bmWHVFU1R4yQNF+721Jdw
5UhX0u+ZgT9afApE65uAZuwLhPsz8upXT8C6VeKXh3shdw7qXi2hrwtM1a0Pls40
Cs2C9rLUDMJTySrVDDVwpnaAB+8DcFr9bIt5Q3gd0UatdzDvcb7QKh9jUvzCpbE
cInb1epDN5MRzowMR4iU2VV1RzLxCvm7CQSyXfgf0DFLkXWiknh0q9eINmytJFG/
ntFdiZfkNZ5hP7091oywdfNrmqB6PsF8BPGFh8gKw1pjowrfHpv6cNIqShmA76LT
30HVi0lqGFB7obffq//eZGPR0oYJFD1r0dD2CFRoHnP3N++AfKA4SRN7eXwyoz6Pk
Do9WNIEEkAcp6PGvv7AokogDo/40qmxgC6fN+3BT0stWpv4FlD4Nx0ZwsTs49wxg
kP1CCVf8t75aZZkcjXng1eClZZQ5SB1RtSB7gMqtP7MIN2J5w8spNbs5xQvJc76u
NvzwEasPkY+UcHd05Rdd0UwoKqDerLUG7Yqd1NCJoQR1mBIgZButbQ1MyaZcmQq0
iR0kwDi9h6D16fnUb2dFCNJw+eDHvsjG8HI3IVZM10bUQ2kmmwr102YQ1ynJQm01
1M11I4hFU8/1HNHm8ie5darpxQEWsGUBBMBcga+AhsDBQsJCAcDBRUKCQgLBRYC
AwEAh4BAheAFiEE/irkgnv8p0ZkhB5VBB70GaS2t0FAmUkSiIFCQ+P/Z0ACgkQ
rBB70GaS2t3HVg//S+/Kbe0Bf+nCdHsrWtp9kxvWIpAGvQhIbx1tp/impfm+5Rm
fKPD0KX+g42fuMm0dDE4gj04GjGd7ZY3bx+0zbDSdVebzmYCbpZ/BDP990oPKidd
w6G18PaIyqfuARKOESBETvAwNgw04t2ocjs4pYZV+CuHvESYpqkuHjmHtye6ajZW
Mv24NhjVo4EfP33dPugTjXLjeuGT7qQpsYV3a66juHmPVkXwuPqxh9wTNc5TU6FG
UPSFIGMPL0xha7Rg2i5zvRaAxx4bHqG08IAz/1/E/tJkV5xnt494HQam9UDbiFI0
Q0TSve1R6S45/UjQW6cycyduHtk72s9ipa9YM0ilTdlgKMWFjzYv4h4qeYvLw3OB
JGQew+I0I4dIrwl/TKet33EuFFwmyT9MaJBhqV6geFaQ0uVmwwzpAcvxIoSqSpkJ
B/kASqCEM/o0QZLuWc56cDsmMisD0ouVPt+c1Zk7AWL1f6j8LKYTbK0QxLRh/eeZ
jhSf3HnpaCfonb0oHmeo5d/o3EZ0AiA4GbT3xgScoIgX0T7KGg0WmtWkdyd3Zv1/
o6q6Hwpg4RsqCkwnfNm5ZIvmTAYXWc2hiICsicxrP0fe5Cc4xVgJR5RMNGyI7+m
ut1SE2WvLhMCwEy15ecWF0tUze8VB1WkHJp0Y4k2ado39Zq/DZrTRQYEVrjCwX0E
EwEKACcCGwMFCwkIBwMFFQoJCAFFgIDAQACHgECF4AFAMEyoZoFCQueVRUACgkQ
rBB70GaS2t3axA//dgcz5T4Fs7LwdIQB/KRnvX64IzaGQcwt3FBhYH+sFaSaD+lu
752vi3j1GxMBKs2NFxk6e2U8xBEir3vfKYd+mZ5L6egXC9MYfvMO/UFEFH3A+t3V
dTOJK4RQcaL9+rFRVdDmZuifN90Ffy25d66JCZ50iqgHTQViVmb1Gw2cQdyNWXrq
YLgg+gktadkmzis4J6hF/le8N0BfrG3n+QthFl/v2ppYYW9pmmxzUIf6tAlR1Vr8
PhPukjuFfrPLRL3XPiK4Lkd1SI5MX7L1q4RkcZN1NY1LWS8699wJ0LRcr8aQYvzz
Jm7tfZUaekJ5ScXJWJEaWT4poMbWxXINj6VwE+DqKwvjkzoxBXSIdLk4XThA1dIq
3n5SfMkfUW2A2xHqJtEzI1XeTm/d/JRxIG8hjIs5FNMGJUSNANJuTVA2putCVf0
JbP4Q1afXoEV0YwW/EFJY+brijQadwc/knf/QxszDcKb3THuTxR80A0h6ZysmtLEg
PCaD1xUCDdr4P7DG0tV7yMaDR608QKmb7TKzCKCPnHouqPT0DhSB2MRq437+mfSe
EGga/sPMxe0z8ug02CnrCf3ep1U3Z0y4eeQSThTKe0Hp5YlsF1cdZSvj7GJaHR2
9A22nAJY9Pojt1M+0Dkr/PH6r2brv3sEuACRNhzqCWhAve+zVnVLeb+Fk1rCwX0E

EwEKACcCGwMFCwkIBwMFFQoJCA sFFgIDAQACHgECF4AFAmCavPYFCQsGcHEACgkQ
rBB70GaS2t3fqq//asHYSTBI4IoLibSF5ZJ8NaLo4EqgRts0W1zr8fCoFbxI+yI
qWrNXR7eoFj8tW07Tj6S0kQr4QZcucLeILfox6CtDz03f3WQTH9m/0si5U4JF3RA
gBd0vwxVSSSNEsIUUfy10BHLVwlhaTVfh1h1dZhzb18LA1Vqu0100GGxvaG3dU14
oMSRSK8EeaS04hIM8ScjVyhjsuPRm1jlwd1EXZ5mkHRGRMGmw i3XysJjIeQRFmuG
a9uPes7I/K85r7X91BLz+G/mkSZsrHxzLxF0mSZtQdhq08GyMeQlJavs7sb1UVbg
ag30JEAjgqRsNIQOMIv12/amrRJ7DUyQu5YkZQsAyCIhSVZw6z1J1kYVKS w1Cu1I
VX1n/Aahx5wwaQZA1dDT01X8WvL90/KmEGWbKUSov40uoRwSOeXP3QhW75kD4zT0
n3pSUc7tXka8GAz5Ar+r9014wc9as2WjWADo3CX8cF0zQ0rN1naMQ++xBIA G9ms8
y3L4ECoRqvjCpjUAfhflxwSM7uclCgFBINFKSLV+QGxzWfHjg3+bSQd0hrRn9j4z
Di9aJmFESQ6iykbUjiUFrcI1NUCFKz2awaxh+Sq8UkYcvuxl jxdK/zYYEG8DSdQ2
uw lssHCjYVpAb16hq1EAaSqn hv86020G4Z6JCg3AUZt9R1MBpK2Pn/NmPSzCwX0E
EwEKACcCGwMFCwkIBwMFFQoJCA sFFgIDAQACHgECF4AFA1771vAFCQ1nimUACgkQ
rBB70GaS2t35Jw/9GhpQquJVUCAsc4az7+ad8q2d90UKX0L12x0j3/ofS8umZJYr
8KXZxPqBqvLj1UyAB5Ur4fWVBdp9iP4Vj74jmRih7YatK8heGmNoUAnI1/90qV50
ypF0bfvWLxvcUNizmS/LYKdNuYcHwyw4bFytz9gd3XH6Dxak7YiAXz3JgJIXcIB3
ELfpsduzpn cLeVwz/dKhYX5iJ7Y/xd4Ew8FyNDNRwcXobTpPAMNiGLG5xSlq
8RgQfkm07BVVDtu5tPw4V46gnBXGXNjPhSirGMoNbKZqtP07TcBQhPQ9c95x73hs
kAqZKHrwi1B7cfy1I8y5sRFbPa0RXeVWQKEMZdwLsFhCbEex6iXHP+rMK0nSJf0G
91F2eJk140n8K7wzak0njvN00VfN/9D+xD21XCczbYbaDXX2tY0d4GS72fw9M/zT
96tIH5UtMGM0ICuUJjnL34EbzbuxwTEnJhDGQH2P+eUzM9jmuCTRLLGw2P0Zuof
6GsSNLf+5pw3BIvEZw5PYT1N6i3m19MQ7p9BWt7f1CF8CU/xzyPN7TVb/677Be7V
SL1rNFLni0IdqcbLJ63pTwUGkCSqRnMfq3cID1zNz2LoVv008VvmdtFRkhHN8hJ
h7CUX1aqB0faJhV3FqA9G8sXmSN3r3pusZb13kfCKsJUZorThWxdaUBuUH3CwX0E
EwEKACcFA1d1gAUCGwMFCQeGH4AFCwkIBwMFFQoJCA sFFgIDAQACHgECF4AACgkQ
rBB70GaS2t1aKA//dBaXto7zUFRbJvLgcSE3hJ0ChYZj8Uuo7iYK26mVycyBFQJK
Iv2XYFIJMwK1Rx1Ja1jA6BIKE3aYyx2LVTYU1Hke826dhH+kV2qN9C6t/VmYpV4b
n/i64po7EzD17ykrm5gB+z47uCvyC79/r80uns1mTf/JUql/hYJj2hf1MDWt07/X
Wc1zBLj1T93tg/43Vgz1wFdru0cNx1+bQGXKT0i4AXSp3UvCL+2YsQ2/JsPf7ZZZ
awSuUVkZJr1lp87S1MhZeHmTrCHkV1FHJyudLJErcH0337Jpd8xDRek7K1rx2pAS
cK IiyeAMIk/G10uExYqEEVFQzMr9Z1MNuhNBJAMr5hVGsTgrwy2h1IrBktXav07d
OleSlsqw9ViZ7F6t90x51+NkwXVsLsGYSzuNyIfomNuoCgA+c fM3TjzVp41qsg1J
WJc9Bavaan2pKF6Lb9Fq8u3HZk2u+YZbvZkqkXwTdZQ0kEmoVV4Y1G86bdpmPyj
8eV7C02NxPii41+qV8qJQu/6DsA0QwMtBMUN0Dm3BF2+ZmUHuhMGxq9/4vDE8heE
ffYhHtNftV6JwwzGZmeZkrYA1P9AGLeVp/6iNUe8H5/oPvh4s2rRmqN+L/dQU1ix
i0AT5iAKoRQGkdruXrWc4fAY5KxDB9qna4oqX06QP8rEf1I8ElcNgYEj4oJv0wU0E
V3WABQEQLzM0Cs9Zvd08x0EvbEBj59LrS9d0HVQKQ61gmkNakWC+jR35VD6FXpe6
UYAcBLrEbVYfKw9P0p6MhFKAsb570JoznKGzE1rVYUZQzhD0RKje35rvkajvEcjG
AWMLTjr87pWHeD0389ER64bz0Rncfa/1+YP56PI+CThb2wUvTTONGJkPQUpVhH+P
256cQL/Y0Fwu4XLerpwN+YKgMQ47raRcydobPeSfMqr9fVKRy0zFE0rvNpCVDUqi
77d0gLDLjH1I1Dy0X5554S8XYLb91eY0iFvnu2pTCKiiExRCSYK29mAQePK1TCCn
Qx0jbmBbGS8mVIkpQ5vpvXvzpY3JIjMXaDGqWSQSYGXhECyxCR5e0tKYbCwwPiC2
rI15gW6yXyw9pKmj5XafTP7YHTvRSr7CZ/VLkDkW16AfQ9nP0g1mjwjpDFpmN71h
J1SKMaZkh0QGV5FW3dK+GLwx iWdqx3htbZEriWyyumWQF/xBF7puKJBEXcoM5KfkJ

uZekBwcnVkfNFF2RdkM1ALq8InGzLXc7R0uEm0BXVirfju7JRtWLb3UhJWCuhRW2
muyYegSTkag5MduD1IJK37GL8WI1AL65taYgZegUoxHdSaE0ef0hspxuduz8d33z
UV1WCFhi+r/+BMCQmTRbF8ao7fTC1dGd084DRP6qE/dMT4u0ZEn7ABEBAHCwXwE
GAEKACYCGwwWIQT+uSCfLy8/RmSEHlWsEHs4ZpLa3QUCZwAXCwUJEWvKhQAKCRCs
EHs4ZpLa3XtzD/9dw1qffV70UTq8w/21jn1owHp09jxP7WHTmPWHE0BW5yFIW1V
A1gKN6Ym0dw+LvS5W0KJaRnyewUyBxWvZsn6W1b5qzY7nmC0KJpYtuCUPwiqjXWP
EM8c/v0MojSuwMOXBAAViLw0FhgdUrHn1lk962XvWAW++4DXFh2deaV0163IFMRm0
PNPDAiPWBVqvBANIh2sLRZ5gd1BXwpVrd+x8tzyr69YrN7hutPlCyPEUM9//mcEh
vFPsbW/i0x/foCE3NXhQm/rSMKecVn5csXBV2J01Mzi+8txYNrSBLkjbsB1AvTQ1
aG3+nCNCgM2XDLyoj0IrgZ1To4Ay5gmT0R+msY/cfoIuKFYenmtxy6jM8o5uSZhg
hoClrx9IA98hhGQ73G2r5EDpXuU/uCXn53Sswj65b19IssfqEIoji/FonkkpEgeg
bGXFUnrhicD0/W0zqpXf2Fa0DQWY+Vc/pt52ftBFgwzCNIUYDKUhCHPnZ0wtLtd
N2fkXHNiCavCDZ10ud7FHHwmRNdj2q1uKxe4m+pFYmKwAU/H+Htkz9Gjsj+ZKedY
nnfa1s2gQ0rbfwvV9VdhCSuLK17ZnGTtiJu0UQI1V8n6QQJpohd3mVgmynu6gQ
uKw0YS2RuEUFv0v0g2tASA+4EM/SBUpGhud0DLA4b5w04gKmh1B1HqQrIsLBFAQY
AQoAJgIbDBYhBP65IJ8vLz9GZIQueVawQezhmkrdbQJ1JEokBQkPj/2fAAoJEKwQ
ezhmkrdrwMAP/RpFylIL4yhgscB0EnQ7e3No80raNk0z/YhSd125N/uQVEU94JGQ
rrvQ+4Lfve2laPweBD018/A0Csm0yHPVQMA0a2vx8ItVdIcNc8iFkP4AJ192210q
i0Vh0b1UeZnlfK9+Qvq4PQ21hWJr0uzyL/S38REsAT1I25sfJ0P+RCaR1MH9dm85
E56Lee6uZR8SkGuiL6kGpPh6fWTNij3bICjth1iSSCL2HC0W81vcwS1dDu2EfILU
QCSqfSG7bF8dFk+nKhzhVX0Uks3XGjLdICxZewU5cryitpfRgARgZs2A43gshdi
fiKaX6Ksan03uhKDrlhDHnj2y07PUrFo8gg1RpV/Pr1B/UqCsC9FU0ixxD+n4ZF
Sqov2qwe1Lj0f4mZ6yiLsTDOFPrdk01HTJZ17AF0zXZMM6CvaCUaJCKx9GVdSrR
+LI4wLQonPrTnXavhkC4int1qSX8ZQNLhEggdE8YwMEJn59R/nVIT3i5WzYph5R9
P4Vz3Yn7jRqM8wAyEbHkA8s45fMRI9akWSw93H5nWukcmfkt3UEbmka3BQg3HKWP
6TvhfI28euM8qqjbPilfkpEBjnChYVk2Rgn0P8zA7Q5kCo293kwJL9c3RDjMPcxI
45ktKvBTZftsDt1Z718LwW7Q3VQiGiKvo1XLMuV7Z51fmydfUPcrnv17wsF1BBgb
CgAPAhMBQjhMqGaBQkLn1UVAAoJEKwQezhmkrdbhwQAItMfb67XIUZswr3TREd
Q7ZCLG4EDyfTsW8n75r6A90qsR+z68nC2Sm7e8mKQFFPwjHP0hsGhHtC0TZtQk70
jbwyL4N3uxDyEv0fbckH5Wz0ejZcG7KKQrqAiWJJ7q6CH/zOnVurySjVyzJpy/wL
WpVAcF/uaW5Zh1FCXqePaEzsUBJ75qsx2ho14BV4seT1RSQ9nneTZ0Hhab3wqXP
4qDT08+zkTvNo9YbeZ1qj6211+QGIUBTP5MEdXCuC1e4FQ3f6vnXxmB86cUPx7c1
/y2rIjei0dkKgPeUjNWWSzxS2jYehL5we7gvaSwmEvJ74pV/+3Hs+TxX39XtYFwj
k9I795idnsS511dAW3yoI3HBQsYa3US7bpH4g3yZMkstc3bHJ6X54PMCd8Skb+N3
FE8+zGduDmDTKitumiWVVxEGIwsLAcPWPxecI2AMIMGfMheURYsdvD/yvCbCB29
0KwCSRDrvAG9N2VorNzd7KUeTPTMN1bg2d11F6u5sQeTN5KVaGd7xE10XME2wA2D
T3+EsAQytriFbcWm3s8Ugbc9BXMmKBfjlvKu6+Ft6Mgvf/txn56M2SyXBCFQ50Ft
qTFuAFIRv+nayk5tx5Eg1iA7u3dbB1jH3yxGH1B7TeQypA5Bqd3x72b7vbXkeci3
1Kz035LYoT5/yTK5sGvacIvCwsF1BBgBCgAPAhsMBQJgmrz3BQkLBnByAAoJEKwQ
ezhmkrdrLmgP/1FkWkYhxACnkagRv09mpPl2STbu0B3zYKFBALm/Wa7vKDz18dgC
S3BxDs1pnhZS8QA3Vjmb0AZvaDnsN1UJ0f3Qao5136G/UXPnmFIwN612szP0K6nF
PEsotzIzR1Jo3S+wkbfiKaQDIDgSxtUxJz0wufz76xibmKRhJ5ChMDCvxmIaoNle
tKRxFt770upnnyAqs22UsueqrZJ0resgTVnNeF4A1+1U59pFuAlf971SVLr472LP
Uj8mPJihF2ukL1Hdz3F7+kY1p0JrmLk9fo4d1ZHBUPiZ1ML/U2yhQfw+Y6tW71vf

```
izAxJWF7se6QT+UT5Pji6cohMSERVoYt8e2jFjs0PiPcrjU3mJEx4hAEEViBp9RY
eKC4CL/UGYAtJkUjd85vKZUHYr7NWZQKLAkqpAPQUMKrIKLEHuz/doq2CCamstLI
vcBgg8EjLJn13SBesFt/1DCWZeummqz3omQKR19EHU2cIzIf0Cv/IEysnmbpSpjZ
DX8Fqjtezoq1qiyLFR7YN1VDPBCHYfqDagw10n1rWFJqt6Vqfs1mdMdTBRWYVEB
0GUxrkI+APdi0M2634/410b1ptkqyTIr1KIg1J/qsSiKVcBZS0YFW/rskxYcPPT
wpKYaycEYt0dkS6FPcnehJ001B+F32WVq2bs2Ps8we6KhjjaYS4Iv4dwesFlBBgb
CgAPAhMBQJe+9W/BQkJZ4k1AAoJEKwQezhmkrtdvzMQAI6BBj3c2r4bDpV3TwkX
dQ+UCa/E/zUhFds9XKfGb3a5IzRdPUwT+KrAZyiYrr2NSM0zh1/VtqJL18YCysx0
Ob/TB1hDM+IZiI5gH0cHKhDYKTnNSGP09P/pJA1vHQend9CdZE9J9jwkczfS+bz6
mVxkxp173fTDox9dues0LsS2/ntRzA0wqhDaaavRvhAEF9vavCWVrNZmq22WVsU
lnIPxNWGGzWn85JYI6uAi4f4/ABFkry69/c0cvbr0P8qgCmeCuGmX4f0j7qRg77A
+mSueBDx8RK002o1021B7b8IcViz+j1psRQN0oa+i+mFG+o6vtD1ZYhQude4N5sR
RybclxjSCoZs5q9JfTpB2n7pSF/UD3ytwnt9kpD4Vv9dT GAPB83bjL+QK6e3A
XM10jxFE5jSFSr94E40kK80YcIR5jLqsg2f610ENY5drMSA4zuDFDL1Y2ChfjgjZ
uNoFbPHGt/8DfwTV0ochVnikA7ggKjz20+RjvwyHhRMAft08MMh9UV28pdL+H53
o0t0V0u5aoTbcNqdYQy9B2Bw41fmj2fi6Dpl+vnZp6h0m0CWiJVW/dtilppYjuxd
w5Kj+9IxZYaBNYH4l1pMT+BsvMDqGzXxDIL89NnY5BkMvqEKnjXSHGRWYMz0xigf
51YKbfQnEQ1oz5bRQndntRQWwsFlBBgBCgAPBQJXdYAFahsMBQkHhh+AAAoJEKwQ
ezhmkrtdTyEP/0HOVWhwQsaWjMrGj000MFzxGUo8SBmYYTBs29VM8wBGDsPkYCje
zzU16i9iqDpDqxpyqmTigcjHV8CDx/6xsMBLG2yKaKZ4m3+Yn0Qf/sQkyCvqiyMF
9mS7pDYWy+mPhPuw8TDIfiqgVhzjSpIMFWPqxVjn6KKbPN/QASr3Pf0cuP6qpHG+
NAM6Q5dYkCebyvwzLmg1sVnil6iSyJd1jBj3D34XrgWS9buyxBB2CjIM76WxfNVi
J9zAaPI78X9v6PpDGn0kg6oLzrusrvBjoZknKQm0Sz+41fx6xvrTPs8uPEvezJB
1kke6kw9+KagY8mrVX1ZenRg+sY/4vxJreYWQeql67ggx+wFjKDcfhZA7m70LHOD
ysrGVCLcmuinUBaN1HmLDcGYXZ+kMCoxf0bpuCVByQmNJgEb47EIF1x/+TEeNHKM
0+22xL1atFzXfkEVZck+NghLzyFDhS3g1bma7puU7r752uiJjA6Iv8+kHDXi+/V7
GNpuiEFUYh69QQ2//CS5H51osC/Bkb9evSn/Lp8dMutbWAaXDGMgw9vqZ55N02N
K0fvF/IKHnGkvH28rv0OPcv0WTA/MClv28y0PrSvcvMXnduLtkBEX7TISMPW+n+0
Ta63/z4YffEZ7sFLrEm3Q3vJMN3mE5i3cw+JGXPSu0nTtgqk/oZv//SS
=bb0B
-----END PGP PUBLIC KEY BLOCK-----
```

Historical keys

Important

New keys are created before the previous ones expire. As a result, at any given moment in time, more than one key may be valid. Keys are used to sign artifacts starting the day they are created, so use the more recently-issued key when the validities of keys overlap.

The following table shows older OpenPGP key information for releases of the SDK for Java 1x and SDK for Java 2.x.

Key ID	0xAC107B386692DADD
Type	RSA
Size	4096/4096
Created	2016-06-30
Expires	2024-10-08
User ID	AWS SDKs and Tools <aws-dr-tools@amazon.com>
Key fingerprint	FEB9 209F 2F2F 3F46 6484 1E55 AC10 7B38 6692 DADD

To copy the following OpenPGP public key for the SDK for Java to the clipboard, select the "Copy" icon in the upper right corner.

-----BEGIN PGP PUBLIC KEY BLOCK-----

```
xsFNBFd1gAUBEACqbmmFbxJgz11D7wrlskQA1LLuSAC4p8ny9u/D2zLR8Ynk3Yz
mzJuQ+Kfjne2t+xTDex6MPJ1MYp0viSwX2psgvdmeyUpW9ap0lriThNYkc+W5fRc
buFehfb19LSATZGJi8RG0sCCr5FsYVz0gEk85M2+PeM24cXhQI0ZtQUjswX/pdk/
KduGtZASqNAYLKR0mRODzUuaokLPo24pfm9bnr1RnRtwt5ktPAA5bM9ZaGKriej
kT21PffBbjp8F5AZvmGLtNm2Cmg4FKBvI04SQjy2jjrQ3wBzi5Lc9HTxDuHK/rtV
u6PewUe2WP1nx1XenhMZU1UK4YoSB9E9StQ2VxQiySLHSdxR7Ma4WgYdVLn9b0ie
nj3QxLuQ1ZUKF79ES6JaM4t0z1gGcQeU1+Uk1gjFLuKwmzWRdEIffxMyvH6qgKnd
U+DioH5mcUwhwffaAsuIJyAdMIEUYh7IfzJJXQf+fF+XF0C16by0JFWriGQkAzMu
CEvaCfwtHC2Lpzo33/WRFmAuzzd0QJ4uz4xFFvaSOSZHMLHWI9YV/+Pea3X99Ms
0N1ek/LolAJh67MynHeVB0HKrq+fluorWepQivctzN6Y1N0kx5naTPGGaKWK7G2q
TbcY5SMnkIWfLFSou gj0Fvmjczq8iZRWxWA+i+LQvsR9WEXEiQffIWRoQARAQAB
zsFNBFd1gAUBEAC8zNArPwb3dPMThL2xAY+fS60vXdB1Sk0tYJpDWpFgvo0d+VQ+
hV6Xu1GAHAS6xG1WhysPT9KejIRSgLG+e9CaM5yhsxNa1WFGUM4Q9ESo3t+a75Go
7xHIxgFjC046/06Vh3g9N/PREeuG8zkZ3H2v5fmD+eijyPgk4W9sFL00zjRiZD0FK
VYR/j9uenEC/2NBcLuFy3q6cDfmCoDE0062kXMnaGz3knzEK/X1SkcjsxRDq7zaQ
1Q1Kou+3dICwy4x5SJQ8jl+eeeEvF2C2/dXmDohb57tqUwioohMUQkmCtvZgEHjy
pUwgp0MT025gWxkvJ1SJJKU0b6b1786WNySIzF2gxqlkkEmB14RAssQkeXjriSmGws
```

```
MDyHNqyJeYFus18sPaSpo+V2n0z+2B070Uq+wmf1S5A5FpegH0PZzz0NZo8I6Qxa
Zje9YSZUijsGmZIdEB1eRvt3Svhi8MY1nasd4bW2RK1sr7plkBf8QRe6bbiQRF3KD
OSn5CbmXpAcHJ1ZHRRdkXZDNQC6vCJxsy1300TrhJtAV1Yq347uyUbVi291ISvg
roUVtpmsmHoEk5Go0THbg9SCSt+x/i/FijQC+ubWmIGXoFKMR3UmhDnnzobKcbnbs
/Hd981FdVghYYvq//gTAkjk0WxfGq030wtXRndPOA0T+qhP3TE+LtGRJ+wARAQAB
wsF1BBgBCgAPBQJXdYAFAhsMBQkHhh+AAAoJEKwQezhmktrdTyEP/0HOVWhwQsaW
jMrGj000MFzxGuo8SBmYYTBs29VM8wBGDsPkYCjeZzU16i9iqDpDqypyqmTigcjH
V8CDx/6xsMBLG2yKaKZ4m3+Yn0Qf/sQkyCvqiyMF9mS7pDYWy+mPhPuw8TDIfiqg
VhzjSpIMFWPqxVjn6KKbPN/QASr3Pf0cuP6qpHG+NAM6Q5dYkCebyvwzLmg1sVni
16iSyJd1jbj3D34XrgWS9buyxBB2CjIM76WxfNViJ9zAaPI78X9v6PpDGn0kg6oL
zrusrvBjoZknKQm0SZ+41fx6xvrTPs8uPEzevzJB1kke6kw9+KagY8mrVX1ZenRg
+sY/4vxJreYWQeq167ggx+wFjKDcfhZA7m70LH0DysrGVCLcmuinUBaN1HmLDcGY
XZ+kMCoXf0bpuCVByQmNJgEb47EIF1x/+TEeNHKM0+22xL1atFzXfkEVZck+NghL
ZyFDhS3g1bma7puU7r752uiJjA6Iv8+kHDxi+/V7GNpuiEFUYh69QQ2//CS5H51o
sC/Bkb9evSn/Lp8dMubtWAaXDGMgw9vqZ55N02NK0fvF/IKhngkvH28rv0OPCv0
WTA/MClv28y0PrSvcvMXnduLtkBEX7TISMPW+n+0Ta63/z4YffEZ7sFLrEm3Q3vJ
MN3mE5i3cw+JGXPSu0nTtgqk/oZv//SS
=Z9u3
-----END PGP PUBLIC KEY BLOCK-----
```

Document history

This topic describes important changes to the AWS SDK for Java Developer Guide over the course of its history.

This guide was last published on **January 9, 2024**.

Change	Description	Date
<u>the section called “Working with Amazon S3”</u>	Add migration content for working with Amazon S3	January 8, 2024
<u>the section called “Access the AWS CRT-based HTTP clients”</u>	Add information about how to use a platform-specific jar with AWS CRT-based components.	November 14, 2024
<u>the section called “Use IAM Roles Anywhere for authentication”</u>	Add information about how to use IAM Roles Anywhere for authentication.	November 6, 2024
<u>the section called “Configure a credentials provider”</u>	Add an example that configures a credentials provider by using the <code>asyncCredentialUpdateEnabled</code> property.	November 4, 2024
<u>the section called “Use automatic request batching”</u>	Add a new topic that documents the Automatic Request Batching API for Amazon SQS.	October 23, 2024
<u>OpenPGP key</u>	Update current OpenPGP key information.	October 10, 2024
<u>the section called “Use complex types in expressions”</u> and <u>the section called</u>	Add content for how to work with complex types in expressions and updates.	October 10, 2024

Change	Description	Date
<u>"Update items that contain complex types"</u>		
<u>Update Amazon S3 bucket names</u>	Update Amazon S3 bucket names.	September 30, 2024
<u>the section called "Use AWS account-based endpoints"</u>	Add information about AWS account-based endpoints for DynamoDB.	September 24, 2024
<u>the section called "Work with attributes that are beans, maps, lists and sets"</u>	Update section for DynamoDB Enhance Client that discusses working with attributes that are complex types.	September 6, 2024
<u>the section called "Configure service clients to shortcut lookups"</u>	Clarify use of the EnvironmentVariableCredentialsProvider when Lambda SnapStart for Java is used.	August 19, 2024
<u>the section called "Configure parallel transfer support"</u>	Add page with information on how to enable parallel transfer support	August 15, 2024
<u>the section called "AutoGeneratedUuidExtension"</u>	Add information about the DynamoDB Enhanced Client AutoGeneratedUuidExtension	August 14, 2024
<u>???</u>	Add a section about the migration tool (preview release)	August 9, 2024

Change	Description	Date
<u>the section called “S3 Event Notifications”</u>	Add section that discusses how to work with the S3 Event Notifications API	July 21, 2024
<u>the section called “DynamoDB mapping/document APIs”</u>	Add v1 to v2 migration information for the DynamoDB mapping/document APIs	July 21, 2024
<u>the section called “S3 Event Notifications”</u>	Add v1 to b2 migration information for the S3 Event Notifications API	July 21, 2024
<u>the section called “Retries”</u>	Add retry strategy topic	June 18, 2024
<u>How to set the JVM TTL</u>	Remove instructions to set <code>networkaddress.cache.ttl</code> security property by using a java command-line system property.	May 21, 2024
<u>the section called “Reduce SDK startup time for AWS Lambda”</u>	Update HTTP client recommendation to reduce startup time for AWS Lambda	May 14, 2024
<u>the section called “Service client metrics”</u>	Reorganize metrics table items	May 1, 2024
<u>the section called “Troubleshooting”</u>	Add troubleshooting topic.	April 26, 2024
<u>the section called “Metrics collected with each request”</u>	Add new metrics reported by the SDK.	April 26, 2024
<u>the section called “Set the JVM TTL for DNS name lookups”</u>	Change recommended DNS lookup TTL to 5 seconds.	April 23, 2024

Change	Description	Date
<u>the section called “Package name to artifactId mappings”</u>	Add package name to Maven artifactId mapping topic.	April 17, 2024
<u>the section called “Use SDK metrics”</u>	Add configuration details to the metrics section.	April 12, 2024
<u>the section called “IAM Policy Builder API”</u>	Add IAM Policy Builder API migration information.	April 11, 2024
<u>???</u>	Update HTTP proxy information.	April 3, 2024
<u>the section called “Securely”</u>	Add instructions to disable IMDSv1.	March 14, 2024
<u>the section called “Step-by-step instructions”</u>	Add step-by-step migration instructions.	March 8, 2024
<u>Migrate to version 2</u>	Update migration topic.	February, 14, 2024
<u>the section called “Configure AWS CRT-based HTTP clients”</u>	Add information about the synchronous AWS CRT-based HTTP client.	January 5, 2024
<u>the section called “Amazon Cognito Identity” and the section called “Amazon Cognito Identity Provider”</u>	Amazon Cognito examples moved to Code Examples section.	December 28, 2023
<u>Use SDK features</u>	Reworked the SDK features topic.	December 11, 2023
<u>OpenPGP key</u>	Provide current OpenPGP key.	December 6, 2023
<u>the section called “Serialization changes”</u>	Describe serialization differences between v1 and v2 of the SDK for Java.	December 5, 2023

Change	Description	Date
<u>the section called “S3 Transfer Manager”</u>	Add a section that details the changes in the S3 Transfer Manager from version 1 to version 2.	November 13, 2023
<u>the section called “Annotation reference”</u>	Add a listing of data class annotations that can be used with the DynamoDB Enhanced Client.	October 30, 2023
<u>???</u>	Add information on the migration status of libraries and utilities from SDK for Java v1.x to v2.x	October 17, 2023
<u>???</u>	Update the Gradle setup topic	October 17, 2023
<u>the section called “Ignore null attributes of nested objects”</u>	Add information about the DynamoDB Enhanced Client <code>@DynamoDbIgnoreNulls</code> annotation.	September 22, 2023
<u>the section called “Cross-Region access”</u>	Add information about cross-Region access to Amazon S3 buckets.	August 31, 2023
<u>the section called “Preserve empty objects”</u>	Add section that discusses the <code>@DynamoDbPreserveEmptyObject</code> annotation.	August 25, 2023
<u>???</u>	Update service client section.	August 15, 2023

Change	Description	Date
<u>the section called “Client recommendations”</u>	Since version 0.23, AWS CRT supports musl-based OS such as Alpine Linux. HTTP client recommendations now reflect the musl support.	August 11, 2023
<u>the section called “Create IAM policies”</u>	Add IAM Policy Builder API section	July 31, 2023
<u>the section called “Get started”</u>	Correct several snippets in the Get Started section of the DynamoDB Enhanced Client topic.	July 24, 2023
<u>the section called “Configure HTTP proxies”</u>	Add HTTP proxy support information and examples for each HTTP client.	June 2, 2023
Reorganize the table of contents	Promote <u>Code examples</u> section and <u>Work with AWS services</u> to top-level TOC entries.	May 24, 2023
<u>the section called “Add logging dependency”</u>	Show Gradle dependencies in logging section.	May 23, 2023
<u>the section called “Work with paginated results”</u>	Update pagination topic.	May 18, 2023
<u>the section called “Set up a Gradle project”</u>	Update Gradle project setup.	May 3, 2023
<u>DynamoDB Enhanced Client API</u>	Rewritten DynamoDB Enhanced Client API topic released.	April 28, 2023

Change	Description	Date
<u>Update get started tutorial instructions</u>	Maven archetype modified to include option for credential provider; instructions modified accordingly.	April 11, 2023
<u>the section called “Client recommendations”</u>	Add HTTP client decision guidance	March 30, 2023
IAM best practices updates	Updated guide to align with the IAM best practices . For more information, see <u>Security best practices in IAM.</u>	March 14, 2023
<u>the section called “Reload profile credentials”</u>	Add section on reloading profile credentials.	February 9, 2023
<u>the section called “Configure AWS CRT-based HTTP clients”</u>	Update topic for GA release.	February 8, 2023
<u>the section called “Work with Amazon EC2 instance metadata”</u>	Add guided example for Java SDK client for Amazon S3 instance metadata service.	February 1, 2023
<u>the section called “Use a performant S3 client”</u>	Add section for the AWS CRT-based S3 Client.	December 19, 2022
<u>the section called “Transfer files and directories”</u>	Update Amazon S3 Transfer Manager examples for GA release.	December 19, 2022
<u>the section called “Best practices”</u>	Added best practices section.	November 18, 2022
<u>the section called “Load temporary credentials from an external process”</u>	Added section on loading credentials from an external process.	November 15, 2022

Change	Description	Date
<u>the section called “Service client metrics”</u>	Updated metric listing with HTTP client usage requirement.	November 9, 2022
<u>the section called “Transfer files and directories”</u>	Example code corrected.	November 2, 2022
<u>the section called “Reduce SDK startup time for AWS Lambda”</u>	Updated section with additional options to reduce Lambda startup time.	November 1, 2022
<u>the section called “HTTP clients”</u>	Added configuration information to cover all HTTP clients in the SDK.	October 26, 2022
<u>the section called “Logging”</u>	Updated logging topic to include wire logging details for all HTTP clients.	October 4, 2022
<u>the section called “AWS database services”</u>	Added overview section of AWS database services and the SDK for Java 2.x.	September 13, 2022
<u>EC2-Classic Networking is Retiring</u>	EC2-Classic is retiring on August 15, 2022.	July 28, 2022
<u>the section called “Additional authentication options”</u>	Update to dependency required for single sign-on authentication.	July 18, 2022
<u>the section called “Transport Layer Security (TLS)”</u>	Update TLS security information.	April 8, 2022
<u>the section called “Additional authentication options”</u>	Added more information about setting up and using credentials.	February 22, 2021

Change	Description	Date
<u>the section called “Set up a GraalVM Native Image project”</u>	New topic for setting up a GraalVM Native Image project.	February 18, 2021
<u>the section called “Poll for resource states”</u>	Waiters released; added topic for the new feature.	September 30, 2020
<u>the section called “Use SDK metrics”</u>	Metrics released; added topic for the new feature.	August 17, 2020
<u>the section called “Amazon SNS”</u>	Added example topics for Amazon SNS.	May 30, 2020
<u>the section called “Reduce SDK startup time for AWS Lambda”</u>	Added AWS Lambda function performance topic.	May 29, 2020
<u>the section called “Set the JVM TTL for DNS name lookups”</u>	Added JVM TTL DNS caching topic.	April 27, 2020
<u>the section called “Set up an Apache Maven project”, the section called “Set up a Gradle project”</u>	New Maven and Gradle set up topics.	April 21, 2020
<u>the section called “Transport Layer Security (TLS)”</u>	Added TLS 1.2 to security section.	March 19, 2020
<u>the section called “Subscribe to Amazon Kinesis Data Streams”</u>	Added Kinesis stream examples.	August 2, 2018
<u>the section called “Work with paginated results”</u>	Added auto pagination topic.	April 5, 2018

Change	Description	Date
<u>???</u>	Added example topics for IAM, Amazon EC2, CloudWatch and DynamoDB.	December 29, 2017
<u>the section called “Amazon S3”</u>	Added getobjects example for Amazon S3.	August 7, 2017
<u>the section called “Use asynchronous programming”</u>	Added async topic.	August 4, 2017
<u>GA release of the AWS SDK for Java 2.x</u>	AWS SDK for Java version 2 (v2) released.	June 28, 2017