



Technical Report	
Document Name	IoT mobile App develop project : monitoring presence of people in classroom
Date	2017-11-17
Author	Team : Wanderer 15011091 박혜선 15011095 이유리 15011113 이다솔 15011117 장세영

Contents

1. High Level Architecture and entities 1p
2. Resource tree structure 2p
3. Procedures and call flow 2p
3.1. Registration 2p
3.2. Initial resource creation 3p
3.3. Discovery and retrieval 4p
4. Roles of entities 6p
4.1. Mobius (IN-CSE) 6p
4.2. &Cube Thyme (ADN-AE-Gwang / ADN-AE-Yul) 6p
4.3. Smart phone applications (ADN-AE-App) 6p
5. Procedure 6p
5.1. Registration and resource creation 6p
5.2. Discovery and Retrieve 9p

1. High Level Architecture and entities

This clause describes the high level architecture of Detecting the presence of People Project with components represented by the oneM2M entity roles.

In this project :

- The device RaspberryPi and Pi-cam is connected to &Cube Thyme by TAS. The AE which resides in the application and &Cube Dedicated Node is called ADN-AE.
- An IN-CSE (short for Infrastructure Node CSE) is hosted in the server.

For instance, the architecture is show in figure 1-1.




Figure 1-1 : high level architecture of Detecting the presence of people Project

Applications used in the current project are classified as follows:

- 1) ADN-AE-Gwang : an application that deals with devices(RaspberryPi + pi-cam) in Gwanggaeto through &Cube Thyme and interact with the IN-CSE.
- 2) ADN-AE-Yul : an application that deals with device(RaspberryPi + pi-cam) in Yulgok through &Cube Thyme and interact with the IN-CSE.
- 3) ADN-AE-App : a smart phone application embedded in the smart phone device with capabilities to interact directly with IN-CSE and thereby remotely monitor pi-cam's result.

2. Resource tree structure

All of resource tree of this project is show in figure 2-1 :




Figure 2-1 : Resouce tree of this project

3. Procedures and call flows

3.1. Registration

The first step is device(RaspberryPi + pi-cam) application registration and smart phone application registration. Device(RaspberryPi + pi-cam) will register applications with &Cube Thyme, and the &Cube Thyme will register with Mobius. The smart phone applications can register with Mobius anytime as needed.

Call flows regarding the registration phase depicted in figure 3.1-1 are ordered as follows :

- 1) &Cube Thyme configure devices through TAS(ADN-AE-Gwang / ADN-AE-Yul).
- 2) Device application(ADN-AE-Gwang / ADN-AE-Yul) registers with Mobius(IN-CSE) through &Cube Thyme.
- 3) Smartphone application(ADN-AE-App) registers with Mobius(IN-CSE).




Figure 3.1-1 : Registration phase call flows

3.2. Initial resource creation

After registration, it is necessary to create container resources to store the data from device on the &Cube Thyme. Call flows regarding the initial resource creation phase depicted in figure 3.2-1 are ordered as follows :

- 1) Several container resources are created in the Mobius(IN-CSE) to store each of classroom's device data under the registered device application(ADN-AE-Gwang / ADN-AE-Yul).




Figure 3.2-1 : Initial resource creation phase call flows

After the initial resource creation process, the resource tree of IN-CSE is depicted in figure 3.2-2




Figure 3.2-2 : State of after the initial creation process

3.3. Discovery and retrieval

Call flows regarding the discovery and retrieval of resources depicted in figure 3.3-1 are ordered as follows :

- 1) The smart phone application (ADN-AE-App) sends a RETRIEVE request including the parameter filterUsage and specific filter criteria condition(s) as a query string for discovery of resources stored under the ADN-AE-Gwang / ADN-AE-Yul.
- 2) The Mobius(IN-CSE) responds to the smart phone application(ADN-AE-App) with URIs of the discovered resources under ADN-AE-Gwang / ADN-AE-Yul.
- 3) The smart phone application(ADN-AE-App) sends RETRIEVE requests for retrieval of the latest data from discovered device resource(in the app, when user selects the floor), in this example, which is from the container-gwang101 of ADN-AE-Gwang / ADN-AE-Yul(Figure 3.3-2).

4) The Mobius (IN-CSE) responds to the smart phone application (ADN-AE-App) with the latest data of device(contentInstance).




Figure 3.3-1 : Discovery and Retrieve phase call flows




Figure 3.3-2 : Example of retrieve of latest data

4. Roles of entities

4.1. Mobius (IN-CSE)

The Mobius platform is modelled as an IN-CSE and is responsible for:

- handling the requests from smart phone ADN-AE-App and &Cube(ADN-AE-Gwang / ADN-AE-Yul)

4.2. &Cube Thyme (ADN-AE-Gwang / ADN-AE-Yul)

Each of the device applications are modelled as an &Cube(ADN-AE-Gwang / ADN-AE-Yul) and are responsible for :

- registering devices with the IN-CSE
- creating container resources in the IN-CSE
- creating content resources under containers cin-1 or cin-0 according to data

4.3. Smart phone applications (ADN-AE-App)

The smart phone application is modelled as ADN-AE-App, which directly communicates with the Mobius(IN-CSE) and is responsible for :

- registering the smart phone application with the IN-CSE
- discovering and displaying the data from devices

5. Procedures

5.1. Registration and resource creation

The following example shows an device application ADN-AE-Gwang / ADN-AE-Yul registration request and response in clause 3.1 using Http with JSON serialization.

Http Request :

Method : POST

Uri-Host : <http://58.233.226.102:7579>

Uri-Path : ~

Uri-Path : [mobius-yt](#)


```

Content-Type : application/vnd.onem2m-res+xml
x-m2m-ty : 2
x-m2m-ri : 12345
x-m2m-origin : S
{
  "m2m:ae":
  {
    "rn" : "adn-ae-gwang",
    "api" : "0.2.481.2.0001.001.000111",
    "rr" : "true"
  }
}

```

Http Response :

```

{
  "m2m:ae":
  {
    "ty" : "2",
    "pi" : "rJTOqAHRZ",
    "ri" : "rJG5wLe51z",
    "ct" : "20171115T091956",
    "et" : "20191115T091956",
    "lt" : "20171115T091956",
    "aei" : "S20171115091956416HXI4"
  }
}

```

Then the following example shows a container create request and response in the procedure of clause Figure 3.2-1 using Http with JSON serialization. Result content parameter `rcn` is used and set to 0 to indicate no response is preferred for the CREATE request.

Http Request :

```

Method : POST
Uri-Host : http://58.233.226.102:7579
Uri-Path : ~
Uri-Path : mobius-yt
Uri-Path : adn-ae-gwang
Content-Type : application/vnd.onem2m-res+xml
x-m2m-ty : 3
x-m2m-ri : 12345
x-m2m-origin : SOrigin

```

```
{
  "m2m:cnt":
  {
    "rn" : "101"
  }
}
```

Http Response :

Location-Path: /mobius-yt/101

```
{
  "m2m:cnt" :
  {
    "ty" : "3",
    "pi" : "SkbNaIKFJz",
    "ri" : "rJG5wLe51z",
    "ct" : "20171115T171617",
    "et" : "20191115T171617",
    "lt" : "20171115T171617",
    "st" : "0"
  }
}
```

Then the creation of a content instance resource under the container of ADN-AE-Gwang / ADN-AE-Yul with initial content is shown in the following procedure. The following example shows a contentInstance create request and response using Http with JSON serialization :

Http Request :

```
Method : POST
Uri-Host : http://58.233.226.102:7579
Uri-Path : ~
Uri-Path : mobius-yt
Uri-Path : adn-ae-gwang
Uri-Path : 101
Content-Type : application/vnd.onem2m-res+json
x-m2m-ty : 4
x-m2m-ri : 12345
x-m2m-origin : SOrigin
{
  "m2m:cin":
  {
```

```

        "con" : "1"
    }
}

```

Http Response :

```

Location-Path: /mobius-yt/101
{
    "m2m:cin":
    {
        "rn": "cin",
        "ty": "4",
        "pi": "rJG5wLe51z",
        "ri": "ryM-F3tq1M",
        "ct": "20171116T035641",
        "et": "20191116T035641",
        "lt": "20171116T035641",
        "st": "1",
        "cs": "4",
        "con" : "1"
    }
}

```

The smart phone applications can register with the Mobius anytime as needed.

5.2. Discovery and Retrieve

As mentioned in clause Figure 3.3-1, the smart phone application(ADN-AE-App) periodically sends a RETRIEVE request including the parameter filterUsage and specific filter criteria condition(s) as a query string for discovery of resources stored in the IN-CSE.

The discovery of containers for each devices registered with the ADN-AE-Gwang / ADN-AE-Yul by the smart phone AE is shown in the following procedure.

Http Request :

```

Method : GET
Uri-Host : http://58.233.226.102:7579
Uri-Path : ~
Uri-Path : mobius-yt
x-m2m-ri : 12345
x-m2m-origin : SOrigin

```

Http Response :

```
{
  "m2m:uril" :
  [
    "adn-ae-gwang/101"
  ]
}
```

The smart phone application can retrieve the device data from ADN-AE-Gwang / ADN-AE-Yul. If the response is preferred to be returned with a JSON representation, the following is a Http request message example:

Http Request :

```
Method : GET
Uri-Host : http://58.233.226.102:7579
Uri-Path : ~
Uri-Path : mobius-yt
Uri-Path : adn-ae-gwang
Uri-Path : 101
Content-Format :
x-m2m-ri : 12345
x-m2m-origin : SOrigin
```

Http Response :

```
{
  "m2m:cin":
  {
    "ty" : "4",
    "ri" : "ryM-F3tq1M",
    "pi" : "rjG5wLe51z",
    "lt" : "20171116T035641",
    "et" : "20191116T035641",
    "ct" : "20171116T035641",
    "st" : "1",
    "cs" : "1",
    "con" : "1"
  }
}
```