



AC: confirmed weekly cases




Retrospective weekly susceptible fraction


Annual posterior infection burden, placed by 3-week-smoothed weekly case timing




Annual FOI posterior



Annual latent infections posterior




AL: confirmed weekly cases




Retrospective weekly susceptible fraction


Annual posterior infection burden, placed by 3-week-smoothed weekly case timing




Annual FOI posterior



Annual latent infections posterior




AM: confirmed weekly cases




Retrospective weekly susceptible fraction


Annual posterior infection burden, placed by 3-week-smoothed weekly case timing




Annual FOI posterior



Annual latent infections posterior




AP: confirmed weekly cases




Retrospective weekly susceptible fraction


Annual posterior infection burden, placed by 3-week-smoothed weekly case timing




Annual FOI posterior



Annual latent infections posterior




BA: confirmed weekly cases




Retrospective weekly susceptible fraction


Annual posterior infection burden, placed by 3-week-smoothed weekly case timing




Annual FOI posterior



Annual latent infections posterior




CE: confirmed weekly cases




Retrospective weekly susceptible fraction


Annual posterior infection burden, placed by 3-week-smoothed weekly case timing




Annual FOI posterior



Annual latent infections posterior




DF: confirmed weekly cases




Retrospective weekly susceptible fraction


Annual posterior infection burden, placed by 3-week-smoothed weekly case timing




Annual FOI posterior



Annual latent infections posterior




ES: confirmed weekly cases




Retrospective weekly susceptible fraction


Annual posterior infection burden, placed by 3-week-smoothed weekly case timing







Annual FOI posterior




Annual latent infections posterior






MA: confirmed weekly cases




Retrospective weekly susceptible fraction


Annual posterior infection burden, placed by 3-week-smoothed weekly case timing




Annual FOI posterior




Annual latent infections posterior




MG: confirmed weekly cases




Retrospective weekly susceptible fraction




Annual FOI posterior



Annual latent infections posterior




MS: confirmed weekly cases




Retrospective weekly susceptible fraction


Annual posterior infection burden, placed by 3-week-smoothed weekly case timing




Annual FOI posterior



Annual latent infections posterior




MT: confirmed weekly cases




Retrospective weekly susceptible fraction


Annual posterior infection burden, placed by 3-week-smoothed weekly case timing




Annual FOI posterior



Annual latent infections posterior




PA: confirmed weekly cases




Retrospective weekly susceptible fraction


Annual posterior infection burden, placed by 3-week-smoothed weekly case timing




Annual FOI posterior



Annual latent infections posterior




PB: confirmed weekly cases




Retrospective weekly susceptible fraction


Annual posterior infection burden, placed by 3-week-smoothed weekly case timing




Annual FOI posterior



Annual latent infections posterior




PE: confirmed weekly cases




Retrospective weekly susceptible fraction


Annual posterior infection burden, placed by 3-week-smoothed weekly case timing




Annual FOI posterior



Annual latent infections posterior




PI: confirmed weekly cases




Retrospective weekly susceptible fraction


Annual posterior infection burden, placed by 3-week-smoothed weekly case timing




Annual FOI posterior



Annual latent infections posterior




PR: confirmed weekly cases




Retrospective weekly susceptible fraction


Annual posterior infection burden, placed by 3-week-smoothed weekly case timing




Annual FOI posterior



Annual latent infections posterior




RJ: confirmed weekly cases




Retrospective weekly susceptible fraction


Annual posterior infection burden, placed by 3-week-smoothed weekly case timing




Annual FOI posterior



Annual latent infections posterior




RN: confirmed weekly cases




Retrospective weekly susceptible fraction


Annual posterior infection burden, placed by 3-week-smoothed weekly case timing




Annual FOI posterior



Annual latent infections posterior




RS: confirmed weekly cases




Retrospective weekly susceptible fraction


Annual posterior infection burden, placed by 3-week-smoothed weekly case timing




Annual FOI posterior



Annual latent infections posterior




SC: confirmed weekly cases




Retrospective weekly susceptible fraction


Annual posterior infection burden, placed by 3-week-smoothed weekly case timing




Annual FOI posterior



Annual latent infections posterior




SE: confirmed weekly cases




Retrospective weekly susceptible fraction


Annual posterior infection burden, placed by 3-week-smoothed weekly case timing




Annual FOI posterior



Annual latent infections posterior




SP: confirmed weekly cases




Retrospective weekly susceptible fraction


Annual posterior infection burden, placed by 3-week-smoothed weekly case timing




Annual FOI posterior



Annual latent infections posterior




TO: confirmed weekly cases




Retrospective weekly susceptible fraction


Annual posterior infection burden, placed by 3-week-smoothed weekly case timing



Annual FOI posterior




Annual latent infections posterior



Nationwide retrospective susceptibility diagnostics

Implied overall conf

Diagnostic only; not fed



Annual SHAPE HMC diagnostics



Annual-versus-weekly S end-of-year discrepancy

