


Municipality-level timing of the 2022 chikungunya outbreak within each state (1 of 3)


Each ridge is one municipality's weekly confirmed-case curve, normalised to its own peak (not a distribution of peak weeks). Municipalities selected per state: ≥ 20 confirmed cases in 2022, smallest set reaching $\geq 90\%$ of the state's total 2022 case burden. Stack order (bottom $\rightarrow$ top) = ascending peak week, so a flat stack = municipalities peaked in unison; a diagonal staircase = staggered spread.



Source: SINAN municipality x epidemiological-week confirmed case counts, 2022. Labelled municipality = largest 2022 case burden within its state.

Municipality-level timing of the 2022 chikungunya outbreak within each state (2 of 3)


Each ridge is one municipality's weekly confirmed-case curve, normalised to its own peak (not a distribution of peak weeks). Municipalities selected per state: ≥ 20 confirmed cases in 2022, smallest set reaching $\geq 90\%$ of the state's total 2022 case burden. Stack order (bottom $\rightarrow$ top) = ascending peak week, so a flat stack = municipalities peaked in unison; a diagonal staircase = staggered spread.



Source: SINAN municipality x epidemiological-week confirmed case counts, 2022. Labelled municipality = largest 2022 case burden within its state.

Municipality-level timing of the 2022 chikungunya outbreak within each state (3 of 3)

Each ridge is one municipality's weekly confirmed-case curve, normalised to its own peak (not a distribution of peak weeks). Municipalities selected per state: ≥ 20 confirmed cases in 2022, smallest set reaching $\geq 90\%$ of the state's total 2022 case burden. Stack order (bottom $\rightarrow$ top) = ascending peak week, so a flat stack = municipalities peaked in unison; a diagonal staircase = staggered spread.



Source: SINAN municipality x epidemiological-week confirmed case counts, 2022. Labelled municipality = largest 2022 case burden within its state.