Construct a **multi-tape TM** that accepts the language:

$$L(M) = \{wcw^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

⋯	B	a	b	b	c	b	b	a	B	⋯

⋯	B	B	B	B	B	B	B	B	B	⋯

1: Find the first c in the input
2: Check if left and right parts of c are reverse of each other

Construct a **multi-tape TM** that accepts the language:

$$L(M) = \{wcw^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

···	B	a	b	b	c	b	b	a	B	···

···	B	B	B	B	B	B	B	B	B	···



Find the first c in the input.

Construct a **multi-tape TM** that accepts the language:

$$L(M) = \{wcw^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

⋯	B	a	b	b	c	b	b	a	B	⋯

⋯	B	a	B	B	B	B	B	B	B	⋯



Construct a **multi-tape TM** that accepts the language:

$$L(M) = \{wcw^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

⋯	B	a	b	b	c	b	b	a	B	⋯

⋯	B	a	b	B	B	B	B	B	B	⋯



Construct a **multi-tape TM** that accepts the language:

$$L(M) = \{wcw^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

···	B	a	b	b	c	b	b	a	B	···

···	B	a	b	b	B	B	B	B	B	···



Construct a **multi-tape TM** that accepts the language:

$$L(M) = \{wcw^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

⋯	B	a	b	b	c	b	b	a	B	⋯

⋯	B	a	b	b	B	B	B	B	B	⋯



Check if left and right parts of c are reverse of each other.

Construct a **multi-tape TM** that accepts the language:

$$L(M) = \{wcw^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

⋯	B	a	b	b	c	b	b	a	B	⋯

⋯	B	a	b	b	B	B	B	B	B	⋯



Construct a **multi-tape TM** that accepts the language:

$$L(M) = \{wcw^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

⋯	B	a	b	b	c	b	b	a	B	⋯

⋯	B	a	b	b	B	B	B	B	B	⋯



Construct a **multi-tape TM** that accepts the language:

$$L(M) = \{wcw^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

⋯	B	a	b	b	c	b	b	a	B	⋯

⋯	B	a	b	b	B	B	B	B	B	⋯



Construct a **multi-tape TM** that accepts the language:

$$L(M) = \{wcw^R \mid w \in \{\mathtt{a}, \mathtt{b}\}^*\}$$

···	B	a	b	b	c	b	b	a	B	···

···	B	a	b	b	B	B	B	B	B	···



Accept!