

ZYVORAI LABS · CUSTOMER DOCUMENTATION

ZyAIQA Agent

Admin Basics

2026-08-16

Ports & URLs

Port	Surface	Notes
30080	Mission Control (lab / k3s NodePort)	Persisted by <code>deploy-remote.sh</code>
8080	Local <code>zyvor-qa serve --port 8080</code>	Dev default
443 / TLS	<code>zyvor-qa serve --tls</code>	When terminating TLS in-process

```
curl -s http://127.0.0.1:8080/health
remote lab example:
curl -s http://175-110.122.71:30080/health
```

Auth

- When `DASHBOARD_PASSWORD` is set, `/dashboard` and `/api/dashboard/*` require a session from `/login`.
- Lab defaults are often `admin / Admin@321` — rotate for anything exposed.
- Override with `DASHBOARD_USER / DASHBOARD_PASSWORD` or host file `.zyvor-qa-auth`.
- `GET /health` stays open for probes.

Key environment

Variable	Purpose
ZYVOR_BASE_URL	Target under test
LLM_PROVIDER / keys	OpenAI, Anthropic, Azure, Google, Ollama
ZYVOR_PRODUCT_REPO	GitHub owner/repo for specs / issues
ENABLE_MULTI_BROWSER	Firefox + WebKit projects
ENABLE_AUTH_SETUP	Playwright setup → storageState
ENABLE_EMULATION_PROJECTS	Dark / reduced-motion / locale projects
ZYVOR_GREP / ZYVOR_SHARD	Default suite filters
ZYVOR_HAR_PATH	Default HAR for replay
ENABLE_REGRESSION / VISUAL_MAX_DIFF_RATIO	Visual pipeline threshold
ENABLE_AUTOFIX / ENABLE_AUTOFIX_APPLY	Self-healing suggestions / apply
GITHUB_WEBHOOK_SECRET	HMAC for POST /webhook/github

Canonical list: repo .env.example and docs/configuration.md .

Deploy sketch

```
/scripts/deploy-remote.sh <host> <user> --quick --service # systemd (needs free port)
/scripts/deploy-remote.sh <host> <user> --k3s # preferred when :30080 is NodePort
```

If k3s already binds **:30080** as the `zyvor-qa-webhook` NodePort, prefer `--k3s` — bare systemd cannot steal that port.

Logs: `journalctl -u zyvor-qa -f` or `kubectl logs deploy/zyvor-qa-webhook` .

Security notes

- Always set `DASHBOARD_PASSWORD` before exposing pod logs publicly.
- Treat webhook secrets and LLM keys as production secrets.
- Support: [GitHub issues](#).

Related

- [Getting Started](#)
- [Using the Dashboard](#)