ZYVORAI LABS · CUSTOMER DOCUMENTATION

cloud-netconfig

Admin Basics

2026-08-29

Topic	Guidance
Binaries	`/usr/bin/cloud-netconfigd` (daemon), `/usr/bin/cnctl` (CLI)
Service	`cloud-netconfigd.service` — `Type=notify`, watchdog enabled, `CAP_NET_ADMIN`
Config dir	`/etc/cloud-network/` — active daemon config: `cloud-network.yaml`
Runtime state	`/run/cloud-network/` (metadata cache, per-interface files when enabled)
Logs	`journalctl -u cloud-netconfigd -f`
User	Drops to `cloud-network` system user after startup when run as root
Local API	`127.0.0.1:5209` by default — not exposed beyond localhost unless you change `server.listen`
Examples	`/usr/share/doc/cloud-netconfig/examples/` after package install
Security	Follow upstream `SECURITY.md`; restrict config file permissions (`0644`, root-owned)
Support	GitHub Issues · Contact Zyvor for Enterprise

systemd essentials

```
sudo systemctl enable --now cloud-netconfigd
sudo systemctl status cloud-netconfigd
sudo systemctl restart cloud-netconfigd
sudo journalctl -u cloud-netconfigd -f
```

The unit uses `WatchdogSec=60s` and expects the daemon to ping systemd when `security.watchdog.enabled` is true in config.

Packaging paths

Artifact	Installed path
Daemon + CLI	`/usr/bin/`
Default config example	`/etc/cloud-network/config.yaml`
systemd unit	`/lib/systemd/system/cloud-netconfigd.service`
Shell completions	bash, zsh, fish under `/usr/share/`

DEB/RPM/Arch packages follow the same layout — see `distribution/README.md` in the repository.

Privileges

The daemon starts as root, creates state directories, then drops to `cloud-network` while retaining `CAP_NET_ADMIN` for netlink route and address operations.

See also Getting started.

Operate (CLI)

1. Treat `cloud-netconfigd.service` as the source of truth for process health.
2. Use the local API only from the host (`curl` to `127.0.0.1:5209`) — do not expose the port publicly without TLS and auth.
3. After upgrades, run `cnctl version` and compare with `/api/status` JSON.
4. **Empty / fail:** Inspect unit logs and confirm the `cloud-network` user exists.
5. **Success:** Service is `active (running)` and watchdog notifications stay healthy in `journalctl` .