SUNRISE FAMILY MEDICINE
Chicago, IL | (312) 555-0198

Office Visit - Mobility Evaluation

Patient	Eleanor Martinez | Age 72
Medical record	SFM-0041827
Encounter date	October 17, 2026
Clinician	Sarah Chen, MD
Visit type	In-person evaluation for mobility equipment

REASON FOR VISIT

Increasing difficulty moving safely between the bedroom, bathroom, and kitchen at home. The patient reports bilateral knee pain, leg weakness, and near falls when attempting these activities.

HISTORY AND FUNCTIONAL LIMITATIONS

Walking is limited to approximately 15-20 feet with a rolling walker before pain and fatigue require a rest. Transfers require use of armrests and occasional caregiver assistance. These limitations interfere with toileting, dressing, and meal preparation on a usual day. The home has sufficient space to use a standard manual wheelchair along the primary route between rooms.

EXAMINATION

Alert and able to follow instructions. Upper-extremity strength is sufficient for short-distance manual propulsion. Bilateral lower-extremity strength 4-/5. Gait is slow and unsteady with a rolling walker; turning requires close supervision. No acute cardiopulmonary distress observed.

WHY CANE OR WALKER IS INSUFFICIENT

A cane does not provide adequate stability. A walker improves balance but does not allow the patient to complete routine in-home mobility-related activities safely or within a reasonable time because of pain, weakness, limited endurance, and fall risk. Continued walker use alone is not adequate for the documented daily needs.

WHEELCHAIR USE AND PLAN

The patient can use a standard manual wheelchair for short distances in the home and understands safe operation after instruction. A caregiver can assist with longer distances and transfers when needed. Order standard manual wheelchair (K0001) for in-home use. Reassess mobility and equipment fit at follow-up.

Electronically signed by Sarah Chen, MD on October 17, 2026 at 4:28 PM CT