


# Gutter Guard Product Information



Photo Courtesy Of Boral Roofing




## GUTTER MESH PRODUCT RANGE :



### Premium Aluminium Gutter Mesh


- Powder coated, expanded, commercial grade Aluminum
- Compatible with Colorbond®, Aluminium and Zincalume roof/gutters
- Aperture of 4mm x 3mm, strand width 1.0 mm, mesh weight 500 g/m<sup>2</sup>
- Manufactured in 1000mm x 50m continuous rolls
- Standard widths of 250, 500, 750 & 1000mm
- Sold by the metre
- Compliant with AS 3959-2018 "Construction of buildings in bushfire prone areas"
- Available in a range of colours



### High Density Poly-Ethylene Gutter Mesh


- 100% virgin High Density Poly-Ethylene
- UV stabilised material used in a range of commercial and domestic industries
- Compatible with all roof/gutter materials including copper and stainless steel
- Aperture of 4mm x 4mm, strand width 2mm, mesh weight of 650 g/m<sup>2</sup>
- Manufactured in 1000mm x 50m continuous rolls
- Standard widths of 250, 500, 750 & 1000mm
- Sold by the metre
- Available in a range of modern and traditional colours

## EMBER GUARD & FINE WIRE MESH RANGE :



### Woven Aluminium 1.9mm Ember Guard/ Gutter Guard

- Powder coated, woven, commercial grade Aluminium
- Aperture of 1.9mm x 1.9mm with locked edge
- Strand thickness 0.5mm
- Compliant with AS 3959-2018 "Building in bushfire prone areas"
- Suitable as gutter guard in BAL-12.5, BAL-19, BAL-29, BAL-40 & BAL FZ
- Suitable as ember guard in BAL-12.5, BAL-19, BAL-29
- Available in 250mm, 500mm and 1000mm widths
- Sold by the metre
- Manufactured in limited colour range.



### Stainless Steel 1.9mm Ember Guard

- Marine grade-316 stainless steel woven mesh
- Aperture of 1.9mm x 1.9mm with selvedge edge
- Strand thickness 0.5mm
- Compliant with AS 3959-2018 "Building in bushfire prone areas"
- Suitable for use as ember guard BAL-12.5, BAL-19, BAL-29, BAL-40 & BAL FZ
- Available in 250mm, 500mm and 1000mm widths
- Sold by the metre
- \*Separation will be required if contact with non-compatible metals occurs\*



## COLOUR RANGE:

		Standard Aluminium Mesh	1.9mm Woven Aluminium Mesh	HDPE (Poly) Mesh
	Basalt	✓		
	Classic Cream	✓		
	Cottage Green	✓		✓
	Cove	✓		
	Dark Brown	✓		
	Deep Ocean	✓		
	Dune	✓		
	Evening Haze	✓		
	Gully	✓		
	Headland	✓		
	Ironstone	✓		✓
	Jasper	✓	✓	✓
	Mangrove	✓		
	Monument	✓	✓	✓
	Manor Red	✓	✓	✓
	Night Sky	✓		✓
	Paperbark	✓		✓
	Pale Eucalypt	✓		
	Shale Grey	✓	✓	✓
	Surfmist	✓		
	Terrain	✓		
	Terracotta	✓		✓
	Vincent Brown			✓
	Wallaby	✓		
	Woodland Grey	✓	✓	✓
	Wilderness			✓
	Windspray	✓		
	Mill Finish	✓		

## SUMMARY OF OUR MESH PRODUCT'S COMPLIANCE WITH AS 3959-2018:

	Aluminium Gutter Mesh	HDPE (Poly) Gutter Mesh	1.9mm Aperture Aluminium Mesh	1.9mm Aperture Stainless Steel Mesh
Base Material	Commercial grade Aluminium	High Density Poly-ethylene	Commercial Grade Aluminium	Marine Grade 316 Stainless Steel
Aperture	3mm x 4mm	4.0mm x 4.0mm	1.9mm x 1.9mm	1.9mm x 1.9mm
Suitable as Gutter Guard				
BAL-12.5	✓	✗	✓	✓
BAL-19	✓	✗	✓	✓
BAL-29	✓	✗	✓	✓
BAL-40	✓	✗	✓	✓
BAL-FZ	✓	✗	✓	✓
Suitable as Ember Guard				
BAL-12.5	✗	✗	✓	✓
BAL-19	✗	✗	✓	✓
BAL-29	✗	✗	✓	✓
BAL-40	✗	✗	✗	✓
BAL-FZ	✗	✗	✗	✓



## INSTALLATION IMAGES:



Step 2



Step 3



Step 4



Step 5



Step 6



Installation  
Complete

