



Program authority: Nuevo Estándar Biotropical – NEBIOT S.A.S.

Ex-Ante Estimate

Scenario and projected-outcome dossier

Governing standard: NEBIOT 0.8.2 | Template edition 1.2

[PROJECT NAME]

Project ID: [ID]

Country / jurisdiction: [Country / jurisdiction]

Project document version: [Version]

Issue date: [YYYY-MM-DD]

Implementing organizations and stakeholders

IMPLEMENTING ENTITY

[Insert authorized logo]

[Organization / role]

PROJECT PROPONENT

[Insert authorized logo]

[Organization / role]

RIGHTS HOLDERS / STAKEHOLDERS

[Insert authorized logo]

[Organization / role]

Use authorized logos and identify each organization's actual role. Logo display does not establish consent, project ownership, endorsement, validation or admission. Remove unused partner spaces from the completed submission.

The English logo wording is a translation, not a separate legal entity.

License and use of this template

This document is issued by Nuevo Estándar Biotropical—NEBIOT S.A.S. Henry Arellano-Peña is the methodological author of NEB001 and NEB002. Rights in NEBIOT’s protected materials remain with their respective rights holders. Commercial use, reproduction, adaptation, redistribution, and sublicensing of protected material are subject to the applicable license or specific written permission from the authorized rights holder; permissions for use within the NEBIOT program shall be recorded in FRM-07 under S-21. Access to this document does not itself grant a commercial license, transfer ownership, authorize sublicensing, confer program admission, or authorize certification or issuance of environmental units. Supporting publications and third-party data, software, and images retain their respective licenses and attribution requirements; existing lawful permissions and uses permitted by applicable law remain unaffected. Authorized independent reviewers shall receive the access necessary for inspection, recalculation, and reporting under S-22, subject to the applicable permissions and confidentiality safeguards.

Completion instructions

This template organizes the evidence required for its project stage under NEBIOT Standard version 0.8.2. It does not replace the standard, its applicable methods, the approved case profile or the controlled forms. Complete the bracketed fields and expand tables or narrative areas as needed. For an inapplicable item, record a reason and the reviewer’s disposition; do not silently delete it. Identify unknown information as missing, not zero. Keep observations, assumptions, projections, verified outcomes and authorized NVEUs distinct. Requirements are assessed at the stage to which they apply; later-stage fields do not imply earlier completion.

Reference and scope

[1] NEBIOT. NEBIOT Standard, controlled version 0.8.2. NEB-DOC-000, integrated edition. Principal dependencies: NEB-CYC-001; NEB-STD-001 and Annex A; NEB-MTH-001/002; NEB-UNT-001; NEB-PRO-001; NEB-MIG-001; NEB-AUD-001; and NEB-FRM-001. All clause, equation, AP and FRM references in this template refer to that version. They are external normative dependencies, not missing sections of this template. NIP retains the source name Nota de Idea de proyecto; “Project Idea Note” is an explanatory English rendering. PD means Project Description. NEBIOT provides the contracted technical assessment, design and monitoring services. The named proponent and implementing entity retain project execution responsibilities under S-25; exceptional NEBIOT interests follow S-26.

Document control and contents

Document record

Control	Record
Template	EX-ANTE / 1.2 / EN
Standard basis	NEBIOT 0.8.2 / CYC-05
Preparer / reviewer	[Complete]
Distribution / restrictions	[Complete]

Revision record

Version	Date	Change and authority
[]	[]	[]

Contents

01	Scope, forecast version and intended use	4
02	Sources, maps and initial carbon reference	5
03	Baseline and driver-specific scenarios	6
04	Project scenario and implementation emissions	7
05	Leakage and offsite counterfactual	8
06	Stocks, flows, pools and release timing	9
07	Projected period and horizon account	10
08	Uncertainty, materiality and residual risk	11
09	Migration and comparison reference	12
10	Other attributes and continuing additionality	13
11	Review, handover and controlled attachments	14
CALC	Calculation traceability and notation	15

01 Scope, forecast version and intended use

[1] Basis: CYC-01; CYC-03; CYC-04; CYC-05; S-18; U-01

Forecast identity

Identify the project, stage, scenario version, preparation date, information cut-off, forecast horizon and reporting intervals. Freeze the selected reference forecast before comparing it with subsequent monitoring. Indicate whether the document supports prefeasibility, feasibility, the PD or a migration request.

[Enter response and exact evidence references.]

Scope and status

EXANTE-T03 / Calculation notation

$x_\ell [u_\ell]$

x_ℓ is the identified observation, input, or output; u_ℓ is its declared unit. Record the exact equation and source file, worksheet, cell/range, period, and status. This notation does not prescribe an estimator.

Basis: F-01; T-01.

Workbook: Evidence!A:J; Components!F:L.

Attribute / activity / area x_ℓ	Period and model version u_ℓ, t	Intended use and restrictions $\text{source}(x_\ell)$
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]

Decision boundary

Label all results as projected. A date in the past does not turn a retrospectively prepared scenario into contemporaneous ex-ante evidence. Record available original vintages and changes. No estimate is a verified result, an issued NVEU or permission to make a claim.

[Enter response and exact evidence references.]

02 Sources, maps and initial carbon reference

[1] Basis: T-01; T-11; T-12; T-13; T-15; MIG-13; MIG-15; FRM-08

Data and parameter passport

EXANTE-T04 / Calculation notation

$$c_i = b_i f_i^C, \quad e_i^{\text{stock}} = \frac{44}{12} c_i$$

b is dry biomass density in Mg/ha; c is carbon density in Mg C/ha. Apply the fraction only to BIOMASS, not to a CARBON band. e_{stock} is a CO2 mass equivalent of the stock, not an annual emission or credit. An already characterized CO2E input requires its own gas scope.

Basis: M02; M04.2; F-C02.

Workbook: Factors!C:G; Profile!B16.

Variable / source / evidence ID i, o	Band, unit, date and spatial support b_i, f_i^C, c_i	Pathway, uncertainty and permitted use e_i^{stock}
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]

Compatibility and source custody

Record the actual raster band, biomass-versus-carbon meaning, scale factors, no-data mask, eligible land cover, acquisition dates, source rights and processing record. Distinguish mapped cell size from independent reference accuracy. Qualify existing data through A/B/C rather than automatically requiring new reconstruction.

[Enter response and exact evidence references.]

Evidence lineage

EXANTE-T05 / Calculation notation

$$x_\ell [u_\ell]$$

x_ℓ is the identified observation, input, or output; u_ℓ is its declared unit. Record the exact equation and source file, worksheet, cell/range, period, and status. This notation does not prescribe an estimator.

Basis: F-01; T-01.

Workbook: Evidence!A:J; Components!F:L.

Input / original location x_ℓ	Observed, modeled or assumed u_ℓ, t	Selected use / remaining restriction $\text{source}(x_\ell)$
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]

03 Baseline and driver-specific scenarios

[1] Basis: S-07; S-08; AO-04; AO-05; AO-07; F-B01; F-B02; F-B03a; F-B03b

Counterfactual and applicability

Document the selected without-project scenario, alternative explanations, driver evidence, forest definition, reference region, legal and operational conditions, and applicable additionality test. A permit, mapped concession or risk score alone does not establish the location, amount or date of conversion.

[Enter response and exact evidence references.]

Disjoint activity scenario

EXANTE-T06 / Calculation notation

$x_\ell [u_\ell]$

x_ℓ is the identified observation, input, or output; u_ℓ is its declared unit. Record the exact equation and source file, worksheet, cell/range, period, and status. This notation does not prescribe an estimator.

Basis: F-01; T-01.

Workbook: Evidence!A:J; Components!F:L.

Driver / stratum / transition x_ℓ	Period area or activity and evidence u_ℓ, t	Gross loss, recovery or other process $\text{source}(x_\ell)$
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]

Temporal and spatial controls

Identify gross transitions separately from net class-area change. Reconcile remaining eligible area, repeated disturbances and shared drivers. Climate-related effects require the applicable method, evidence and causal boundary; do not insert a climate term merely because it appears in another account.

[Enter response and exact evidence references.]

04 Project scenario and implementation emissions

[1] Basis: F-P01; F-P02; S-25; AO-06; AO-08

Scenario assumptions

EXANTE-T07 / Calculation notation

$$P_t^{\text{exante}} = (1 - \eta_t) B_t^{\text{land}} + I_t^{\text{impl}}$$

η_t is the avoided fraction, 0 to 1; B_t^{land} is nonnegative baseline land-release mass; I_t^{impl} is additional implementation emissions not already in the residual. Use only where this F-P02 definition applies. Ex-post uses monitored inputs and supported conversions, not an assumed effectiveness.

Basis: F-P02; M04.4.

Workbook: Qualified upstream scenario; Components!D=PJ; ExAnte!G.

Activity / causal mechanism t , activity	Avoided or residual fraction and evidence η_t , B_t^{land}	Implementation emissions / timing I_t^{impl} , P_t^{exante}
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]

Meaning of effectiveness

When F-P02 applies, specify the avoided fraction, baseline land-release quantity and additional implementation emissions without overlap. Do not substitute a materiality threshold for effectiveness, or halve a random value without a defined distribution and justified estimator. Preserve sensitivity cases and their dependencies.

[Enter response and exact evidence references.]

Implementation responsibility

Identify the implementing entity, resources, schedule and monitoring needed to test the assumptions. NEBIOT technical services do not themselves implement the environmental intervention.

[Enter response and exact evidence references.]

05 Leakage and offsite counterfactual

[1] Basis: S-09; F-L01; T-08; T-13; FRM-04/M

Leakage assessment

EXANTE-T08 / Calculation notation

$$\widehat{L}_t = N_{\text{PLKA,with},t} - N_{\text{PLKA,without},t}$$

The two accounts have matched geography, activities, gases and intervals. Any source ratio remains an explicit numerator/denominator, not an assumed percentage. A signed diagnostic does not automatically authorize an extra benefit; the applicable attribution profile governs.

Basis: F-L01; T-08.

Workbook: Components!D=LK; ExAnte!H; ExPost!H.

Mechanism / receiving area t , PLKA	Without-project activity and projected change $N_{\text{PLKA,with},t}, N_{\text{PLKA,without},t}$	Attribution factor, evidence and quantity $\widehat{L}_t$
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]

Attribution and adjustment controls

Separate all observed or projected activity in the leakage domain from the change attributable to the project. Explain any survey-based, model-based or policy adjustment and its denominator. Record what has already been included in the project scenario. No external project percentage is a NEBIOT default.

[Enter response and exact evidence references.]

Omitted or zero components

EXANTE-T09 / Calculation notation

$$q_{\ell,s,t} = x_{\ell,s,t} f_{\ell,s,t}$$

$$N_{s,t} = \sum_{\ell \in \mathcal{I}_{s,t}} q_{\ell,s,t}$$

x and f have reciprocal units yielding t CO₂e per period. $\mathcal{I}$ is the set of included, evidenced, disjoint components for the same basis, period and account. For precomputed mass, $f=1$ must be explicitly entered with its meaning. BL and PJ are net emissions; LK is attributable leakage.

Basis: M04.4; M04.5; T-08; arithmetic implementation.

Workbook: Components!G:I; ExAnte!F:H; ExPost!F:H.

Component ℓ, s, t	Basis for exclusion or explicit zero $x_{\ell,s,t}, f_{\ell,s,t}$	Evidence / reviewer / sensitivity $q_{\ell,s,t}, N_{s,t}$
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]

06 Stocks, flows, pools and release timing

[1] Basis: M04.1; M04.2; M04.3; F-C01; F-C02; F-C03a; F-C03b; T-08

Pool and factor account

EXANTE-T10 / Calculation notation

$$c_i = b_i f_i^C, \quad e_i^{\text{stock}} = \frac{44}{12} c_i$$

b is dry biomass density in Mg/ha; c is carbon density in Mg C/ha. Apply the fraction only to BIOMASS, not to a CARBON band. e_stock is a CO2 mass equivalent of the stock, not an annual emission or credit. An already characterized CO2E input requires its own gas scope.

Basis: M02; M04.2; F-C02.

Workbook: Factors!C:G; Profile!B16.

Pool / stratum / pre- and post-state i, o	Carbon or gas factor, unit and source b_i, f_i^C, c_i	Transfer, release timing and exclusions e_i^{stock}
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]

Temporal support and cohort closure

Distinguish standing stocks, stock changes and period atmospheric emissions. Attach cohort or equivalent release schedules where needed; show immediate release, delayed release and remaining stock without counting transfers twice. Use matched gases and the adopted GWP convention.

[Enter response and exact evidence references.]

Computation record

EXANTE-T11 / Calculation notation

$$E_{i,t}^{\text{CO}_2} = \frac{44}{12} \sum_{\tau \leq t} \sum_o A_{i,\tau} \ell_{io,\tau} k_{io,\tau}(t)$$

A is newly affected ha, ell is allocated Mg C/ha, and k is the fraction released as CO2 in interval t. The sum of fractions cannot exceed its defined allocation. Cohorts and pools are disjoint; keep remaining material and pre-period cohorts. Use exact intervals.

Basis: M04.2; F-C03a; F-C03b; F-C04.

Workbook: Upstream cohort schedule; Components!F:L.

Equation / input references i, o, τ	Intermediate output and unit $A_{i,\tau}, \ell_{io,\tau}$	Quality control / boundary case $k_{io,\tau}(t), E_{i,t}^{\text{CO}_2}$
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]

07 Projected period and horizon account

[1] Basis: M04.5; F-R01; F-R03; F-R04; FRM-02

Signed environmental account

EXANTE-T12 / Calculation notation

$$\widehat{Q}_t^z = N_{BL,t}^z - N_{PJ,t}^z - L_t^z, \quad z \in \{EA, EP\}$$

EA denotes the dated forecast; EP denotes the reporting-period account, not automatic verification. All terms are signed period masses on matched support. The quantity is before uncertainty, previous liabilities, reserve, and denomination.

Basis: M04.5; F-R01.

Workbook: ExAnte!F:I; ExPost!F:I.

Period / compatible scope t, z	Baseline / project / leakage (t CO2e) $N_{BL,t}^z, N_{PJ,t}^z, L_t^z$	Net result and exact calculation reference $\widehat{Q}_t^z$
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]

Conservative planning account

EXANTE-T13 / Calculation notation

$$Q_t^{\text{eligible}} = \max(0, Q_t^{\text{low}}), \quad D_t^{\text{cand}} = \min(D_t, Q_t^{\text{eligible}})$$

$$Q_t^{\text{base,cand}} = Q_t^{\text{eligible}} - D_t^{\text{cand}}, \quad J_t^{\text{cand}} = Q_t^{\text{base,cand}} - B_t$$

cand distinguishes a worksheet proposal from an executed posting. D_set is actual evidenced settlement; D_rem = D - D_set. Do not reduce posted liability by D_cand. A larger required reserve than the candidate base is a shortfall, not funded protection. No rounding is implied.

Basis: M05.4; M05.5; F-R03.

Workbook: Settlement!B:L; ExAnte!M:O (forecast only).

Period / lower-bound rule D_t, Q_t^{low}	Liability assumption / reserve base / contribution $D_t^{\text{cand}}, D_t^{\text{set}}$	Available mass and conditional denomination $Q_t^{\text{base,cand}}, B_t, J_t^{\text{cand}}$
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]

Aggregation and allocation

Provide annual or other explicit interval results and a nonduplicated horizon total. A horizon average is not an annual observation. Any allocation into shorter intervals must retain its parent quantity, weights and closure; allocations are not new mitigation or new measurements.

[Enter response and exact evidence references.]

08 Uncertainty, materiality and residual risk

[1] Basis: M05; F-U01; F-A01; F-A02; F-A04; T-14; T-16; T-20; F-03; FRM-05

Quantitative treatment

EXANTE-T14 / Calculation notation

$$u_Q^2 = u_B^2 + u_P^2 + u_L^2 - 2 \text{Cov}(B, P) - 2 \text{Cov}(B, L) + 2 \text{Cov}(P, L)$$

B, P and L in this variance identity denote baseline, project and leakage estimators, not reserve B_t. Standard uncertainties are in t CO₂e; variances and covariances are squared units. Retain shared-source dependence and a valid covariance matrix.

Basis: F-U01; M05.1; M05.2.

Workbook: Qualified uncertainty calculation; ExAnte!J:L; ExPost!J:L.

Component / dependence <i>B, P, L</i>	Uncertainty or supported bound <i>u_B, u_P, u_L, Cov</i>	Effect on complete net account <i>u_Q², Q_t^{low}</i>
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]

Separate safeguards

Record materiality criteria, conservativeness, liability settlement and reversal protection separately. Specify AP-08/AP-09/AP-10 and category applicability. No probability, confidence level, reserve rate or full negative-bound carry-forward is inferred from an empty field.

[Enter response and exact evidence references.]

Scenario sensitivity and decision

EXANTE-T15 / Calculation notation

$$x_\ell [u_\ell]$$

x_ℓ is the identified observation, input, or output; *u_ℓ* is its declared unit. Record the exact equation and source file, worksheet, cell/range, period, and status. This notation does not prescribe an estimator.

Basis: F-01; T-01.

Workbook: Evidence!A:J; Components!F:L.

Alternative / changed assumption <i>x_ℓ</i>	Result range and joint feasibility <i>u_ℓ, t</i>	Decision consequence / further evidence <i>source(x_ℓ)</i>
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]

09 Migration and comparison reference

[1] Basis: MIG-01; MIG-04; MIG-05; MIG-12; MIG-16; MIG-17; S-18

Retained versus revised scenario

For migration, preserve the original forecast and its evidence vintage, then document any harmonized comparison and proposed NEBIOT estimate. Explain differences in period, scope, units, activity data, carbon scale and deductions. Retrospective restatement is not the original forecast.

[Enter response and exact evidence references.]

Comparison package

EXANTE-T16 / Calculation notation

$$\Delta q_{\text{basis}} = q^{\text{harm}} - q^{\text{src}}, \quad \Delta q_{\text{method}} = q^{\text{NEB}} - q^{\text{harm}}$$

$$q^{\text{NEB}} - q^{\text{src}} = \Delta q_{\text{basis}} + \Delta q_{\text{method}}$$

src retains the original result; harm is the original method on the agreed comparable basis; NEB is the receiving-method result on that basis. This telescoping identity explains differences, not eligibility. Do not force the methodological difference to zero.

Basis: MIG-05; P-13; reconciliation identity.

Workbook: Migration!E:K.

Original record and status <i>t, u</i>	Matched record / proposed treatment <i>q^{src}, q^{harm}, q^{NEB}</i>	Reconciliation annex and open decisions <i>Δq_{basis}, Δq_{method}</i>
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]

Use of existing maps

Retain qualified external spatial evidence under the migration and A/B/C provisions. Replace or supplement only as needed for the intended claim. A stock recalibration does not itself create a new period outcome.

[Enter response and exact evidence references.]

10 Other attributes and continuing additionality

[1] Basis: T-10; AO-05; AO-06; AO-08; AO-10; U-01

Separate outcome forecasts

EXANTE-T17 / Calculation notation

$$\Delta x_{r,t}^{add} = (x_{r,PJ,t_1} - x_{r,PJ,t_0}) - (x_{r,BL,t_1} - x_{r,BL,t_0})$$

r identifies one environmental or social indicator with its own unit u_r. This is the candidate estimand in M06.1, not an approved conversion to carbon or NVEU. Report different attributes separately; specify the protocol and observation support.

Basis: M06.1; T-10.

Workbook: Separate indicator schedule; Evidence!G.

Attribute / causal pathway <i>r, t₀, t₁</i>	Unit / reference / expected timing <i>x_{r,s,t} [u_r]</i>	Evidence, assessment route and claim limit <i>Δx_{r,t}^{add}</i>
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]

Adaptive evidence plan

Link activities to observable intermediate responses and environmental outcomes. Identify interacting initiatives, prior interventions, reassessment triggers and evidence needed to assess continuation. Do not convert social or biodiversity indicators into carbon quantities.

[Enter response and exact evidence references.]

11 Review, handover and controlled attachments

[1] Basis: CYC-01; P-01; P-05; S-18; S-22; A-12; FRM-03; FRM-06

Findings and required action

Finding / requirement / evidence	Correction / responsible party / date	Independent disposition / remaining limit
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]

Preparation and handover

Attach the frozen calculation workbook, source register, scenario files, full assumption list, maps, parameter profile and sensitivity results. Identify the preparer and unconflicted reviewer. Record exactly what is advanced to the next stage; this report cannot authorize issuance.

[Enter response and exact evidence references.]

Signatures and scope

Role / organization	Name, date and signature	Scope / decision / evidence reference
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]
[Complete]	[Complete]	[Complete]

CALC Calculation traceability and notation

[1] Basis: F-01; T-01; P-13; FRM-02; FRM-04; NEB-MTH-002

Record each calculated quantity as a uniquely identified row. Retain the exact source expression and a separate expression for any NEBIOT adaptation. A translated label does not change a formula. Units, included pools, sign convention, observation period, input status, and mathematical domain are part of the calculation record. An administrative table does not need an invented equation. Source-defined variables that remain ambiguous require clarification rather than an assumed meaning.

Indices and status

EA / EP: dated forecast / reporting-period account; t : interval; i, j : declared strata or classes; o : disjoint organ or pool; g : gas; τ : disturbance cohort; ℓ : calculation/component row.

One calculation record – repeat for each result

Field	Record
Calculation row / symbol	[Complete]
Definition and intended use	[Complete]
Exact source file / version / fingerprint	[Complete]
Worksheet / cell or raw record ID	[Complete]
Original expression and original unit	[Complete]
Inputs: symbols, values, units and periods	[Complete]
Receiving equation / standard identifier	[Complete]
Transformation, conversion and rationale	[Complete]
Unrounded intermediate and final values	[Complete]
Report table / row / output location	[Complete]
Recalculation difference / tolerance basis	[Complete]
Independent reviewer / finding / disposition	[Complete]

Arithmetic comparison, not materiality

$$\delta_{\ell} = v_{\ell}^{\text{recalc}} - v_{\ell}^{\text{reference}}$$

$$|\delta_{\ell}| \leq \varepsilon_a + \varepsilon_r |v_{\ell}^{\text{reference}}|$$

The absolute tolerance has the result unit; the relative tolerance is dimensionless. Record both explicitly. They are software-comparison settings, not approved materiality thresholds. Compare unrounded values. First reproduce the source method; then show each accepted change separately. Do not force an adapted methodological result to equal the source.