MEDICATION SAFETY ASSISTANT

UI Prototype Report

Version 1.3

Document identifier:	PA2-Group02-UIPrototype
Prepared by:	Cao Hoàng Long, Hoàng Yến Trang, Lỗ Chí Thành
Group:	Group 02
Organization:	University of Science, VNU-HCM
Date:	1 November 2026

Revision History

Date	Version	Description	Author
1 November 2026	1.0	PA1 prototype baseline	Group 02
1 November 2026	1.3	Updated PA2 screens and added illustrated comparisons with PA1.	Group 02

Contents

Revision History . . . 1

1 UI Prototype Evolution: PA1 to PA2 . . . 3
1.1 Role-based Sign-in . . . 4
1.2 Patient Workspace . . . 6
1.3 Medication Entry and Confirmation . . . 9
1.4 Safety Assessment . . . 12
1.5 Patient-HCP Case Conversation . . . 14
1.6 HCP Review Queue . . . 16
1.7 HCP Review and Schedule Confirmation . . . 18
1.8 Medication Reminders and Dose Recording . . . 20
1.9 Medication and Assessment History . . . 22
1.10 Medication Chat Assistant . . . 24
1.11 Patient Health Summary . . . 26
1.12 Shared Summaries for HCP . . . 28
1.13 Medication Dataset Review . . . 29
1.14 Account and Role Management . . . 31
1.15 Administrative Activity History . . . 33
1.16 Report a Technical Issue . . . 35
1.17 Technical Support Queue . . . 36
1.18 Mobile Patient Workspace . . . 37

1. UI Prototype Evolution: PA1 to PA2

Summary of UI Changes

Area	PA2 update
Navigation	A top menu provides access to each role's functions on desktop and mobile.
Role workspaces	Separate workspaces for patients, HCPs, medical reviewers, administrators and technical support.
Patient dashboard	Medication counts, active reminders and pending review requests appear together, with direct access to health summaries.
Patient-HCP communication	Patients can reply within a case; follow-up questions return the case to the HCP review queue.
Medication reminders	Pending schedules show their confirmation status, alongside dose recording and adherence history.
Chatbot access	The floating chatbot shortcut is retained for quick access from patient screens.
Health summaries	Patients can preview, save and share a selected summary with an HCP after giving consent.
Medication-data review	A dedicated reviewer screen presents records, supporting evidence and review decisions.
Administration	Account and role management is accompanied by a separate activity-history screen.
Technical support	Users can report issues; support staff can track requests, add progress notes and update their status.

Black text describes the PA1 baseline; blue text highlights PA2 updates.

1.1 Role-based Sign-in

Updated screen | UC-01

PA1 baseline. PA1 provided patient sign-in and a separate HCP sign-in screen; the administration overview listed patient, HCP and administrator demo roles.




Figure 1: PA1 reference: Role-based Sign-in - baseline or related context. Original PA1 screenshot supplied by the project author.

Role-based Sign-in - PA2

PA2 change. PA2 provides five demonstration roles: patient, HCP, dataset reviewer, administrator and technical support. Each role opens its own workspace. Incorrect credentials, blocked accounts and unavailable permissions can be demonstrated without granting a session.




Figure 2: PA2 prototype: Role-based Sign-in. Fictional demonstration data.

1.2 Patient Workspace

Updated screen | UC-02-UC-13

PA1 baseline. PA1 already showed the next dose, a medication cabinet, dose-recording progress, upload actions and caregiver/profile access.




Figure 3: PA1 reference: Patient Workspace - baseline or related context. Original PA1 screenshot supplied by the project author.

Patient Workspace - PA2

PA2 change. PA2 reorganizes these tasks into a top menu and adds visible counts for active reminders and pending review requests, plus direct health-summary access and a floating chatbot shortcut. Daily medication tracking itself is inherited from PA1.




Figure 4: PA2 prototype: Patient Workspace. Fictional demonstration data.

Top Menu and Chatbot Shortcut - PA2

The Menu button opens the available functions below the header for each role. Choosing a function closes the menu. Patients can select “Hỏi Tiểu Bạch” to open the medication assistant directly.




Figure 5: PA2 top menu and patient chatbot shortcut.

1.3 Medication Entry and Confirmation

Updated screen | UC-02

PA1 baseline. PA1 separated medication intake and source verification into two pages.




Figure 6: PA1 reference: Medication Entry and Confirmation - baseline or related context. Original PA1 screenshot supplied by the project author.

Medication Entry and Confirmation - PA1 verification step

The separate verification screen below completes the PA1 input workflow.




Figure 7: PA1 reference: Medication verification. Original PA1 screenshot supplied by the project author.

Medication Entry and Confirmation - PA2

PA2 change. PA2 combines editable medication rows and explicit patient confirmation in one workflow. Unknown ingredients or strengths remain incomplete rather than being inferred. Image and voice inputs load fictional examples; they do not perform real OCR or speech recognition.




Figure 8: PA2 prototype: Medication Entry and Confirmation. Fictional demonstration data.

1.4 Safety Assessment

Updated screen | UC-03

PA1 baseline. PA1 showed an interaction example, source-coverage limitations, a professional review request and a new-reminder hold pending HCP confirmation.




Figure 9: PA1 reference: Safety Assessment - baseline or related context. Original PA1 screenshot supplied by the project author.

Safety Assessment - PA2

PA2 change. PA2 explicitly separates interaction and duplicate-ingredient checks, stores assessment revisions and exposes incomplete-check scenarios. The safety restriction on new reminders and preservation of existing reminders refine behaviour already represented in PA1.




Figure 10: PA2 prototype: Safety Assessment. Fictional demonstration data.

1.5 Patient-HCP Case Conversation

Extended workflow | UC-04-UC-05

PA1 baseline. PA1 already allowed a patient to enter a question, view included medications and consent to creating an HCP review request.




Figure 11: PA1 reference: Patient-HCP Case Conversation - baseline or related context. Original PA1 screenshot supplied by the project author.

Patient-HCP Case Conversation - PA2

PA2 change. PA2 extends the request into a chronological case conversation with reply-to quotations. Follow-up questions return the same case to Pending HCP Response. Consent is retained from the PA1 request flow rather than introduced for the first time.




Figure 12: PA2 prototype: Patient-HCP Case Conversation. Fictional demonstration data.

1.6 HCP Review Queue

Updated screen | UC-05

PA1 baseline. PA1 already had a case-review queue with status counts, a search field, priority selection, patient identifiers and assessment actions.




Figure 13: PA1 reference: HCP Review Queue - baseline or related context. Original PA1 screenshot supplied by the project author.

HCP Review Queue - PA2

PA2 change. PA2 emphasizes patient follow-up status and a new-reply indicator, with each item opening its linked conversation. The PA2 list is simpler: PA1 priority sorting, search and CSV export are not implemented in this version.




Figure 14: PA2 prototype: HCP Review Queue. Fictional demonstration data.

1.7 HCP Review and Schedule Confirmation

Extended workflow | UC-05

PA1 baseline. PA1 already provided medication verification, assessment and a confirmation/reply step, including a checkbox for simulated schedule confirmation.




Figure 15: PA1 reference: HCP Review and Schedule Confirmation - baseline or related context. Original PA1 screenshot supplied by the project author.

HCP Review and Schedule Confirmation - PA2

PA2 change. PA2 places replies, findings and pending schedules in one workspace. It adds reply-to context and explicit Awaiting Patient Response / Pending HCP Response transitions. Schedule confirmation continues an existing PA1 concept; only an eligible recorded confirmation releases relevant pending reminders.




Figure 16: PA2 prototype: HCP Review and Schedule Confirmation. Fictional demonstration data.

1.8 Medication Reminders and Dose Recording

Updated screen | UC-06-UC-08

PA1 baseline. PA1 already showed a day selector, scheduled doses, Taken/Skip actions, undo recording, reminder toggles and a notice requiring professional confirmation for timing changes.




Figure 17: PA1 reference: Medication Reminders and Dose Recording - baseline or related context. Original PA1 screenshot supplied by the project author.

Medication Reminders and Dose Recording - PA2

PA2 change. PA2 separates Taken, Missed and Skipped, records corrections, and displays pending timing proposals without replacing the current schedule. Reminder gating is retained and made explicit; it is not a wholly new PA2 capability.




Figure 18: PA2 prototype: Medication Reminders and Dose Recording. Fictional demonstration data.

1.9 Medication and Assessment History

Expanded history view | UC-09-UC-10

PA1 baseline. PA1 included a searchable My Medications screen with confirmation-status filters. Its dashboard also linked to medication-use history; the supplied set does not show a separate historical assessment page.




Figure 19: PA1 reference: Medication and Assessment History - baseline or related context. Original PA1 screenshot supplied by the project author.

Medication and Assessment History - PA2

PA2 change. PA2 adds a combined dose-history and saved-assessment view with medicine, date and status filters. Saved assessments retain their medication revision and are labeled when outdated.




Figure 20: PA2 prototype: Medication and Assessment History. Fictional demonstration data.

1.10 Medication Chat Assistant

Updated screen | UC-11

PA1 baseline. PA1 offered sample explanations of results and questions to discuss with a professional.




Figure 21: PA1 reference: Medication Chat Assistant - baseline or related context. Original PA1 screenshot supplied by the project author.

Medication Chat Assistant - PA2

PA2 change. PA2 adds a context-permission control, clarification and information-limit responses, and links to separate confirmation workflows. Requests to modify records do not change data directly. Responses remain scripted examples, without an AI model or clinical inference.




Figure 22: PA2 prototype: Medication Chat Assistant. Fictional demonstration data.

1.11 Patient Health Summary

New screen | UC-12-UC-13

PA1 baseline. PA1 included personal profile fields but no confirmed summary snapshot and sharing workflow.




Figure 23: PA1 reference: Patient Health Summary - baseline or related context. Original PA1 screenshot supplied by the project author.

Patient Health Summary - PA2

PA2 change. PA2 lets the patient create a draft, correct supported self-reported details and save a confirmed snapshot. Sharing is a separate consent step for a selected recipient. Saving alone does not expose the summary to an HCP; missing and outdated information remains visible.




Figure 24: PA2 prototype: Patient Health Summary. Fictional demonstration data.

1.12 Shared Summaries for HCP

New screen | UC-13

PA1 baseline. PA1 did not provide an HCP view of explicitly shared summary snapshots.

No directly corresponding screenshot is present in the supplied PA1 set; the PA2 interface is shown below.

PA2 change. PA2 displays only summaries shared through the patient workflow. Each summary preserves its date and medication snapshot; an outdated version is identified. Sharing a case and sharing a summary are separate permissions in the prototype flow.




Figure 25: PA2 prototype: Shared Summaries for HCP. Fictional demonstration data.

1.13 Medication Dataset Review

New reviewer decision screen | UC-14

PA1 baseline. PA1 had an HCP drug-database screen and an administration source overview showing DAV/DDInter connection status and outstanding mapping work; the supplied images do not show per-record reviewer decisions.




Figure 26: PA1 reference: Medication Dataset Review - baseline or related context. Original PA1 screenshot supplied by the project author.

Medication Dataset Review - PA2

PA2 change. PA2 assigns dataset decisions to a dedicated reviewer workspace. It displays the candidate mapping, source evidence, version and decision history. Accept is disabled for missing evidence or an inconsistent mapping; Reject and Needs Correction require a reason. A decision does not automatically publish data or certify clinical validity.




Figure 27: PA2 prototype: Medication Dataset Review. Fictional demonstration data.

1.14 Account and Role Management

Expanded administration | UC-15

PA1 baseline. The PA1 administration overview listed three demonstration roles and explicitly stated that account management and server authorization were not implemented.




Figure 28: PA1 reference: Account and Role Management - baseline or related context. Original PA1 screenshot supplied by the project author.

Account and Role Management - PA2

PA2 change. PA2 provides editable accounts with multiple roles, account status and confirmation before saving. Duplicate email addresses and removal of the last active administrator are rejected. Administrative access does not automatically reveal patient medical content.




Figure 29: PA2 prototype: Account and Role Management. Fictional demonstration data.

1.15 Administrative Activity History

New dedicated screen | UC-16

PA1 baseline. The PA1 administration page contained a traceability-status panel explaining that an immutable audit log was not implemented.




Figure 30: PA1 reference: Administrative Activity History - baseline or related context. Original PA1 screenshot supplied by the project author.

Administrative Activity History - PA2

PA2 change. PA2 records local account-management actions with actor, time and target. The administrator can filter by account or action text and date. The screen contains administrative metadata rather than patient clinical content.




Figure 31: PA2 prototype: Administrative Activity History. Fictional demonstration data.

1.16 Report a Technical Issue

New screen | UC-17

PA1 baseline. PA1 did not include ticket submission and reporter-visible progress.

No directly corresponding screenshot is present in the supplied PA1 set; the PA2 interface is shown below.

PA2 change. PA2 adds issue category, description and optional minimal diagnostic information. The reporter receives a ticket identifier and can answer a request for further technical details. A private-data scenario blocks submission until the sample attachment is removed.




Figure 32: PA2 prototype: Report a Technical Issue. Fictional demonstration data.

1.17 Technical Support Queue

New screen | UC-18

PA1 baseline. PA1 did not have a dedicated technical-support workspace.

No directly corresponding screenshot is present in the supplied PA1 set; the PA2 interface is shown below.

PA2 change. PA2 shows permitted tickets, technical diagnostics, progress notes and status updates. Support can request more information or record a resolution. Medical content is excluded from the diagnostic fixture; clinical review and dataset acceptance are not support actions.




Figure 33: PA2 prototype: Technical Support Queue. Fictional demonstration data.

1.18 Mobile Patient Workspace

PA2 responsive view; PA1 mobile capture unavailable

PA1 baseline. The supplied PA1 profile image shows text-size and contrast controls, but the set contains no mobile-viewport screenshot. The earlier re-captured mobile image is not used as the official baseline.

No directly corresponding screenshot is present in the supplied PA1 set; the PA2 interface is shown below.

PA2 change. PA2 provides the same top menu on mobile, stacked panels and a floating chatbot shortcut. Dedicated text-size/contrast and caregiver-contact controls shown in PA1 are not implemented in the current PA2 scope. This view must not be read as evidence that PA1 lacked responsive support.




Figure 34: PA2 prototype: Mobile Patient Workspace. Fictional demonstration data.