

Safety data sheet

Page: 1/12

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 13.02.2019

Version: 1.0

Product: **OXSILAN ADDITIVE 9950**

(ID no. 30727192/SDS_GEN_00/EN)

Date of print 11.03.2022

1. Identification

Product identifier

OXSILAN ADDITIVE 9950

Recommended use: additives

Not recommended use: None known

Details of the supplier of the safety data sheet

Company:
Chemetall GmbH
Trakehner Straße, 3
60487, Frankfurt am Main
Germany
+49(0)69 7165-0
sds.global-chemetall@basf.com

Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Skin Corr./Irrit. 1A

Eye Dam./Irrit. 1

Met. Corr. 1

For the classifications not written out in full in this section the full text can be found in section 16.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 13.02.2019

Version: 1.0

Product: **OXSILAN ADDITIVE 9950**

(ID no. 30727192/SDS_GEN_00/EN)

Date of print 11.03.2022

Label elements

Globally Harmonized System, UN (GHS)

Pictogram:



Signal Word:

Danger

Hazard Statement:

H290

May be corrosive to metals.

H314

Causes severe skin burns and eye damage.

Precautionary Statements (Prevention):

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P264

Wash with plenty of water and soap thoroughly after handling.

P234

Keep only in original packaging.

P260

Do not breathe dust or mist.

Precautionary Statements (Response):

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310

Immediately call a POISON CENTER or doctor/physician.

P390

Absorb spillage to prevent material damage.

P363

Wash contaminated clothing before reuse.

P301 + P330 + P331

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P304 + P340

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Precautionary Statements (Storage):

P405

Store locked up.

P406

Store in corrosive resistant container with a resistant inner liner.

Precautionary Statements (Disposal):

P501

Dispose of contents/container to hazardous or special waste collection point.

Other hazards

According to UN GHS criteria

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 13.02.2019

Version: 1.0

Product: **OXSILAN ADDITIVE 9950**

(ID no. 30727192/SDS_GEN_00/EN)

Date of print 11.03.2022

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

inorganic
aqueous solution

Hazardous ingredients (GHS)

According to UN GHS criteria

Sodium hydroxide

Content (W/W): $\geq 7\%$ - $< 10\%$

CAS Number: 1310-73-2

EC-Number: 215-185-5

INDEX-Number: 011-002-00-6

Met. Corr. 1

Skin Corr./Irrit. 1A

Eye Dam./Irrit. 1

H290, H314

Specific concentration limit:

Skin Corr./Irrit. 2: 0,50 - $< 2\%$

Eye Dam./Irrit. 2: 0,50 - $< 2\%$

Skin Corr./Irrit. 1B: 2 - $< 5\%$

Skin Corr./Irrit. 1A: $\geq 5\%$

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

Immediately remove contaminated clothing. First aid personnel should pay attention to their own safety. Remove affected person from danger area. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. If symptoms persist, seek medical advice.

On skin contact:

Flush with copious amounts of water for at least 15 minutes. Immediate medical attention required.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 13.02.2019

Version: 1.0

Product: **OXSILAN ADDITIVE 9950**

(ID no. 30727192/SDS_GEN_00/EN)

Date of print 11.03.2022

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist. Immediate medical attention required.

On ingestion:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting. Summon medical aid without delay.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Hazards: May cause severe burns of the mouth and throat if orally ingested, as well as a danger of perforation of the oesophagus and the stomach.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

carbon dioxide, dry powder, alcohol-resistant foam, water spray

Unsuitable extinguishing media for safety reasons:

water jet

Special hazards arising from the substance or mixture

No data available.

Advice for fire-fighters

Special protective equipment:

Appropriate breathing apparatus may be required.

Further information:

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 13.02.2019

Version: 1.0

Product: **OXSILAN ADDITIVE 9950**

(ID no. 30727192/SDS_GEN_00/EN)

Date of print 11.03.2022

Use personal protective clothing. Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Methods and material for containment and cleaning up

Ensure adequate ventilation. Pick up with inert absorbent material (e.g. sand, earth etc.). Take up mechanically and collect in suitable container (adequately labelled) for disposal.

7. Handling and Storage**Precautions for safe handling**

Do not return residues to the storage containers. Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid inhalation of vapour and spray mist. The workplace should be equipped with an emergency shower and eye-rinsing facility. Avoid contact with skin and eyes. Keep away from food, drink and animal feeding stuffs. Warn users about safety measures and precautions to prevent accidents.

Protection against fire and explosion:

The substance/product is non-combustible. The relevant fire protection measures should be noted.

Conditions for safe storage, including any incompatibilities

Segregate from acids.

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), Polyethyleneterephthalate (PET), Polypropylene (PP)

Further information on storage conditions: The entrance to storage rooms is to be granted only to appropriately trained personnel. Keep only in the original container. Keep in a cool, well-ventilated place. avoid contact with metals Protect from frost. Avoid direct sunlight.

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection**Exposure controls**Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. (Gas filter EN 14387 B)

Hand protection:

Chemical resistant protective gloves (EN 374)

Further information on penetration time is available from the manufacturer of the glove.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 13.02.2019

Version: 1.0

Product: **OXSILAN ADDITIVE 9950**

(ID no. 30727192/SDS_GEN_00/EN)

Date of print 11.03.2022

The gloves should be replaced immediately in case of damage or signs of wear. It is recommended to use preventative skin protection (skin cream).

Use suitable protective gloves made of nitrile rubber or butyl rubber. Please observe the glove manufacturer's instructions on permeability and rupture times as well as the specific workplace conditions.

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Chemical resistant protective clothing according to DIN EN 13034 (Type 6)

General safety and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Eye wash fountains and safety showers must be easily accessible. Avoid contact with the skin, eyes and clothing. Take off immediately all contaminated clothing. Keep away from food, drink and animal feeding stuffs. Hands and/or face should be washed before breaks and at the end of the shift.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form:	liquid
Colour:	colourless to pale yellow
Odour:	perceptible
Odour threshold:	
	No data available.
pH value:	11,8 (20 °C) (undiluted)
solidification temperature:	
	not determined
Boiling point:	100,00 °C
Flash point:	
	not applicable
Evaporation rate:	
	No data available.
Flammability:	not applicable
Lower explosion limit:	
	not determined
Ignition temperature:	
	not determined
Vapour pressure:	
	(20 °C) not determined
	(50 °C) not determined

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 13.02.2019

Version: 1.0

Product: **OXSILAN ADDITIVE 9950**

(ID no. 30727192/SDS_GEN_00/EN)

Date of print 11.03.2022

Density: 1,121 g/cm³
(20 °C)
Relative vapour density (air):
No data available.
Viscosity, kinematic: 6,0 mm²/s
(20 °C)
(40 °C)
not determined
Explosion hazard: not explosive
Fire promoting properties: not fire-propagating

Other information

Self heating ability: It is not a substance capable of
spontaneous heating.

Miscibility with water:
miscible

10. Stability and Reactivity**Reactivity**

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effect on metals.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

May react with aluminum, zinc or tin, with formation of hydrogen. Risk of exothermic reaction.

Conditions to avoid

Protect from sunlight.

Incompatible materials

Substances to avoid:
acids, light metals

Hazardous decomposition products

Possible decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Assessment of acute toxicity:

Based on available Data, the classification criteria are not met.

Irritation

Assessment of irritating effects:

Highly corrosive! Damages skin and eyes. May cause severe damage to the eyes.

Respiratory/Skin sensitization

Assessment of sensitization:

Based on available Data, the classification criteria are not met.

Germ cell mutagenicity

Assessment of mutagenicity:

Based on available Data, the classification criteria are not met.

Carcinogenicity

Assessment of carcinogenicity:

Based on available Data, the classification criteria are not met.

Reproductive toxicity

Assessment of reproduction toxicity:

Based on available Data, the classification criteria are not met.

Developmental toxicity

Assessment of teratogenicity:

Based on available Data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on available Data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Based on available Data, the classification criteria are not met.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 13.02.2019

Version: 1.0

Product: **OXSILAN ADDITIVE 9950**

(ID no. 30727192/SDS_GEN_00/EN)

Date of print 11.03.2022

Aspiration hazard

No aspiration hazard expected.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

There are no test results available for this product. Do not allow to enter drains or waterways. Based on available Data, the classification criteria are not met.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

No data available concerning biodegradation and elimination.

Bioaccumulative potential

Bioaccumulation potential:

No data available.

Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: No data available.

Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

13. Disposal Considerations

Waste treatment methods

Observe national and local legal requirements.

Contaminated packaging:

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 13.02.2019

Version: 1.0

Product: **OXSILAN ADDITIVE 9950**

(ID no. 30727192/SDS_GEN_00/EN)

Date of print 11.03.2022

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

UN number	UN1824
UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
Transport hazard class(es):	8
Packing group:	II
Environmental hazards:	no
Special precautions for user:	Tunnel code: E

RID

UN number	UN1824
UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
Transport hazard class(es):	8
Packing group:	II
Environmental hazards:	no
Special precautions for user:	

Inland waterway transport

ADN

UN number	UN1824
UN proper shipping name:	SODIUM HYDROXIDE SOLUTION
Transport hazard class(es):	8
Packing group:	II
Environmental hazards:	no
Special precautions for user:	

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number:	UN 1824
------------	---------

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 13.02.2019

Version: 1.0

Product: **OXSILAN ADDITIVE 9950**

(ID no. 30727192/SDS_GEN_00/EN)

Date of print 11.03.2022

UN proper shipping name: SODIUM HYDROXIDE SOLUTION
Transport hazard class(es): 8
Packing group: II
Environmental hazards: no
Marine pollutant: NO

Special precautions for
user:

Air transport

IATA/ICAO

UN number: UN 1824
UN proper shipping name: SODIUM HYDROXIDE SOLUTION
Transport hazard class(es): 8
Packing group: II
Environmental hazards: No Mark as dangerous for the environment is needed
Special precautions for
user:

Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation: Not evaluated
Shipment approved: Not evaluated
Pollution name: Not evaluated
Pollution category: Not evaluated
Ship Type: Not evaluated

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Met. Corr.	Corrosive to metals
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 13.02.2019

Version: 1.0

Product: **OXSILAN ADDITIVE 9950**

(ID no. 30727192/SDS_GEN_00/EN)

Date of print 11.03.2022

agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.