

Safety data sheet

Page: 1/12

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 14.02.2019

Version: 1.0

Product: **G0XH996000 OXSILAN ADD 9960 (BULK)**

(ID no. 30720829/SDS_GEN_00/EN)

Date of print 06.01.2020

1. Identification

Product identifier

G0XH996000 OXSILAN ADD 9960 (BULK)

Recommended use: Additive for surface treatment of metals.

Not recommended use: None known

Details of the supplier of the safety data sheet

Company:
CHEMETALL PHILIPPINES CO. LTD.,
INC.
3rd Floor #37 Bayani Road AFPOVAL
Subd.
Western Bicutan Taguig City, 1631
PHILIPPINES
Tel: +63 28151847, +63 25187308
Fax: +63 28151847
Email: cmphils@basf.com

Emergency telephone number

Telephone: +63 28151847, +63 25187308
Telefax number: +63 28151847

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Met. Corr. 1
Skin Corr./Irrit. 1

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 14.02.2019

Version: 1.0

Product: **G0XH996000 OXSILAN ADD 9960 (BULK)**

(ID no. 30720829/SDS_GEN_00/EN)

Date of print 06.01.2020

Eye Dam./Irrit. 1

For the classifications not written out in full in this section the full text can be found in section 16.

Label elementsGlobally Harmonized System, UN (GHS)

Pictogram:



Signal Word:

Danger

Hazard Statement:

H290

May be corrosive to metals.

H314

Causes severe skin burns and eye damage.

Precautionary Statements (Prevention):

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P264

Wash with plenty of water and soap thoroughly after handling.

P234

Keep only in original packaging.

P260

Do not breathe dust or mist.

Precautionary Statements (Response):

P303 + P361 + P353

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310

Immediately call a POISON CENTER or doctor/physician.

P390

Absorb spillage to prevent material damage.

P363

Wash contaminated clothing before reuse.

P301 + P330 + P331

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P304 + P340

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Precautionary Statements (Storage):

P405

Store locked up.

P406

Store in corrosive resistant container with a resistant inner liner.

Precautionary Statements (Disposal):

P501

Dispose of contents/container to hazardous or special waste collection point.

Other hazards

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 14.02.2019

Version: 1.0

Product: **G0XH996000 OXSILAN ADD 9960 (BULK)**

(ID no. 30720829/SDS_GEN_00/EN)

Date of print 06.01.2020

According to UN GHS criteria

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients

Substances

Not applicable

Mixtures

Chemical nature

inorganic acids
aqueous solution

Hazardous ingredients (GHS)

According to UN GHS criteria

Nitric Acid

Content (W/W): $\geq 3\%$ - $< 5\%$

CAS Number: 7697-37-2

EC-Number: 231-714-2

REACH registration number: 01-
2119487297-23

Ox. Liq. 3

Skin Corr./Irrit. 1A

H272, H314

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. If symptoms persist, seek medical advice.

On skin contact:

Flush with copious amounts of water for at least 15 minutes. If symptoms persist, seek medical advice.

On contact with eyes:

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 14.02.2019

Version: 1.0

Product: **G0XH996000 OXSILAN ADD 9960 (BULK)**

(ID no. 30720829/SDS_GEN_00/EN)

Date of print 06.01.2020

Wash affected eyes for at least 15 minutes under running water with eyelids held open. Remove contact lenses, if present. Immediate medical attention required.

On ingestion:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting. Summon medical aid without delay.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Hazards: May cause severe burns of the mouth and throat if orally ingested, as well as a danger of perforation of the oesophagus and the stomach. When inhaled (e.g. during vomiting) risk of pulmonary oedema and/or pneumonia. Symptoms can appear later.

Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

carbon dioxide, dry powder, alcohol-resistant foam, water spray

Unsuitable extinguishing media for safety reasons:

water jet

Special hazards arising from the substance or mixture

nitrogen oxides

Advice for fire-fighters

Special protective equipment:

Appropriate breathing apparatus may be required.

Further information:

In case of combustion evolution of toxic gases/vapours possible.

Cool endangered containers with water-spray. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Methods and material for containment and cleaning up

Ensure adequate ventilation. Pick up with absorbent material (e.g. sand, sawdust, general-purpose binder). Take up mechanically and collect in suitable container (adequately labelled) for disposal.

7. Handling and Storage

Precautions for safe handling

Do not return residues to the storage containers. Provide good ventilation of working area (local exhaust ventilation if necessary). The workplace should be equipped with an emergency shower and eye-rinsing facility. Avoid inhalation of vapour and spray mist. Avoid contact with skin and eyes. Keep away from food, drink and animal feeding stuffs. Warn users about safety measures and precautions to prevent accidents.

Protection against fire and explosion:

The substance/product is non-combustible. The relevant fire protection measures should be noted.

Conditions for safe storage, including any incompatibilities

Segregate from bases.

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), Polyethyleneterephthalate (PET), Polypropylene (PP)

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), Polyethyleneterephthalate (PET), Polypropylene (PP)

Further information on storage conditions: Protect from frost.
avoid contact with metals Protect from frost.

Storage stability:

Storage temperature: 0 - 40 °C

Protect from temperatures below: 0 °C

Protect from temperatures above: 40 °C

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

7697-37-2: Nitric Acid

Exposure controls

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. (Gas filter EN 14387 B)

Hand protection:

nitrile rubber (Buna N)

Use suitable protective gloves made of nitrile rubber or butyl rubber. Please observe the glove manufacturer's instructions on permeability and rupture times as well as the specific workplace conditions.

Wear protective gloves of neoprene.

Chemical resistant protective gloves (EN 374)

Further information on penetration time is available from the manufacturer of the glove.

The gloves should be replaced immediately in case of damage or signs of wear. It is recommended to use preventative skin protection (skin cream).

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Chemical resistant protective clothing according to DIN EN 13034 (Type 6)

General safety and hygiene measures

Do not breathe vapour/spray. Take off immediately all contaminated clothing. Avoid contact with skin and eyes. Keep away from food, drink and animal feeding stuffs. Hands and/or face should be washed before breaks and at the end of the shift.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form:	liquid
Colour:	colourless
Odour:	perceptible
pH value:	< 1,0 (20 °C) (undiluted)
Melting point:	not determined

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 14.02.2019

Version: 1.0

Product: **G0XH996000 OXSILAN ADD 9960 (BULK)**

(ID no. 30720829/SDS_GEN_00/EN)

Date of print 06.01.2020

onset of boiling:	not determined
Flash point:	not applicable
Flammability:	not applicable
Lower explosion limit:	not determined
Ignition temperature:	not determined
Vapour pressure:	(20 °C) not determined
Density:	(50 °C) not determined 1,010 g/cm ³ (20 °C)
Solubility in water:	completely miscible
Self ignition:	not self-igniting
Viscosity, kinematic:	9,8 mm ² /s (20 °C)
Explosion hazard:	(40 °C) not determined not explosive
Fire promoting properties:	not fire-propagating

Other information

Self heating ability:	It is not a substance capable of spontaneous heating.
Miscibility with water:	miscible
Flow time:	35 s (DIN EN ISO 2431; 3 mm)

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: Corrosive effect on metals.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Reacts with metals, with evolution of hydrogen.

Conditions to avoid

Protect from sunlight.

Incompatible materials

Substances to avoid:
bases

Hazardous decomposition products

Possible decomposition products:
No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information**Information on toxicological effects**Acute toxicity

Assessment of acute toxicity:
Based on available Data, the classification criteria are not met.

Irritation

Assessment of irritating effects:
Corrosive! Damages skin and eyes. May cause severe damage to the eyes.

Serious eye damage/irritation: May cause eye irritation with susceptible persons.

Respiratory/Skin sensitization

Assessment of sensitization:
Based on available Data, the classification criteria are not met.

Germ cell mutagenicity

Assessment of mutagenicity:
Based on available Data, the classification criteria are not met.

Carcinogenicity

Assessment of carcinogenicity:
Based on available Data, the classification criteria are not met.

Reproductive toxicity

Assessment of reproduction toxicity:

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 14.02.2019

Version: 1.0

Product: **G0XH996000 OXSILAN ADD 9960 (BULK)**

(ID no. 30720829/SDS_GEN_00/EN)

Date of print 06.01.2020

Based on available Data, the classification criteria are not met.

Developmental toxicity

Assessment of teratogenicity:

Based on available Data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on available Data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Based on available Data, the classification criteria are not met.

Aspiration hazard

No aspiration hazard expected.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

There are no test results available for this product. Do not allow to enter drains or waterways. Based on available Data, the classification criteria are not met.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

No data available concerning biodegradation and elimination.

Bioaccumulative potential

Bioaccumulation potential:

No data available.

Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: No data available.

Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 14.02.2019

Version: 1.0

Product: **G0XH996000 OXSILAN ADD 9960 (BULK)**

(ID no. 30720829/SDS_GEN_00/EN)

Date of print 06.01.2020

fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Do not allow to enter soil, waterways or waste water channels. Do not allow to enter drains or waterways.

13. Disposal Considerations

Waste treatment methods

Observe national and local legal requirements.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

ADR

UN number	UN3264
UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (contains NITRIC ACID)
Transport hazard class(es):	8
Packing group:	III
Environmental hazards:	no
Special precautions for user:	Tunnel code: E

RID

UN number	UN3264
UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (contains NITRIC ACID)
Transport hazard class(es):	8
Packing group:	III
Environmental hazards:	no

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 14.02.2019

Version: 1.0

Product: **G0XH996000 OXSILAN ADD 9960 (BULK)**

(ID no. 30720829/SDS_GEN_00/EN)

Date of print 06.01.2020

Special precautions for
user:**Inland waterway transport**

ADN

UN number: UN3264
UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (contains NITRIC ACID)
Transport hazard class(es): 8
Packing group: III
Environmental hazards: no
Special precautions for user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number: UN 3264
UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (contains NITRIC ACID)
Transport hazard class(es): 8
Packing group: III
Environmental hazards: no
Marine pollutant: NO
Special precautions for user:

Air transport

IATA/ICAO

UN number: UN 3264
UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (contains NITRIC ACID)
Transport hazard class(es): 8
Packing group: III
Environmental hazards: No Mark as dangerous for the environment is needed
Special precautions for user:

Transport in bulk according to Annex II of MARPOL and the IBC Code

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 14.02.2019

Version: 1.0

Product: **G0XH996000 OXSILAN ADD 9960 (BULK)**

(ID no. 30720829/SDS_GEN_00/EN)

Date of print 06.01.2020

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Met. Corr.	Corrosive to metals
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Ox. Liq.	Oxidising liquids
H272	May intensify fire; oxidizer.
H314	Causes severe skin burns and eye damage.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.