

SAFETY DATA SHEET

Section 1. IDENTIFICATION

Product Identifier

Product Name Nickel Gard Anti-seize Lubricant

Other means of Identification

Product Code NG04, NG08, NG16.

Recommended Use Anti-seize lubricant to prevent galling, seizing and corrosion.

Recommended Restrictions None known.

Manufacturer

Company Name FedPro Inc.
Address 4520 Richmond Road
Cleveland OH 44128
Telephone 1-800-846-7325
Email: SDS@fedpro.com

Emergency Telephone Number: Call Chemtrec at 1-800-424-9300

Section 2. HAZARDS IDENTIFICATION

Classification:

PHYSICAL STATE: Liquid, viscous

Serious eye damage/eye irritation	Category 2/2A
Skin sensitization	Category 1
Carcinogenicity (suspected)	Category 2

Signal Word:

Danger



Hazard Statements:

H319 – Causes serious eye irritation.

H317 – May cause an allergic skin reaction

H351 – Suspected of causing cancer by inhalation.

Precautionary Statements:

Prevention:

P261: Avoid breathing dust/fume/gas/mist/vapors/spray.

P272: Contaminated work clothing should not be allowed out of the workplace.

P264 + P265: Wash hands thoroughly after handling. Do not touch eyes.

P203: Obtain, read and follow all safety instructions before use.

Response:

P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P317: If eye irritation persists: Get medical help.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P333 + P317 – If skin irritation or rash occurs: Get medical help.

P318: IF exposed or concerned, get medical advice.

Disposal:

P501 - Dispose of contents/container to an approved waste disposal plant.

Other Hazards:

None known.

Unknown Acute Toxicity:

None known.

Section 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %
Petroleum oil	8042-47-5	40 - 60
Naphthenic acids	1338-24-5	< 1
Nickel	7440-02-0	< 5

Section 4. FIRST AID MEASURES

First Aid Measures:

Eye Contact	Rinse thoroughly with plenty of water, for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
Skin Contact	If skin irritation occurs, rinse affected area with water. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation	Remove to fresh air. If signs/symptoms continue, get medical attention. Give oxygen or artificial respiration as needed.
Ingestion	Do NOT induce vomiting Get medical attention immediately. Rinse mouth with water. Never give anything by mouth to an unconscious individual.

Most Important Symptoms and effects:

Symptoms	Direct contact with eyes may cause temporary irritation. Do NOT ingest.
----------	--

Section 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Use foam, dry chemical, carbon dioxide or water fog.

Unsuitable Extinguishing Media: Avoid solid water stream as it may scatter and spread fire.

Specific Hazards Arising from the Chemical:

Carbon oxides are expected to be the primary hazardous combustion product.

Protective Equipment and Precautions for Firefighters:

As in any fire, wear self-contained breathing apparatus and other protective clothing. (approved or equivalent) and full protective gear.

Section 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Personal Precautions: Use personal protective equipment as required. Keep unnecessary personnel away.

Methods and Material for Containment and Cleaning Up:

Methods for Containment: Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up: Keep in suitable, closed containers for disposal.

Section 7. HANDLING AND STORAGE

Precautions for Safe Handling:

Advice on Safe Handling: Avoid breathing vapors or mist. Contaminated work-clothing should not be allowed out of the workplace.

Conditions for Safe Storage, including Any Incompatibilities:

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place.
Do not store near heat, sparks, or open flames.
KEEP OUT OF REACH OF CHILDREN.

Incompatible Materials: None known based on information supplied.

Section 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines:

Chemical Name	ACGIH TWA	ACGIH S	OSHA TWA
Petroleum oil (8042-37-5)	5 mg/m ³	N/A	5 mg/m ³
Naphthenic acids (1338-24-5)	NO DATA	NO DATA	NO DATA
Nickel (7440-02-0)	1.5 mg/m ³ respirable particulate matter	N/A	1 mg/m ³

Appropriate Engineering Controls:

Engineering Controls: Apply technical measures to comply with occupational exposure limits.

Individual Protection Measures, such as Personal Protective Equipment:

Eye/Face Protection: Avoid contact with eyes.

Skin and Body Protection: No protective equipment is needed under normal use conditions.

Respiratory Protection: Ensure adequate ventilation, especially in confined areas. If confined in poorly ventilated areas use NIOSH/MSHA

General Hygiene Considerations: Handle in accordance with good industrial hygiene and safety practice. Wash exposed areas thoroughly before eating, drinking, smoking or leaving work area. Launder contaminated clothing before reusing.

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State:	Liquid,	Odor:	Mild.
Appearance:	Viscous.	Odor Threshold:	Not available.
Color:	Silver		
<u>Property</u>	<u>Values</u>		
pH	N/A		
Melting Point/Freezing Point	Not determined.		
Boiling Point/Boiling Range	Not determined.		
Flash Point	>430F (>221C) Closed Cup.		
Evaporation Rate	Not determined.		
Flammability (Solid, Gas)	Not flammable.		
Upper Flammability Limit	Not determined.		
Lower Flammability Limit	Not determined.		
Vapor Pressure	Not determined.		
Vapor Density	Not determined.		
Specific Gravity	1.38		
Water Solubility	None.		
Solubility in other Solvents	Not determined.		
Partition Coefficient (n-octanol/water)	Not determined.		
Auto-ignition Temperature	Not determined.		
Decomposition Temperature	Not determined.		
Kinematic Viscosity	200,000 – 400,000 cps		
Explosive Properties	Not determined.		
Oxidizing Properties	Not determined		

Section 10. STABILITY AND REACTIVITY

<u>Reactivity:</u>	Not reactive under normal conditions.
<u>Chemical Stability:</u>	Stable under recommended storage conditions.
<u>Possibility of Hazardous Reactions:</u>	None under normal processing.
<u>Conditions to Avoid:</u>	Keep out of reach of children.
<u>Incompatible Materials:</u>	None known.
<u>Hazardous Decomposition Products:</u>	Oxides of carbon.

Section 11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure:

Eye Contact:	Causes serious eye irritation.
Skin Contact:	May cause an allergic skin reaction.
Inhalation:	Avoid breathing vapors or mist.

Ingestion: Do not taste or swallow.

Component Information:

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum oil (8042-47-5)	N/A	N/A	N/A
Naphthenic acids (1338-24-5)	> 3000 mg/kg (rat)	>2000 mg/kg (rabbit)	N/A
Nickel (7440-02-0)	> 9,000 mg/kg (rat, OECD Guideline 401)	N/A	> 10.2 mg/L (Rat) 1h

Information on physical, chemical and toxicological effects:

Symptoms: Please section 4 of this SDS for symptoms.

Delayed and Immediate Effects as Well as Chronic Effects from Short- and Long-Term Exposure:

Sensitization: May cause an allergic skin reaction.

Carcinogenicity: Suspected carcinogen by inhalation exposure.

Chemical Name	ACGIH	IARC	NTP	OSHA
Petroleum oil (8042-47-5)	NO DATA	NO DATA	NO DATA	NO DATA
Naphthenic acids (1338-24-5)	N/A	Not classified as possible carcinogen.	Not anticipated to be a possible carcinogen.	Not regulated as a carcinogen.
Nickel (7440-02-0)	NA	2B	Reasonably anticipated	NA

Legend

IARC (International Agency for Research on Cancer).

Group3 IARC components are "not classifiable as human carcinogens".

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical Measures of Toxicity:

Not Determined.

Section 12. ECOLOGICAL INFORMATION

Ecotoxicity:

This product is not classified as being toxic to aquatic life.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Petroleum oil (8042-47-5)	N/D	N/D	N/D	N/A
Naphthenic acids (1338-24-5)	N/D	LC50: ≥ 16 mg/l – 96h static test (Danio rerio – Zebra fish)	N/D	N/D
Nickel (7440-02-0)	EC50: toxicity > water solubility, – 48h static test (Daphnia magna)	LC50: toxicity > water solubility, – 96h static test (Danio rerio – Zebra fish)	N/D	N/D

Persistence/Degradability: Not determined.

<u>Bioaccumulation:</u>	Not determined.
<u>Mobility:</u>	Not determined.
<u>Other Adverse Effects:</u>	Not determined.

Section 13. DISPOSAL CONSIDERATIONS

Waste Treatment Method:

Disposal of Wastes:	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging:	Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14. TRANSPORT INFORMATION

<u>DOT:</u>	Not Regulated
<u>PROPER SHIPPING NAME:</u>	N/A.
<u>IDENTIFICATION NUMBER:</u>	N/A
<u>IATA:</u>	Not regulated
<u>IMDG:</u>	Not classified as a marine pollutant according to 49 CFR., Section 171.8.

Section 15. REGULATORY INFORMATION

<u>International Inventories:</u>	Not determined.
<u>U.S. Federal Regulations:</u>	Not determined.
Petroleum oil <u>SARA 313:</u>	No.
Copper flakes SARA 313	Yes
TSCA Inventory:	Yes.
<u>U.S Right-to-Know Regulations:</u>	Not determined.

Section 16. OTHER INFORMATION

NFPA:	Health Hazards 1	Flammability 1	Instability 0	Special Hazards Not determined
HMIS	Health Hazards 1	Flammability 1	Instability 0	Special Hazards Not determined

Issue Date: 1St March 2014

Revision Date: 9th Jan. 2025

DISCLAIMER:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet