

Safety data sheet

Page: 1/12

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 26.11.2018

Version: 1.0

Product: **GW01202 Oxsilan Additive 9905 (BULK)**

(ID no. 30723866/SDS_GEN_00/EN)

Date of print 11.03.2022

1. Identification

Product identifier

GW01202 Oxsilan Additive 9905 (BULK)

Recommended use: additives

Details of the supplier of the safety data sheet

Company:
Chemetall GmbH
Trakehner Straße, 3
60487, Frankfurt am Main
Germany
+49(0)69 7165-0
sds.global-chemetall@basf.com

Emergency telephone number

International emergency number:

Telephone: +49 180 2273-112

2. Hazards Identification

Classification of the substance or mixture

According to UN GHS criteria

Acute Tox. 5 (oral)
Skin Corr./Irrit. 1C
Eye Dam./Irrit. 1
Aquatic Chronic 3

For the classifications not written out in full in this section the full text can be found in section 16.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 26.11.2018

Version: 1.0

Product: **GW01202 Oxsilan Additive 9905 (BULK)**

(ID no. 30723866/SDS_GEN_00/EN)

Date of print 11.03.2022

Label elements

Globally Harmonized System, UN (GHS)

Pictogram:



Signal Word:

Danger

Hazard Statement:

H314	Causes severe skin burns and eye damage.
H303	May be harmful if swallowed.
H412	Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P264	Wash with plenty of water and soap thoroughly after handling.
P260	Do not breathe dust or mist.
P273	Avoid release to the environment.

Precautionary Statements (Response):

P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P363	Wash contaminated clothing before reuse.
P310	Immediately call a POISON CENTER or doctor/physician.
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Precautionary Statements (Storage):

P405	Store locked up.
------	------------------

Precautionary Statements (Disposal):

P501	Dispose of contents/container to hazardous or special waste collection point.
------	---

According to UN GHS criteria

Hazard determining component(s) for labelling: Manganese dinitrate, Hexafluorozirconic acid

Other hazards

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 26.11.2018

Version: 1.0

Product: **GW01202 Oxsilan Additive 9905 (BULK)**

(ID no. 30723866/SDS_GEN_00/EN)

Date of print 11.03.2022

According to UN GHS criteria

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/Information on Ingredients**Substances**

Not applicable

MixturesChemical nature

inorganic

aqueous solution

Hazardous ingredients (GHS)

According to UN GHS criteria

Manganese dinitrate

Content (W/W): $\geq 3\%$ - $< 5\%$

CAS Number: 10377-66-9

EC-Number: 233-828-8

Ox. Sol. 2

Acute Tox. 4 (oral)

Skin Corr./Irrit. 1C

Eye Dam./Irrit. 1

STOT RE (Brain) 2 (by inhalation)

Aquatic Acute 3

Aquatic Chronic 2

H272, H302, H373, H314, H402, H411

EUH071

Hexafluorozirconic acid

Content (W/W): $\geq 3\%$ - $< 5\%$

CAS Number: 12021-95-3

EC-Number: 234-666-0

REACH registration number: 01-2119978267-22

Met. Corr. 1

Acute Tox. 3 (Inhalation - vapour)

Acute Tox. 3 (oral)

Acute Tox. 3 (dermal)

Skin Corr./Irrit. 1B

H314, H311, H331, H301, H290

For the classifications not written out in full in this section the full text can be found in section 16.

4. First-Aid Measures

Description of first aid measures

Remove contaminated clothes, undergarments and shoes immediately. Remove affected person from danger area. Keep warm, calm and covered up. First aid personnel should pay attention to their own safety. Symptoms of poisoning may occur even after several hours, continue medical observation for at least 48 hours after the accident. Call a poison control center or physician for treatment advice.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. If symptoms persist, seek medical advice.

On skin contact:

Remove contaminated clothing immediately and clean before re-use or dispose it if necessary. Flush with copious amounts of water for at least 15 minutes. Immediate medical attention required. Apply calcium gluconate gel.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist. Immediate medical attention required.

On ingestion:

Immediately rinse mouth and then drink milk or a magnesium hydroxide/calcium carbonate suspension, do not induce vomiting, seek medical attention. Summon medical aid without delay.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Hazards: Symptoms of poisoning may only appear after several hours. May cause severe burns of the mouth and throat if orally ingested, as well as a danger of perforation of the oesophagus and the stomach.

Indication of any immediate medical attention and special treatment needed

Treatment: Administration of calcium gluconate.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:

carbon dioxide, dry powder, water spray, alcohol-resistant foam

Unsuitable extinguishing media for safety reasons:

water jet

Special hazards arising from the substance or mixture

fluorinated compounds, nitrogen oxides

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 26.11.2018

Version: 1.0

Product: **GW01202 Oxsilan Additive 9905 (BULK)**

(ID no. 30723866/SDS_GEN_00/EN)

Date of print 11.03.2022

Advice for fire-fighters

Special protective equipment:

Appropriate breathing apparatus may be required.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Cool endangered containers with water-spray.

6. Accidental Release Measures**Personal precautions, protective equipment and emergency procedures**

Use personal protective clothing. Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Methods and material for containment and cleaning up

Ensure adequate ventilation. Pick up with inert absorbent material (e.g. sand, earth etc.). Take up mechanically and collect in suitable container (adequately labelled) for disposal.

7. Handling and Storage**Precautions for safe handling**

Do not return residues to the storage containers. Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid inhalation of vapour and spray mist. The workplace should be equipped with an emergency shower and eye-rinsing facility. Keep away from food, drink and animal feeding stuffs. Avoid contact with skin and eyes. Warn users about safety measures and precautions to prevent accidents.

Protection against fire and explosion:

The substance/product is non-combustible. The relevant fire protection measures should be noted.

Conditions for safe storage, including any incompatibilities

Segregate from bases.

Suitable materials for containers: Stainless steel 1.4301 (V2), High density polyethylene (HDPE), Low density polyethylene (LDPE), Polyethyleneterephthalate (PET), Polypropylene (PP)

Further information on storage conditions: The entrance to storage rooms is to be granted only to appropriately trained personnel. Keep only in the original container. Keep in a cool, well-ventilated place. Avoid direct sunlight. avoid contact with metals

Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 26.11.2018

Version: 1.0

Product: **GW01202 Oxsilan Additive 9905 (BULK)**

(ID no. 30723866/SDS_GEN_00/EN)

Date of print 11.03.2022

8. Exposure Controls/Personal Protection

Control parameters

Components with occupational exposure limits

10377-66-9: Manganese dinitrate

12021-95-3: Hexafluorozirconic acid

Exposure controls

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. (Gas filter EN 14387 B)

Hand protection:

polyvinylchloride (Pylox)

chloroprene rubber (Neoprene)

Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact

(Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Further information on penetration time is available from the manufacturer of the glove.

The protection glove should be tested for its specific suitability (e.g. mechanical strength, product compatibility, anti-static properties).

The gloves should be replaced immediately in case of damage or signs of wear. It is recommended to use preventative skin protection (skin cream).

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Chemical resistant protective clothing according to DIN EN 13034 (Type 6)

General safety and hygiene measures

Eye wash fountains and safety showers must be easily accessible. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with the skin, eyes and clothing. Take off immediately all contaminated clothing. Keep away from food, drink and animal feeding stuffs. Hands and/or face should be washed before breaks and at the end of the shift.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Form:	liquid
Colour:	red, glinty
Odour:	characteristic

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 26.11.2018

Version: 1.0

Product: **GW01202 Oxsilan Additive 9905 (BULK)**

(ID no. 30723866/SDS_GEN_00/EN)

Date of print 11.03.2022

pH value:	< 1,0 (20 °C) (undiluted)
Melting point:	not determined
Boiling point:	100 °C
Flash point:	> 99 °C
Evaporation rate:	No data available.
Flammability:	hardly combustible
Lower explosion limit:	not determined
Ignition temperature:	not determined
Vapour pressure:	(20 °C) not determined
Density:	(50 °C) not determined 1,090 g/cm ³ (20 °C)
Viscosity, kinematic:	7,3 mm ² /s (20 °C)
Explosion hazard:	(40 °C) not determined
Fire promoting properties:	not explosive not fire-propagating

Other information

Self heating ability: It is not a substance capable of spontaneous heating.

Miscibility with water: miscible

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Reacts with metals, with evolution of hydrogen.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 26.11.2018

Version: 1.0

Product: **GW01202 Oxsilan Additive 9905 (BULK)**

(ID no. 30723866/SDS_GEN_00/EN)

Date of print 11.03.2022

Conditions to avoid

Protect from sunlight.

Incompatible materialsSubstances to avoid:
bases**Hazardous decomposition products**

Possible decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information**Information on toxicological effects**Acute toxicity

Assessment of acute toxicity:

Of low toxicity after single ingestion.

Irritation

Assessment of irritating effects:

Corrosive! Damages skin and eyes. May cause severe damage to the eyes.

Respiratory/Skin sensitization

Assessment of sensitization:

Based on available Data, the classification criteria are not met.

Germ cell mutagenicity

Assessment of mutagenicity:

Based on available Data, the classification criteria are not met.

Carcinogenicity

Assessment of carcinogenicity:

Based on available Data, the classification criteria are not met.

Reproductive toxicity

Assessment of reproduction toxicity:

Based on available Data, the classification criteria are not met.

Developmental toxicity

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 26.11.2018

Version: 1.0

Product: **GW01202 Oxsilan Additive 9905 (BULK)**

(ID no. 30723866/SDS_GEN_00/EN)

Date of print 11.03.2022

Assessment of teratogenicity:

Based on available Data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on available Data, the classification criteria are not met.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Based on available Data, the classification criteria are not met.

Aspiration hazard

No aspiration hazard expected.

12. Ecological Information

Toxicity

Assessment of aquatic toxicity:

Harmful to aquatic life with long lasting effects. There are no test results available for this product. Do not allow to enter drains or waterways.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

No data available concerning biodegradation and elimination.

Bioaccumulative potential

Bioaccumulation potential:

No data available.

Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: No data available.

Results of PBT and vPvB assessment

According to Annex XIII of Regulation (EC) No.1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH): The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 26.11.2018

Version: 1.0

Product: **GW01202 Oxsilan Additive 9905 (BULK)**

(ID no. 30723866/SDS_GEN_00/EN)

Date of print 11.03.2022

Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

13. Disposal Considerations**Waste treatment methods**

Observe national and local legal requirements.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information**Land transport**

ADR

UN number	UN3264
UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (contains MANGANESE DINITRATE, DIHYDROGEN HEXAFLUOROZIRCONATE(2-))
Transport hazard class(es):	8
Packing group:	II
Environmental hazards:	no
Special precautions for user:	Tunnel code: E

RID

UN number	UN3264
UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (contains MANGANESE DINITRATE, DIHYDROGEN HEXAFLUOROZIRCONATE(2-))
Transport hazard class(es):	8
Packing group:	II
Environmental hazards:	no
Special precautions for user:	

Inland waterway transport

ADN

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 26.11.2018

Version: 1.0

Product: **GW01202 Oxsilan Additive 9905 (BULK)**

(ID no. 30723866/SDS_GEN_00/EN)

Date of print 11.03.2022

UN number: UN3264
 UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (contains MANGANESE DINITRATE, DIHYDROGEN HEXAFLUOROZIRCONATE(2-))
 Transport hazard class(es): 8
 Packing group: II
 Environmental hazards: no
 Special precautions for user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number: UN 3264
 UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (contains MANGANESE DINITRATE, DIHYDROGEN HEXAFLUOROZIRCONATE(2-))
 Transport hazard class(es): 8
 Packing group: II
 Environmental hazards: no
 Marine pollutant: NO
 Special precautions for user:

Air transport

IATA/ICAO

UN number: UN 3264
 UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (contains MANGANESE DINITRATE, DIHYDROGEN HEXAFLUOROZIRCONATE(2-))
 Transport hazard class(es): 8
 Packing group: II
 Environmental hazards: No Mark as dangerous for the environment is needed
 Special precautions for user:

Transport in bulk according to Annex II of MARPOL and the IBC Code

Regulation: Not evaluated
 Shipment approved: Not evaluated
 Pollution name: Not evaluated

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 26.11.2018

Version: 1.0

Product: **GW01202 Oxsilan Additive 9905 (BULK)**

(ID no. 30723866/SDS_GEN_00/EN)

Date of print 11.03.2022

Pollution category:	Not evaluated
Ship Type:	Not evaluated

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable

16. Other Information

Full text of classifications, hazard symbols and hazard statements, if mentioned in section 2 or 3:

Acute Tox.	Acute toxicity
Skin Corr./Irrit.	Skin corrosion/irritation
Eye Dam./Irrit.	Serious eye damage/eye irritation
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Ox. Sol.	Oxidising solids
STOT RE	Specific target organ toxicity — repeated exposure
Aquatic Acute	Hazardous to the aquatic environment - acute
Met. Corr.	Corrosive to metals
H272	May intensify fire; oxidizer.
H302	Harmful if swallowed.
H373	May cause damage to organs (Brain) through prolonged or repeated exposure (inhalation).
H314	Causes severe skin burns and eye damage.
H402	Harmful to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H301	Toxic if swallowed.
H290	May be corrosive to metals.
EUH071	Corrosive to the respiratory tract.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.