

물질안전보건자료 (MSDS)

MSDS 번호: AA00017-0000001871

D-숲으로올인원(반광)

1. 화학제품과 회사에 관한 정보

가. 제품명

- D-숲으로올인원(반광)

나. 제품의 권고 용도와 사용상의 제한

- 용도 : 수성 페인트 (콘크리트,시멘트몰탈,METAL등의 내,외부 마감 상도)
- 사용상의 제한 : 용도외의 사용을 금함

다. 제조자/공급자/유통업자 정보

○ 제조자 정보

- 회사명 : (주)케이씨씨 전주2공장
- 주소 : 전라북도 완주군 봉동읍 과학로 764
- 전화번호 : 063-260-7000
- 긴급 전화번호 : 063-260-7000

○ 공급자/유통업자 정보

- 회사명 : (주)케이씨씨 전주2공장
- 주소 : 전라북도 완주군 봉동읍 과학로 764
- 전화번호 : 063-260-7000
- 긴급 전화번호 : 063-260-7000

2. 유해성·위험성

가. 유해성·위험성 분류

- 생식독성 : 구분2

나. 예방조치 문구를 포함한 경고 표지 항목

○ 그림문자



○ 신호어

- 경고

○ 유해·위험 문구

- H361 태아 또는 생식능력에 손상을 일으킬 것으로 의심됨

○ 예방조치문구

1) 예방

- P201 사용 전 취급 설명서를 확보하시오.
- P202 모든 안전 예방조치 문구를 읽고 이해하기 전에는 취급하지 마시오.
- P280 보호장갑·보호의·보안경·안면보호구를(을) 착용하시오.

2) 대응

- P308+P313 노출되거나 노출이 우려되면: 의학적인 조치/조언을 받으시오.

3) 저장

- P405 잠금장치를 하여 저장하시오.

4) 폐기

- P501 폐기물 관련 법령에 따라 내용물/용기를 폐기하시오.

다. 유해성·위험성 분류기준에 포함되지 않는 기타 유해성·위험성

- 자료없음

3. 구성성분의 명칭 및 함유량

화학물질명	관용명 및 이명	CAS 번호 또는 식별번호	함유량(%)
물	H ₂ O	7732-18-5 / KE-35400	58 ~ 65
2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid	자료없음	68227-01-0 / -	22 ~ 29
2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염	2,2,4-트라이메틸-1,3-펜테인다이올 다이아이소부틸레이트; [2,2,4-트라이메틸-1-(2-메틸프로판오일옥시)펜탄-3-일] 2-메틸프로판오에이트; 프로판 산, 2-메틸-, 1,1'-[2,2-다이메틸-1-(1-메틸에틸)-1,3-프로페인다이일] 에스터; 프로판 산, 2-메틸-, 2,2-다이메틸-1-(1-메틸에틸)-1,3-프로페인다이일 에스터; 1-아이스프로필-2,2-다이메틸트라이메틸렌 다이아이소부틸레이트; 2,2,4-트라이메틸-1,3-펜테인다이올 다이아이소부틸레이트; 2-메틸프로판 산 2,2-다이메틸-1-(1-메틸에틸)-1,3-프로페인다이일 에스터; 프로판 산, 2-메틸-2,2-다이메틸-1-(1-메틸에틸)-1,3-프로페인다이일 에스터; 다이아이소부틸레이트, 2,2,4-트라이메틸-1,3-펜테인다이일; 2,2,4-트라이메틸-1,3-펜테인다이올 다이(아이스프로필포에이트);	6846-50-0 / KE-24877	1 ~ 8

*산업안전보건법 제104조에 의거하여 MSDS 대상 화학물질이 아니거나 한계농도 미만일 경우 물질 정보가 기재되지 않을 수 있음

4. 응급조치 요령

가. 눈에 들어갔을 때

- 눈을 문지르지 마시오.
- 많은 양의 물을 사용하여 적어도 15분 동안 눈을 씻어내시오.
- 즉시 의사의 치료를 받으시오.

나. 피부에 접촉했을 때

- 오염된 의복 및 신발을 벗고 즉시 적어도 15분 동안 비누와 물로 씻어내시오.
- 오염된 피복은 재사용 전에 (충분히) 세탁하시오
- 즉시 의사의 치료를 받으시오.

다. 흡입했을 때

- 다량의 증기나 미스트에 노출되었을 경우 맑은 공기가 있는 곳으로 이동하시오.
- 필요에 따른 조치를 취하시오.
- 즉시 의사의 치료를 받으시오.
- 호흡이 불규칙하거나 멈출 경우 인공호흡을 실시하고 산소를 공급하시오.

라. 먹었을 때

- 구토를 유발해야 하는지에 대해서 의사의 조언을 받으시오.
- 즉시 물로 입을 씻어내시오.

- 즉시 의사의 치료를 받으시오.

마. 기타 의사의 주의사항

- 오염상황을 의료관계자에게 알려 그들도 적절한 보호조치를 취하도록 하시오.
- 노출 및 노출 우려시 의학적인 조치, 조언을 구하시오.

5. 폭발·화재시 대처방법

가. 적절한(및 부적절한) 소화제

- 분말소화제, 이산화탄소, 일반 포말소화제, 물 분무
- 직사주수를 사용한 소화는 피하시오.
- 화재 진압 시 방화복, 소방용 구조헬멧, 소방용 안전화, 소방용 안전장갑, 공기호흡기를 착용하시오.

나. 화학물질로부터 생기는 특정 유해성

- 태아 또는 생식능력에 손상을 일으킬 것으로 의심됨
- 열, 스파크, 화염에 의해 점화할 수 있음
- 가열시 용기가 폭발할 수 있음
- 일부는 탈 수 있으나 쉽게 점화하지 않음
- 화재시 자극성, 독성 가스를 발생할 수 있음

다. 화재 진압 시 착용할 보호구 및 예방조치

- 관계인 외 접근을 막고 위험 지역의 출입을 금지하시오.
- 물질 자체 또는 연소 생성물의 흡입을 피하시오.
- 소방서에 알리고, 화재 위치와 유해한 특징을 알려주시오.
- 위험 없이 할 수 있다면 용기를 화재지역으로부터 이동시키시오.
- 탱크가 화염에 휩싸였을 경우에는 접근하지 마시오.

6. 누출 사고 시 대처방법

가. 인체를 보호하기 위해 필요한 조치 사항 및 보호구

- 누출된 물질을 만지지 마시오. 작업자가 위험 없이 누출을 중단시킬 수 있으면 중단시키시오.
- 누출지역으로부터 안전한 지역으로 용기를 이동하시오.
- 모든 점화원을 제거하시오
- 밀폐된 공간에 출입하기 전에 환기를 실시하시오.
- 반드시 바람을 등지고 작업하고 바람이 부는 방향으로 대피시키시오.

나. 환경을 보호하기 위해 필요한 조치사항

- 누출량이 많은 경우 119나 환경부, 지방환경관리청, 시·도(환경지도과)에 신고하시오.
- 누출물이 하수시설, 수계에 유입되지 않도록 차단시키시오.

다. 정화 또는 제거 방법

- 기준량 이상 배출 시 중앙정부, 지방자치단체에 배출 내용을 통지하시오.
- 누출된 물질의 처분을 위해 적당한 용기에 수거하시오.
- 다량누출 : 저지대를 피하고 바람과 반대방향에 있도록 하시오. 누출물질의 처리를 위해 제방을 축조하여 관리하시오.
- 소량 누출 : 모래 또는 다른 비가연성 물질을 사용하여 흡수시키시오.
- 용매를 닦아내시오.

7. 취급 및 저장 방법

가. 안전취급요령

- 공학적 관리 및 개인보호구를 참조하여 작업하시오.
- 모든 안전 주의를 읽고 이해하기 전에는 취급하지 마시오.
- 사용 전에 사용설명서를 입수하시오.
- 용기가 비워진 후에도 제품 찌꺼기(증기, 액체, 고체)가 남아 있을 수 있으므로 모든 MSDS, 라벨 예방조치를 따르시오.
- 장기간 또는 반복적으로 증기를 흡입하지 마시오.

나. 안전한 저장 방법

- 누출여부를 주기적으로 점검하시오.
- 사용하지 않을 시에는 밀폐하여 놓으시오.

- 서늘하고 건조하며 통풍이 잘 되는 장소에 저장하시오.
- 손상된 용기는 사용하지 마시오.
- 용기에 물리적인 충격을 가하지 마시오.

8. 노출방지 및 개인보호구

가. 화학물질의 노출기준, 생물학적 노출기준 등

○ 국내노출기준

- [물] : 해당없음
- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음

○ ACGIH노출기준

- [물] : 해당없음
- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음

○ 생물학적 노출기준

- [물] : 해당없음
- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음

나. 적절한 공학적 관리

- 가스, 증기, 미스트, 흠 또는 분진이 발산되는 작업장에 대하여는 공기 중에 이들 함유농도가 보건상 유해한 정도를 초과하지 않기를 권장함

다. 개인 보호구

○ 호흡기 보호

- 호흡보호는 최소농도부터 최대농도까지 분류됨.
- 사용전에 경고 특성을 고려하시오.
- 해당물질에 직접적인 노출 또는 노출 가능성이 있는 경우, 한국산업안전보건공단 인증을 받은 방독마스크(직접식 소형, 유기화합물용)를 착용할 것.
- 단, 유해·위험성이 없는 경우에는 한국산업안전보건공단 인증을 받은 방진 마스크도 착용 가능함.
- 미지농도 또는 기타 생명이나 건강에 급박한 위험이 있는 경우 : 송기마스크(복합식 에어라인 마스크), 공기호흡기(전면형)

○ 눈 보호

- 해당물질에 직접적인 노출 또는 노출 가능성이 있는 경우, 한국산업안전보건공단 인증을 받은 보안경을 착용할 것.
- 작업장 가까운 곳에 세안설비와 비상세척설비(샤워식)를 설치하시오.

○ 손 보호

- 해당물질에 직접적인 노출 또는 노출 가능성이 있는 경우, 한국산업안전보건공단 인증을 받은 화학물질용 안전 장갑을 착용할 것.

○ 신체 보호

- 해당물질에 직접적인 노출 또는 노출 가능성이 있는 경우, 한국산업안전보건공단 인증을 받은 화학물질용 보호복을 착용할 것.

9. 물리화학적 특성

가. 외관	
- 성상	액체(점성이 있는 액체)
- 색	투명
나. 냄새	순함
다. 냄새역치	자료없음
라. pH	자료없음
마. 녹는점/어는점	자료없음
바. 초기 끓는점과 끓는점 범위	자료없음

사. 인화점	해당없음
아. 증발 속도	자료없음
자. 인화성 (고체, 기체)	자료없음
차. 인화 또는 폭발 범위의 상한/하한	자료없음
카. 증기압	자료없음
타. 용해도	자료없음
파. 증기밀도	자료없음
하. 비중	1~1.028
거. N-옥탄올/물 분배계수	자료없음
너. 자연발화온도	자료없음
더. 분해온도	자료없음
러. 점도	자료없음
머. 분자량	자료없음

10. 안정성 및 반응성

가. 화학적 안정성 및 유해 반응의 가능성

- 권장된 보관과 취급시 안정함.

나. 피해야 할 조건

- 자료없음

다. 피해야 할 물질

- 불꽃, 화염, 스파크, 정전기, 강산·강염기성 물질 등

라. 분해시 생성되는 유해물질

- 자료없음

11. 독성에 관한 정보

가. 가능성이 높은 노출 경로에 관한 정보

○ (호흡기)

- 자료없음

○ (경구)

- 자료없음

○ (눈·피부)

- 자료없음

나. 건강 유해성 정보

○ 급성 독성

* 경구 독성

- 제품 (ATEmix) : >5000mg/kg 분류되지 않음 (구분 외)
- [물] : LD50 > 90000 mg/kg Rat (LD50 > 90 ml/kg) (HSDB)
- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 자료없음
- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소뷰틸산염] : LD50 > 2000 mg/kg Rat (OECD TG 425, GLP) (ECHA)

* 경피 독성

- 제품 (ATEmix) : >5000mg/kg 분류되지 않음 (구분 외)
- [물] : 자료없음
- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 자료없음
- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소뷰틸산염] : LD50 > 2000 mg/kg Rabbit (OECD TG 402, GLP) (ECHA)

* 흡입 독성

- 제품 (ATEmix) : Vapor >50.0mg/L 분류되지 않음 (구분 외), 증기, 4hr
- [물] : 자료없음
- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 자료없음
- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : Vapour LC50 Rat > 6.49 mg/L 4hr (5.3 mg/L 6hr) (HSDB)
- 피부 부식성 또는 자극성
 - [물] : 자료없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 자료없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 토끼를 이용한 시험 결과 홍반 점수 0, 부종 점수 0으로 비자극성 (OECD TG 404, GLP) (ECHA)
- 심한 눈 손상 또는 자극성
 - [물] : 자료없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 자료없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 토끼를 이용한 시험 결과 결막 충혈 <1/4, 홍채염 0/4, 결막 부종 0/4, 각막 불투명도 0/4로 비자극성 (OECD TG 405, GLP) (ECHA)
- 호흡기 과민성
 - [물] : 자료없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 자료없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 자료없음
- 피부 과민성
 - [물] : 자료없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 자료없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 사람(241명)의 등에 본 물질의 1% v/v 아세톤 용액을 24시간 동안 폐쇄 철폐한(3주 연속, 주 3회) 시험 결과 양성 반응을 1%로 비과민성 (ECHA)
- 발암성
 - * 환경부 화학물질관리법
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
 - * IARC
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
 - * OSHA
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
 - * ACGIH
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
 - * NTP
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl

- methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
- * EU CLP
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
- * 기타
 - 자료없음
- 생식세포 변이원성
 - [물] : 자료없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 자료없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : in vitro 박테리아를 이용한 유전자 돌연변이 시험 결과 대사활성계 유무에 관계 없이 음성 (EU Method B.13/14, GLP), in vitro CHO를 이용한 염색체 이상 시험 결과 대사활성계 유무에 관계 없이 음성 (OECD TG 473, GLP) (ECHA)
- 생식독성
 - [물] : 자료없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 자료없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 랫드를 이용한 확장된 1세대 생식 독성 시험 결과 전반적인 생식 독성은 관찰되지 않음. NOAEL < 15000 ppm (OECD TG 443, GLP), 토끼를 이용한 발달독성 시험 결과 배아 조기 흡수 및 착상 후 손실, 생존 태아수 감소 등이 관찰됨. NOAEL 300 mg/kg/day (OECD TG 414, GLP), 랫드를 이용한 발달독성 시험 결과 태아 체중 감소, 골격 기형이 관찰됨. NOAEL 343 mg/kg/day (OECD TG 414, GLP), 구분2로 분류됨 (ECHA)
- 특정 표적장기 독성 (1회 노출)
 - [물] : 자료없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 자료없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 자료없음
- 특정 표적장기 독성 (반복 노출)
 - [물] : 자료없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 자료없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 랫드를 이용한 반복 경구독성 시험 결과 심각한 독성 영향은 관찰되지 않음. NOAEL 750 mg/kg/day (GLP) (ECHA)
- 흡인 유해성
 - [물] : 자료없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 자료없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 자료없음
- 고용노동부고시
 - * 발암성
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
 - * 생식세포 변이원성
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
 - * 생식독성
 - [물] : 해당없음

- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음

12. 환경에 미치는 영향

가. 생태독성

○ 어류

- [물] : 자료없음
- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 자료없음
- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : LC50 > 1.55 mg/L 96hr Pimephales promelas (OECD TG 203) (ECHA)

○ 갑각류

- [물] : 자료없음
- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 자료없음
- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : EC50 > 1.46 mg/L 48hr Daphnia magna (EU Method C.2), NOEC 0.7 mg/L 21d Daphnia magna (OECD TG 211, GLP) (ECHA)

○ 조류

- [물] : 자료없음
- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 자료없음
- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : EC50 > 7.49 mg/L 72 hr, NOEC 3.56 mg/L 72hr Raphidocelis subcapitata (OECD TG 201, GLP) (ECHA)

나. 잔류성 및 분해성

○ 잔류성

- [물] : log Kow -1.38 (HSDB)
- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 자료없음
- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : log Kow = 4.11 (OECD SIDS)

○ 분해성

- [물] : 자료없음
- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 자료없음
- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 자료없음

다. 생물 농축성

○ 생물 농축성

- [물] : 자료없음
- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 자료없음
- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : BCF 1.95 (whole body w.w., 3d) Lepomis macrochirus (OECD TG 305, GLP) (ECHA)

○ 생분해성

- [물] : 자료없음
- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 자료없음
- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : Readily biodegradable, 70.73 % degradation (CO2 evolution) 28d (OECD TG 301 B, GLP) (ECHA)

라. 토양 이동성

- [물] : 자료없음
- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 자료없음
- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 자료없음

마. 오존층 유해성

- [물] : 해당없음

- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음

바. 기타 유해 영향

- [물] : 자료없음
- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 자료없음
- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 자료없음

13. 폐기 시 주의사항

가. 폐기방법

- 소각 처리할 것.
- 유수분리가 가능한 것은 유수분리방법으로 사전 처리할 것.
- 폐기물의 발생을 최대한 억제하고, 발생한 폐기물을 스스로 재활용함으로써 폐기물의 배출을 최소화할 것.
- 고온소각 하시오.
- 유기용제 등 재활용 대상 물질을 회수한 후 그 잔재물은 고온 소각하시오.

나. 폐기시 주의사항

- 사업장폐기물을 배출하는 사업자(사업장폐기물배출자)는 사업장에서 발생하는 폐기물을 스스로 처리하거나, 폐기물처리업자, 다른 사람의 폐기물을 재생처리 하는 자, 폐기물 처리시설을 설치 운영하는 자에게 위임하여 처리하여야 함.
- 폐기물관리법상 규정을 준수할 것.

14. 운송에 필요한 정보

가. 유엔번호(IMDG CODE/IATA DGR)

- 해당없음

나. 유엔 적정 선적명

- 해당없음

다. 운송에서의 위험성 등급

- 해당없음

라. 용기등급(IMDG CODE/IATA DGR)

- 해당없음

마. 해양오염물질

- 해당없음

바. 사용자가 운송 또는 운송 수단에 관련해 알 필요가 있거나 필요한 특별한 안전 대책

- 지역 운송 시 위험물안전관리법에 따름.
- DOT 및 기타 규정에 맞게 포장 및 운송.
- 화재 시 비상조치의 종류 : 자료없음
- 유출 시 비상조치의 종류 : 자료없음

15. 법적 규제현황

가. 산업안전보건법에 의한 규제

○ 작업환경측정물질

- [물] : 해당없음
- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음

○ 노출기준설정물질

- [물] : 해당없음
- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음

○ 관리대상유해물질

- [물] : 해당없음

- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
- 특별관리대상물질
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
- 특수건강검진대상물질
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
- 제조등금지물질
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
- 허가대상물질
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
- PSM대상물질
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
- 허용기준설정물질
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음

나. 화학물질관리법에 의한 규제

- 유독물질
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
- 배출량조사대상화학물질
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
- 사고대비물질
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
- 제한물질
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-

methyl-2-propenoate and 2-propenoic acid] : 해당없음

- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음

○ 허가물질

- [물] : 해당없음

- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음

- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음

○ 금지물질

- [물] : 해당없음

- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음

- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음

다. 위험물안전관리법에 의한 규제

- 해당없음

라. 폐기물관리법에 의한 규제

- 본 제품은 사업장에서 발생하는 폐기물 중 폐기물관리법시행령[별표1]에 의해 지정폐기물(폐페인트와 페레커)에 해당됨.

마. 기타 국내 및 외국법에 의한 규제

○ 화학물질의 등록 및 평가 등에 관한 법률

* 등록유예기간이 없는 화학물질

- [물] : 해당없음

- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음

- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음

* 중점관리물질

- [물] : 해당없음

- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음

- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음

* CMR(발암성, 생식세포변이원성, 생식독성) 및 CMR 우려 물질

- [물] : 해당없음

- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음

- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음

* 화학물질 등록번호

- [물] : 해당없음

- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 07-2405-017707

- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음

○ 잔류성 오염물질 관리법

- [물] : 해당없음

- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음

- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음

○ EU 분류 정보

* 확정분류 결과

- [물] : 해당없음

- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음

- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음

○ 미국 관리 정보

* OSHA 규정 (29CFR1910.119)

- [물] : 해당없음
- [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
- [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
- * CERCLA 103 규정 (40CFR302.4)
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
- * EPCRA 302 규정 (40CFR355.30)
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
- * EPCRA 304 규정 (40CFR355.40)
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
- * EPCRA 313 규정 (40CFR372.65)
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
- 로테르담 협약 물질
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
- 스톡홀름 협약 물질
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음
- 몬트리올 의정서 물질
 - [물] : 해당없음
 - [2-Propenoic acid, 2-methyl-, butyl ester, polymer with ethenylbenzene, 2-ethylhexyl 2-propenoate, methyl 2-methyl-2-propenoate and 2-propenoic acid] : 해당없음
 - [2,2,4-트라이메틸-1,3-펜탄다이올 다이아이소부틸산염] : 해당없음

16. 그 밖의 참고사항

가. 자료의 출처

- 본 MSDS는 산업안전보건법 제 110조 및 고용노동부고시 제2023-9호(화학물질의 분류·표시 및 물질안전보건자료에 관한 기준)에 근거하여 국내 관련 규제 법규 현황 등을 고려하여 작성함.
- 본 MSDS는 KOSHA, NITE, ECHA, NLM, SIDS, IPCS, NCIS 등을 근거로 작성하였음.

나. 최초 작성일자

- 2021-02-19

다. 개정횟수 및 최종 개정일자

- 7 회, 2025-03-25

라. 기타

- 이 정보는 근로자 건강, 환경, 안전을 보호하고자, 현재 가용할 수 있는 DB를 근거로 하여 작성하였음.