# CSC236 Worksheet 1 Solution

Hyungmo Gu

April 28, 2020

## Question 1

a. Proof. Assume the statement P(115) is true. That is,  $\sum_{i=0}^{i=115} 2^i = 2^{115+1}$ .

We need to prove  $\sum_{i=0}^{i=116} 2^i = 2^{116+1}$ .

Starting from the left, we can write

$$\sum_{i=0}^{i=116} 2^i = \sum_{i=0}^{i=115} 2^i + 2 \tag{1}$$

Then, using the assumption  $\sum_{i=0}^{i=115} 2^i = 2^{115+1}$ , we can conclude

$$\sum_{i=0}^{i=116} 2^i = 2^{115+1} + 2^{116} \tag{2}$$

$$=2^{116} + 2^{116} \tag{3}$$

$$= 2^{116}(1+1)$$

$$= 2 \cdot 2^{116}$$
(5)

$$= 2 \cdot 2^{116} \tag{5}$$

$$=2^{116+1} (6)$$

b. *Proof.* No. The statement is not true for every natural natural number.

We will prove this by counter example. That is,  $\exists n \in \mathbb{N}, \sum_{i=0}^{i=n} 2^i \neq 2^{n+1}$ .

Let n = 0.

Then, starting from the left hand side, it follows from the fact n = 0 that

$$\sum_{i=0}^{i=n} 2^i = \sum_{i=0}^{i=0} 2^i \tag{1}$$

$$=0 (2)$$

Now, for the right hand side, using the same fact, we can write

$$2^{0+1} = 2^1 \tag{3}$$

$$=2\tag{4}$$

## Question 2

• Statement:  $\forall n \in \mathbb{N}, \exists d \in \mathbb{Z}, 8^n - 1 = 7d$ 

*Proof.* We will prove this statement by induction on n.

### **Base Case:**

Let n = 0.

We need to prove  $8^n - 1 = 7 \cdot 0$ .

Starting from the left hand side, using the fact n = 0, we can conclude,

$$8^0 - 1 = 1 - 1 \tag{1}$$

$$=0 (2)$$

$$= 7 \cdot 0 \tag{3}$$

### Inductive Step:

Let  $n \in \mathbb{N}$ . Assume there is an integer d such that  $8^n - 1 = 7d$ .

We need to prove there is an integer  $\tilde{d}$  such that  $8^{n+1} - 1 = 7\tilde{d}$ .

Let 
$$\tilde{d} = 8^n + d$$
.

Starting from the left hand side, we can write

$$8^{n+1} - 1 = 8^n + 8^n - 1$$

$$\tag{4}$$

$$= 8^{n} + (8^{n} - 1)$$
(5)

Then, using inductive hypothesis, i.e.  $8^n - 1 = 7d$ , we can conclude

$$8^{n+1} - 1 = 8^n + 7d$$
 (6)

$$=7\cdot 8^n + 7d\tag{7}$$

$$=7\cdot(8^n+d)\tag{8}$$

$$=7\cdot\tilde{d}\tag{9}$$

## Question 3

• Statement:  $\forall n \in \mathbb{N}, \exists m \in \mathbb{N}, \text{ the units digit of } 7^n \text{ is the same as the units digit of } 3^m.$ 

### Rough Work:

We will prove this statement by induction on n.

1. Base Case

### Base Case:

Let n = 0.

We need to prove there is a natural number m such that the units digit of  $7^0 = 1$  is the same as the units digit of  $3^m$ . That is, the ones place of the number  $3^m$  is 1.

Let m = 0.

Then, using this fact, we can conclude

$$3^0 = 1 \tag{1}$$

#### 2. Inductive Step

Let  $n \in \mathbb{N}$ . Assume there exists a natural number m such that the units digit of  $7^n$  is the same as the units digit of  $3^m$ .

We need to prove there is a natural number  $\tilde{m}$  such that the units digit of  $7^{n+1}$  is the same as the units digit of  $3^{\tilde{m}}$ . That is, the ones digit of  $7^{n+1}$  is the same as the ones digit of  $3^{\tilde{m}}$ .

Let  $\tilde{m} = m + 9$ .

- Show  $7^{n+1} = 7 \cdot 7^n$ .

Starting with  $7^{n+1}$ , we can write

$$7^{n+1} = 7 \cdot 7^n. (2)$$

– Show the ones digit of  $7^{n+1}$  is 7 times the ones digit of  $7^n$ .

Then, it follows from above fact that the ones digit of  $7^{n+1}$  is 7 times the ones digit of  $7^n$ .

– Show  $3^{\tilde{m}}$  also has 7 times the ones digit of  $7^n$ 

Now, for  $3^{\tilde{m}}$ , using the fact  $\tilde{m} = m + 9$ , we can write

$$3^{\tilde{m}} = 3^{m+9} \tag{3}$$

$$=3^9\cdot 3^m\tag{4}$$

$$=27\cdot 3^m\tag{5}$$

Then, it follows from above fact that that the ones digit of  $3^{\tilde{m}}$  is 7 times the ones digit of  $3^m$ .

Then, using inductive hypothesis, we can conclude the ones digit of  $3^{\tilde{m}}$  is 7 times the ones digit of  $7^n$ .

### **Inductive Step:**

Let  $n \in \mathbb{N}$ . Assume there exists a natural number m such that the units digit of  $7^n$  is the same as the units digit of  $3^m$ .

We need to prove there is a natural number  $\tilde{m}$  such that the units digit of  $7^{n+1}$  is the same as the units digit of  $3^{\tilde{m}}$ . That is, the ones digit of  $7^{n+1}$  is the same as the ones digit of  $3^{\tilde{m}}$ .

Let  $\tilde{m} = m + 9$ .

Starting with  $7^{n+1}$ , we can write

$$7^{n+1} = 7 \cdot 7^n. \tag{6}$$

Then, it follows from above fact that the ones digit of  $7^{n+1}$  is 7 times the ones digit of  $7^n$ .

Now, for  $3^{\tilde{m}}$ , using the fact  $\tilde{m} = m + 9$ , we can write

$$3^{\tilde{m}} = 3^{m+9} \tag{7}$$

$$=3^9 \cdot 3^m \tag{8}$$

$$=27\cdot 3^m\tag{9}$$

Then, it follows from above fact that that the ones digit of  $3^{\tilde{m}}$  is 7 times the ones digit of  $3^{m}$ .

Then, using inductive hypothesis, we can conclude the ones digit of  $3^{\tilde{m}}$  is 7 times the ones digit of  $7^n$ .

## Question 4