

# CSC 209 Review 8 Solution

September 11, 2020

```
1  int *my_malloc (int n) {  
2      int *res;  
3  
4      res = malloc(n * sizeof(int));  
5      if (res == NULL) {  
6          perror("Allocation failed.");  
7      }  
8  
9      return res;  
10 }
```

Please see question\_1.c for details.

```
2  char *duplicate(char *str) {  
3      char *res;  
4  
5      res = malloc(strlen(str) + 1);  
6      if (res == NULL) {  
7          return res;  
8      }  
9  
10     strcpy(res, str);  
11  
12     return res;  
13 }
```

Please see question\_2.c for details.

```
3  int *create_array(int n, int initial_value) {  
4      int *p, *res;  
5  
6      res = malloc(n * sizeof(int));  
7  
8      if (res == NULL) {  
9          return res;  
10     }  
11  
12     for (p = res; p < res + n; p++)  
13         *p = initial_value;  
14     return res;  
15 }
```

```
10     for (p = res; p < res + n; p++) {
11         *p = initial_value;
12     }
13
14     return res;
15 }
```

Please see `question_3.c` for details.

```
41 int main(void) {
2     struct point {int x, y};
3     struct rectangle {struct point upper_left, lower_right};
4     struct rectangle *p;
5
6     p = malloc(sizeof(struct rectangle));
7
8     p->upper_left.x = 10;
9     p->upper_left.y = 25;
10
11     p->lower_right.x = 20;
12     p->lower_right.y = 15;
13
14     printf("%d %d\n", p->upper_left.x, p->upper_left.y);
15     printf("%d %d\n", p->lower_right.x, p->lower_right.y);
16
17     free(p);
18
19     return 0;
20 }
21
22
```

Please see `question_4.c` for details.

5. b), c) and d) are legal.

### Correct Solution

b), c) are legal.

### Notes

- **The -> Operator**

- doesn't carry over to accessing nested members. Only works when struct is a pointer

### Example

`p->upper_left.x`

```
61 struct node *delete_from_list(struct node *list, int n)
2   {
3       struct node *cur = list, *temp;
4
5       if (cur->value == n) {
6           list = cur->next;
7           return list;
8       }
9
10      for (cur = list; cur != NULL; cur = cur->next) {
11
12          if (cur->next != NULL && cur->next->value == n) {
13              break;
14          }
15      }
16
17      if (cur == NULL) {
18          return list;
19      }
20
21      temp = cur->next;
22      cur->next = cur->next->next;
23
24      free(temp);
25      return list;
26  }
```