

# Problem Set 2 Solution

March 17, 2020

## Question 1

a.

b. Let  $k, n \in \mathbb{Z}^+$ , and  $p \in \mathbb{N}$ . Assume  $\text{Prime}(p)$ , and  $p^k < n < p^k + p$ .

Then,  $p^k$  can either be divided by 1 or  $p$  by fact 3.

Since,  $p^k < n < p^k + p$ ,  $n$  cannot be written in multiples of  $p$ .

Then, it follows from the definition of divisibility that  $p \nmid n$ .

Since  $p \nmid n$ , but  $1 \mid p^k$  and  $1 \mid n$ ,  $\gcd(p^k, n) = 1$ .

c. **Predicate Logic:**  $\forall m \in \mathbb{Z}, \forall n_0 \in \mathbb{N}, \exists n \in \mathbb{N} \ n > n_0 \wedge \gcd(n, n + m) = 1$

Since there are infinitely many primes by fact 4, let  $\text{Prime}(n)$  and  $n > m$ .

Since  $\text{Prime}(n)$ , by fact 3,  $n$  can either be divided by 1 or  $p$ .

Since  $n \mid n$ , but  $n \nmid m$ ,  $n \nmid (n + m)$ .

Since  $n \nmid (n + m)$  but  $1 \mid n$  and  $1 \mid (n + m)$ ,  $\gcd(n, n + m) = 1$ .

## Question 2

## Question 3