

Worksheet 7 Review 2

April 15, 2020

Question 1

a. In this case assume that $n \leq 1$.

We want to show $n \leq 1$.

Since the assumption tells us $n \leq 1$, we can conclude this is true.

b. Pseudoproof:

Let $a = d$ and $b = k$. Assume there exists $d \in \mathbb{N}$ where $(\exists k \in \mathbb{Z}, n = dk) \wedge d \neq 1 \wedge d \neq n$. Assume $n > 1$

We need to prove that $n \nmid a$, $n \nmid b$ and $n \mid ab$.

1. Show $n \nmid a$.

First, we need to show $n \nmid a$.

1. Show $n \geq d$.

The fact 2 tells us

$$\forall x, y \in \mathbb{N}, y \geq 1 \wedge x \mid y \Rightarrow 1 \leq x \leq y \quad (1)$$

and we know from headers that $d \mid n$, $n > 1$, and $n, d \in \mathbb{N}$.

Then, by using these facts, we can write

$$1 \leq d \leq n \quad (2)$$

2. Show that for n to divide d , $n = d$.

Now, the definition of divisibility tells us for n to divide d , there must be some $k_1 \in \mathbb{Z}$ such that d is equal to $k_1 \cdot n$.

Then, since we know $n \geq d$, by using these facts, we can conclude the definition of divisibility is satisfied when $k_1 = 1$, or when $n = d$.

3. Conclude $n \nmid a$.

Then, since we know from header that $n \neq d$, we can conclude $n \nmid d$.

First, we need to show $n \nmid a$.

The fact 2 tells us

$$\forall x, y \in \mathbb{N}, y \geq 1 \wedge x \mid y \Rightarrow 1 \leq x \leq y \quad (3)$$

and we know from headers that $a \mid n$, $n > 1$, and $n, a \in \mathbb{N}$.

Then, by using these facts, we can write

$$1 \leq a \leq n \quad (4)$$

Now, the definition of divisibility tells us for n to divide a , there must be some $k_1 \in \mathbb{Z}$ such that a is equal to $k_1 \cdot n$.

Then, since we know $n \geq a$, by using these facts, we can conclude the definition of divisibility is satisfied when $k_1 = 1$, or when $n = a$.

Then, since we know from the header that $n \neq a$, we can conclude $n \nmid a$.

2. Show $n \nmid b$
3. Show $n \mid ab$

Question 2

Question 3