Midterm 1 Version 3 Solution

March 19, 2020

Question 1

a. Since $S_1 = \{ab, ba, aab, bba, baa, \dots\}$ and $S_2 = \{aaa, aab, aba, baa, abb, bab, bba\}$,

$S_2 \setminus S_1 = \{aaa, aab, aba, bab\}$

Correct Solution:
Since $S_1 = \{ab, ba, aab, abb, bba, baa, \dots\}$ and $S_2 = \{aaa, aab, aba, baa, abb, bab, bba, bbb\}$,
$S_2 \setminus S_1 = \{aaa, aba, bab, bbb\}$

b. See table below

p	q	r	$\neg r$	$p \Rightarrow q$	$(p \Rightarrow q) \Leftrightarrow \neg r$
T	T	T	F	T	F
T	T	F	T	T	T
T	F	T	F	F	T
F	T	T	F	T	F
T	F	F	T	F	F
F	T	F	T	T	T
F	F	T	F	T	F
F	F	F	T	T	T

c. Let $x = \underline{\hspace{2cm}}$, and $y \in \mathbb{N}$.

We will prove that $P(x)$ is true and $Q(x, y)$ or $Q(x, y + 1)$ is false.

Correct Solution:

1

Negation: $\exists x \in \mathbb{N}, \forall y \in \mathbb{N}, P(x) \wedge (\neg Q(x, y) \wedge \neg Q(x, y+1))$

Let $x =$ _____ and $y \in \mathbb{N}$.

We will prove that $P(x)$ is true, and both $Q(x, y)$ and $Q(x, y+1)$ are false.

Question 2

a. $\forall x \in T, Canadian(x) \wedge Star(x)$

   Correct Solution:

   $\forall x \in T, Canadian(x) \Rightarrow Star(x)$

b. $\forall x \in T, Canadian(x) \Rightarrow \forall y \in T, \neg Canadian(y) \wedge Defeated(x, y)$

   Correct Solution:

   $\forall x \in T, Canadian(x) \Rightarrow (\forall y \in T, \neg Canadian(y) \Rightarrow Defeated(x, y))$

c. $\exists x \in T, Canadian(x) \wedge Star(x) \Rightarrow \forall y \in T, \exists z \in T, y \neq z \wedge Canadian(y) \wedge Defeated(y, z)$

d. $\exists x \in T, Canadian(x) \wedge Star(x) \wedge (\forall y \in T, x \neq y \wedge Canadian(y) \wedge \neg Star(y))$

Question 3

Question 4