

(): mallog24 AI

(): mallog24 AI Transcription System

: 1.0.0

: 2026 2 5

:

1. backend/main.py (3157)
2. backend/church_terms.py (2237)
3. backend/sql/billing_subscriptions.sql (94)
4. backend/sql/saved_records.sql (81)
5. backend/sql/transcriptions_user_scope.sql (77)
6. backend/sql/user_usage_quota.sql (84)
7. frontend/pages/index.js (1967)
8. frontend/pages/en.js (1971)
9. mobile/App.js (4619)
10. mobile/app.json (51)
11. .venv-pdf/lib/python3.12/site-packages/pip/_internal/utils/subprocess.py (248)
12. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pyproject_hooks/_in_process/_init_.py (21)
13. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pyproject_hooks/_in_process/_in_process.py (389)
14. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/otConverters.py (2068)
15. .venv-pdf/lib/python3.12/site-packages/fontTools/ufolib/converters.py (407)
16. .venv-pdf/lib/python3.12/site-packages/pip/_internal/cli/main.py (85)
17. .venv-pdf/lib/python3.12/site-packages/pip/_internal/main.py (12)
18. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/platformdirs/api.py (299)
19. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/requests/api.py (157)
20. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/truststore/_api.py (341)
21. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/screen.py (54)
22. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/recordingPen.py (335)
23. .venv-pdf/lib/python3.12/site-packages/fpdf/recorder.py (90)
24. .venv-pdf/lib/python3.12/site-packages/pip/_internal/network/auth.py (568)
25. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/requests/auth.py (314)
26. frontend/pages/_app.js (98)
27. .venv-pdf/lib/python3.12/site-packages/fontTools/config/_init_.py (90)
28. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/configTools.py (351)
29. .venv-pdf/lib/python3.12/site-packages/pip/_internal/commands/configuration.py (288)
30. .venv-pdf/lib/python3.12/site-packages/pip/_internal/configuration.py (396)
31. .venv-pdf/lib/python3.12/site-packages/pip/_internal/locations/_sysconfig.py (218)
32. frontend/next.config.js (58)
33. frontend/postcss.config.js (6)
34. frontend/tailwind.config.js (62)
35. mobile/babel.config.js (6)
36. .venv-pdf/lib/python3.12/site-packages/PIL/AvifImagePlugin.py (293)
37. .venv-pdf/lib/python3.12/site-packages/PIL/BdfFontFile.py (122)
38. .venv-pdf/lib/python3.12/site-packages/PIL/BlpImagePlugin.py (498)
39. .venv-pdf/lib/python3.12/site-packages/PIL/BmpImagePlugin.py (517)
40. .venv-pdf/lib/python3.12/site-packages/PIL/BufrStubImagePlugin.py (76)
41. .venv-pdf/lib/python3.12/site-packages/PIL/ContainerIO.py (173)
42. .venv-pdf/lib/python3.12/site-packages/PIL/CurlImagePlugin.py (75)
43. .venv-pdf/lib/python3.12/site-packages/PIL/DcxImagePlugin.py (84)
44. .venv-pdf/lib/python3.12/site-packages/PIL/DdsImagePlugin.py (625)
45. .venv-pdf/lib/python3.12/site-packages/PIL/EpsImagePlugin.py (481)

46. .venv-pdf/lib/python3.12/site-packages/PIL/ExifTags.py (382)
47. .venv-pdf/lib/python3.12/site-packages/PIL/FitsImagePlugin.py (152)
48. .venv-pdf/lib/python3.12/site-packages/PIL/FliImagePlugin.py (184)
49. .venv-pdf/lib/python3.12/site-packages/PIL/FontFile.py (134)
50. .venv-pdf/lib/python3.12/site-packages/PIL/FpxImagePlugin.py (259)
51. .venv-pdf/lib/python3.12/site-packages/PIL/FtexImagePlugin.py (115)
52. .venv-pdf/lib/python3.12/site-packages/PIL/GbrImagePlugin.py (103)
53. .venv-pdf/lib/python3.12/site-packages/PIL/GdImageFile.py (102)
54. .venv-pdf/lib/python3.12/site-packages/PIL/GifImagePlugin.py (1217)
55. .venv-pdf/lib/python3.12/site-packages/PIL/GimpGradientFile.py (153)
56. .venv-pdf/lib/python3.12/site-packages/PIL/GimpPaletteFile.py (75)
57. .venv-pdf/lib/python3.12/site-packages/PIL/GribStubImagePlugin.py (76)
58. .venv-pdf/lib/python3.12/site-packages/PIL/Hdf5StubImagePlugin.py (76)
59. .venv-pdf/lib/python3.12/site-packages/PIL/IcnsImagePlugin.py (402)
60. .venv-pdf/lib/python3.12/site-packages/PIL/IcoImagePlugin.py (396)
61. .venv-pdf/lib/python3.12/site-packages/PIL/ImlImagePlugin.py (390)
62. .venv-pdf/lib/python3.12/site-packages/PIL/Image.py (4246)
63. .venv-pdf/lib/python3.12/site-packages/PIL/ImageChops.py (311)
64. .venv-pdf/lib/python3.12/site-packages/PIL/ImageCms.py (1076)
65. .venv-pdf/lib/python3.12/site-packages/PIL/ImageColor.py (320)
66. .venv-pdf/lib/python3.12/site-packages/PIL/ImageDraw.py (1036)
67. .venv-pdf/lib/python3.12/site-packages/PIL/ImageDraw2.py (243)
68. .venv-pdf/lib/python3.12/site-packages/PIL/ImageEnhance.py (113)
69. .venv-pdf/lib/python3.12/site-packages/PIL/ImageFile.py (938)
70. .venv-pdf/lib/python3.12/site-packages/PIL/ImageFilter.py (607)
71. .venv-pdf/lib/python3.12/site-packages/PIL/ImageFont.py (1320)
72. .venv-pdf/lib/python3.12/site-packages/PIL/ImageGrab.py (224)
73. .venv-pdf/lib/python3.12/site-packages/PIL/ImageMath.py (314)
74. .venv-pdf/lib/python3.12/site-packages/PIL/ImageMode.py (85)
75. .venv-pdf/lib/python3.12/site-packages/PIL/ImageMorph.py (317)
76. .venv-pdf/lib/python3.12/site-packages/PIL/ImageOps.py (746)
77. .venv-pdf/lib/python3.12/site-packages/PIL/ImagePalette.py (287)
78. .venv-pdf/lib/python3.12/site-packages/PIL/ImagePath.py (20)
79. .venv-pdf/lib/python3.12/site-packages/PIL/ImageQt.py (219)
80. .venv-pdf/lib/python3.12/site-packages/PIL/ImageSequence.py (88)
81. .venv-pdf/lib/python3.12/site-packages/PIL/ImageShow.py (362)
82. .venv-pdf/lib/python3.12/site-packages/PIL/ImageStat.py (167)
83. .venv-pdf/lib/python3.12/site-packages/PIL/ImageText.py (320)
84. .venv-pdf/lib/python3.12/site-packages/PIL/ImageTk.py (266)
85. .venv-pdf/lib/python3.12/site-packages/PIL/ImageTransform.py (136)
86. .venv-pdf/lib/python3.12/site-packages/PIL/ImageWin.py (247)
87. .venv-pdf/lib/python3.12/site-packages/PIL/ImtImagePlugin.py (103)
88. .venv-pdf/lib/python3.12/site-packages/PIL/IptcImagePlugin.py (233)
89. .venv-pdf/lib/python3.12/site-packages/PIL/Jpeg2KImagePlugin.py (448)
90. .venv-pdf/lib/python3.12/site-packages/PIL/JpegImagePlugin.py (895)
91. .venv-pdf/lib/python3.12/site-packages/PIL/JpegPresets.py (242)
92. .venv-pdf/lib/python3.12/site-packages/PIL/McIdasImagePlugin.py (78)
93. .venv-pdf/lib/python3.12/site-packages/PIL/MicImagePlugin.py (103)

94. .venv-pdf/lib/python3.12/site-packages/PIL/MpegImagePlugin.py (84)
95. .venv-pdf/lib/python3.12/site-packages/PIL/MpolImagePlugin.py (204)
96. .venv-pdf/lib/python3.12/site-packages/PIL/MsplImagePlugin.py (200)
97. .venv-pdf/lib/python3.12/site-packages/PIL/PSDraw.py (237)
98. .venv-pdf/lib/python3.12/site-packages/PIL/PaletteFile.py (54)
99. .venv-pdf/lib/python3.12/site-packages/PIL/PalmImagePlugin.py (217)
100. .venv-pdf/lib/python3.12/site-packages/PIL/PcdImagePlugin.py (68)
101. .venv-pdf/lib/python3.12/site-packages/PIL/PcfFontFile.py (258)
102. .venv-pdf/lib/python3.12/site-packages/PIL/PcxImagePlugin.py (228)
103. .venv-pdf/lib/python3.12/site-packages/PIL/PdfImagePlugin.py (311)
104. .venv-pdf/lib/python3.12/site-packages/PIL/PdfParser.py (1075)
105. .venv-pdf/lib/python3.12/site-packages/PIL/PixarImagePlugin.py (72)
106. .venv-pdf/lib/python3.12/site-packages/PIL/PngImagePlugin.py (1564)
107. .venv-pdf/lib/python3.12/site-packages/PIL/PpmlImagePlugin.py (375)
108. .venv-pdf/lib/python3.12/site-packages/PIL/PsdImagePlugin.py (334)
109. .venv-pdf/lib/python3.12/site-packages/PIL/QoimImagePlugin.py (235)
110. .venv-pdf/lib/python3.12/site-packages/PIL/SgiImagePlugin.py (231)
111. .venv-pdf/lib/python3.12/site-packages/PIL/SpiderImagePlugin.py (332)
112. .venv-pdf/lib/python3.12/site-packages/PIL/SunImagePlugin.py (145)
113. .venv-pdf/lib/python3.12/site-packages/PIL/TarIO.py (61)
114. .venv-pdf/lib/python3.12/site-packages/PIL/TgaImagePlugin.py (264)
115. .venv-pdf/lib/python3.12/site-packages/PIL/TiffImagePlugin.py (2338)
116. .venv-pdf/lib/python3.12/site-packages/PIL/TiffTags.py (566)
117. .venv-pdf/lib/python3.12/site-packages/PIL/WallImageFile.py (128)
118. .venv-pdf/lib/python3.12/site-packages/PIL/WebPImagePlugin.py (317)
119. .venv-pdf/lib/python3.12/site-packages/PIL/WmfImagePlugin.py (188)
120. .venv-pdf/lib/python3.12/site-packages/PIL/XVThumbImagePlugin.py (83)
121. .venv-pdf/lib/python3.12/site-packages/PIL/XbmImagePlugin.py (98)
122. .venv-pdf/lib/python3.12/site-packages/PIL/XpmlImagePlugin.py (157)
123. .venv-pdf/lib/python3.12/site-packages/PIL/_init_.py (87)
124. .venv-pdf/lib/python3.12/site-packages/PIL/_main_.py (7)
125. .venv-pdf/lib/python3.12/site-packages/PIL/_binary.py (112)
126. .venv-pdf/lib/python3.12/site-packages/PIL/_deprecate.py (72)
127. .venv-pdf/lib/python3.12/site-packages/PIL/_tkinter_finder.py (20)
128. .venv-pdf/lib/python3.12/site-packages/PIL/_typing.py (45)
129. .venv-pdf/lib/python3.12/site-packages/PIL/_util.py (29)
130. .venv-pdf/lib/python3.12/site-packages/PIL/_version.py (4)
131. .venv-pdf/lib/python3.12/site-packages/PIL/features.py (343)
132. .venv-pdf/lib/python3.12/site-packages/PIL/report.py (5)
133. .venv-pdf/lib/python3.12/site-packages/defusedxml/ElementTree.py (154)
134. .venv-pdf/lib/python3.12/site-packages/defusedxml/_init_.py (67)
135. .venv-pdf/lib/python3.12/site-packages/defusedxml/cElementTree.py (62)
136. .venv-pdf/lib/python3.12/site-packages/defusedxml/common.py (129)
137. .venv-pdf/lib/python3.12/site-packages/defusedxml/expatbuilder.py (107)
138. .venv-pdf/lib/python3.12/site-packages/defusedxml/expatreader.py (61)
139. .venv-pdf/lib/python3.12/site-packages/defusedxml/lxml.py (153)
140. .venv-pdf/lib/python3.12/site-packages/defusedxml/minidom.py (63)
141. .venv-pdf/lib/python3.12/site-packages/defusedxml/pulldom.py (41)

142. .venv-pdf/lib/python3.12/site-packages/defusedxml/sax.py (60)
143. .venv-pdf/lib/python3.12/site-packages/defusedxml/xmlrpc.py (153)
144. .venv-pdf/lib/python3.12/site-packages/fontTools/_init__.py (8)
145. .venv-pdf/lib/python3.12/site-packages/fontTools/_main__.py (35)
146. .venv-pdf/lib/python3.12/site-packages/fontTools/afmLib.py (439)
147. .venv-pdf/lib/python3.12/site-packages/fontTools/agl.py (5233)
148. .venv-pdf/lib/python3.12/site-packages/fontTools/annotations.py (30)
149. .venv-pdf/lib/python3.12/site-packages/fontTools/cffLib/CFF2ToCFF.py (258)
150. .venv-pdf/lib/python3.12/site-packages/fontTools/cffLib/CFFToCFF2.py (305)
151. .venv-pdf/lib/python3.12/site-packages/fontTools/cffLib/_init__.py (3694)
152. .venv-pdf/lib/python3.12/site-packages/fontTools/cffLib/specializer.py (927)
153. .venv-pdf/lib/python3.12/site-packages/fontTools/cffLib/transforms.py (495)
154. .venv-pdf/lib/python3.12/site-packages/fontTools/cffLib/width.py (210)
155. .venv-pdf/lib/python3.12/site-packages/fontTools/colorLib/builder.py (664)
156. .venv-pdf/lib/python3.12/site-packages/fontTools/colorLib/errors.py (2)
157. .venv-pdf/lib/python3.12/site-packages/fontTools/colorLib/geometry.py (143)
158. .venv-pdf/lib/python3.12/site-packages/fontTools/colorLib/table_builder.py (223)
159. .venv-pdf/lib/python3.12/site-packages/fontTools/colorLib/unbuilder.py (81)
160. .venv-pdf/lib/python3.12/site-packages/fontTools/cu2qu/_init__.py (15)
161. .venv-pdf/lib/python3.12/site-packages/fontTools/cu2qu/_main__.py (6)
162. .venv-pdf/lib/python3.12/site-packages/fontTools/cu2qu/benchmark.py (54)
163. .venv-pdf/lib/python3.12/site-packages/fontTools/cu2qu/cli.py (198)
164. .venv-pdf/lib/python3.12/site-packages/fontTools/cu2qu/cu2qu.py (563)
165. .venv-pdf/lib/python3.12/site-packages/fontTools/cu2qu/errors.py (77)
166. .venv-pdf/lib/python3.12/site-packages/fontTools/cu2qu/ufo.py (363)
167. .venv-pdf/lib/python3.12/site-packages/fontTools/designspaceLib/_init__.py (3343)
168. .venv-pdf/lib/python3.12/site-packages/fontTools/designspaceLib/_main__.py (6)
169. .venv-pdf/lib/python3.12/site-packages/fontTools/designspaceLib/split.py (475)
170. .venv-pdf/lib/python3.12/site-packages/fontTools/designspaceLib/statNames.py (260)
171. .venv-pdf/lib/python3.12/site-packages/fontTools/designspaceLib/types.py (147)
172. .venv-pdf/lib/python3.12/site-packages/fontTools/encodings/MacRoman.py (258)
173. .venv-pdf/lib/python3.12/site-packages/fontTools/encodings/StandardEncoding.py (258)
174. .venv-pdf/lib/python3.12/site-packages/fontTools/encodings/_init__.py (1)
175. .venv-pdf/lib/python3.12/site-packages/fontTools/encodings/codecs.py (135)
176. .venv-pdf/lib/python3.12/site-packages/fontTools/feaLib/_init__.py (4)
177. .venv-pdf/lib/python3.12/site-packages/fontTools/feaLib/_main__.py (78)
178. .venv-pdf/lib/python3.12/site-packages/fontTools/feaLib/ast.py (2143)
179. .venv-pdf/lib/python3.12/site-packages/fontTools/feaLib/builder.py (1814)
180. .venv-pdf/lib/python3.12/site-packages/fontTools/feaLib/error.py (22)
181. .venv-pdf/lib/python3.12/site-packages/fontTools/feaLib/lexer.py (287)
182. .venv-pdf/lib/python3.12/site-packages/fontTools/feaLib/location.py (12)
183. .venv-pdf/lib/python3.12/site-packages/fontTools/feaLib/lookupDebugInfo.py (12)
184. .venv-pdf/lib/python3.12/site-packages/fontTools/feaLib/parser.py (2394)
185. .venv-pdf/lib/python3.12/site-packages/fontTools/feaLib/variableScalar.py (118)
186. .venv-pdf/lib/python3.12/site-packages/fontTools/fontBuilder.py (1014)
187. .venv-pdf/lib/python3.12/site-packages/fontTools/help.py (36)
188. .venv-pdf/lib/python3.12/site-packages/fontTools/merge/_init__.py (248)
189. .venv-pdf/lib/python3.12/site-packages/fontTools/merge/_main__.py (6)

190. .venv-pdf/lib/python3.12/site-packages/fontTools/merge/base.py (81)
191. .venv-pdf/lib/python3.12/site-packages/fontTools/merge/cmap.py (173)
192. .venv-pdf/lib/python3.12/site-packages/fontTools/merge/layout.py (526)
193. .venv-pdf/lib/python3.12/site-packages/fontTools/merge/options.py (85)
194. .venv-pdf/lib/python3.12/site-packages/fontTools/merge/tables.py (352)
195. .venv-pdf/lib/python3.12/site-packages/fontTools/merge/unicode.py (78)
196. .venv-pdf/lib/python3.12/site-packages/fontTools/merge/util.py (143)
197. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/_init_.py (1)
198. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/arrayTools.py (424)
199. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/bezierTools.py (1500)
200. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/classifyTools.py (170)
201. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/cliTools.py (53)
202. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/cython.py (27)
203. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/dictTools.py (83)
204. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/eexec.py (119)
205. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/encodingTools.py (72)
206. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/enumTools.py (23)
207. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/etree.py (456)
208. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/filenames.py (245)
209. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/filesystem/_init_.py (68)
210. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/filesystem/_base.py (134)
211. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/filesystem/_copy.py (45)
212. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/filesystem/_errors.py (54)
213. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/filesystem/_info.py (75)
214. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/filesystem/_osfs.py (164)
215. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/filesystem/_path.py (67)
216. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/filesystem/_subfs.py (92)
217. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/filesystem/_tempfs.py (34)
218. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/filesystem/_tools.py (34)
219. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/filesystem/_walk.py (55)
220. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/filesystem/_zipfs.py (204)
221. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/fixedTools.py (253)
222. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/intTools.py (25)
223. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/iterTools.py (12)
224. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/lazyTools.py (42)
225. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/loggingTools.py (543)
226. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/macCreatorType.py (56)
227. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/macRes.py (261)
228. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/plistlib/_init_.py (681)
229. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/psCharStrings.py (1511)
230. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/psLib.py (398)
231. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/psOperators.py (572)
232. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/py23.py (96)
233. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/roundTools.py (110)
234. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/sstruct.py (227)
235. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/symfont.py (242)
236. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/testTools.py (233)
237. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/textTools.py (156)

238. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/timeTools.py (88)
239. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/transform.py (516)
240. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/treeTools.py (45)
241. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/vector.py (147)
242. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/visitor.py (158)
243. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/xmlReader.py (188)
244. .venv-pdf/lib/python3.12/site-packages/fontTools/misc/xmlWriter.py (240)
245. .venv-pdf/lib/python3.12/site-packages/fontTools/mtiLib/__init__.py (1400)
246. .venv-pdf/lib/python3.12/site-packages/fontTools/mtiLib/__main__.py (5)
247. .venv-pdf/lib/python3.12/site-packages/fontTools/otlLib/__init__.py (1)
248. .venv-pdf/lib/python3.12/site-packages/fontTools/otlLib/builder.py (3468)
249. .venv-pdf/lib/python3.12/site-packages/fontTools/otlLib/error.py (11)
250. .venv-pdf/lib/python3.12/site-packages/fontTools/otlLib/maxContextCalc.py (96)
251. .venv-pdf/lib/python3.12/site-packages/fontTools/otlLib/optimize/__init__.py (53)
252. .venv-pdf/lib/python3.12/site-packages/fontTools/otlLib/optimize/__main__.py (6)
253. .venv-pdf/lib/python3.12/site-packages/fontTools/otlLib/optimize/gpos.py (439)
254. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/__init__.py (1)
255. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/areaPen.py (52)
256. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/basePen.py (475)
257. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/boundsPen.py (98)
258. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/cairoPen.py (26)
259. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/cocoaPen.py (26)
260. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/cu2quPen.py (325)
261. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/explicitClosingLinePen.py (101)
262. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/filterPen.py (433)
263. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/freetypePen.py (462)
264. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/hashPointPen.py (89)
265. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/momentsPen.py (879)
266. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/perimeterPen.py (69)
267. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/pointInsidePen.py (192)
268. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/pointPen.py (643)
269. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/qtPen.py (29)
270. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/qu2cuPen.py (105)
271. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/quartzPen.py (43)
272. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/reportLabPen.py (79)
273. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/reverseContourPen.py (96)
274. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/roundingPen.py (130)
275. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/statisticsPen.py (312)
276. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/svgPathPen.py (310)
277. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/t2CharStringPen.py (88)
278. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/teePen.py (55)
279. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/transformPen.py (115)
280. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/ttGlyphPen.py (335)
281. .venv-pdf/lib/python3.12/site-packages/fontTools/pens/wxPen.py (29)
282. .venv-pdf/lib/python3.12/site-packages/fontTools/qu2cu/__init__.py (15)
283. .venv-pdf/lib/python3.12/site-packages/fontTools/qu2cu/__main__.py (7)
284. .venv-pdf/lib/python3.12/site-packages/fontTools/qu2cu/benchmark.py (56)
285. .venv-pdf/lib/python3.12/site-packages/fontTools/qu2cu/cli.py (125)

286. .venv-pdf/lib/python3.12/site-packages/fontTools/qu2cu/qu2cu.py (405)
287. .venv-pdf/lib/python3.12/site-packages/fontTools/subset/_init_.py (4096)
288. .venv-pdf/lib/python3.12/site-packages/fontTools/subset/_main_.py (6)
289. .venv-pdf/lib/python3.12/site-packages/fontTools/subset/cff.py (184)
290. .venv-pdf/lib/python3.12/site-packages/fontTools/subset/svg.py (252)
291. .venv-pdf/lib/python3.12/site-packages/fontTools/subset/util.py (25)
292. .venv-pdf/lib/python3.12/site-packages/fontTools/svgLib/_init_.py (3)
293. .venv-pdf/lib/python3.12/site-packages/fontTools/svgLib/path/_init_.py (65)
294. .venv-pdf/lib/python3.12/site-packages/fontTools/svgLib/path/arc.py (154)
295. .venv-pdf/lib/python3.12/site-packages/fontTools/svgLib/path/parser.py (322)
296. .venv-pdf/lib/python3.12/site-packages/fontTools/svgLib/path/shapes.py (183)
297. .venv-pdf/lib/python3.12/site-packages/fontTools/t1Lib/_init_.py (648)
298. .venv-pdf/lib/python3.12/site-packages/fontTools/tfmLib.py (460)
299. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/_init_.py (30)
300. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/_main_.py (148)
301. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/macUtils.py (54)
302. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/removeOverlaps.py (395)
303. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/reorderGlyphs.py (285)
304. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/scaleUpem.py (436)
305. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/sfnt.py (664)
306. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/standardGlyphOrder.py (271)
307. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/B_A_S_E_.py (14)
308. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/BitmapGlyphMetrics.py (64)
309. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/C_B_D_T_.py (113)
310. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/C_B_L_C_.py (19)
311. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/C_F_F_.py (61)
312. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/C_F_F_2.py (26)
313. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/C_O_L_R_.py (165)
314. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/C_P_A_L_.py (305)
315. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/D_S_I_G_.py (158)
316. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/D_e_b_g.py (35)
317. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/DefaultTable.py (49)
318. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/E_B_D_T_.py (835)
319. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/E_B_L_C_.py (718)
320. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/F_F_T_M_.py (52)
321. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/F_e_a_t.py (149)
322. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/G_D_E_F_.py (13)
323. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/G_M_A_P_.py (148)
324. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/G_P_K_G_.py (133)
325. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/G_P_O_S_.py (14)
326. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/G_S_U_B_.py (13)
327. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/G_V_A_R_.py (5)
328. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/G_l_a_t.py (235)
329. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/G_l_o_c.py (85)
330. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/H_V_A_R_.py (13)
331. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/J_S_T_F_.py (13)
332. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/L_T_S_H_.py (58)
333. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/M_A_T_H_.py (13)

334. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/M_E_T_A_.py (352)
335. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/M_V_A_R_.py (13)
336. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/O_S_2f_2.py (752)
337. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/S_I_N_G_.py (99)
338. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/S_T_A_T_.py (15)
339. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/S_V_G_.py (223)
340. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/S_i_l_f.py (1040)
341. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/S_i_l_l.py (92)
342. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/T_S_I_B_.py (13)
343. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/T_S_I_C_.py (14)
344. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/T_S_I_D_.py (13)
345. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/T_S_I_J_.py (13)
346. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/T_S_I_P_.py (13)
347. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/T_S_I_S_.py (13)
348. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/T_S_I_V_.py (26)
349. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/T_S_I_0.py (70)
350. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/T_S_I_1.py (163)
351. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/T_S_I_2.py (17)
352. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/T_S_I_3.py (22)
353. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/T_S_I_5.py (60)
354. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/T_T_F_A_.py (14)
355. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/TupleVariation.py (884)
356. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/V_A_R_C_.py (12)
357. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/V_D_M_X_.py (249)
358. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/V_O_R_G_.py (165)
359. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/V_V_A_R_.py (13)
360. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_init_.py (98)
361. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_a_n_k_r.py (15)
362. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_a_v_a_r.py (200)
363. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_b_s_l_n.py (15)
364. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_c_i_d_g.py (24)
365. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_c_m_a_p.py (1591)
366. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_c_v_a_r.py (94)
367. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_c_v_t.py (56)
368. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_f_e_a_t.py (15)
369. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_f_p_g_m.py (62)
370. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_f_v_a_r.py (261)
371. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_g_a_s_p.py (63)
372. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_g_c_i_d.py (13)
373. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_g_l_y_f.py (2311)
374. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_g_v_a_r.py (340)
375. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_h_d_m_x.py (127)
376. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_h_e_a_d.py (130)
377. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_h_h_e_a.py (147)
378. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_h_m_t_x.py (164)
379. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_k_e_r_n.py (289)
380. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_l_c_a_r.py (13)
381. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_l_o_c_a.py (70)

382. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_l_t_a_g.py (72)
383. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_m_a_x_p.py (147)
384. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_m_e_t_a.py (112)
385. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_m_o_r_t.py (14)
386. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_m_o_r_x.py (15)
387. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_n_a_m_e.py (1242)
388. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_o_p_b_d.py (14)
389. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_p_o_s_t.py (319)
390. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_p_r_e_p.py (16)
391. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_p_r_o_p.py (12)
392. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_s_b_i_x.py (129)
393. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_t_r_a_k.py (332)
394. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_v_h_e_a.py (139)
395. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/_v_m_t_x.py (19)
396. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/asciiTable.py (20)
397. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/grUtils.py (92)
398. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/otBase.py (1458)
399. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/otData.py (6400)
400. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/otTables.py (2703)
401. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/otTraverse.py (163)
402. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/sbixGlyph.py (149)
403. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/sbixStrike.py (177)
404. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/tables/ttProgram.py (594)
405. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/ttCollection.py (125)
406. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/ttFont.py (1701)
407. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/ttGlyphSet.py (490)
408. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/ttVisitor.py (32)
409. .venv-pdf/lib/python3.12/site-packages/fontTools/ttLib/woff2.py (1680)
410. .venv-pdf/lib/python3.12/site-packages/fontTools/ttx.py (479)
411. .venv-pdf/lib/python3.12/site-packages/fontTools/ufoLib/_init_.py (2575)
412. .venv-pdf/lib/python3.12/site-packages/fontTools/ufoLib/errors.py (30)
413. .venv-pdf/lib/python3.12/site-packages/fontTools/ufoLib/etree.py (6)
414. .venv-pdf/lib/python3.12/site-packages/fontTools/ufoLib/filenames.py (356)
415. .venv-pdf/lib/python3.12/site-packages/fontTools/ufoLib/glibLib.py (2120)
416. .venv-pdf/lib/python3.12/site-packages/fontTools/ufoLib/kerning.py (141)
417. .venv-pdf/lib/python3.12/site-packages/fontTools/ufoLib/plistlib.py (47)
418. .venv-pdf/lib/python3.12/site-packages/fontTools/ufoLib/pointPen.py (6)
419. .venv-pdf/lib/python3.12/site-packages/fontTools/ufoLib/utils.py (107)
420. .venv-pdf/lib/python3.12/site-packages/fontTools/ufoLib/validators.py (1208)
421. .venv-pdf/lib/python3.12/site-packages/fontTools/unicode.py (50)
422. .venv-pdf/lib/python3.12/site-packages/fontTools/unicodedata/Blocks.py (817)
423. .venv-pdf/lib/python3.12/site-packages/fontTools/unicodedata/Mirrored.py (446)
424. .venv-pdf/lib/python3.12/site-packages/fontTools/unicodedata/OTTags.py (50)
425. .venv-pdf/lib/python3.12/site-packages/fontTools/unicodedata/ScriptExtensions.py (832)
426. .venv-pdf/lib/python3.12/site-packages/fontTools/unicodedata/Scripts.py (3639)
427. .venv-pdf/lib/python3.12/site-packages/fontTools/unicodedata/_init_.py (306)
428. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/_init_.py (1600)
429. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/_main_.py (6)

430. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/avar/__main__.py (72)
431. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/avar/build.py (79)
432. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/avar/map.py (108)
433. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/avar/plan.py (1004)
434. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/avar/unbuild.py (271)
435. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/avarPlanner.py (8)
436. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/builder.py (215)
437. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/cff.py (631)
438. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/errors.py (219)
439. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/featureVars.py (703)
440. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/hvar.py (113)
441. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/instancer/__init__.py (2052)
442. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/instancer/__main__.py (5)
443. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/instancer/featureVars.py (190)
444. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/instancer/names.py (388)
445. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/instancer/solver.py (309)
446. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/interpolatable.py (1209)
447. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/interpolatableHelpers.py (399)
448. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/interpolatablePlot.py (1269)
449. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/interpolatableTestContourOrder.py (82)
450. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/interpolatableTestStartingPoint.py (107)
451. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/interpolate_layout.py (124)
452. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/iup.py (490)
453. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/merger.py (1717)
454. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/models.py (657)
455. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/multiVarStore.py (253)
456. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/mutator.py (529)
457. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/mvar.py (40)
458. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/plot.py (238)
459. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/stat.py (149)
460. .venv-pdf/lib/python3.12/site-packages/fontTools/varLib/varStore.py (739)
461. .venv-pdf/lib/python3.12/site-packages/fontTools/voltLib/__init__.py (5)
462. .venv-pdf/lib/python3.12/site-packages/fontTools/voltLib/__main__.py (206)
463. .venv-pdf/lib/python3.12/site-packages/fontTools/voltLib/ast.py (452)
464. .venv-pdf/lib/python3.12/site-packages/fontTools/voltLib/error.py (12)
465. .venv-pdf/lib/python3.12/site-packages/fontTools/voltLib/lexer.py (99)
466. .venv-pdf/lib/python3.12/site-packages/fontTools/voltLib/parser.py (664)
467. .venv-pdf/lib/python3.12/site-packages/fontTools/voltLib/voltToFea.py (911)
468. .venv-pdf/lib/python3.12/site-packages/fpdf/__init__.py (91)
469. .venv-pdf/lib/python3.12/site-packages/fpdf/actions.py (143)
470. .venv-pdf/lib/python3.12/site-packages/fpdf/annotations.py (211)
471. .venv-pdf/lib/python3.12/site-packages/fpdf/bidi.py (811)
472. .venv-pdf/lib/python3.12/site-packages/fpdf/deprecation.py (121)
473. .venv-pdf/lib/python3.12/site-packages/fpdf/drawing.py (4641)
474. .venv-pdf/lib/python3.12/site-packages/fpdf/drawing_primitives.py (1127)
475. .venv-pdf/lib/python3.12/site-packages/fpdf/encryption.py (571)
476. .venv-pdf/lib/python3.12/site-packages/fpdf/enums.py (1877)
477. .venv-pdf/lib/python3.12/site-packages/fpdf/errors.py (60)

478. .venv-pdf/lib/python3.12/site-packages/fpdf/font_type_3.py (1363)
479. .venv-pdf/lib/python3.12/site-packages/fpdf/fonts.py (3660)
480. .venv-pdf/lib/python3.12/site-packages/fpdf/fpdf.py (6552)
481. .venv-pdf/lib/python3.12/site-packages/fpdf/graphics_state.py (454)
482. .venv-pdf/lib/python3.12/site-packages/fpdf/html.py (1433)
483. .venv-pdf/lib/python3.12/site-packages/fpdf/image_datastructures.py (128)
484. .venv-pdf/lib/python3.12/site-packages/fpdf/image_parsing.py (817)
485. .venv-pdf/lib/python3.12/site-packages/fpdf/line_break.py (876)
486. .venv-pdf/lib/python3.12/site-packages/fpdf/linearization.py (329)
487. .venv-pdf/lib/python3.12/site-packages/fpdf/outline.py (255)
488. .venv-pdf/lib/python3.12/site-packages/fpdf/output.py (2330)
489. .venv-pdf/lib/python3.12/site-packages/fpdf/pattern.py (1547)
490. .venv-pdf/lib/python3.12/site-packages/fpdf/prefs.py (275)
491. .venv-pdf/lib/python3.12/site-packages/fpdf/sign.py (128)
492. .venv-pdf/lib/python3.12/site-packages/fpdf/structure_tree.py (162)
493. .venv-pdf/lib/python3.12/site-packages/fpdf/svg.py (1916)
494. .venv-pdf/lib/python3.12/site-packages/fpdf/syntax.py (562)
495. .venv-pdf/lib/python3.12/site-packages/fpdf/table.py (998)
496. .venv-pdf/lib/python3.12/site-packages/fpdf/template.py (819)
497. .venv-pdf/lib/python3.12/site-packages/fpdf/text_region.py (843)
498. .venv-pdf/lib/python3.12/site-packages/fpdf/transitions.py (184)
499. .venv-pdf/lib/python3.12/site-packages/fpdf/unicode_script.py (1176)
500. .venv-pdf/lib/python3.12/site-packages/fpdf/util.py (345)
501. .venv-pdf/lib/python3.12/site-packages/pip/_init__.py (13)
502. .venv-pdf/lib/python3.12/site-packages/pip/_main__.py (24)
503. .venv-pdf/lib/python3.12/site-packages/pip/_pip-runner__.py (50)
504. .venv-pdf/lib/python3.12/site-packages/pip/_internal/_init__.py (18)
505. .venv-pdf/lib/python3.12/site-packages/pip/_internal/build_env.py (606)
506. .venv-pdf/lib/python3.12/site-packages/pip/_internal/cache.py (291)
507. .venv-pdf/lib/python3.12/site-packages/pip/_internal/cli/_init__.py (3)
508. .venv-pdf/lib/python3.12/site-packages/pip/_internal/cli/autocompletion.py (184)
509. .venv-pdf/lib/python3.12/site-packages/pip/_internal/cli/base_command.py (255)
510. .venv-pdf/lib/python3.12/site-packages/pip/_internal/cli/cmdoptions.py (1267)
511. .venv-pdf/lib/python3.12/site-packages/pip/_internal/cli/command_context.py (28)
512. .venv-pdf/lib/python3.12/site-packages/pip/_internal/cli/index_command.py (195)
513. .venv-pdf/lib/python3.12/site-packages/pip/_internal/cli/main_parser.py (136)
514. .venv-pdf/lib/python3.12/site-packages/pip/_internal/cli/parser.py (358)
515. .venv-pdf/lib/python3.12/site-packages/pip/_internal/cli/progressBars.py (153)
516. .venv-pdf/lib/python3.12/site-packages/pip/_internal/cli/req_command.py (447)
517. .venv-pdf/lib/python3.12/site-packages/pip/_internal/cli/spinners.py (235)
518. .venv-pdf/lib/python3.12/site-packages/pip/_internal/cli/status_codes.py (6)
519. .venv-pdf/lib/python3.12/site-packages/pip/_internal/commands/_init__.py (139)
520. .venv-pdf/lib/python3.12/site-packages/pip/_internal/commands/cache.py (255)
521. .venv-pdf/lib/python3.12/site-packages/pip/_internal/commands/check.py (66)
522. .venv-pdf/lib/python3.12/site-packages/pip/_internal/commands/completion.py (136)
523. .venv-pdf/lib/python3.12/site-packages/pip/_internal/commands/debug.py (203)
524. .venv-pdf/lib/python3.12/site-packages/pip/_internal/commands/download.py (146)
525. .venv-pdf/lib/python3.12/site-packages/pip/_internal/commands/freeze.py (107)

526. .venv-pdf/lib/python3.12/site-packages/pip/_internal/commands/hash.py (58)
527. .venv-pdf/lib/python3.12/site-packages/pip/_internal/commands/help.py (40)
528. .venv-pdf/lib/python3.12/site-packages/pip/_internal/commands/index.py (166)
529. .venv-pdf/lib/python3.12/site-packages/pip/_internal/commands/inspect.py (92)
530. .venv-pdf/lib/python3.12/site-packages/pip/_internal/commands/install.py (810)
531. .venv-pdf/lib/python3.12/site-packages/pip/_internal/commands/list.py (398)
532. .venv-pdf/lib/python3.12/site-packages/pip/_internal/commands/lock.py (175)
533. .venv-pdf/lib/python3.12/site-packages/pip/_internal/commands/search.py (178)
534. .venv-pdf/lib/python3.12/site-packages/pip/_internal/commands/show.py (231)
535. .venv-pdf/lib/python3.12/site-packages/pip/_internal/commands/uninstall.py (113)
536. .venv-pdf/lib/python3.12/site-packages/pip/_internal/commands/wheel.py (171)
537. .venv-pdf/lib/python3.12/site-packages/pip/_internal/distributions/_init__.py (21)
538. .venv-pdf/lib/python3.12/site-packages/pip/_internal/distributions/base.py (55)
539. .venv-pdf/lib/python3.12/site-packages/pip/_internal/distributions/installed.py (33)
540. .venv-pdf/lib/python3.12/site-packages/pip/_internal/distributions/sdist.py (164)
541. .venv-pdf/lib/python3.12/site-packages/pip/_internal/distributions/wheel.py (44)
542. .venv-pdf/lib/python3.12/site-packages/pip/_internal/exceptions.py (971)
543. .venv-pdf/lib/python3.12/site-packages/pip/_internal/index/_init__.py (1)
544. .venv-pdf/lib/python3.12/site-packages/pip/_internal/index/collector.py (488)
545. .venv-pdf/lib/python3.12/site-packages/pip/_internal/index/package_finder.py (1125)
546. .venv-pdf/lib/python3.12/site-packages/pip/_internal/index/sources.py (287)
547. .venv-pdf/lib/python3.12/site-packages/pip/_internal/locations/_init__.py (440)
548. .venv-pdf/lib/python3.12/site-packages/pip/_internal/locations/_distutils.py (173)
549. .venv-pdf/lib/python3.12/site-packages/pip/_internal/locations/base.py (82)
550. .venv-pdf/lib/python3.12/site-packages/pip/_internal/metadata/_init__.py (169)
551. .venv-pdf/lib/python3.12/site-packages/pip/_internal/metadata/_json.py (87)
552. .venv-pdf/lib/python3.12/site-packages/pip/_internal/metadata/base.py (685)
553. .venv-pdf/lib/python3.12/site-packages/pip/_internal/metadata/importlib/_init__.py (6)
554. .venv-pdf/lib/python3.12/site-packages/pip/_internal/metadata/importlib/_compat.py (87)
555. .venv-pdf/lib/python3.12/site-packages/pip/_internal/metadata/importlib/_dists.py (229)
556. .venv-pdf/lib/python3.12/site-packages/pip/_internal/metadata/importlib/_envs.py (143)
557. .venv-pdf/lib/python3.12/site-packages/pip/_internal/metadata/pkg_resources.py (298)
558. .venv-pdf/lib/python3.12/site-packages/pip/_internal/models/_init__.py (1)
559. .venv-pdf/lib/python3.12/site-packages/pip/_internal/models/candidate.py (25)
560. .venv-pdf/lib/python3.12/site-packages/pip/_internal/models/direct_url.py (227)
561. .venv-pdf/lib/python3.12/site-packages/pip/_internal/models/format_control.py (78)
562. .venv-pdf/lib/python3.12/site-packages/pip/_internal/models/index.py (28)
563. .venv-pdf/lib/python3.12/site-packages/pip/_internal/models/installation_report.py (57)
564. .venv-pdf/lib/python3.12/site-packages/pip/_internal/models/link.py (617)
565. .venv-pdf/lib/python3.12/site-packages/pip/_internal/models/release_control.py (92)
566. .venv-pdf/lib/python3.12/site-packages/pip/_internal/models/scheme.py (25)
567. .venv-pdf/lib/python3.12/site-packages/pip/_internal/models/search_scope.py (126)
568. .venv-pdf/lib/python3.12/site-packages/pip/_internal/models/selection_prefs.py (56)
569. .venv-pdf/lib/python3.12/site-packages/pip/_internal/models/target_python.py (122)
570. .venv-pdf/lib/python3.12/site-packages/pip/_internal/models/wheel.py (80)
571. .venv-pdf/lib/python3.12/site-packages/pip/_internal/network/_init__.py (1)
572. .venv-pdf/lib/python3.12/site-packages/pip/_internal/network/cache.py (128)
573. .venv-pdf/lib/python3.12/site-packages/pip/_internal/network/download.py (341)

574. .envv-pdf/lib/python3.12/site-packages/pip/_internal/network/lazy_wheel.py (215)
575. .envv-pdf/lib/python3.12/site-packages/pip/_internal/network/session.py (532)
576. .envv-pdf/lib/python3.12/site-packages/pip/_internal/network/utils.py (98)
577. .envv-pdf/lib/python3.12/site-packages/pip/_internal/network/xmlrpc.py (61)
578. .envv-pdf/lib/python3.12/site-packages/pip/_internal/operations/check.py (175)
579. .envv-pdf/lib/python3.12/site-packages/pip/_internal/operations/freeze.py (259)
580. .envv-pdf/lib/python3.12/site-packages/pip/_internal/operations/install/_init_.py (1)
581. .envv-pdf/lib/python3.12/site-packages/pip/_internal/operations/install/wheel.py (745)
582. .envv-pdf/lib/python3.12/site-packages/pip/_internal/operations/prepare.py (747)
583. .envv-pdf/lib/python3.12/site-packages/pip/_internal/pyproject.py (123)
584. .envv-pdf/lib/python3.12/site-packages/pip/_internal/req/_init_.py (103)
585. .envv-pdf/lib/python3.12/site-packages/pip/_internal/req/constructors.py (568)
586. .envv-pdf/lib/python3.12/site-packages/pip/_internal/req/pep723.py (41)
587. .envv-pdf/lib/python3.12/site-packages/pip/_internal/req/req_dependency_group.py (75)
588. .envv-pdf/lib/python3.12/site-packages/pip/_internal/req/req_file.py (631)
589. .envv-pdf/lib/python3.12/site-packages/pip/_internal/req/req_install.py (828)
590. .envv-pdf/lib/python3.12/site-packages/pip/_internal/req/req_set.py (81)
591. .envv-pdf/lib/python3.12/site-packages/pip/_internal/req/req_uninstall.py (639)
592. .envv-pdf/lib/python3.12/site-packages/pip/_internal/resolution/base.py (20)
593. .envv-pdf/lib/python3.12/site-packages/pip/_internal/resolution/legacy/resolver.py (598)
594. .envv-pdf/lib/python3.12/site-packages/pip/_internal/resolution/resolvelib/base.py (142)
595. .envv-pdf/lib/python3.12/site-packages/pip/_internal/resolution/resolvelib/candidates.py (591)
596. .envv-pdf/lib/python3.12/site-packages/pip/_internal/resolution/resolvelib/factory.py (856)
597. .envv-pdf/lib/python3.12/site-packages/pip/_internal/resolution/resolvelib/found_candidates.py (166)
598. .envv-pdf/lib/python3.12/site-packages/pip/_internal/resolution/resolvelib/provider.py (285)
599. .envv-pdf/lib/python3.12/site-packages/pip/_internal/resolution/resolvelib/reporter.py (98)
600. .envv-pdf/lib/python3.12/site-packages/pip/_internal/resolution/resolvelib/requirements.py (251)
601. .envv-pdf/lib/python3.12/site-packages/pip/_internal/resolution/resolvelib/resolver.py (332)
602. .envv-pdf/lib/python3.12/site-packages/pip/_internal/self_outdated_check.py (255)
603. .envv-pdf/lib/python3.12/site-packages/pip/_internal/utils/_jaraco_text.py (109)
604. .envv-pdf/lib/python3.12/site-packages/pip/_internal/utils/_log.py (38)
605. .envv-pdf/lib/python3.12/site-packages/pip/_internal/utils/appdirs.py (52)
606. .envv-pdf/lib/python3.12/site-packages/pip/_internal/utils/compat.py (85)
607. .envv-pdf/lib/python3.12/site-packages/pip/_internal/utils/compatibility_tags.py (201)
608. .envv-pdf/lib/python3.12/site-packages/pip/_internal/utils/datetime.py (28)
609. .envv-pdf/lib/python3.12/site-packages/pip/_internal/utils/deprecation.py (126)
610. .envv-pdf/lib/python3.12/site-packages/pip/_internal/utils/direct_url_helpers.py (87)
611. .envv-pdf/lib/python3.12/site-packages/pip/_internal/utils/egg_link.py (81)
612. .envv-pdf/lib/python3.12/site-packages/pip/_internal/utils/entrypoints.py (88)
613. .envv-pdf/lib/python3.12/site-packages/pip/_internal/utils/filesystem.py (203)
614. .envv-pdf/lib/python3.12/site-packages/pip/_internal/utils/filetypes.py (24)
615. .envv-pdf/lib/python3.12/site-packages/pip/_internal/utils/glibc.py (102)
616. .envv-pdf/lib/python3.12/site-packages/pip/_internal/utils/hashes.py (150)
617. .envv-pdf/lib/python3.12/site-packages/pip/_internal/utils/logging.py (396)
618. .envv-pdf/lib/python3.12/site-packages/pip/_internal/utils/misc.py (771)
619. .envv-pdf/lib/python3.12/site-packages/pip/_internal/utils/packaging.py (44)
620. .envv-pdf/lib/python3.12/site-packages/pip/_internal/utils/pylock.py (116)
621. .envv-pdf/lib/python3.12/site-packages/pip/_internal/utils/retry.py (45)

622. .venv-pdf/lib/python3.12/site-packages/pip/_internal/utils/temp_dir.py (294)
623. .venv-pdf/lib/python3.12/site-packages/pip/_internal/utils/unpacking.py (362)
624. .venv-pdf/lib/python3.12/site-packages/pip/_internal/utils/urls.py (55)
625. .venv-pdf/lib/python3.12/site-packages/pip/_internal/utils/virtualenv.py (105)
626. .venv-pdf/lib/python3.12/site-packages/pip/_internal/utils/wheel.py (132)
627. .venv-pdf/lib/python3.12/site-packages/pip/_internal/vcs/_init_.py (15)
628. .venv-pdf/lib/python3.12/site-packages/pip/_internal/vcs/bazaar.py (130)
629. .venv-pdf/lib/python3.12/site-packages/pip/_internal/vcs/git.py (571)
630. .venv-pdf/lib/python3.12/site-packages/pip/_internal/vcs/mercurial.py (186)
631. .venv-pdf/lib/python3.12/site-packages/pip/_internal/vcs/subversion.py (335)
632. .venv-pdf/lib/python3.12/site-packages/pip/_internal/vcs/versioncontrol.py (695)
633. .venv-pdf/lib/python3.12/site-packages/pip/_internal/wheel_builder.py (261)
634. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/_init_.py (117)
635. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/cachecontrol/_init_.py (32)
636. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/cachecontrol/_cmd.py (70)
637. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/cachecontrol/adapters.py (167)
638. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/cachecontrol/cache.py (75)
639. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/cachecontrol/caches/_init_.py (8)
640. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/cachecontrol/caches/file_cache.py (145)
641. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/cachecontrol/caches/redis_cache.py (48)
642. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/cachecontrol/controller.py (511)
643. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/cachecontrol/filewrapper.py (121)
644. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/cachecontrol/heuristics.py (157)
645. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/cachecontrol/serialize.py (146)
646. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/cachecontrol/wrapper.py (43)
647. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/certifi/_init_.py (4)
648. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/certifi/_main_.py (12)
649. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/certifi/core.py (83)
650. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/dependency_groups/_init_.py (13)
651. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/dependency_groups/_main_.py (65)
652. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/dependency_groups/implementation.py (209)
653. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/dependency_groups/_lint_dependency_groups.py (59)
654. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/dependency_groups/_pip_wrapper.py (62)
655. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/dependency_groups/_toml_compat.py (9)
656. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/distlib/_init_.py (33)
657. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/distlib/compat.py (1137)
658. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/distlib/resources.py (358)
659. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/distlib/scripts.py (447)
660. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/distlib/util.py (1984)
661. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/distro/_init_.py (54)
662. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/distro/_main_.py (4)
663. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/distro/distro.py (1403)
664. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/idna/_init_.py (45)
665. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/idna/codec.py (122)
666. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/idna/compat.py (15)
667. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/idna/core.py (437)
668. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/idna/idnadata.py (4309)
669. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/idna/intranges.py (57)

670. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/idna/package_data.py (1)
671. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/idna/uts46data.py (8841)
672. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/msgpack/_init_.py (55)
673. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/msgpack/exceptions.py (48)
674. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/msgpack/ext.py (170)
675. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/msgpack/fallback.py (929)
676. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/packaging/_init_.py (15)
677. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/packaging/_elffile.py (108)
678. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/packaging/_manylinux.py (262)
679. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/packaging/_musllinux.py (85)
680. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/packaging/_parser.py (365)
681. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/packaging/_structures.py (69)
682. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/packaging/_tokenizer.py (193)
683. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/packaging/licenses/_init_.py (147)
684. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/packaging/licenses/_spdx.py (799)
685. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/packaging/markers.py (388)
686. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/packaging/metadata.py (978)
687. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/packaging/pylock.py (635)
688. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/packaging/requirements.py (86)
689. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/packaging/specifiers.py (1068)
690. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/packaging/tags.py (651)
691. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/packaging/utils.py (158)
692. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/packaging/version.py (792)
693. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pkg_resources/_init_.py (3676)
694. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/platformdirs/_init_.py (631)
695. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/platformdirs/_main_.py (55)
696. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/platformdirs/android.py (249)
697. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/platformdirs/macos.py (146)
698. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/platformdirs/unix.py (272)
699. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/platformdirs/version.py (34)
700. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/platformdirs/windows.py (278)
701. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pygments/_init_.py (82)
702. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pygments/_main_.py (17)
703. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pygments/console.py (70)
704. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pygments/filter.py (70)
705. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pygments/filters/_init_.py (940)
706. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pygments/formatter.py (129)
707. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pygments/formatters/_init_.py (157)
708. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pygments/formatters/_mapping.py (23)
709. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pygments/lexer.py (963)
710. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pygments/lexers/_init_.py (362)
711. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pygments/lexers/_mapping.py (602)
712. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pygments/lexers/python.py (1201)
713. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pygments/modeline.py (43)
714. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pygments/plugin.py (72)
715. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pygments/regexopt.py (91)
716. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pygments/scanner.py (104)
717. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pygments/sphinxext.py (247)

718. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pygments/style.py (203)
719. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pygments/styles/_init_.py (61)
720. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pygments/styles/_mapping.py (54)
721. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pygments/token.py (214)
722. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pygments/unistring.py (153)
723. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pygments/util.py (324)
724. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pyproject_hooks/_init_.py (31)
725. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/pyproject_hooks/_impl.py (410)
726. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/requests/_init_.py (179)
727. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/requests/_version_.py (14)
728. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/requests/_internal_utils.py (50)
729. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/requests/adapters.py (696)
730. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/requests/certs.py (17)
731. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/requests/compat.py (90)
732. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/requests/cookies.py (561)
733. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/requests/exceptions.py (151)
734. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/requests/help.py (127)
735. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/requests/hooks.py (33)
736. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/requests/models.py (1039)
737. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/requests/packages.py (25)
738. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/requests/sessions.py (831)
739. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/requests/status_codes.py (128)
740. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/requests/structures.py (99)
741. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/requests/utils.py (1086)
742. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/resolvelib/_init_.py (27)
743. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/resolvelib/providers.py (196)
744. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/resolvelib/reporters.py (55)
745. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/resolvelib/resolvers/_init_.py (27)
746. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/resolvelib/resolvers/abstract.py (47)
747. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/resolvelib/resolvers/criterion.py (48)
748. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/resolvelib/resolvers/exceptions.py (57)
749. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/resolvelib/resolvers/resolution.py (627)
750. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/resolvelib/structs.py (209)
751. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/_init_.py (177)
752. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/_main_.py (245)
753. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/_cell_widths.py (454)
754. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/_emoji_codes.py (3610)
755. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/_emoji_replace.py (32)
756. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/_export_format.py (76)
757. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/_extension.py (10)
758. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/_fileno.py (24)
759. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/_inspect.py (268)
760. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/_log_render.py (94)
761. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/_loop.py (43)
762. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/_null_file.py (69)
763. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/_palettes.py (309)
764. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/_pick.py (17)
765. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/_ratio.py (153)

766. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/_spinners.py (482)
767. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/_stack.py (16)
768. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/_timer.py (19)
769. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/_win32_console.py (661)
770. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/_windows.py (71)
771. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/_windows_renderer.py (56)
772. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/_wrap.py (93)
773. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/abc.py (33)
774. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/align.py (306)
775. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/ansi.py (241)
776. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/bar.py (93)
777. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/box.py (474)
778. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/cells.py (174)
779. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/color.py (621)
780. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/color_triplet.py (38)
781. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/columns.py (187)
782. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/console.py (2680)
783. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/constrain.py (37)
784. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/containers.py (167)
785. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/control.py (219)
786. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/default_styles.py (193)
787. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/diagnose.py (39)
788. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/emoji.py (91)
789. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/errors.py (34)
790. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/file_proxy.py (57)
791. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/filesize.py (88)
792. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/highlighter.py (232)
793. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/json.py (139)
794. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/jupyter.py (101)
795. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/layout.py (442)
796. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/live.py (400)
797. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/live_render.py (106)
798. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/logging.py (297)
799. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/markup.py (251)
800. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/measure.py (151)
801. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/padding.py (141)
802. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/pager.py (34)
803. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/palette.py (100)
804. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/panel.py (317)
805. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/pretty.py (1016)
806. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/progress.py (1715)
807. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/progress_bar.py (223)
808. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/prompt.py (400)
809. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/protocol.py (42)
810. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/region.py (10)
811. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/repr.py (149)
812. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/rule.py (130)
813. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/scope.py (86)

814. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/segment.py (752)
815. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/spinner.py (132)
816. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/status.py (131)
817. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/style.py (792)
818. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/styled.py (42)
819. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/syntax.py (985)
820. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/table.py (1006)
821. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/terminal_theme.py (153)
822. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/text.py (1361)
823. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/theme.py (115)
824. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/themes.py (5)
825. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/traceback.py (899)
826. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/rich/tree.py (257)
827. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/tomli/_init_.py (8)
828. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/tomli/parser.py (777)
829. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/tomli/re.py (115)
830. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/tomli/types.py (10)
831. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/tomli_w/_init_.py (4)
832. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/tomli_w/writer.py (229)
833. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/truststore/_init_.py (36)
834. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/truststore/_macos.py (571)
835. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/truststore/_openssl.py (68)
836. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/truststore/_ssl_constants.py (31)
837. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/truststore/_windows.py (567)
838. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/_init_.py (102)
839. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/collections.py (355)
840. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/_version.py (2)
841. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/connection.py (572)
842. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/connectionpool.py (1140)
843. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/contrib/_appengine_environ.py (36)
844. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/contrib/_securetransport/bindings.py (519)
845. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/contrib/_securetransport/low_level.py (397)
846. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/contrib/appengine.py (314)
847. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/contrib/ntlm.py (130)
848. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/contrib/pyopenssl.py (518)
849. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/contrib/securetransport.py (920)
850. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/contrib/socks.py (216)
851. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/exceptions.py (323)
852. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/fields.py (274)
853. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/filepost.py (98)
854. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/packages/backports/makefile.py (51)
855. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/packages/backports/weakref_finalize.py (155)
856. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/packages/six.py (1076)
857. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/poolmanager.py (540)
858. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/request.py (191)
859. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/response.py (879)
860. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/util/_init_.py (49)
861. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/util/connection.py (149)

862. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/util/proxy.py (57)
863. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/util/queue.py (22)
864. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/util/request.py (137)
865. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/util/response.py (107)
866. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/util/retry.py (622)
867. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/util/ssl_py (504)
868. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/util/ssl_match_hostname.py (159)
869. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/util/ssltransport.py (221)
870. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/util/timeout.py (271)
871. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/util/url.py (435)
872. .venv-pdf/lib/python3.12/site-packages/pip/_vendor/urllib3/util/wait.py (152)
873. backend/.env.example (64)
874. backend/Dockerfile (19)
875. backend/jobs/reset_monthly_free_usage.py (64)
876. backend/railway.json (10)
877. backend/requirements.txt (11)
878. frontend/.vercel/project.json (5)
879. frontend/components/Mallog24Logo.js (50)
880. frontend/package.json (23)
881. frontend/pages/pricing-en.js (257)
882. frontend/pages/pricing.js (256)
883. frontend/styles/globals.css (449)
884. mobile/.env.example (6)
885. mobile/components/FadeInView.js (35)
886. mobile/components/NmPressable.js (48)
887. mobile/eas.json (21)
888. mobile/package.json (34)
889. mobile/scripts/generate_store_graphics.sh (64)
890. railway.json (8)
891. render.yaml (61)

```

cccccccccccccccccccccccccccccccccccccccccccccccccccccccccccccccc
Irk_수신경로신총계출파
cccccccccccccccccccccccccccccccccccccccccccccccccccccccccccccccc

```

```

from fastapi import FastAPI, UploadFile, File, HTTPException, Form, BackgroundTasks, Header, Request
from fastapi.middleware.cors import CORSMiddleware
from fastapi.responses import JSONResponse, HTMLResponse, RedirectResponse
import google.generativeai as genai
from openai import OpenAI
import httpx
import os
import uuid
import json
import base64
import asyncio
import random
from datetime import datetime, timedelta
from zoneinfo import ZoneInfo, ZoneInfoNotFoundError
from dotenv import load_dotenv
from supabase import create_client, Client
import tempfile
import pathlib
import time
import math
import mimetypes
import re
import wave
import urllib.parse
from collections import defaultdict, deque
from pydub import AudioSegment

```

```

try:
    from mutagen import File as MutagenFile
except Exception:
    MutagenFile = None

```

```

try:
    import stripe
except Exception:
    stripe = None

```

```

#
from church_terms import (
    get_gemini_prompt,
    get_gemini_content_prompt,
    get_gemini_correction_prompt,
    get_correction_prompt_by_type,
    correct_text,
    get_claude_context,
    get_summary_prompt,
    ALL_CHURCH_TERMS,
    DARAKBANG_CORE,
    COMMON_MISTAKES,
    print_terms_summary
)

```

```

load_dotenv()

```

```

def _parse_csv_env(name: str, default: list[str]) -> list[str]:
    raw = (os.getenv(name) or "").strip()
    if not raw:
        return default
    return [item.strip() for item in raw.split(",") if item.strip()]

```

```

def _parse_csv_env_union(name: str, default: list[str]) -> list[str]:
    parsed = _parse_csv_env(name, [])
    if not parsed:

```

```

        return default
merged: list[str] = []
seen: set[str] = set()
for item in [*default, *parsed]:
    key = item.strip().lower()
    if not key or key in seen:
        continue
    seen.add(key)
    merged.append(item.strip())
return merged

DEFAULT_CORS_ORIGINS = [
    "http://localhost:3000",
    "http://127.0.0.1:3000",
    "https://mallo24.vercel.app",
    "https://www.mallo24.vercel.app",
    "https://mallo24.vercel.app",
    "https://www.mallo24.vercel.app",
    "https://mallo24.com",
    "https://www.mallo24.com",
    "https://ours.mallo24.com",
]
DEFAULT_OAUTH_REDIRECT_HOSTS = [
    "localhost",
    "127.0.0.1",
    "mallo24.vercel.app",
    "www.mallo24.vercel.app",
    "mallo24.vercel.app",
    "www.mallo24.vercel.app",
    "mallo24.com",
    "www.mallo24.com",
    "ours.mallo24.com",
]
DEFAULT_OAUTH_REDIRECT_SCHEMES = [
    "http",
    "https",
    "mallo24",
    "exp",
]

CORS_ALLOW_ORIGINS = _parse_csv_env_union("CORS_ALLOW_ORIGINS", DEFAULT_CORS_ORIGINS)
CORS_ALLOW_ORIGIN_REGEX = (os.getenv("CORS_ALLOW_ORIGIN_REGEX") or "").strip() or None
ALLOWED_OAUTH_REDIRECT_HOSTS = {
    host.lower() for host in _parse_csv_env_union("OAUTH_REDIRECT_ALLOW_HOSTS", DEFAULT_OAUTH_R
EDIRECT_HOSTS)
}
ALLOWED_OAUTH_REDIRECT_SCHEMES = {
    scheme.lower() for scheme in _parse_csv_env_union("OAUTH_REDIRECT_ALLOW_SCHEMES", DEFAULT_O
AUTH_REDIRECT_SCHEMES)
}

RATE_LIMIT_WINDOW_SECONDS = max(1, int(os.getenv("RATE_LIMIT_WINDOW_SECONDS", "60")))
RATE_LIMIT_GENERAL = max(1, int(os.getenv("RATE_LIMIT_GENERAL", "180")))
RATE_LIMIT_AUTH = max(1, int(os.getenv("RATE_LIMIT_AUTH", "30")))
RATE_LIMIT_TRANSCRIBE = max(1, int(os.getenv("RATE_LIMIT_TRANSCRIBE", "10")))

MAX_UPLOAD_BYTES = int(os.getenv("MAX_UPLOAD_BYTES", str(100 * 1024 * 1024)))
MAX_TEXT_INPUT_CHARS = int(os.getenv("MAX_TEXT_INPUT_CHARS", "120000"))
MAX_RECORD_CONTENT_CHARS = int(os.getenv("MAX_RECORD_CONTENT_CHARS", "80000"))
EXPOSE_TERMS_ENDPOINT = (os.getenv("EXPOSE_TERMS_ENDPOINT", "false").strip().lower() == "true")
LOG_GEMINI_MODELS_ON_STARTUP = (os.getenv("LOG_GEMINI_MODELS_ON_STARTUP", "false").strip().lowe
r() == "true")

ALLOWED_LANGUAGES = {"ko", "en"}
ALLOWED_TRANSCRIPTION_TYPES = {"sermon", "phonecall", "conversation"}
FREE_MONTHLY_LIMIT_SECONDS = max(1, int(os.getenv("FREE_MONTHLY_LIMIT_SECONDS", "36000")))
FREE_LIMIT_EXCEEDED_MESSAGE = " (10 ) ."
USAGE_TABLE_NAME = "user_usage_quotas"
USAGE_FREE_PLAN = "free"

```

```

USAGE_ADMIN_PLAN = "admin"
USAGE_TIMEZONE = (os.getenv("USAGE_TIMEZONE") or "Asia/Seoul").strip() or "Asia/Seoul"
ADMIN_BYPASS_USER_IDS = {
    value.lower() for value in _parse_csv_env("ADMIN_BYPASS_USER_IDS", []) if value
}
ADMIN_BYPASS_EMAILS = {
    value.lower() for value in _parse_csv_env("ADMIN_BYPASS_EMAILS", []) if value
}
BILLING_TABLE_NAME = "billing_subscriptions"
BILLING_PROVIDER = (os.getenv("BILLING_PROVIDER") or "portone").strip().lower()
SUPPORTED_BILLING_PROVIDERS = {"portone", "tosspayments", "stripe"}
STRIPE_SECRET_KEY = (os.getenv("STRIPE_SECRET_KEY") or "").strip()
STRIPE_WEBHOOK_SECRET = (os.getenv("STRIPE_WEBHOOK_SECRET") or "").strip()
STRIPE_PRICE_ID_PRO = (os.getenv("STRIPE_PRICE_ID_PRO") or "").strip()
PORTONE_STORE_ID = (os.getenv("PORTONE_STORE_ID") or "").strip()
PORTONE_CHANNEL_KEY = (os.getenv("PORTONE_CHANNEL_KEY") or "").strip()
PORTONE_API_SECRET = (os.getenv("PORTONE_API_SECRET") or "").strip()
PORTONE_WEBHOOK_SECRET = (os.getenv("PORTONE_WEBHOOK_SECRET") or "").strip()
TOSS_CLIENT_KEY = (os.getenv("TOSS_CLIENT_KEY") or "").strip()
TOSS_SECRET_KEY = (os.getenv("TOSS_SECRET_KEY") or "").strip()
BILLING_SUCCESS_URL = (os.getenv("BILLING_SUCCESS_URL") or "").strip()
BILLING_CANCEL_URL = (os.getenv("BILLING_CANCEL_URL") or "").strip()
BILLING_PORTAL_RETURN_URL = (os.getenv("BILLING_PORTAL_RETURN_URL") or "").strip()
PAID_PLAN_TIER = (os.getenv("PAID_PLAN_TIER") or "pro").strip().lower() or "pro"
STRIPE_ACTIVE_SUBSCRIPTION_STATUSES = {"active", "trialing"}
BILLING_TEST_MODE = os.getenv("BILLING_TEST_MODE", "false").strip().lower() == "true"
MOCK_CHECKOUT_SESSION_TTL_SECONDS = max(60, int(os.getenv("MOCK_CHECKOUT_SESSION_TTL_SECONDS",
    "1800")))

app = FastAPI(title="        24 API")

app.add_middleware(
    CORSMiddleware,
    allow_origins=CORS_ALLOW_ORIGINS if not CORS_ALLOW_ORIGIN_REGEX else [],
    allow_origin_regex=CORS_ALLOW_ORIGIN_REGEX,
    allow_credentials=False,
    allow_methods=["GET", "POST", "OPTIONS"],
    allow_headers=["Authorization", "Content-Type"],
)

# Gemini
GEMINI_API_KEY = os.getenv("GEMINI_API_KEY")
if not GEMINI_API_KEY:
    print("Error: GEMINI_API_KEY is not set.")
genai.configure(api_key=GEMINI_API_KEY)

# OpenAI (Whisper)
OPENAI_API_KEY = os.getenv("OPENAI_API_KEY")
if not OPENAI_API_KEY:
    print("Warning: OPENAI_API_KEY is not set. Whisper STT unavailable, falling back to Gemini.
")
openai_client = OpenAI(api_key=OPENAI_API_KEY) if OPENAI_API_KEY else None

# Whisper        (25MB)
WHISPER_MAX_SIZE = 24 * 1024 * 1024 #

#
@app.on_event("startup")
async def startup_event():
    _get_auth_http_client()
    print_terms_summary()
    if openai_client:
        print("OpenAI Whisper: Ready")
    else:
        print("OpenAI Whisper: Not configured (Gemini fallback)")
    try:
        billing_provider = _get_billing_provider_or_raise()
        billing_enabled = _is_billing_enabled()
        print(f"Billing provider: {billing_provider} ({'enabled' if billing_enabled else 'disab
led'})")

```

```

except Exception as billing_err:
    print(f"Billing provider configuration error: {billing_err}")
if LOG_GEMINI_MODELS_ON_STARTUP:
    try:
        if GEMINI_API_KEY:
            print("Checking available Gemini models...")
            for m in genai.list_models():
                if 'generateContent' in m.supported_generation_methods:
                    print(f" - {m.name}")
    except Exception as e:
        print(f"Failed to list models: {e}")

@app.on_event("shutdown")
async def shutdown_event():
    global _auth_http_client
    if _auth_http_client is not None:
        await _auth_http_client.aclose()
    _auth_http_client = None

@app.get("/")
async def root():
    return {
        "message": "건 건 API",
        "version": "3.1",
        "engine": "Whisper STT + Gemini" if openai_client else "Gemini ( )",
        "darakbang_terms": len(DARAKBANG_CORE),
        "total_terms": len(ALL_CHURCH_TERMS),
    }

# Supabase
SUPABASE_URL = os.getenv("SUPABASE_URL")
SUPABASE_KEY = os.getenv("SUPABASE_KEY")
supabase: Client | None = None
if not SUPABASE_URL or not SUPABASE_KEY:
    print("Warning: SUPABASE_URL or SUPABASE_KEY not set.")
else:
    try:
        supabase = create_client(SUPABASE_URL, SUPABASE_KEY)
    except Exception as e:
        print(f"Warning: Failed to initialize Supabase client: {e}")

#
task_status = {}
task_owner = {}
mock_checkout_sessions: dict[str, dict] = {}

#
_model_cache = {"model": None, "cached_at": 0}
MODEL_CACHE_TTL = 3600
AUTH_TIMEOUT = max(1, int(os.getenv("AUTH_TIMEOUT", "20")))
AUTH_CONNECT_TIMEOUT = max(1, int(os.getenv("AUTH_CONNECT_TIMEOUT", "8")))
AUTH_USER_CACHE_TTL_SECONDS = max(0, int(os.getenv("AUTH_USER_CACHE_TTL_SECONDS", "20")))
ALLOWED_RECORD_CATEGORIES = {
    "meeting_keywords",
    "clinical_notes",
    "sermon_core_summary",
}
ALLOWED_OAUTH_PROVIDERS = {"google", "kakao"}
TRANSCRIPTION_SCOPE_VALIDATED = False
USAGE_SCOPE_VALIDATED = False
BILLING_SCOPE_VALIDATED = False
AUDIO_MIME_TYPES = {
    ".mp3": "audio/mpeg",
    ".wav": "audio/wav",
    ".m4a": "audio/mp4",
    ".ogg": "audio/ogg",
    ".flac": "audio/flac",
    ".webm": "audio/webm",
    ".mp4": "audio/mp4",
}

```



```

"yes",
"yeah",
"yep",
"okay",
"ok",
"right",
"sure",
"agreed",
"i see",
"got it",
"understood",
"sounds good",
)
EMAIL_REGEX = re.compile(r"^[^\s]+@[^\s]+\.[^\s]+$")

_request_counters: dict[str, deque[float]] = defaultdict(deque)
_auth_user_cache: dict[str, dict] = {}
_auth_http_client: httpx.AsyncClient | None = None

def _normalize_content_type(content_type: str | None) -> str:
    if not content_type:
        return ""

    normalized = content_type.split("; ", 1)[0].strip().lower()
    aliases = {
        "audio/x-wav": "audio/wav",
        "audio/wave": "audio/wav",
        "audio/mp3": "audio/mpeg",
        "audio/x-m4a": "audio/mp4",
        "video/mp4": "audio/mp4",
    }
    return aliases.get(normalized, normalized)

def _pick_extension_for_mime(mime_type: str | None) -> str | None:
    if not mime_type:
        return None
    for ext, mapped in AUDIO_MIME_TYPES.items():
        if mapped == mime_type:
            return ext
    return None

def _detect_audio_mime_type_from_signature(content: bytes) -> str | None:
    if not content:
        return None

    header = content[:64]
    if header.startswith(b"ID3") or (len(header) >= 2 and header[0] == 0xFF and (header[1] & 0xE0) == 0xE0):
        return "audio/mpeg"
    if len(content) >= 12 and content[:4] == b"RIFF" and content[8:12] == b"WAVE":
        return "audio/wav"
    if content.startswith(b"fLaC"):
        return "audio/flac"
    if content.startswith(b"OggS"):
        return "audio/ogg"
    if content.startswith(b"\x1A\x45\xDF\xA3"):
        return "audio/webm"
    if len(content) >= 12 and content[4:8] == b"ftyp":
        return "audio/mp4"

    return None

def _validate_uploaded_audio_payload(file: UploadFile, contents: bytes) -> tuple[str, str]:
    if not contents:
        raise HTTPException(status_code=400, detail="")

```

```

signature_mime = _detect_audio_mime_type_from_signature(contents[:4096])
declared_content_type = _normalize_content_type(file.content_type)
file_name = file.filename or ""
extension = pathlib.Path(file_name).suffix.lower()

if extension not in AUDIO_MIME_TYPES:
    inferred_extension = _pick_extension_for_mime(signature_mime)
    if inferred_extension:
        extension = inferred_extension
    else:
        raise HTTPException(
            status_code=400,
            detail="Unsupported audio format: {format}. Supported formats: mp3/wav/m4a/ogg/flac/webm/mp4."
        )

expected_mime = AUDIO_MIME_TYPES[extension]
if declared_content_type and declared_content_type not in ALLOWED_AUDIO_CONTENT_TYPES:
    raise HTTPException(status_code=400, detail="Invalid Content-Type: {content_type}.")
if (
    declared_content_type
    and declared_content_type != "application/octet-stream"
    and declared_content_type != expected_mime
):
    raise HTTPException(status_code=400, detail="Invalid Content-Type: {content_type}.")
if signature_mime and signature_mime != expected_mime:
    raise HTTPException(status_code=400, detail="Invalid signature MIME type: {signature_mime}.")

return extension, signature_mime or expected_mime


def _get_client_ip(request: Request) -> str:
    forwarded_for = request.headers.get("x-forwarded-for")
    if forwarded_for:
        return forwarded_for.split(",")[0].strip() or "unknown"
    if request.client and request.client.host:
        return request.client.host
    return "unknown"


def _resolve_rate_limit_bucket(path: str, client_ip: str) -> tuple[str, int]:
    if path == "/api/transcribe":
        return f"transcribe:{client_ip}", RATE_LIMIT_TRANSCRIBE
    if path.startswith("/api/auth/"):
        return f"auth:{client_ip}", RATE_LIMIT_AUTH
    return f"general:{client_ip}", RATE_LIMIT_GENERAL


def _check_rate_limit(bucket_key: str, limit: int) -> tuple[bool, int]:
    now = time.time()
    window_start = now - RATE_LIMIT_WINDOW_SECONDS
    bucket = _request_counters[bucket_key]

    while bucket and bucket[0] <= window_start:
        bucket.popleft()

    if len(bucket) >= limit:
        retry_after = RATE_LIMIT_WINDOW_SECONDS
        if bucket:
            retry_after = max(1, int(math.ceil(RATE_LIMIT_WINDOW_SECONDS - (now - bucket[0]))))
        return True, retry_after

    bucket.append(now)
    return False, 0


def _apply_security_headers(response, scheme: str) -> None:
    response.headers.setdefault("X-Content-Type-Options", "nosniff")
    response.headers.setdefault("X-Frame-Options", "DENY")
    response.headers.setdefault("Referrer-Policy", "strict-origin-when-cross-origin")
    response.headers.setdefault("Permissions-Policy", "camera=(), microphone=(), geolocation=()")

```

```

")
response.headers.setdefault("Cache-Control", "no-store")
if scheme == "https":
    response.headers.setdefault("Strict-Transport-Security", "max-age=31536000; includeSubD
omains; preload")

@app.middleware("http")
async def security_middleware(request: Request, call_next):
    path = request.url.path
    if path.startswith("/api/"):
        bucket_key, limit = _resolve_rate_limit_bucket(path, _get_client_ip(request))
        blocked, retry_after = _check_rate_limit(bucket_key, limit)
        if blocked:
            response = JSONResponse(
                status_code=429,
                content={"detail": "
                .
                ."},
            )
            response.headers["Retry-After"] = str(retry_after)
            _apply_security_headers(response, request.url.scheme)
            return response

        response = await call_next(request)
        _apply_security_headers(response, request.url.scheme)
        return response

def _is_allowed_redirect_host(hostname: str | None) -> bool:
    if not hostname:
        return False
    host = hostname.lower()

    for allowed in ALLOWED_OAUTH_REDIRECT_HOSTS:
        normalized = allowed.strip().lower()
        if not normalized:
            continue
        if normalized.startswith("."):
            if host.endswith(normalized):
                return True
        elif host == normalized:
            return True
    return False

def _get_supabase_client() -> Client:
    if supabase is None:
        raise HTTPException(status_code=500, detail="Supabase DB
        .")
    return supabase

def _normalize_email_or_raise(email: str) -> str:
    normalized = (email or "").strip().lower()
    if not EMAIL_REGEX.match(normalized):
        raise HTTPException(status_code=400, detail="
        .")
    return normalized

def _extract_auth_error_message(raw_text: str) -> str:
    try:
        payload = json.loads(raw_text)
        return (
            payload.get("msg")
            or payload.get("error_description")
            or payload.get("error")
            or payload.get("message")
            or raw_text
        )
    except Exception:
        return raw_text or "

```

```

def _get_auth_http_client() -> httpx.AsyncClient:
    global _auth_http_client
    if _auth_http_client is None:
        timeout = httpx.Timeout(
            timeout=AUTH_TIMEOUT,
            connect=AUTH_CONNECT_TIMEOUT,
            read=AUTH_TIMEOUT,
            write=AUTH_TIMEOUT,
            pool=AUTH_CONNECT_TIMEOUT,
        )
        limits = httpx.Limits(max_connections=100, max_keepalive_connections=20)
        _auth_http_client = httpx.AsyncClient(timeout=timeout, limits=limits, follow_redirects=False)
    return _auth_http_client

async def _supabase_auth_request(path: str, method: str = "POST", payload: dict | None = None,
    token: str | None = None) -> dict:
    if not SUPABASE_URL or not SUPABASE_KEY:
        raise HTTPException(status_code=500, detail="Supabase .")

    base_url = SUPABASE_URL.rstrip("/")
    target_path = path.lstrip("/")
    url = f"{base_url}/auth/v1/{target_path}"

    headers = {
        "apikey": SUPABASE_KEY,
        "Content-Type": "application/json",
    }
    if token:
        headers["Authorization"] = f"Bearer {token}"

    client = _get_auth_http_client()
    try:
        response = await client.request(
            method.upper(),
            url,
            headers=headers,
            json=payload if payload is not None else None,
        )
        raw = response.text or ""
        if response.status_code >= 400:
            raise HTTPException(
                status_code=response.status_code,
                detail=_extract_auth_error_message(raw),
            )
        return json.loads(raw) if raw else {}
    except httpx.TimeoutException:
        raise HTTPException(status_code=504, detail="Supabase ")
    except HTTPException:
        raise
    except httpx.RequestError as e:
        raise HTTPException(status_code=500, detail=f"Supabase : {str(e)}")
    except Exception as e:
        raise HTTPException(status_code=500, detail=f"Supabase : {str(e)}")

def _decode_jwt_exp_unverified(token: str) -> int | None:
    try:
        parts = token.split(".")
        if len(parts) < 2:
            return None
        payload = parts[1]
        padded = payload + ("=" * ((4 - len(payload) % 4) % 4))
        decoded_payload = base64.urlsafe_b64decode(padded.encode("utf-8"))
        decoded = json.loads(decoded_payload.decode("utf-8"))
        exp = decoded.get("exp")
        if isinstance(exp, int):
            return exp
    
```

```

        if isinstance(exp, float):
            return int(exp)
    except Exception:
        return None
    return None

def _get_cached_user_by_token(token: str) -> dict | None:
    if AUTH_USER_CACHE_TTL_SECONDS <= 0:
        return None
    cached = _auth_user_cache.get(token)
    if not cached:
        return None
    expires_at = float(cached.get("expires_at") or 0)
    if expires_at <= time.time():
        _auth_user_cache.pop(token, None)
        return None
    user = cached.get("user")
    if isinstance(user, dict) and user.get("id"):
        return user
    _auth_user_cache.pop(token, None)
    return None

def _cache_user_by_token(token: str, user: dict) -> None:
    if AUTH_USER_CACHE_TTL_SECONDS <= 0:
        return
    ttl = AUTH_USER_CACHE_TTL_SECONDS
    token_exp = _decode_jwt_exp_unverified(token)
    if token_exp:
        remaining = int(token_exp - time.time())
        if remaining <= 0:
            return
        ttl = min(ttl, remaining)
    if ttl <= 0:
        return
    _auth_user_cache[token] = {
        "user": user,
        "expires_at": time.time() + ttl,
    }

def _extract_bearer_token(authorization: str | None) -> str:
    if not authorization:
        raise HTTPException(status_code=401, detail="Authorization header is missing.")

    parts = authorization.strip().split(" ", 1)
    if len(parts) != 2 or parts[0].lower() != "bearer" or not parts[1]:
        raise HTTPException(status_code=401, detail="Authorization header is malformed.")
    return parts[1].strip()

async def _get_current_user(authorization: str | None) -> dict:
    token = _extract_bearer_token(authorization)
    cached_user = _get_cached_user_by_token(token)
    if cached_user:
        return cached_user
    user = await _supabase_auth_request("user", method="GET", token=token)
    if not user.get("id"):
        raise HTTPException(status_code=401, detail="Invalid token.")
    _cache_user_by_token(token, user)
    return user

def _validate_redirect_url(redirect_to: str) -> str:
    normalized = (redirect_to or "").strip()
    if not normalized:
        raise HTTPException(status_code=400, detail="Redirect URL is empty.")

    parsed = urllib.parse.urlparse(normalized)

```

```

scheme = (parsed.scheme or "").lower()
if scheme not in ALLOWED_OAUTH_REDIRECT_SCHEMES:
    raise HTTPException(status_code=400, detail="Invalid redirect_to scheme")

if scheme in ("http", "https"):
    if not parsed.netloc:
        raise HTTPException(status_code=400, detail="redirect_to URL must have a netloc")
    if not _is_allowed_redirect_host(parsed.hostname):
        raise HTTPException(status_code=400, detail="Invalid redirect_to host")
else:
    if not parsed.netloc:
        raise HTTPException(status_code=400, detail="redirect_to must have a netloc")

return normalized

def _get_billing_provider_or_raise() -> str:
    provider = BILLING_PROVIDER.strip().lower()
    if provider not in SUPPORTED_BILLING_PROVIDERS:
        raise HTTPException(
            status_code=500,
            detail=f"Invalid BILLING_PROVIDER: {provider}",
        )
    return provider

def _is_stripe_billing_enabled() -> bool:
    return bool(
        stripe is not None
        and _get_billing_provider_or_raise() == "stripe"
        and STRIPE_SECRET_KEY
        and STRIPE_PRICE_ID_PRODUCT
    )

def _is_portone_billing_enabled() -> bool:
    return bool(
        _get_billing_provider_or_raise() == "portone"
        and PORTONE_STORE_ID
        and PORTONE_CHANNEL_KEY
        and PORTONE_API_SECRET
    )

def _is_tosspayments_billing_enabled() -> bool:
    return bool(
        _get_billing_provider_or_raise() == "tosspayments"
        and TOSS_CLIENT_KEY
        and TOSS_SECRET_KEY
    )

def _get_checkout_mode(provider: str | None = None) -> str:
    resolved_provider = provider or _get_billing_provider_or_raise()

    if resolved_provider == "stripe" and stripe is not None and STRIPE_SECRET_KEY and STRIPE_PRICE_ID_PRODUCT:
        return "live"
    if BILLING_TEST_MODE:
        return "mock"
    return "disabled"

def _is_billing_enabled() -> bool:
    provider = _get_billing_provider_or_raise()
    return _get_checkout_mode(provider) != "disabled"

def _require_stripe_billing_enabled() -> None:
    if stripe is None:

```

```

        raise HTTPException(
            status_code=500,
            detail="stripe . requirements.txt .",
        )
    if _get_billing_provider_or_raise() != "stripe":
        raise HTTPException(status_code=503, detail="")
    if not STRIPE_SECRET_KEY or not STRIPE_PRICE_ID_PRO:
        raise HTTPException(
            status_code=503,
            detail=" . Stripe / ID .",
        )
    stripe.api_key = STRIPE_SECRET_KEY

def _build_redirect_url_from_request(request: Request, path: str) -> str:
    base = str(request.base_url).rstrip("/")
    target = "/" + path.lstrip("/")
    return f"{base}{target}"

def _resolve_checkout_redirect_urls(request: Request, payload: dict) -> tuple[str, str]:
    locale = str((payload or {}).get("locale") or "").strip().lower()
    is_en_locale = locale == "en"
    default_success_path = "/pricing-en?checkout=success" if is_en_locale else "/pricing?checko
ut=success"
    default_cancel_path = "/pricing-en?checkout=cancel" if is_en_locale else "/pricing?checkout
=cancel"

    raw_success = (payload.get("success_url") if isinstance(payload, dict) else "") or BILLING_
SUCCESS_URL
    raw_cancel = (payload.get("cancel_url") if isinstance(payload, dict) else "") or BILLING_CA
NCEL_URL

    success_url = _validate_redirect_url(raw_success) if raw_success else _build_redirect_url_f
rom_request(request, default_success_path)
    cancel_url = _validate_redirect_url(raw_cancel) if raw_cancel else _build_redirect_url_from
_request(request, default_cancel_path)

    if "{CHECKOUT_SESSION_ID}" not in success_url:
        separator = "&" if "?" in success_url else "?"
        success_url = f"{success_url}{separator}checkout_session_id={{CHECKOUT_SESSION_ID}}"

    return success_url, cancel_url

def _resolve_portal_return_url(request: Request, payload: dict) -> str:
    locale = str((payload or {}).get("locale") or "").strip().lower()
    is_en_locale = locale == "en"
    default_return_path = "/pricing-en" if is_en_locale else "/pricing"

    raw_return = (payload.get("return_url") if isinstance(payload, dict) else "") or BILLING_PO
RTAL_RETURN_URL
    if raw_return:
        return _validate_redirect_url(raw_return)
    return _build_redirect_url_from_request(request, default_return_path)

def _cleanup_expired_mock_checkout_sessions() -> None:
    now_ts = time.time()
    expired_ids = []
    for session_id, session in mock_checkout_sessions.items():
        created_ts = float(session.get("created_ts") or 0.0)
        if created_ts <= 0:
            expired_ids.append(session_id)
            continue
        if now_ts - created_ts > MOCK_CHECKOUT_SESSION_TTL_SECONDS:
            expired_ids.append(session_id)

    for session_id in expired_ids:
        mock_checkout_sessions.pop(session_id, None)

```



```

def _create_mock_checkout_session(
    user_id: str,
    email: str,
    provider: str,
    success_url: str,
    cancel_url: str,
    locale: str,
    request: Request,
) -> dict:
    _cleanup_expired_mock_checkout_sessions()
    session_id = f"mock_{uuid.uuid4().hex}"
    now_ts = time.time()

    mock_checkout_sessions[session_id] = {
        "session_id": session_id,
        "user_id": user_id,
        "email": email,
        "provider": provider,
        "success_url": success_url,
        "cancel_url": cancel_url,
        "locale": locale or "ko",
        "created_ts": now_ts,
    }

    checkout_url = _build_redirect_url_from_request(request, f"/api/billing/mock/checkout/{session_id}")
    return {
        "session_id": session_id,
        "checkout_url": checkout_url,
        "expires_in_seconds": MOCK_CHECKOUT_SESSION_TTL_SECONDS,
    }

def _get_mock_checkout_session_or_raise(session_id: str) -> dict:
    _cleanup_expired_mock_checkout_sessions()
    session = mock_checkout_sessions.get(session_id)
    if not session:
        raise HTTPException(status_code=404, detail="")
    return session

def _ensure_transcriptions_user_scope_ready() -> None:
    global TRANSCRIPTION_SCOPE_VALIDATED
    if TRANSCRIPTION_SCOPE_VALIDATED:
        return

    try:
        _get_supabase_client().table("transcriptions").select("user_id").limit(1).execute()
        TRANSCRIPTION_SCOPE_VALIDATED = True
    except Exception as e:
        error_text = str(e).lower()
        if "user_id" in error_text and ("column" in error_text or "does not exist" in error_text):
            raise HTTPException(
                status_code=500,
                detail=f"Supabase error: {error_text} : backend/sql/transcriptions_user_scope.sql",
            )
        raise

def _upsert_transcription_state(task_id: str, user_id: str, patch: dict) -> None:
    """transcriptions / """
    if not patch:
        return

    payload = dict(patch)
    payload.pop("task_id", None)
    payload.pop("user_id", None)

```

```

if not payload:
    return

try:
    client = _get_supabase_client()
    existing = (
        client.table("transcriptions")
        .select("task_id")
        .eq("task_id", task_id)
        .eq("user_id", user_id)
        .limit(1)
        .execute()
    )

    if existing.data:
        (
            client.table("transcriptions")
            .update(payload)
            .eq("task_id", task_id)
            .eq("user_id", user_id)
            .execute()
        )
        return

    insert_payload = {
        "task_id": task_id,
        "user_id": user_id,
        "created_at": datetime.now().isoformat(),
        "status": "queued",
        "raw_text": "",
        "corrected_text": "",
        "characters": 0,
        "darakbang_optimized": False,
        **payload,
    }
    client.table("transcriptions").insert(insert_payload).execute()
except Exception as e:
    print(f"Failed to upsert transcription state ({task_id}): {e}")

```

```

def _usage_now() -> datetime:
    try:
        return datetime.now(ZoneInfo(USAGE_TIMEZONE))
    except ZoneInfoNotFoundError:
        return datetime.utcnow()

```

```

def _current_usage_month_start() -> str:
    now = _usage_now()
    return f"{now.year:04d}-{now.month:02d}-01"

```

```

def _ensure_user_usage_scope_ready() -> None:
    global USAGE_SCOPE_VALIDATED
    if USAGE_SCOPE_VALIDATED:
        return

    try:
        _get_supabase_client().table(USAGE_TABLE_NAME).select("user_id").limit(1).execute()
        USAGE_SCOPE_VALIDATED = True
    except Exception as e:
        error_text = str(e).lower()
        if (
            USAGE_TABLE_NAME in error_text
            and (
                "does not exist" in error_text
                or "relation" in error_text
                or "schema cache" in error_text
                or "could not find the table" in error_text
                or "pgst205" in error_text
            )
        )

```

```

    )
):
    raise HTTPException(
        status_code=500,
        detail=(
            "Supabase      : backend/sql/user_usage_quota.sql      "
            "SQL Editor    `NOTIFY pgrst, 'reload schema';`      ."
        ),
    )
)
raise

```

```

def _ensure_billing_scope_ready() -> None:
    global BILLING_SCOPE_VALIDATED
    if BILLING_SCOPE_VALIDATED:
        return

    try:
        _get_supabase_client().table(BILLING_TABLE_NAME).select("user_id").limit(1).execute()
        BILLING_SCOPE_VALIDATED = True
    except Exception as e:
        error_text = str(e).lower()
        if (
            BILLING_TABLE_NAME in error_text
            and (
                "does not exist" in error_text
                or "relation" in error_text
                or "schema cache" in error_text
                or "could not find the table" in error_text
                or "pgrst205" in error_text
            )
        ):
            raise HTTPException(
                status_code=500,
                detail=(
                    "Supabase      : backend/sql/billing_subscriptions.sql      "
                    "SQL Editor    `NOTIFY pgrst, 'reload schema';`      ."
                ),
            )
        )
    raise

```

```

def _normalize_billing_row(row: dict, user_id: str | None = None) -> dict:
    return {
        "user_id": row.get("user_id") or user_id,
        "provider": str(row.get("provider") or "portone"),
        "customer_id": row.get("customer_id") or "",
        "subscription_id": row.get("subscription_id") or "",
        "price_id": row.get("price_id") or "",
        "status": str(row.get("status") or "inactive"),
        "plan_tier": str(row.get("plan_tier") or USAGE_FREE_PLAN),
        "current_period_end": row.get("current_period_end"),
        "cancel_at_period_end": bool(row.get("cancel_at_period_end") or False),
        "checkout_completed_at": row.get("checkout_completed_at"),
        "created_at": row.get("created_at"),
        "updated_at": row.get("updated_at"),
    }

```

```

def _fetch_billing_row_by_user_id(user_id: str) -> dict | None:
    response = (
        _get_supabase_client().table(BILLING_TABLE_NAME)
        .select(
            "user_id, provider, customer_id, subscription_id, price_id, status, plan_tier, "
            "current_period_end, cancel_at_period_end, checkout_completed_at, created_at, updat
ed_at"
        )
        .eq("user_id", user_id)
        .limit(1)
        .execute()
    )

```

```

    )
    if response.data:
        return response.data[0]
    return None

def _fetch_billing_row_by_subscription_id(subscription_id: str) -> dict | None:
    if not subscription_id:
        return None
    response = (
        _get_supabase_client().table(BILLING_TABLE_NAME)
        .select(
            "user_id, provider, customer_id, subscription_id, price_id, status, plan_tier, "
            "current_period_end, cancel_at_period_end, checkout_completed_at, created_at, updat
ed_at"
        )
        .eq("subscription_id", subscription_id)
        .limit(1)
        .execute()
    )
    if response.data:
        return response.data[0]
    return None

def _fetch_billing_row_by_customer_id(customer_id: str) -> dict | None:
    if not customer_id:
        return None
    response = (
        _get_supabase_client().table(BILLING_TABLE_NAME)
        .select(
            "user_id, provider, customer_id, subscription_id, price_id, status, plan_tier, "
            "current_period_end, cancel_at_period_end, checkout_completed_at, created_at, updat
ed_at"
        )
        .eq("customer_id", customer_id)
        .limit(1)
        .execute()
    )
    if response.data:
        return response.data[0]
    return None

def _upsert_billing_row(user_id: str, patch: dict) -> dict:
    _ensure_billing_scope_ready()
    payload = {
        "user_id": user_id,
        "provider": _get_billing_provider_or_raise(),
        "updated_at": datetime.utcnow().isoformat(),
    }
    payload.update(patch or {})

    response = (
        _get_supabase_client().table(BILLING_TABLE_NAME)
        .upsert(payload, on_conflict="user_id")
        .execute()
    )
    if response.data:
        return response.data[0]

    fresh = _fetch_billing_row_by_user_id(user_id)
    if fresh:
        return fresh
    raise HTTPException(status_code=500, detail="")

def _to_iso_datetime_from_unix(unix_ts: int | float | None) -> str | None:
    if not unix_ts:
        return None

```

```

try:
    return datetime.utcfromtimestamp(int(unix_ts)).isoformat()
except Exception:
    return None

def _extract_primary_price_id(subscription_obj: dict) -> str:
    try:
        items = (subscription_obj or {}).get("items", {}).get("data", [])
        if not items:
            return ""
        return str(items[0].get("price", {}).get("id") or "")
    except Exception:
        return ""

def _resolve_plan_tier_from_subscription_status(status: str | None) -> str:
    normalized = (status or "").strip().lower()
    if normalized in STRIPE_ACTIVE_SUBSCRIPTION_STATUSES:
        return PAID_PLAN_TIER
    return USAGE_FREE_PLAN

def _is_admin_bypass_user(user: dict | None = None, user_id: str | None = None, email: str | None = None) -> bool:
    resolved_user_id = (user_id or (user or {}).get("id") or "").strip().lower()
    resolved_email = (email or (user or {}).get("email") or "").strip().lower()
    if resolved_user_id and resolved_user_id in ADMIN_BYPASS_USER_IDS:
        return True
    if resolved_email and resolved_email in ADMIN_BYPASS_EMAILS:
        return True
    return False

def _set_user_plan_tier(user_id: str, plan_tier: str) -> None:
    safe_plan = (plan_tier or USAGE_FREE_PLAN).strip().lower() or USAGE_FREE_PLAN
    row = _get_or_create_usage_row(user_id)
    if row["plan_tier"] == safe_plan:
        return
    _get_supabase_client().table(USAGE_TABLE_NAME).update({
        "plan_tier": safe_plan,
        "updated_at": datetime.utcnow().isoformat(),
    }).eq("user_id", user_id).execute()

def _resolve_or_create_stripe_customer(user: dict) -> str:
    _require_stripe_billing_enabled()
    user_id = user.get("id")
    if not user_id:
        raise HTTPException(status_code=401, detail="User ID is required.")

    billing_row = _fetch_billing_row_by_user_id(user_id)
    existing_customer_id = (billing_row or {}).get("customer_id")
    if existing_customer_id:
        return existing_customer_id

    email = (user.get("email") or "").strip().lower()
    if email:
        try:
            customers = stripe.Customer.list(email=email, limit=1)
            if customers and customers.data:
                return customers.data[0].id
        except Exception:
            pass

    metadata = {"user_id": user_id, "app": "mallog24"}
    created = stripe.Customer.create(
        email=email or None,
        metadata=metadata,
    )

```

```
return created.id
```

```
def _build_billing_status_payload(user: dict) -> dict:
    user_id = user.get("id")
    if not user_id:
        raise HTTPException(status_code=401, detail="User not found.")

    provider = _get_billing_provider_or_raise()
    checkout_mode = _get_checkout_mode(provider)
    checkout_supported = checkout_mode != "disabled"
    portal_supported = provider == "stripe" and checkout_mode == "live"

    usage_row = _get_or_create_usage_row(user_id)
    usage_snapshot = _build_usage_snapshot(
        usage_row,
        is_admin_bypass=_is_admin_bypass_user(user=user),
    )
    billing_row = _fetch_billing_row_by_user_id(user_id)
    normalized_billing = _normalize_billing_row(billing_row or {}, user_id=user_id)
    normalized_billing["provider"] = provider
    normalized_billing["payment_enabled"] = checkout_supported
    normalized_billing["checkout_mode"] = checkout_mode
    normalized_billing["checkout_supported"] = checkout_supported
    normalized_billing["portal_supported"] = portal_supported
    normalized_billing["usage"] = usage_snapshot
    normalized_billing["can_manage_subscription"] = bool(portal_supported and normalized_billing["customer_id"])
    return normalized_billing
```

```
def _normalize_usage_row(row: dict, user_id: str) -> dict:
    used_seconds = int(row.get("used_audio_seconds") or 0)
    used_seconds = max(0, used_seconds)
    plan_tier = str(row.get("plan_tier") or USAGE_FREE_PLAN).strip().lower() or USAGE_FREE_PLAN
    usage_month = str(row.get("usage_month") or _current_usage_month_start())[0:10]

    return {
        "user_id": user_id,
        "plan_tier": plan_tier,
        "used_audio_seconds": used_seconds,
        "usage_month": usage_month,
    }
```

```
def _fetch_usage_row(user_id: str) -> dict | None:
    response = (
        _get_supabase_client().table(USAGE_TABLE_NAME)
        .select("user_id, plan_tier, used_audio_seconds, usage_month")
        .eq("user_id", user_id)
        .limit(1)
        .execute()
    )
    if response.data:
        return response.data[0]
    return None
```

```
def _create_usage_row(user_id: str) -> None:
    current_month = _current_usage_month_start()
    try:
        _get_supabase_client().table(USAGE_TABLE_NAME).insert({
            "user_id": user_id,
            "plan_tier": USAGE_FREE_PLAN,
            "used_audio_seconds": 0,
            "usage_month": current_month,
            "updated_at": datetime.utcnow().isoformat(),
        }).execute()
    except Exception as e:
        # Concurrent inserts may race. Read-after-write resolves this safely.
```

```

        if "duplicate key" not in str(e).lower():
            raise

def _get_or_create_usage_row(user_id: str) -> dict:
    _ensure_user_usage_scope_ready()

    row = _fetch_usage_row(user_id)
    if not row:
        _create_usage_row(user_id)
        row = _fetch_usage_row(user_id)
    if not row:
        raise HTTPException(status_code=500, detail="")

    normalized = _normalize_usage_row(row, user_id)
    current_month = _current_usage_month_start()

    if normalized["usage_month"] != current_month:
        response = (
            _get_supabase_client().table(USAGE_TABLE_NAME)
            .update({
                "used_audio_seconds": 0,
                "usage_month": current_month,
                "updated_at": datetime.utcnow().isoformat(),
            })
            .eq("user_id", user_id)
            .execute()
        )
        updated = response.data[0] if response.data else {
            **normalized,
            "used_audio_seconds": 0,
            "usage_month": current_month,
        }
        normalized = _normalize_usage_row(updated, user_id)

    return normalized

def _build_usage_snapshot(row: dict, is_admin_bypass: bool = False) -> dict:
    plan_tier = row["plan_tier"]
    used_seconds = int(row["used_audio_seconds"])

    if is_admin_bypass:
        return {
            "plan_tier": USAGE_ADMIN_PLAN,
            "used_audio_seconds": used_seconds,
            "monthly_limit_seconds": None,
            "remaining_seconds": None,
            "usage_percent": 0.0,
            "usage_month": row["usage_month"],
            "can_upload": True,
            "is_admin_bypass": True,
        }

    if plan_tier == USAGE_FREE_PLAN:
        limit_seconds = FREE_MONTHLY_LIMIT_SECONDS
        remaining_seconds = max(0, limit_seconds - used_seconds)
        usage_percent = min(100.0, round((used_seconds / limit_seconds) * 100, 2))
        return {
            "plan_tier": plan_tier,
            "used_audio_seconds": used_seconds,
            "monthly_limit_seconds": limit_seconds,
            "remaining_seconds": remaining_seconds,
            "usage_percent": usage_percent,
            "usage_month": row["usage_month"],
            "can_upload": remaining_seconds > 0,
            "is_admin_bypass": False,
        }

    return {

```

```

        "plan_tier": plan_tier,
        "used_audio_seconds": used_seconds,
        "monthly_limit_seconds": None,
        "remaining_seconds": None,
        "usage_percent": 0.0,
        "usage_month": row["usage_month"],
        "can_upload": True,
        "is_admin_bypass": False,
    }

def _enforce_upload_quota_or_raise(user: dict, upload_audio_seconds: int) -> dict:
    if upload_audio_seconds <= 0:
        raise HTTPException(status_code=400, detail="                .")

    user_id = user["id"]
    row = _get_or_create_usage_row(user_id)
    snapshot = _build_usage_snapshot(
        row,
        is_admin_bypass=is_admin_bypass_user(user=user),
    )

    if snapshot["plan_tier"] == USAGE_FREE_PLAN:
        projected = int(snapshot["used_audio_seconds"]) + upload_audio_seconds
        if projected > FREE_MONTHLY_LIMIT_SECONDS:
            raise HTTPException(status_code=403, detail=FREE_LIMIT_EXCEEDED_MESSAGE)

    return snapshot

def _increment_user_usage_seconds(user_id: str, upload_audio_seconds: int) -> None:
    if upload_audio_seconds <= 0:
        return

    row = _get_or_create_usage_row(user_id)
    next_used = int(row["used_audio_seconds"]) + upload_audio_seconds

    _get_supabase_client().table(USAGE_TABLE_NAME).update({
        "used_audio_seconds": next_used,
        "updated_at": datetime.utcnow().isoformat(),
    }).eq("user_id", user_id).execute()

def _extract_audio_duration_seconds(file_path: str) -> int:
    duration_seconds = 0.0

    if MutagenFile is not None:
        try:
            parsed = MutagenFile(file_path)
            info = getattr(parsed, "info", None)
            parsed_length = getattr(info, "length", 0) if info else 0
            if parsed_length:
                duration_seconds = float(parsed_length)
        except Exception:
            pass

    if duration_seconds <= 0:
        try:
            with wave.open(file_path, "rb") as wav_file:
                frames = wav_file.getnframes()
                frame_rate = wav_file.getframerate()
                if frames > 0 and frame_rate > 0:
                    duration_seconds = frames / float(frame_rate)
        except Exception:
            pass

    if duration_seconds <= 0:
        try:
            segment = AudioSegment.from_file(file_path)
            duration_seconds = len(segment) / 1000.0

```



```

except Exception:
    pass

if duration_seconds <= 0:
    raise HTTPException(status_code=400, detail="Duration must be greater than 0.")

return max(1, int(math.ceil(duration_seconds)))

def _resolve_audio_mime_type(file_path: str) -> str:
    extension = pathlib.Path(file_path).suffix.lower()
    mapped = AUDIO_MIME_TYPES.get(extension)
    if mapped:
        return mapped

    guessed, _ = mimetypes.guess_type(file_path)
    return guessed or "audio/mpeg"

def _get_record_category_label(category: str, language: str = "ko") -> str:
    labels = {
        "meeting_keywords": {"ko": "회의 키워드", "en": "Meeting Keywords"},
        "clinical_notes": {"ko": "임상 노트", "en": "Clinical Notes"},
        "sermon_core_summary": {"ko": "설교 핵심 요약", "en": "Sermon Core Summary"},
    }
    return labels.get(category, {}).get(language, category)

def _build_record_draft_prompt(category: str, language: str = "ko") -> str:
    if language == "en":
        prompt_map = {
            "meeting_keywords": (
                "Extract high-impact meeting keywords and action points.\n"
                "Format:\n"
                "1) Top Keywords (5-10)\n"
                "2) Key Decisions\n"
                "3) Next Actions (owner and due if available)\n"
                "Keep it concise and practical."
            ),
            "clinical_notes": (
                "Summarize clinically helpful notes from the transcript.\n"
                "Format:\n"
                "1) Main Symptoms/Concerns\n"
                "2) Medication/Test/Follow-up Mentions\n"
                "3) Risk Flags or Clarifications Needed\n"
                "Do not give diagnosis. Keep neutral and factual."
            ),
            "sermon_core_summary": (
                "Create a core sermon summary for ministry records.\n"
                "Format:\n"
                "1) Core Message (1-2 lines)\n"
                "2) Key Scriptures or Themes\n"
                "3) Practical Application\n"
                "4) Prayer Focus"
            ),
        }
    else:
        prompt_map = {
            "meeting_keywords": (
                "회의 키워드와 실행 계획을 추출하십시오.\n"
                "형식:\n"
                "1) 주요 키워드 (5~10개)\n"
                "2) 주요 결정 사항\n"
                "3) 향후 조치 (담당자와 기한이 있는 경우)\n"
                "간결하고 실용적으로 작성하십시오."
            ),
            "clinical_notes": (
                "환자 기록에서 임상적으로 도움이 되는 노트를 요약하십시오.\n"
                "형식:\n"
                "1) 주요 증상/불편 사항\n"
                "2) 약물/검사/추진 사항\n"
                "3) 위험 신호 또는 설명이 필요한 사항\n"
                "진단을 내리지 마세요. 중립적이고 사실적으로 작성하십시오."
            ),
            "sermon_core_summary": (
                "교회 기록을 위한 설교 핵심 요약 작성.\n"
                "형식:\n"
                "1) 핵심 메시지 (1-2 줄)\n"
                "2) 주요 성경 구절이나 주제\n"
                "3) 실용적인 적용\n"
                "4) 기도 초점"
            ),
        }

```

```

        "2)      건      건      \n"
        "3)      /      \n"
        "      .      "
    ),
    "sermon_core_summary": (
        "      \n"
        "      : \n"
        "1)      (1~2      ) \n"
        "2)      /      \n"
        "3)      \n"
        "4)      "
    ),
}

```

```

return prompt_map.get(category, prompt_map["meeting_keywords"])

```

```

def _split_transcript_body_and_tail(text: str) -> tuple[list[str], list[str]]:
    lines = (text or "").splitlines()
    body_lines: list[str] = []
    tail_lines: list[str] = []
    in_tail = False

```

```

    for line in lines:
        stripped = line.strip()
        if not in_tail and stripped in STRUCTURED_SUMMARY_HEADERS:
            in_tail = True
        if in_tail:
            tail_lines.append(line)
        else:
            body_lines.append(line)

```

```

    return body_lines, tail_lines

```

```

def _parse_speaker_line(line: str) -> dict | None:
    match = re.match(
        r"^(      |      |speaker|participant)\s*([A-Za-z0-9]+)(?:\s*(([^\s])*)\s*))?\s*[:\uac00]\s*(.*)$",
        line.strip(),
        flags=re.IGNORECASE,
    )
    if not match:
        return None
    return {
        "speaker_kind": match.group(1),
        "speaker_id": match.group(2),
        "speaker_alias": (match.group(3) or "").strip(),
        "content": (match.group(4) or "").strip(),
    }

```

```

def _default_speaker_label(transcription_type: str, language: str, turn_index: int) -> str:
    if transcription_type == "phonecall":
        token = "Speaker" if language == "en" else "      "
        return f"{token} {'A' if turn_index % 2 == 0 else 'B'}"

    token = "Participant" if language == "en" else "      "
    return f"{token} {'1' if turn_index % 2 == 0 else '2'}"

```

```

def _flip_phonecall_label(label: str, language: str) -> str:
    token = "Speaker" if language == "en" else "      "
    current = "A"
    if re.search(r"\bB\b", label, flags=re.IGNORECASE):
        current = "B"
    elif re.search(r"\bA\b", label, flags=re.IGNORECASE):
        current = "A"
    return f"{token} {'A' if current == 'B' else 'B'}"

```

```

def _looks_like_short_response(content: str, language: str) -> bool:
    stripped = content.strip()
    if not stripped:
        return False

    if language == "en":
        lowered = stripped.lower()
        return any(lowered.startswith(prefix) for prefix in EN_RESPONSE_PREFIXES)

    return any(stripped.startswith(prefix) for prefix in KO_RESPONSE_PREFIXES)

def _normalize_speaker_label(
    parsed: dict,
    transcription_type: str,
    language: str,
    label_map: dict[str, int | str],
) -> str:
    speaker_id = (parsed.get("speaker_id") or "").strip()
    alias = parsed.get("speaker_alias") or ""

    if transcription_type == "phonecall":
        token = "Speaker" if language == "en" else " "
        canonical = "A"
        if speaker_id.isdigit():
            canonical = "A" if int(speaker_id) <= 1 else "B"
        else:
            upper = speaker_id.upper() or "A"
            if upper in {"A", "B"}:
                canonical = upper
            else:
                if upper not in label_map:
                    label_map[upper] = "A" if len(label_map) % 2 == 0 else "B"
                canonical = str(label_map[upper])

        base = f"{token} {canonical}"
        if alias:
            return f"{base} ({alias})" if language == "en" else f"{base}{(alias)}"
        return base

    token = "Participant" if language == "en" else " "
    if speaker_id.isdigit():
        number = max(1, int(speaker_id))
    else:
        upper = speaker_id.upper() or "A"
        if len(upper) == 1 and "A" <= upper <= "Z":
            number = ord(upper) - ord("A") + 1
        else:
            if upper not in label_map:
                label_map[upper] = len(label_map) + 1
            number = int(label_map[upper])

    base = f"{token} {number}"
    if alias:
        return f"{base} ({alias})" if language == "en" else f"{base}{(alias)}"
    return base

def _enforce_speaker_separation(text: str, transcription_type: str, language: str) -> str:
    if transcription_type not in {"phonecall", "conversation"}:
        return text

    body_lines, tail_lines = _split_transcript_body_and_tail(text)
    existing_label_count = sum(1 for line in body_lines if _parse_speaker_line(line))
    if not body_lines:
        return text

    utterances: list[list[str]] = []
    turn_index = 0
    current_label = ""

```



```
PORTONE_API_SECRET=
PORTONE_WEBHOOK_SECRET=
# Optional direct Toss Payments
TOSS_CLIENT_KEY=
TOSS_SECRET_KEY=
# Stripe (for global expansion later)
STRIPE_SECRET_KEY=
STRIPE_WEBHOOK_SECRET=
STRIPE_PRICE_ID_PRO=
PAID_PLAN_TIER=pro
# Optional redirect URLs (if empty, backend builds defaults from request host)
BILLING_SUCCESS_URL=
BILLING_CANCEL_URL=
BILLING_PORTAL_RETURN_URL=

# Debug endpoints
EXPOSE_TERMS_ENDPOINT=false
# If true, logs available Gemini model list at startup (can slow cold start)
LOG_GEMINI_MODELS_ON_STARTUP=false

#####
| o k _ 수 소 영 통 시 j 구 소 장 의 영 해 반
#####

FROM python:3.11-slim

ENV PYTHONDONTWRITEBYTECODE=1
ENV PYTHONUNBUFFERED=1

RUN apt-get update \
    && apt-get install -y --no-install-recommends ffmpeg \
    && rm -rf /var/lib/apt/lists/*

WORKDIR /app/backend

COPY backend/requirements.txt .
RUN pip install --no-cache-dir -r requirements.txt

COPY backend/ .

EXPOSE 10000

CMD ["sh", "-c", "python -m uvicorn main:app --host 0.0.0.0 --port ${PORT:-10000}"]

#####
| o k _ 수 소 영 통 시 j 구 소 장 의 영 해 반
#####

"""
Monthly free-tier usage reset job.

Run with:
python backend/jobs/reset_monthly_free_usage.py

Suggested cron:
0 0 1 * * (UTC , )
"""

import os
from datetime import datetime
from zoneinfo import ZoneInfo, ZoneInfoNotFoundError

from dotenv import load_dotenv
from supabase import create_client

def _now_text(timezone_name: str) -> str:
    try:
        now = datetime.now(ZoneInfo(timezone_name))
    except ZoneInfoNotFoundError:
```

```

now = datetime.utcnow()
return now.isoformat()

def _month_start_text(timezone_name: str) -> str:
    try:
        now = datetime.now(ZoneInfo(timezone_name))
    except ZoneInfoNotFoundError:
        now = datetime.utcnow()
    return f"{now.year:04d}-{now.month:02d}-01"

def run_reset() -> int:
    load_dotenv()

    supabase_url = os.getenv("SUPABASE_URL")
    supabase_key = os.getenv("SUPABASE_KEY")
    timezone_name = (os.getenv("USAGE_TIMEZONE") or "Asia/Seoul").strip() or "Asia/Seoul"

    if not supabase_url or not supabase_key:
        raise RuntimeError("SUPABASE_URL / SUPABASE_KEY is required.")

    client = create_client(supabase_url, supabase_key)
    month_start = _month_start_text(timezone_name)
    response = client.rpc("reset_monthly_free_usage", {"target_month": month_start}).execute()

    payload = response.data
    if isinstance(payload, list):
        if payload and isinstance(payload[0], dict):
            # PostgREST may wrap scalar in list/object on some versions.
            value = next(iter(payload[0].values()), 0)
            return int(value or 0)
        if payload:
            return int(payload[0] or 0)
        return 0
    return int(payload or 0)

if __name__ == "__main__":
    updated_count = run_reset()
    tz_name = (os.getenv("USAGE_TIMEZONE") or "Asia/Seoul").strip() or "Asia/Seoul"
    print(f"[{_now_text(tz_name)}] reset_monthly_free_usage updated rows: {updated_count}")

#####
| σ k_ 수식공식인 시계 소용도출
#####

{
  "build": {
    "builder": "NIXPACKS"
  },
  "deploy": {
    "startCommand": "python -m uvicorn main:app --host 0.0.0.0 --port $PORT",
    "restartPolicyType": "ON_FAILURE",
    "restartPolicyMaxRetries": 10
  }
}

#####
| σ k_ 수식공식인 알프 제비총알출 9
#####

fastapi==0.109.0
uvicorn[standard]==0.27.0
python-multipart==0.0.6
httpx>=0.27.0
google-generativeai>=0.8.3
python-dotenv==1.0.0
openai>=1.0.0
pvdub>=0.25.1

```

```
mutagen>=1.47.0
supabase>=2.0.0
stripe>=11.5.0

cccccccccccccccccccccccccccccccccccccccccccccccccccccccccccccccc
|σk_ 일출 앞출신 19 앞 수천파 코딩스 줄코출
cccccccccccccccccccccccccccccccccccccccccccccccccccccccccccccccc

{
  "projectId": "prj_VVkw83hK2jhl71YiRVUCbjTUsGfc",
  "orgId": "team_NQ4E5Xwdl36z3xWC7PnPehqQ",
  "projectName": "malloc24"
}

cccccccccccccccccccccccccccccccccccccccccccccccccccccccccccccccc
|σk_ 일출 앞출신 스종 파출출 :s 소정출자 r 코작출출
cccccccccccccccccccccccccccccccccccccccccccccccccccccccccccccccc

export default function Mallog24Logo({ className = "", title = 'mallog24' }) {
  return (
    <svg
      className={`block ${className}`.trim()}
      viewBox="72 40 840 220"
      preserveAspectRatio="xMidYMid meet"
      role="img"
      aria-label={title}
      xmlns="http://www.w3.org/2000/svg"
    >
      <text
        x="100"
        y="190"
        fontFamily="Arial, Helvetica, sans-serif"
        fontSize="160"
        fill="var(--mallog24-logo-text, #1E2A44)"
        fontWeight="600"
      >
        mall
      </text>

      <circle cx="500" cy="150" r="70" fill="#1E2A44" />
      <rect x="465" y="115" width="30" height="30" fill="#ffffff" />
      <rect x="505" y="115" width="30" height="30" fill="#2EA3F2" />
      <rect x="465" y="155" width="30" height="30" fill="#2EA3F2" />
      <rect x="505" y="155" width="30" height="30" fill="#ffffff" />

      <text
        x="580"
        y="190"
        fontFamily="Arial, Helvetica, sans-serif"
        fontSize="160"
        fill="var(--mallog24-logo-text, #1E2A44)"
        fontWeight="600"
      >
        g
      </text>
      <text
        x="700"
        y="190"
        fontFamily="Arial, Helvetica, sans-serif"
        fontSize="160"
        fill="#2EA3F2"
        fontWeight="600"
      >
        24
      </text>
    </svg>
  )
}
```

[illegible][illegible][illegible]

- 48 -


```

setError("")
try {
  const res = await fetch(`${API_URL}/api/billing/status`, {
    headers: { Authorization: `Bearer ${authToken}` },
  })
  const data = await res.json()
  if (!res.ok) {
    throw new Error(data.detail || 'Failed to load billing status.')
  }
  setStatus(data)
} catch (err) {
  setError(err.message || 'Failed to load billing status.')
} finally {
  setStatusLoading(false)
}
}

fetchStatus()
}, [authToken])

const withAuthHeaders = (token) => ({
  Authorization: `Bearer ${token}`,
})

const startCheckout = async () => {
  if (!authToken) {
    setError('Please log in before starting checkout.')
    return
  }

  setActionLoading('checkout')
  setError("")
  setMessage("")
  try {
    const successUrl = `${window.location.origin}/pricing-en?checkout=success`
    const cancelUrl = `${window.location.origin}/pricing-en?checkout=cancel`
    const res = await fetch(`${API_URL}/api/billing/checkout`, {
      method: 'POST',
      headers: {
        ...withAuthHeaders(authToken),
        'Content-Type': 'application/json',
      },
      body: JSON.stringify({
        locale: 'en',
        success_url: successUrl,
        cancel_url: cancelUrl,
      }),
    })
    const data = await res.json()
    if (!res.ok) {
      throw new Error(data.detail || 'Failed to open checkout.')
    }
    if (!data.checkout_url) {
      throw new Error('Checkout URL is empty.')
    }
    window.location.href = data.checkout_url
  } catch (err) {
    setError(err.message || 'Checkout request failed.')
  } finally {
    setActionLoading("")
  }
}

const openBillingPortal = async () => {
  if (!authToken) {
    setError('Please log in before opening billing portal.')
    return
  }

  setActionLoading('portal')

```

```

setError("")
setMessage("")
try {
  const returnUrl = `${window.location.origin}/pricing-en`
  const res = await fetch(`${API_URL}/api/billing/portal`, {
    method: 'POST',
    headers: {
      ...withAuthHeaders(authToken),
      'Content-Type': 'application/json',
    },
    body: JSON.stringify({
      locale: 'en',
      return_url: returnUrl,
    }),
  })
  const data = await res.json()
  if (!res.ok) {
    throw new Error(data.detail || 'Failed to open billing portal.')
  }
  if (!data.portal_url) {
    throw new Error('Billing portal URL is empty.')
  }
  window.location.href = data.portal_url
} catch (err) {
  setError(err.message || 'Failed to open billing portal.')
} finally {
  setActionLoading("")
}
}

const currentPlan = status?.usage?.plan_tier || status?.plan_tier || 'free'
const billingProvider = status?.provider || 'portone'
const checkoutMode = status?.checkout_mode || 'disabled'
const checkoutSupported = Boolean(status?.checkout_supported)
const portalSupported = Boolean(status?.portal_supported)
const paymentEnabled = Boolean(status?.payment_enabled)
const isMockCheckout = checkoutMode === 'mock'
const isPaid = currentPlan !== 'free'

return (
  <div className="min-h-screen bg-nm-bg text-nm-text-primary">
    <Head>
      <title>mallog24 Pricing</title>
    </Head>

    <main className="max-w-3xl mx-auto px-4 py-10">
      <div className="nm-raised p-6 sm:p-8">
        <p className="text-xs font-semibold text-nm-text-secondary mb-2">Pricing</p>
        <h1 className="text-2xl sm:text-3xl font-bold">mallog24 Plans</h1>
        <p className="mt-3 text-sm text-nm-text-secondary leading-relaxed">
          Free tier includes up to 10 hours each month. In environments with billing keys con
        </p>
        <p>
          figured,
          you can start Pro immediately.
        </p>

        <div className="grid sm:grid-cols-2 gap-3 mt-6">
          <div className="nm-concave p-4">
            <p className="text-xs text-nm-text-secondary">Free</p>
            <p className="text-xl font-bold mt-1">10 hours / month</p>
            <p className="text-xs text-nm-text-secondary mt-2">Core transcription and structu
          </div>
          <div className="nm-concave p-4 border-l-4 border-nm-text-primary">
            <p className="text-xs text-nm-text-secondary">Pro</p>
            <p className="text-xl font-bold mt-1">Higher quota / priority</p>
            <p className="text-xs text-nm-text-secondary mt-2">Instant activation when paymen
          </div>
        </div>
      </div>
    </main>
  </div>
)

```

```

<div className="mt-5 nm-concave p-4">
  <p className="text-xs text-nm-text-secondary">Current Plan</p>
  {statusLoading ? (
    <p className="text-sm mt-1">Loading...</p>
  ) : (
    <p className="text-sm font-semibold mt-1">
      {authToken ? (isPaid ? 'Pro' : 'Free') : 'Login required'}
    </p>
  )}
  {authToken && (
    <p className="text-xs text-nm-text-secondary mt-1">
      Billing provider: {billingProvider} / checkout mode: {checkoutMode}
    </p>
  )}
</div>

<div className="mt-6 flex flex-col sm:flex-row gap-2">
  {isPaid ? (
    <button
      type="button"
      onClick={openBillingPortal}
      disabled={!portalSupported || actionLoading !== ''}
      className="nm-btn-primary inline-flex items-center justify-center px-5 py-3 text-
t-sm font-semibold disabled:opacity-50"
    >
      {actionLoading === 'portal'
        ? 'Opening...'
        : portalSupported
          ? 'Manage Subscription'
          : 'Domestic PG portal pending'}
    </button>
  ) : (
    <button
      type="button"
      onClick={startCheckout}
      disabled={!checkoutSupported || !authToken || actionLoading !== ''}
      className="nm-btn-primary inline-flex items-center justify-center px-5 py-3 text-
t-sm font-semibold disabled:opacity-50"
    >
      {actionLoading === 'checkout'
        ? 'Opening...'
        : checkoutSupported
          ? isMockCheckout
            ? 'Start Mock Checkout'
            : 'Start Pro Subscription'
          : 'Checkout unavailable'}
    </button>
  )}
  <a
    href={CONTACT_URL}
    className="nm-btn inline-flex items-center justify-center px-5 py-3 text-sm font-
semibold text-nm-text-primary"
  >
    Upgrade Inquiry
  </a>
  <Link
    href="/en"
    className="nm-btn inline-flex items-center justify-center px-5 py-3 text-sm font-
semibold text-nm-text-primary"
  >
    Back to mallog24
  </Link>
</div>

  {!authToken && (
    <p className="text-xs text-nm-text-secondary mt-3">
      Log in on mallog24 first to start checkout.
    </p>
  )}
  {!paymentEnabled && (

```

[illegible]

```

    }
    setStatus(data)
  } catch (err) {
    setError(err.message || ' ')
  } finally {
    setStatusLoading(false)
  }
}

fetchStatus()
}, [authToken])

const withAuthHeaders = (token) => ({
  Authorization: `Bearer ${token}`,
})

const startCheckout = async () => {
  if (!authToken) {
    setError(' ')
    return
  }

  setActionLoading('checkout')
  setError('')
  setMessage('')
  try {
    const successUrl = `${window.location.origin}/pricing?checkout=success`
    const cancelUrl = `${window.location.origin}/pricing?checkout=cancel`
    const res = await fetch(`${API_URL}/api/billing/checkout`, {
      method: 'POST',
      headers: {
        ...withAuthHeaders(authToken),
        'Content-Type': 'application/json',
      },
      body: JSON.stringify({
        locale: 'ko',
        success_url: successUrl,
        cancel_url: cancelUrl,
      }),
    })
    const data = await res.json()
    if (!res.ok) {
      throw new Error(data.detail || ' ')
    }
    if (!data.checkout_url) {
      throw new Error(' URL ')
    }
    window.location.href = data.checkout_url
  } catch (err) {
    setError(err.message || ' ')
  } finally {
    setActionLoading('')
  }
}

const openBillingPortal = async () => {
  if (!authToken) {
    setError(' ')
    return
  }

  setActionLoading('portal')
  setError('')
  setMessage('')
  try {
    const returnUrl = `${window.location.origin}/pricing`
    const res = await fetch(`${API_URL}/api/billing/portal`, {
      method: 'POST',
      headers: {
        ...withAuthHeaders(authToken),

```

```

    'Content-Type': 'application/json',
  },
  body: JSON.stringify({
    locale: 'ko',
    return_url: returnUrl,
  }),
})
const data = await res.json()
if (!res.ok) {
  throw new Error(data.detail || ' ')
}
if (!data.portal_url) {
  throw new Error(' URL ')
}
window.location.href = data.portal_url
} catch (err) {
  setError(err.message || ' ')
} finally {
  setActionLoading("")
}
}

```

```

const currentPlan = status?.usage?.plan_tier || status?.plan_tier || 'free'
const billingProvider = status?.provider || 'portone'
const checkoutMode = status?.checkout_mode || 'disabled'
const checkoutSupported = Boolean(status?.checkout_supported)
const portalSupported = Boolean(status?.portal_supported)
const paymentEnabled = Boolean(status?.payment_enabled)
const isMockCheckout = checkoutMode === 'mock'
const isPaid = currentPlan !== 'free'

```

```

return (
<div className="min-h-screen bg-nm-bg text-nm-text-primary">
  <Head>
    <title>mallog24 </title>
  </Head>

  <main className="max-w-3xl mx-auto px-4 py-10">
    <div className="nm-raised p-6 sm:p-8">
      <p className="text-xs font-semibold text-nm-accent mb-2">Pricing</p>
      <h1 className="text-2xl sm:text-3xl font-bold">mallog24 </h1>
      <p className="mt-3 text-sm text-nm-text-secondary leading-relaxed">
        10 . Pro
      </p>

      <div className="grid sm:grid-cols-2 gap-3 mt-6">
        <div className="nm-concave p-4">
          <p className="text-xs text-nm-text-secondary">Free</p>
          <p className="text-xl font-bold mt-1"> 10 </p>
          <p className="text-xs text-nm-text-secondary mt-2"> / </p>
        </div>
        <div className="nm-concave p-4 border-l-4 border-nm-accent">
          <p className="text-xs text-nm-text-secondary">Pro</p>
          <p className="text-xl font-bold mt-1"> / </p>
          <p className="text-xs text-nm-text-secondary mt-2"> </p>
        </div>
      </div>

      <div className="mt-5 nm-concave p-4">
        <p className="text-xs text-nm-text-secondary"> </p>
        {statusLoading ? (
          <p className="text-sm mt-1"> ...</p>
        ) : (
          <p className="text-sm font-semibold mt-1">
            {authToken ? (isPaid ? 'Pro' : 'Free') : ' '}
          </p>
        )}
        {authToken && (
          <p className="text-xs text-nm-text-secondary mt-1">
            : {billingProvider} / : {checkoutMode}

```

```

    </p>
  })
</div>

<div className="mt-6 flex flex-col sm:flex-row gap-2">
  {isPaid ? (
    <button
      type="button"
      onClick={openBillingPortal}
      disabled={!portalSupported || actionLoading !== ""}
      className="nm-btn-primary inline-flex items-center justify-center px-5 py-3 text-sm font-semibold disabled:opacity-50"
    >
      {actionLoading === 'portal'
        ? '...'
        : portalSupported
          ? ' '
          : ' PG '}
    </button>
  ) : (
    <button
      type="button"
      onClick={startCheckout}
      disabled={!checkoutSupported || !authToken || actionLoading !== ""}
      className="nm-btn-primary inline-flex items-center justify-center px-5 py-3 text-sm font-semibold disabled:opacity-50"
    >
      {actionLoading === 'checkout'
        ? '...'
        : checkoutSupported
          ? isMockCheckout
            ? ' '
            : 'Pro '
          : ' '}
    </button>
  )}
  <a
    href={CONTACT_URL}
    className="nm-btn inline-flex items-center justify-center px-5 py-3 text-sm font-semibold text-nm-text-primary"
  >
    </a>
    <Link
      href="/"
      className="nm-btn inline-flex items-center justify-center px-5 py-3 text-sm font-semibold text-nm-text-primary"
    >
      mallog24
    </Link>
  </div>

  {!authToken && (
    <p className="text-xs text-nm-text-secondary mt-3">
      mallog24
    </p>
  )}
  {!paymentEnabled && (
    <p className="text-xs text-nm-text-secondary mt-3">
    </p>
  )}
  {checkoutSupported && isMockCheckout && (
    <p className="text-xs text-nm-text-secondary mt-3">
      /
    </p>
  )}
  {message && <p className="text-xs text-blue-600 mt-3">{message}</p>}
  {error && <p className="text-xs text-red-600 mt-3">{error}</p>}
  <p className="text-xs text-nm-text-secondary mt-4"> : {CONTACT_MAIL}</p>

```

[illegible]


```

--nm-accent: #3f63f4;
--nm-accent-soft: #5b79fa;
--nm-text-primary: #1f2b47;
--nm-text-secondary: #607093;
--nm-glow-1: rgba(116, 150, 255, 0.26);
--nm-glow-2: rgba(184, 162, 255, 0.2);
}

```

```

html.dark[data-ui-theme='aurora'] {
--nm-bg: #0f1728;
--nm-surface: #172238;
--nm-surface-soft: #1b2943;
--nm-border: rgba(87, 107, 151, 0.38);
--nm-shadow-light: rgba(119, 148, 212, 0.14);
--nm-shadow-dark: rgba(3, 10, 23, 0.62);
--nm-accent: #8daccf;
--nm-accent-soft: #a8c0ff;
--nm-text-primary: #e6edff;
--nm-text-secondary: #99aacd;
--nm-glow-1: rgba(103, 139, 235, 0.24);
--nm-glow-2: rgba(71, 101, 175, 0.22);
}

```

```

html[data-ui-theme='noir'] {
--nm-bg: #e8edf8;
--nm-surface: #f7f9ff;
--nm-surface-soft: #eff3fb;
--nm-border: rgba(120, 136, 166, 0.35);
--nm-shadow-light: rgba(255, 255, 255, 0.74);
--nm-shadow-dark: rgba(89, 106, 139, 0.24);
--nm-accent: #32466d;
--nm-accent-soft: #4c6187;
--nm-text-primary: #1f2a3f;
--nm-text-secondary: #65748f;
--nm-glow-1: rgba(118, 136, 173, 0.2);
--nm-glow-2: rgba(176, 186, 215, 0.18);
}

```

```

html.dark[data-ui-theme='noir'] {
--nm-bg: #0d131f;
--nm-surface: #151d2d;
--nm-surface-soft: #1a2437;
--nm-border: rgba(90, 107, 147, 0.4);
--nm-shadow-light: rgba(126, 145, 186, 0.13);
--nm-shadow-dark: rgba(2, 7, 17, 0.64);
--nm-accent: #adc0de;
--nm-accent-soft: #c3d2ea;
--nm-text-primary: #e7eefc;
--nm-text-secondary: #a1afca;
--nm-glow-1: rgba(94, 118, 170, 0.22);
--nm-glow-2: rgba(48, 63, 96, 0.24);
}

```

```

html[data-ui-theme='sunset'] {
--nm-bg: #f8eee4;
--nm-surface: #fff9f2;
--nm-surface-soft: #fbf3ea;
--nm-border: rgba(205, 169, 136, 0.4);
--nm-shadow-light: rgba(255, 248, 234, 0.65);
--nm-shadow-dark: rgba(178, 133, 96, 0.24);
--nm-accent: #cd6f34;
--nm-accent-soft: #e08446;
--nm-text-primary: #3a2a20;
--nm-text-secondary: #846454;
--nm-glow-1: rgba(255, 170, 102, 0.24);
--nm-glow-2: rgba(255, 212, 170, 0.2);
--mallog24-logo-text: #3c2b20;
}

```

```

html.dark[data-ui-theme='sunset'] {

```

```

--nm-bg: #2b221d;
--nm-surface: #362921;
--nm-surface-soft: #3b2d24;
--nm-border: rgba(146, 108, 82, 0.4);
--nm-shadow-light: rgba(214, 163, 120, 0.1);
--nm-shadow-dark: rgba(16, 10, 7, 0.62);
--nm-accent: #ffb37a;
--nm-accent-soft: #ffc795;
--nm-text-primary: #fff2e7;
--nm-text-secondary: #d3b79f;
--nm-glow-1: rgba(255, 150, 82, 0.24);
--nm-glow-2: rgba(112, 74, 50, 0.24);
--mallog24-logo-text: #ffe9d6;
}

html,
body {
  max-width: 100vw;
  overflow-x: hidden;
}

body {
  font-family: 'Pretendard Variable', 'Pretendard', 'Inter', -apple-system, BlinkMacSystemFont,
    'Segoe UI', sans-serif;
  -webkit-font-smoothing: antialiased;
  -moz-osx-font-smoothing: grayscale;
  background:
    radial-gradient(1100px 520px at 10% -12%, var(--nm-glow-1), transparent 62%),
    radial-gradient(920px 480px at 108% 0%, var(--nm-glow-2), transparent 65%),
    linear-gradient(180deg, color-mix(in oklab, var(--nm-bg) 92%, #ffffff 8%), var(--nm-bg));
  color: var(--nm-text-primary);
  transition: background 0.3s ease, color 0.3s ease;
}

/* ===== Soft Tech Component Classes ===== */

.nm-raised {
  background: var(--nm-surface);
  border-radius: var(--nm-radius);
  border: 1px solid var(--nm-border);
  box-shadow:
    0 22px 42px -28px var(--nm-shadow-dark),
    0 10px 22px -18px color-mix(in oklab, var(--nm-accent) 24%, transparent);
  backdrop-filter: blur(5px);
  transition: box-shadow var(--nm-transition) var(--nm-ease), transform var(--nm-transition) va
    r(--nm-ease), border-color var(--nm-transition) var(--nm-ease);
}

.nm-concave {
  background: var(--nm-surface-soft);
  border-radius: var(--nm-radius-sm);
  border: 1px solid color-mix(in oklab, var(--nm-border) 82%, transparent);
  box-shadow:
    inset 0 1px 0 color-mix(in oklab, var(--nm-shadow-light) 90%, transparent),
    inset 0 -1px 0 color-mix(in oklab, var(--nm-shadow-dark) 30%, transparent);
  transition: box-shadow var(--nm-transition) var(--nm-ease), border-color var(--nm-transition)
    var(--nm-ease);
}

.nm-flat {
  background: var(--nm-surface-soft);
  border-radius: var(--nm-radius-sm);
  border: 1px solid color-mix(in oklab, var(--nm-border) 75%, transparent);
  box-shadow: 0 12px 26px -24px var(--nm-shadow-dark);
  transition: box-shadow var(--nm-transition) var(--nm-ease), transform var(--nm-transition) va
    r(--nm-ease);
}

.nm-btn {
  background: var(--nm-surface);

```

```

border-radius: 999px;
border: 1px solid var(--nm-border);
cursor: pointer;
box-shadow:
  0 12px 26px -20px var(--nm-shadow-dark),
  0 6px 14px -14px color-mix(in oklab, var(--nm-accent) 14%, transparent);
transition: box-shadow var(--nm-transition) var(--nm-ease), transform var(--nm-transition) va
r(--nm-ease), border-color var(--nm-transition) var(--nm-ease);
}

.nm-btn:hover {
border-color: color-mix(in oklab, var(--nm-border) 70%, var(--nm-accent) 30%);
box-shadow:
  0 18px 30px -22px var(--nm-shadow-dark),
  0 10px 20px -16px color-mix(in oklab, var(--nm-accent) 20%, transparent);
transform: translateY(-1px);
}

.nm-btn:active {
box-shadow:
  inset 0 1px 2px color-mix(in oklab, var(--nm-shadow-dark) 38%, transparent),
  0 8px 18px -16px var(--nm-shadow-dark);
transform: scale(0.99);
}

.nm-btn:disabled {
opacity: 0.5;
box-shadow: none;
cursor: not-allowed;
}

.nm-btn-primary {
background: var(--nm-accent);
color: #ffffff;
border-radius: 999px;
border: 1px solid color-mix(in oklab, var(--nm-accent) 76%, #0b1220 24%);
cursor: pointer;
box-shadow:
  0 18px 30px -20px color-mix(in oklab, var(--nm-accent) 54%, transparent),
  0 6px 14px -10px color-mix(in oklab, var(--nm-shadow-dark) 70%, transparent);
transition: box-shadow var(--nm-transition) var(--nm-ease), transform var(--nm-transition) va
r(--nm-ease), background var(--nm-transition) var(--nm-ease);
}

.nm-btn-primary:hover {
background: var(--nm-accent-soft);
box-shadow:
  0 22px 34px -22px color-mix(in oklab, var(--nm-accent-soft) 58%, transparent),
  0 8px 16px -12px color-mix(in oklab, var(--nm-shadow-dark) 72%, transparent);
transform: translateY(-1px);
}

.nm-btn-primary:active {
box-shadow:
  inset 0 2px 6px rgba(0, 0, 0, 0.26),
  0 10px 22px -16px color-mix(in oklab, var(--nm-accent) 40%, transparent);
transform: scale(0.99);
}

.nm-btn-primary:disabled {
opacity: 0.55;
background: var(--nm-surface-soft);
color: var(--nm-text-secondary);
border-color: var(--nm-border);
box-shadow: none;
cursor: not-allowed;
}

.nm-input {
background: var(--nm-surface);
border: 1px solid var(--nm-border);
border-radius: var(--nm-radius-sm);
box-shadow: 0 8px 18px -16px var(--nm-shadow-dark);
padding: 10px 14px;
color: var(--nm-text-primary);
outline: none;

```

```

font-size: 14px;
transition: box-shadow var(--nm-transition) var(--nm-ease), border-color var(--nm-transition)
  var(--nm-ease), background var(--nm-transition) var(--nm-ease);
}
.nm-input:focus {
  border-color: color-mix(in oklab, var(--nm-accent) 52%, #ffffff 48%);
  box-shadow:
    0 0 3px color-mix(in oklab, var(--nm-accent) 18%, transparent),
    0 14px 22px -18px color-mix(in oklab, var(--nm-accent) 24%, transparent);
}
.nm-input::placeholder {
  color: var(--nm-text-secondary);
}

.nm-segment-group {
  display: flex;
  gap: 0;
  background: var(--nm-surface-soft);
  border-radius: var(--nm-radius-sm);
  border: 1px solid color-mix(in oklab, var(--nm-border) 78%, transparent);
  padding: 4px;
}
.nm-segment-item {
  flex: 1;
  text-align: center;
  padding: 8px 12px;
  border-radius: calc(var(--nm-radius-sm) - 2px);
  font-size: 12px;
  font-weight: 600;
  color: var(--nm-text-secondary);
  background: transparent;
  border: none;
  cursor: pointer;
  transition: all var(--nm-transition) var(--nm-ease);
}
.nm-segment-item:hover {
  color: var(--nm-text-primary);
}
.nm-segment-item.active {
  background: var(--nm-surface);
  color: var(--nm-accent);
  font-weight: 700;
  box-shadow: 0 10px 20px -16px var(--nm-shadow-dark);
}

.nm-icon-btn {
  width: 34px;
  height: 34px;
  display: inline-flex;
  align-items: center;
  justify-content: center;
  color: var(--nm-text-secondary);
  border-radius: 12px;
  border: 1px solid var(--nm-border);
  background: var(--nm-surface);
  box-shadow: 0 10px 22px -18px var(--nm-shadow-dark);
  transition: box-shadow var(--nm-transition) var(--nm-ease), transform 150ms var(--nm-ease), c
    olor 150ms var(--nm-ease), border-color 150ms var(--nm-ease);
}
.nm-icon-btn:hover {
  color: var(--nm-text-primary);
  border-color: color-mix(in oklab, var(--nm-border) 68%, var(--nm-accent) 32%);
  box-shadow: 0 14px 24px -18px var(--nm-shadow-dark);
}
.nm-icon-btn:active {
  transform: scale(0.96);
}

```

```

.nm-menu {
  position: absolute;
  top: 40px;
  z-index: 60;
  display: flex;
  flex-direction: column;
  gap: 4px;
  padding: 6px;
  border-radius: 12px;
  background: var(--nm-surface);
  border: 1px solid var(--nm-border);
  box-shadow:
    0 22px 40px -26px var(--nm-shadow-dark),
    0 8px 20px -16px color-mix(in oklab, var(--nm-accent) 16%, transparent);
}

.nm-menu-item {
  appearance: none;
  border: none;
  background: transparent;
  text-align: left;
  width: 100%;
  border-radius: 8px;
  padding: 7px 10px;
  font-size: 12px;
  font-weight: 600;
  color: var(--nm-text-secondary);
  text-decoration: none;
  cursor: pointer;
  transition: background 140ms ease, color 140ms ease;
}

.nm-menu-item:hover {
  background: color-mix(in oklab, var(--nm-surface-soft) 88%, transparent);
  color: var(--nm-text-primary);
}

.nm-menu-item.active {
  background: color-mix(in oklab, var(--nm-accent) 15%, var(--nm-surface-soft));
  color: var(--nm-accent);
}

/* ===== Override existing component classes ===== */

/* Action button */
.action-btn {
  @apply flex items-center gap-1.5 px-3.5 py-2 text-xs font-medium;
  background: var(--nm-surface);
  border: 1px solid var(--nm-border);
  border-radius: 999px;
  color: var(--nm-text-primary);
  cursor: pointer;
  box-shadow: 0 12px 24px -18px var(--nm-shadow-dark);
  transition: box-shadow var(--nm-transition) var(--nm-ease), transform 150ms var(--nm-ease);
}

.action-btn:hover {
  box-shadow: 0 16px 28px -20px var(--nm-shadow-dark);
  transform: translateY(-1px);
}

.action-btn.active {
  box-shadow:
    inset 0 1px 3px color-mix(in oklab, var(--nm-shadow-dark) 40%, transparent),
    0 10px 18px -16px var(--nm-shadow-dark);
  transform: scale(0.99);
}

/* Progress bar */
.progress-bar {
  background: var(--nm-surface-soft);
  border: 1px solid color-mix(in oklab, var(--nm-border) 72%, transparent);
}

```

```
border-radius: 9999px;
height: 4px;
box-shadow: inset 0 1px 1px color-mix(in oklab, var(--nm-shadow-dark) 28%, transparent);
overflow: hidden;
}

.progress-bar-fill {
height: 100%;
background: var(--nm-accent);
border-radius: 9999px;
transition: width 1s ease-out;
}

@media (prefers-reduced-motion: reduce) {
.nm-raised,
.nm-concave,
.nm-flat,
.nm-btn,
.nm-btn-primary,
.nm-input,
.nm-segment-item,
.action-btn,
.progress-bar-fill {
transition-duration: 0ms !important;
}
}

/* ===== Utilities ===== */

/* Scrollbar */
::-webkit-scrollbar {
width: 5px;
}
::-webkit-scrollbar-track {
background: transparent;
}
::-webkit-scrollbar-thumb {
background: var(--nm-shadow-dark);
border-radius: 9999px;
}
::-webkit-scrollbar-thumb:hover {
background: var(--nm-text-secondary);
}

/* Selection */
::selection {
@apply bg-blue-100 dark:bg-blue-900/50 text-blue-900 dark:text-blue-100;
}



EXPO_PUBLIC_API_URL=https://api.mallog24.com



EXPO_PUBLIC_API_FALLBACK_URLS=https://darakbang-transcription-backend.onrender.com



EXPO_PUBLIC_SUPABASE_URL=https://your-project.supabase.co



EXPO_PUBLIC_LEGAL_DOC_VERSION=v2026.02.21



EXPO_PUBLIC_PRICING_URL=https://mallog24.com/pricing



EXPO_PUBLIC_AUTH_REQUEST_TIMEOUT_MS=120000



EXPO_PUBLIC_API_URL=https://api.mallog24.com



EXPO_PUBLIC_API_FALLBACK_URLS=https://darakbang-transcription-backend.onrender.com



EXPO_PUBLIC_SUPABASE_URL=https://your-project.supabase.co



EXPO_PUBLIC_LEGAL_DOC_VERSION=v2026.02.21



EXPO_PUBLIC_PRICING_URL=https://mallog24.com/pricing



EXPO_PUBLIC_AUTH_REQUEST_TIMEOUT_MS=120000



import React, { useEffect, useRef } from "react";
import { Animated, Easing } from "react-native";

export default function FadeInView({ delay = 0, duration = 400, children, style }) {
const opacity = useRef(new Animated.Value(0)).current;
const translateY = useRef(new Animated.Value(100)).current;
```

```

useEffect(() => {
  const animation = Animated.parallel([
    Animated.timing(opacity, {
      toValue: 1,
      duration,
      delay,
      easing: Easing.out(Easing.cubic),
      useNativeDriver: true,
    }),
    Animated.timing(translateY, {
      toValue: 0,
      duration,
      delay,
      easing: Easing.out(Easing.cubic),
      useNativeDriver: true,
    }),
  ]);

  animation.start();
  return () => animation.stop();
}, [delay, duration, opacity, translateY]);

return (
  <Animated.View style={{style, { opacity, transform: [{ translateY }] }}>
    {children}
  </Animated.View>
);
}

import React, { useRef } from "react";
import { Animated, Pressable } from "react-native";

const AnimatedPressable = Animated.createAnimatedComponent(Pressable);

export default function NmPressable({
  style,
  onPress,
  disabled,
  children,
  scaleDown = 0.96,
  ...rest
}) {
  const scaleAnim = useRef(new Animated.Value(1)).current;

  const handlePressIn = () => {
    if (disabled) return;
    Animated.spring(scaleAnim, {
      toValue: scaleDown,
      friction: 6,
      tension: 240,
      useNativeDriver: true,
    }).start();
  };

  const handlePressOut = () => {
    if (disabled) return;
    Animated.spring(scaleAnim, {
      toValue: 1,
      friction: 6,
      tension: 210,
      useNativeDriver: true,
    }).start();
  };

  return (
    <AnimatedPressable

```

```

style={{style, { transform: [{ scale: scaleAnim }] }}}
onPress={onPress}
onPressIn={handlePressIn}
onPressOut={handlePressOut}
disabled={disabled}
{...rest}
>
{children}
</AnimatedPressable>
);
}

```

```

CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC
I σ k_ 총크기제한 앞소문자출
CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC

```

```

{
  "cli": {
    "version": ">= 12.6.0",
    "appVersionSource": "remote"
  },
  "build": {
    "development": {
      "developmentClient": true,
      "distribution": "internal"
    },
    "preview": {
      "distribution": "internal"
    },
    "production": {
      "autoIncrement": true
    }
  },
  "submit": {
    "production": {}
  }
}

```

```

CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC
I σ k_ 총크기제한 파소문자입출
CCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCCC

```

```

{
  "name": "mallog24-mobile-shell",
  "version": "1.0.0",
  "private": true,
  "main": "node_modules/expo/AppEntry.js",
  "scripts": {
    "start": "expo start --lan --clear",
    "start:tunnel": "expo start --tunnel --clear",
    "start:lan": "expo start --lan --clear",
    "android": "expo run:android",
    "ios": "expo run:ios",
    "web": "expo start --web",
    "release:android": "npx eas build --platform android --profile production",
    "release:ios": "npx eas build --platform ios --profile production",
    "submit:android": "npx eas submit --platform android --profile production",
    "submit:ios": "npx eas submit --platform ios --profile production"
  },
  "dependencies": {
    "@react-native-async-storage/async-storage": "2.2.0",
    "expo": "~54.0.0",
    "expo-document-picker": "~14.0.7",
    "expo-file-system": "~19.0.21",
    "expo-linking": "~8.0.8",
    "expo-sharing": "~14.0.8",
    "expo-status-bar": "~3.0.8",
    "react": "19.1.0",
    "react-native": "0.81.5",
    "react-native-safe-area-context": "~5.6.0"
  }
}

```


| σ k_ 총국재원 스케 : 작업할소모물 코인목록표지자9저

```
mkdir -p "$OUT_DIR"
```

```
fpmpeg -y \
-f lavfi -i "color=c=#0f1728:s=1024x500:d=1" \
-i "$ICON_PATH" \
-filter_complex "[0:v]drawbox=x=0:y=0:w=1024:h=500:color=#0f1728:t=fill,drawbox=x=0:y=0:w=1024:h=500:color=#17315a@0.55:t=fill,drawbox=x=52:y=86:w=630:h=328:color=#101f38@0.82:t=fill,drawtext=fontfile=${FONT_PATH}:text='mallog24':fontsize=92;fontcolor:white:x=86:y=126,drawtext=fontfile=${FONT_PATH}:text='AI' :fontsize=38;fontcolor=#c6d5f3:x=90:y=252 ,drawtext=fontfile=${FONT_PATH}:text='건 건' :fontsize=30;fontcolor=#9dbf7ea:x=90:y=312[bg]:[1:v]scale=196:196[icon]:[bg][icon]overlay=770:152" \
-frames:v 1 \
-update 1 \
"$OUT_DIR/feature-graphic-google-play-1024x500.png"
```

```

ffmpeg -y \
-f lavfi -i "color=c=#0f1728:s=1080x1920:d=1" \
-i "${ICON_PATH}" \
-filter_complex "[0:v]drawbox=x=0:y=0:w=1080:h=1920:color=#0f1728:t=fill,drawbox=x=0:y=0:w=1080:h=580:color=#17315a@0.6:t=fill,drawbox=x=56:y=620:w=968:h=1220:color=#101f38@0.88:t=fill,drawbox=x=96:y=760:w=888:h=104:color=#244779@0.95:t=fill,drawbox=x=96:y=894:w=888:h=104:color=#1f3f6e@0.95:t=fill,drawbox=x=96:y=1028:w=888:h=104:color=#1b365f@0.95:t=fill,drawtext=fontfile=${FONT_PATH}:text='AI':fontsize=74:fontcolor:white:x=72:y=172,drawtext=fontfile=${FONT_PATH}:text='Google  Kakao':fontsize=42:fontcolor=#c6d5f3:x=74:y=280,drawtext=fontfile=${FONT_PATH}:text='':fontsize=34:fontcolor=#d6e2fb:x=74:y=344,drawtext=fontfile=${FONT_PATH}:text='':fontsize=46:fontcolor:white:x=130:y=788,drawtext=fontfile=${FONT_PATH}:text='':fontsize=34:fontcolor=#d6e2fb:x=130:y=920,drawtext=fontfile=${FONT_PATH}:text='AI':fontsize=34:fontcolor=#9db7ea:x=130:y=1055,drawtext=fontfile=${FONT_PATH}:text='mallog24':fontsize=30:fontcolor=#c6d5f3:x=840:y=1848[bg];[1:v]scale=112:112[icon];[bg][icon]overlay=856:70" \
-frames:v 1 \
-update 1 \
"${OUT_DIR}/screenshot-01-login-1080x1920.png"

```

```
H}):text='          ':fontsize=34:fontcolor=white:x=235:y=1066,drawtext=fontfile=${FONT_PATH}:tex
t=' / / ':fontsize=34:fontcolor=#d6e2fb:x=634:y=1066,drawtext=fontfile=${FONT_PATH}:
text='AI          ':fontsize=34:fontcolor=#c6d5f3:x=130:y=1188,drawtext=fontfile=${FONT_PA
TH}):text='mallog24':fontsize=30:fontcolor=#c6d5f3:x=840:y=1848[bg];[1:v]scale=112:112[icon]
;[bg][icon]overlay=856:70" \
-frames:v 1 \
-update 1 \
"$OUT_DIR/screenshot-02-upload-transcribe-1080x1920.png"
```

```
ffmpeg -y \
-f lavfi -i "color=c=#0f1728:s=1080x1920:d=1" \
-i "$ICON_PATH" \
-filter_complex "[0:v]drawbox=x=0:y=0:w=1080:h=1920:color=#0f1728:t=fill,drawbox=x=0:y=0:w=10
80:h=580:color=#17315a@0.62:t=fill,drawbox=x=56:y=620:w=968:h=1220:color=#101f38@0.88:t=fil
l,drawbox=x=96:y=760:w=888:h=90:color=#2a5ca1@0.95:t=fill,drawbox=x=96:y=876:w=888:h=760:co
lor=#122745@0.95:t=fill,drawbox=x=96:y=1662:w=888:h=84:color=#1f3f6e@0.95:t=fill,drawtext=f
ontfile=${FONT_PATH}:text='          ':fontsize=72:fontcolor=white:x=72:y=172,drawtext=fontf
ile=${FONT_PATH}:text=' 건 건 ':fontsize=40:fontcolor=#c6d5f3:x=74:y=278,drawtex
t=fontfile=${FONT_PATH}:text='          ':fontsize=34:fontcolor=#d6e2fb:x=74:y=340,drawt
ext=fontfile=${FONT_PATH}:text='          ':fontsize=34:fontcolor=white:x=130:y=783,drawte
xt=fontfile=${FONT_PATH}:text='          ':fontsize=34:fontcolor=#c6d5f3:x=130:y=936,drawtext=fo
ntfile=${FONT_PATH}:text='          ':fontsize=32:fontcolor=#d6e2fb:x=130:y=1010,d
rawtext=fontfile=${FONT_PATH}:text='          ':fontsize=34:fontcolor=white:x=130:y=1712,dr
awtext=fontfile=${FONT_PATH}:text='mallog24':fontsize=30:fontcolor=#c6d5f3:x=840:y=1848[bg]
;[1:v]scale=112:112[icon];[bg][icon]overlay=856:70" \
-frames:v 1 \
-update 1 \
"$OUT_DIR/screenshot-03-summary-1080x1920.png"
```

```
ffmpeg -y \
-f lavfi -i "color=c=#0f1728:s=1080x1920:d=1" \
-i "$ICON_PATH" \
-filter_complex "[0:v]drawbox=x=0:y=0:w=1080:h=1920:color=#0f1728:t=fill,drawbox=x=0:y=0:w=10
80:h=580:color=#18345e@0.62:t=fill,drawbox=x=56:y=620:w=968:h=1220:color=#101f38@0.88:t=fil
l,drawbox=x=96:y=760:w=888:h=500:color=#142a4c@0.95:t=fill,drawbox=x=96:y=1290:w=888:h=90:c
olor=#2a5ca1@0.96:t=fill,drawbox=x=96:y=1408:w=286:h=90:color=#244979@0.96:t=fill,drawbox=x
=397:y=1408:w=286:h=90:color=#1f3f6e@0.96:t=fill,drawbox=x=698:y=1408:w=286:h=90:color=#1a3
65f@0.96:t=fill,drawtext=fontfile=${FONT_PATH}:text='          ':fontsize=70:fontcolor=whi
te:x=72:y=172,drawtext=fontfile=${FONT_PATH}:text='TXT 건DOCX 건 ':fontsize=40:fontco
lor=#c6d5f3:x=74:y=278,drawtext=fontfile=${FONT_PATH}:text='          ':fontsize=34:fo
ntcolor=#d6e2fb:x=74:y=340,drawtext=fontfile=${FONT_PATH}:text=' / /
':fontsize=28:fontcolor=#d6e2fb:x=130:y=818,drawtext=fontfile=${FONT_PATH}:text='
':fontsize=34:fontcolor=white:x=130:y=1348,drawtext=fontfile=${FONT_PATH}:text='
':fontsize=28:fontcolor=white:x=162:y=1468,drawtext=fontfile=${FONT_PATH}:text='TXT /
':fontsize=28:fontcolor=white:x=462:y=1468,drawtext=fontfile=${FONT_PATH}:text='DOCX /
':
fontsize=28:fontcolor=white:x=753:y=1468,drawtext=fontfile=${FONT_PATH}:text='mallog24':fon
tsize=30:fontcolor=#c6d5f3:x=840:y=1848[bg];[1:v]scale=112:112[icon];[bg][icon]overlay=856:
70" \
-frames:v 1 \
-update 1 \
"$OUT_DIR/screenshot-04-record-export-1080x1920.png"
```

```
ffmpeg -y \
-f lavfi -i "color=c=#0f1728:s=1080x1920:d=1" \
-i "$ICON_PATH" \
-filter_complex "[0:v]drawbox=x=0:y=0:w=1080:h=1920:color=#0f1728:t=fill,drawbox=x=0:y=0:w=10
80:h=580:color=#17315a@0.62:t=fill,drawbox=x=56:y=620:w=968:h=1220:color=#101f38@0.88:t=fil
l,drawbox=x=96:y=760:w=888:h=190:color=#1c3966@0.95:t=fill,drawbox=x=96:y=980:w=888:h=22:co
lor=#122745@0.95:t=fill,drawbox=x=96:y=980:w=612:h=22:color=#3b78d1@0.98:t=fill,drawbox=x=9
6:y=1040:w=888:h=90:color=#2a5ca1@0.96:t=fill,drawbox=x=96:y=1160:w=888:h=90:color=#1f3f6e@
0.96:t=fill,drawbox=x=96:y=1290:w=888:h=90:color=#1a365f@0.96:t=fill,drawtext=fontfile=${FO
NT_PATH}:text=' 건 ':fontsize=72:fontcolor=white:x=72:y=172,drawtext=fontfile=${FONT
_PATH}:text='          ':fontsize=40:fontcolor=#c6d5f3:x=74:y=278,drawtext=fontfile=${
FONT_PATH}:text='          ':fontsize=34:fontcolor=#d6e2fb:x=74:y=340,drawtext=font
file=${FONT_PATH}:text=' : 6h 20m / 10h':fontsize=36:fontcolor=white:x=130:y=825,dra
wtext=fontfile=${FONT_PATH}:text='          ':fontsize=30:fontcolor=white:x=178:y=1100,drawte
xt=fontfile=${FONT_PATH}:text='          ':fontsize=30:fontcolor=white:x=178:y=1220,drawtext=
fontfile=${FONT_PATH}:text='          ':fontsize=30:fontcolor=white:x=178:y=1350,drawtext=fontfi
le=${FONT_PATH}:text='mallog24':fontsize=30:fontcolor=#c6d5f3:x=840:y=1848[bg];[1:v]scale=1
12:112[icon];[bg][icon]overlay=856:70" \
```

```
-frames:v 1 \
-update 1 \
"$OUT_DIR/screenshot-05-usage-subscription-1080x1920.png"
```

```
echo "generated store graphics in: $OUT_DIR"
```

```

| σ k_  사용 소 율구출

```

```
{
  "build": {
    "rootDirectory": "/backend",
    "watchPatterns": [
      "/backend/**"
    ]
  }
}
```

```

| σ k_  앞9 소총청

```

```
services:
- type: web
  name: darakbang-transcription-backend
  runtime: docker
  plan: free
  branch: main
  dockerfilePath: ./backend/Dockerfile
  dockerContext: .
  autoDeploy: true
  healthCheckPath: /health
  envVars:
    - key: GEMINI_API_KEY
      sync: false
    - key: SUPABASE_URL
      sync: false
    - key: SUPABASE_KEY
      sync: false
    - key: CORS_ALLOW_ORIGINS
      sync: false
    - key: OAUTH_REDIRECT_ALLOW_HOSTS
      sync: false
    - key: OAUTH_REDIRECT_ALLOW_SCHEMES
      sync: false
    - key: FREE_MONTHLY_LIMIT_SECONDS
      sync: false
    - key: USAGE_TIMEZONE
      sync: false
    - key: BILLING_PROVIDER
      sync: false
    - key: BILLING_TEST_MODE
      sync: false
    - key: MOCK_CHECKOUT_SESSION_TTL_SECONDS
      sync: false
    - key: PORTONE_STORE_ID
      sync: false
    - key: PORTONE_CHANNEL_KEY
      sync: false
    - key: PORTONE_API_SECRET
      sync: false
    - key: PORTONE_WEBHOOK_SECRET
      sync: false
    - key: TOSS_CLIENT_KEY
      sync: false
    - key: TOSS_SECRET_KEY
      sync: false
    - key: STRIPE_SECRET_KEY
      sync: false
```

- key: STRIPE_WEBHOOK_SECRET
sync: false
- key: STRIPE_PRICE_ID_PRO
sync: false
- key: PAID_PLAN_TIER
sync: false
- key: BILLING_SUCCESS_URL
sync: false
- key: BILLING_CANCEL_URL
sync: false
- key: BILLING_PORTAL_RETURN_URL
sync: false
- key: EXPOSE_TERMS_ENDPOINT
sync: false