

DotMeet Backend API Endpoints

Project Name: DotMeet Backend

Version: 1.0

Base URL: <http://localhost:5000/api/v1>

Prepared By: Md Hasanuzzaman Shohag

Table Of Contents

0. Redis & Caching Architecture & Best Practices

1. Authentication Endpoints

2. User Management Endpoints

3. Business Owner Endpoints *(Includes Template Selection & Website Customization)*

4. Service Management Endpoints

5. Appointment Management Endpoints

6. AI Assistant Endpoints

7. Review Endpoints

8. Support Ticket Endpoints

9. Subscription Endpoints *(Platform Subscription Payments Only)*

10. Analytics Endpoints

11. Gallery Endpoints

12. Working Hours Endpoints

13. Notification Endpoints

14. Admin - User Management Endpoints

15. Admin - Business Management Endpoints

0. Redis & Caching Architecture & Best Practices

Redis Cache Keys

Resource	Redis Key	TTL
Email OTP	otp:{email}	5 minutes
OTP Rate Limit	otp_limit:{email}	15 minutes
Password Reset OTP	otp:reset:{email}	5 minutes
User Session	session:{refreshToken}	7 days
Public Business	cache:public:business:{username}	1 hour

Resource	Redis Key	TTL
Email OTP	otp:{email}	5 minutes
OTP Rate Limit	otp_limit:{email}	15 minutes
Password Reset OTP	otp:reset:{email}	5 minutes
Public Services	cache:services:public:{username}	1 hour
Public Reviews	cache:reviews:public:{username}	10 minutes
Working Hours	cache:working_hours:public:{username}	24 hours
Gallery	cache:gallery:public:{username}	1 hour
Templates / Categories	cache:templates, cache:categories	24 hours
CMS Pages	cache:cms:pages:{slug}	12 hours
Public FAQs	cache:cms:faqs	24 hours
Analytics	cache:analytics:{profileId}:{dateRange}	15 minutes

Cache Best Practices

- Public endpoints should use a **cache-aside strategy**.
- Always invalidate related cache after successful POST, PUT, or DELETE operations.
- Payment method configuration should use short TTL or immediate cache invalidation.
- Appointment booking should use a Redis lock to prevent double booking.

Example Redis Lock:

```
lock:appointment:{businessId}:{serviceId}:{date}:{time}
```

1. Authentication Endpoints

Register with Email

POST

http://localhost:5000/api/v1/auth/register

Access: Public

Body:

```
{
  "name": "Md Hasanuzzaman Shohag",
  "email": "shohag@gmail.com",
  "password": "123456",
  "phone": "+8801712345678",
  "role": "user"
}
```

[Redis Action]: Triggers OTP generation and stores hashed OTP in otp:{email} with 300s TTL. Checks otp_limit:{email} for spam.

Register with Google

POST

http://localhost:5000/api/v1/auth/google-register

Access: Public

Body:

```
{
  "idToken": "GOOGLE_ID_TOKEN",
  "role": "user"
}
```

Register with Facebook

POST

http://localhost:5000/api/v1/auth/facebook-register

Access: Public

Body:

```
{
  "accessToken": "FACEBOOK_ACCESS_TOKEN",
  "role": "user"
}
```

Verify OTP

POST

http://localhost:5000/api/v1/auth/verify-otp

Access: Public

Body:

```
{  
  "email": "shohag@gmail.com",  
  "otp": "123456"  
}
```

[Redis Action]: Fetches `otp:{email}`, compares the hashed OTP, and deletes the key after successful verification.

Resend OTP

POST

`http://localhost:5000/api/v1/auth/resend-otp`

Access: Public

Body:

```
{  
  "email": "shohag@gmail.com"  
}
```

[Redis Action]: Checks `otp_limit:{email}`, generates a new OTP, resets the TTL of `otp:{email}`, and increments the rate-limit counter.

Login

POST

`http://localhost:5000/api/v1/auth/login`

Access: Public

Body:

```
{  
  "email": "shohag@gmail.com",  
  "password": "123456"  
}
```

[Redis Action]: Stores the refresh-token session in `session:{refreshToken}` with a 7d TTL.

Logout

POST

`http://localhost:5000/api/v1/auth/logout`

Access: User, Business Owner, Admin

[Redis Action]: Deletes `session:{refreshToken}` and clears the `HttpOnly` cookie.

Refresh Access Token

POST

`http://localhost:5000/api/v1/auth/refresh-token`

Access: User, Business Owner, Admin

[Redis Action]: Validates the session, issues a new access token, and rotates the refresh token.

2. User Management Endpoints

Register User

POST

`http://localhost:5000/api/v1/users/register`

Access: Public

Body:

```
{  
  "name": "Md Hasanuzzaman Shohag",  
  "email": "shohag@gmail.com",  
  "password": "123456",  
  "phone": "+8801712345678"  
}
```

Get User Profile

GET

`http://localhost:5000/api/v1/users/profile`

Access: User

Update User Profile

PUT

http://localhost:5000/api/v1/users/profile

Access: User

Body:

```
{  
  "name": "Md Hasanuzzaman Shohag",  
  "phone": "+8801712345678"  
}
```

Upload Profile Image

POST

http://localhost:5000/api/v1/users/profile/image

Access: User

Content-Type: multipart/form-data

Body:

image: <file>

Delete Profile Image

DELETE

http://localhost:5000/api/v1/users/profile/image

Access: User

3. Business Owner Endpoints

This section includes:

- Personal Portfolio Profile
- Business/Company Profile
- Business Create Own Services
- Business Website Customization
- Template Selection

- Dynamic Website Pages
- Branding & SEO

Register Personal Profile

POST

http://localhost:5000/api/v1/profile/register

Access: Authenticated User

Body:

```
{  
  "profileName": "Md Hasanuzzaman Shohag",  
  "username": "md-hasanuzzaman",  
  "categoryId": "CATEGORY_ID",  
  "description": "Full-Stack MERN Developer",  
  "phone": "+8801712345678",  
  "email": "shohag@gmail.com",  
  "address": "Dhaka, Bangladesh"  
}
```

Initial Status: pending

Get My Personal Profile

GET

http://localhost:5000/api/v1/profile/my-profile

Access: Business Owner

Update My Personal Profile

PUT

http://localhost:5000/api/v1/profile/my-profile

Access: Business Owner

Register Business Website

POST

http://localhost:5000/api/v1/business/register

Access: Business Owner

Body:

```
{
  "businessName": "Smile Dental Care",
  "username": "smile-dental",
  "categoryId": "CATEGORY_ID",
  "description": "Professional dental care services.",
  "phone": "+8801712345678",
  "email": "info@smiledental.com",
  "address": "Dhanmondi, Dhaka",
  "city": "Dhaka",
  "country": "Bangladesh"
}
```

Initial Status: pending

Get My Business

GET

http://localhost:5000/api/v1/business/my-business

Access: Business Owner

Update My Business

PUT

http://localhost:5000/api/v1/business/my-business

Access: Business Owner

Create Custom Services For Every Business

POST

http://localhost:5000/api/v1/business/services

Access: Business Owner

Customize Navbar

PUT

http://localhost:5000/api/v1/business/navbar

Access: Business Owner

Body:


```
{
  "logo": "logo_url",
  "items": [
    {
      "name": "Home",
      "link": "/"
    },
    {
      "name": "Our Packages",
      "link": "/packages"
    },
    {
      "name": "Offers",
      "link": "/offers"
    },
    {
      "name": "FAQ",
      "link": "/faq"
    },
    {
      "name": "Contact",
      "link": "/contact"
    },
    {
      "name": "Book An Appointment",
      "link": "/book-appointment"
    }
  ]
}
```

Apply Business Template

PUT

<http://localhost:5000/api/v1/business/template>

Access: Business Owner

Body:

```
{
  "templateId": "TEMPLATE_ID"
}
```

4. Service Management Endpoints

Create Service

POST

`http://localhost:5000/api/v1/services`

Access: Business Owner

Body: Service/package details.

Get All Services

GET

`http://localhost:5000/api/v1/services?page=1&limit=10&status=active&search=cleaning`

Access: Business Owner

Get Service Details

GET

`http://localhost:5000/api/v1/services/:serviceId`

Access: Business Owner

Update Service

PUT

`http://localhost:5000/api/v1/services/:serviceId`

Access: Business Owner

Delete Service

DELETE

`http://localhost:5000/api/v1/services/:serviceId`

Access: Business Owner

5. Appointment Management Endpoints

Book Appointment

POST

`http://localhost:5000/api/v1/appointments/book`

Access: User, Public

Body: Appointment, customer, service, date, time.

[Redis Action]: Uses a temporary Redis lock to prevent double booking.

Get My Bookings

GET

`http://localhost:5000/api/v1/appointments/my-bookings?page=1&limit=10&status=pending`

Access: User

Get Business Appointments

GET

`http://localhost:5000/api/v1/appointments/business?page=1&limit=10&status=all`

Access: Business Owner

6. AI Assistant Endpoints

Chat with AI

POST

`http://localhost:5000/api/v1/ai/chat`

Access: Public, User

Body:

```
{
  "businessUsername": "smile-dental",
  "message": "What services do you offer?"
}
```

Get AI Conversations

GET

`http://localhost:5000/api/v1/ai/conversations?page=1&limit=20`

Access: Business Owner

Get AI Leads

GET

`http://localhost:5000/api/v1/ai/leads?page=1&limit=10&status=new`

Access: Business Owner

7. Review Endpoints

Create Review

POST

`http://localhost:5000/api/v1/reviews`

Access: User

Body: Rating, comment, and business information.

Get Public Reviews

GET

`http://localhost:5000/api/v1/reviews/public/:username`

Access: Public

[Redis Action]: Uses `cache:reviews:public:{username}` with a 10-minute TTL.

Get Business Reviews

GET

`http://localhost:5000/api/v1/reviews/business`

Access: Business Owner

8. Support Ticket Endpoints

Create Support Ticket

POST

`http://localhost:5000/api/v1/support/tickets`

Access: Business Owner, Admin

Body: Ticket subject, category, priority, and message.

Get Support Tickets

GET

`http://localhost:5000/api/v1/support/tickets`

Access: User, Business Owner

9. Subscription Endpoints

Note: These endpoints are only for DotMeet platform subscription payments.

Get Subscription Plans

GET

`http://localhost:5000/api/v1/subscriptions/plans`

Access: Public

Subscribe to Plan

POST

`http://localhost:5000/api/v1/subscriptions/subscribe`

Access: Business Owner

Body:

```
{  
  "planId": "PLAN_ID",  
  "paymentMethod": "sslcommerz"  
}
```

Get My Subscription

GET

<http://localhost:5000/api/v1/subscriptions/my-subscription>

Access: Business Owner

10. Analytics Endpoints

Get Dashboard Analytics

GET

<http://localhost:5000/api/v1/analytics/dashboard>

Access: Business Owner

Get Booking Analytics

GET

<http://localhost:5000/api/v1/analytics/bookings>

Access: Business Owner

Get Customer Analytics

GET

<http://localhost:5000/api/v1/analytics/users>

Access: Business Owner

Export Analytics

GET

<http://localhost:5000/api/v1/analytics/export>

Access: Business Owner

11. Gallery Endpoints

Upload Gallery Images

POST

`http://localhost:5000/api/v1/gallery`

Access: Business Owner

Content-Type: multipart/form-data

Body:

`images: <file>, <file>, <file>`

Get Public Gallery

GET

`http://localhost:5000/api/v1/gallery/public/:username`

Access: Public

12. Working Hours Endpoints

Set Working Hours

PUT

`http://localhost:5000/api/v1/working-hours`

Access: Business Owner

Body: Weekly working schedule.

Get Working Hours

GET

`http://localhost:5000/api/v1/working-hours`

Access: Business Owner

Get Public Working Hours

GET

`http://localhost:5000/api/v1/working-hours/public/:username`

Access: Public

13. Notification Endpoints

Get Notifications

GET

`http://localhost:5000/api/v1/notifications`

Access: User, Business Owner

Get Unread Notification Count

GET

`http://localhost:5000/api/v1/notifications/unread-count`

Access: User, Business Owner

Mark All Notifications as Read

PUT

`http://localhost:5000/api/v1/notifications/read-all`

Access: User, Business Owner

14. Admin - User Management Endpoints

Get All Users

GET

`http://localhost:5000/api/v1/admin/users`

Access: Admin

Update User Role

PUT

`http://localhost:5000/api/v1/admin/users/:userId/role`

Access: Admin

Body:

```
{  
  "role": "BUSINESS_OWNER"  
}
```

Activate User

PUT

`http://localhost:5000/api/v1/admin/users/:userId/activate`

Access: Admin

Deactivate User

PUT

`http://localhost:5000/api/v1/admin/users/:userId/deactivate`

Access: Admin

15. Admin - Business Management Endpoints

Get Businesses

GET

`http://localhost:5000/api/v1/admin/business`

Access: Admin

Get Business Details

GET

`http://localhost:5000/api/v1/admin/business/:businessId`

Access: Admin

Approve Business

PUT

`http://localhost:5000/api/v1/admin/business/:businessId/approve`

Access: Admin

Reject Business

PUT

`http://localhost:5000/api/v1/admin/business/:businessId/reject`

Access: Admin

Suspend Business

PUT

`http://localhost:5000/api/v1/admin/business/:businessId/suspend`

Access: Admin

Reactivate Business

PUT

`http://localhost:5000/api/v1/admin/business/:businessId/reactivate`

Access: Admin

Delete Business

DELETE

`http://localhost:5000/api/v1/admin/business/:businessId`

Access: Admin