

# DotMeet Backend API Endpoints

**Project Name:** DotMeet Backend

**Version:** 1.0

**Base URL:** http://localhost:5000/api/v1

**Prepared By:** Md Hasanuzzaman Shohag

---

## Table Of Contents

- 0. Redis & Caching Architecture & Best Practices
  - 1. Authentication Endpoints
  - 2. User Management Endpoints
  - 3. Business Owner Endpoints (Includes Template Selection)
  - 4. Service Management Endpoints
  - 5. Appointment Management Endpoints
  - 6. AI Assistant Endpoints
  - 7. Review Endpoints
  - 8. Support Ticket Endpoints
  - 9. Subscription Endpoints (Platform Subscription Payments only)
  - 10. Analytics Endpoints
  - 11. Gallery Endpoints
  - 12. Working Hours Endpoints
  - 13. Notification Endpoints
  - 14. Admin - User Management Endpoints
  - 15. Admin - Business Management Endpoints
  - 16. Admin - Category Management Endpoints
  - 17. Admin - Subscription Plan Endpoints
  - 18. Admin - AI Management Endpoints
  - 19. Admin - Support Management Endpoints
  - 20. Admin - CMS Endpoints
  - 21. Admin - Settings Endpoints
  - 22. Admin - Report Endpoints
  - 23. Admin - Coupon Endpoints
  - 24. Public Page Endpoints
  - 25. Custom Manual Invoice Endpoints
  - 26. SEO Settings Endpoints
  - 27. Admin - Frontend Template Management Endpoints
  - 28. Business Owner - Template Management Endpoints
  - 29. Public Page Endpoints
- 

## 0. REDIS & CACHING ARCHITECTURE & BEST PRACTICES

To ensure high performance (NFR: <500ms response time) and handle 1,000+ concurrent users, Redis is implemented using the ioredis package with the following best practices:

## 1. OTP Verification (In-Memory & Ephemeral)

- **Storage:** OTPs are stored with the key format otp:{email}.
- **TTL (Time To Live):** Set to 5 minutes (300 seconds). Once expired, Redis automatically deletes the key, invalidating the OTP.
- **Security:** OTPs are hashed using bcrypt before storing in Redis to prevent memory dumping.
- **Rate Limiting:** Key format otp\_limit:{email} with a TTL of 15 mins. Max 3 requests allowed. Prevents spamming.

## 2. Session & Refresh Token Management (HttpOnly Cookies)

- **Storage:** Refresh tokens are stored in Redis instead of MongoDB for instant revocation.
- **Key Format:** session:{refreshToken} mapping to the user ID and role.
- **TTL:** 7 days (matches refresh token expiry).
- **Best Practice:** Access tokens are short-lived (15 mins) and sent in memory/headers. Refresh tokens are sent in HttpOnly, Secure, SameSite cookies to prevent XSS attacks.

## 3. Backend Data Caching Strategy (Cache-Aside Pattern)

- **Public Business Profiles:** Key cache:profile:public:{username}. TTL: 1 hour. Invalidated immediately when the business owner updates their profile, contact, or about section.
- **Public Categories:** Key cache:categories:public. TTL: 24 hours. Invalidated when Admin creates/updates/deletes a category.
- **Public Templates:** Key cache:templates:public. TTL: 24 hours.
- **Service Categories:** Key cache:service\_categories. TTL: 24 hours.
- **CMS Data (FAQs, Banners, Pages):** Key cache:cms:{type}:{slug}. TTL: 12 hours.
- **Analytics Aggregations:** Key cache:analytics:{profileId}:{dateRange}. TTL: 15 minutes. Prevents heavy MongoDB aggregation queries on every dashboard load.

## 4. Cache Invalidation Rules (CRUD Operations)

- POST/PUT/DELETE operations must delete the corresponding Redis cache key using DEL or FLUSHDB (specific patterns) before returning a success response to ensure the next GET fetches fresh data from MongoDB.

## 5. Rate Limiting

- Global API Rate Limiting using Redis keys like rate\_limit:{ip}:{endpoint}.
- TTL: 1 minute. Limit: 100 requests per minute per IP.

---

# 1. AUTHENTICATION ENDPOINTS

## Register with Email

**POST** http://localhost:5000/api/v1/auth/register

**Access:** Public

**Body:**

```
{
  "name": "Md Hasanuzzaman Shohag",
  "email": "shohag@gmail.com",
  "password": "123456",
```

```
{
  "phone": "+8801712345678",
  "role": "user"
}
```

**[Redis Action]:** Triggers OTP generation and stores hashed OTP in otp:{email} with 300s TTL. Checks otp\_limit:{email} for spam.

## Register with Google

**POST** http://localhost:5000/api/v1/auth/google-register

**Access:** Public

**Body:**

```
{
  "name": "Md Hasanuzzaman Shohag",
  "email": "shohag@gmail.com",
  "googleId": "google_oauth_token_12345",
  "avatar": "https://lh3.googleusercontent.com/...",
  "role": "user"
}
```

## Register with Facebook

**POST** http://localhost:5000/api/v1/auth/facebook-register

**Access:** Public

**Body:**

```
{
  "name": "Md Hasanuzzaman Shohag",
  "email": "shohag@gmail.com",
  "facebookId": "facebook_oauth_token_12345",
  "avatar": "https://graph.facebook.com/...",
  "role": "user"
}
```

## Verify OTP

**POST** http://localhost:5000/api/v1/auth/verify-otp

**Access:** Public

**Body:**

```
{
  "email": "shohag@gmail.com",
  "otp": "123456"
}
```

**[Redis Action]:** Fetches from otp:{email}, compares hashed OTP. If valid, deletes the key DEL otp:{email} and activates user.

## Resend OTP

**POST** http://localhost:5000/api/v1/auth/resend-otp

**Access:** Public

**Body:**

```
{
  "email": "shohag@gmail.com"
}
```

**[Redis Action]:** Checks otp\_limit:{email}. If under limit, regenerates OTP and resets TTL on otp:{email} to 300s. Increments limit counter.

## Login

**POST** http://localhost:5000/api/v1/auth/login

**Access:** Public

**Body:**

```
{
  "email": "shohag@gmail.com",
  "password": "12345"
}
```

**[Redis Action]:** On success, generates Refresh Token, stores in session:{refreshToken} with 7d TTL. Sets Refresh Token in HttpOnly Cookie.

## Login with Google

**POST** http://localhost:5000/api/v1/auth/google-login

**Access:** Public

**Body:**

```
{
  "googleId": "google_oauth_token_12345",
  "email": "shohag@gmail.com"
}
```

**[Redis Action]:** Stores refresh token in Redis session.

## Login with Facebook

**POST** http://localhost:5000/api/v1/auth/facebook-login

**Access:** Public

**Body:**

```
{
  "facebookId": "facebook_oauth_token_12345",
  "email": "shohag@gmail.com"
}
```

**[Redis Action]:** Stores refresh token in Redis session.

## Logout

**POST** http://localhost:5000/api/v1/auth/logout

**Access:** User, Business Owner, Admin

**Body:**

```
{
  "refreshToken": "refresh_token_string_here"
}
```

**[Redis Action]:** Deletes session:{refreshToken} from Redis. Clears HttpOnly Cookie.

## Get Refresh Token

**POST** http://localhost:5000/api/v1/auth/refresh-token

**Access:** User, Business Owner, Admin

**Body:**

```
{
  "refreshToken": "refresh_token_string_here"
}
```

**[Redis Action]:** Looks up session:{refreshToken} in Redis. If exists and valid, issues new Access Token and rotates Refresh Token (deletes old, creates new in Redis).

## Set Password

**POST** http://localhost:5000/api/v1/auth/set-password

**Access:** User, Business Owner

**Body:**

```
{
  "password": "newpass"
}
```

## Forgot Password

**POST** http://localhost:5000/api/v1/auth/forgot-password

**Access:** Public

**Body:**

```
{
  "email": "shohag@gmail.com"
}
```

**[Redis Action]:** Stores password-reset OTP in otp:reset:{email} with 300s TTL.

## Reset Password

**POST** http://localhost:5000/api/v1/auth/reset-password

**Access:** Public

**Body:**

```
{
  "email": "shohag@gmail.com",
  "otp": "123456",
  "newPassword": "newpassword123"
}
```

**[Redis Action]:** Verifies via otp:reset:{email} and deletes key on success.

## Change Password

**POST** http://localhost:5000/api/v1/auth/change-password

**Access:** User, Business Owner, Admin

**Headers:** Authorization: Bearer <access\_token>

**Body:**

```
{
  "currentPassword": "oldpassword123",
  "newPassword": "newpassword123"
}
```

**[Redis Action]:** Invalidates all active sessions for this user by scanning and deleting session:\* mapping to this user ID, forcing re-login on all devices.

---

## 2. USER MANAGEMENT ENDPOINTS

### Get Profile

**GET** http://localhost:5000/api/v1/users/profile

**Access:** User, Business Owner

**Headers:** Authorization: Bearer <access\_token>

## Update Profile

**PUT** http://localhost:5000/api/v1/users/profile

**Access:** User, Business Owner

**Body:**

```
{
  "name": "Updated Name",
  "phone": "+8801798765432",
  "bio": "Software Developer"
}
```

## Upload Profile Image

**POST** http://localhost:5000/api/v1/users/profile/image

**Access:** User, Business Owner

**Content-Type:** multipart/form-data

**Body:** { "image": <file> }

## Delete Profile Image

**DELETE** http://localhost:5000/api/v1/users/profile/image

**Access:** User, Business Owner

## Get All Users

**GET** http://localhost:5000/api/v1/users?page=1&limit=10&search=shohag&status=active&role=user

**Access:** Admin

## Get User by ID

**GET** http://localhost:5000/api/v1/users/:id

**Access:** Admin

## Update User Status

**PUT** http://localhost:5000/api/v1/users/:id/status

**Access:** Admin

**Body:**

```
{
  "status": "active"
}
```

**[Redis Action]:** If status is "inactive/blocked", deletes all session:\* keys for this user to immediately terminate access.

## Delete User

**DELETE** http://localhost:5000/api/v1/users/:id

**Access:** Admin

**[Redis Action]:** Deletes all user sessions from Redis.

---

## 3. BUSINESS OWNER ENDPOINTS

### Register Business

**POST** http://localhost:5000/api/v1/profile/register

**Access:** User (becomes Business Owner)

**Body:**

```
{
  "profileName": "Smile Dental Care",
  "username": "smile-dental",
  "profileId": "1",
  "categoryId": "64a1b2c3d4e5f6g7h8i9j0k1",
  "status": "pending",
  "approve": "false",
  "description": "We provide the best dental care services.",
  "phone": "+8801712345678",
  "email": "info@smiledental.com",
  "address": "123, Dhanmondi, Dhaka",
  "city": "Dhaka",
  "country": "Bangladesh"
}
```

## Check Username Availability

**GET** http://localhost:5000/api/v1/profile/check-username?username=smile-dental

**Access:** Public

**[Redis Action]:** Checks MongoDB (or a Redis Set of taken usernames cached daily) for instant lookup.

## Get My Business

**GET** http://localhost:5000/api/v1/profile/my-profile

**Access:** Business Owner

## Update Business Profile

**PUT** http://localhost:5000/api/v1/profile/my-profile

**Access:** Business Owner

**Cookies:** profileId=<profile\_id>

**Body:**

```
{
  "profileName": "Smile Dental Care Updated",
  "description": "Updated description.",
  "phone": "+8801798765432",
  "address": "456, Dhanmondi, Dhaka",
  "city": "Dhaka",
  "country": "Bangladesh"
}
```

**[Redis Action]:** Invalidates cache DEL cache:profile:public:{username} so public users see updated info.

**[Cookie Action]:** The profileId is read from the authenticated user's cookies to identify the business being updated.

## Update Business About For Ai

**PUT** http://localhost:5000/api/v1/profile/about

**Access:** Business Owner

**Cookies:** profileId=<profile\_id>

**Body:**

```
{
  "about": "Smile Dental Care was established in 2010...",
  "mission": "To provide affordable dental care for everyone.",
}
```

```
}
  "vision": "To be the leading dental care provider in Bangladesh."
}
```

**[Redis Action]:** Invalidates cache DEL cache:profile:public:{username}.

**[Cookie Action]:** The profileId is read from the authenticated user's cookies to identify the business being updated.

## Update Contact Information

**PUT** http://localhost:5000/api/v1/profile/contact

**Access:** Business Owner

**Body:**

```
{
  "phone": "+8801712345678",
  "email": "info@smiledental.com",
  "website": "https://smiledental.com",
  "facebook": "https://facebook.com/smiledental",
  "instagram": "https://instagram.com/smiledental",
  "twitter": "https://twitter.com/smiledental",
  "linkedin": "https://linkedin.com/company/smiledental",
  "whatsapp": "+8801712345678",
  "youtube": "https://youtube.com/@smiledental"
}
```

**[Redis Action]:** Invalidates cache DEL cache:profile:public:{username}.

## Update Google Map Location

**PUT** http://localhost:5000/api/v1/profile/map

**Access:** Business Owner

**Headers:** Authorization: Bearer <access\_token>

**Body:**

```
{
  "latitude": 23.7461,
  "longitude": 90.3760,
  "mapEmbedUrl": "https://www.google.com/maps/embed?pb=..."
}
```

**[Redis Action]:** Invalidates cache DEL cache:profile:public:{username}.

## Upload Business Logo

**POST** http://localhost:5000/api/v1/profile/logo

**Access:** Business Owner

**Content-Type:** multipart/form-data

**Body:** { "logo": <file> }

**[Redis Action]:** Invalidates cache DEL cache:profile:public:{username}.

## Upload Business Cover Image

**POST** http://localhost:5000/api/v1/profile/cover

**Access:** Business Owner

**Content-Type:** multipart/form-data

**Body:** { "cover": <file> }

**[Redis Action]:** Invalidates cache DEL cache:profile:public:{username}.



## Get Business by Username

**GET** http://localhost:5000/api/v1/profile/public/:username

**Access:** Public

**[Redis Action]:** Cache-Aside. Checks cache:profile:public:{username} first. If HIT, returns Redis data. If MISS, queries MongoDB, saves to Redis with 1h TTL, returns data.

## --- FRONTEND TEMPLATE SELECTION ---

### Browse Available Templates

**GET** http://localhost:5000/api/v1/templates?category=medical&style=modern&isPremium=false

**Access:** Business Owner

**Headers:** Authorization: Bearer <access\_token>

**[Redis Action]:** Returns data from cache:templates:public (if query matches cache key).

### Get Template Details & Preview

**GET** http://localhost:5000/api/v1/templates/:templateId

**Access:** Business Owner

**Headers:** Authorization: Bearer <access\_token>

### Apply Template to My Business

**PUT** http://localhost:5000/api/v1/profiles/template

**Access:** Business Owner

**Headers:** Authorization: Bearer <access\_token>

**Body:**

```
{
  "templateId": "64a1b2c3d4e5f6g7h8i9j0k1"
}
```

**[Redis Action]:** Invalidates DEL cache:profile:public:{username}.

### Get My Active Template

**GET** http://localhost:5000/api/v1/profile/template

**Access:** Business Owner

**Headers:** Authorization: Bearer <access\_token>

### Customize Active Template Appearance

**PUT** http://localhost:5000/api/v1/profile/template/customize

**Access:** Business Owner

**Headers:** Authorization: Bearer <access\_token>

**Body:**

```
{
  "primaryColor": "#FF5733",
  "secondaryColor": "#333333",
  "accentColor": "#0044ff",
  "fontFamily": "Roboto",
  "buttonStyle": "rounded",
  "layoutStyle": "sidebar",
  "heroSectionEnabled": true,
  "showGallery": true,
  "showReviews": true
}
```

**[Redis Action]:** Invalidates DEL cache:profile:public:{username}.

## Reset Template Customization to Default

**POST** http://localhost:5000/api/v1/profile/template/reset-customization

**Access:** Business Owner

**Headers:** Authorization: Bearer <access\_token>

**[Redis Action]:** Invalidates DEL cache:profile:public:{username}.

---

## 4. SERVICE MANAGEMENT ENDPOINTS

### Create Service

**POST** http://localhost:5000/api/v1/services

**Access:** Business Owner

**Body:**

```
{
  "name": "Teeth Cleaning",
  "description": "Professional teeth cleaning service.",
  "category": "cleaning",
  "duration": 30,
  "price": 500,
  "discountPrice": 400,
  "isOnline": true,
  "isOffline": true,
  "status": "active"
}
```

**[Redis Action]:** Invalidates DEL cache:services:public:{username}.

### Upload Service Image

**POST** http://localhost:5000/api/v1/services/:serviceId/images

**Access:** Business Owner

**Headers:** Authorization: Bearer <access\_token>

**Content-Type:** multipart/form-data

**Body:** { "images": [<file>, <file>] }

### Get All Services (My Business)

**GET** http://localhost:5000/api/v1/services?page=1&limit=10&status=active&search=cleaning

**Access:** Business Owner

### Get Service by ID

**GET** http://localhost:5000/api/v1/services/:serviceId

**Access:** Business Owner

### Update Service

**PUT** http://localhost:5000/api/v1/services/:serviceId

**Access:** Business Owner

**Body:**

```
{
  "name": "Teeth Cleaning Updated",
  "description": "Updated description.",
  "duration": 45,
}
```

```
"price": 600,  
"discountPrice": 500,  
"status": "active"  
}
```

**[Redis Action]:** Invalidates DEL cache:services:public:{username}.

## Delete Service

**DELETE** http://localhost:5000/api/v1/services/:serviceId

**Access:** Business Owner

**[Redis Action]:** Invalidates DEL cache:services:public:{username}.

## Delete Service Image

**DELETE** http://localhost:5000/api/v1/services/:serviceId/images/:imageId

**Access:** Business Owner

## Update Service Status

**PUT** http://localhost:5000/api/v1/services/:serviceId/status

**Access:** Business Owner

**Body:**

```
{  
  "status": "inactive"  
}
```

**[Redis Action]:** Invalidates DEL cache:services:public:{username}.

## Get Public Services by Business Username

**GET** http://localhost:5000/api/v1/services/public/:username?category=cleaning

**Access:** Public

**[Redis Action]:** Cache-Aside pattern using cache:services:public:{username} with 1h TTL.

## Get Service Categories

**GET** http://localhost:5000/api/v1/services/categories

**Access:** Public

**[Redis Action]:** Cache-Aside pattern using cache:service\_categories with 24h TTL. Admin updates clear this cache.

---

# 5. APPOINTMENT MANAGEMENT ENDPOINTS

## Book Appointment (user/User)

**POST** http://localhost:5000/api/v1/appointments/book

**Access:** User, Public (Guest booking allowed)

**Body:**

```
{  
  "profileUsername": "smile-dental",  
  "serviceId": "64a1b2c3d4e5f6g7h8i9j0k1",  
  "date": "2025-01-15",  
  "time": "10:00",  
  "type": "online",  
  "userName": "Rahim Uddin",  
}
```

```
{
  "userPhone": "+8801712345678",
  "userEmail": "rahim@gmail.com",
  "notes": "I have sensitivity in my lower teeth."
}
```

**[Redis Action]:** Uses Redis distributed lock lock:slot:{profileUsername}:{date}:{time} for a few milliseconds to prevent double-booking the exact same time slot under high concurrent traffic.

## Book Manual Appointment (Business Owner)

**POST** http://localhost:5000/api/v1/appointments/manual

**Access:** Business Owner

**Body:**

```
{
  "serviceId": "64a1b2c3d4e5f6g7h8i9j0k1",
  "useremail": "user@example.com",
  "date": "2025-01-15",
  "time": "11:00",
  "type": "offline",
  "status": "pending",
  "notes": "Regular checkup patient."
}
```

**[Redis Action]:** Uses Redis distributed lock for slot prevention.

## Get My Appointments (user)

**GET** http://localhost:5000/api/v1/appointments/my-bookings?page=1&limit=10&status=pending

**Access:** User

## Get Business Appointments (Business Owner)

**GET**

http://localhost:5000/api/v1/appointments/profile?page=1&limit=10&status=all&date=2025-01-15&search=rahim

**Access:** Business Owner

## Get Appointment by ID

**GET** http://localhost:5000/api/v1/appointments/:appointmentId

**Access:** User, Business Owner

## Update Appointment Status (Business Owner)

**PUT** http://localhost:5000/api/v1/appointments/:appointmentId/status

**Access:** Business Owner

**Body:**

```
{
  "status": "confirmed"
}
```

*Status values: pending, confirmed, in-progress, completed, cancelled, no-show*

## Reschedule Appointment (Business Owner or User)

**PUT** http://localhost:5000/api/v1/appointments/:appointmentId/reschedule

**Access:** Business Owner, User

**Body:**

```
{
  "date": "2025-01-20",
  "time": "14:00",
}
```

```
{
  "reason": "Patient requested reschedule."
}
```

### Cancel Appointment (Business Owner or User)

**PUT** http://localhost:5000/api/v1/appointments/:appointmentId/cancel

**Access:** Business Owner, User

**Body:**

```
{
  "reason": "Unable to attend due to emergency."
}
```

### Add Appointment Notes (Business Owner)

**PUT** http://localhost:5000/api/v1/appointments/:appointmentId/notes

**Access:** Business Owner

**Body:**

```
{
  "notes": "Patient arrived on time. Treatment completed successfully."
}
```

### Get Available Time Slots

**GET**

http://localhost:5000/api/v1/appointments/available-slots?profileUsername=smile-dental&serviceId=64a1b2c3d4e5f6g7h8i9j0k1&date=2025-01-15

**Access:** Public, User

**[Redis Action]:** Caches available slots in cache:slots:{profileUsername}:{date} with a 5-minute TTL to handle sudden traffic spikes on a specific date.

### Get Booking Calendar (Business Owner)

**GET** http://localhost:5000/api/v1/appointments/calendar?month=2025-01

**Access:** Business Owner

### Send Booking Reminder (Business Owner)

**POST** http://localhost:5000/api/v1/appointments/:appointmentId/reminder

**Access:** Business Owner

### Get Today's Appointments (Business Owner)

**GET** http://localhost:5000/api/v1/appointments/today

**Access:** Business Owner

### Get Upcoming Appointments (Business Owner)

**GET** http://localhost:5000/api/v1/appointments/upcoming?limit=5

**Access:** Business Owner

---

## 6. AI ASSISTANT ENDPOINTS

### Send Message to AI

**POST** http://localhost:5000/api/v1/ai/chat

**Access:** Public, User

**Body:**

```
{
  "profileUsername": "smile-dental",
  "message": "What are your teeth cleaning prices?",
  "sessionId": "session_12345",
  "userInfo": {
    "name": "Rahim",
    "phone": "+8801712345678"
  }
}
```

**[Redis Action]:** Uses Redis to temporarily store the active chat session context (cache:ai\_session:{sessionId}) with a 30-minute TTL to maintain conversation memory without hitting the DB constantly.

## Get Conversation History

**GET** http://localhost:5000/api/v1/ai/conversations?page=1&limit=20

**Access:** Business Owner

## Get Conversation by Session ID

**GET** http://localhost:5000/api/v1/ai/conversations/:sessionId

**Access:** Business Owner

## Delete Conversation

**DELETE** http://localhost:5000/api/v1/ai/conversations/:sessionId

**Access:** Business Owner

## Get AI Leads

**GET** http://localhost:5000/api/v1/ai/leads?page=1&limit=10&status=new

**Access:** Business Owner

## Update Lead Status

**PUT** http://localhost:5000/api/v1/ai/leads/:leadId/status

**Access:** Business Owner

**Body:**

```
{
  "status": "contacted"
}
```

*Status values: new, contacted, converted, lost*

## Add Lead Notes

**PUT** http://localhost:5000/api/v1/ai/leads/:leadId/notes

**Access:** Business Owner

**Body:**

```
{
  "notes": "Called user, interested in teeth whitening."
}
```

## Configure AI Prompt

**PUT** http://localhost:5000/api/v1/ai/config

**Access:** Business Owner

**Body:**

```
{
  "systemPrompt": "You are a dental assistant for Smile Dental Care...",
  "greetingMessage": "Welcome to Smile Dental Care! How can I help you today?",
  "fallbackMessage": "I'm not sure about that. Let me connect you with our team.",
  "language": "bn-en"
}
```

## Get AI Configuration

**GET** <http://localhost:5000/api/v1/ai/config>

**Access:** Business Owner

## Get AI Analytics

**GET** <http://localhost:5000/api/v1/ai/analytics?dateFrom=2025-01-01&dateTo=2025-01-31>

**Access:** Business Owner

**[Redis Action]:** Cached in cache:analytics:{profileId}:ai for 15 mins.

## Get AI FAQs

**GET** <http://localhost:5000/api/v1/ai/faqs>

**Access:** Business Owner

## Add AI FAQ

**POST** <http://localhost:5000/api/v1/ai/faqs>

**Access:** Business Owner

**Body:**

```
{
  "question": "What are your opening hours?",
  "answer": "We are open from 9 AM to 9 PM, Saturday to Thursday."
}
```

## Update AI FAQ

**PUT** <http://localhost:5000/api/v1/ai/faqs/:faqId>

**Access:** Business Owner

**Body:**

```
{
  "question": "What are your working hours?",
  "answer": "We are open from 9 AM to 9 PM, Saturday to Thursday. Friday is closed."
}
```

## Delete AI FAQ

**DELETE** <http://localhost:5000/api/v1/ai/faqs/:faqId>

**Access:** Business Owner

---

# 7. REVIEW ENDPOINTS

## Create Review

**POST** <http://localhost:5000/api/v1/reviews>

**Access:** User

**Body:**

```
{
  "serviceId": "64a1b2c3d4e5f6g7h8i9j0k1",
  "profileUsername": "smile-dental",
  "rating": 5,
  "comment": "Excellent service! Very professional doctor."
}
```

## Get Business Reviews (Public)

**GET** <http://localhost:5000/api/v1/reviews/public/:username?page=1&limit=10&rating=5>

**Access:** Public

**[Redis Action]:** Cached in cache:reviews:public:{username} for 10 mins.

## Get Business Reviews (Business Owner)

**GET** <http://localhost:5000/api/v1/reviews/profile?page=1&limit=10&rating=all>

**Access:** Business Owner

## Respond to Review (Business Owner)

**POST** <http://localhost:5000/api/v1/reviews/:reviewId/respond>

**Access:** Business Owner

**Body:**

```
{
  "response": "Thank you for your kind words! We look forward to serving you again."
}
```

**[Redis Action]:** Invalidates DEL cache:reviews:public:{username}.

## Get My Reviews (user)

**GET** <http://localhost:5000/api/v1/reviews/my-reviews?page=1&limit=10>

**Access:** User

## Delete Review (user)

**DELETE** <http://localhost:5000/api/v1/reviews/:reviewId>

**Access:** User

**[Redis Action]:** Invalidates DEL cache:reviews:public:{username}.

## Get Review Statistics (Business Owner)

**GET** <http://localhost:5000/api/v1/reviews/statistics>

**Access:** Business Owner

**[Redis Action]:** Cached in cache:analytics:{profileId}:reviews for 15 mins.

---

# 8. SUPPORT TICKET ENDPOINTS

## Create Support Ticket

**POST** <http://localhost:5000/api/v1/support/tickets>

**Access:** Business Owner, Admin

**Body:**

```
{
  "subject": "Platform Issue",

```



```
{
  "profileId": "1",
  "category": "technical",
  "priority": "high",
  "message": "I am facing an issue updating my portfolio template.",
  "attachments": ["image1.jpg"]
}
```

## Upload Support Ticket Attachment

**POST** <http://localhost:5000/api/v1/support/tickets/attachments>

**Access:** User, Business Owner

**Content-Type:** multipart/form-data

**Body:** { "attachments": [<file>, <file>] }

## Get My Tickets

**GET** <http://localhost:5000/api/v1/support/tickets?page=1&limit=10&status=open>

**Access:** User, Business Owner

## Get Ticket by ID

**GET** <http://localhost:5000/api/v1/support/tickets/:ticketId>

**Access:** Business Owner, Admin

## Add Reply to Ticket

**POST** <http://localhost:5000/api/v1/support/tickets/:ticketId/reply>

**Access:** Business Owner, Admin

**Body:**

```
{
  "message": "Here is the screenshot.",
  "attachments": ["screenshot.png"]
}
```

## Close Ticket

**PUT** <http://localhost:5000/api/v1/support/tickets/:ticketId/close>

**Access:** Business Owner, Admin

## Reopen Ticket

**PUT** <http://localhost:5000/api/v1/support/tickets/:ticketId/reopen>

**Access:** Business Owner, Admin

---

# 9. SUBSCRIPTION ENDPOINTS

## Get Subscription Plans

**GET** <http://localhost:5000/api/v1/subscriptions/plans>

**Access:** Public

**[Redis Action]:** Cached in cache:subscription\_plans with 24h TTL.

## Get Plan Details

**GET** <http://localhost:5000/api/v1/subscriptions/plans/:planId>

**Access:** Public

## Subscribe to Plan (Payment required here for platform fee, NOT for appointments)

**POST** http://localhost:5000/api/v1/subscriptions/subscribe

**Access:** Business Owner

**Body:**

```
{
  "planId": "64a1b2c3d4e5f6g7h8i9j0k1",
  "paymentMethod": "sslcommerz",
  "couponCode": "WELCOME20"
}
```

## Get My Subscription

**GET** http://localhost:5000/api/v1/subscriptions/my-subscription

**Access:** Business Owner

**[Redis Action]:** Cached in cache:subscription:{profileId} with 1h TTL.

## Cancel Subscription

**POST** http://localhost:5000/api/v1/subscriptions/cancel

**Access:** Business Owner

**[Redis Action]:** Invalidates DEL cache:subscription:{profileId}.

## Renew Subscription

**POST** http://localhost:5000/api/v1/subscriptions/renew

**Access:** Business Owner

**Body:**

```
{
  "paymentMethod": "sslcommerz"
}
```

## Upgrade Subscription

**POST** http://localhost:5000/api/v1/subscriptions/upgrade

**Access:** Business Owner

**Body:**

```
{
  "planId": "64a1b2c3d4e5f6g7h8i9j0k2",
  "paymentMethod": "sslcommerz"
}
```

## Downgrade Subscription

**POST** http://localhost:5000/api/v1/subscriptions/downgrade

**Access:** Business Owner

**Body:**

```
{
  "planId": "64a1b2c3d4e5f6g7h8i9j0k0"
}
```

## Get Subscription History

**GET** http://localhost:5000/api/v1/subscriptions/history?page=1&limit=10

**Access:** Business Owner

## Get Remaining Subscription Days

**GET** http://localhost:5000/api/v1/subscriptions/remaining-days

**Access:** Business Owner

## Validate Coupon

**POST** http://localhost:5000/api/v1/subscriptions/validate-coupon

**Body:**

```
{
  "code": "WELCOME20",
  "validDate": "16-08-2026"
}
```

---

# 10. ANALYTICS ENDPOINTS

## Get Dashboard Overview

**GET** http://localhost:5000/api/v1/analytics/dashboard

**Access:** Business Owner

**[Redis Action]:** Heavily cached. Key cache:analytics:{profileId}:dashboard with 15 mins TTL.

## Get Booking Analytics

**GET** http://localhost:5000/api/v1/analytics/bookings?dateFrom=2025-01-01&dateTo=2025-01-31

**Access:** Business Owner

**[Redis Action]:** Cached for 15 mins.

## Get user Analytics

**GET** http://localhost:5000/api/v1/analytics/users?dateFrom=2025-01-01&dateTo=2025-01-31

**Access:** Business Owner

## Get Service Analytics

**GET** http://localhost:5000/api/v1/analytics/services?dateFrom=2025-01-01&dateTo=2025-01-31

**Access:** Business Owner

## Get AI Conversation Analytics

**GET** http://localhost:5000/api/v1/analytics/ai-conversations?dateFrom=2025-01-01&dateTo=2025-01-31

**Access:** Business Owner

## Get user Insights

**GET** http://localhost:5000/api/v1/analytics/insights

**Access:** Business Owner

## Export Analytics Report

**GET** http://localhost:5000/api/v1/analytics/export?format=pdf&dateFrom=2025-01-01&dateTo=2025-01-31

**Access:** Business Owner

---

## 11. GALLERY ENDPOINTS

### Upload Gallery Images

**POST** http://localhost:5000/api/v1/gallery

**Access:** Business Owner

**Content-Type:** multipart/form-data

**Body:** { "images": [<file>, <file>], "caption": "Our clinic interior" }

**[Redis Action]:** Invalidates DEL cache:gallery:public:{username}.

### Get Gallery Images

**GET** http://localhost:5000/api/v1/gallery?page=1&limit=20

**Access:** Business Owner

### Get Public Gallery

**GET** http://localhost:5000/api/v1/gallery/public/:username?page=1&limit=20

**Access:** Public

**[Redis Action]:** Cached in cache:gallery:public:{username} with 1h TTL.

### Update Gallery Image Caption

**PUT** http://localhost:5000/api/v1/gallery/:imageId

**Access:** Business Owner

**Body:**

```
{
  "caption": "Updated caption for this image."
}
```

### Delete Gallery Image

**DELETE** http://localhost:5000/api/v1/gallery/:imageId

**Access:** Business Owner

**[Redis Action]:** Invalidates DEL cache:gallery:public:{username}.

### Reorder Gallery Images

**PUT** http://localhost:5000/api/v1/gallery/reorder

**Access:** Business Owner

**Body:**

```
{
  "orders": [
    { "imageId": "64a1b2c3d4e5f6g7h8i9j0k1", "order": 1 },
    { "imageId": "64a1b2c3d4e5f6g7h8i9j0k2", "order": 2 }
  ]
}
```

**[Redis Action]:** Invalidates DEL cache:gallery:public:{username}.

---

## 12. WORKING HOURS ENDPOINTS

### Set Working Hours

**PUT** http://localhost:5000/api/v1/working-hours

**Access:** Business Owner

**Body:**

```
{
  "hours": [
    { "day": "saturday", "isOpen": true, "startTime": "09:00", "endTime": "21:00" },
    { "day": "sunday", "isOpen": true, "startTime": "09:00", "endTime": "21:00" },
    { "day": "monday", "isOpen": true, "startTime": "09:00", "endTime": "21:00" },
    { "day": "tuesday", "isOpen": true, "startTime": "09:00", "endTime": "21:00" },
    { "day": "wednesday", "isOpen": true, "startTime": "09:00", "endTime": "21:00" },
    { "day": "thursday", "isOpen": true, "startTime": "09:00", "endTime": "21:00" },
    { "day": "friday", "isOpen": false, "startTime": "00:00", "endTime": "00:00" }
  ]
}
```

**[Redis Action]:** Invalidates DEL cache:working\_hours:public:{username}.

## Get Working Hours

**GET** http://localhost:5000/api/v1/working-hours

**Access:** Business Owner

## Get Public Working Hours

**GET** http://localhost:5000/api/v1/working-hours/public/:username

**Access:** Public

**[Redis Action]:** Cached in cache:working\_hours:public:{username} with 24h TTL.

## Set Special Hours (Holidays)

**POST** http://localhost:5000/api/v1/working-hours/special

**Access:** Business Owner

**Body:**

```
{
  "date": "2025-02-21",
  "name": "International Mother Language Day",
  "isClosed": true,
  "startTime": "00:00",
  "endTime": "00:00"
}
```

## Get Special Hours

**GET** http://localhost:5000/api/v1/working-hours/special?month=2025-02

**Access:** Business Owner

## Delete Special Hours

**DELETE** http://localhost:5000/api/v1/working-hours/special/:specialHourId

**Access:** Business Owner

## Set Break Time

**POST** http://localhost:5000/api/v1/working-hours/breaks

**Access:** Business Owner

**Body:**

```
{
  "date": "16-08-2026",
  "day": "saturday",
  "breaks": [
    { "startTime": "13:00", "endTime": "14:00", "label": "Lunch Break" }
  ]
}
```

```
]
}
```

---

## 13. NOTIFICATION ENDPOINTS

### Create Notifications

**POST** <http://localhost:5000/api/v1/notifications/create>

**Access:** Admin

**Body:**

```
{
  "email": true,
  "sms": false,
  "push": true,
  "message": "Today our site is off",
  "newMessage": true
}
```

### Get Notifications

**GET** <http://localhost:5000/api/v1/notifications?page=1&limit=20&type=all>

**Access:** User, Business Owner

### Get Unread Notification Count

**GET** <http://localhost:5000/api/v1/notifications/unread-count>

**Access:** User, Business Owner

**[Redis Action]:** Cached in `cache:notifications:unread:{userId}` with 2 min TTL. Invalidated when a notification is read.

### Mark Notification as Read

**PUT** <http://localhost:5000/api/v1/notifications/:notificationId/read>

**Access:** User, Business Owner

**[Redis Action]:** Invalidates `DEL cache:notifications:unread:{userId}`.

### Mark All Notifications as Read

**PUT** <http://localhost:5000/api/v1/notifications/read-all>

**Access:** User, Business Owner

**[Redis Action]:** Invalidates `DEL cache:notifications:unread:{userId}`.

### Delete Notification

**DELETE** <http://localhost:5000/api/v1/notifications/:notificationId>

**Access:** User, Business Owner

**[Redis Action]:** Invalidates `DEL cache:notifications:unread:{userId}`.

### Update Notification Preferences

**PUT** <http://localhost:5000/api/v1/notifications/preferences>

**Access:** User, Business Owner

**Body:**

```
{
  "email": true,
```

```
"sms": false,  
"push": true,  
"bookingConfirmation": true,  
"bookingReminder": true,  
"newReview": true,  
"newMessage": false  
}
```

## Get Notification Preferences

**GET** <http://localhost:5000/api/v1/notifications/preferences>

**Access:** User, Business Owner

---

# 14. ADMIN - USER MANAGEMENT ENDPOINTS

## Get All Users

**GET**

<http://localhost:5000/api/v1/admin/users?page=1&limit=10&search=shohag&status=active&role=user&sort=createdAt&order=desc>

**Access:** Admin

## Get User Details

**GET** <http://localhost:5000/api/v1/admin/users/:userId>

**Access:** Admin

## Update User Role

**PUT** <http://localhost:5000/api/v1/admin/users/:userId/role>

**Access:** Admin

**Body:** {"role": "business\_owner"}

## Activate User

**PUT** <http://localhost:5000/api/v1/admin/users/:userId/activate>

**Access:** Admin

## Deactivate User

**PUT** <http://localhost:5000/api/v1/admin/users/:userId/deactivate>

**Access:** Admin

**[Redis Action]:** Deletes all user sessions session:\* mapped to this userId to block access instantly.

## Delete User

**DELETE** <http://localhost:5000/api/v1/admin/users/:userId>

**Access:** Admin

**[Redis Action]:** Deletes all user sessions.

## Get User Statistics

**GET** <http://localhost:5000/api/v1/admin/users/statistics>

**Access:** Admin

**[Redis Action]:** Cached cache:admin:stats:users with 15m TTL.

---

## 15. ADMIN - BUSINESS MANAGEMENT ENDPOINTS

### Get All profile

**GET**

`http://localhost:5000/api/v1/admin/profile?page=1&limit=10&status=pending&category=64a1b2c3d4e5f6g7h8i9j0k1&search=smile`

**Access:** Admin

### Get Business Details

**GET** `http://localhost:5000/api/v1/admin/profile/:profileId`

**Access:** Admin

### Approve Business

**PUT** `http://localhost:5000/api/v1/admin/profile/:profileId/approve`

**Access:** Admin

**Body:** `{"adminNote": "Business verified and approved."}`

**[Redis Action]:** Invalidates DEL cache:profile:public:{username}.

### Reject Business

**PUT** `http://localhost:5000/api/v1/admin/profile/:profileId/reject`

**Access:** Admin

**Body:** `{"reason": "Invalid business documents provided."}`

### Suspend Business

**PUT** `http://localhost:5000/api/v1/admin/profile/:profileId/suspend`

**Access:** Admin

**Body:** `{"reason": "Violation of platform policies."}`

**[Redis Action]:** Invalidates DEL cache:profile:public:{username}.

### Reactivate Business

**PUT** `http://localhost:5000/api/v1/admin/profile/:profileId/reactivate`

**Access:** Admin

**[Redis Action]:** Invalidates DEL cache:profile:public:{username}.

### Delete Business

**DELETE** `http://localhost:5000/api/v1/admin/profile/:profileId`

**Access:** Admin

**[Redis Action]:** Clears all cache keys related to \*: {username}:\*.

### Get Pending profile Count

**GET** `http://localhost:5000/api/v1/admin/profile/pending-count`

**Access:** Admin

**[Redis Action]:** Cached cache:admin:stats:pending\_profile with 5m TTL.

### Get Business Statistics

**GET** `http://localhost:5000/api/v1/admin/profile/statistics`



**Access:** Admin

**[Redis Action]:** Cached cache:admin:stats:profile with 15m TTL.

---

## 16. ADMIN - CATEGORY MANAGEMENT ENDPOINTS

### Create Category

**POST** http://localhost:5000/api/v1/admin/categories

**Access:** Admin

**Body:**

```
{
  "name": "Doctors",
  "nameBn": "চিকিৎসক",
  "slug": "doctors",
  "description": "All types of doctors and medical practitioners.",
  "icon": "stethoscope",
  "image": "category_image_url",
  "status": "active"
}
```

**[Redis Action]:** Invalidates DEL cache:categories:public.

### Upload Category Image

**POST** http://localhost:5000/api/v1/admin/categories/:categoryId/image

**Access:** Admin

**Content-Type:** multipart/form-data

**Body:** { "image": <file> }

### Get All Categories

**GET** http://localhost:5000/api/v1/admin/categories?page=1&limit=10&status=active&search=doctor

**Access:** Admin

### Get Public Categories

**GET** http://localhost:5000/api/v1/admin/categories/public

**Access:** Public

**[Redis Action]:** Cache-Aside cache:categories:public with 24h TTL.

### Get Category by ID

**GET** http://localhost:5000/api/v1/admin/categories/:categoryId

**Access:** Admin

### Update Category

**PUT** http://localhost:5000/api/v1/admin/categories/:categoryId

**Access:** Admin

**Body:**

```
{
  "name": "Doctors Updated",
  "nameBn": "চিকিৎসকগণ",
  "description": "Updated description.",
}
```

```
"status": "active"
}
```

**[Redis Action]:** Invalidates DEL cache:categories:public.

## Delete Category

**DELETE** http://localhost:5000/api/v1/admin/categories/:categoryId

**Access:** Admin

**[Redis Action]:** Invalidates DEL cache:categories:public.

---

# 17. ADMIN - SUBSCRIPTION PLAN ENDPOINTS

## Create Subscription Plan

**POST** http://localhost:5000/api/v1/admin/subscription-plans

**Access:** Admin

**Body:**

```
{
  "name": "Professional",
  "slug": "professional",
  "price": 999,
  "currency": "BDT",
  "duration": 30,
  "durationUnit": "days",
  "features": {
    "maxServices": 50,
    "aiAccess": true,
    "maxGalleryImages": 100,
    "maxBookingsPerMonth": 500,
    "storageLimitMB": 500,
    "analytics": true,
    "customDomain": true,
    "premiumTemplates": true,
    "customInvoice": true,
    "prioritySupport": true
  },
  "status": "active",
  "popular": true
}
```

**[Redis Action]:** Invalidates DEL cache:subscription\_plans.

## Get All Subscription Plans

**GET** http://localhost:5000/api/v1/admin/subscription-plans?page=1&limit=10&status=active

**Access:** Admin

## Get Subscription Plan by ID

**GET** http://localhost:5000/api/v1/admin/subscription-plans/:planId

**Access:** Admin

## Update Subscription Plan

**PUT** http://localhost:5000/api/v1/admin/subscription-plans/:planId

**Access:** Admin

**Body:** {"name": "Professional Updated", "price": 1299}

**[Redis Action]:** Invalidates DEL cache:subscription\_plans.

## Delete Subscription Plan

**DELETE** http://localhost:5000/api/v1/admin/subscription-plans/:planId

**[Redis Action]:** Invalidates DEL cache:subscription\_plans.

**[Redis Action]:** Invalidates DEL cache:subscription\_plans.

## Update Plan Status

**PUT** http://localhost:5000/api/v1/admin/subscription-plans/:planId/status

**Access:** Admin

**Body:** {"status": "inactive"}

## Get Subscription Statistics

**GET** http://localhost:5000/api/v1/admin/subscription-plans/statistics

**Access:** Admin

---

# 18. ADMIN - AI MANAGEMENT ENDPOINTS

## Get All AI Conversations

**GET**

http://localhost:5000/api/v1/admin/ai/conversations?page=1&limit=10&profileUsername=smile-dental&dateFrom=2025-01-01&dateTo=2025-01-31

**Access:** Admin

## Get AI Conversation Details

**GET** http://localhost:5000/api/v1/admin/ai/conversations/:conversationId

**Access:** Admin

## Get AI Usage Analytics

**GET** http://localhost:5000/api/v1/admin/ai/usage-analytics?dateFrom=2025-01-01&dateTo=2025-01-31

**Access:** Admin

## Get AI Usage by Business

**GET** http://localhost:5000/api/v1/admin/ai/usage-by-profile?page=1&limit=10

**Access:** Admin

## Update Global AI Settings

**PUT** http://localhost:5000/api/v1/admin/ai/settings

**Access:** Admin

**Body:**

```
{
  "defaultModel": "gpt-3.5-turbo",
  "maxTokensPerRequest": 500,
  "rateLimitPerMinute": 20,
  "enableBangla": true,
  "enableEnglish": true,
```

```
"defaultGreeting": "Hello! How can I help you today?",  
"defaultFallback": "I'm sorry, I couldn't understand that. Let me connect you with our team."  
}
```

**[Redis Action]:** Invalidates DEL cache:global\_ai\_settings.

## Get Global AI Settings

**GET** http://localhost:5000/api/v1/admin/ai/settings

**Access:** Admin

**[Redis Action]:** Cached cache:global\_ai\_settings with 1h TTL.

---

# 19. ADMIN - SUPPORT MANAGEMENT ENDPOINTS

## Get All Support Tickets

**GET**

http://localhost:5000/api/v1/admin/support/tickets?page=1&limit=10&status=open&priority=high&category=payment

**Access:** Admin

## Get Ticket Details

**GET** http://localhost:5000/api/v1/admin/support/tickets/:ticketId

**Access:** Admin

## Assign Ticket to Admin

**PUT** http://localhost:5000/api/v1/admin/support/tickets/:ticketId/assign

**Access:** Admin

**Body:** {"assignedTo": "64a1b2c3d4e5f6g7h8i9j0k1"}

## Update Ticket Priority

**PUT** http://localhost:5000/api/v1/admin/support/tickets/:ticketId/priority

**Access:** Admin

**Body:** {"priority": "urgent"}

## Add Admin Reply

**POST** http://localhost:5000/api/v1/admin/support/tickets/:ticketId/reply

**Access:** Admin

**Body:** {"message": "We have resolved your issue.", "isInternal": false}

## Close Ticket

**PUT** http://localhost:5000/api/v1/admin/support/tickets/:ticketId/close

**Access:** Admin

**Body:** {"resolution": "Issue resolved successfully."}

## Get Support Statistics

**GET** http://localhost:5000/api/v1/admin/support/statistics

**Access:** Admin

## Get Open Tickets Count

**GET** <http://localhost:5000/api/v1/admin/support/open-count>

**Access:** Admin

---

## 20. ADMIN - CMS ENDPOINTS

### Create Page (About Us, Terms, Privacy, etc.)

**POST** <http://localhost:5000/api/v1/admin/cms/pages>

**Access:** Admin

**Body:**

```
{
  "title": "About Us",
  "slug": "about-us",
  "content": "<h1>About DotMeet</h1><p>DotMeet is a leading personal portfolio platform...</p>",
  "metaTitle": "About DotMeet",
  "metaDescription": "Learn about DotMeet.",
  "status": "published"
}
```

**[Redis Action]:** Invalidates DEL cache:cms:page:{slug}.

### Get All Pages

**GET** <http://localhost:5000/api/v1/admin/cms/pages?page=1&limit=10&status=published>

**Access:** Admin

### Get Page by Slug

**GET** <http://localhost:5000/api/v1/admin/cms/pages/:slug>

**Access:** Public

**[Redis Action]:** Cache-Aside cache:cms:page:{slug} with 12h TTL.

### Update Page

**PUT** <http://localhost:5000/api/v1/admin/cms/pages/:pageId>

**Access:** Admin

**Body:** {"title": "About Us Updated", "content": "<p>Updated...</p>", "status": "published"}

**[Redis Action]:** Invalidates DEL cache:cms:page:{slug}.

### Delete Page

**DELETE** <http://localhost:5000/api/v1/admin/cms/pages/:pageId>

**Access:** Admin

**[Redis Action]:** Invalidates DEL cache:cms:page:{slug}.

### Create Blog Post

**POST** <http://localhost:5000/api/v1/admin/cms/blogs>

**Access:** Admin

**Body:**

```
{
  "title": "How to Grow Your Business with Online Booking",
  "slug": "how-to-grow-business-online-booking",
  "content": "<p>Blog content here...</p>",
}
```

```
{
  "excerpt": "Learn how online booking can help grow your business.",
  "featuredImage": "blog_image_url",
  "category": "Business Tips",
  "tags": ["booking", "business", "growth"],
  "metaTitle": "How to Grow Your Business",
  "metaDescription": "Discover strategies to grow your business.",
  "status": "published",
  "author": "64a1b2c3d4e5f6g7h8i9j0k1"
}
```

**[Redis Action]:** Invalidates DEL cache:cms:blogs:.\*.

## Upload Blog Image

**POST** http://localhost:5000/api/v1/admin/cms/blogs/:blogId/image

**Access:** Admin

**Content-Type:** multipart/form-data

**Body:** { "image": <file> }

## Get All Blogs

**GET** http://localhost:5000/api/v1/admin/cms/blogs?page=1&limit=10&status=published&category=Business Tips

**Access:** Admin

## Get Public Blogs

**GET** http://localhost:5000/api/v1/admin/cms/blogs/public?page=1&limit=10&category=Business Tips

**Access:** Public

**[Redis Action]:** Cached in cache:cms:blogs:public:{category} with 12h TTL.

## Get Blog by Slug

**GET** http://localhost:5000/api/v1/admin/cms/blogs/post/:slug

**Access:** Public

**[Redis Action]:** Cached in cache:cms:blog:{slug} with 12h TTL.

## Update Blog

**PUT** http://localhost:5000/api/v1/admin/cms/blogs/:blogId

**Access:** Admin

**Body:** {"title": "Updated Blog Title", "content": "<p>Updated...</p>", "status": "published"}

**[Redis Action]:** Invalidates related blog caches.

## Delete Blog

**DELETE** http://localhost:5000/api/v1/admin/cms/blogs/:blogId

**Access:** Admin

**[Redis Action]:** Invalidates related blog caches.

## Create FAQ

**POST** http://localhost:5000/api/v1/admin/cms/faqs

**Access:** Admin

**Body:** {"question": "How do I create a business page?", "answer": "Sign up...", "category": "Business", "order": 1, "status": "active"}

**[Redis Action]:** Invalidates DEL cache:cms:faqs.

## Get All FAQs

**GET** http://localhost:5000/api/v1/admin/cms/faqs?category=all&status=active

**Access:** Admin

## Get Public FAQs

**GET** http://localhost:5000/api/v1/admin/cms/faqs/public?category=all

**Access:** Public

**[Redis Action]:** Cached in cache:cms:faqs with 24h TTL.

## Update FAQ

**PUT** http://localhost:5000/api/v1/admin/cms/faqs/:faqId

**Access:** Admin

**Body:** {"question": "Updated question?", "answer": "Updated answer.", "order": 2}

**[Redis Action]:** Invalidates DEL cache:cms:faqs.

## Delete FAQ

**DELETE** http://localhost:5000/api/v1/admin/cms/faqs/:faqId

**Access:** Admin

**[Redis Action]:** Invalidates DEL cache:cms:faqs.

## Create Banner

**POST** http://localhost:5000/api/v1/admin/cms/banners

**Access:** Admin

**Body:**

```
{
  "title": "Welcome to DotMeet",
  "subtitle": "Create your personal business portfolio",
  "link": "https://dotmeet.com/register",
  "linkText": "Get Started",
  "position": "home_top",
  "order": 1,
  "status": "active"
}
```

**[Redis Action]:** Invalidates DEL cache:cms:banners:{position}.

## Upload Banner Image

**POST** http://localhost:5000/api/v1/admin/cms/banners/:bannerId/image

**Access:** Admin

**Content-Type:** multipart/form-data

**Body:** { "image": <file> }

## Get All Banners

**GET** http://localhost:5000/api/v1/admin/cms/banners?position=home\_top&status=active

**Access:** Admin

## Get Public Banners

**GET** http://localhost:5000/api/v1/admin/cms/banners/public?position=home\_top

**Access:** Public

**[Redis Action]:** Cached in cache:cms:banners:{position} with 12h TTL.

## Update Banner

**PUT** http://localhost:5000/api/v1/admin/cms/banners/:bannerId

**Access:** Admin

**Body:** {"title": "Updated Banner Title", "status": "active"}

**[Redis Action]:** Invalidates DEL cache:cms:banners:{position}.

## Delete Banner

**DELETE** http://localhost:5000/api/v1/admin/cms/banners/:bannerId

**Access:** Admin

**[Redis Action]:** Invalidates DEL cache:cms:banners:{position}.

---

# 21. ADMIN - SETTINGS ENDPOINTS

## Get Website Settings

**GET** http://localhost:5000/api/v1/admin/settings/website

**Access:** Admin

**[Redis Action]:** Cached cache:settings:website with 1h TTL.

## Update Website Settings

**PUT** http://localhost:5000/api/v1/admin/settings/website

**Access:** Admin

**Body:**

```
{
  "siteName": "DotMeet",
  "siteTagline": "Personal Portfolio for Business Owners",
  "siteDescription": "Create your portfolio and book appointments.",
  "siteUrl": "https://dotmeet.com",
  "logo": "logo_url",
  "favicon": "favicon_url",
  "contactEmail": "info@dotmeet.com",
  "contactPhone": "+8801712345678",
  "socialLinks": {
    "facebook": "https://facebook.com/dotmeet",
    "twitter": "https://twitter.com/dotmeet"
  }
}
```

**[Redis Action]:** Invalidates DEL cache:settings:website.

## Upload Website Logo (Delete)

**POST** http://localhost:5000/api/v1/admin/settings/website/logo

**Access:** Admin

**Content-Type:** multipart/form-data

**Body:** { "logo": <file> }

## Upload Favicon (Delete)

**POST** http://localhost:5000/api/v1/admin/settings/website/favicon

**Access:** Admin

**Content-Type:** multipart/form-data



**Body:** { "favicon": <file> }

## Get Email Template Settings (Reuseable For Business Owner, Admin)

**GET** http://localhost:5000/api/v1/admin/settings/email-templates

**Access:** Admin

**[Redis Action]:** Cached cache:settings:email\_templates.

## Update Email Template (Reuseable For Business Owner, Admin)

**PUT** http://localhost:5000/api/v1/admin/settings/email-templates/:templateId

**Access:** Admin

**Body:**

```
{
  "subject": "Booking Confirmation - {{businessName}}",
  "body": "<html><body><h1>Booking Confirmed</h1><p>Dear {{userName}}...</p></body></html>",
  "variables": ["businessName", "userName", "serviceName", "date", "time"]
}
```

**[Redis Action]:** Invalidates DEL cache:settings:email\_templates.

## Get Notification Template Settings (Reuseable For Business Owner, Admin)

**GET** http://localhost:5000/api/v1/admin/settings/notification-templates

**Access:** Admin

## Update Notification Template (Reuseable For Business Owner, Admin)

**PUT** http://localhost:5000/api/v1/admin/settings/notification-templates/:templateId

**Body:**

```
{
  "title": "New Booking",
  "message": "New booking from {{userName}} for {{serviceName}} on {{date}} at {{time}}.",
  "variables": ["userName", "serviceName", "date", "time"]
}
```

## Get Payment Gateway Settings (For Subscriptions Only)

**GET** http://localhost:5000/api/v1/admin/settings/payment-gateways

**Access:** Admin

## Update SSLCommerz Settings

**PUT** http://localhost:5000/api/v1/admin/settings/payment-gateways/sslcommerz

**Access:** Admin

**Body:** {"storeId": "dotmeet\_test", "storePassword": "dotmeet\_test\_password", "isSandbox": true, "isEnabled": true}

## Update AamarPay Settings

**PUT** http://localhost:5000/api/v1/admin/settings/payment-gateways/aamarpay

**Access:** Admin

**Body:** {"merchantId": "DOTMEET\_TEST", "signatureKey": "signature\_key\_here", "isSandbox": true, "isEnabled": true}

## Get AI Settings

**GET** http://localhost:5000/api/v1/admin/settings/ai

**Access:** Admin

## Update AI Settings

**PUT** http://localhost:5000/api/v1/admin/settings/ai

**Access:** Admin

**Body:** {"provider": "openai", "apiKey": "sk-...", "model": "gpt-3.5-turbo", "maxTokens": 500, "temperature": 0.7, "systemPrompt": "You are a helpful assistant..."}

**[Redis Action]:** Invalidates DEL cache:global\_ai\_settings.

---

## 22. ADMIN - REPORT ENDPOINTS

### Get Dashboard Statistics

**GET** <http://localhost:5000/api/v1/admin/reports/dashboard>

**Access:** Admin

**[Redis Action]:** Cached cache:admin:stats:dashboard with 15m TTL.

### Get User Growth Report

**GET** <http://localhost:5000/api/v1/admin/reports/user-growth?dateFrom=2025-01-01&dateTo=2025-01-31>

**Access:** Admin

### Get Business Growth Report

**GET** <http://localhost:5000/api/v1/admin/reports/profile-growth?dateFrom=2025-01-01&dateTo=2025-01-31>

**Access:** Admin

### Get Revenue Report (From Subscriptions)

**GET**

<http://localhost:5000/api/v1/admin/reports/revenue?dateFrom=2025-01-01&dateTo=2025-01-31&groupBy=day>

**Access:** Admin

### Get Booking Report

**GET**

<http://localhost:5000/api/v1/admin/reports/bookings?dateFrom=2025-01-01&dateTo=2025-01-31&status=all>

**Access:** Admin

### Get Subscription Report

**GET** <http://localhost:5000/api/v1/admin/reports/subscriptions?dateFrom=2025-01-01&dateTo=2025-01-31>

**Access:** Admin

### Get Category-wise Report

**GET** <http://localhost:5000/api/v1/admin/reports/by-category?dateFrom=2025-01-01&dateTo=2025-01-31>

**Access:** Admin

### Export Report

**GET**

<http://localhost:5000/api/v1/admin/reports/export?type=revenue&format=pdf&dateFrom=2025-01-01&dateTo=2025-01-31>

**Access:** Admin

## Get Audit Logs

**GET**

`http://localhost:5000/api/v1/admin/reports/audit-logs?page=1&limit=50&userId=64a1b2c3d4e5f6g7h8i9j0k1&action=login&dateFrom=2025-01-01&dateTo=2025-01-31`

**Access:** Admin

---

## 23. ADMIN - COUPON ENDPOINTS

### Create Coupon

**POST** `http://localhost:5000/api/v1/admin/coupons`

**Access:** Admin

**Body:** `{"code": "WELCOME20", "type": "percentage", "value": 20, "maxDiscount": 200, "minPurchase": 500, "usageLimit": 100, "usedCount": 0, "startDate": "2025-01-01", "endDate": "2025-12-31", "applicablePlans": ["64a1b2c3d4e5f6g7h8i9j0k1"], "status": "active", "description": "20% discount for new subscribers"}`

### Get All Coupons

**GET** `http://localhost:5000/api/v1/admin/coupons?page=1&limit=10&status=active&search=WELCOME`

**Access:** Admin

### Get Coupon by ID

**GET** `http://localhost:5000/api/v1/admin/coupons/:couponId`

**Access:** Admin

### Update Coupon

**PUT** `http://localhost:5000/api/v1/admin/coupons/:couponId`

**Access:** Admin

**Body:** `{"value": 25, "maxDiscount": 300, "usageLimit": 200, "endDate": "2026-12-31", "status": "active"}`

### Delete Coupon

**DELETE** `http://localhost:5000/api/v1/admin/coupons/:couponId`

**Access:** Admin

### Update Coupon Status

**PUT** `http://localhost:5000/api/v1/admin/coupons/:couponId/status`

**Access:** Admin

**Body:** `{"status": "inactive"}`

---

## 24. PUBLIC PAGE ENDPOINTS

### Search profile

**GET**

`http://localhost:5000/api/v1/public/search?q=dental&category=64a1b2c3d4e5f6g7h8i9j0k1&city=Dhaka&page=1&limit=10`

**Access:** Public

## Get Business by Username (Renders selected personal portfolio template)

**GET** <http://localhost:5000/api/v1/public/profile/:username>

**Access:** Public

**[Redis Action]:** Gathers data from multiple cache keys: cache:profile:public:{username}, cache:services:public:{username}, cache:working\_hours:public:{username}, cache:gallery:public:{username}, cache:reviews:public:{username} for lightning-fast page load.

## Get Business Services

**GET** <http://localhost:5000/api/v1/public/profile/:username/services?category=cleaning&status=active>

**Access:** Public

**[Redis Action]:** Returns from cache:services:public:{username}.

## Get Business Reviews

**GET** <http://localhost:5000/api/v1/public/profile/:username/reviews?page=1&limit=10&rating=5>

**Access:** Public

**[Redis Action]:** Returns from cache:reviews:public:{username}.

## Get Business Working Hours

**GET** <http://localhost:5000/api/v1/public/profile/:username/working-hours>

**Access:** Public

**[Redis Action]:** Returns from cache:working\_hours:public:{username}.

## Get Business Gallery

**GET** <http://localhost:5000/api/v1/public/profile/:username/gallery?page=1&limit=20>

**Access:** Public

**[Redis Action]:** Returns from cache:gallery:public:{username}.

## Get Business Available Slots

**GET**

<http://localhost:5000/api/v1/public/profile/:username/available-slots?serviceId=64a1b2c3d4e5f6g7h8i9j0k1&date=2025-01-15>

**Access:** Public

**[Redis Action]:** Returns from cache:slots:{profileUsername}:{date}.

## Chat with AI (Public)

**POST** <http://localhost:5000/api/v1/public/profile/:username/ai-chat>

**Access:** Public

**Body:** {"message": "What are your opening hours?", "sessionId": "session\_public\_12345"}

**[Redis Action]:** Uses temporary cache:ai\_session:{sessionId}.

## Get All Categories (Public)

**GET** <http://localhost:5000/api/v1/public/categories>

**Access:** Public

**[Redis Action]:** Returns from cache:categories:public.

## Get Featured profile

**GET** <http://localhost:5000/api/v1/public/profile/featured?limit=10>

**Access:** Public

**[Redis Action]:** Cached cache:public:profile:featured with 1h TTL.

## Get Recent profile

**GET** <http://localhost:5000/api/v1/public/profiles/recent?limit=10>

**Access:** Public

**[Redis Action]:** Cached cache:public:profile:recent with 30m TTL.

## Get profile by Category

**GET** <http://localhost:5000/api/v1/public/profile/category/:categorySlug?page=1&limit=10&city=Dhaka>

**Access:** Public

## Get profile by City

**GET** <http://localhost:5000/api/v1/public/profile/city/:city?page=1&limit=10>

**Access:** Public

---

# 25. CUSTOM MANUAL INVOICE ENDPOINTS

## Create Custom Manual Invoice

**POST** <http://localhost:5000/api/v1/invoices>

**Access:** Business Owner

**Body:**

```
{
  "userName": "Rahim Uddin",
  "userEmail": "rahim@gmail.com",
  "invoiceName": "Monthly Dental Consultation Fee",
  "description": "Consultation and minor surgical procedure completed on 10th Jan.",
  "items": [
    {
      "name": "Root Canal Treatment",
      "description": "Upper right molar root canal",
      "quantity": 1,
      "price": 5000
    },
    {
      "name": "Medicine",
      "description": "Antibiotics and painkillers",
      "quantity": 2,
      "price": 500
    }
  ],
  "tax": 0,
  "discount": 200,
  "dueDate": "2025-02-15"
}
```

## Get My Created Invoices (Business Owner)

**GET** <http://localhost:5000/api/v1/invoices/profile?page=1&limit=10&status=paid>

**Access:** Business Owner

## Get Invoice by ID

**GET** <http://localhost:5000/api/v1/invoices/:invoiceId>

**Access:** Business Owner, User (if user is the user)

## Get Public Invoice by Shareable Link/ID

**GET** <http://localhost:5000/api/v1/invoices/public/:invoiceShareId>

**Access:** Public

**[Redis Action]:** Cached cache:invoice:public:{shareId} with 1h TTL so users can view the invoice instantly without stressing the DB.

## Update Invoice Status (Mark as Paid/Unpaid)

**PUT** <http://localhost:5000/api/v1/invoices/:invoiceId/status>

**Access:** Business Owner

**Body:** {"status": "paid", "paymentNote": "Paid via cash"}

## Add Note to Invoice

**PUT** <http://localhost:5000/api/v1/invoices/:invoiceId/notes>

**Access:** Business Owner

**Body:** {"internalNotes": "Waiting for remaining balance next week."}

## Download Invoice PDF

**GET** <http://localhost:5000/api/v1/invoices/:invoiceId/download>

**Access:** Business Owner

## Send Invoice via Email

**POST** <http://localhost:5000/api/v1/invoices/:invoiceId/send-email>

**Access:** Business Owner

**Body:** {"email": "rahim@gmail.com"}

## Delete Invoice

**DELETE** <http://localhost:5000/api/v1/invoices/:invoiceId>

**Access:** Business Owner

**Headers:** Authorization: Bearer <access\_token>

---

# 26. SEO SETTINGS ENDPOINTS

## Get SEO Settings

**GET** <http://localhost:5000/api/v1/seo/settings>

**Access:** Business Owner

## Update SEO Settings

**PUT** <http://localhost:5000/api/v1/seo/settings>

**Access:** Business Owner

**Body:**

```
{
  "metaTitle": "Smile Dental Care - Best Dental Clinic in Dhaka",
  "metaDescription": "Smile Dental Care provides world-class dental treatments. Book your appointment today!",
  "metaKeywords": ["dental", "dentist", "teeth cleaning", "dhaka", "bangladesh"],
  "ogTitle": "Smile Dental Care",
  "ogDescription": "Best Dental Clinic in Dhaka",
```

```
"ogImage": "og_image_url",
"canonicalUrl": "https://dotmeet.com/smile-dental",
"robots": "index, follow"
}
```

**[Redis Action]:** Invalidates DEL cache:profile:public:{username} (SEO is part of public page load).

## Get Public SEO Data

**GET** http://localhost:5000/api/v1/seo/public/:username

**Access:** Public

**[Redis Action]:** Fetched as part of cache:profile:public:{username}.

---

# 27. ADMIN - FRONTEND TEMPLATE MANAGEMENT ENDPOINTS

## Create Template

**POST** http://localhost:5000/api/v1/admin/templates

**Access:** Admin

**Body:**

```
{
  "name": "MediCare Pro",
  "slug": "medicare-pro",
  "category": "medical",
  "style": "modern",
  "description": "A clean modern template for public business pages.",
  "previewImages": ["img1_url", "img2_url"],
  "isPremium": false,
  "allowedPlans": ["free", "starter", "professional"],
  "customizationOptions": {
    "colors": true,
    "fonts": true,
    "layout": true,
    "heroSection": true
  },
  "status": "active"
}
```

**[Redis Action]:** Invalidates DEL cache:templates:public.

## Upload Template Preview Images

**POST** http://localhost:5000/api/v1/admin/templates/:templateId/previews

**Access:** Admin

**Content-Type:** multipart/form-data

**Body:** { "previews": [<file>, <file>, <file>] }

## Upload Template Bundle (JS/CSS/HTML)

**POST** http://localhost:5000/api/v1/admin/templates/:templateId/bundle

**Access:** Admin

**Content-Type:** multipart/form-data

**Body:**

```
{
  "previews": [<file>, <file>, <file>]
}
```

## Get All Templates (Admin)

**GET**

http://localhost:5000/api/v1/admin/templates?page=1&limit=10&category=medical&status=active&isPremium=false

**Access:** Admin

## Get Template Details (Admin)

**GET** http://localhost:5000/api/v1/admin/templates/:templateId

**Access:** Admin

## Update Template Info

**PUT** http://localhost:5000/api/v1/admin/templates/:templateId

**Access:** Admin

**Body:** { "name": "MediCare Pro V2", "description": "Updated description.", "allowedPlans": ["starter", "professional"], "isPremium": true }

**[Redis Action]:** Invalidates DEL cache:templates:public.

## Update Template Status

**PUT** http://localhost:5000/api/v1/admin/templates/:templateId

**Access:** Admin

**Body:**

```
{
  "name": "MediCare Pro V2",
  "description": "Updated description.",
  "allowedPlans": ["starter", "professional"],
  "isPremium": true
}
```

## Delete Template

**DELETE** http://localhost:5000/api/v1/admin/templates/:templateId

**Access:** Admin

**[Redis Action]:** Invalidates DEL cache:templates:public.

## Get Template Usage Statistics

**GET** http://localhost:5000/api/v1/admin/templates/:templateId/usage-stats

**Access:** Admin



## Get Overall Template Analytics

**GET** <http://localhost:5000/api/v1/admin/templates/analytics?groupBy=category>

**Access:** Admin

---

## 28. BUSINESS OWNER - TEMPLATE MANAGEMENT ENDPOINTS

### Browse Available Templates

**Get** <http://localhost:5000/api/v1/templates?category=medical&style=modern&isPremium=false>

**Access:** Business Owner

**Description:** Returns available templates with template information and preview images so the business owner can select a template.

### Apply Template to My Business

**Put** <http://localhost:5000/api/v1/profiles/template>

**Access:** Business Owner

**Body:**

```
{
  "templateId": "64a1b2c3d4e5f6g7h8i9j0k1"
}
```

**[Redis Action]:** Invalidates DEL cache:public:profile:{username}.

### Customize Active Template Appearance & SEO

**Put** <http://localhost:5000/api/v1/profiles/template/customize>

**Access:** Business Owner

**Body:**

```
{
  "primaryColor": "#FF5733",
  "secondaryColor": "#333333",
  "accentColor": "#0044ff",
  "fontFamily": "Roboto",
  "buttonStyle": "rounded",
  "layoutStyle": "sidebar",
  "heroSectionEnabled": true,
  "showGallery": true,
  "showReviews": true,
  "metaTitle": "Smile Dental Care - Best Dentist in Dhaka",
  "metaDescription": "Book appointments online with Smile Dental Care.",
  "metaKeywords": [
    "dentist",
    "dhaka",
  ]
}
```

```
"teeth cleaning"
]
}
```

**[Redis Action]:** Invalidates DEL cache:public:profile:{username}.

---

## 29. PUBLIC PAGE ENDPOINTS

### Get Public Business Profile & Theme Config

**Get** http://localhost:5000/api/v1/public/profile/:username

**Access:** Public

**[Redis Action]:** Cache-Aside

**Cache Key:** cache:public:profile:{username}

**TTL:** 1 hour

**Cache HIT:** Returns data directly from Redis.

**Cache MISS:** Fetches data from MongoDB, stores it in Redis, and returns the response.

**Body:**

```
{
  "success": true,
  "data": {
    "profileDetails": {
      "profileName": "Smile Dental Care",
      "username": "smile-dental",
      "about": "We provide the best care...",
      "phone": "+8801712345678",
      "address": "123, Dhanmondi",
      "mapLocation": {
        "latitude": 23.7461,
        "longitude": 90.376
      }
    },
    "themeConfig": {
      "templateName": "medicare-pro",
      "customization": {
        "primaryColor": "#FF5733",
        "secondaryColor": "#333333",
        "fontFamily": "Roboto",
        "layoutStyle": "sidebar",
        "heroSectionEnabled": true,
        "showGallery": true
      }
    }
  }
}
```

```
"seo": {
  "metaTitle": "Smile Dental Care - Best Dentist in Dhaka",
  "metaDescription": "Book appointments online with Smile Dental Care.",
  "metaKeywords": [
    "dentist",
    "dhaka"
  ]
},
"services": [
  {
    "id": "...",
    "name": "Teeth Cleaning",
    "price": 500,
    "duration": 30
  }
],
"workingHours": [
  {
    "day": "saturday",
    "isOpen": true,
    "startTime": "09:00",
    "endTime": "21:00"
  }
],
"gallery": [
  {
    "url": "https://cloudinary.com/...",
    "caption": "Our clinic"
  }
],
"reviews": [
  {
    "rating": 5,
    "comment": "Great service!",
    "userName": "Rahim"
  }
]
```

```
}  
}
```

## Frontend Rendering Flow

1. Visitor opens `dotmeet.vercel.app/profile/smile-dental`.
2. Next.js extracts the username: `smile-dental`.
3. Next.js calls `GET /api/v1/public/profile/smile-dental`.
4. Backend returns business information, selected template, customization, SEO, services, gallery, reviews, etc.
5. Next.js reads `themeConfig.templateName`.
6. Next.js renders the corresponding template component.
7. Next.js applies the business owner's customization settings.
8. Next.js generates the SEO metadata.
9. Visitor sees the complete public business profile.