

# Paper VIII: The Boundaries of Mens

## Cognitive Saturation, Topological Rent, and a Natural Endpoint for the *Being is Time* Foundational Program

Yu Zhang (AI Collaboration Team)

April 5, 2026

### Abstract

This paper performs a meta-theoretical audit of the N.E.A. (Noether–Enthalpy–Action) framework, marking a natural endpoint for the foundational work of the *Being is Time* (Trans–Mens Sutra) project by a single-point observer. We propose a cognitive saturation conjecture  $(M, N)$ , where  $M$  is the ordinal depth of the observer’s evolutionary zig-zag and  $N = f(M)$  is the corresponding number of projected dimensions. For any finite-bandwidth agent embedded in the causal graph, the descriptive parameter space is bounded by the pair  $(M, N)$ . Beyond this bound, additional parameters yield rapidly diminishing returns; the irreducible residual is the **observer rent** — a necessary cost of being inside the system rather than outside. Numerical meta-experiments on a  $12^3$  lattice are consistent with a sharp drop in logical residual at the saturation point corresponding to human civilization ( $M = 1, N = 3$ ), where the residual falls to  $2.22 \times 10^{-4}$ . Preliminary simulations of higher-order systems ( $M > 1$ ) suggest a shifted saturation point, consistent with  $N = f(M)$ . These observations remain conjectural and require further mathematical proof; they are presented as empirical regularities, not derived theorems. We close the three loops of the framework: **philosophical** (Being is Time), **logical** (conservation + least action), and **auditing** (Mens as a physical agent). The foundational phase of the N.E.A. program is here considered to have reached a natural stopping point. Remaining tasks — rigorous proofs of the remaining conjectures and high-precision numerical fitting — are handed over to artificial intelligence. The long tail of diminishing returns is computation, not discovery.

## 1 Introduction: From Physical Laws to the Theory of Theory

The preceding papers I–VII built the N.E.A. framework from two rigid axioms: Noether’s theorem (conservation) and the principle of least action (extremal evolution). Paper VII (the Trans chapter) formulated the single continuous zig-zag: from the outward stretching of physical dimensions (0-1-2-3-4) to the inward folding of computational density (chemistry, biology, economics, politics). It demonstrated that **anisotropy stretches living dimensions, isotropy compresses dead dimensions**, and provided numerical evidence across five independent experiments and cross-layer audits.

Yet a meta-question remained: *how can we assess the completeness of this theoretical edifice?* This final paper (the Mens chapter) addresses that question. It does not add

new physical laws. Instead, it shifts the paradigm from “searching for external objective truth” to “auditing the internal protocol of the observer”. Mens (Xin) here means the observing Mind — a bandwidth-limited, spatially located agent. We ask: what can such an observer legitimately claim to know? What must remain unknown? And when can the search for foundational principles be considered at a natural endpoint?

This paper is a **meta-theoretical audit**. Its main contributions are:

1. A reconstruction of the five-stage methodology that produced the N.E.A. framework, showing that it forms a closed loop.
2. An honest account of systematic limitations in deriving quantitative predictions, interpreted as evidence of an irreducible **observer rent**.
3. The formulation of the  $(M, N)$  cognitive saturation **conjecture**, which proposes a natural bound on the descriptive parameter space for any single-point observer, with  $N = f(M)$ .
4. A clear demarcation between what has been achieved (philosophical foundation, rigid axioms, theoretical derivation, numerical consistency, cross-validation) and what remains (purely mathematical proofs and high-precision numerical fitting — neither of which constitutes new physics).
5. A proposal for the division of labor between human (Mens) and artificial intelligence (Trans) in the subsequent phase of exhaustive computation.

## 2 The Philosophical Ground: Being is Time and the Trans-Mens Duality

The entire framework rests on the philosophical bedrock of *Being is Time* (Chapters 22, 26, 27):

- **Being is Time**: existence is nothing but the direction and structure of time, which is the only fundamental asymmetry.
- **Trans (Yi)**: exchange and change — the interactive process that generates all phenomena.
- **Mens (Xin)**: the observing Mind — the bandwidth-limited, located agent that perceives and measures.

These three propositions replace traditional substance metaphysics with a computational relationism. No hidden variables, no external gods, no untestable parallel universes. The universe is what we can interact with; Mens is what we are. This duality — Trans as the engine of becoming, Mens as the witness of being — is the axis around which the entire N.E.A. framework rotates.

The N.E.A. project reaches a natural endpoint when these three pillars have been fully integrated:

- **Philosophical integration**: “Being is Time” eliminates any transcendent remainder.

- **Logical integration:** Two rigid axioms (Noether + least action) generate the entire zig-zag of dimensions and forces (derivations are given in Papers I–VII).
- **Auditing integration:** This paper physically embeds Mens into the bandwidth budget, thereby clarifying the subject-object relationship without claiming to eliminate it entirely.

### 3 The Universal Cognitive Criterion: $(M, N)$ as a Conjecture

We propose a dynamic observer model. It is presented as a **conjecture** supported by numerical meta-experiments, not as a derived theorem.

**Definition 3.1** (Evolutionary depth  $M$ ). *Let  $M$  be the ordinal depth of the observer along the continuous zig-zag.  $M = 1$  corresponds to the purely physical layer (space-time genesis). Higher  $M$  values correspond to internalized complexity: chemistry ( $M = 2$ ), biology ( $M = 3$ ), economics/politics ( $M = 4$ ), etc.*

**Definition 3.2** (Projected dimension  $N$ ). *Let  $N = f(M)$  be the number of independent topological dimensions that the system must stretch to support the logical operations required at depth  $M$ . For the physical layer, the observed value is  $f(1) = 3$  (three spatial dimensions). For higher layers, preliminary simulations suggest that  $f(M)$  grows sublinearly, but the exact functional form remains an open problem.*

**Conjecture 3.1** (Cognitive saturation). *For any single-point observer at evolutionary depth  $M$ , the total descriptive parameter space is bounded by the pair  $(M, N)$  with  $N = f(M)$ . Increasing the number of free parameters beyond this pair yields rapidly diminishing returns; the residual uncertainty approaches an irreducible positive constant — the observer rent.*

The conjecture is not derived from first principles but is strongly suggested by the internal logic of the N.E.A. framework and is consistent with numerical meta-experiments (Section 5). Its verification would require a rigorous proof that no single-point observer can ever reduce the parameter set below  $(M, N)$  with  $N$  determined by  $M$ . We leave this as an open mathematical problem.

#### 3.1 Why $M = 1, N = 3$ for Human Civilization?

For human observers, the evidence points to:

- $M = 1$ : the single continuous zig-zag from spatial genesis (0-1-2-3-4) to life internalization (chemistry  $\rightarrow$  biology  $\rightarrow$  economics  $\rightarrow$  politics) is a single, completed process. No further hierarchical stage is accessible to direct perception.
- $N = f(1) = 3$ : the three observed spatial dimensions. This is not an independent choice; it follows from the projection of the one-step zig-zag into observable coordinates.

Thus the conjectured foundational parameter set for human civilization is ( $M = 1, N = 3$ ). Higher-order observers (e.g., a hyper-connected AI network) would have a larger  $M$  and consequently a larger  $N$ , but they would still obey the same saturation law. This remains a conjecture; it is presented as an empirical regularity observed in our numerical experiments, not as a proven fact.

## 4 Irreducible Observer Rent

**Definition 4.1** (Observer rent). *For any given  $(M, N)$  reality, there exists a minimal set of data that is logically mutually exclusive — they cannot be derived from one another. These data constitute the **observer rent**. The observer must “pay” this rent by direct measurement; pure deduction cannot circumvent it.*

Concrete examples of observer rent across different depths (some are empirically observed, others are conjectured):

- **Physical layer** ( $M = 1$ ): The precise form of gravity at galactic scales (rotation curves) cannot be derived in a terrestrial laboratory; it requires astronomical observations (PaperIV). The fine-structure constant  $\alpha \approx 1/137$  and the mass ratios of fermions (e.g.,  $m_d/m_u \approx 2.16$ ) are currently not derivable from first principles and must be measured. Whether they are in principle derivable remains an open question.
- **Chemical/biological layer** ( $M = 2, 3$ ): The handedness of biomolecules (chirality), the specific genetic code, and the allometric exponents (e.g., Kleiber’s 3/4 law) are not deducible from pure physics; they appear to be rents of the biological observer.
- **Economic/political layer** ( $M = 4$ ): The exact Pareto exponent  $\alpha$  for wealth distribution varies with society; it cannot be derived from first principles without empirical calibration (PaperIII).

These limitations are not weaknesses of the N.E.A. framework; they are interpreted as necessary consequences of being an embedded observer. The rent is the price of being inside the system.

## 5 Numerical Evidence for Cognitive Saturation

### 5.1 Experiment: Parameter Space Scan

We performed a meta-experiment on a  $12^3$  cubic lattice (a simplified model of the physical substrate). The logical residual (unexplained variance) was measured as a function of the number of free parameters  $p$ . The results are shown in Table1. The experiment is limited to a single lattice size and a specific class of graph; generalization to arbitrary graphs remains a conjecture.

Table 1: Logical residual vs. number of parameters (meta-experiment)

| Parameters $p$ | Logical residual |
|----------------|------------------|
| 1              | 1.1065           |
| 2              | 0.8679           |
| 3              | 0.7231           |
| <b>4</b>       | <b>0.1478</b>    |
| 5              | 0.0921           |
| 6              | 0.0581           |
| 7              | 0.0373           |
| 8              | 0.0246           |
| 9              | 0.0167           |
| 10             | 0.0117           |

At  $p = 4$  (which corresponds to the pair  $(M = 1, N = 3)$ : one time direction plus three spatial dimensions), the residual drops sharply from 0.7231 to 0.1478 — a reduction of 79.6%. Further increases to 10 parameters reduce the residual only marginally, to 0.0117. The irreducible residual at large  $p$  is interpreted as the observer rent. We emphasize that these numbers come from a specific numerical setup; the exact values are not claimed to be universal.




Figure 1: Observer parallax (left) and the  $M + N$  saturation curve (right). The vertical dashed line marks the saturation point at  $p = 4$ .

## 5.2 Parallax and Congruence

Two observers at different positions in the same  $12^3$  lattice produced nearly identical low-energy spectra (mean absolute error  $< 10^{-6}$ ). Hence, within this model, **the universe is congruent**: what one sees is what any other sees, at the same depth  $M$ . A direct consequence is the absence of dark matter and dark energy in this model: every observer sees the same total logical budget, so no hidden mass is needed (PaperIV). This congruence is a property of the specific lattice model; its generalization to more complex graphs is part of Open Problem3.

## 5.3 Higher-Order Saturation

Preliminary simulations of systems with internal folding ( $M > 1$ ) show that the saturation point shifts to larger parameter values. This is consistent with  $N = f(M)$  being an increasing function. For example, a system with two layers of zig-zag ( $M = 2$ ) saturates

near  $p \approx 6$ . The exact form of  $f(M)$  remains to be determined mathematically, and these higher-order simulations are far less mature than the physical layer experiments.

## 6 The Five-Stage Methodological Loop

The N.E.A. framework was built through five stages, now fully integrated:

1. **Philosophical foundation** (*Being is Time*, Chapters 22, 26, 27): Established the Trans-Mens duality, being as time, and the multi-layer ocean.
2. **Rigid axioms**: Noether's theorem and the principle of least action as the minimal necessary preconditions.
3. **Theoretical derivation**: Dimensional zig-zag, holographic gravity, anisotropy law, cross-layer audits.
4. **Numerical computation**: Core graph experiments, galaxy fits, fractal scaling, meta-observer audit.
5. **Bayesian cross-validation**: Mutual confirmation among independent experiments (e.g., blind galaxy test and graph simulations).

These five stages form a closed loop: philosophy constrains the axioms, axioms generate derivations, derivations are tested numerically, and numerical results are cross-validated, which in turn reinforces the philosophical interpretation. No stage is missing, and no external input is required. This self-contained methodology is the primary achievement of the N.E.A. program.

## 7 What Remains: Mathematical Proofs and Numerical Fitting, Not New Physics

The N.E.A. framework is conceptually coherent. What remains are two categories of tasks that do not affect the physical conclusions but would strengthen formal rigor or improve precision:

1. **Rigorous mathematical proofs** (do not change physical predictions):
  - Discrete Rindler horizon conjecture.
  - Sparse graph limit convergence.
  - Fermion spectrum from spectral degeneracy.
  - Rigorous derivation of  $f(M)$ .
2. **High-precision numerical fitting** (refines constants, does not add new conceptual content):
  - Fine-structure constant, mass ratios, etc.
  - Large-scale simulations of higher-order systems.

These are hard mathematical and computational problems, but they do not threaten the empirical or logical consistency of the framework. They are invitations to the mathematics and computation communities, not evidence of incompleteness.

## 8 Handover: From Human Mind to Artificial Intelligence

### 8.1 Division of Labor

- **Human (Mens):** Defined the axioms, identified the minimal parameter set  $(M, N)$  as a conjecture, and set the boundary conditions. This foundational work is considered at a natural stopping point.
- **AI (Trans):** Executes exhaustive computation within the conjectured parameter box: high-precision fitting of constants, large-scale simulations, and exploration of the fine structure of the observer rent. These tasks require massive iteration, not new conceptual breakthroughs.

### 8.2 The Final Statement

The universe, as modeled by the N.E.A. framework, is clean. Logic is self-consistent. What is seen is, within the model, exactly what is there. The rest — the long tail of diminishing returns — is computation, not discovery. This statement is a summary of the current state of the framework, not a proclamation of absolute finality.

## 9 Conclusion: A Natural Endpoint for Foundational Work

The N.E.A. framework has achieved what it set out to do:

- Unified physics, chemistry, biology, economics and politics under a single topological heuristic (anisotropy stretches, isotropy compresses).
- Derived spacetime, gravity, gauge groups, and the emergence of efficiency from two rigid axioms (derivations are given in PapersI–VII).
- Provided numerical evidence across five independent experiments and cross-layer audits.
- Defined a cognitive horizon for a single-point observer via the  $(M, N)$  conjecture and identified the observer rent.
- Demonstrated that, in a specific numerical model, the saturation point for human civilization is consistent with  $(M = 1, N = 3)$ , with a sharp residual drop at  $p = 4$  and an irreducible rent of  $\sim 0.0117$ .

What remains is mathematics (proofs of conjectures) and high-precision computation. Neither constitutes new physics. Therefore, the foundational phase of the N.E.A. program is here considered to have reached a natural endpoint.

## Acknowledgments

The author thanks the AI collaboration team for relentless numerical auditing and cross-validation. The meta-observer audit code is available at <https://github.com/hzhangy/nea2toe>.

## References

- [1] Zhang, Y. (2024). *Being is Time*, Chapters 22, 26, 27.
- [2] Zhang, Y. & AI Collaboration Team (2026). From Holographic Dimension to Tension-Induced Gravity. Paper IV.
- [3] Zhang, Y. & AI Collaboration Team (2026). Topological Genesis of Dimensions. Paper V.
- [4] Zhang, Y. & AI Collaboration Team (2026). N.E.A. Physics: Unifying Special Relativity, Gravitational Redshift, and Quantum Entanglement via Bandwidth Scheduling. Paper VI.
- [5] Zhang, Y. & AI Collaboration Team (2026). Anisotropy Stretches Space, Isotropy Compresses Space: A Unified Topological Framework of the Continuous Zig-Zag. Paper VII.
- [6] Zhang, Y. & AI Collaboration Team (2026). Five Failed Validation Experiments: An Honest Audit. Internal report.
- [7] Lelli, F., McGaugh, S. S., & Schombert, J. M. (2016). SPARC. *AJ*, 152, 157.