


Abdulla Al Ameri, HW 3.

Problem: We have a tank made of a cylinder and a cone, and as we fill it with water we wanna know the volume of water does it contain.

Here's a flow chart of what we're trying to do!



Now, lets jump to the code:

```
clear
clc

INP = input ('Enter the hight of the water in meters')
%This will ask the user to input the hight of water in units of meter.

if INP <= 0 || INP >= 33
    error('ERROR: Your hight cannot be negative, or 0, nor it can exceed 33 meters')

    %If the user inputed an unreasonable hight, an error message will show.

elseif INP <= 19

    %If the user hight was less than or equal to 19 (the hight of cylindar, then the
    %code will only calculate the volume of the cylindar and present it
    %as volume of water.

    h = INP
    WATER_VOLUME = pi * (12.5)^2 * h %Volume of cylinder

    fprintf('%s cubic meter is the volume of the water.\n',WATER_VOLUME)
    %fprintf will show the result.
else

    %if the hight is not more than 19 and less than or equal to max hight
    % off 33 meter, the following code will make it divide the object for
    %two objec, cacluate each volume, and add the.

    h = 19 %Max water hight for full cylinder
    H = INP - 19 %The hight of the

    WATER_VOLUME = (pi * (12.5)^2 * h) + (1/3 * pi * (23)^2 * H)
    %Volume of cylinder + cone

    fprintf('%s cubic meter is the volume of the water.\n',WATER_VOLUME)

end
```