

PIZZA

Sales Analysis





INTRODUCTION

Welcome to the Pizza Sales Analysis Presentation

This presentation showcases an in-depth analysis of pizza sales data using SQL queries. By leveraging the power of structured query language, we extracted valuable insights to help understand customer preferences, sales trends, and business performance.

Key Objectives:

- To explore and analyze sales data from a pizza restaurant
- To identify top-selling pizzas, peak order times, and revenue patterns
- To assist in strategic decision-making using data-driven insights



GIVEN TABLES

The SQL queries for pizza sales analysis were written over the following key tables:

- 1. pizzas
 - Contains information about individual pizza items.
 - Columns include: pizza_id, pizza_type_id, size, price
 - Links pizza types to their prices and sizes.
- 2. pizza_types
 - Describes the characteristics of different pizza types.
 - Columns include: pizza_type_id, name, category, ingredients
 - Helps classify pizzas by type (e.g., classic, veggie) and ingredients.
- 3. orders
 - Holds data related to each customer order.
 - Columns include: order_id, date, time
 - Tracks when each order was placed.
- 4. order_details
 - Contains the line items for each order.
 - Columns include: order_details_id, order_id, pizza_id, quantity
 - Represents the quantity of each pizza ordered in every transaction.

RETRIEVE THE TOTAL NUMBER OF ORDERS PLACED.

```
SELECT  
    COUNT(order_id) AS total_order_placed  
FROM  
    orders;
```

	total_order_placed
▶	21350

CALCULATE THE TOTAL REVENUE GENERATED FROM PIZZA SALES.

```
SELECT
    ROUND(SUM(orders_details.quantity * pizzas.price),
          2) AS total_revenue
FROM
    orders_details
    JOIN
    pizzas ON pizzas.pizza_id = orders_details.pizza_id;
```

	total_revenue
▶	817860.05

IDENTIFY THE HIGHEST-PRICED PIZZA.

```
SELECT
    pizza_types.name, pizzas.price
FROM
    pizza_types
    JOIN
        pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
ORDER BY pizzas.price DESC
LIMIT 1;
```

	name	price
▶	The Greek Pizza	35.95

IDENTIFY THE MOST COMMON PIZZA SIZE ORDERED.

```
SELECT
    pizzas.size,
    COUNT(orders_details.order_details_id) AS order_count
FROM
    pizzas
    JOIN
        orders_details ON pizzas.pizza_id = orders_details.pizza_id
GROUP BY pizzas.size
ORDER BY order_count DESC;
```

	size	order_count
▶	L	18526
	M	15385
	S	14137
	XL	544
	XXL	28

LIST THE TOP 5 MOST ORDERED PIZZA TYPES ALONG WITH THEIR QUANTITIES.

```
SELECT
    pizza_types.name,
    sum(orders_details.quantity) AS total_count
FROM
    orders_details
    JOIN
    pizzas ON orders_details.pizza_id = pizzas.pizza_id
    JOIN
    pizza_types ON pizzas.pizza_type_id = pizza_types.pizza_type_id
GROUP BY pizza_types.name
ORDER BY total_count DESC
LIMIT 5;
```

	name	total_count
▶	The Classic Deluxe Pizza	2453
	The Barbecue Chicken Pizza	2432
	The Hawaiian Pizza	2422
	The Pepperoni Pizza	2418
	The Thai Chicken Pizza	2371

JOIN THE NECESSARY TABLES TO FIND THE TOTAL QUANTITY OF EACH PIZZA CATEGORY ORDERED.

```
SELECT
    pizza_types.category, SUM(orders_details.quantity)
FROM
    pizza_types
    JOIN
    pizzas ON pizza_types.pizza_type_id = pizzas.pizza_type_id
    JOIN
    orders_details ON orders_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category;
```

	category	total_count
▶	Classic	14888
	Veggie	11649
	Supreme	11987
	Chicken	11050

DETERMINE THE DISTRIBUTION OF ORDERS BY HOUR OF THE DAY.

```
SELECT
    HOUR(order_time) AS hour_time,
    COUNT(order_id) AS total_orders
FROM
    orders
GROUP BY hour_time;
```

	hour_time	total_orders
▶	11	1231
	12	2520
	13	2455
	14	1472
	15	1468
	16	1920
	17	2336
	18	2399
	19	2009
	20	1642
	21	1198
	22	663
	23	28
	10	8
	9	1

JOIN RELEVANT TABLES TO FIND THE CATEGORY-WISE DISTRIBUTION OF PIZZAS.

```
SELECT  
    category, COUNT(name) as distribution  
FROM  
    pizza_types  
GROUP BY category;
```

	category	distribution
▶	Chicken	6
	Classic	8
	Supreme	9
	Veggie	9

GROUP THE ORDERS BY DATE AND CALCULATE THE AVERAGE NUMBER OF PIZZAS ORDERED PER DAY.

```
SELECT
    ROUND(AVG(quantity), 0) as pizzas_ordered_per_day
FROM
    (SELECT
        orders.order_date, SUM(orders_details.quantity) AS quantity
    FROM
        orders
    JOIN orders_details ON orders.order_id = orders_details.order_id
    GROUP BY orders.order_date) AS avg_quantity;
```

	pizzas_ordered_per_day
▶	138

DETERMINE THE TOP 3 MOST ORDERED PIZZA TYPES BASED ON REVENUE.

```
SELECT
    pizza_types.name,
    SUM(pizzas.price * orders_details.quantity) AS revenue
FROM
    pizzas
    JOIN
    orders_details ON pizzas.pizza_id = orders_details.pizza_id
    JOIN
    pizza_types ON pizzas.pizza_type_id = pizza_types.pizza_type_id
GROUP BY pizza_types.name
ORDER BY revenue DESC
LIMIT 3;
```

	name	revenue
▶	The Thai Chicken Pizza	43434.25
	The Barbecue Chicken Pizza	42768
	The California Chicken Pizza	41409.5

CALCULATE THE PERCENTAGE CONTRIBUTION OF EACH PIZZA TYPE TO TOTAL REVENUE

```
SELECT
    pizza_types.category,
    round((SUM(pizzas.price * orders_details.quantity) / (SELECT
        SUM(pizzas.price * orders_details.quantity) AS revenue
    FROM
        pizzas
        JOIN
        orders_details ON pizzas.pizza_id = orders_details.pizza_id)) * 100,2) as percentage_contribution
FROM
    pizzas
    JOIN
    pizza_types ON pizzas.pizza_type_id = pizza_types.pizza_type_id
    JOIN
    orders_details ON orders_details.pizza_id = pizzas.pizza_id
GROUP BY pizza_types.category;
```

	category	percentage_contribution
▶	Classic	26.91
	Veggie	23.68
	Supreme	25.46
	Chicken	23.96

THANK YOU!

