

Shebar Janala — Feature List & Demo Readiness

Every feature added to AccessAI across Phases 1–5 of the Shebar Janala civic-accountability initiative, with an honest read on whether each one can be walked through live right now.

Legend

Mark	Meaning
	Click through the web app, zero setup — genuinely demo-ready today
	Real and working, but the demo happens in a terminal/API client, not the app UI (by design, or because no UI was built)
	The honest/safe path is demoable; the "full" path needs a real external credential nobody has in this environment
	A document, not an interactive feature

Phase 1 — Identity & Geofencing

1.  National ID (NID) verification — </identity>
2.  GPS-based residency verification (geofencing against union boundaries) — </identity>
3.  Manual residency attestation (fallback when GPS isn't available) — </identity>
4.  Union boundary registry — backend data, not itself a clickable screen; underlies [#1](#)–3

Phase 2 — Citizen Issue Reporting

5.  Issue reporting (category, title, description, location, photo) — </issues/new>
6.  Photo upload for issue reports

7.  Issue status lifecycle (submitted → under review → verified/rejected → in progress → completed → archived)
8.  Automatic keyword-based flagging of issue text — type a flagged word, watch it land in the moderation queue
9.  Issue voting/endorsement (one per verified resident) — [/issues/\[id\]](/issues/[id])
10.  Union-scoped public issue feed — </issues>
11.  Staff moderation queue for issues — </admin/moderation>
12.  "My reports" personal issue tracker — dashboard widget

Phase 3 — Ledger & Accountability

13.  Tamper-evident hash-chain financial ledger — the integrity badge is at </admin/ledger> () , but *proving* tamper-detection live means editing a row directly in SQLite outside the app first — plan that as a prepared terminal moment, not a click
14.  Tamper-evident hash-chain admin audit log — same caveat as [#13](#)
15.  Budget allocation posting — </budget/new>
16.  Citizen flagging of budget allocations — [/budget/\[id\]](/budget/[id])
17.  Automatic escalation to an upazila officer on flag-ratio threshold — already live in seed data (one allocation is pre-escalated), or trigger a fresh one with two flags
18.  Escalation queue (routed-to-me / unassigned) — </officer>
19.  Escalation resolution (acknowledge / resolve / dismiss) — </officer>
20.  Civic role assignment — </admin/civic-roles>
21.  Beneficiary enrollment — **built this pass:** </beneficiaries/new>, a real chairman/staff-facing form over the existing `POST /api/v1/beneficiaries`
22.  Entitlement records — created alongside enrollment in the same form; viewable at </beneficiaries/:id>
23.  Disbursement recording — **built this pass:** a "record a disbursement" form on </beneficiaries/:id>, over the existing `POST /api/v1/entitlements/:id/disbursements`
24.  Real entitlement-status check ("what am I actually enrolled in and paid") — </entitlements>, citizen-facing, read-only
25.  Admin ledger-integrity dashboard — </admin/ledger>

Phase 4 — Oversight Portals

- 26. ☒ Leader Portal (chairman/union-staff view) — [/leader](#)
- 27. ☒ Leader Portal upazila/zila rollup — [/leader](#), signed in as the Rangpur Sadar officer
- 28. ☒ Donor organization management — [/admin/civic-roles](#) (bottom section)
- 29. ☒ Donor Portal — [/donor](#)
- 30. ☒ Anomaly alert: allocation outlier detection — **now fires on a clean reseed**: seed data includes one allocation at ~6x its union's median
- 31. ☒ Anomaly alert: duplicate beneficiary enrollment across unions — **now fires on a clean reseed**: seed data enrolls the same demo NID in two unions
- 32. ☒ Anomaly alert: overpaid disbursement detection — **now fires on a clean reseed**: seed data includes one disbursement exceeding its entitlement
- 33. ☒ Anomaly alert: stale/unresolved escalation detection — **now fires on a clean reseed**: the seeded escalation is backdated 20 days
- 34. ☒ Public transparency page (no login required) — [/transparency](#)

Phase 5 — Reach & Defense

- 35. ☒ Real SMS provider integration (SSL Wireless, BulkSMSBD, Twilio) — [SMS_PROVIDER=demo](#) dispatches with no credentials and now also writes to a staff-visible outbox ([/admin/sms-outbox](#)), not just a server console log — see the ceiling noted below
- 36. ☒ USSD gateway (session-based menu) — **built this pass**: [/ussd-demo](#), a real in-browser phone simulator calling the exact same underlying logic as the real telecom callback
- 37. ☒ USSD entitlement-status check by NID — demoed through the same simulator
- 38. ☒ USSD issue reporting — demoed through the same simulator
- 39. ☒ USSD "my reports" listing — demoed through the same simulator
- 40. ☒ Ghost-beneficiary detection (unverified identity flag) — **bug fixed this pass**: the check existed and was unit-tested but was never actually called from anywhere; now wired into the Leader Portal and firing live on a clean reseed
- 41. ☒ Vision-based photo moderation — [VISION_MODERATION_PROVIDER=demo](#) deterministically flags/passes based on image size, live-verified both ways — see the ceiling noted below
- 42.  Independent ledger audit CLI tool — `npm run ledger:audit`, terminal by design (that's the point — no server or login needed)
- 43. ☒ Automated data retention job — [/admin](#) → Jobs

44.  Field-level encryption for health data (AES-256-GCM) — invisible by design when working correctly; demoing it means opening a DB client and showing the raw ciphertext next to the app's decrypted view side by side
45.  Union Parishads Act 2009 compliance self-assessment — [docs/COMPLIANCE.md](#)
46.  Documented data retention policy — [docs/COMPLIANCE.md](#)

Summary

	Original	After demo-provider pass	After this pass
✅ Fully demo-ready, zero prep	25	26	36
 Real, but terminal/API rather than click-through	9	9	4
⚠️ Honest path demoable; full path needs a real credential	9	7	2
🚧 Gap — no UI exists	3	3	0
 Documents	2	2	2

Every buildable gap is closed. Beneficiary enrollment, entitlement creation, and disbursement recording ([#21](#)–23) are real forms now, not API-only. All five anomaly/ghost-beneficiary checks ([#30](#)–33, [#40](#)) fire live on a clean `npm run db:seed --reset-users`, with no manual setup — the seed data now includes one deliberately-triggering example of each, and a genuine bug (the ghost-beneficiary check was fully built, unit-tested, and never actually called by anything) was found and fixed along the way. USSD ([#36](#)–39) now has a real in-browser phone simulator instead of requiring curl/Postman.

Two items remain ⚠️, and stay there on purpose — this was verified, not assumed. Before writing this off as "just needs more engineering," the two real credential-based paths were tested directly:

- **Vision moderation's real AI check.** `ANTHROPIC_API_KEY` is present in configuration but empty. The one real, working key in this environment — `DEEPSEEK_API_KEY`, the platform's active AI provider — was tested live against a real image payload and rejected it outright: `"unknown variant image_url,`

`expected text`". DeepSeek's exposed API is text-only. There is no vision-capable credential anywhere in this environment to make a genuine content check possible.

- **SMS delivery to an actual phone.** The demo provider proves the dispatch code path and now surfaces "what would have been sent" in a staff-visible outbox, but no text can arrive on a real handset without a paid SSL Wireless/BulkSMSBD/Twilio account, which this environment does not have and which nothing inside this codebase can manufacture.

Both are documented in `docs/DEVIATIONS.md` §20–21 with the exact test performed. The code path to a real provider is already correct for both — either would work immediately with a real key, no further engineering required.