

#### Remarks from the Chair

By Shuhai Xiao

I hope you have a great start in 2016. I would like to take a few moments to quickly review our activities in 2016 and plans for 2016. More information about these activities and plans can be found in the annual report, which is attached to this newsletter.

First, I am pleased to announce that the Second Ediacaran Stage (SES) and Terminal Ediacaran Stage (TES) working groups have been officially established. These working groups are chaired by Dr. Chuanming Zhou (SES) and Dr. Guy Narbonne (TES). Second, we had a big show-up at STRATI 2015 in Graz, Austria. The joint symposium "Precambrian Stratigraphy" at STRATI 2015 was a success, with over half of Ediacaran Subcommission voting members present in the symposium, an open meeting, and an associated business meeting. Jim Schiffbauer, Marc Laflamme, and Simon Darroch put together a hugely successful Pardee Symposium on "Earth-Life Systems at the Dawn of Animals" at Geological Society of America Annual Meeting in Baltimore. Drew Muscente, Natasha Bykova, Jesse Broce, and Jim Schiffbauer organized a topical session on "Geobiology of Critical Transitions: Integrating Fossils, Proxies, and Models", with many presentations focused on Ediaracaran stratigraphy and Earth-life history.

Looking forward to 2016, several important workshops and symposia are in the preparation. There will be two symposia relevant to Ediacaran stratigraphy at the 35<sup>th</sup> IGC in Cape Town (8/27/2016–9/4/2016): "The Dawn of Animals: Cryogenian to Cambrian" (organized by Douglas Erwin, Rachel Wood, Marc Laflamme, and Shuhai Xiao) and "Cloudinids and Allied Metazoans" (organized by Dermeval Do Carmo, Hong Hua, Paulo Cesar Boggian, Bernd Erdtmann and Claudio Gaucher). Additionally, an IGC field trip sponsored by the subcommission and led by Patricia Vickers-Rich, Guy Narbonne, and Marc Laflamme to

examine the Ediacaran succession in Namibia has been in the preparation.

Palaeo Down Under 2, co-sponsored by the Ediacaran Subcommission and organized by the Association of Australasian Palaeontologists (AAP), will be held on July 10–15, 2016, at the University of Adelaide in South Australia. The conference is preceded by a Field Excursion to examine key Ediacaran sections in the Flinders Ranges on July 1–9. Both the Namibia and Australia field excursions will help the TES working group to assess criteria for the subdivision of correlation of the Terminal Ediacaran Stage.

In order to start the discussion on a geological time scale of the Ediacaran Period, several of us have been working on a white paper laying out the challenges and prospects which is currently in review with *Episodes*.

The Subcommission executives have been discussing the possibility of establishing a new category of membership: honorary members. We are hoping to establish this new category in 2016 to honor those who have made important contributions to Ediacaran stratigraphy as past voting members of the Subcommission or its predecessor.

I hope you enjoy reading the 4<sup>th</sup> newsletter of the Ediacaran Subcommission. Newsletters are considered as gray literature where people share information in informal ways. Whereas one can share information in numerous venues, including Facebook, Twitter, and many other social media, the *Edies* is specifically tailored for the community of Ediacaran researchers. Thus, I continue to value the *Edies*, and would like to thank you for your contributions and thank Marc for his effort to compile the information.

Finally, on behalf of the executives, I would like to thank you for allowing us to serve a second term.

#### Notes from the Secretary

By Marc Laflamme

Welcome to our fourth newsletter. 2015 was an exciting year, with several high profile meetings and conferences including the Pardee Keynote Symposium P3: "Earth-Life Systems at the Dawn of Animals" at the Geological Society of America Annual Meeting in Baltimore, MD, organized by corresponding members James D. Schiffbauer, Simon A.F. Darroch, and myself. The interest in our science was evident, with a "standing room only" policy for most of the symposium. We also had a great turnout at the STRATI conference in Graz, Austria, which also allowed us to have a Subcommission meeting with a good turnout of voting and corresponding members.

I'd also like to take this moment to ask for a favor from our members. As we enter our second term, I would be delighted if we could solicit a potential LOGO for our Subcommission, something to aid in our continued efforts to publicize the work of our Subcommission. Should you have any suggestions, or possibly know of students who would be interested in designing something to suit our needs, please contact me.

### **TES Working Group Members Voting Members:**

Guy M. Narbonne (Chair) Malgorzata Moczydlowska-Vidal, (Secretary) Jose-Javier Alvaro, Luis A. Buatois, James G. Gehling, Dmitri V. Grazhdankin,

Soren Jensen,

Alan Jay Kaufman,

Marc Laflamme,

Shuhai Xiao,

Xunlai Yuan,

Maoyan Zhu,

#### **Corresponding Members:**

Martin D. Brasier†. Nicholas Christie-Blick, Jean-Pierre Duda, Stephen Dornbos, Doug Erwin, Kathleen Grey,

Ganging Jiang, Chao Li, Ivantsov, Andrey Andrew Knoll, Gabriela Mangano, Michael Meyer, Vibhuti Rai, Jochim Reitner, Patricia Vickers-Rich, James Schiffbauer, Graham A.Shields-Zhou, Patricia Weaver, Chongyu Yin, Maoyan Zhu,

## **SES Working Group Members Voting Members:**

Chuanming Zhou (Chair) Nicholas Christie-Blick Dima Grazhdankin Kathleen Grev Ganging Jiang Jay Kaufman Malgorzata Moczydlowska-Vidal Mukund Sharma **Graham Shields** Shuhai Xiao Chongyu Yin

#### **Corresponding Members:**

Jose-Javier Alvaro James G. Gehling Sören Jensen Claudio Gaucher Marc Laflamme Pengju Liu Alex Liu Konstantin Nagovitsin Vibhuti Rai James Schiffbauer Erik Sperling Adamson Peter William

Patricia Vickers-Rich Sebastian Willman Xunlai Yuan Maoyan Zhu Rajita Shukla Harshita Joshi

Meera Tiwari

Charlotte G. Kenchington

# LIST OF MAJOR PUBLICATIONS OF SUBCOMMISSION WORK

- Álvaro, J.J., Shields-Zhou, G.A., Ahlberg, P., Jensen, S., Palacios, T. (2015). Ediacaran-Cambrian phosphorites from the western margins of Gondwana and Baltica. Sedimentology, doi:10.1111/sed.12217
- An, Z., Jiang, G., Tong, J., Tian, L., Ye, Q., Song, H., and Song, H., 2015, Stratigraphic position of the Ediacaran Miaohe biota and its constrains on the age of the upper Doushantuo d<sup>13</sup>C anomaly in the Yangtze Gorges area, South China: *Precambrian Research*, v. 271, p. 243-253.
- 3. Babcock, L. E., Peng, S., Brett, C. E., Zhu, M., Ahlberg, P., Bevis, M., Robison, R.A., 2015. Global climate, sea level cycles, and biotic events in the Cambrian Period. Palaeoworld, 24:5-15.
- 4. Beraldi-Campesi, H., and Retallack, G.J. 2015. Precambrian terrestrial ecosystems. In Weber, B., Belnap, J. and Büdel, B., eds., Biocrusts past and present. Springer, Berlin (in press).
- 5. Burzynski, G. and Narbonne, G.M., 2015. The discs of Avalon: Relating discoid fossils to frondose organisms in the Ediacaran of Newfoundland, Canada. Palaeogeography, Palaeoclimatology, Palaeoecology, 434: 34-45
- 6. Cai, C.F., Xiang, L., Yuan, Y.Y., He, X.Y., Chu, X.L., Chen, Y., Xu, C.L. Marine C, S and N biogeochemical processes in the redox-stratified Early Cambrian Yangtze ocean.

  Journal of the Geological Society (London). 2015, 172 (3), 390-406.
- 7. Cai, Y., S. Xiao, H. Hua, and X. Yuan, 2015. New material of the biomineralizing tubular fossil *Sinotubulites* from the late Ediacaran Dengying Formation, South China. Precambrian Research, 261: 12–24.
- 8. Camacho, A., Armstrong, R., Davis, D.W., and Bekker, A., 2015, Early history of the Amadeus Basin: Implications for the existence and geometry of the Centralian Superbasin, Precambrian Research, v. 259, p. 232-242.
- 9. Cao, H., Kaufman, A.J., Shan, X., Cui, H., and Zhang, G. (in press) Sulfur isotope constraints on marine transgression in the

- lacustrine upper Cretaceous Songliao Basin, northeastern China. *Palaeogeography*, *Palaeoclimatology*, *Palaeoecology*.
- Carbone, C., Narbonne, G.M., Macdonald, F.A., and Boag, T., 2015. New Ediacaran fossils from the uppermost Blueflower Formation, NW Canada: Disentangling biostratigraphy and paleoecology. Journal of Paleontology, 89: 281-291.
- 11. Chao Li, Noah J. Planavsky, Gordon D. Love, Christopher T. Reinhard Dalton Hardisty, Lianjun Feng, Steven M. Bate, Jing Huang, Qirui Zhang, Xuelei Chu, Timothy W. Lyons. Marine redox conditions in the middle Proterozoic ocean and isotopic constraints on authigenic carbonate formation: Insights from the Chuanlinggou Formation, Yanshan Basin, North China. Geochimica et Cosmochimica Acta, 2015, 150: 90-105.
- 12. Chao Li, Cheng M, Algeo T J, Xie S C. A the oretical prediction of chemical zonation in ear ly oceans (>520 Ma). Science China: Earth Sc iences, 2015. doi: 10.1007/s11430-015-5190-7. In press.
- 13. Chen, A.-L., W. E. G. Müller, X.-G. Hou, and S. Xiao, 2015. New articulated protospongiid sponges from the early Cambrian Chengjiang biota. Palaeoworld, 24: 46-54.
- 14. Chen, L., S. Xiao, K. Pang, C. Zhou, and X. Yuan, 2015, Are the new Ediacaran Doushantuo embryo-like fossils early metazoans? A reply. Palaeoworld, doi:10.1016/j.palwor.2015.08.001
- 15. Chen, X., Ling, H.-.F., Vance, D., Shields-Zhou, G.A., Zhu, M., Poulton, S.W., & Cremonese, L. (2015). Rise to modern levels of ocean oxygenation coincided with the Cambrian radiation of animals. Nature Communications, 6 doi:10.1038/ncomms8142
- Chiglino, L., Gaucher, C., Sial, A.N., Ferreira, V.P. 2015. Acritarchs of the Ediacaran Frecheirinha Formation, Ubajara Group, Northeastern Brazil. Anais da Academia Brasileira de Ciencias, 87 (2): 635-649.
- 17. Condon, D.J., P. Boggani, D. Fike, G.P. Halverson, S. Käsemann, A.H. Knoll, F.A. Macdonald, A.R. Prave, and M. Zhu (2015) Accelerating Neoproterozoic research through scientific drilling. Scientific Drilling 19: 17-25.

- Cortijo, I., Y. Cai, H. Hua, J. D. Schiffbauer, and S. Xiao, 2015. Life history and autecology of an Ediacaran index fossil: Development and dispersal of *Cloudina*. Gondwana Research, 28: 419-424.
- Cui, H., A. J. Kaufman, S. Xiao, M. Zhu, C. Zhou, and X.-M. Liu, 2015. Redox architecture of an Ediacaran ocean margin: integrated chemostratigraphic (δ<sup>13</sup>C δ<sup>34</sup>S <sup>87</sup>Sr/<sup>86</sup>Sr Ce/Ce\*) correlation of the Doushantuo Formation. Chemical Geology, 405: 48-62.
- Darroch, S.A.F., Sperling, E.A., Boag, T., Racicot, R.A., Mason, S.J., Morgan, A.S., Tweedt, S., Myrow, P., Erwin, D.H. and Laflamme, M. 2015. Biotic replacement and mass extinction of the Ediacara biota. Proceedings of the Royal Society B.
- 21. Droser, M.L. and Gehling, J.G. 2015. The advent of animals: the view from the Ediacaran: Proceedings of the National Academy of Sciences 112, 4865-4870.
- 22. Duda J.-P., Thiel V., Reitner J., Blumenberg M. (2014) Assessing possibilities and limitations for biomarker analyses on outcrop samples: A case study on carbonates of the Shibantan Member (Ediacaran Period, Dengying Formation, South China). Acta Geologica Sinica 88, 6, 1696-1704
- 23. Duda J.-P., Zhu M., Reitner J. (2015)
  Depositional dynamics of a bituminous carbonate facies in a tectonically induced intra-platform basin: the Shibantan Member (Dengying Formation, Ediacaran Period).
  Carbonates and Evaporites doi: 10.1007/s13146-015-0243-8, 1-13
- 24. Elliott D. A., Trusler P., Narbonne G.M., Vickers-Rich P., Fournie N., Hoffmann K. H., and Schneider G., in press 2015, Ernietta from the late Ediacaran Nama Group, Namibia. Journal of Paleontology.
- Erwin, D.H. Early metazoan life: divergence, environment and ecology. Phil. Trans. R. Soc. B 370: 20150036. doi: 10.1098/rstb.2015.0036.
- Evans, S.D., Droser, M.L. and Gehling, J.G. 2015. Dickinsonia lift off: Evidence of current derived morphologies. Palaeogeography Palaeoclimatology Palaeoecology; DOI: 10.1016/j.palaeo.2015.02.006.

- 27. Ewing RC, Lamb MP, Eisenman I, Poppick L, Maloof AC, Fischer WW (2014) New constraints on equatorial temperatures during a Late Neoproterozoic snowball Earth glaciation, *Earth and Planetary Science Letters*, 406, 110-122.
- Gaucher, C., Sial, A.N., Frei, R. 2015. Chemostratigraphy of Neoproterozoic banded iron formation (BIF): types, age and origin. In: Ramkumar, M. (Ed.) Chemostratigraphy: concepts, techniques and applications. Elsevier, Amsterdam, pp. 433-449. ISBN: 978-0124199682.
- Gold, D. A., Runnegar, B., Gehling, J.G., and Jacobs, D.K. 2015. Ancestral state reconstruction of ontogeny supports a bilaterian affinity for Dickinsonia. Evolution and Development 17 (6), 315–397
- Golubkova, E.Yu., Zaitseva, T.S., Kuznetsov, A.B., Dovzhikova, E.G., Maslov, A.V. Microfossils and Rb-Sr age of glauconite in the key section of the Upper Proterozoic of the northeastern part of the Russian plate (Keltmen-1 borehole). Doklady Earth Sciences 462 (2): 547–551.
- 31. Grazhdankin, D.V., Kontorovich, A.E., Kontorovich, V.A., Saraev, S.V., Filippov, Yu.F., Efimov, A.S., Karlova, G.A., Kochnev, B.B., Nagovitsin, K.E., Terleev, A.A., Fedyanin, G.O. (2015) Vendian of the Fore-Yenisei sedimentary basin (southeastern West Siberia). Russian Geology and Geophysics 56: 560–572.
- 32. Grazhdankin, D.V., Maslov, A.V. (2015) The room for the Vendian in the International Chronostratigraphic Chart. Russian Geology and Geophysics 56: 549–559.
- 33. Guilbaud, R., Poulton, S. W., Butterfield, N. J., Zhu, M., Shields-Zhou, G. A., 2015. A global transition to ferruginous conditions in the early Neoproterozoic ocean. Nature Geoscience, 8:466-470.
- 34. Hall, C.M.S., Droser, M.L., Gehling, J.G., Dzaugis. M.E. 2015. Paleoecology of the enigmatic Tribrachidium: New data from the Ediacaran of South Australia. Precambrian Research 269:183-194.
- Hinder, G., Vickers-Rich, P., van Schalkwyk,
   P. & Schneider, G., in press 2015. A
   Worldclass Canyon and Late Proterozoic
   "Ghosts", Superlatives of the Nama Group.

- Heritage Volume for International Geological Congress, Cape Town, South Africa 2016.
- 36. Hohl S.V., Becker H., Gamper A., Jiang Shao-Yong, Wiechert U., Yang Jing-Hong, Wei Hai-Zhen, 2015. Secular changes of water chemistry in shallow-water Ediacaranocean: Evidence from carbonates at Xiaofenghe, Three Gorges area, Yangtze Platform, South China. Precambrian Research, 270, 50-79.
- 37. Huang, K.-J., Shen, B., Lang, X.-G., Tang, W.-B., Peng, Y., Ke, S., Kaufman, A.J., Ma, H.-R., and Li, F.-B. (2015) Magnesium isotopic compositions of the Mesoproterozoic dolostones: Implications for Mg isotopic systematics of marine carbonates. *Geochimica et Cosmochimica Acta* 164: 333-351
- 38. Hughes, N. C., P. M. Myrow, N. R. McKenzie, S. Xiao, D. M. Banerjee, D. F. Stockli, and Q. Tang, 2015. Age and Implications of the phosphatic Birmania Formation, Rajasthan, India. Precambrian Research, 267: 164-173.
- 39. Ivantsov, A.Yu., Narbonne, G.M., Trusler, P.W., Greentree, C., and Vickers-Rich, P., in press 2015. Elucidating Ernietta: Exceptional specimens from the Ediacaran of Namibia. Lethaia.
- 40. Jarboe, P.J., Candela, P.A., Zhu, W., and Kaufman, A.J. (in press) Extraction of Hydrocarbons from High Maturity Marcellus Shale by Using Supercritical Carbon Dioxide. *Energy and Fuels*.
- 41. Kendall B., Komiya T., Lyons T.W., Bates S.M., Gordon G.W., Romaniello S.J., Jiang G., Creaser R.A., Xiao S., McFadden K., Sawaki Y., Tahata M., Shu D., Han J., Li Y., Chu X., Anbar A.D., 2015. Uranium and molybdenum isotope evidence for an episode of widespread ocean oxygenation during the late Ediacaran Period. Geochimica et Cosmochimica Acta 156, 173-193.
- 42. Kloss, T.J., Dornbos, S.Q., and Chen, J.Y., 2015, Substrate adaptations of sessile benthic metazoans during the Cambrian radiation. *Paleobiology* 41(2): 342–352. doi: 10.1017/pab.2014.22.
- 43. Kloss, T.J., Dornbos, S.Q., Chen, J.Y., McHenry, L.J., and Marenco, P.J., 2015, High-resolution geochemical evidence for

- oxic bottom waters in three Cambrian Burgess Shale-type deposits. *Palaeogeography, Palaeoclimatology, Palaeoecology* 440: 90–95.
- Kochnev, B.B., Pokrovskii, B.G., Proshenkin, A.I. (2015) The Upper Neoproterozoic glacial complex in central areas of the Siberian platform. Doklady Earth Sciences 464 (2): 1001–1004.
- Kolesnikov, A.V., Marusin, V.V., Nagovitsin, K.E., Maslov, A.V., Grazhdankin, D.V.
   (2015) Ediacaran biota in the aftermath of the Kotlinian Crisis: Asha Group of the South Urals. Precambrian Research 263: 59–78.
- 46. Laflamme, M. and Darroch, S.A.F. 2015. Palaeobiology: Ecological Revelations about Ediacaran Reproduction. Dispatch, Current Biology 25 (21), R1047-R1050.
- 47. Lan, Z., Li, X., Zhu, M., Chen, Z., Zhang, Q., Li, Q., 2015. Revisiting the Liantuo Formation in Yangtze Block, South China: SIMS U–Pb zircon age constraints and regional and global significance. Precambrian Research, 263:123-141.
- 48. Lee C, Love GD, Fischer WW, Grotzinger JP, Halverson GP (2015) Marine organic matter cycling during the Ediacaran Shuram excursion, *Geology*, online Nov. 6, 2015, doi:10.1130/G37236.1.
- Levashova, N.M., Bazhenov, M., Meert, J.G., 2015. Paleomagnetism of Upper Ediacaran clastics from the south Urals: implications for paleogeography of Baltica and the opening of the Iapetus Ocean, *Gondwana Research*, 28, 191-208.
- Liu, X.-M., Kah, L.C., Knoll, A.H., Cui, H., Kaufman, A.J., Sahar, A., and Hazen, R.M. (in press) Tracing Earth's O<sub>2</sub> evolution using Zn/Fe ratios in marine carbonate.
   Geochemical Perspectives Letters.
- 51. LoDuca, S.T., Caron, J.-B., Schiffbauer, J.D., Xiao, S., and Kramer, A. A reexamination of *Yuknessia* from the Cambrian of British Columbia and Utah. *Journal of Paleontology* 89: 82–95.
- 52. LoDuca, S.T., Wu, M., Zhao, Y., Xiao, S., Schiffbauer, J.D., Caron, J.-B, and Babcock, L.E. In Press. Reexamination of *Yuknessia* from the Cambrian of China and first report of *Fuxianospira* from North America. *Journal of Paleontology*.

- 53. Meert, J.G. and Pandit, M.K., 2015.
  Precambrian Evolution of Peninsular India and its Link to Basin evolution, in: Eriksson et al. (eds) *Geological Society of London, Special Publication #43, Precambrian Basins of India: Stratigraphic and Tectonic Criteria*, 29-54.
- 54. Meng Cheng, Chao Li, Lian Zhou, Shucheng Xie. Mo marine geochemistry and reconstruct ion of ancient ocean redox states. Science Chi na: Earth Sciences, 2015. doi: 10.1007/s1143 0-015-5177-4. In press.
- 55. Moczydłowska, M. 2015 Algal affinities of the Ediacaran and Cambrian organic-walled microfossils with internal reproductive bodies: Tanarium and other morphotypes. Palynology, DOI: 10.1080/01916122.2015.1006341.
- Moczydłowska, M., 2015, Algal affinities of the Ediacaran and Cambrian organic-walled microfossils with internal reproductive bodies: *Tanarium* and other morphotypes. Palynology, doi: 10.1080/01916122.2015.1006341.
- 57. Moczydłowska, M., Budd, G.E., Agić, H. 2015 Ecdysozoan-like sclerites among Ediacaran mirofossils. Geological Magazine 152 (6), 1145-1148.
- 58. Moczydłowska, M., Budd, G.E., Agić, H., 2015, Ecdysozoan-like sclerites among Ediacaran mirofossils. Geological Magazine 152 (6), 1145-1148.
- 59. Moczydłowska, M., Meng, F., 2015, The Ediacaran *Aspidella*-type impressions in the Jinxian successions of Liaoning Province, northeastern China. Lethaia, in press.
- 60. Muscente, A. D. and S. Xiao, 2015. New occurrences of *Sphenothallus* in the lower Cambrian of South China: Implications for its affinities and taphonomic demineralization of shelly fossils. Palaeogeography Palaeoclimatology Palaeoecology, 437: 141-164.
- 61. Muscente, A. D. and S. Xiao, 2015. Resolving three-dimensional and subsurficial features of carbonaceous compressions and shelly fossils using backscattered electron scanning electron microscopy (BSE-SEM). Palaios, 30: 462-481.
- 62. Muscente, A. D., A. D. Hawkins, and S. Xiao, 2015. Fossil preservation through

- phosphatization and silicification in the Ediacaran Doushantuo Formation (South China): A comparative synthesis. Palaeogeography Palaeoclimatology Palaeoecology, 434: 46-62.
- 63. Muscente, A. D., F. M. Michel, J. Dale, and S. Xiao, 2015. Assessing the veracity of Precambrian 'sponge' fossils using in situ nanoscale analytical techniques. Precambrian Research, 263: 142-156.
- 64. Nagovitsin, K.E., Kochnev, B.B. (2015)
  Microfossils and biofacies of the Vendian
  fossil biota in the southern Siberian Platform.
  Russian Geology and Geophysics 56: 584–
  593
- 65. Nagovitsin, K.E., Rogov, V.I., Marusin, V.V., Karlova, G.A., Kolesnikov, A.V., Bykova, N.V., Grazhdankin, D.V. (2015) Revised Neoproterozoic and Terreneuvian stratigraphy of the Lena-Anabar Basin and north-western slope of the Olenek Uplift, Siberian Platform. Precambrian Research 270: 226–245.
- 66. Och, L.M., Cremonese, L., Shields-Zhou, G.A., Poulton, S.W., Struck, U., Ling, H., & Thirlwall, M. (2015). Palaeoceanographic controls on spatial redox distribution over the Yangtze Platform during the Ediacaran-Cambrian transition. Sedimentology, doi:10.1111/sed.12220
- 67. Ou, Q., S. Xiao, J. Han, G. Sun, F. Zhang, Z. Zhang, and D. Shu, 2015. A vanished history of skeletonization in Cambrian comb jellies. Science Advances, 1: e1500092 (doi 10.1126/sciadv.1500092).
- 68. Planavsky NJ, Reinhard CT, Wang X, Thomson D, McGoldrick P, Rainbird RH, Johnson T, Fischer WW, Lyons TW (2014) Low Mid-Proterozoic atmospheric oxygen levels and the delayed rise of animals, *Science*, 346, 635-638.
- 69. Podkovyrov, V.N., Kotova, L.N., Golubkova, E.Yu., Ivanovskaya, A.V. (2015)
  Lithogeochemistry of Vendian fine-grained clastic rocks in the Nepa-Zhuya region of the Siberian Platform. Lithology and Mineral Resources 50 (4): 299–310.
- 70. Qing Tang, Ke Pang, Xunlai Yuan, Bin Wan, Shuhai Xiao, 2015: Organic-walled microfossils from the Tonian Gouhou Formation, Huaibei region, North China Craton, and their biostratigraphic

- implications. Precambrian Research 266 (2015) 296–318.
- 71. Rahman, I., Darroch, S.A.F., Racicot, R.A., and Laflamme, M. in Press. Suspension feeding in the enigmatic Ediacaran organism *Tribrachidium* demonstrates complexity of Neoproterozoic ecosystems. Science Advances.
- 72. Retallack, G.J., 2015, Acritarch evidence of a late Precambrian adaptive radiation of Fungi. Botanica Pacifica (in press).
- 73. Retallack, G.J., 2015, Ediacaran sedimentology and paleoecology of Newfoundland reconsidered. Sedimentary Geology (in press).
- 74. Retallack, G.J., 2015. Comment on: "*Dickinsonia* liftoff: evidence of current derived morphologies" by S. D. Evans, M. L. Droser, and J.G. Gehling, Palaeogeography Palaeoclimatology Palaeoecology (in press).
- 75. Retallack, G.J., 2015. Reassessment of the Silurian problematicum *Rutgersella* as another post-Ediacaran vendobiont. Alcheringa (in press).
- Rogov, V.I., Karlova, G.A., Marusin, V.V., Kochnev, B.B., Nagovitsin, K.E., Grazhdankin, D.V. (2015) Duration of the first biozone in the Siberian hypostratotype of the Vendian. Russian Geology and Geophysics 56: 573–583.
- 77. Semikhatov, M.A., Kuznetsov, A.B., Chumakov, N.M. (2015) Isotope age of boundaries between the general stratigraphic subdivisions of the Upper Proterozoic (Riphean and Vendian) in Russia: the evolution of opinions and the current estimate. Stratigraphy and Geological Correlation 23 (6): 568–579.
- 78. Sovetov J.K. Tillite at the base of the Vendian Taseeva Group in the stratotype section (Siberian Craton). Russian Geology and Geophysics. 56, 2015, p. 1522-1530.
- 79. Sovetov J.K., Hofmann M., Kazak A.K., Solovetskaya L.V. Two provenance of the Vendian sedimentary basins according to sedimentology, petrology and detrital zircons data //Sklyarov E.V. (ed.) Geodynamic evolution of the lithosphere of the Central Asian fold belt (from ocean to continent). Proceedings of 13-th Meeting, (October 13-16, 2015, ECI SB RAS, Irkutsk). Irkutsk:

- Earth Crust Institute of SB RAS. 2015, p. 227-229. (in Russian).
- 80. Sovetov J.K., Kazak A.K., Solovetskaya L.V. Late Vendian giant sand-muddy River system in the southwestern Siberian Platform: continental sedimentation in the wet climate without vegetation // Dmitrievsky A.N., Yapaskurt O.V., Postnikova O.V. (eds) Sedimentary processes evolution in the Earth history. Proceedings of the 8-th Lithology Meeting (Moscow, October 27-30, 2015), V. I, Moscow: Gubkin Russian Petroleum State University. 2015. P. 156-160. (in Russian).
- 81. Sovetov J.K., Menovshikova O.N., Kazak A.K., Solovetskaya L.V. Structural features and origin of the Cryogenian Karagass Group basal conglomerate in the East Sayan Foothills //Sklyarov E.V. (ed.) Geodynamic evolution of the lithosphere of the Central Asian fold belt (from ocean to continent). Proceedings of 13-th Meeting, (October 13-16, 2015, ECI SB RAS, Irkutsk). Irkutsk: Earth Crust Institute of SB RAS. 2015, p. 224-226. (in Russian).
- 82. Sovetov J.K., Solovetskaya L.V., Kazak A.K., Coastal upwelling in the late Cryogenian: soutwestern Siberian Craton // Dmitrievsky A.N., Yapaskurt O.V., Postnikova O.V. (eds) Sedimentary processes evolution in the Earth history. Proceedings of the 8-th Lithology Meeting (Moscow, October 27-30, 2015), V. I, Moscow: Gubkin Russian Petroleum State University. 2015. P. 160-164. (in Russian).
- 83. Sperling, E.A. A.H. Knoll and P.R. Girguis (2015) The ecological physiology of Earth's second oxygen revolution. Annual Review of Ecology, Evolution and Systematics 46: 215-235
- 84. Sperling, E.A., Carbone, C., Strauss, J.V., Johnson, D.T., Narbonne, G.M., and Macdonald, F.A., (2015) Oxygen, facies, and secular controls on the appearance of Cryogenian and Ediacaran body and trace fossils in the Mackenzie Mountains of northwestern Canada. *Geological Society of America, Bulletin*, doi: 10.1130/B31329.1, 18 pages.
- 85. Sperling. E.A., C.J. Wolock, A.S. Morgan, B.C. Gill, M. Kunzmann, G.P. Halverson, F.A. Macdonald, A.H. Knoll, and D.T. Johnston (2015) Statistical analysis of iron

- geochemical data suggests limited late Proterozoic oxygenation. Nature 523: 451-454
- 86. Stüeken, E.E., Buick, R., Bekker, A., Catling, D., Foriel, J., Guy, B.M., Kah, L.C., Machel, H.G., Montañez, I.P., Poulton, S.W., 2015, The evolution of the global selenium cycle: Secular trends in Se isotopes and abundances, Geochimica et Cosmochimica Acta, v. 162, p. 109-125.
- 87. Tang, D., Shi, X., Shi, Q., Wu., J., Song, G., and Jiang, G., 2015, Organomineralization in Mesoproterozoic giant ooids: Journal of Asian Earth Sciences, v. 107, p. 195-211.
- 88. Tang, Q., K. Pang, S. Xiao, X. Yuan, and B. Wan, 2015. Organic-walled microfossils from the Tonian Gouhou Formation, Huaibei region, North China Craton, and their biostratigraphic implications. Precambrian Research, 266: 296-318.
- 89. Tarhan, L. and Laflamme, M. 2015. An Examination of the Evolution of Ediacaran Paleoenvironmental and Paleoecological Research. *Preface in the special issue* "Ediacaran Environments and Ecosystems" in Palaeogeography, Palaeoclimatology, Palaeoecology, 434:1-3.
- 90. Tarhan, L.G., Droser, M.L. and Gehling, J.G. 2015. Depositional and preservational environments of the Ediacara Member, Rawnsley Quartzite (South Australia): Assessment of paleoenvironmental proxies and the timing of 'ferruginization'. Palaeogeography, Palaeclimatology, Paleoecology in press
- 91. Tarhan, L.G., Droser, M.L. and Gehling, J.G. 2015. Taphonomy and morphology of the Ediacara form genus *Aspidella*. Precambrian Research 257:124-136
- 92. Thomson, D., Rainbird, R.H., Planavsky, N.J., Lyons, T.W., and Bekker, A., 2015, Chemostratigraphy of the Shaler Supergroup, Victoria Island, NW Canada: a record of ocean composition prior to the Cryogenian glaciations, Precambrian Research, v. 263, p. 232-245.
- 93. Turner, E.C., Bekker, A., Thick sulfate evaporite accumulations marking a mid-Neoproterozoic oxygenation event (Ten Stone Formation, NWT, Canada), GSA Bulletin, in press.

- 94. Walde, Detlef H.G., Dermeval A. do Carmo, Edi M. Guimarães, Lucieth Cruz Vieira, Bernd-D. Erdtmann, Evelyn A.M. Sanchez, Rodrigo R. Adorno, Thais C. Tobias. 2015. New aspects of Neoproterozoic-Cambrian transition in the Corumbá region (state of Mato Grosso do Sul, Brazil). Annales de Paléontologie 101: 213–224.
- 95. Wang Haiyang, Li Chao, Hu Chaoyong, Xie Shucheng. Spurious thermoluminescence characteristics of the Ediacaran Doushantuo Formation (ca. 635–551 Ma) and its implications for marine dissolved organic carbon reservoir. Journal of Earth Science, 2015. doi: 10.1007/s12583-016-0650-3.
- 96. Wang, D., Struck, U., Ling, H., Guo, Q., Shields-Zhou, G.A., Zhu, M., Yao, S., 2015. Marine redox variations and nitrogen cycle of the early Cambrian southern margin of the Yangtze Platform, South China: Evidence from nitrogen and organic carbon isotopes. Precambrian Research, 267:209-226.
- 97. Wang, X., Shi, X., Jiang, G., and Tang, D., 2014, Organic carbon isotope gradient and ocean stratification across the late Ediacaran-Early Cambrian Yangtze Platform: Science China-Earth Sciences, v. 57, p. 919-929.
- 98. Xin Hong, Jiang Shao-Yong, Yang Jing-Hong, Wu He-Ping, Pi Dao-Hui, 2015, Rare earth element and Sr-Nd isotope geochemistry of phosphatic rocks in Neoproterozoic Ediacaran Doushantuo Formation in Zhangcunping section from western Hubei Province, South China. Palaeogeography Palaeoclimatology Palaeoecology, doi: 10.1016/j.palaeo.2015.09.034.
- 99. Yang, A., Zhu, M., Zhuravlev, A. Y., Yuan, K., Zhang, J., Chen, Y., 2015.
  Archaeocyathan zonation of the Yangtze Platform: Implications for regional and global correlation of lower Cambrian stages.
  Geological Magazine, doi: 10.1017/S0016756815000333.
- 100. Ye, Q., J. Tong, S. Xiao, S. Zhu, Z. An, L. Tian, and J. Hu, 2015. The survival of benthic macroscopic phototrophs in a Neoproterozoic snowball Earth. Geology, 43: 507-510.
- 101. Yin, Z., Zhu, M., Davidson, E. H., Bottjer, D. J., Zhao, F., & Tafforeau, P. (2015). Sponge grade body fossil with cellular resolution dating 60 Myr before the

- Cambrian. *Proceedings of the National Academy of Sciences*, 112(12), E1453-E1460.
- 102. Zhang, H., S. Xiao, Y. Liu, X. Yuan, B. Wan, A. D. Muscente, T. Shao, H. Gong, and G. Cao, 2015, Armored kinorhynch-like scalidophoran animals from the early Cambrian. Scientific Reports, doi: 10.1038/srep16521.
- 103. Zhang, S., Li, H., Jiang, G., Evans, D.A.D., Dong, J., Wu, H., Yang, T., Liu, P., and Xiao, Q., 2015, New Paleomagnetic results from the Ediacaran Doushantuo Formation in South China and their paleogeographic implications: Precambrian Research, v. 259, p. 130-142.
- 104. Zhang, W., Shi, X., Jiang, G., Tang, D., and Wang, X., 2015, Mass-occurrence of oncoids at the Cambrian Series 2-Series 3 transition in the western North China Platform: implications for microbial resurgence following an early Cambrian extinction event: Gondwana Research, v. 28, p. 432-450.
- 105. Zhao, F.-C., Smith, M.R., Yin, Z.-J., Zeng, H., Hu, S.-X., Li, G.-X., Zhu, M.-Y., 2015. First report of Wiwaxia from the Cambrian Chengjiang Lagerstätte. Geological Magazine, 152:378-382.