How do most services work?


Through an API

Client




HTTP request with **URL**

GET "http://lewagon.org/program"



HTTP request with **URL**

GET "http://lewagon.org/program"



Human interface



#1 Bill Gates **\$81.9** B



#2 Carlos Slim Helu & family \$79.2 B



#3 Warren Buffett \$72.9 B

Readable content HTML / CSS


Programming interface

Structured data



HTTP request with **URL**

GET "http://lewagon.org/program"



CSV

```
"Name", "Appearance", "Origin"

"Edelweiss", "White", "Austria"

"Cuvée des Trolls", "Blond", "Belgium"

"Choulette Ambrée", "Amber", "France"

"Gulden Draak", "Dark", "Belgium"
```

JSON

```
"title": "Great beers",
"beers": [
    "name": "Edelweiss",
   "appearance": "White",
    "origin": "Austria"
 },
   "name": "Cuvée des Trolls",
   "appearance": "Blond",
    "origin": "Belgium"
 },
```

JSON

JAVASCRIPT OBJECT NOTATION

Human readable text
Format derived from JavaScript but completely independent
Key-value pair datas

Let's compare

Github website

https://github.com/agourdji

Github API

https://api.github.com/users/agourdji

Let's play with Facebook graph API



Graph API Explorer

Explore the Graph API from your browser. Test permissions, query data and learn more about the Graph API syntax.