

GIT

cd - change directory

git clone "repo_link" : creates a local project based on link provide

git remote -v : displays the link to remote repository

above command will prints 2 links

- fetch
- push

fetch - retrieve changes from remote repository to local repository

push - send our changes from local repository changes to remote repository

"echo Hello World! > Readme.md" - creates readme file in current repo

"git add." - adds all the files we have changed to the staging area

"." at the end tells add all the files we have changed

we can also specify individual files which we want

Staging and unstaging

```
C:\Library\WebDev\Portfolio>echo staged > stagedFile.txt
C:\Library\WebDev\Portfolio>echo unstaged > unstagedFile.txt
C:\Library\WebDev\Portfolio>git add stagedFile.txt
C:\Library\WebDev\Portfolio>git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   stagedFile.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    unstagedFile.txt

C:\Library\WebDev\Portfolio>git reset
C:\Library\WebDev\Portfolio>git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    stagedFile.txt
    unstagedFile.txt

nothing added to commit but untracked files present (use "git add" to track)
```

Branches

```
C:\Library\WebDev\Portfolio>git branch
* main

C:\Library\WebDev\Portfolio>git branch develop

C:\Library\WebDev\Portfolio>git branch
develop
* main
```

git branch - gives branches list

git branch develop - creates new develop branch

```
C:\Library\WebDev\Portfolio>git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

C:\Library\WebDev\Portfolio>git checkout develop
Switched to branch 'develop'

C:\Library\WebDev\Portfolio>git checkout develop
Already on 'develop'
```

git checkout <branch name> - switches to respective branch

```
C:\Library\WebDev\Portfolio>git show 2cd39a7a0f11cda2ef1a5e1c0987f50098cca5dd
commit 2cd39a7a0f11cda2ef1a5e1c0987f50098cca5dd
Author: i-vrajesh <vatlurirajesh@gmail.com>
Date: Sat Jul 6 23:24:05 2024 +0530

Initial commit

diff --git a/README.md b/README.md
new file mode 100644
index 0000000..aa7eed5
--- /dev/null
+++ b/README.md
@@ -0,0 +1 @@
+# Portfolio
\ No newline at end of file

C:\Library\WebDev\Portfolio>git show --name-only 2cd39a7a0f11cda2ef1a5e1c0987f50098cca5dd
commit 2cd39a7a0f11cda2ef1a5e1c0987f50098cca5dd
Author: i-vrajesh <vatlurirajesh@gmail.com>
Date: Sat Jul 6 23:24:05 2024 +0530

Initial commit

README.md
```

git show <commit hash> - Detailed info about commit

git show --name-only <commit hash> - gives shorthand info about commit

git reflog - a powerful command which gives info about all changes happens in all the project including all commits and all branches

```
C:\Library\WebDev\Portfolio>git reflog
5e6facc (HEAD -> develop, origin/main, origin/HEAD, main) HEAD@{0}: reset: moving to HEAD
5e6facc (HEAD -> develop, origin/main, origin/HEAD, main) HEAD@{1}: checkout: moving from develop to develop
5e6facc (HEAD -> develop, origin/main, origin/HEAD, main) HEAD@{2}: checkout: moving from main to develop
5e6facc (HEAD -> develop, origin/main, origin/HEAD, main) HEAD@{3}: checkout: moving from develop to main
5e6facc (HEAD -> develop, origin/main, origin/HEAD, main) HEAD@{4}: checkout: moving from develop to develop
5e6facc (HEAD -> develop, origin/main, origin/HEAD, main) HEAD@{5}: checkout: moving from main to develop
5e6facc (HEAD -> develop, origin/main, origin/HEAD, main) HEAD@{6}: reset: moving to HEAD
5e6facc (HEAD -> develop, origin/main, origin/HEAD, main) HEAD@{7}: commit: Main Commit
2cd39a7 HEAD@{8}: clone: from https://github.com/i-vrajesh/Portfolio.git
```

```
C:\Library\WebDev\Portfolio>git config --global user.email
vatlurirajesh@gmail.com //setting user globally
```

```
C:\Library\WebDev\Portfolio>git config --global user.email
vatlurirajesh@gmail.com //verifying after setting the user
```

```
C:\Library\WebDev>dir ^ grep D*
Volume in drive C has no label.
Volume Serial Number is BEF0-0B69

Directory of C:\Library\WebDev

Directory of C:\Library\WebDev

07-07-2024  09:54 AM    <DIR>          Dice Challenge
07-07-2024  09:54 AM    <DIR>          DOM
07-07-2024  09:54 AM    <DIR>          DrumKit
               0 File(s)                0 bytes
               3 Dir(s)  404,921,913,344 bytes free
```

// filters folders only with letter "D" (starts with D and reg-ex)

Linux:

>Ctrl+c & Ctrl+v won't work

>instead for copy just select

>for pasting shift+insert

c:\Library\WebDev\Portfolio

\$ git config --global user.email

vatlurirajesh@gmail.com

\

c:\Library\WebDev

\$ rm -rf Portfolio/ //remove a directory forcefully without any confirmation

c:\Library\WebDev

\$ git clone -b main https://github.com/i-vrajesh/Portfolio.git

Cloning into 'Portfolio'...