Open Source Resume

Generated by **lowlighter/metrics**



(L) Joined GitHub 9 years ago

A Followed by 16 users



Basic info

- ∠ Activity
- -0- 2231 Commits
- 11 Pull requests reviewed
- 30 Pull requests opened
- (!) 57 Issues opened
- 255 issue comments
- ☐ 58 Repositories (including 31 forks)
- Prefers MIT license
- O Releases
- ① Packages
- 2.48 GB used
- ± 75.2k added, 35.4k removed

- Community stats
- Member of 2 organizations
- A Following 58 users
- Sponsoring 0 repositories
- ☆ Starred 76 repositories
- Watching 81 repositories
- - O Sponsors
 - ☆ 8 Stargazers
 - 및 2 Forks
 - 26 Watchers


Most used languages

TypeScript	115 MB	60.96%	 JavaScript 	31.8 MB	16.86%
Java	19.5 MB	10.35%	PHP	15.8 MB	8.37%
• CSS	4.41 MB	2.33%	• C	1.31 MB	0.69%
HTML	484 kB	0.26%	SCSS	332 kB	0.18%

□ Notable contributions



📋 Contributions calendar



Activity

C. Lewis (L) Joined GitHub 9 years ago A Followed by 16 users Contributed to 155 repositories ∠ Activity Community stats -**O**- 2231 Commits Member of 2 organizations 11 Pull requests reviewed A३ Following 58 users 30 Pull requests opened Sponsoring 0 repositories (!) 57 Issues opened ☆ Starred 76 repositories 255 issue comments Watching 81 repositories 27 Repositories Prefers MIT license O Sponsors O Releases ☆ 5 Stargazers ① Packages 🖞 2 Forks

Recent activity


26.7 MB used

- Opened #24655 feat: add `-t, --typescript` option for `create-next-...
 in vercel/next.js
 15 files changed ++397 --26
- ① Opened #24642 Add TypeScript option to `create-next-app` opened in vercel/next.js
- Opened #7219 fix: CloudFormation triggers should support asyn... in aws-amplify/amplify-cli
 22 files changed (++525 --156)
- ① Opened #159 Is there a way to update bidirectional connections ... opened in aws/aws-appsync-community

These metrics include private contributions Last updated Sat, 01 May 2021 10:14:48 GMT with lowlighter/metrics@3.8.0-beta

26 Watchers

StackOverflow



JSC_REDECLARED_VARIABLE_ERROR when using gulp closure compiler plugin

 S javascript, typescript, gulp, google-closure-compiler

 Try --env custom or --isolation_mode IIFE . I ran into this when compiling code that conflicted with browser interfaces like Node .

 B 0 □ 0 □ 1 □ 25/12/2020

These metrics include private contributions Last updated Sat, 01 May 2021 10:14:56 GMT with lowlighter/metrics@3.8.0-beta