



C. Lewis

Joined GitHub 9 years ago

Followed by 17 users



Contributed to 159 repositories

Generated with [GitHub Metrics](#).

## Summary: GitHub

### Activity

- 2208 Commits
- 12 Pull requests reviewed
- 32 Pull requests opened
- 59 Issues opened
- 264 issue comments

### Community stats

- Member of 2 organizations
- Following 58 users
- Sponsoring 0 repositories
- Starred 76 repositories
- Watching 88 repositories


### 65 Repositories (including 31 forks)

- Prefers MIT license
- 0 Releases
- 0 Packages
- 2.52 GB used
- 110k added, 36.7k removed
- 0 Sponsors
- 8 Stargazers
- 4 Forks
- 33 Watchers

### Most used languages

TypeScript	115 MB	60.95%	JavaScript	31.9 MB	16.87%
Java	19.5 MB	10.35%	PHP	15.8 MB	8.37%
CSS	4.43 MB	2.34%	C	1.31 MB	0.69%
HTML	484 kB	0.26%	SCSS	332 kB	0.18%




### Notable contributions



*These metrics include private contributions, timezone America/Chicago  
Last updated Tue, 18 May 2021 01:10:31 GMT with lowlighter/metrics@3.10.0-beta*

## Contributions: GitHub

### Recent activity

-  Merged [#1 Support default CloudFormation template files](#)  
in [ctjlewis/amplify-cli](#)  
10 files changed ++47 --471
-  Opened [#1 Support default CloudFormation template files](#)  
in [ctjlewis/amplify-cli](#)  
10 files changed ++47 --471
-  Opened [#754 Does not append styles to DOM in runtime \(`insert...`\)](#)  
opened in [webpack-contrib/mini-css-extract-plugin](#)
-  Opened [#7241 Add option for high-availability Dgraph cluster wit...](#)  
opened in [aws-amplify/amplify-cli](#)
-  Opened [#8214 Add option for high-availability Dgraph cluster wit...](#)  
opened in [aws-amplify/amplify-js](#)

## Contributions: StackOverflow

### Stackoverflow metrics

\* 3063 reputation points

? 3 questions

💬 218 comments

🏆 47 badges

✓ 155 answers

### Recent answers

#### Typescript: Index signature is missing in type

🔍 casting, typescript ✓ Resolved

TS wants us to define the type of the index. For example, to tell the compiler that you can index the object with any string, e.g.

`myObj['anyString']`, change:

```
interface myInterface {  
  myVal: string;  
  (1 more line was trimmed)
```

👍 15 🗨️ 0 🔄 3 📅 27/12/2020

#### Property 'value' does not exist on type 'EventTarget'

🔍 angular, typescript, properties ✓ Resolved

In my case, I had:

```
const handleOnChange = (e: ChangeEvent) => {  
  doSomething(e.target.value);  
  (1 more line was trimmed)
```

And the issue was that I did not provide a type argument to

`ChangeEvent` so that it knows `e.target` was an `HTMLInputElement`.

👍 2 🗨️ 0 🔄 1 📅 19/02/2021

#### JSC\_REDECLARED\_VARIABLE\_ERROR when using gulp closure compiler plugin

🔍 javascript, typescript, gulp, google-closure-compiler

Try `--env CUSTOM` or `--isolation_mode IIFE`. I ran into this when compiling code that conflicted with browser interfaces like `Node`.

👍 0 🗨️ 0 🔄 1 📅 24/12/2020

#### My code should be detecting if a string has currency symbols, but it will not detect £

🔍 javascript, arrays, for-loop, if-statement ✓ Resolved

If you don't want to use regex, just check if the string includes a symbol, increment a counter, and return whether or not there was exactly 1 match:

```
let testA = "$£50",  
    testB = "£50",  
  (17 more lines were trimmed)
```

👍 0 🗨️ 0 🔄 3 📅 17/07/2020

#### Problem calling functions within case and if loop

🔍 linux, bash, unix

Per @vgersh99, `overwrite()` and `restoreDir()` make use of the `$1` variable which refers to each function's first argument. You could back the top-level `$1` variable up to a global like `FILE_LOCATION` and reference that, or simply pass it to your functions as needed: ...

👍 0 🗨️ 0 🔄 1 📅 28/07/2020