

CORR

April 4, 2023

```
[48]: import matplotlib
import matplotlib.pyplot as plt
import numpy as np
import pandas as pd
import seaborn as sns
import statsmodels.api as sm
import scipy.stats as st

%matplotlib inline
```

```
[49]: df_out = pd.read_pickle('df_out.pkl')
df_breeds = pd.read_pickle('df_breeds.pkl')
df_out_with_breeds_info = pd.read_pickle('df_out_with_breeds_info.pkl')
df_breeds_with_info = pd.read_pickle('df_breeds_with_info.pkl')
df_out.info()
df_out.head()
```

```
<class 'pandas.core.frame.DataFrame'>
```

```
RangeIndex: 149511 entries, 0 to 149510
```

```
Data columns (total 32 columns):
```

#	Column	Non-Null Count	Dtype
---	-----	-----	-----
0	Animal ID	149511 non-null	string
1	Name	106260 non-null	string
2	DateTime	149511 non-null	datetime64[ns]
3	MonthYear	149511 non-null	string
4	Date of Birth	149511 non-null	datetime64[ns]
5	Outcome Type	149485 non-null	string
6	Outcome Subtype	68443 non-null	string
7	Animal Type	149511 non-null	string
8	Sex upon Outcome	149509 non-null	string
9	Age upon Outcome	149465 non-null	string
10	Breed	149511 non-null	string
11	Color	149511 non-null	string
12	Colors (count)	149511 non-null	Int64
13	Color 0	149511 non-null	string
14	Color 1	79869 non-null	string
15	Color 0 R	135638 non-null	Float64

```

16 Color 0 G 135638 non-null Float64
17 Color 0 B 135638 non-null Float64
18 Color 0 H 135638 non-null Float64
19 Color 0 S 135638 non-null Float64
20 Color 0 V 135638 non-null Float64
21 Color 1 R 78596 non-null Float64
22 Color 1 G 78596 non-null Float64
23 Color 1 B 78596 non-null Float64
24 Color 1 H 78596 non-null Float64
25 Color 1 S 78596 non-null Float64
26 Color 1 V 78596 non-null Float64
27 Age upon Outcome (years) 149465 non-null Float64
28 Male 149509 non-null boolean
29 Female 149509 non-null boolean
30 NeuteredOrSpayed 149509 non-null boolean
31 Adopted 149485 non-null boolean
dtypes: Float64(13), Int64(1), boolean(4), datetime64[ns](2), string(12)
memory usage: 35.1 MB

```

```

[49]: Animal ID Name DateTime MonthYear Date of Birth Outcome Type \
0 A794011 Chunk 2019-05-08 18:20:00 May 2019 2017-05-02 Rto-Adopt
1 A776359 Gizmo 2018-07-18 16:02:00 Jul 2018 2017-07-12 Adoption
2 A821648 <NA> 2020-08-16 11:38:00 Aug 2020 2019-08-16 Euthanasia
3 A720371 Moose 2016-02-13 17:59:00 Feb 2016 2015-10-08 Adoption
4 A674754 <NA> 2014-03-18 11:47:00 Mar 2014 2014-03-12 Transfer

```

```

Outcome Subtype Animal Type Sex upon Outcome Age upon Outcome ... \
0 <NA> Cat Neutered Male 2 years ...
1 <NA> Dog Neutered Male 1 year ...
2 <NA> Other Unknown 1 year ...
3 <NA> Dog Neutered Male 4 months ...
4 Partner Cat Intact Male 6 days ...

```

```

Color 1 G Color 1 B Color 1 H Color 1 S Color 1 V \
0 1.0 1.0 0.0 0.0 1.0
1 0.44 0.09 0.119444 0.85 0.59
2 <NA> <NA> <NA> <NA> <NA>
3 <NA> <NA> <NA> <NA> <NA>
4 <NA> <NA> <NA> <NA> <NA>

```

```

Age upon Outcome (years) Male Female NeuteredOrSpayed Adopted
0 2.0 True False True True
1 1.0 True False True True
2 1.0 False False False False
3 0.333333 True False True True
4 0.016438 True False False False

```

[5 rows x 32 columns]

```
[50]: df_breeds_with_info.head()
```

```
[50]:
```

	Breed	Count	Animal Type	Adopted	Color 0 R (mean)	\
0	Domestic Shorthair Mix	33260	Cat	0.461425	0.439476	
1	Domestic Shorthair	13808	Cat	0.553158	0.451115	
2	Pit Bull Mix	9406	Dog	0.431427	0.513666	
3	Labrador Retriever Mix	7913	Dog	0.546063	0.409771	
4	Chihuahua Shorthair Mix	6689	Dog	0.483181	0.609789	

	Color 0 R (std dev)	Color 0 G (mean)	Color 0 G (std dev)	\
0	0.412274	0.322711	0.323957	
1	0.412934	0.331264	0.324532	
2	0.403283	0.418784	0.381554	
3	0.421755	0.329495	0.388036	
4	0.370759	0.493648	0.361854	

	Color 0 B (mean)	Color 0 B (std dev)	...	\
0	0.286948	0.413041	...	
1	0.293482	0.413847	...	
2	0.476534	0.439715	...	
3	0.181561	0.323025	...	
4	0.356013	0.369441	...	

	CKC Subgroup	height_low_inches	\
0	11-A: Pointing Dogs	21.0	
1	11-A: Pointing Dogs	21.0	
2	4-B: Bull-and-Terrier Breeds	17.0	
3	11-C: Retrievers and Waterdogs	21.0	
4	12-A: Americas and Caribbean Breeds	5.0	

	height_high_inches	average height	weight_low_lbs	weight_high_lbs	\
0	26.0	23.5	45.0	70	
1	26.0	23.5	45.0	70	
2	22.0	19.5	30.0	75	
3	25.0	23.0	55.0	80	
4	10.0	7.5	1.0	7	

	average weight	Lifespan Low	Lifespan High	average lifespan
0	57.5	10	12	11.0
1	57.5	10	12	11.0
2	52.5	10	12	11.0
3	67.5	10	12	11.0
4	4.0	14	16	15.0

[5 rows x 43 columns]

1 Analysis by breed

There isn't much correlation appearing yet

```
[51]: df_breeds_with_info_corr = df_breeds_with_info.corr()

plt.figure(num=None, figsize=(12, 10), dpi=96, facecolor='w', edgecolor='k')
sns.heatmap(data=df_breeds_with_info_corr.abs())


def score(df, var1, var2):
    print(f'Corr({var1}, {var2})    {df[var1][var2]}')

score(df_breeds_with_info_corr, 'Adopted', 'Color 0 B (mean)')
score(df_breeds_with_info_corr, 'Adopted', 'Color 0 B (std dev)')
score(df_breeds_with_info_corr, 'Adopted', 'Color 0 V (mean)')
score(df_breeds_with_info_corr, 'Adopted', 'Color 0 V (std dev)')
score(df_breeds_with_info_corr, 'Adopted', 'average height')
score(df_breeds_with_info_corr, 'Adopted', 'height_low_inches')
score(df_breeds_with_info_corr, 'Adopted', 'height_high_inches')
score(df_breeds_with_info_corr, 'Adopted', 'Lifespan Low')
```

/tmp/ipykernel_105767/4118066584.py:1: FutureWarning: The default value of numeric_only in DataFrame.corr is deprecated. In a future version, it will default to False. Select only valid columns or specify the value of numeric_only to silence this warning.


```
df_breeds_with_info_corr = df_breeds_with_info.corr()

Corr(Adopted, Color 0 B (mean))    -0.057521961020765885
Corr(Adopted, Color 0 B (std dev)) -0.21220098425344674
Corr(Adopted, Color 0 V (mean))    -0.05892713325516749
Corr(Adopted, Color 0 V (std dev)) -0.22375794566214077
Corr(Adopted, average height)     0.07520172186737319
Corr(Adopted, height_low_inches)   0.08043859187253975
Corr(Adopted, height_high_inches)  0.06827302387620472
Corr(Adopted, Lifespan Low)        0.011194168083224364
```



```
[52]: sns.pairplot(data=df_breeds_with_info, x_vars=['Adopted'])
```

```
[52]: <seaborn.axisgrid.PairGrid at 0x7fb719a13a90>
```




1.1 Height ~ adopted?

Is the average height of a breed correlated with its likelihood of being adopted? The Pearson correlation coefficient was $\text{Corr}(\text{Adopted}, \text{average height}) = 0.2286839421877296$.


```
[53]: df_breeds_with_info.plot.hexbin(x='average height', y='Adopted', gridsize=8)
```

```
[53]: <AxesSubplot:xlabel='average height', ylabel='Adopted'>
```



```
[54]: sns.jointplot(  
    x=df_breeds_with_info['average height'].astype(dtype=float),  
    y=df_breeds_with_info.Adopted.astype(dtype=float),  
    kind='reg')
```

```
[54]: <seaborn.axisgrid.JointGrid at 0x7fb718ed43d0>
```



2 Analysis by individuals

2.1 Color

(results)

```
[55]: print('Colors')
      print(df_out_with_breeds_info['Color 0'].unique())
      print(df_out_with_breeds_info['Color 1'].unique())
```

Colors

<StringArray>

['Brown Tabby', 'White', 'Gray',


```

        'Buff',      'Orange Tabby',      'Brown',
        'Black',      'Blue',      'Calico',
        'Tricolor',    'Brown Brindle',    'Tan',
        'Chocolate',   'Red',      'Blue Tick',
        'Tortie',      'Sable',      'Cream Tabby',
        'Blue Tabby',   'Blue Merle', 'Brown Merle',
        'Silver',       'Apricot',   'Tortie Point',
        'Seal Point',   'Torbie',    'Fawn',
        'Lynx Point',   'Cream',     'Black Brindle',
        'Yellow',       'Chocolate Point', 'Blue Smoke',
        'Silver Tabby', 'Gray Tabby', 'Orange',
        'Brown Tiger',  'Yellow Brindle', 'Gold',
        'Black Tabby',  'Flame Point', 'Calico Point',
        'Green',        'Black Smoke', 'Blue Cream',
        'Lilac Point',  'Red Merle', 'Liver',
        'Blue Point',   'Red Tick', 'Liver Tick',
        'Black Tiger',  'Pink', 'Blue Tiger',
        'Agouti', 'Silver Lynx Point', 'Cream Tiger',
        'Orange Tiger', 'Ruddy', 'Unknown']
Length: 60, dtype: string
<StringArray>
[
    'White',      'Brown',      <NA>,      'Orange Tabby',
    'Blue',        'Tan',      'Black',    'Blue Tabby',
    'Gray',        'Brown Tabby', 'Tricolor', 'Brown Brindle',
    'Buff',        'Yellow Brindle', 'Red',      'Blue Tick',
    'Cream',       'Orange',    'Chocolate', 'Cream Tabby',
    'Red Tick',    'Blue Merle', 'Tortie',    'Red Merle',
    'Silver',      'Black Tabby', 'Fawn',      'Yellow',
    'Gray Tabby',  'Seal Point', 'Pink',      'Gold',
    'Calico',      'Brown Merle', 'Gray Tiger', 'Black Brindle',
    'Blue Cream',  'Liver',     'Agouti',    'Blue Point',
    'Green',       'Flame Point', 'Lynx Point', 'Black Smoke',
    'Blue Tiger',  'Apricot',   'Liver Tick', 'Chocolate Point',
    'Black Tiger', 'Tortie Point', 'Silver Tabby', 'Lilac Point',
    'Brown Tiger', 'Calico Point']
Length: 54, dtype: string

```

```

[56]: df_out_colors_1 = df_out.loc[(df_out['Color 0'].notna() == True) &
    ↪(df_out['Color 1'].notna() == False)]
df_out_colors_2 = df_out.loc[(df_out['Color 0'].notna() == True) &
    ↪(df_out['Color 1'].notna() == True)]

```

```

[57]: def bigCorr_bernoulli(df, independent, dependent):
    numerator = (
        df[[independent, dependent]].groupby(independent).value_counts()
    )

```

```

denominator = (
    df[[independent]].groupby(independent).value_counts()
)

return (numerator.div(denominator))[:,True]

```

```

[58]: def bigCorr_bernoulli_custom_colors_2():
    df_out_colors_2_color_0 = df_out_colors_2[['Color 0', 'Adopted']].
    ↪rename(columns={'Color 0': 'Color'})
    df_out_colors_2_color_1 = df_out_colors_2[['Color 1', 'Adopted']].
    ↪rename(columns={'Color 1': 'Color'})

    numerator = (
        df_out_colors_2_color_0.groupby('Color').value_counts().add(
            df_out_colors_2_color_1.groupby('Color').value_counts(),
            fill_value=0
        )
    )

    denominator = (
        df_out_colors_2_color_0[['Color']].groupby('Color').value_counts().add(
            df_out_colors_2_color_1[['Color']].groupby('Color').value_counts(),
            fill_value=0
        )
    )

    return (numerator.div(denominator))[:,True]

def bigCorr_bernoulli_custom_colors_1_or_2():
    df_out_colors_1_color_0 = df_out_colors_1[['Color 0', 'Adopted']].
    ↪rename(columns={'Color 0': 'Color'})
    df_out_colors_2_color_0 = df_out_colors_2[['Color 0', 'Adopted']].
    ↪rename(columns={'Color 0': 'Color'})
    df_out_colors_2_color_1 = df_out_colors_2[['Color 1', 'Adopted']].
    ↪rename(columns={'Color 1': 'Color'})

    numerator = (
        df_out_colors_1_color_0.groupby('Color').value_counts().add(
            df_out_colors_2_color_0.groupby('Color').value_counts().add(
                df_out_colors_2_color_1.groupby('Color').value_counts(),
                fill_value=0
            ),
            fill_value=0
        )
    )

    denominator = (

```

```

        df_out_colors_1_color_0[['Color']].groupby('Color').value_counts().add(
            df_out_colors_2_color_0[['Color']].groupby('Color').value_counts().
↪add(
                df_out_colors_2_color_1[['Color']].groupby('Color').
↪value_counts(),
                fill_value=0
            ),
            fill_value=0
        )
    )

    return (numerator.div(denominator))[:,True]

```

[59]: *# This is copied from prep.ipynb*

```

from math import pi

# colors.csv was compiled from these wikipedia articles
# https://en.wikipedia.org/wiki/List_of_colors:_A-F
# https://en.wikipedia.org/wiki/List_of_colors:_G%E2%80%93M
# https://en.wikipedia.org/wiki/List_of_colors:_N%E2%80%93Z
# Then the "-" character was replaced with "0"
df_colors = pd.read_csv('colors.csv')
df_colors = df_colors.convert_dtypes(infer_objects=True)
df_colors['Name'] = df_colors['Name'].str.lower()
df_colors['Red (RGB)'] = pd.to_numeric(df_colors['Red (RGB)'].str.replace('%', '0').div(100)
↪).div(100)
df_colors['Green (RGB)'] = pd.to_numeric(df_colors['Green (RGB)'].str.
↪replace('%', '0')).div(100)
df_colors['Blue (RGB)'] = pd.to_numeric(df_colors['Blue (RGB)'].str.
↪replace('%', '0')).div(100)
df_colors['Hue (HSL/HSV)'] = pd.to_numeric(df_colors['Hue (HSL/HSV)'].str.
↪replace('°', '0')).div(360)
df_colors['Satur. (HSL)'] = pd.to_numeric(df_colors['Satur. (HSL)'].str.
↪replace('%', '0')).div(100)
df_colors['Light (HSL)'] = pd.to_numeric(df_colors['Light (HSL)'].str.
↪replace('%', '0')).div(100)
df_colors['Satur. (HSV)'] = pd.to_numeric(df_colors['Satur. (HSV)'].str.
↪replace('%', '0')).div(100)
df_colors['Value (HSV)'] = pd.to_numeric(df_colors['Value (HSV)'].str.
↪replace('%', '0')).div(100)
df_colors.head()

def colorInfo(color):
    color = color.lower()
    words = [color] if color.count(' ') == 0 else [color] + color.split(' ')

```

```

for word in words:
    try:
        items = df_colors.loc[df_colors.Name == word]
        if len(items) > 0:
            return items
    except:
        continue

for word in words:
    try:
        items = df_colors.loc[df_colors.Name.str.contains(word)]
        if len(items) > 0:
            return items
    except:
        continue

return None

def rgb(color):
    info = colorInfo(color)
    if info is None: return (None, None, None)
    r = info['Red (RGB)'].values[0]
    g = info['Green (RGB)'].values[0]
    b = info['Blue (RGB)'].values[0]
    return (r, g, b)

```

```

[60]: def chartColorAdoptionLikelihood(df_colors, color_relation):

    # Wilson confidence interval
    # https://en.wikipedia.org/wiki/Binomial_proportion_confidence_interval

    alpha = 0.01
    z = st.norm.ppf(1 - (alpha / 2))
    n = df_colors.Count
    p = df_colors.Adopted
    p_center = (1 / (1 + ((z ** 2) / n))) * (p + ((z ** 2) / (2 * n)))
    p_halfextent = (z / (1 + ((z ** 2) / n))) * (((p * (1 - p)) / (n)) + ((z ** 2) / (4 * (n ** 2)))) * (1/2)
    p_low = p_center - p_halfextent
    p_high = p_center + p_halfextent

    colors = [rgb(color) for color in df_colors.index]
    colors = [color if color[0] != None else '0.3' for color in colors]

    plt.figure(num=None, figsize=(5, 12), dpi=96, facecolor='w', edgecolor='k')
    plt.title(f'Probability of an animal with this {color_relation} color being adopted ({(1 - alpha):%} confidence)')

```

```

    ax = df_colors.Adopted.plot.barh(x='Color', xerr=[p_low, p_high], ecolord='0.
↪5', color=colors)
    ax.set_xlim(0, 1)
    plt.show()
    print(f'{len(df_colors)} colors')
    print()

def colors_single():
    colors_adopted = bigCorr_bernoulli(df_out_colors_1, 'Color 0', 'Adopted')
    colors_count = df_out_colors_1['Color 0'].value_counts()
    df_colors = pd.DataFrame(index=colors_count.index)
    df_colors = df_colors.assign(Color=colors_count.index, Count=colors_count,
↪Adopted=colors_adopted)
    df_colors.sort_values(by='Adopted', ascending=False, inplace=True)
    chartColorAdoptionLikelihood(df_colors, 'single')

def colors_mixed():
    colors_adopted = bigCorr_bernoulli_custom_colors_2()
    colors_count = df_out_colors_2['Color 0'].value_counts().
↪add(df_out_colors_2['Color 1'].value_counts(), fill_value=0)
    df_colors = pd.DataFrame(index=colors_count.index)
    df_colors = df_colors.assign(Color=colors_count.index, Count=colors_count,
↪Adopted=colors_adopted)
    df_colors.sort_values(by='Adopted', ascending=False, inplace=True)
    chartColorAdoptionLikelihood(df_colors, 'mixed')

def colors_singleOrMixed():
    colors_adopted = bigCorr_bernoulli_custom_colors_1_or_2()
    colors_count = df_out_colors_1['Color 0'].value_counts().
↪add(df_out_colors_2['Color 0'].value_counts(), fill_value=0).
↪add(df_out_colors_2['Color 1'].value_counts(), fill_value=0)
    df_colors = pd.DataFrame(index=colors_count.index)
    df_colors = df_colors.assign(Color=colors_count.index, Count=colors_count,
↪Adopted=colors_adopted)
    df_colors.sort_values(by='Adopted', ascending=False, inplace=True)
    chartColorAdoptionLikelihood(df_colors, 'single or mixed')

colors_single()
colors_mixed()
colors_singleOrMixed()

df_colors_outcomes = df_out_colors_1[['Outcome Type', 'Color 0']]
plt.figure(num=None, figsize=(5, 12), dpi=96, facecolor='w', edgecolor='k')
plt.title('Probability of an animal with this solid color having a certain
↪outcome')
sns.histplot(

```

```
data=df_colors_outcomes,  
y='Color 0',  
hue='Outcome Type',  
multiple='fill',  
)
```


```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-  
packages/numpy/core/_methods.py:44: RuntimeWarning: invalid value encountered in  
reduce
```

```
    return umr_minimum(a, axis, None, out, keepdims, initial, where)
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-  
packages/numpy/core/_methods.py:40: RuntimeWarning: invalid value encountered in  
reduce
```


```
    return umr_maximum(a, axis, None, out, keepdims, initial, where)
```

Probability of an animal with this single color being adopted (99.000000% confidence)



59 colors

Probability of an animal with this mixed color being adopted (99.000000% confidence)



59 colors


/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-


```
packages/numpy/core/_methods.py:44: RuntimeWarning: invalid value encountered in reduce
```

```
    return umr_minimum(a, axis, None, out, keepdims, initial, where)
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/numpy/core/_methods.py:40: RuntimeWarning: invalid value encountered in reduce
```


```
    return umr_maximum(a, axis, None, out, keepdims, initial, where)
```

Probability of an animal with this single or mixed color being adopted (99.000000% confidence)




61 colors


```
[60]: <AxesSubplot:title={'center': 'Probability of an animal with this solid color  
having a certain outcome'}, xlabel='Count', ylabel='Color 0'>
```




```
[61]: df_out.plot.hexbin(x='Color 0 H', y='Color 0 V', gridsize=5)
df_out.plot.hexbin(x='Color 0 H', y='Color 0 S', gridsize=5)
df_out.plot.hexbin(x='Color 0 S', y='Color 0 V', gridsize=5)
```

```
[61]: <AxesSubplot:xlabel='Color 0 S', ylabel='Color 0 V'>
```







2.2 Breed characteristics

This analysis considers individual animals and looks for correlations between characteristics of their breed and their outcome.

It looks like the animals belonging to a breed with an average height around 20-25 (inches?) are more likely to be adopted than others, and animals between 5-12 inches are less likely than others to be adopted.

TODO: interpret the other graphs. Why are the different lifespan variables distributed the way they are, and why are they distributed differently compared to each other?

```
[62]: df_out_1 = df_out.assign(Adopted=df_out.Adopted.fillna(False))
df_out_with_breeds_info_1 = df_out_with_breeds_info.assign(Adopted=df_out.
    ↳Adopted.fillna(False))

def correlo_histogram(df, independent, dependent, binwidth):
    print(f'{independent} ~ {dependent}')
    sns.histplot(data=df,
                  x=independent,
                  hue=dependent,
                  multiple='fill',
```

```

        binwidth=binwidth)
plt.show()

independent_vars_breeds_info = [
    ['average height', 2],
    ['Est. lifespan remaining', 1],
    ['average lifespan', 1],
    ['Lifespan Low', 1],
    ['Lifespan High', 1]
]

independent_vars_individuals = [
    ['Age upon Outcome (years)', 1],
    ['Color O H', 0.1],
    ['Color O S', 0.1],
    ['Color O V', 0.1]
]

for [independent, binwidth] in independent_vars_breeds_info:
    for dependent in ['Adopted', 'Outcome Type']:
        correlo_histogram(df_out_with_breeds_info_1, independent, dependent,
                           binwidth)

for [independent, binwidth] in independent_vars_individuals:
    for dependent in ['Adopted', 'Outcome Type']:
        correlo_histogram(df_out_1, independent, dependent, binwidth)

```


average height ~ Adopted

```

/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)

```

```
pd.Index(widths, name="widths"),
```



average height ~ Outcome Type

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-  
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the  
Index constructor will not infer numeric dtypes when passed object-dtype  
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-  
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the  
Index constructor will not infer numeric dtypes when passed object-dtype  
sequences (matching Series behavior)
```

```
pd.Index(widths, name="widths"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-  
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the  
Index constructor will not infer numeric dtypes when passed object-dtype  
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-  
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the  
Index constructor will not infer numeric dtypes when passed object-dtype
```



```


sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-

```


```

packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),


```



Est. lifespan remaining ~ Adopted



Est. lifespan remaining ~ Outcome Type



average lifespan ~ Adopted

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```


```
pd.Index(widths, name="widths"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(widths, name="widths"),
```



average lifespan ~ Outcome Type

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(widths, name="widths"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```


```
pd.Index(widths, name="widths"),
```



```

sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),

```





Lifespan Low ~ Adopted

```

/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),

```



Lifespan Low ~ Outcome Type

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(widths, name="widths"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```


```
pd.Index(widths, name="widths"),
```



```

sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),

```



Lifespan High ~ Adopted

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```


```
pd.Index(widths, name="widths"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(widths, name="widths"),
```



Lifespan High ~ Outcome Type

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(widths, name="widths"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```


```
pd.Index(widths, name="widths"),
```



```

sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),

```

Age upon Outcome (years) ~ Adopted

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```


```
pd.Index(widths, name="widths"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(widths, name="widths"),
```



Age upon Outcome (years) ~ Outcome Type

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(widths, name="widths"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```


```
pd.Index(widths, name="widths"),
```



```

sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),

```



Color 0 H ~ Adopted

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```


```
pd.Index(widths, name="widths"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(widths, name="widths"),
```



Color 0 H ~ Outcome Type

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(widths, name="widths"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```


```
pd.Index(widths, name="widths"),
```



```

sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),

```

Color 0 S ~ Adopted

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```


```
pd.Index(widths, name="widths"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(widths, name="widths"),
```



Color 0 S ~ Outcome Type

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(widths, name="widths"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```


```
pd.Index(widths, name="widths"),
```



```

sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),

```



Color 0 V ~ Adopted

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```


```
pd.Index(widths, name="widths"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(widths, name="widths"),
```



Color 0 V ~ Outcome Type

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(widths, name="widths"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(edges, name="edges"),
```

```
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
```

```
pd.Index(widths, name="widths"),
```



```

sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:499: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(edges, name="edges"),
/home/isaac/miniconda3/envs/cse3380/lib/python3.10/site-
packages/seaborn/distributions.py:500: FutureWarning: In a future version, the
Index constructor will not infer numeric dtypes when passed object-dtype
sequences (matching Series behavior)
    pd.Index(widths, name="widths"),

```