## lp::SymbolInterface + getName() + getToken() + setName() + setToken() \* getName() \* getToken() \* setName() \* setToken() lp::Symbol # \_name # token + Symbol() + Symbol() + getName() + getToken() + setName() + setToken() + operator==() + operator<() \* \_name \* \_token \* \(\overline{5}\)ymbol() \* Symbol() \* getName() \* getToken() \* setName() \* setToken() \* operator==() \* operator<() lp::Variable # \_type + Variable() + Variable() + getType() + setType() + operator=() + write() + read() \_type \* Variable() \* Variable() getType() \* setType() operator=() \* write() read() lp::NumericVariable Ip::StringVariable - value - value + NumericVariable() + StringVariable() + NumericVariable() + StringVariable() + getValue() + getValue() + setValue() + setValue() + read() + read() + write() + write() + operator=() + operator=() value value \* StringVariable() \* NumericVariable() \* StringVariable() \* NumericVariable() \* getValue() \* getValue() \* setValue() \* setValue() \* read() \* read() \* write() \* write() \* operator=() \* operator=() \* operator>> \* operator>> \* operator<< \* operator<<

lp::LogicalVariable

+ LogicalVariable()

+ LogicalVariable()

+ getValue()

+ setValue()

+ operator=()

\* LogicalVariable()

\* LogicalVariable()

value

\* getValue()

\* setValue()

\* operator=()

\* operator>>

\* operator<<

\* read()

\* write()

+ read() + write()

- value