

Pre Other Medicine

study_unique_id

pre_other_med_target_date

pre_other_med_target_time

pre_anticonvulsants

- ☐ Topiramate (Topamax)
- ☐ Phenobarbital
- ☐ Lorazepam (Ativan)
- ☐ Phenytoin (Dilantin)
- ☐ Paraldehyde
- ☐ Levetiracetam (Keppra)
- ☐ Pyridoxine (Vitamin B6)
- ☐ Bumetanide (Bumex)
- ☐ Pentobarbital
- ☐ Other
(anticonvulsants)

pre_anticonvulsants1

- ☐ Topiramate (Topamax)
- ☐ Phenobarbital
- ☐ Lorazepam (Ativan)
- ☐ Phenytoin (Dilantin)
- ☐ Paraldehyde
- ☐ Levetiracetam (Keppra)
- ☐ Pyridoxine (Vitamin B6)
- ☐ Bumetanide (Bumex)
- ☐ Pentobarbital
- ☐ Other
(anticonvulsants)

pre_anticonvulsants2

- ☐ Topiramate (Topamax)
- ☐ Phenobarbital
- ☐ Lorazepam (Ativan)
- ☐ Phenytoin (Dilantin)
- ☐ Paraldehyde
- ☐ Levetiracetam (Keppra)
- ☐ Pyridoxine (Vitamin B6)
- ☐ Bumetanide (Bumex)
- ☐ Pentobarbital
- ☐ Other
(anticonvulsants)

pre_anticonvulsants3

- ☐ Topiramate (Topamax)
- ☐ Phenobarbital
- ☐ Lorazepam (Ativan)
- ☐ Phenytoin (Dilantin)
- ☐ Paraldehyde
- ☐ Levetiracetam (Keppra)
- ☐ Pyridoxine (Vitamin B6)
- ☐ Bumetanide (Bumex)
- ☐ Pentobarbital
- ☐ Other
(anticonvulsants)

pre_analgesics	<input type="radio"/> Morphine <input type="radio"/> Chloral hydrate <input type="radio"/> Fentanyl <input type="radio"/> Midazolam (Versed) <input type="radio"/> Phenobarbital <input type="radio"/> Other <input type="radio"/> Ativan (analgesics)
pre_analgesics_sedatives1	<input type="radio"/> Morphine <input type="radio"/> Chloral hydrate <input type="radio"/> Fentanyl <input type="radio"/> Midazolam (Versed) <input type="radio"/> Phenobarbital <input type="radio"/> Other <input type="radio"/> Ativan (analgesics)
pre_analgesics_sedatives2	<input type="radio"/> Morphine <input type="radio"/> Chloral hydrate <input type="radio"/> Fentanyl <input type="radio"/> Midazolam (Versed) <input type="radio"/> Phenobarbital <input type="radio"/> Other <input type="radio"/> Ativan (analgesics)
pre_analgesics_sedatives3	<input type="radio"/> Morphine <input type="radio"/> Chloral hydrate <input type="radio"/> Fentanyl <input type="radio"/> Midazolam (Versed) <input type="radio"/> Phenobarbital <input type="radio"/> Other <input type="radio"/> Ativan (analgesics)
pre_antipyretics	<input type="radio"/> Acetaminophen <input type="radio"/> Ibuprofen (antipyretics)
pre_antipyretics1	<input type="radio"/> Acetaminophen <input type="radio"/> Ibuprofen (antipyretics)
pre_antipyretics2	<input type="radio"/> Acetaminophen <input type="radio"/> Ibuprofen (antipyretics)
pre_antipyretics3	<input type="radio"/> Acetaminophen <input type="radio"/> Ibuprofen (antipyretics)
pre_paralytics	<input type="radio"/> Pancuronium <input type="radio"/> Vecuronium <input type="radio"/> Other (paralytics)

pre_paralytics1	<div><input type="radio"/> Pancuronium</div> <div><input type="radio"/> Vecuronium</div> <div><input type="radio"/> Other (paralytics)</div>
pre_paralytics2	<div><input type="radio"/> Pancuronium</div> <div><input type="radio"/> Vecuronium</div> <div><input type="radio"/> Other (paralytics)</div>
pre_paralytics3	<div><input type="radio"/> Pancuronium</div> <div><input type="radio"/> Vecuronium</div> <div><input type="radio"/> Other (paralytics)</div>
pre_other_med_fluid_intake_cc_per_kg	<div></div>
pre_other_med_urine_output_cc_per_kg	<div></div>