

had the task to make the best Jigglypuff Pokémon only using ChatGPT and see how it works.

What I learned:


I learned how hard it can be to get what you want from ChatGPT and that sometimes it can't make what you would like.

How I think it went:

I think personally it went well it was a great experience to how difficult it can be using chat gpt and how you should ask questions as well.



How it is suppose to look like



how I did it.

```

.leg.left {
  left: 60px;
}
.leg.right {
  left: 120px;
}
.ear {
  position: absolute;
  top: 10px;
  width: 50px;
  height: 10px;
  background: #FF758F;
  border-radius: 50%;
}
.ear.left {
  left: 30px;
  transform: rotate(45deg);
}
.ear.right {
  right: 30px;
  transform: rotate(-45deg);
}
.mouth {
  position: absolute;
  top: 130px;
  left: 35%;
  width: 60px;
  height: 20px;
  border-radius: 50%;
  border-top: 2px solid #000;
}
@keyframes jiggle {
  0% {
    transform: translateX(-2px) rotateZ(-2deg);
  }
  100% {
    transform: translateX(2px) rotateZ(2deg);
  }
}

```

```

@keyframes movePupil {
  0%, 100% {
    transform: translateY(-1px);
  }
  50% {
    transform: translateY(1px);
  }
}
</style>
</head>
<body>
  <div class="jigglypuff">
    <div class="eye">
      <div class="pupil"></div>
    </div>
    <div class="eye right">
      <div class="pupil"></div>
    </div>
    <div class="tail"></div>
    <div class="hand"></div>
    <div class="microphone"></div>
    <div class="leg left"></div>
    <div class="leg right"></div>
    <div class="ear left"></div>
    <div class="ear right"></div>
    <div class="mouth"></div>
  </div>
</body>
</html>

```

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Jigglypuff Animation</title>
</head>
<body>
  <div class="jigglypuff">
    <div class="eye">
      <div class="pupil"></div>
    </div>
    <div class="eye right">
      <div class="pupil"></div>
    </div>
    <div class="tail"></div>
    <div class="hand"></div>
    <div class="microphone"></div>
    <div class="leg left"></div>
    <div class="leg right"></div>
    <div class="ear left"></div>
    <div class="ear right"></div>
    <div class="mouth"></div>
  </div>
</body>
</html>

```

```

.leg {
  position: absolute;
  bottom: -20px;
  width: 20px;
  height: 60px;
  background: #FF758F;
}
.leg.left {
  left: 60px;
}
.leg.right {
  right: 60px;
}
.ear {
  position: absolute;
  top: 10px;
  width: 50px;
  height: 10px;
  background: #FF758F;
  border-radius: 50%;
}
.ear.left {
  left: 30px;
  transform: rotate(45deg);
}
.ear.right {
  right: 30px;
  transform: rotate(-45deg);
}
.mouth {
  position: absolute;
  top: 130px;
  left: 35%;
  width: 60px;
  height: 20px;
  border-radius: 50%;
  border-top: 2px solid #000;
}
.tail {
  position: absolute;
  bottom: -20px;
  left: 80px;
  width: 0;
  height: 0;
  border-left: 10px solid transparent;
  border-right: 10px solid transparent;
  border-bottom: 20px solid #FF758F;
  border-radius: 50%;
  transform: rotate(-45deg);
}
.hand {
  position: absolute;
  bottom: 20px;
  left: 0px; /* Adjusted left position */
  width: 40px;
  height: 80px;
  background: #FF758F;
  border-radius: 50% 50% 0 0;
  box-shadow: 0px 0px 10px #000;
  transform: rotate(-45deg);
}
.microphone {
  position: absolute;
  bottom: 65px;
  left: 0px; /* Adjusted left position */
  width: 10px;
  height: 60px;
  background: #000000;
  border-radius: 5px;
}

```

