


Projectwerk


4. Klassendiagram


Wagemakers Jan



4 mei 2018


Pagina 2 van 12



























```
classDiagram
    class Hoofdscherm {
        <<constructor>> Hoofdscherm()
        Hoofdscherm_Load(in sender:object, in e:EventArgs):void
        DgvLaagspanningsnetCellContentClick(in sender:object, in e:DataGridViewCellEventArgs):void
        BtnDynVoedingClick(in sender:object, in e:EventArgs):void
        DgvLaagspanningsnetSelectionChanged(in sender:object, in e:EventArgs):void
        Save(in plusMinAdd:int, in count:int):void
        BtnSearchClick(in sender:object, in e:EventArgs):void
        TxtbxSearchKeyDown(in sender:object, in e:KeyEventArgs):void
        MenuMachineNieuwClick(in sender:object, in e:EventArgs):void
        MenuMachineAanpassenClick(in sender:object, in e:EventArgs):void
        MenuMachineVerwijderenClick(in sender:object, in e:EventArgs):void
        MenuAansluitpuntNieuwClick(in sender:object, in e:EventArgs):void
        MenuAansluitpuntAanpassenClick(in sender:object, in e:EventArgs):void
        MenuAansluitpuntVerwijderenClick(in sender:object, in e:EventArgs):void
        MenuAfdrukkenClick(in sender:object, in e:EventArgs):void
        DgvLaagspanningsnetCellValueChanged(in sender:object, in e:DataGridViewCellEventArgs):void
        MenuAfsluitenClick(in sender:object, in e:EventArgs):void
        MenuTransfoClick(in sender:object, in e:EventArgs):void
        MenuAansluitpuntHernoemenClick(in sender:object, in e:EventArgs):void
        <<override>> Dispose(in disposing:bool):void
        InitializeComponent():void
    }
```

The image shows a list of methods for a class named `Hoofdscherm`. The methods are listed with their signatures and return types. The first method is the constructor `Hoofdscherm()`. The other methods are event handlers for various UI controls, including `Hoofdscherm_Load`, `DgvLaagspanningsnetCellContentClick`, `BtnDynVoedingClick`, `DgvLaagspanningsnetSelectionChanged`, `Save`, `BtnSearchClick`, `TxtbxSearchKeyDown`, `MenuMachineNieuwClick`, `MenuMachineAanpassenClick`, `MenuMachineVerwijderenClick`, `MenuAansluitpuntNieuwClick`, `MenuAansluitpuntAanpassenClick`, `MenuAansluitpuntVerwijderenClick`, `MenuAfdrukkenClick`, `DgvLaagspanningsnetCellValueChanged`, `MenuAfsluitenClick`, `MenuTransfoClick`, and `MenuAansluitpuntHernoemenClick`. The last two methods are `Dispose` (marked as an override) and `InitializeComponent`.