

Notes 3

Part 1

What is a Graphical User Interface (GUI)?

A GUI lets users interact with the computer with windows, icons...

What is a Desktop Environment?

A desktop environment is a graphical workspace.

What is the Command Line Interface (CLI)?

The CLI lets users type text commands to control the system and perform tasks.

How do I Access the Command Line Interface (CLI)?

You can open the terminal or pressing **Ctrl + Alt + T** in most Linux distributions.

What is a Virtual Console?

A virtual console is a full-screen text interface.

What is a Terminal Emulator?

A terminal emulator is a program inside the GUI that lets you use the command line(Tilix).

What is Bash?

Bash (Bourne Again Shell) is a popular command-line shell used to run commands and scripts.

What is the Shell Prompt?

The shell prompt is the text or symbol that shows it's ready for a command.

Part 2

Definition, usage, and examples of the following commands

clear

Definition: Clears the terminal screen.

Usage: `clear`

Example: `clear`

echo

Definition: Prints text or variables.

Usage: `echo [text]`

Example: `echo Hello`

date

Definition: Shows date and time.

Usage: `date`

Example: `date`

free

Definition: Displays memory usage.

Usage: `free -h`

Example: `free -h`

uname

Definition: Shows system info.

Usage: `uname -a`

Example: `uname -a`

history

Definition: Lists previous commands.

Usage: `history`

Example: `history`

man

Definition: Opens a command's manual.

Usage: `man [command]`

Example: `man ls`

tldr

Definition: Shows simple command examples.

Usage: `tldr [command]`

Example: `tldr cp`

cheat

Definition: Displays quick command notes.

Usage: `cheat [command]`

Example: `cheat tar`

hostname

Definition: Shows the computer's name.

Usage: `hostname`

Example: `hostname`

`df`

Definition: Shows disk space usage.

Usage: `df -h`

Example: `df -h`

`du`

Definition: Shows directory sizes.

Usage: `du -h [path]`

Example: `du -h /home`

`figlet`

Definition: Creates big text banners.

Usage: `figlet [text]`

Example: `figlet Linux`