


Lab 9

Question 1

A terminal window titled 'Tilix: abueno@Cis106: ~' with standard window controls. The terminal shows a user named 'abueno' at a machine named 'Cis106'. The user executes three commands: 1) 'echo "All files in my home directory" > file_report.txt' to create a file. 2) 'ls -A ~ | paste -sd "," >> file_report.txt' to append the contents of the home directory to the file. 3) 'cat file_report.txt' to display the file's contents. The output of the cat command lists all files and directories in the home directory, including hidden ones like .bash_history and .ssh, separated by commas.

```
1/1 ▾ + [ ] [ ]
Tilix: abueno@Cis106: ~
1: abueno@Cis106: ~ ▾
abueno@Cis106:~$ echo "All files in my home directory" > file_report.txt
abueno@Cis106:~$ ls -A ~ | paste -sd "," >> file_report.txt
abueno@Cis106:~$ cat file_report.txt
All files in my home directory
AllNotes.md,.bash_aliases,.bash_history,.bash_logout,.bashrc,.cache,cis106,cis106-local.zip,cis106.zip,.config,Desktop,Documents,.dotnet,Downloads,essentials.sh,essentials.sh.1,.face,.face.icon,file_report.txt,.Font,.gitconfig,.gnupg,inClassActivity,lab5files,lab5files.zip,lab6-challenge1,.local,.mozilla,Music,Pictures,.pki,.profile,Public,scripts,snap,snapshots,.ssh,.sudo_as_admin_successful,Templates,.var,.vboxclient-clipboard-tty2-control.pid,.vboxclient-clipboard-tty2-service.pid,.vboxclient-draganddrop-tty2-control.pid,.vboxclient-hostversion-tty2-control.pid,.vboxclient-seamless-tty2-control.pid,.vboxclient-vmvga-session-tty2-control.pid,.vboxclient-vmvga-session-tty2-service.pid,Videos,.vscode,vscode.sh,website_ch1_lab7,.wget-hsts,wildcardpractice,wildcards-in-class-activity-instructions.html
abueno@Cis106:~$
```

Question 2

```

1/1 + T T
Tilix: abueno@Cis106: ~
1: abueno@Cis106: ~
abueno@Cis106:~$ echo "Total number of files in my home directory" >> file_report.txt
abueno@Cis106:~$ ls -lA | grep -v '^d' | wc -l >> file_report.txt
abueno@Cis106:~$ echo "Total number of directories in my home directory" >> file_report.txt
abueno@Cis106:~$ ls -lA ~ | grep '^d' | wc -l >> file_report.txt
abueno@Cis106:~$ tail -n10 file_report.txt
All files in my home directory
AllNotes.md,.bash_aliases,.bash_history,.bash_logout,.bashrc,.cache,cis106,cis106-local.zip,cis106.zip,.config,Desktop,Documents,.dotnet,Downloads,essentials.sh,essentials.sh.1,.face,.face.icon,file_report.txt,.Font,.gitconfig,.gnupg,inClassActivity,lab5files,lab5files.zip,lab6-challenge1,.local,.mozilla,Music,Pictures,.pki,.profile,Public,scripts,snap,snapshots,.ssh,.sudo_asadmin_successful,Templates,.var,.vboxclient-clipboard-tty2-control.pid,.vboxclient-clipboard-tty2-service.pid,.vboxclient-draganddrop-tty2-control.pid,.vboxclient-hostversion-tty2-control.pid,.vboxclient-seamless-tty2-control.pid,.vboxclient-vmvga-session-tty2-control.pid,.vboxclient-vmvga-session-tty2-service.pid,Videos,.vscode,vscode.sh,website_ch1_lab7,.wget-hsts,wildcardpractice,wildcards-in-class-activity-instructions.html
Total number of files in my home directory
27
Total number of directories in my home directory
28
abueno@Cis106:~$

```

Question 3 pt 2

```

1/1 + T T
Tilix: abueno@Cis106: ~
1: abueno@Cis106: ~
abueno@Cis106:~$ awk -F: '{print $1}' /etc/passwd
root
daemon
bin
sys
sync
games
man
lp
mail
news
uucp
proxy
www-data
backup
list
irc
_apt
2: abueno@Cis106: ~
abueno@Cis106:~$ awk -F: '{print $1, $NF}' /etc/passwd
root /bin/bash
daemon /usr/sbin/nologin
bin /usr/sbin/nologin
sys /usr/sbin/nologin
sync /bin/sync
games /usr/sbin/nologin
man /usr/sbin/nologin
lp /usr/sbin/nologin
mail /usr/sbin/nologin
news /usr/sbin/nologin
uucp /usr/sbin/nologin
proxy /usr/sbin/nologin
www-data /usr/sbin/nologin
backup /usr/sbin/nologin
list /usr/sbin/nologin
irc /usr/sbin/nologin
_apt /usr/sbin/nologin
3: abueno@Cis106: ~
abueno@Cis106:~$ awk -F: '{print $1, $7, $6}' /etc/passwd
root /bin/bash /root
daemon /usr/sbin/nologin /usr/sbin
bin /usr/sbin/nologin /bin
sys /usr/sbin/nologin /dev
sync /bin/sync /bin
games /usr/sbin/nologin /usr/games
man /usr/sbin/nologin /var/cache/man
4: abueno@Cis106: ~
abueno@Cis106:~$ awk -F: '{print "The user:", $1, "logs in with:", $7, "and is home dir is:", $6}' /etc/passwd
The user: root logs in with: /bin/bash and is home dir is: /root
The user: daemon logs in with: /usr/sbin/nologin and is home dir is: /usr/sbin
The user: bin logs in with: /usr/sbin/nologin and is home dir is: /bin
The user: sys logs in with: /usr/sbin/nologin and is home dir is: /dev
The user: sync logs in with: /bin/sync and is home dir is: /bin
The user: games logs in with: /usr/sbin/nologin and is home dir is: /usr/games
5: abueno@Cis106: ~
abueno@Cis106:~$ awk -F: '{print "The user:", $1, "logs in with:", $7, "and is home dir is:", $6}' /etc/passwd > report_users.txt
abueno@Cis106:~$
6: abueno@Cis106: ~
abueno@Cis106:~$ grep '/bin/bash$' /etc/passwd | awk -F: '{print $1 " = " $7}' >> report_users.txt
abueno@Cis106:~$

```

Question 3 pt 2

```
Tilix: abueno@Cis106: ~  
1:abueno@Cis106: ~  
abueno@Cis106:~$ cat report_users.txt  
The user: root logs in with: /bin/bash and is home dir is: /root  
The user: daemon logs in with: /usr/sbin/nologin and is home dir is: /usr/sbin  
The user: bin logs in with: /usr/sbin/nologin and is home dir is: /bin  
The user: sys logs in with: /usr/sbin/nologin and is home dir is: /dev  
The user: sync logs in with: /bin/sync and is home dir is: /bin  
The user: games logs in with: /usr/sbin/nologin and is home dir is: /usr/games  
The user: man logs in with: /usr/sbin/nologin and is home dir is: /var/cache/man  
The user: lp logs in with: /usr/sbin/nologin and is home dir is: /var/spool/lpd  
The user: mail logs in with: /usr/sbin/nologin and is home dir is: /var/mail  
The user: news logs in with: /usr/sbin/nologin and is home dir is: /var/spool/news  
The user: uucp logs in with: /usr/sbin/nologin and is home dir is: /var/spool/uucp  
The user: proxy logs in with: /usr/sbin/nologin and is home dir is: /bin  
The user: www-data logs in with: /usr/sbin/nologin and is home dir is: /var/www  
The user: backup logs in with: /usr/sbin/nologin and is home dir is: /var/backups  
The user: list logs in with: /usr/sbin/nologin and is home dir is: /var/list  
The user: irc logs in with: /usr/sbin/nologin and is home dir is: /run/ircd  
The user: _apt logs in with: /usr/sbin/nologin and is home dir is: /nonexistent  
The user: nobody logs in with: /usr/sbin/nologin and is home dir is: /nonexistent  
The user: systemd-network logs in with: /usr/sbin/nologin and is home dir is: /  
The user: dhcpcd logs in with: /bin/false and is home dir is: /usr/lib/dhcpcd  
The user: tss logs in with: /bin/false and is home dir is: /var/lib/tpm  
The user: systemd-timesync logs in with: /usr/sbin/nologin and is home dir is: /  
The user: messagebus logs in with: /usr/sbin/nologin and is home dir is: /nonexistent  
The user: dnsmasq logs in with: /usr/sbin/nologin and is home dir is: /var/lib/misc  
The user: avahi logs in with: /usr/sbin/nologin and is home dir is: /run/avahi-daemon  
The user: speech-dispatcher logs in with: /bin/false and is home dir is: /run/speech-dispatcher  
The user: usbmux logs in with: /usr/sbin/nologin and is home dir is: /var/lib/usbmux  
The user: cups-pk-helper logs in with: /usr/sbin/nologin and is home dir is: /nonexistent  
The user: fwupd-refresh logs in with: /usr/sbin/nologin and is home dir is: /var/lib/fwupd  
The user: geoclue logs in with: /usr/sbin/nologin and is home dir is: /var/lib/geoclue  
The user: gnome-remote-desktop logs in with: /usr/sbin/nologin and is home dir is: /var/lib/gnome-remote-desktop  
The user: saned logs in with: /usr/sbin/nologin and is home dir is: /var/lib/saned  
The user: polkitd logs in with: /usr/sbin/nologin and is home dir is: /  
The user: rtkit logs in with: /usr/sbin/nologin and is home dir is: /proc  
The user: colord logs in with: /usr/sbin/nologin and is home dir is: /var/lib/colord  
The user: Debian-gdm logs in with: /bin/false and is home dir is: /var/lib/gdm3  
The user: abueno logs in with: /bin/bash and is home dir is: /home/abueno
```

Question 4

```
Tilix: abueno@Cis106: ~/Documents/sample_files/Csv  
1:abueno@Cis106: ~/Documents/sample_files/Csv  
2:abueno@Cis106: ~/Documents/sample_files/Csv  
abueno@Cis106:~$ cd ~/Documents/sample_files/Csv  
abueno@Cis106:~/Documents/sample_files/Csv$ cat honda1.csv  
Car;MPG;Cylinders;Displacement;Horsepower;Weight;Acceleration;Model;Origin  
abueno@Cis106:~/Documents/sample_files/Csv$ cat honda1.csv  
Car;MPG;Cylinders;Displacement;Horsepower;Weight;Acceleration;Model;Origin  
Honda Civic;24.0;4;120.0;97.00;2489.;15.0;74;Japan  
Honda Civic CVCC;33.0;4;91.00;53.00;1795.;17.5;75;Japan  
Honda Civic;33.0;4;91.00;53.00;1795.;17.4;76;Japan  
Honda Accord CVCC;31.5;4;98.00;68.00;2045.;18.5;77;Japan  
Honda Civic CVCC;36.1;4;91.00;60.00;1800.;16.4;78;Japan  
Honda Accord LX;29.5;4;98.00;68.00;2135.;16.6;78;Japan  
Honda Civic 1500 gl;44.6;4;91.00;67.00;1850.;13.8;80;Japan  
Honda Accord;32.4;4;107.0;72.00;2290.;17.0;80;Japan  
Honda Civic 1300;35.1;4;81.00;60.00;1760.;16.1;81;Japan  
Honda Prelude;33.7;4;107.0;75.00;2210.;14.4;81;Japan  
Honda Accord;36.0;4;107.0;75.00;2205.;14.5;82;Japan  
Honda Civic;38.0;4;91.00;67.00;1965.;15.0;82;Japan  
Honda Civic (auto);32.0;4;91.00;67.00;1965.;15.7;82;Japan  
abueno@Cis106:~/Documents/sample_files/Csv$  
  
File: Honda3.csv  
1 model,cylinders,hp  
2 Honda Civic,4,97.00  
3 Honda Civic CVCC,4,53.00  
4 Honda Civic,4,53.00  
5 Honda Accord CVCC,4,68.00  
6 Honda Civic CVCC,4,68.00  
7 Honda Accord LX,4,68.00  
8 Honda Civic 1500 gl,4,67.00  
9 Honda Accord,4,72.00  
10 Honda Civic 1300,4,60.00  
11 Honda Prelude,4,75.00  
12 Honda Accord,4,75.00  
13 Honda Civic,4,67.00  
14 Honda Civic (auto),4,67.00  
abueno@Cis106:~/Documents/sample_files/Csv$
```