





Deciduous Teeth

Community Lab 6





introduction

The deciduous teeth start erupting at the age of 6.5 months (mandibular central incisor), and they finish at the age of 20–30 months. They are 20 in number while the permanent teeth are 32 in number. They are smaller in all dimensions and show less morphological variations than permanent teeth .




The Importance of Deciduous Teeth


- 1. Allow proper mastication.
- 2. Prevent malocclusion.
- 3. Guide the eruption of the permanent teeth.
- 4. Esthetics.
- 5. Phonetics.

Estimation of dental age (Chronology of tooth development and eruption)

- To evaluate the general health disturbances.
- Eruption of each tooth pair is symmetrical, delay of few months in eruption of a tooth after the contra lateral tooth has erupted indicates an abnormality (so need investigation).
- To know the age of foreign children.
 - In forensic dentistry, to know the victim.



The roots of the deciduous teeth are fully formed after eruption, then after a while resorption of these roots starts until exfoliation of the deciduous teeth occurs, followed by the eruption of the permanent successor teeth.



The eruption sequence of the deciduous teeth


Tooth	Eruption Time(months)
Mandibular central incisors	6.5
Mandibular lateral incisors	7
Maxillary central incisors	7.5
Maxillary lateral incisors	8
Mandibular first molars	12-16
Maxillary first molars	12-16
Mandibular canines	16-20
Maxillary canines	16-20
Mandibular second molars	20-30
Maxillary second molars	20-30

The eruption sequence of the deciduous teeth

A	B	D	C	E
A	B	D	C	E


Note:	(Gender differences)	(Jaw differences)
Primary teeth	no	lower teeth earlier than upper teeth
Permanent teeth	female earlier than male	lower teeth earlier than upper teeth

Principal differences between the deciduous and permanent teeth:




Crown Differences:

1. The crowns of the deciduous teeth are shorter and more constricted at the cervix.
2. The cervical ridges in all deciduous teeth are more prominent.




Crown Differences:

3. The occlusal table of deciduous tooth is narrower buccolingually than in permanent tooth.
4. The enamel and dentin layers are thinner in the deciduous tooth.




Crown Differences:

- 5. The contact areas between the deciduous molars are very broad and flat.
- 6. The color of deciduous tooth is whiter and more opaque than permanent tooth.



Pulp Differences:


- 1- The pulp of the deciduous tooth is larger than that of the permanent tooth in relation to the crown size.
- 2- The pulp horns of the deciduous tooth (especially the mesial horns) are closer to the outer surface than those of the permanent tooth.



Pulp Differences:


3-The form of the pulp chamber of deciduous tooth follows the surface of the crown.

4-There is a pulp horn under each cusp.




Root Differences:


1. Lack of root trunk in the deciduous molars.
2. The roots of the deciduous teeth are shorter, weaker, and narrower than permanent teeth.



Root Differences:

3. The roots of the deciduous teeth are longer and more slender in proportion to the crown size.
4. The roots of the deciduous molars are wider than the crown and more flare, to allow more room for the development of the successor permanent teeth.





THANK YOU

The image features a central text element "THANK YOU" in a dark blue, serif font. The text is flanked by four decorative geometric elements: a solid dark blue square in the top-left corner, a pink abstract shape with a small circle in the top-right corner, a pink circle with concentric lines in the bottom-left corner, and a solid dark blue square in the bottom-right corner.